

VITAL STATISTICS

GEORGIA

1952

Property Of:
Georgia Department of Human
Resources
Division of Public Health
Health Assessment Services
Do Not Remove



Department of Public Health
State of Georgia
Atlanta

614.1
G

VITAL STATISTICS

GEORGIA

1952

DEPARTMENT OF PUBLIC HEALTH


STATE OF GEORGIA

Atlanta

February, 1954

GEORGIA HEALTH REGIONS,

1952



NOTE: The present Central Region is comprised of the former East Central and West Central Regions with the exception of Columbia and Richmond Counties which were in the Northeastern region in 1952.

TABLE OF CONTENTS

	Page Number
Introduction.....	vii.
Definitions of terms and explanations.....	viii-ix
Summary of Selected Vital Statistics - Georgia, 1952.....	x - xii
Population	
Live Births	
Deaths	
Stillbirths	
Maternal Deaths	
Infant Deaths	
Neonatal Deaths	
Deaths from Immaturity	
Immature Births	
Illegitimate Births	

TABLES

Table I	Selected Vital Events, Number and Rate and Per Cent Occurring in Hospitals by Race, Urban and Rural, Georgia, 1952.....	1 - 2
Table II	Summary of Selected Vital Events Affecting Georgia Residents, 1940-1952.....	3 - 4
Table III	Important Causes of Death, Number and Per Cent of Total in Specified Age Groups, by Race, Georgia, 1952.....	5 - 10
Table IV	Deaths and Death Rates (per 100,000 population) from Specified Causes by Race, Georgia, 1952.....	11 - 12
Table V	Deaths and Death Rates (per 10,000 Live Births) from Diseases of Pregnancy, Childbirth and the Puerperium, by Race, Georgia, 1952.....	13
Table VI	Number and Percentage Distribution of Infant Deaths by Race, Sex, and Age, Georgia, 1952.....	14
Table VII	Number and Rate (per 1,000 Live Births) of Infant Deaths by Race, by Causes, Georgia, 1952.....	15 - 16
Table VIII	Number of Deaths from Accidents by Type of Accident by Age, Georgia, 1952.....	17
Table IX	Number and Per Cent of Live Births, by Place of Occurrence and Attendant, by Region, County and Race, Georgia, 1952.....	18 - 41
Table X	Summary of Natality Statistics, Number and Rate, by Region, County, and Race, Georgia, 1952.....	42 - 65

TABLE OF CONTENTS - Continued

Table XI	Total Deaths from All Causes and Deaths from Georgis's Ten Leading Causes by Region, County and Race, 1952	66 - 92
Table XII	Number of Physicians in Private Practice and Average Number of Persons per Physician by County, Georgia, August, 1953.....	93 - 94
Table XIII	Estimated Total Population by Race by Urban and Rural, and Civilian Population by Race, by County and Incor- porated Place of 2500 or More Persons, Georgia, July 1, 1952.....	95 - 97

INTRODUCTION

This report is prepared annually by the Central Statistical Unit to show more detailed tabulations of vital events recorded during the year with the Division of Vital Statistics of the Georgia Department of Public Health.

These statistics are measures of the health status of the population and are used in planning certain phases of public health programs in the state.

All births, deaths, and stillbirths which were recorded with the Division of Vital Statistics as having occurred to residents of Georgia during 1952 are included in this report. The data on marriage and divorce are estimated figures based on five months of reporting to the Division of Vital Statistics. Unless specified otherwise, all births, deaths, and stillbirths are allocated to place of residence; marriages are by place of issuance of license; and divorces, by place in which divorce was granted.

In May, 1951, the organization of counties into health regions was changed, as shown on the preceding map, to five regions. However, statistics were not allocated to these regions until January 1, 1952. Therefore, this report is the first in which data are shown according to the new arrangement. County data not shown by region are arranged alphabetically by county for the state.

The form of the summary data in this report has been changed somewhat from that found in previous reports. Further changes will be made in future reports, and since only a limited number of copies has been prepared, it is suggested that this copy be filed for future reference. Additional copies of most of the individual tables, and more detailed tabulations of these and other public health statistics, are available upon request. Suggestions concerning content and arrangement of future reports will be welcomed. Address correspondence to:

Georgia Department of Public Health
Central Statistical Unit
12 Capitol Square
Atlanta, Georgia

DEFINITIONS OF TERMS AND EXPLANATION OF SOME FACTORS AFFECTING
THE ACCURACY OF STATISTICS IN THIS REPORT

A LIVE BIRTH is the birth of a child who shows evidence of life after it is entirely outside the mother.

A STILLBIRTH is a birth after twenty weeks of gestation which is not a live birth.

An IMMATURE (Premature) BIRTH is the birth of a liveborn infant with a birth weight of $5\frac{1}{2}$ pounds (2500 grams) or less, or one specified as immature. If the weight is not specified, a liveborn infant with a period of gestation less than 9 months (length of gestation is given in months on medical report of live births) or specified as "premature", is considered immature.

A DEATH FROM IMMATURITY (Prematurity) is a death classified as "Immaturity" with mention of other subsidiary causes or "Immaturity Unclassified", International List numbers 774 and 776 respectively.

An INFANT DEATH is any death occurring during the first year of life.

A MATERNAL DEATH is a death from complications of pregnancy, child-birth or the puerperium (International List numbers 640-652 and 670-689).

ILLEGITIMATE BIRTH - On the confidential medical report of birth this question is asked: "Is mother married to father of child?" Yes No For statistical purposes, the answer "no" indicates an illegitimate birth.

A NEONATAL DEATH is any death under 28 days of age.

URBAN AND RURAL - All incorporated places in the state with 2500 or more persons in the 1950 Census are classed as "urban". All other places are "rural".

NONWHITE, abbreviated NW, as used in this report, refers to that segment of the population consisting of Negroes, Indians, Japanese, Chinese, and other nonwhite races. Persons of Mexican birth or ancestry who are not definitely Indian or other nonwhite race are classified as white. In the 1950 Census, 99.88% of the "nonwhite" population of Georgia was Negro, so for most purposes in Georgia, the terms "nonwhite" and Negro refer to essentially the same segment of the population.

INCOMPLETE REGISTRATION is one of the main sources of error in the registration of vital events in Georgia. The completeness of registration varies from county to county and in some instances accounts for differences in rates. Birth registration tests were made in 1940 and 1950, but no similar tests on the completeness of death registration are made. The following table shows the results of the birth registration tests for the state:

BIRTH REGISTRATION COMPLETENESS IN 1950 AND PERCENTAGE
INCREASE SINCE 1940 BY RACE; GEORGIA
(Births occurring in Georgia)

	Total	White	Nonwhite
1950 (Preliminary)	94.4	96.7	90.8
1940 (Final)	81.3	83.6	77.6
Percentage Increase	16.1	15.7	17.0

Source: Federal Security Agency - Public Health Service - National Office of Vital Statistics.

None of the statistics in this report have been adjusted for incomplete registration.

CHANGES IN CLASSIFYING CAUSES OF DEATH

In some instances the changes in classification of causes of death under the Sixth Revision of the International List have affected the comparability of rates for specific causes. Some of the mortality rates since 1949 are not comparable with rates under the Fifth and previous revisions of the International List. Further information on these changes will be supplied upon request.

RATES - Crude birth and death rates are based on the 1952 population estimates shown in Table XIII. Rates for natality statistics are per 1,000 live births, unless indicated otherwise.

Due to incompleteness of registration of vital events and enumeration of population, all vital statistics rates are, in effect, based on samples and, therefore, subject to sampling errors. Chance variation is always larger for rates based on smaller populations. This fact, in addition to the knowledge that errors, changes, or differences introduce wide variations in rates based on small figures, should be considered in the interpretation of rates.

In this report, crude live birth and death rates for the years 1940-1946 are based on the 1940 Census Counts of Population. Since 1946, these rates, including 1950 rates, are based on the estimated mid-year population. The populations for the years 1947-1949 were probably underestimated to a certain extent. No adjustment of rates for "low" population estimates is attempted in this report.

MILITARY RESERVATIONS - From 1940 through 1949, vital events occurring in military reservations were shown separately from county figures. In the 1950 report, those events occurring in military reservations, if the reservation was listed as the usual residence, were included in the county in which the reservation was located. Since 1951, events occurring to residents of military reservations are included in state totals, but are not included in county or regional figures.

SUMMARY OF SELECTED VITAL STATISTICS, GEORGIA, 1952

Population: An estimate of the population of Georgia is made each year by race, by county, for use in computing rates by county. The estimated state total for July 1, 1952, is slightly less than the estimate for July 1, 1951, because of different methods of estimation for the two years. For 1951, the county totals were estimated and added to obtain the estimate of the state total. The same procedure was followed for the July 1, 1952, estimate, but the state total was also estimated independently, and the county estimates were adjusted to agree with the independent state estimate.

The large increase in urban population is due primarily to the annexation of about 100,000 persons by the city of Atlanta on January 1, 1952.

The estimates for 1952 are shown in Table XIII. A detailed explanation of the method used is available on request.

Live Births: The 97,130 live births for 1952 is the highest number ever recorded for one year. This figure represents an increase of about 2% over the previous high of 95,161 recorded in 1951. The rate for 1952, 27.3 per 1,000 population, is slightly higher than the rate for 1951. The per cent of live births occurring in hospitals increased to 76.4% in 1952, with increases for the white and nonwhite populations, both urban and rural. Although most of the absolute increase in live births was classified as urban, the rates for 1951 and 1952 are not entirely comparable as far as the change in birth rates for rural and urban are concerned, since the populations which were used to compute rural and urban rates were different in 1952 than in 1951. This change was due primarily to the annexation of 100,000 persons by the city of Atlanta in 1952. Some of the differences between rural and urban rates might be due to divergencies in completeness of registration.

Deaths: The number of recorded deaths in 1952 is the highest since 1941, with the exception of that for 1951. However, the rate, 8.6 per 1,000 population, is essentially the same as the rate for 1951, which was the lowest ever recorded in the state. The death rate is lowest (6.7 per 1,000 population) among the rural white population, and is highest (13.1 per 1,000 population) among the urban nonwhite population. Some of this difference in death rates could be due to incomplete reporting of deaths from rural areas. Approximately 41% of all recorded deaths in 1952 occurred in hospitals. A smaller percentage of deaths (22.1%) among the rural nonwhite population occurred in hospitals than in any other group, while 54.0% of the urban white group died in hospitals.

Table III shows important causes of death by age group for 1952. For the first time, tuberculosis has dropped out of the ten leading causes of death, being replaced by homicide, which is the tenth cause of death in 1952. The other leading causes are the same as they were in 1951, except that influenza and pneumonia dropped from fourth to fifth place; accidents, exclusive of motor vehicle accidents, moved up from fifth to fourth place; and ill-defined and unknown causes, in tenth place in 1951, moved up into ninth place, which was vacated by tuberculosis.

The following table shows the number and rate of deaths by age, race, and sex for 1952:

NUMBER OF DEATHS IN AGE GROUP

<u>Age Group</u>	Total	White Male	White Female	Nonwhite Male	Nonwhite Female
All ages	30,622	10,829	7,481	6,653	5,659
Under 1 year	3,158	902	665	840	751
1-4 years	593	164	117	182	130
5-14 years	442	159	103	107	73
15-24 years	874	269	129	278	198
25-44 years	3,841	1,138	562	1,135	1,006
45-64 years	9,210	3,271	1,555	2,403	1,981
65 and over *	12,504	4,926	4,350	1,708	1,520

RATES PER 100,000 ESTIMATED MID-YEAR POPULATION IN AGE GROUP

<u>Age Group</u>	Total	White Male	White Female	Nonwhite Male	Nonwhite Female
All ages	862.1	883.3	600.4	1,294.4	999.8
Under 1 year	3363.2	3057.6	2349.8	4,444.4	4366.3
1-4 years	162.9	132.7	98.8	296.9	213.8
5-14 years	65.4	71.1	47.6	90.6	61.7
15-24 years	157.6	139.7	69.0	337.4	213.6
25-44 years	369.6	304.0	147.4	876.4	652.8
45-64 years	1568.2	1577.9	700.1	3,305.4	2325.1
65 and over *	5287.1	6594.4	4687.5	5,509.7	4000.0

* Includes 21 with age unknown.

Stillbirths: The stillbirth rate for 1952, 20.5 per 1,000 live births, is somewhat less than the rate for 1951. The rate for the urban populations seems to be slightly higher than the rate for the rural population. This relationship between the rates for the urban and rural populations is exactly opposite from that for 1951.

Maternal Deaths: The death rate from puerperal causes still continues to drop. The 1952 rate, 13.2 per 10,000 live births, is the lowest ever recorded in Georgia. The lowest rate, 3.7 per 10,000 live births, is recorded for the white urban population; the highest, 26.5 per 10,000 live births, which is almost 9 times as high as the white urban rate, is recorded for the nonwhite rural group. Note that maternal death rates are per 10,000 live births.

Table V shows causes of maternal deaths.

Infant Deaths (Deaths under 1 year): The infant death rate for 1952, 32.5 per 1,000 live births, is the lowest ever recorded in the state. The urban rates are higher than the rural, but, again, this difference in rates probably is due to incomplete registration. Three-fifths of the recorded infant deaths in 1952 occurred in hospitals.

Neonatal Deaths (Deaths under 28 days) account for about two-thirds of all infant deaths. There were 1,984 neonatal deaths recorded during 1952, and the rate per 1,000 live births was 20.4, approximately the same as the stillbirth rate. Almost half of the neonatal deaths occur during the first day of life.

Deaths from Immaturity: This is the leading cause of infant deaths. About 20% of all infant deaths were attributed to immature birth in 1952. Table II shows the number of deaths from immaturity, and Table X gives the number of 1952 deaths by county.

Immature Births: It seems that about one out of every 14 babies born in Georgia during 1952 was immature. Nineteen fifty-two is the sixth year for which statistics are available, and the rate of 79.1 per 1,000 live births is the highest on record. The 1952 rate is 30% higher than the rate for 1947, 60.8 per 1,000 live births, but there are several factors to be considered in interpreting these figures, such as differences in reporting by attendant, classification differences during the 6 years, etc. Actually, what appears to be an increase in immaturity may just be an indication of a better knowledge and awareness of the problem.

Illegitimate Births: The 1952 rate for illegitimate births, 83.2 per 1,000 live births, is lower than the rate for 1951, but it is the third highest ever recorded in Georgia.

H

TABLE I (page 1 of 2)
 SELECTED VITAL EVENTS, NUMBER AND RATE* AND PER CENT OCCURRING IN HOSPITALS BY RACE, URBAN** AND RURAL, GEORGIA, 1952
 (By place of residence)

Vital Event	STATE			URBAN**			RURAL		
	Total Both Races	White	Non- white	Total Both Races	White	Non- white	Total Both Races	White	Non- white
<u>LIVE BIRTHS:</u>									
Number	97,130	61,439	35,691	46,149	30,075	16,074	50,981	31,364	19,617
Rate	27.3	24.9	33.0	28.6	27.3	31.4	26.3	22.9	34.5
% occurring in hospitals	76.4	95.2	44.0	88.0	98.7	67.9	65.9	91.9	24.3
<u>DEATHS:</u>									
Number	30,622	18,310	12,312	15,874	9,182	6,692	14,730	9,113	5,167
Rate	8.6	7.4	11.4	9.8	8.3	13.1	7.6	6.7	9.1
% occurring in hospitals	41.1	48.0	30.9	47.4	54.0	38.3	34.3	41.9	22.1
<u>STILLBIRTHS:</u>									
Number	1,992	853	1,139	964	424	540	1,028	429	599
Rate	20.5	13.9	31.9	20.9	14.1	33.6	20.2	13.7	30.5
% occurring in hospitals	66.8	90.2	49.3	80.1	97.2	66.7	54.4	83.2	33.7
<u>MATERNAL DEATHS:</u>									
Number	128	36	92	51	11	40	77	25	52
Rate	13.2	5.9	25.8	11.1	3.7	24.9	15.1	8.0	26.5
% occurring in hospitals	62.5	72.2	58.7	74.5	90.9	70.0	54.5	64.0	50.0
<u>INFANT DEATHS (Under 1 year):</u>									
Number	3,158	1,567	1,591	1,566	805	761	1,592	762	830
Rate	32.5	25.5	44.6	33.9	26.8	47.3	31.2	24.3	42.3
% occurring in hospitals	60.4	82.0	39.2	72.5	88.0	56.2	48.5	75.7	23.5
<u>NEONATAL DEATHS (Under 28 days):</u>									
Number	1,984	1,135	849	1,044	617	427	940	518	422
Rate	20.4	18.5	23.8	22.6	20.5	26.6	18.4	16.5	21.5
% occurring in hospitals	72.8	90.9	48.5	84.5	95.5	68.6	59.8	85.5	28.2

See notes on page 2

TABLE I (page 2 of 2)
 SELECTED VITAL EVENTS, NUMBER AND RATE* AND PER CENT OCCURRING IN HOSPITALS BY RACE, URBAN** AND RURAL, GEORGIA, 1952
 (By place of residence)

Vital Event	STATE			URBAN**			RURAL		
	Total Both Races	White	Non-white	Total Both Races	White	Non-white	Total Both Races	White	Non-white
<u>IMMATURE BIRTHS:</u>									
Number	7,683	4,202	3,481	4,039	2,177	1,862	3,644	2,025	1,619
Rate	79.1	68.4	97.5	87.5	72.4	115.8	71.5	64.6	82.5
% occurring in hospitals	79.0	95.4	59.1	89.1	98.3	78.2	67.8	92.3	37.1
<u>DEATHS FROM IMMATURITY:</u>									
Number	645	323	322	363	186	177	282	137	145
Rate	6.6	5.3	9.0	7.9	6.2	11.0	5.5	4.4	7.4
% occurring in hospitals	70.5	92.3	48.8	82.1	95.7	67.8	55.7	87.6	25.5
<u>MARRIAGES***</u>									
Number	48,430	37,980	10,340	NA	NA	NA	NA	NA	NA
Rate	13.6	15.4	9.6						
<u>DIVORCES***</u>									
Number	9,000	NA	NA	NA	NA	NA	NA	NA	NA
Rate	2.5								

NA - Not Available

*Rates for live births, deaths, marriages, and divorces are per 1,000 population; all other rates are per 1,000 livebirths except maternal death rates which are per 10,000 live births.

**Includes events allocated to military reservations.

***Estimates are based on marriages and divorces reported in a five-month period. The breakdown of marriages by race will not add back to total due to 110 of unknown race.

TABLE II (page 1 of 2)
SUMMARY OF SELECTED VITAL EVENTS AFFECTING GEORGIA RESIDENTS, 1940-1952

YEAR	NUMBER								
	LIVE BIRTHS	DEATHS	MATERNAL DEATHS	INFANT DEATHS	STILLBIRTHS	IMMATURE BIRTHS	DEATHS FROM IMMATURITY	ILLEGITIMATE BIRTHS	NEONATAL DEATHS
1940	64,695	32,285	342	3,737	3,078	NA	1,017	5,046	2,267
1941	67,785	31,570	315	3,955	2,903	NA	1,103	5,134	2,298
1942	72,189	28,807	299	3,559	2,786	NA	1,094	5,038	2,149
1943	78,327	29,488	303	3,661	2,664	NA	1,124	4,911	2,216
1944	77,018	28,803	276	3,398	2,523	NA	1,056	4,885	2,024
1945	74,994	28,456	250	3,181	2,208	NA	960	5,385	1,913
1946	85,699	27,405	229	3,068	2,421	NA	1,035	5,289	2,143
1947	94,311	28,780	247	3,239	2,459	5,738	1,060	6,056	2,220
1948	91,604	29,309	208	3,150	2,408	6,508	1,052	6,240	2,099
1949	93,557	29,537	185	3,093	2,178	6,557	1,032	6,847	2,048
1950	92,099	30,416	150*	3,081	2,026	6,645	719*	7,633	2,028
1951	95,161	30,802	143	3,255	2,097	7,355	707	8,326	2,058
1952	97,130	30,622	128	3,158	1,992	7,683	645	8,080	1,984

See notes at end of table.

TABLE II (page 2 of 2)
SUMMARY OF SELECTED VITAL EVENTS AFFECTING GEORGIA RESIDENTS, 1940-1952

YEAR			RATE							
	(Per 1,000 Population)		(Per 10,000 Live Births)			(Per 1,000 Live Births)				
	LIVE BIRTHS	DEATHS	MATERNAL DEATHS	INFANT DEATHS	STILLBIRTHS	IMMATURE BIRTHS	DEATHS FROM IMMATURITY	ILLEGITIMATE BIRTHS	NEONATAL DEATHS	
1940	20.7	10.3	52.9	57.8	47.6	NA	15.7	78.0	35.0	
1941	21.6	10.0	46.5	58.3	42.8	NA	16.3	75.7	33.9	
1942	23.1	9.2	41.4	49.3	38.6	NA	15.2	69.8	29.8	
1943	25.1	9.4	38.7	46.7	34.0	NA	14.4	62.7	28.3	
1944	24.7	9.2	35.8	44.1	32.8	NA	13.7	63.4	26.3	
1945	24.0	9.1	33.3	42.4	29.4	NA	12.8	71.8	25.5	
1946	27.4	8.8	26.7	35.8	28.3	NA	12.1	61.7	25.0	
1947	29.2	8.9	26.2	34.3	26.1	60.8	11.2	64.2	23.5	
1948	28.6	9.2	22.7	34.4	26.3	71.0	11.5	68.1	22.9	
1949	29.0	9.2	19.8	33.1	23.3	70.1	11.0	73.2	21.9	
1950	26.7	8.8	16.3*	33.5	22.0	72.2	7.8*	82.9	22.0	
1951	26.7	8.7	15.0	34.2	22.0	77.3	7.4	87.5	21.6	
1952	27.3	8.6	13.2	32.5	20.5	79.1	6.6	83.2	20.4	

NA - Not Available

*Part of the decrease from 1949 to 1950 is directly attributable to changes in classification of causes of death under the Sixth Revision of the International List of Diseases and Causes of Death.

Note: Live birth and death rates 1940-1946 based on 1940 Census population; 1947-1952 based on estimated midyear population.

TABLE III (page 1 of 6)
IMPORTANT CAUSES OF DEATH, NUMBER AND PER CENT OF TOTAL IN
SPECIFIED AGE GROUPS, BY RACE, GEORGIA, 1952

RANK	AGE AND CAUSE OF DEATH	NUMBER			PER CENT OF TOTAL ALL CAUSES		
		TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>ALL AGES</u>							
	Total, all causes	30,622	18,310	12,312	100.0	100.0	100.0
1.	Heart diseases (410-443)	9,238	5,991	3,247	30.2	32.7	26.4
	Chronic rheumatic heart disease (410-416)	277	150	127	—	—	—
	Arteriosclerotic and degenerative heart disease (420-422)	5,814	4,238	1,576	—	—	—
	Hypertension with heart disease (440-443)	2,317	1,197	1,120	—	—	—
2.	Vascular lesions affecting central nervous system (330-334)	4,456	2,506	1,950	14.6	13.7	15.8
3.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	3,442	2,471	971	11.2	13.5	7.9
4.	Accidents, exclusive of motor vehicle accidents (E800-E802, E840-E962)	1,291	722	569	4.2	3.9	4.6
5.	Influenza and pneumonia (except pneumonia of newborn) (480-483, 490-493)	1,275	537	738	4.2	2.9	6.0
6.	Motor vehicle accidents (E810-E835)	976	699	277	3.2	3.8	2.2
7.	Nephritis and nephrosis (590-594)	859	409	450	2.8	2.2	3.7
8.	Immaturity unqualified (774-776)	645	323	322	2.1	1.8	2.6
9.	Ill-defined and unknown causes (780-793, 795)	581	208	373	1.9	1.1	3.0
10.	Homicide (E980-E985)	512	103	409	1.7	0.6	3.3
	All other causes	7,347	4,341	3,006	24.0	23.7	24.4
<u>UNDER ONE YEAR</u>							
	Total, all causes	3,158	1,567	1,591	100.0	100.0	100.0
1.	Immaturity (774-776)	645	323	322	20.4	20.6	20.2
2.	Influenza and pneumonia, (including pneumonia of newborn) (480-483, 490-493, 763)	458	132	326	14.5	8.4	20.5
	Pneumonia of newborn (763)	108	44	64	—	—	—
3.	Postnatal asphyxia and atelectasis (762)	372	258	114	11.8	16.5	7.2
4.	Congenital malformations (750-759)	314	245	69	9.9	15.6	4.3

See notes on page 10

TABLE III (page 2 of 6)
 IMPORTANT CAUSES OF DEATH, NUMBER AND PER CENT OF TOTAL IN
 SPECIFIED AGE GROUPS, BY RACE, GEORGIA, 1952

RANK	AGE AND CAUSE OF DEATH	NUMBER			PER CENT OF TOTAL ALL CAUSES		
		TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
5.	Birth injuries (760-761)	255	173	82	8.1	11.0	5.2
6.	Other and ill-defined diseases peculiar to early infancy (766-769, 771, 773)	211	116	95	6.7	7.4	6.0
7.	Gastro-enteritis, colitis and diarrhea of newborn (571, 764) Diarrhea of newborn (764)	206	49	157	6.5	3.1	9.9
8.	Ill-defined and unknown causes (780-793, 795)	160	45	115	5.1	2.9	7.2
9.	Accidents exclusive of motor vehicle accidents (E800-E802, E840-E962)	138	44	94	4.4	2.8	5.9
10.	Nutritional maladjustment (772)	58	17	41	1.8	1.1	2.6
	All other causes	341	165	176	10.8	10.5	11.1
<u>ONE - FIVE YEARS</u>							
	Total, all causes	593	281	312	100.0	100.0	100.0
1.	Influenza and pneumonia (480- 483, 490-493)	99	29	70	16.7	10.3	22.4
2.	Accidents, exclusive of motor vehicle accidents (E800-E802, E840-E962)	94	38	56	15.9	13.5	17.9
3.	Motor vehicle accidents (E810- E835)	46	31	15	7.8	11.0	4.8
4.	Gastro-enteritis, colitis and ulcerative colitis (571, 572)	41	17	24	6.9	6.0	7.7
5.	Congenital malformations (750- 759)	38	20	18	6.4	7.1	5.8
6.	Ill-defined and unknown causes (780-793, 795)	27	9	18	4.6	3.2	5.8
7.	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues (140- 205)	25	18	7	4.2	6.4	2.2
8.	Meningococcal infections (057)	17	12	5	2.9	4.3	1.6
9.	Diphtheria (055)	13	11	2	2.2	3.9	0.6
10.	Non-meningococcal meningitis (340)	11	5	6	1.9	1.8	1.9
	All other causes	182	91	91	30.7	32.4	29.2
<u>FIVE - FOURTEEN YEARS</u>							
	Total, all causes	442	262	180	100.0	100.0	100.0

See notes on page 10

TABLE III (page 3 of 6)
IMPORTANT CAUSES OF DEATH, NUMBER AND PER CENT OF TOTAL IN
SPECIFIED AGE GROUPS, BY RACE, GEORGIA, 1952

RANK	AGE AND CAUSE OF DEATH	NUMBER			PER CENT OF TOTAL ALL CAUSES		
		TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1.	Accidents, exclusive of motor vehicle accidents (E800-E802, E840-E962)	98	59	39	22.2	22.5	21.7
2.	Motor vehicle accidents (E810-E835)	58	41	17	13.1	15.6	9.4
3.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	43	32	11	9.7	12.2	6.1
4.	Influenza and pneumonia (480-483, 490-493)	34	14	20	7.7	5.3	11.1
5.	Rheumatic fever (400-402)	19	7	12	4.3	2.7	6.7
6.	Nephritis and nephrosis (590-594)	18	9	9	4.1	3.4	5.0
7.	Meningococcal infections (057)	14	8	6	3.2	3.1	3.3
8.	Congenital malformations (750-759)	13	9	4	2.9	3.4	2.2
9.	Ill-defined and unknown causes (780-793, 795)	12	5	7	2.7	1.9	3.9
10.	Heart diseases (410-443)	11	7	4	2.5	2.7	2.2
	Chronic rheumatic heart disease (410-416)	3	2	1	--	--	--
	Arteriosclerotic and degenerative heart disease (420-422)	4	3	1	--	--	--
	All other causes	122	71	51	27.6	27.1	28.3
<u>FIFTEEN - TWENTY-FOUR YEARS</u>							
	Total, all causes	874	398	476	100.0	100.0	100.0
1.	Motor vehicle accidents (E810-E835)	215	154	61	24.6	38.7	12.8
2.	Accidents, exclusive of motor vehicle accidents (E800-E802, E840-E962)	136	65	71	15.6	16.3	14.9
3.	Homicide (E964, E980-E985)	103	13	90	11.8	3.3	18.9
4.	Heart diseases (410-443)	43	15	28	4.9	3.8	5.9
	Chronic rheumatic heart disease (410-416)	14	8	6	--	--	--
	Arteriosclerotic degenerative heart disease (420-422)	11	5	6	--	--	--
	Hypertension with heart disease (440-443)	3	0	3	--	--	--
5.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	42	26	16	4.8	6.5	3.4

See notes on page 10

TABLE III (page 4 of 6)
 IMPORTANT CAUSES OF DEATH, NUMBER AND PER CENT OF TOTAL IN
 SPECIFIED AGE GROUPS, BY RACE, GEORGIA, 1952

RANK	AGE AND CAUSE OF DEATH	NUMBER			PER CENT OF TOTAL ALL CAUSES		
		TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
6.	Tuberculosis, all forms (001-019)	41	3	38	4.7	0.8	8.0
7.	Complications of pregnancy, childbirth and the puerperium (640-689)	38	10	28	4.3	2.5	5.9
8.	Influenza and pneumonia (480-483, 490-493)	31	6	25	3.5	1.5	5.3
9.	Nephritis and nephrosis (590-594)	26	11	15	3.0	2.8	3.2
10.	Suicide (E963, E970-E979)	24	19	5	2.7	4.8	1.0
	All other causes	175	76	99	20.0	19.1	20.8
<u>TWENTY-FIVE - FORTY-FOUR YEARS</u>							
	Total, all causes	3,841	1,700	2,141	100.0	100.0	100.0
1.	Heart diseases (410-443)	752	308	444	19.6	18.1	20.7
	Chronic rheumatic heart disease (410-416)	63	33	30	—	—	—
	Arteriosclerotic and degenerative heart disease (420-422)	389	204	185	—	—	—
	Hypertension with heart disease (440-443)	178	35	143	—	—	—
2.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	420	233	187	10.9	13.7	8.7
3.	Motor vehicle accidents (E810-E835)	355	246	109	9.2	14.5	5.1
4.	Vascular lesions affecting central nervous system (330-334)	323	98	225	8.4	5.8	10.5
5.	Homicide (E964, E980-E985)	312	55	257	8.1	3.2	12.0
6.	Accidents, exclusive of motor vehicle accidents (E800-E802, E840-E962)	305	183	122	7.9	10.8	5.7
7.	Tuberculosis, all forms (001-019)	162	44	118	4.2	2.6	5.5
8.	Influenza and pneumonia (480-483, 490-493)	129	32	97	3.4	1.9	4.5
9.	Nephritis and nephrosis (590-594)	119	40	79	3.1	2.4	3.7
10.	Suicide (E963, E970-E979)	112	103	9	2.9	6.1	0.4
	All other causes	852	358	494	22.2	21.1	23.1

See notes on page 10

TABLE III (page 5 of 6)
 IMPORTANT CAUSES OF DEATH, NUMBER AND PER CENT OF TOTAL IN
 SPECIFIED AGE GROUPS, BY RACE, GEORGIA, 1952

RANK	AGE AND CAUSE OF DEATH	NUMBER			PER CENT OF TOTAL ALL CAUSES		
		TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>FORTY-FIVE - SIXTY-FOUR YEARS</u>							
	Total, all causes	9,210	4,826	4,384	100.0	100.0	100.0
1.	Heart diseases (410-443)	3,346	1,797	1,549	36.3	37.2	35.3
	Chronic rheumatic heart disease (410-416)	112	59	53	--	--	--
	Arteriosclerotic and degenerative heart disease (420-422)	2,098	1,333	765	--	--	--
	Hypertension with heart disease (440-443)	805	273	532	--	--	--
2.	Vascular lesions affecting central nervous system (330-334)	1,642	659	983	17.8	13.7	22.4
3.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	1,421	944	477	15.4	19.6	10.9
4.	Nephritis and nephrosis (590-594)	258	84	174	2.8	1.7	4.0
5.	Influenza and pneumonia (480-483, 490-493)	228	75	153	2.5	1.6	3.5
6.	Accidents, exclusive of motor vehicle accidents (E800-E802, E840-E962)	220	116	104	2.4	2.4	2.4
7.	Motor vehicle accidents (E810-E835)	195	142	53	2.1	2.9	1.2
8.	Tuberculosis, all forms (001-019)	170	85	85	1.8	1.8	1.9
9.	Diabetes mellitus (260)	168	81	87	1.8	1.7	2.0
10.	Hypertension without mention of heart (444-447)	158	64	94	1.7	1.3	2.1
	All other causes	1,404	779	625	15.2	16.1	14.3
<u>SIXTY-FIVE YEARS AND OVER</u>							
	Total, all causes	12,483	9,271	3,212	100.0	100.0	100.0
1.	Heart diseases (410-443)	5,063	3,851	1,212	40.6	41.5	37.7
	Chronic rheumatic heart disease (410-416)	85	49	36	--	--	--
	Arteriosclerotic and degenerative heart disease (420-422)	3,307	2,689	618	--	--	--
	Hypertension with heart disease (440-443)	1,327	888	439	--	--	--

See notes on page 10

TABLE III (page 6 of 6)
 IMPORTANT CAUSES OF DEATH, NUMBER AND PER CENT OF TOTAL IN
 SPECIFIED AGE GROUPS, BY RACE, GEORGIA, 1952

RANK	AGE AND CAUSE OF DEATH	NUMBER			PER CENT OF TOTAL ALL CAUSES		
		TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
2.	Vascular lesions affecting central nervous system (330-334)	2,469	1,743	726	19.8	18.8	22.6
3.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	1,484	1,215	269	11.9	13.1	8.4
4.	Nephritis, and nephrosis (590-594)	424	258	166	3.4	2.8	5.2
5.	Influenza and pneumonia (480-483, 490-493)	404	294	110	3.2	3.2	3.4
6.	General arteriosclerosis (450)	346	261	85	2.8	2.8	2.6
7.	Accidents exclusive of motor vehicle accidents (E800-E802, E840-E962)	298	217	81	2.4	2.3	2.5
8.	Hypertension without mention of heart (444-447)	215	148	67	1.7	1.6	2.1
9.	Diabetes mellitus (260)	198	164	34	1.6	1.8	1.1
10.	Ill-defined and unknown causes (780-793, 795)	168	74	94	1.3	0.8	2.9
	All other causes	1,414	1,046	368	11.3	11.3	11.5
	<u>UNKNOWN AGE</u>	21	5	16	--	--	--

Note: Numbers in parentheses are the Sixth Revision International List of Diseases and Causes of Death Code Numbers.

No percentages are computed for subdivisions of important causes.

TABLE IV (page 1 of 2)
DEATHS AND DEATH RATES (PER 100,000 POPULATION) FROM
SPECIFIED CAUSES, BY RACE, GEORGIA, 1952

CAUSE OF DEATH (INTERNATIONAL LIST NUMBER - SIXTH REVISION)	NUMBER			RATE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL DEATHS, ALL CAUSES	30,622	18,310	12,312	862.1	740.7	1140.0
Tuberculosis, all forms (001-019)	467	199	268	13.1	8.0	24.8
Syphilis and its sequelae (020-029)	133	36	97	3.7	1.5	9.0
Typhoid fever (040)	4	1	3	0.1	--	0.3
Dysentery, all forms (045-048)	44	17	27	1.2	0.7	2.5
Scarlet fever (050)	0	0	0	--	--	--
Streptococcal sore throat (051)	17	9	8	0.5	0.4	0.7
Diphtheria (055)	15	12	3	0.4	0.5	0.3
Whooping cough (056)	23	3	20	0.6	0.1	1.9
Meningococcal infections (057)	53	35	18	1.5	1.4	1.7
Acute poliomyelitis (080)	26	20	6	0.7	0.8	0.6
Acute infectious encephalitis (082)	17	10	7	0.5	0.4	0.6
Small pox (084)	0	0	0	--	--	--
Measles (085)	22	12	10	0.6	0.5	0.9
Typhus and other rickettsial diseases (100-103, 105-108)	4	4	0	0.1	0.2	--
Rocky mountain spotted fever (104)	0	0	0	--	--	--
Malaria (110-117)	0	0	0	--	--	--
All other diseases classified as in- fective and parasitic (030-039, 041- 042, 043, 044, 049, 052-054, 059- 074, 081, 083, 086-096, 120-138)	138	78	60	3.9	3.2	5.6
Malignant neoplasms, including neo- plasms of lymphatic and haematopoietic tissues (140-205)	3,442	2,471	971	96.9	100.0	89.9
Benign and unspecified neoplasms (210- 239)	110	53	57	3.1	2.1	5.3
Diabetes mellitus (260)	427	268	159	12.0	10.8	14.7
Pellagra (281)	53	40	13	1.5	1.6	1.2
Anaemias (290-293)	77	46	31	2.2	1.9	2.9
Vascular lesions affecting central nervous system (330-334)	4,456	2,506	1,950	125.4	101.4	180.6
Non-meningococcal meningitis (340)	56	24	32	1.6	1.0	3.0
Rheumatic fever (400-402)	47	22	25	1.3	0.9	2.3
Heart diseases (410-443)	9,238	5,991	3,247	260.1	242.4	300.6
Hypertension without mention of heart (444-447)	433	227	206	12.2	9.2	19.1
Influenza (480-483)	205	73	132	5.8	3.0	12.2
Pneumonia (490-493)	1,070	464	606	30.1	18.8	56.1
Bronchitis (500-502)	51	31	20	1.4	1.3	1.9
Ulcer of stomach and duodenum (540, 541)	143	105	38	4.0	4.2	3.5
Appendicitis (550-553)	73	39	34	2.1	1.6	3.1
Intestinal obstruction and hernia (560, 561, 570)	170	93	77	4.8	3.8	7.1
Gastritis, duodenitis, enteritis, and colitis (except diarrhea of the new- born) (543, 571, 572)	281	95	186	7.9	3.8	17.2
Cirrhosis of liver (581)	202	156	46	5.7	6.3	4.3
Nephritis and nephrosis (590-594)	859	409	450	24.2	16.5	41.7

TABLE IV (page 2 of 2)
DEATHS AND DEATH RATES (PER 100,000 POPULATION) FROM
SPECIFIED CAUSES, BY RACE, GEORGIA, 1952

CAUSE OF DEATH (INTERNATIONAL LIST NUMBER - SIXTH REVISION)	NUMBER			RATE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
Hyperplasia of prostate (610)	131	82	49	3.7	3.3	4.5
Complications of pregnancy, childbirth, and the puerperium (640-652, 670-689)	128	36	92	3.6	1.5	8.5
Congenital malformations (750-759)	396	296	100	11.1	12.0	9.3
Birth injuries, postnatal asphyxia and atelectasis (760-762)	627	431	196	17.7	17.4	18.1
Infection of the newborn (763-768)	167	68	99	4.7	2.8	9.2
Other diseases peculiar to early infancy and immaturity unqualified (769-776)	938	477	461	26.4	19.3	42.7
Senility, without mention of psychosis (794)	151	54	97	4.3	2.2	9.0
Ill-defined and unknown causes (780-793, 795)	581	208	373	16.4	8.4	34.5
Motor vehicle accidents (E810-E835)	976	699	277	27.5	28.3	25.6
All other accidents (E800-E802, E840- E962)	1,291	722	569	36.3	29.2	52.7
Suicide (E963, E970-E979)	262	244	18	7.4	9.9	1.7
Homicide (E964, E980-E985)	512	103	409	14.4	4.2	37.9
All other diseases (residual)	2,106	1,341	765	59.3	54.2	70.8

Note: A dash (--) indicates rate of less than 0.05.

Numbers in parentheses are the 1948 (Sixth Revision) International List of Diseases and Causes of Death Code Numbers.

TABLE V
DEATHS AND DEATH RATES (PER 10,000 LIVE BIRTHS) FROM DISEASES OF PREGNANCY,
CHILDBIRTH AND THE PUEPERIUM, BY RACE, GEORGIA, 1952

CAUSE AND INTERNATIONAL LIST NUMBER	NUMBER			RATE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
Total, all causes	128	36	92	13.2	5.9	25.8
Abortion, all causes (650-652)	11	1	10	1.1	0.2	2.8
Ectopic pregnancy (645)	12	1	11	1.2	0.2	3.1
Hemorrhage of pregnancy (643, 644)	5	0	5	0.5	--	1.4
Toxemias of pregnancy (642)	36	11	25	3.7	1.8	7.0
Other complications arising during pregnancy (640, 641, 646-649)	7	2	5	0.7	0.3	1.4
Hemorrhage of childbirth and puerperium (670-672)	24	10	14	2.5	1.6	3.9
Infection during childbirth and puerperium (680-684)	7	2	5	0.7	0.3	1.4
Puerperal toxemias (685-686)	8	4	4	0.8	0.7	1.1
Other accidents and specified conditions of childbirth (673-678, 687)	12	4	8	1.2	0.7	2.2
Other and unspecified conditions of childbirth and the puerperium (660, 688)	6	1	5	0.6	0.2	1.4

Note: Numbers in parentheses are Code Numbers of the Sixth Revision of the International List of Diseases and Causes of Death.

TABLE VI
NUMBER AND PERCENTAGE DISTRIBUTION OF INFANT DEATHS BY
RACE, SEX, AND AGE, GEORGIA, 1952

RACE AND SEX	TOTAL UNDER 1 YEAR	TOTAL UNDER 28 DAYS	UNDER 1 DAY	1 - 6 DAYS	7 - 27 DAYS	28 DAYS THRU 1 YEAR
Number:						
Total (both races)	3,158	1,984	882	766	336	1,174
Male	1,742	1,117	489	454	174	625
Female	1,416	867	393	312	162	549
White	1,567	1,135	540	453	142	432
Male	902	676	318	284	74	226
Female	665	459	222	169	68	206
Nonwhite	1,591	849	342	313	194	742
Male	840	441	171	170	100	399
Female	751	408	171	143	94	343
Percentage Distribution:						
Total (both races)	100.0	62.8	27.9	24.3	10.6	37.2
Male	100.0	64.1	28.1	26.1	10.0	35.9
Female	100.0	61.2	27.8	22.0	11.4	38.8
White	100.0	72.4	34.5	28.9	9.1	27.6
Male	100.0	74.9	35.2	31.5	8.2	25.1
Female	100.0	69.0	33.4	25.4	10.2	31.0
Nonwhite	100.0	53.4	21.5	19.7	12.2	46.6
Male	100.0	52.5	20.4	20.2	11.9	47.5
Female	100.0	54.3	22.8	19.0	12.5	45.7

TABLE VII (page 1 of 2)
NUMBER AND RATE PER 1,000 LIVE BIRTHS OF INFANT DEATHS, BY RACE,
BY CAUSE, GEORGIA, 1952

CAUSE AND INTERNATIONAL LIST NUMBER	NUMBER			RATE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
Total, all causes	3,158	1,567	1,591	32.5	25.5	44.6
Tuberculosis, all forms (001-019)	5	1	4	0.1	--	0.1
Syphilis and its sequelae (020-029)	4	0	4	--	--	0.1
Dysentery, all forms (045-048)	23	3	20	0.2	--	0.6
Whooping cough (056)	16	1	15	0.2	--	0.4
All other infective and parasitic diseases (030-044, 049-055, 057-138)	66	34	32	0.7	0.6	0.9
Diseases of thymus gland (273)	6	3	3	0.1	--	0.1
Meningitis, except meningococcal and tuberculous (340)	17	8	9	0.2	0.1	0.3
All other diseases of nervous system and sense organs (330-334, 341-398)	17	8	9	0.2	0.1	0.3
Influenza and pneumonia, except pneumonia of newborn (480-493)	350	88	262	3.6	1.4	7.3
Influenza (480-483)	47	7	40	0.5	0.1	1.1
Pneumonia, except pneumonia of newborn (490-493)	303	81	222	3.1	1.3	6.2
All other diseases of respiratory system (470-475, 500-527)	50	23	27	0.5	0.4	0.8
Hernia and intestinal obstruction (560, 561, 570)	19	11	8	0.2	0.2	0.2
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543, 571, 572)	174	39	135	1.8	0.6	3.8
All other diseases of digestive system (530-542, 544-553, 573-587)	10	5	5	0.1	0.1	0.1
Congenital malformations (750-759)	314	245	69	3.2	4.0	1.9
Spina bifida and meningocele (751)	34	31	3	0.4	0.5	0.1
Congenital malformations of circulatory system (754)	130	103	27	1.3	1.7	0.8
All other congenital malformations (750, 752, 753, 755-759)	150	111	39	1.5	1.8	1.1
Certain diseases of early infancy (760-776)	1,732	976	756	17.8	15.9	21.2
Birth injuries (760, 761)	255	173	82	2.6	2.8	2.3
Without mention of immaturity (.0)	180	116	64	1.9	1.9	1.8
With immaturity (.5)	75	57	18	0.8	0.9	0.5
Intracranial and spinal injury at birth (760)	120	86	34	1.2	1.4	1.0
Without mention of immaturity (.0)	97	68	29	1.0	1.1	0.8
With immaturity (.5)	23	18	5	0.2	0.3	0.1
Other birth injury (761)	135	87	48	1.4	1.4	1.3
Without mention of immaturity (.0)	83	48	35	0.9	0.8	1.0
With immaturity (.5)	52	39	13	0.5	0.6	0.4
Postnatal asphyxia and atelectasis (762)	372	258	114	3.8	4.2	3.2
Without mention of immaturity (.0)	137	83	54	1.4	1.4	1.5
With immaturity (.5)	235	175	60	2.4	2.8	1.7
Pneumonia of newborn (763)	108	44	64	1.1	0.7	1.8
Without mention of immaturity (.0)	72	26	46	0.7	0.4	1.3
With immaturity (.5)	36	18	18	0.4	0.3	0.5

TABLE VII (page 2 of 2)
 NUMBER AND RATE PER 1,000 LIVE BIRTHS OF INFANT DEATHS, BY RACE,
 BY CAUSE, GEORGIA, 1952

CAUSE AND INTERNATIONAL LIST NUMBER	NUMBER			RATE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
Diarrhea of newborn (764)	33	10	23	0.3	0.2	0.6
Without mention of immaturity (.0)	25	7	18	0.3	0.1	0.5
With immaturity (.5)	8	3	5	0.1	--	0.1
Other infections of newborn (765-768)	26	14	12	0.3	0.2	0.3
Without mention of immaturity (.0)	19	9	10	0.2	0.1	0.3
With immaturity (.5)	7	5	2	0.1	0.1	0.1
Neonatal disorders arising from maternal toxemias (769)	37	15	22	0.4	0.2	0.6
Without mention of immaturity (.0-.4)	10	5	5	0.1	0.1	0.1
With immaturity (.5-.9)	27	10	17	0.3	0.2	0.5
Hemolytic disease of newborn (erythroblastosis) (770)	50	35	15	0.5	0.6	0.4
Without mention of immaturity (.0-.2)	36	26	10	0.4	0.4	0.3
With immaturity (.5-.7)	14	9	5	0.1	0.1	0.1
Hemorrhagic disease of newborn (771)	25	16	9	0.3	0.3	0.3
Without mention of immaturity (.0)	17	11	6	0.2	0.2	0.2
With immaturity (.5)	8	5	3	0.1	0.1	0.1
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment (772, 773)	181	88	93	1.9	1.4	2.6
Without mention of immaturity (.0)	76	30	46	0.8	0.5	1.3
With immaturity (.5)	105	58	47	1.1	0.9	1.3
Immaturity with mention of any other subsidiary condition (774)	48	21	27	0.5	0.3	0.8
Immaturity unqualified (776)	597	302	295	6.1	4.9	8.3
Symptoms and ill-defined conditions (780-795)	160	45	115	1.6	0.7	3.2
All other diseases (residual)	46	26	20	0.5	0.4	0.6
Accidents (E800-E962)	148	51	97	1.5	0.8	2.7
Inhalation and ingestion of food or other object causing obstruction or suffocation (E921, E922)	30	11	19	0.3	0.2	0.5
Accidental mechanical suffocation in bed and cradle (E924)	69	18	51	0.7	0.3	1.4
All other accidental causes (E800-E920, E923, E925-E962)	49	22	27	0.5	0.4	0.8
Homicide (E964, E980-E999)	1	0	1	--	--	--

Note: A dash (--) indicates a rate of less than 0.05.

Numbers in parentheses are the 1948 (Sixth Revision) International List of Diseases and Causes of Death Code Numbers.

TABLE VIII
NUMBER OF DEATHS FROM ACCIDENTS BY TYPE OF ACCIDENT, BY AGE, GEORGIA, 1952

TYPE OF ACCIDENT (INTERNATIONAL LIST NUMBER - SIXTH REVISION)	AGE IN YEARS								65 AND OVER*
	TOTAL ALL AGES	UNDER 1	1-4	5-14	15-24	25-44	45-64		
Total, all accidents	2,267	148	140	157	350	660	415	397	
Transport accidents (E800-E802, E810-E845, E850, E851-E858, E860-E866)	1,091	10	50	65	238	407	214	107	
Railway accidents (E800-E802)	43	0	1	0	6	16	14	6	
Motor vehicle accidents (traffic and non-traffic) (E810-E835)	976	10	46	59	214	355	195	97	
Aircraft accidents (E860-E866)	23	0	1	0	7	14	1	0	
All other transport accidents E840-E845, E850, E851-E858)	49	0	2	6	11	22	4	4	
Non-transport accidents (E870-E888, E890-E895, E900-E904, E910-E936, E940-E962)	1,176	138	90	92	112	253	201	290	
Accidental poisoning (E870-E888, E890-E895)	71	3	18	3	4	22	16	5	
Home	39	2	13	2	3	8	9	2	
Other places	32	1	5	1	1	14	7	3	
Accidental falls (E900-E904)	266	8	6	6	6	10	38	192	
Home	195	6	6	4	1	4	18	156	
Other places	71	2	0	2	5	6	20	36	
Accidental burns (E916-E917)	238	8	38	16	10	65	41	60	
Home	205	7	37	14	9	53	30	55	
Other places	33	1	1	2	1	12	11	5	
Accident caused by firearms (E919)	88	0	2	18	17	32	17	2	
Home	58	0	2	13	10	21	11	1	
Other places	30	0	0	5	7	11	6	1	
Accident caused by mechanical suffocation (E924-E925)	84	73	4	3	2	1	1	0	
Home	71	66	4	1	0	0	0	0	
Other places	13	7	0	2	2	1	1	0	
All other non-transport accidents (E910-E915, E918, E920-E923, E926-E936)	429	46	22	46	73	123	88	31	

*Age group 65 and over includes deaths of unknown age.

Note: Numbers in parentheses are the Sixth Revision International List of Diseases and Causes of Death Code Numbers.

TABLE IX (page 1 of 24)
 NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	NUMBER					PER CENT				
	TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT
State Total (including military)	T	97,130	73,693	5,632	17,417	388	100.0	75.9	5.8	17.9
	W	61,439	58,449	2,041	899	50	100.0	95.1	3.3	1.5
	NW	35,691	15,244	3,591	16,518	338	100.0	42.7	10.1	46.3
Military	T	243	242	0	1	0	100.0	99.6	--	0.4
	W	232	232	0	0	0	100.0	100.0	--	--
	NW	11	10	0	1	0	100.0	90.9	--	9.1
Northwestern Region	T	29,744	27,919	1,121	699	5	100.0	93.9	3.8	2.4
	W	22,925	22,111	597	213	4	100.0	96.4	2.6	0.9
	NW	6,819	5,808	524	486	1	100.0	85.2	7.7	7.1
Bartow	T	657	564	50	42	1	100.0	85.8	7.6	6.4
	W	534	500	28	5	1	100.0	93.6	5.2	0.9
	NW	123	64	22	37	0	100.0	52.0	17.9	30.1
Carroll	T	788	594	124	70	0	100.0	75.4	15.7	8.9
	W	631	557	68	6	0	100.0	88.3	10.8	1.0
	NW	157	37	56	64	0	100.0	23.6	35.7	40.8
Catoosa	T	373	361	12	0	0	100.0	96.8	3.2	--
	W	366	359	7	0	0	100.0	98.1	1.9	--
	NW	7	2	5	0	0	100.0	28.6	71.4	--
Chattooga	T	520	483	17	20	0	100.0	92.9	3.3	3.8
	W	470	451	13	6	0	100.0	96.0	2.8	1.3
	NW	50	32	4	14	0	100.0	64.0	8.0	28.0
Cherokee	T	495	427	56	12	0	100.0	86.3	11.3	2.4
	W	470	410	53	7	0	100.0	87.2	11.3	1.5
	NW	25	17	3	5	0	100.0	68.0	12.0	20.0

TABLE IX (page 2 of 24)
NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	NUMBER					PER CENT				
	TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT
Cobb	T	1,866	1,781	61	24	0	100.0	95.4	3.3	1.3
	W	1,672	1,638	33	1	0	100.0	98.0	2.0	0.1
	NW	194	143	28	23	0	100.0	73.7	14.4	11.9
Dade	T	224	174	43	7	0	100.0	77.7	19.2	3.1
	W	220	170	43	7	0	100.0	77.3	19.5	3.2
	NW	4	4	0	0	0	100.0	100.0	--	--
Dawson	T	73	63	2	8	0	100.0	86.3	2.7	11.0
	W	73	63	2	8	0	100.0	86.3	2.7	11.0
	NW	0	0	0	0	0	--	--	--	--
DeKalb	T	4,678	4,576	27	75	0	100.0	97.8	0.6	1.6
	W	4,055	4,041	12	2	0	100.0	99.7	0.3	--
	NW	623	535	15	73	0	100.0	85.9	2.4	11.7
Douglas	T	339	273	- 17	49	0	100.0	80.5	5.0	14.5
	W	275	266	8	1	0	100.0	96.7	2.9	0.4
	NW	64	7	9	48	0	100.0	10.9	14.1	75.0
Fannin	T	346	267	76	3	0	100.0	77.2	22.0	0.9
	W	346	267	76	3	0	100.0	77.2	22.0	0.9
	NW	0	0	0	0	0	--	--	--	--
Floyd	T	1,438	1,319	19	100	0	100.0	91.7	1.3	7.0
	W	1,180	1,157	10	13	0	100.0	98.0	0.8	1.1
	NW	258	162	9	87	0	100.0	62.8	3.5	33.7
Forsyth	T	254	241	9	4	0	100.0	94.9	3.5	1.6
	W	254	241	9	4	0	100.0	94.9	3.5	1.6
	NW	0	0	0	0	0	--	--	--	--

See notes on page 21

TABLE IX (page 3 of 24)
 NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	NUMBER					PER CENT				
	TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT
Fulton	T	13,206	12,825	346	34	1	100.0	97.1	2.6	0.3
	W	8,243	8,183	57	3	0	100.0	99.3	0.7	--
	NW	4,963	4,642	289	31	1	100.0	93.5	5.8	0.6
Gilmer	T	222	195	3	24	0	100.0	87.8	1.4	10.8
	W	220	194	2	24	0	100.0	88.2	0.9	10.9
	NW	2	1	1	0	0	100.0	50.0	50.0	--
Gordon	T	370	344	23	3	0	100.0	93.0	6.2	0.8
	W	347	338	8	1	0	100.0	97.4	2.3	0.3
	NW	23	6	15	2	0	100.0	26.1	65.2	8.7
Haralson	T	323	280	26	17	0	100.0	86.7	8.0	5.3
	W	300	275	15	10	0	100.0	91.7	5.0	3.3
	NW	23	5	11	7	0	100.0	21.7	47.8	30.4
Lumpkin	T	158	135	5	18	0	100.0	85.4	3.2	11.4
	W	155	133	4	18	0	100.0	85.8	2.6	11.6
	NW	3	2	1	0	0	100.0	66.7	33.3	--
Murray	T	212	186	12	14	0	100.0	87.7	5.7	6.6
	W	208	182	12	14	0	100.0	87.5	5.8	6.7
	NW	4	4	0	0	0	100.0	--	--	--
Paulding	T	225	191	14	19	1	100.0	84.9	6.2	8.4
	W	188	180	6	1	1	100.0	95.7	3.2	0.5
	NW	37	11	8	18	0	100.0	29.7	21.6	48.6
Pickens	T	180	173	2	5	0	100.0	96.1	1.1	2.8
	W	169	162	2	5	0	100.0	95.9	1.2	3.0
	NW	11	11	0	0	0	100.0	--	--	--

TABLE IX (page 4 of 24)
 NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	NUMBER					PER CENT					
	TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID-WIFE	OTHER ATTENDANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID-WIFE	OTHER ATTENDANT	
Polk	T	727	593	50	83	1	100.0	81.6	6.9	11.4	0.1
	W	588	540	39	8	1	100.0	91.8	6.6	1.4	0.2
	NW	139	53	11	75	0	100.0	38.1	7.9	54.0	--
Towns	T	102	89	12	1	0	100.0	87.3	11.8	1.0	--
	W	102	89	12	1	0	100.0	87.3	11.8	1.0	--
	NW	0	0	0	0	0	--	--	--	--	--
Union	T	172	113	46	13	0	100.0	65.7	26.7	7.6	--
	W	171	113	45	13	0	100.0	66.1	26.3	7.6	--
	NW	1	0	1	0	0	100.0	--	100.0	--	--
Walker	T	892	855	28	9	0	100.0	95.9	3.1	1.0	--
	W	822	800	14	8	0	100.0	97.3	1.7	1.0	--
	NW	70	55	14	1	0	100.0	78.6	20.0	1.4	--
Whitfield	T	904	817	41	45	1	100.0	90.4	4.5	5.0	0.1
	W	866	802	19	44	1	100.0	92.6	2.2	5.1	0.1
	NW	38	15	22	1	0	100.0	39.5	57.9	2.6	--

Note: Births in military reservations are included in state total but are excluded from county and regional totals.

TABLE IX (page 5 of 24)
 NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY AND RACE, GEORGIA, 1952

AREA AND RACE	NUMBER					PER CENT					
	TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	
State Total (including military)	T	97,130	73,693	5,632	17,417	388	100.0	75.9	5.8	17.9	0.4
	W	61,439	58,449	2,041	899	50	100.0	95.1	3.3	1.5	0.1
	NW	35,691	15,244	3,591	16,518	338	100.0	42.7	10.1	46.3	0.9
Military	T	243	242	0	1	0	100.0	99.6	--	0.4	--
	W	232	232	0	0	0	100.0	100.0	--	--	--
	NW	11	10	0	1	0	100.0	90.9	--	9.1	--
Northeastern Region	T	14,104	10,814	730	2,434	126	100.0	76.7	5.2	17.3	0.9
	W	9,264	8,813	248	177	26	100.0	95.1	2.7	1.9	0.3
	NW	4,840	2,001	482	2,257	100	100.0	41.3	10.0	46.6	2.1
Banks	T	141	122	4	15	0	100.0	86.5	2.8	10.6	--
	W	130	118	1	11	0	100.0	90.8	0.8	8.5	--
	NW	11	4	3	4	0	100.0	36.4	27.3	36.4	--
Barrow	T	277	221	22	34	0	100.0	79.8	7.9	12.3	--
	W	212	195	15	2	0	100.0	92.0	7.1	0.9	--
	NW	65	26	7	32	0	100.0	40.0	10.8	49.2	--
Clarke	T	845	655	68	122	0	100.0	77.5	8.0	14.4	--
	W	571	567	2	2	0	100.0	99.3	0.4	0.4	--
	NW	274	88	66	120	0	100.0	32.1	24.1	43.8	--
Columbia	T	371	251	8	112	0	100.0	67.7	2.2	30.2	--
	W	220	218	1	1	0	100.0	99.1	0.5	0.5	--
	NW	151	33	7	111	0	100.0	21.9	4.6	73.5	--
Elbert	T	423	281	14	128	0	100.0	66.4	3.3	30.3	--
	W	227	219	3	5	0	100.0	96.5	1.3	2.2	--
	NW	196	62	11	123	0	100.0	31.6	5.6	62.8	--

TABLE IX (page 6 of 24)
 NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY AND RACE, GEORGIA, 1952

AREA AND RACE	NUMBER					PER CENT					
	TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	
Franklin	T	296	245	40	10	1	100.0	82.8	13.5	3.4	0.3
	W	257	235	19	2	1	100.0	91.4	7.4	0.8	0.4
	NW	39	10	21	8	0	100.0	25.6	53.8	20.5	--
Greene	T	358	188	16	154	0	100.0	52.5	4.5	43.0	--
	W	137	128	5	4	0	100.0	93.4	3.6	2.9	--
	NW	221	60	11	150	0	100.0	27.1	5.0	67.9	--
Gwinnett	T	763	716	29	18	0	100.0	93.8	3.8	2.4	--
	W	663	633	22	8	0	100.0	95.5	3.3	1.2	--
	NW	100	83	7	10	0	100.0	83.0	7.0	10.0	--
Habersham	T	348	335	5	8	0	100.0	96.3	1.4	2.3	--
	W	333	325	2	6	0	100.0	97.6	0.6	1.8	--
	NW	15	10	3	2	0	100.0	66.7	20.0	13.3	--
Hall	T	1,039	849	123	61	6	100.0	81.7	11.8	5.9	0.6
	W	896	821	45	24	6	100.0	91.6	5.0	2.7	0.7
	NW	143	28	78	37	0	100.0	19.6	54.5	25.9	--
Hancock	T	325	86	9	230	0	100.0	26.5	2.8	70.8	--
	W	56	50	1	5	0	100.0	89.3	1.8	8.9	--
	NW	269	36	8	225	0	100.0	13.4	3.0	83.6	--
Hart	T	273	191	28	54	0	100.0	70.0	10.3	19.8	--
	W	194	182	4	8	0	100.0	93.8	2.1	4.1	--
	NW	79	9	24	46	0	100.0	11.4	30.4	58.2	--
Jackson	T	422	315	83	24	0	100.0	74.6	19.7	5.7	--
	W	359	287	62	10	0	100.0	79.9	17.3	2.8	--
	NW	63	28	21	14	0	100.0	44.4	33.3	22.2	--

See notes on page 26

TABLE IX (page 7 of 24)
 NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	NUMBER					PER CENT					
	TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	
Jasper	T	197	75	31	91	0	100.0	38.1	15.7	46.2	--
	W	58	51	6	1	0	100.0	87.9	10.3	1.7	--
	N.W.	139	24	25	90	0	100.0	17.3	18.0	64.7	--
Lincoln	T	187	151	24	12	0	100.0	80.7	12.8	6.4	--
	W	85	83	2	0	0	100.0	97.6	2.4	--	--
	N.W.	102	68	22	12	0	100.0	66.7	21.6	11.8	--
Madison	T	240	176	10	53	1	100.0	73.3	4.2	22.1	0.4
	W	181	166	3	12	0	100.0	91.7	1.7	6.6	--
	N.W.	59	10	7	41	1	100.0	16.9	11.9	69.5	1.7
McDuffie	T	386	249	6	131	0	100.0	64.5	1.6	33.9	--
	W	189	183	0	6	0	100.0	96.8	--	3.2	--
	N.W.	197	66	6	125	0	100.0	33.5	3.0	63.5	--
Morgan	T	285	111	23	151	0	100.0	38.9	8.1	53.0	--
	W	115	96	12	7	0	100.0	83.5	10.4	6.1	--
	N.W.	170	15	11	144	0	100.0	8.8	6.5	84.7	--
Newton	T	482	276	25	181	0	100.0	57.3	5.2	37.6	--
	W	272	264	4	4	0	100.0	97.1	1.5	1.5	--
	N.W.	210	12	21	177	0	100.0	5.7	10.0	84.3	--
Oconee	T	128	69	31	28	0	100.0	53.9	24.2	21.9	--
	W	83	63	13	7	0	100.0	75.9	15.7	8.4	--
	N.W.	45	6	18	21	0	100.0	13.3	40.0	46.7	--
Oglethorpe	T	212	98	3	111	0	100.0	46.2	1.4	52.4	--
	W	87	78	0	9	0	100.0	89.7	--	10.3	--
	N.W.	125	20	3	102	0	100.0	16.0	2.4	81.6	--

TABLE IX (page 8 of 24)
 NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	NUMBER					PER CENT					
	TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	
Putnam	T	221	93	8	120	0	100.0	42.1	3.6	54.3	—
	W	82	76	4	2	0	100.0	92.7	4.9	2.4	—
	NW	139	17	4	118	0	100.0	12.2	2.9	84.9	—
Rabun	T	214	193	2	19	0	100.0	90.2	0.9	8.9	—
	W	212	191	2	19	0	100.0	90.1	0.9	9.0	—
	NW	2	2	0	0	0	100.0	--	--	--	—
Richmond	T	3,751	3,660	36	55	0	100.0	97.6	1.0	1.5	—
	W	2,551	2,547	4	0	0	100.0	99.8	0.2	--	—
	NW	1,200	1,113	32	55	0	100.0	92.8	2.7	4.6	—
Rockdale	T	207	127	10	70	0	100.0	61.4	4.8	33.8	—
	W	127	118	5	4	0	100.0	92.9	3.9	3.1	—
	NW	80	9	5	66	0	100.0	11.2	6.2	82.5	—
Stephens	T	463	412	9	42	0	100.0	89.0	1.9	9.1	—
	W	400	388	4	8	0	100.0	97.0	1.0	2.0	—
	NW	63	24	5	34	0	100.0	38.1	7.9	54.0	—
Taliaferro	T	116	41	6	69	0	100.0	35.3	5.2	59.5	—
	W	26	25	1	0	0	100.0	96.2	3.8	--	—
	NW	90	16	5	69	0	100.0	17.8	5.6	76.7	—
Walton	T	456	255	8	76	117	100.0	55.9	1.8	16.7	25.7
	W	236	210	3	4	19	100.0	89.0	1.3	1.7	8.0
	NW	220	45	5	72	98	100.0	20.5	2.3	32.7	44.5
Warren	T	231	77	7	147	0	100.0	33.3	3.0	63.6	—
	W	57	51	2	4	0	100.0	89.5	3.5	7.0	—
	NW	174	26	5	143	0	100.0	14.9	2.9	82.2	—

See notes on page 26

TABLE IX (page 9 of 24)
 NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	NUMBER					PER CENT					
	TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	
White	T	152	146	1	5	0	100.0	96.1	0.7	3.3	—
	W	146	143	1	2	0	100.0	97.9	0.7	1.4	—
	NW	6	3	0	3	0	100.0	50.0	—	50.0	—
Wilkes	T	295	150	41	103	1	100.0	50.8	13.9	34.9	0.3
	W	102	102	0	0	0	100.0	100.0	—	—	—
	NW	193	48	41	103	1	100.0	24.9	21.2	53.4	0.5

Note: Births in military reservations are included in state total but are excluded from county and regional totals.

TABLE IX (page 10 of 24)
 NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY, AND RACE, GEORGIA, 1952

ARE. AND RACE		NUMBER					PER CENT				
		TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT
State Total (including military)	T	97,130	73,693	5,632	17,417	388	100.0	75.9	5.8	17.9	0.4
	W	61,439	58,449	2,041	899	50	100.0	95.1	3.3	1.5	0.1
	NW	35,691	15,244	3,591	16,518	338	100.0	42.7	10.1	46.3	0.9
Military	T	243	242	0	1	0	100.0	99.6	--	0.4	--
	W	232	232	0	0	0	100.0	100.0	--	--	--
	NW	11	10	0	1	0	100.0	90.9	--	9.1	--
Central Region	T	27,587	18,384	1,686	7,404	113	100.0	66.6	6.1	26.8	0.4
	W	15,062	14,228	589	239	6	100.0	94.5	3.9	1.6	--
	NW	12,525	4,156	1,097	7,165	107	100.0	33.2	8.8	57.2	0.9
Baldwin	T	494	221	25	248	0	100.0	44.7	5.1	50.2	--
	W	223	210	7	6	0	100.0	94.2	3.1	2.7	--
	NW	271	11	18	242	0	100.0	4.1	6.6	89.3	--
Bibb	T	3,363	3,279	24	58	2	100.0	97.5	0.7	1.7	0.1
	W	2,021	2,019	2	0	0	100.0	99.9	0.1	--	--
	NW	1,342	1,260	22	58	2	100.0	93.9	1.6	4.3	0.1
Bleckley	T	206	86	23	96	1	100.0	41.7	11.2	46.6	0.5
	W	107	84	17	6	0	100.0	78.5	15.9	5.6	--
	NW	99	2	6	90	1	100.0	2.0	6.1	90.9	1.0
Bryan	T	208	114	36	58	0	100.0	54.8	17.3	27.9	--
	W	116	103	9	4	0	100.0	88.8	7.8	3.4	--
	NW	92	11	27	54	0	100.0	12.0	29.3	58.7	--
Bulloch	T	667	431	60	176	0	100.0	64.6	9.0	26.4	--
	W	326	300	20	6	0	100.0	92.0	6.1	1.8	--
	NW	341	131	40	170	0	100.0	38.4	11.7	49.9	--

See notes on page 33

TABLE IX (page 11 of 24)
 NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE		NUMBER					PER CENT				
		TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT
Burke	T	773	182	47	544	0	100.0	23.5	6.1	70.4	--
	W	160	139	8	13	0	100.0	86.9	5.0	8.1	--
	NW	613	43	39	531	0	100.0	7.0	6.4	86.6	--
Butts	T	233	123	54	56	0	100.0	52.8	23.2	24.0	--
	W	99	85	14	0	0	100.0	85.9	14.1	--	--
	NW	134	38	40	56	0	100.0	28.4	29.8	41.8	--
Candler	T	167	99	26	42	0	100.0	59.3	15.6	25.1	--
	W	87	70	15	2	0	100.0	80.5	17.2	2.3	--
	NW	80	29	11	40	0	100.0	36.2	13.8	50.0	--
Chattahoochee	T	42	22	6	14	0	100.0	52.4	14.3	33.3	--
	W	17	13	4	0	0	100.0	76.5	23.5	--	--
	NW	25	9	2	14	0	100.0	36.0	8.0	56.0	--
Clayton	T	705	600	43	62	0	100.0	85.1	6.1	8.8	--
	W	591	573	14	4	0	100.0	97.0	2.4	0.7	--
	NW	114	27	29	58	0	100.0	23.7	25.4	50.9	--
Coweta	T	732	519	49	164	0	100.0	70.9	6.7	22.4	--
	W	383	358	21	4	0	100.0	93.5	5.5	1.0	--
	NW	349	161	28	160	0	100.0	46.1	8.0	45.8	--
Crawford	T	192	69	2	121	0	100.0	35.9	1.0	63.0	--
	W	50	47	1	2	0	100.0	94.0	2.0	4.0	--
	NW	142	22	1	119	0	100.0	15.5	0.7	83.8	--
Dodge	T	437	214	54	169	0	100.0	49.0	12.4	38.7	--
	W	252	205	32	15	0	100.0	81.3	12.7	6.0	--
	NW	185	9	22	154	0	100.0	4.9	11.9	83.2	--

See notes on page 33

TABLE IX (page 12 of 24)
NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	NUMBER					PER CENT					
	TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	
Effingham	T	262	139	17	106	0	100.0	53.1	6.5	40.5	--
	W	135	123	7	5	0	100.0	91.1	5.2	3.7	--
	NW	127	16	10	101	0	100.0	12.6	7.9	79.5	--
Emanuel	T	512	336	26	150	0	100.0	65.6	5.1	29.3	--
	W	288	268	15	5	0	100.0	93.1	5.2	1.7	--
	NW	224	68	11	145	0	100.0	30.4	4.9	64.7	--
Evans	T	187	110	10	67	0	100.0	58.8	5.3	35.8	--
	W	93	91	2	0	0	100.0	97.8	2.2	--	--
	NW	94	19	8	67	0	100.0	20.2	8.5	71.3	--
Fayette	T	173	80	32	61	0	100.0	46.2	18.5	35.3	--
	W	103	75	23	5	0	100.0	72.8	22.3	4.9	--
	NW	70	5	9	56	0	100.0	7.1	12.9	80.0	--
Glascock	T	71	34	10	27	0	100.0	47.9	14.1	38.0	--
	W	42	32	7	3	0	100.0	76.2	16.7	7.1	--
	NW	29	2	3	24	0	100.0	6.9	10.3	82.8	--
Harris	T	275	139	26	110	0	100.0	50.5	9.5	40.0	--
	W	103	97	1	5	0	100.0	94.2	1.0	4.9	--
	NW	172	42	25	105	0	100.0	24.4	14.5	61.0	--
Heard	T	146	97	20	29	0	100.0	66.4	13.7	19.9	--
	W	92	85	6	1	0	100.0	92.4	6.5	1.1	--
	NW	54	12	14	28	0	100.0	22.2	25.9	51.9	--
Henry	T	445	174	31	240	0	100.0	39.1	7.0	53.9	--
	W	172	150	15	7	0	100.0	87.2	8.7	4.1	--
	NW	273	24	16	233	0	100.0	8.8	5.9	85.3	--

See notes on page 33

TABLE IX (page 13 of 24)
 NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE		NUMBER					PER CENT				
		TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT
Houston	T	784	664	14	106	0	100.0	84.7	1.8	13.5	--
	W	493	489	3	1	0	100.0	99.2	0.6	0.2	--
	NW	291	175	11	105	0	100.0	60.1	3.8	36.1	--
Jefferson	T	565	214	38	312	1	100.0	37.9	6.7	55.2	0.2
	W	180	160	12	8	0	100.0	88.9	6.7	4.4	--
	NW	335	54	26	304	1	100.0	14.0	6.8	79.0	0.3
Jenkins	T	298	155	5	138	0	100.0	52.0	1.7	46.3	--
	W	114	109	1	4	0	100.0	95.6	0.9	3.5	--
	NW	184	46	4	134	0	100.0	25.0	2.2	72.8	--
Johnson	T	226	121	3	102	0	100.0	53.5	1.3	45.1	--
	W	123	112	2	9	0	100.0	91.1	1.6	7.3	--
	NW	103	9	1	93	0	100.0	8.7	1.0	90.3	--
Jones	T	194	63	22	109	0	100.0	32.5	11.3	56.2	--
	W	60	53	7	0	0	100.0	88.3	11.7	--	--
	NW	134	10	15	109	0	100.0	7.5	11.2	81.3	--
Lamar	T	289	144	15	38	92	100.0	49.8	5.2	13.1	31.8
	W	133	122	7	0	4	100.0	91.7	5.3	--	3.0
	NW	156	22	8	38	88	100.0	14.1	5.1	24.4	56.4
Laurens	T	934	536	57	341	0	100.0	57.4	6.1	36.5	--
	W	468	436	18	14	0	100.0	93.2	3.8	3.0	--
	NW	466	100	39	327	0	100.0	21.5	8.4	70.2	--
Macon	T	373	137	55	181	0	100.0	36.7	14.7	48.5	--
	W	83	73	8	2	0	100.0	88.0	9.6	2.4	--
	NW	290	64	47	179	0	100.0	22.1	16.2	61.7	--

See notes on page 33

3

TABLE IX (page 14 of 24)
 NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	NUMBER					PER CENT				
	TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID-WIFE	OTHER ATTENDANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID-WIFE	OTHER ATTENDANT
Marion	T	195	49	11	135	0	100.0	25.1	5.6	69.2
	W	51	39	5	7	0	100.0	76.5	9.8	13.7
	NW	144	10	6	128	0	100.0	6.9	4.2	88.9
Meriwether	T	555	208	98	249	0	100.0	37.5	17.7	44.9
	W	209	186	20	3	0	100.0	89.0	9.6	1.4
	NW	346	22	78	246	0	100.0	6.4	22.5	71.1
Monroe	T	328	139	3	171	15	100.0	42.4	0.9	52.1
	W	133	128	1	2	2	100.0	96.2	0.8	1.5
	NW	195	11	2	169	13	100.0	5.6	1.0	86.7
Montgomery	T	168	67	29	72	0	100.0	39.9	17.3	42.9
	W	82	65	14	3	0	100.0	79.3	17.1	3.7
	NW	86	2	15	69	0	100.0	2.3	17.4	80.2
Muscogee	T	4,828	4,588	77	163	0	100.0	95.0	1.6	3.4
	W	3,705	3,699	5	1	0	100.0	99.8	0.1	--
	NW	1,123	889	72	162	0	100.0	79.2	6.4	14.4
Peach	T	361	212	13	136	0	100.0	58.7	3.6	37.7
	W	126	120	3	3	0	100.0	95.2	2.4	2.4
	NW	235	92	10	133	0	100.0	39.1	4.3	56.6
Pike	T	219	67	63	87	2	100.0	30.6	28.8	39.7
	W	78	62	14	2	0	100.0	79.5	17.9	2.6
	NW	141	5	49	85	2	100.0	3.5	34.8	60.3
Pulaski	T	265	118	2	145	0	100.0	44.5	0.8	54.7
	W	111	104	1	6	0	100.0	93.7	0.9	5.4
	NW	154	14	1	139	0	100.0	9.1	0.6	90.3

See notes on page 33

TABLE IX (page 15 of 24)
 NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	NUMBER					PER CENT				
	TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT
Schley	T	106	29	12	65	0	100.0	27.4	11.3	61.3
	W	27	23	4	0	0	100.0	85.2	14.8	--
	NW	79	6	8	65	0	100.0	7.6	10.1	82.3
Sc生生	T	549	221	34	294	0	100.0	40.3	6.2	53.6
	W	189	177	6	6	0	100.0	93.6	3.2	3.2
	NW	360	44	28	288	0	100.0	12.2	7.8	80.0
Spalding	T	795	581	40	174	0	100.0	73.1	5.0	21.9
	W	513	498	9	6	0	100.0	97.1	1.8	1.2
	NW	282	83	31	168	0	100.0	29.4	11.0	59.6
Talbot	T	241	69	9	163	0	100.0	28.6	3.7	67.6
	W	45	45	0	0	0	100.0	100.0	--	--
	NW	196	24	9	163	0	100.0	12.2	4.6	83.2
Tattnall	T	414	288	76	50	0	100.0	69.6	18.4	12.1
	W	268	256	10	2	0	100.0	95.5	3.7	0.7
	NW	146	32	66	48	0	100.0	21.9	45.2	32.9
Taylor	T	237	114	8	115	0	100.0	48.1	3.4	48.5
	W	98	89	4	5	0	100.0	90.8	4.1	5.1
	NW	139	25	4	110	0	100.0	18.0	2.9	79.1
Telfair	T	351	178	50	123	0	100.0	50.7	14.2	35.0
	W	203	160	30	13	0	100.0	78.8	14.8	6.4
	NW	148	18	20	110	0	100.0	12.2	13.5	74.3
Toombs	T	472	255	87	130	0	100.0	54.0	18.4	27.5
	W	303	243	55	5	0	100.0	80.2	18.2	1.6
	NW	169	12	32	125	0	100.0	7.1	18.9	74.0

See notes on page 33

TABLE IX (page 16 of 24)
NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	NUMBER					PER CENT				
	TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT
Treutlen	T	171	72	34	65	0	100.0	42.1	19.9	38.0
	W	95	66	24	5	0	100.0	69.5	25.3	5.3
	NW	76	6	10	60	0	100.0	7.9	13.2	78.9
Troup	T	1,417	1,146	22	249	0	100.0	80.9	1.6	17.6
	W	855	843	6	6	0	100.0	98.6	0.7	0.7
	NW	562	303	16	243	0	100.0	53.9	2.8	43.2
Twiggs	T	270	91	1	178	0	100.0	33.7	0.4	65.9
	W	71	62	1	8	0	100.0	87.3	1.4	11.3
	NW	199	29	0	170	0	100.0	14.6	--	85.4
Upson	T	642	364	143	135	0	100.0	56.7	22.3	21.0
	W	399	328	67	4	0	100.0	82.2	16.8	1.0
	NW	243	36	76	131	0	100.0	14.8	31.3	53.9
Washington	T	631	219	7	405	0	100.0	34.7	1.1	64.2
	W	196	181	3	12	0	100.0	92.3	1.5	6.1
	NW	435	38	4	393	0	100.0	8.7	0.9	90.3
Wheeler	T	154	88	19	47	0	100.0	57.1	12.3	30.5
	W	78	71	2	5	0	100.0	91.0	2.6	6.4
	NW	76	17	17	42	0	100.0	22.4	22.4	55.3
Wilkinson	T	265	119	18	128	0	100.0	44.9	6.8	48.3
	W	113	102	7	4	0	100.0	90.3	6.2	3.5
	NW	152	17	11	124	0	100.0	11.2	7.2	81.6

Note: Births in military reservations are included in state total but are excluded from county and regional totals.

TABLE IX (page 17 of 24)
 NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	NUMBER					PER CENT					
	TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	
State Total (including military)	T W NW	97,130 61,439 35,691	73,693 58,449 15,244	5,632 2,041 3,591	17,417 899 16,518	388 50 338	100.0 100.0 100.0	75.9 95.1 42.7	5.8 3.3 10.1	17.9 1.5 46.3	0.4 0.1 0.9
Military	T W NW	243 232 11	242 232 10	0 0 0	1 0 1	0 0 0	100.0 100.0 100.0	99.6 100.0 90.9	-- -- --	0.4 -- 9.1	-- -- --
Southwestern Region	T W NW	13,178 5,959 7,219	7,141 5,651 1,490	956 186 770	4,938 108 4,830	143 14 129	100.0 100.0 100.0	54.2 94.8 20.6	7.3 3.1 10.7	37.5 1.8 66.9	1.1 0.2 1.8
Baker	T W NW	175 41 134	63 39 24	1 0 1	111 2 109	0 0 0	100.0 100.0 100.0	36.0 95.1 17.9	0.6 -- 0.7	63.4 4.9 81.3	-- -- --
Ben Hill	T W NW	368 213 155	236 206 30	8 4 4	124 3 121	0 0 0	100.0 100.0 100.0	64.1 96.7 19.4	2.2 1.9 2.6	33.7 1.4 78.1	-- -- --
Brooks	T W NW	450 171 279	205 163 42	15 5 10	230 3 227	0 0 0	100.0 100.0 100.0	45.6 95.3 15.1	3.3 2.9 3.6	51.1 1.8 81.4	-- -- --
Calhoun	T W NW	325 57 268	108 53 55	3 0 3	214 4 210	0 0 0	100.0 100.0 100.0	33.2 93.0 20.5	0.9 -- 1.1	65.8 7.0 78.4	-- -- --
Clay	T W NW	165 36 129	49 34 15	5 2 3	111 0 111	0 0 0	100.0 100.0 100.0	29.7 94.4 11.6	3.0 5.6 2.3	67.3 -- 86.0	-- -- --

See notes on page 37

TABLE IX (page 18 of 24)
 NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	NUMBER					PER CENT					
	TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	
Colquitt	T	1,052	856	55	141	0	100.0	81.4	5.2	13.4	—
	W	736	711	22	3	0	100.0	96.6	3.0	0.4	—
	NW	316	145	33	138	0	100.0	45.9	10.4	43.7	—
Crisp	T	524	240	7	276	1	100.0	45.8	1.3	52.7	0.2
	W	245	214	2	29	0	100.0	87.3	0.8	11.8	—
	NW	279	26	5	247	1	100.0	9.3	1.8	88.5	0.4
Decatur	T	670	445	40	185	0	100.0	66.4	6.0	27.6	—
	W	361	350	7	4	0	100.0	97.0	1.9	1.1	—
	NW	309	95	33	181	0	100.0	30.7	10.7	58.6	—
Dooley	T	436	141	60	235	0	100.0	32.3	13.8	53.9	—
	W	140	122	12	6	0	100.0	87.1	8.6	4.3	—
	NW	296	19	48	229	0	100.0	6.4	16.2	77.4	—
Dougherty	T	1,684	1,201	299	184	0	100.0	71.3	17.8	10.9	—
	W	957	939	18	0	0	100.0	98.1	1.9	—	—
	NW	727	262	281	184	0	100.0	36.0	38.7	25.3	—
Early	T	513	222	6	285	0	100.0	43.3	1.2	55.6	—
	W	181	169	0	12	0	100.0	93.4	—	6.6	—
	NW	332	53	6	273	0	100.0	16.0	1.8	82.2	—
Grady	T	485	249	192	44	0	100.0	51.3	39.6	9.1	—
	W	273	237	34	2	0	100.0	86.8	12.5	0.7	—
	NW	212	12	158	42	0	100.0	5.7	74.5	19.8	—
Irwin	T	303	157	3	143	0	100.0	51.8	1.0	47.2	—
	W	134	131	2	1	0	100.0	97.8	1.5	0.7	—
	NW	169	26	1	142	0	100.0	15.4	0.6	84.0	—

See notes on page 37

TABLE IX (page 19 of 24)
 NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	NUMBER						PER CENT				
	TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	
Lee	T	225	55	5	164	1	100.0	24.4	2.2	72.9	0.4
	W	41	41	0	0	0	100.0	100.0	--	--	--
	NW	184	14	5	164	1	100.0	7.6	2.7	89.1	0.5
Miller	T	228	164	2	62	0	100.0	71.9	0.9	27.2	--
	W	135	130	2	3	0	100.0	96.3	1.5	2.2	--
	NW	93	34	0	59	0	100.0	36.6	--	63.4	--
Mitchell	T	702	288	31	382	1	100.0	41.0	4.4	54.4	0.1
	W	250	241	5	4	0	100.0	96.4	2.0	1.6	--
	NW	452	47	26	378	1	100.0	10.4	5.8	83.6	0.2
Quitman	T	79	22	4	53	0	100.0	27.8	5.1	67.1	--
	W	19	16	2	1	0	100.0	84.2	10.5	5.3	--
	NW	60	6	2	52	0	100.0	10.0	3.3	86.7	--
Randolph	T	383	115	9	259	0	100.0	30.0	2.3	67.6	--
	W	92	87	2	3	0	100.0	94.6	2.2	3.3	--
	NW	291	28	7	256	0	100.0	9.6	2.4	88.0	--
Seminole	T	215	164	0	51	0	100.0	76.3	--	23.7	--
	W	98	98	0	0	0	100.0	100.0	--	--	--
	NW	117	66	0	51	0	100.0	56.4	--	43.6	--
Stewart	T	212	75	4	133	0	100.0	35.4	1.9	62.7	--
	W	46	45	0	1	0	100.0	97.8	--	2.2	--
	NW	166	30	4	132	0	100.0	18.1	2.4	79.5	--
Sumter	T	691	356	30	304	1	100.0	51.5	4.3	44.0	0.1
	W	253	250	1	2	0	100.0	98.8	0.4	0.8	--
	NW	438	106	29	302	1	100.0	24.2	6.6	68.9	0.2

See notes on page 37

TABLE IX (page 20 of 24)
 NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	NUMBER					PER CENT				
	TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT
Terrell	T	442	125	26	291	0	100.0	28.3	5.9	65.8
	W	82	78	2	2	0	100.0	95.1	2.4	2.4
	NW	360	47	24	289	0	100.0	13.1	6.7	80.3
Thomas	T	930	522	43	229	136	100.0	56.1	4.6	24.6
	W	463	436	12	3	12	100.0	94.2	0.6	2.6
	NW	467	86	31	226	124	100.0	18.4	6.6	48.4
Tift	T	710	473	13	222	2	100.0	66.6	1.8	31.3
	W	447	425	10	10	2	100.0	95.1	2.2	0.4
	NW	263	48	3	212	0	100.0	18.2	1.1	80.6
Turner	T	293	192	11	90	0	100.0	65.5	3.8	30.7
	W	133	126	5	2	0	100.0	94.7	3.8	1.5
	NW	160	66	6	88	0	100.0	41.2	3.8	55.0
Webster	T	113	29	2	82	0	100.0	25.7	1.8	72.6
	W	23	22	0	1	0	100.0	95.7	—	4.3
	NW	90	7	2	81	0	100.0	7.8	2.2	90.0
Wilcox	T	219	87	56	76	0	100.0	39.7	25.6	34.7
	W	114	81	30	3	0	100.0	71.1	26.3	2.6
	NW	105	6	26	73	0	100.0	5.7	24.8	69.5
Worth	T	586	302	26	257	1	100.0	51.5	4.4	43.9
	W	218	207	7	4	0	100.0	95.0	3.2	1.8
	NW	368	95	19	253	1	100.0	25.8	5.2	68.8
										0.3

Note: Births in military reservations are included in state total but are excluded from county and regional totals.

TABLE IX (page 21 of 24)
 NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE		NUMBER				PER CENT				OTHER ATTEN- DANT
		TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	
State Total (including military)	T	97,130	73,693	5,632	17,417	388	100.0	75.9	5.8	17.9
	W	61,439	58,449	2,041	899	50	100.0	95.1	3.3	1.5
	NW	35,691	15,244	3,591	16,518	338	100.0	42.7	10.1	46.3
Military	T	243	242	0	1	0	100.0	99.6	--	0.4
	W	232	232	0	0	0	100.0	100.0	--	--
	NW	11	10	0	1	0	100.0	90.9	--	9.1
Southeastern Region	T	12,274	9,193	1,139	1,941	1	100.0	74.9	9.3	15.8
	W	7,997	7,414	421	162	0	100.0	92.7	5.3	2.0
	NW	4,277	1,779	718	1,779	1	100.0	41.6	16.8	41.6
Appling	T	386	232	72	82	0	100.0	60.1	18.7	21.2
	W	280	218	47	15	0	100.0	77.9	16.8	5.4
	NW	106	14	25	67	0	100.0	13.2	23.6	63.2
Atkinson	T	231	110	56	65	0	100.0	47.6	24.2	28.1
	W	163	106	43	14	0	100.0	65.0	26.4	8.6
	NW	68	4	13	51	0	100.0	5.9	19.1	75.0
Bacon	T	221	158	42	21	0	100.0	71.5	19.0	9.5
	W	198	158	36	4	0	100.0	79.8	18.2	2.0
	NW	23	0	6	17	0	100.0	--	26.1	73.9
Berrien	T	338	270	26	42	0	100.0	79.9	7.7	12.4
	W	281	255	20	6	0	100.0	90.7	7.1	2.1
	NW	57	15	6	36	0	100.0	26.3	10.5	63.2
Brantley	T	159	83	55	21	0	100.0	52.2	34.6	13.2
	W	130	82	41	7	0	100.0	63.1	31.5	5.4
	NW	29	1	14	14	0	100.0	3.4	48.3	48.3

See notes on page 41

TABLE IX (page 22 of 24)
 NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	NUMBER					PER CENT				
	TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT
Camden	T	207	99	7	101	0	100.0	47.8	3.4	48.8
	W	100	92	1	7	0	100.0	92.0	1.0	7.0
	NW	107	7	6	94	0	100.0	6.5	5.6	87.8
Charlton	T	169	98	10	61	0	100.0	58.0	5.9	36.1
	W	109	95	8	6	0	100.0	87.2	7.3	5.5
	NW	60	3	2	55	0	100.0	5.0	3.3	91.7
Chatham	T	4,631	4,107	464	59	1	100.0	88.7	10.0	1.3
	W	2,992	2,976	14	2	0	100.0	99.5	0.5	0.1
	NW	1,639	1,131	450	57	1	100.0	69.0	27.5	3.5
Clinch	T	211	166	7	38	0	100.0	78.7	3.3	18.0
	W	133	130	1	2	0	100.0	97.7	0.8	1.5
	NW	78	36	6	36	0	100.0	46.2	7.7	46.2
Coffee	T	727	514	24	189	0	100.0	70.7	3.3	26.0
	W	492	465	10	17	0	100.0	94.5	2.0	3.5
	NW	235	49	14	172	0	100.0	20.9	6.0	73.2
Cook	T	311	249	3	59	0	100.0	80.1	1.0	19.0
	W	189	180	2	7	0	100.0	95.2	1.1	3.7
	NW	122	69	1	52	0	100.0	56.6	0.8	42.6
Echols	T	50	23	7	20	0	100.0	46.0	14.0	40.0
	W	25	19	6	0	0	100.0	76.0	24.0	--
	NW	25	4	1	20	0	100.0	16.0	4.0	80.0
Glynn	T	780	538	26	216	0	100.0	69.0	3.3	27.7
	W	467	443	2	22	0	100.0	94.9	0.4	4.7
	NW	313	95	24	194	0	100.0	30.4	7.7	62.0

See notes on page 41

TABLE IX (page 23 of 24)
 NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	NUMBER					PER CENT				
	TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT
Jeff Davis	T	290	145	94	51	0	100.0	50.0	32.4	17.6
	W	222	144	78	0	0	100.0	64.9	35.1	--
	NW	68	1	16	51	0	100.0	1.5	23.5	75.0
Lanier	T	162	123	15	24	0	100.0	75.9	9.3	14.8
	W	95	92	2	1	0	100.0	96.8	2.1	1.1
	NW	67	31	13	23	0	100.0	46.3	19.4	34.3
Liberty	T	329	201	11	117	0	100.0	61.1	3.3	35.6
	W	135	133	2	0	0	100.0	98.5	1.5	--
	NW	194	68	9	117	0	100.0	35.1	4.6	60.3
Long	T	120	79	26	15	0	100.0	65.8	21.7	12.5
	W	79	69	10	0	0	100.0	87.3	12.7	--
	NW	41	10	16	15	0	100.0	24.4	39.0	36.6
Lowndes	T	1,203	764	22	417	0	100.0	63.5	1.8	34.7
	W	707	688	9	10	0	100.0	97.3	1.3	1.4
	NW	496	76	13	407	0	100.0	15.3	2.6	82.1
McIntosh	T	172	48	1	123	0	100.0	27.9	0.6	71.5
	W	47	40	0	7	0	100.0	85.1	--	14.9
	NW	125	8	1	116	0	100.0	6.4	0.8	92.8
Pierce	T	290	199	26	65	0	100.0	68.6	9.0	22.4
	W	199	168	19	12	0	100.0	84.4	9.5	6.0
	NW	91	31	7	53	0	100.0	34.1	7.7	58.2
Ware	T	837	611	126	100	0	100.0	73.0	15.1	11.9
	W	629	554	60	15	0	100.0	88.1	9.5	2.4
	NW	208	57	66	85	0	100.0	27.4	31.7	40.9

See notes on page 41

F

TABLE IX (page 24 of 24)
 NUMBER AND PER CENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	NUMBER					PER CENT				
	TOTAL BIRTHS	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT	TOTAL PER CENT	PHYSICIANS IN HOSPITAL	PHYSICIANS NOT IN HOSPITAL	MID- WIFE	OTHER ATTEN- DANT
Wayne	T	450	376	19	55	0	100.0	83.6	4.2	12.2
	W	325	307	10	8	0	100.0	94.5	3.1	2.5
	NW	125	69	9	47	0	100.0	55.2	7.2	37.6

Note: Births in military reservations are included in state total but are excluded from county and regional totals.

TABLE X (page 1 of 24)
SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY AND RACE, GEORGIA, 1952

AREA AND RACE			IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS		
			Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
State Total (including military)	T	97,130	27.3	7,683	79.1	1,992	20.5	1,984	20.4	3,158	32.5	645	6.6	128	13.2
	W	61,439	24.9	4,202	68.4	853	13.9	1,135	18.5	1,567	25.5	323	5.3	36	5.9
	NW	35,691	33.0	3,481	97.5	1,139	31.9	849	23.8	1,591	44.6	322	9.0	92	25.8
Military	T	243		20		8		7		9		2		0	
	W	232		19		7		6		8		1		0	
	NW	11		1		1		1		1		1		0	
Northwestern Region	T	29,744	26.3	2,482	83.4	510	17.1	617	20.7	914	30.7	164	5.5	22	7.4
	W	22,925	24.8	1,576	68.7	306	13.3	444	19.4	620	27.0	108	4.7	9	3.9
	NW	6,819	32.9	906	132.9	204	29.9	173	25.4	294	43.1	56	8.2	13	19.1
Bartow	T	657	23.5	62	94.4	12	18.3	20	30.4	26	39.6	6	9.1	1	15.2
	W	534	22.2	47	88.0	10	18.7	12	22.5	15	28.1	2	3.7	0	--
	NW	123	30.8	15	122.0	2	16.3	8	65.0	11	89.4	4	32.5	1	81.3
Carroll	T	788	23.5	59	74.9	12	15.2	17	21.6	32	40.6	5	6.3	1	12.7
	W	631	23.5	49	77.7	6	9.5	15	23.8	28	44.4	4	6.3	1	15.8
	NW	157	23.4	10	63.7	6	38.2	2	12.7	4	25.5	1	6.4	0	--
Catoosa	T	373	24.1	7	18.8	5	13.4	3	8.0	5	13.4	2	5.4	1	26.8
	W	366	24.1	6	16.4	5	13.7	3	8.2	5	13.7	2	5.5	1	27.3
	NW	7	23.3	1	142.9	0	--	0	--	0	--	0	--	0	--
Chattooga	T	520	24.1	31	59.6	9	17.3	15	28.8	21	40.4	6	11.5	3	57.7
	W	470	24.0	25	53.2	7	14.9	13	27.7	19	40.4	5	10.6	1	21.3
	NW	50	25.0	6	120.0	2	40.0	2	40.0	2	40.0	1	20.0	2	400.0
Cherokee	T	495	23.3	35	70.7	7	14.1	13	26.3	19	38.4	1	2.0	0	--
	W	470	23.0	35	74.5	6	12.8	13	27.7	18	38.3	1	2.1	0	--
	NW	25	31.2	0	--	1	40.0	0	--	1	40.0	0	--	0	--

See notes on page 45

TABLE II (page 2 of 24)

SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Cobb	T	1,866	27.3	165	88.4	34	18.2	35	18.8	59	31.6	4	2.1	3 16.1
	W	1,672	26.9	128	76.6	26	15.6	27	16.1	46	27.5	3	1.8	1 6.0
	NW	194	31.3	37	190.7	8	41.2	8	41.2	13	67.0	1	5.2	2 103.1
Dade	T	224	29.1	7	31.2	4	17.9	7	31.2	7	31.2	0	—	1 44.6
	W	220	29.3	7	31.8	4	18.2	7	31.8	7	31.8	0	—	1 45.5
	NW	4	20.0	0	—	0	—	0	—	0	—	0	—	0 —
Dawson	T	73	20.9	3	41.1	0	—	0	—	0	—	0	—	0 —
	V	73	20.9	3	41.1	0	—	0	—	0	—	0	—	0 —
	NW	0	—	0	—	0	—	0	—	0	—	0	—	0 —
DeKalb	T	4,678	33.2	315	67.3	56	12.0	67	14.3	91	19.5	12	2.6	2 4.3
	W	4,055	32.1	219	54.0	42	10.4	51	12.6	64	15.8	8	2.0	0 —
	NW	623	43.3	96	154.1	14	22.5	16	25.7	27	43.3	4	6.4	2 32.1
Douglas	T	339	27.1	22	64.9	4	11.8	9	26.5	11	32.4	5	14.7	0 —
	W	275	26.2	20	72.7	1	3.6	5	18.2	6	21.8	3	10.9	0 —
	NW	64	32.0	2	31.2	3	46.9	4	62.5	5	78.1	2	31.2	0 —
Fannin	T	346	22.3	9	26.0	7	20.2	12	34.7	17	49.1	2	5.8	0 —
	W	346	22.5	9	26.0	7	20.2	12	34.7	17	49.1	2	5.8	0 —
	NW	0	—	0	—	0	—	0	—	0	—	0	—	0 —
Floyd	T	1,438	22.5	128	89.0	17	11.8	47	32.7	68	47.3	13	9.0	0 —
	W	1,180	21.6	92	78.0	11	9.3	39	33.0	54	45.8	10	8.5	0 —
	NW	258	27.7	36	139.5	6	23.3	8	31.0	14	54.3	3	11.6	0 —
Forsyth	T	254	23.7	22	86.6	5	19.7	3	11.8	5	19.7	1	3.9	0 —
	W	254	24.0	22	86.6	5	19.7	3	11.8	5	19.7	1	3.9	0 —
	NW	0	—	0	—	0	—	0	—	0	—	0	—	0 —

See notes on page 45

TABLE X (page 3 of 24)
SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATE M.I. DEATHS		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
Fulton	T	13,206	27.1	1,279	96.8	267	20.2	255	19.3	380	28.8	74	5.6	6	4.5
	W	8,243	24.3	623	75.6	113	13.7	135	16.4	182	22.1	36	4.4	1	1.2
	NW	4,963	33.4	656	132.2	154	31.0	120	24.2	198	39.9	38	7.7	5	10.1
Gilmer	T	222	21.8	20	90.1	1	4.5	7	31.5	10	45.0	0	--	0	--
	W	220	21.6	20	90.9	1	4.5	7	31.8	10	45.5	0	--	0	--
	NW	2	**	0	--	0	--	0	--	0	--	0	--	0	--
Gordon	T	370	19.2	29	78.4	6	16.2	6	16.2	9	24.3	2	5.4	0	--
	W	347	19.1	27	77.8	6	17.3	6	17.3	9	25.9	2	5.8	0	--
	NW	23	20.9	2	87.0	0	--	0	--	0	--	0	--	0	--
Haralson	T	323	21.8	32	99.1	5	15.5	13	40.2	17	52.6	6	18.6	1	31.0
	W	300	22.2	31	103.3	5	16.7	13	43.3	16	53.3	6	20.0	0	--
	NW	23	17.7	1	43.5	0	--	0	--	1	43.5	0	--	1	434.8
Lumpkin	T	158	23.6	13	82.3	3	19.0	3	19.0	4	25.3	3	19.0	0	--
	W	155	23.5	13	83.9	3	19.4	3	19.4	4	25.8	3	19.4	0	--
	NW	3	30.0	0	--	0	--	0	--	0	--	0	--	0	--
Murray	T	212	20.4	11	51.9	1	4.7	3	14.2	3	14.2	0	--	0	--
	W	208	20.4	11	52.9	1	4.8	3	14.4	3	14.4	0	--	0	--
	NW	4	20.0	0	--	0	--	0	--	0	--	0	--	0	--
Paulding	T	225	19.9	15	66.7	4	17.8	7	31.1	10	44.4	1	4.4	0	--
	W	188	18.6	14	74.5	3	16.0	7	37.2	10	53.2	1	5.3	0	--
	NW	37	30.8	1	27.0	1	27.0	0	--	0	--	0	--	0	--
Pickens	T	180	20.7	14	77.8	5	27.8	2	11.1	9	50.0	0	--	1	55.6
	W	169	20.4	12	71.0	5	29.6	2	11.8	7	41.4	0	--	1	59.2
	NW	11	27.5	2	181.8	0	--	0	--	2	181.8	0	--	0	--

See notes on page 45

TABLE X (page 4 of 24)

SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
Polk	T	727	22.9	89	122.4	6	8.3	15	20.6	25	34.4	5	6.9	0	--
	W	588	22.0	56	95.2	2	3.4	13	22.1	16	27.2	4	6.8	0	--
	NW	139	27.8	33	237.4	4	28.8	2	14.4	9	64.7	1	7.2	0	--
Towns	T	102	21.7	4	39.2	0	--	1	9.8	1	9.8	0	--	0	--
	W	102	21.7	4	39.2	0	--	1	9.8	1	9.8	0	--	0	--
	NW	0	--	0	--	0	--	0	--	0	--	0	--	0	--
Union	T	172	24.2	15	87.2	7	40.7	7	40.7	9	52.3	2	11.6	1	58.1
	W	171	24.1	15	87.7	7	40.9	7	40.9	9	52.6	2	11.7	1	58.5
	NW	1	**	0	--	0	--	0	--	0	--	0	--	0	--
Walker	T	892	22.9	32	35.9	15	16.8	18	20.2	25	28.0	5	5.6	0	--
	W	822	22.4	27	32.8	13	15.8	17	20.7	24	29.2	5	6.1	0	--
	NW	70	30.4	5	71.4	2	23.6	1	14.3	1	14.3	0	--	0	--
Whitfield	T	904	25.6	64	70.8	18	19.9	32	35.4	51	56.4	9	10.0	1	11.1
	W	866	25.5	61	70.4	17	19.6	30	34.6	45	52.0	8	9.2	1	11.5
	NW	38	27.1	3	78.9	1	26.3	2	52.6	6	157.9	1	26.3	0	--

* Live birth rates per 1,000 estimated mid-year population. Maternal death rates per 10,000 live births. All other rates per 1,000 live births.

** Rates are not computed when the population is less than 50.

TABLE X (page 5 of 24)
SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
State Total (including military)	T	97,130	27.3	7,683	79.1	1,992	20.5	1,984	20.4	3,158	32.5	645	6.6	128	13.2
	W	61,439	24.9	4,202	68.4	853	13.9	1,135	18.5	1,567	25.5	323	5.3	36	5.9
	NW	35,691	33.0	3,481	97.5	1,139	31.9	849	23.8	1,591	44.6	322	9.0	92	25.8
Military	T	243		20		8		7		9		2		0	
	W	232		19		7		6		8		1		0	
	NW	11		1		1		1		1		1		0	
Northeastern Region	T	14,104	25.9	1,143	81.0	295	20.9	239	16.9	419	29.7	83	5.9	10	7.1
	W	9,264	23.9	653	70.5	127	13.7	140	15.1	208	22.5	43	4.6	2	2.2
	NW	4,840	30.9	490	101.2	168	34.7	99	20.5	211	43.6	40	8.3	8	16.5
Banks	T	141	21.7	6	42.6	1	7.1	1	7.1	1	7.1	0	--	0	--
	W	130	21.3	6	46.2	1	7.7	1	7.7	1	7.7	0	--	0	--
	NW	11	27.5	0	--	0	--	0	--	0	--	0	--	0	--
Barrow	T	277	20.8	15	54.2	4	14.4	6	21.7	10	36.1	1	3.6	1	36.1
	W	212	19.4	12	56.6	3	14.2	5	23.6	7	33.0	1	4.7	0	--
	NW	65	27.1	3	46.2	1	15.4	1	15.4	3	46.2	0	--	1	153.8
Clarke	T	845	22.8	68	80.5	23	27.2	24	28.4	37	43.8	11	13.0	1	11.8
	W	571	21.0	37	64.8	9	15.8	12	21.0	18	31.5	6	10.5	1	17.5
	NW	274	27.7	31	113.1	14	51.1	12	43.8	19	69.3	5	18.2	0	--
Columbia	T	371	38.2	39	105.1	5	13.5	10	27.0	15	40.4	5	13.5	0	--
	W	220	43.1	23	104.5	2	9.1	7	31.8	8	36.4	5	22.7	0	--
	NW	151	32.8	16	106.0	3	19.9	3	19.9	7	46.4	0	--	0	--
Elbert	T	423	23.4	31	73.3	12	28.4	10	23.6	12	28.4	3	7.1	0	--
	W	227	19.1	16	70.5	5	22.0	6	26.4	7	30.8	2	8.8	0	--
	NW	196	31.6	15	76.5	7	35.7	4	20.4	5	25.5	1	5.1	0	--

L7

TABLE X (page 6 of 24)
 SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
Franklin	T	296	21.1	26	87.8	3	10.1	2	6.8	3	10.1	0	--	1	33.8
	W	257	21.1	23	89.5	2	7.8	1	3.9	1	3.9	0	--	0	--
	NW	39	21.7	3	76.9	1	25.6	1	25.6	2	51.3	0	--	1	256.4
Greene	T	358	28.6	28	78.2	8	22.3	9	25.1	14	39.1	4	11.2	2	55.9
	W	137	22.8	11	80.3	1	7.3	1	7.3	1	7.3	0	--	0	--
	NW	221	34.0	17	76.9	7	31.7	8	36.2	13	58.8	4	18.1	2	90.5
Gwinnett	T	763	23.1	52	68.2	12	15.7	14	18.3	25	32.8	6	7.9	0	--
	W	663	22.2	37	55.8	10	15.1	9	13.6	15	22.6	2	3.0	0	--
	NW	100	32.3	15	150.0	2	20.0	5	50.0	10	100.0	4	40.0	0	--
Habersham	T	348	20.6	23	66.1	7	20.1	4	11.5	8	23.0	1	2.9	0	--
	W	333	20.4	17	51.1	6	18.0	4	12.0	7	21.0	0	--	0	--
	NW	15	25.0	6	400.0	1	66.7	0	--	1	66.7	1	66.7	0	--
Hall	T	1,039	25.3	84	80.8	14	13.5	14	13.5	27	26.0	4	3.8	0	--
	W	896	24.1	73	81.5	9	10.0	11	12.3	19	21.2	4	4.5	0	--
	NW	143	36.7	11	76.9	5	35.0	3	21.0	8	55.9	0	--	0	--
Hancock	T	325	31.0	30	92.3	4	12.3	5	15.4	10	30.8	1	3.1	1	30.8
	W	56	22.4	9	160.7	1	17.9	0	--	1	17.9	0	--	0	--
	NW	269	33.6	21	78.1	3	11.2	5	18.6	9	33.5	1	3.7	1	37.2
Hart	T	273	19.4	16	58.6	6	22.0	4	14.7	8	29.3	2	7.3	0	--
	W	194	18.5	8	41.2	2	10.3	4	20.6	5	25.8	2	10.3	0	--
	NW	79	21.9	8	101.3	4	50.6	0	--	3	38.0	0	--	0	--
Jackson	T	422	22.8	37	87.7	6	14.2	9	21.3	14	33.2	4	9.5	0	--
	W	359	23.0	23	64.1	5	13.9	9	25.1	13	36.2	4	11.1	0	--
	NW	63	21.7	14	222.2	1	15.9	0	--	1	15.9	0	--	0	--

See notes on page 50

TABLE X (page 7 of 24)
SUMMARY OF NATILITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
Jasper	T	197	27.7	14	71.1	11	55.8	7	35.5	8	40.6	2	10.2	0	--
	W	58	20.0	5	86.2	2	34.5	2	34.5	2	34.5	1	17.2	0	--
	NW	139	33.1	9	64.7	9	64.7	5	36.0	6	43.2	1	7.2	0	--
Lincoln	T	187	30.2	14	74.9	0	--	2	10.7	5	26.7	0	--	0	--
	W	85	28.3	8	94.1	0	--	1	11.8	1	11.8	0	--	0	--
	NW	102	31.9	6	58.8	0	--	1	9.8	4	39.2	0	--	0	--
Madison	T	240	20.3	17	70.8	8	33.3	3	12.5	4	16.7	1	4.2	0	--
	W	181	19.1	10	55.2	3	16.6	2	11.0	2	11.0	0	--	0	--
	NW	59	25.7	7	118.6	5	84.7	1	16.9	2	33.9	1	16.9	0	--
McDuffie	T	386	32.7	28	72.5	8	20.7	9	23.3	17	44.0	5	13.0	0	--
	W	189	28.6	13	68.8	3	15.9	2	10.6	2	10.6	2	10.6	0	--
	NW	197	37.9	15	76.1	5	25.4	7	35.5	15	76.1	3	15.2	0	--
Morgan	T	285	24.8	18	63.2	9	31.6	8	28.1	11	38.6	2	7.0	0	--
	W	115	21.7	8	69.6	2	17.4	6	52.2	6	52.2	1	8.7	0	--
	NW	170	27.4	10	58.8	7	41.2	2	11.8	5	29.4	1	5.9	0	--
Newton	T	482	23.4	30	62.2	11	22.8	4	8.3	15	31.1	2	4.1	1	20.7
	W	272	19.6	9	33.1	3	11.0	0	--	2	7.4	0	--	1	36.8
	NW	210	31.3	21	100.0	8	38.1	4	19.0	13	61.9	2	9.5	0	--
Oconee	T	128	18.8	11	85.9	6	46.9	4	31.2	5	39.1	1	7.8	0	--
	W	83	16.6	8	96.4	5	60.2	3	36.1	3	36.1	1	12.0	0	--
	NW	45	25.0	3	66.7	1	22.2	1	22.2	2	44.4	0	--	0	--
Oglethorpe	T	212	22.8	17	80.2	7	33.0	6	28.3	12	56.6	2	9.4	0	--
	W	87	17.4	6	69.0	0	--	2	23.0	3	34.5	0	--	0	--
	NW	125	29.1	11	88.0	7	56.0	4	32.0	9	72.0	2	16.0	0	--

See notes on page 50

6

TABLE X (page 8 of 24)
SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
Putnam	T	221	29.5	14	63.3	10	45.2	7	31.7	12	54.3	4	18.1	1	45.2
	W	82	25.6	4	48.8	1	12.2	3	36.6	3	36.6	0	--	0	--
	NW	139	32.3	10	71.9	9	64.7	4	28.8	9	64.7	4	28.8	1	71.9
Rabun	T	214	29.7	16	74.8	5	23.4	2	9.3	4	18.7	0	--	0	--
	W	212	29.9	15	70.8	5	23.6	2	9.4	4	18.9	0	--	0	--
	NW	2	20.0	1	500.0	0	--	0	--	0	--	0	--	0	--
Richmond	T	3,751	30.3	326	86.9	77	20.5	41	10.9	79	21.1	12	3.2	0	--
	W	2,551	29.6	190	74.5	37	14.5	30	11.8	51	20.0	7	2.7	0	--
	NW	1,200	32.0	136	113.3	40	33.3	11	9.2	28	23.3	5	4.2	0	--
Rockdale	T	207	23.8	17	82.1	4	19.3	0	--	2	9.7	0	--	0	--
	W	127	20.5	9	70.9	2	15.7	0	--	1	7.9	0	--	0	--
	NW	80	32.0	8	100.0	2	25.0	0	--	1	12.5	0	--	0	--
Stephens	T	463	27.1	33	71.3	3	6.5	8	17.3	12	25.9	2	4.3	0	--
	W	400	26.8	27	67.5	1	2.5	6	15.0	9	22.5	2	5.0	0	--
	NW	63	28.6	6	95.2	2	31.7	2	31.7	3	47.6	0	--	0	--
Taliaferro	T	116	28.3	13	112.1	4	34.5	4	34.5	9	77.6	1	8.6	0	--
	W	26	23.6	1	38.5	1	38.5	1	38.5	1	38.5	0	--	0	--
	NW	90	30.0	12	133.3	3	33.3	3	33.3	8	88.9	1	11.1	0	--
Walton	T	456	23.0	53	116.2	5	11.0	10	21.9	17	37.3	4	8.8	1	21.9
	W	236	17.5	11	46.6	2	8.5	3	12.7	5	21.2	2	8.5	0	--
	NW	220	34.9	42	190.9	3	13.6	7	31.8	12	54.5	2	9.1	1	45.5
Warren	T	231	26.6	19	82.3	12	51.9	3	13.0	8	34.6	0	--	1	43.3
	W	57	18.4	6	105.3	1	17.5	1	17.5	1	17.5	0	--	0	--
	NW	174	31.1	13	74.7	11	63.2	2	11.5	7	40.2	0	--	1	57.5

See notes on page 50

TABLE X (page 9 of 24)
SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
White	T	152	26.2	16	105.3	3	19.7	3	19.7	5	32.9	0	--	0	--
	W	146	26.5	16	109.6	3	20.5	2	13.7	4	27.4	0	--	0	--
	NW	6	20.0	0	--	0	--	1	166.7	1	166.7	0	--	0	--
Wilkes	T	295	25.4	32	108.5	7	23.7	6	20.3	10	33.9	3	10.2	0	--
	W	102	21.7	12	117.6	0	--	4	39.2	5	49.0	1	9.8	0	--
	NW	193	28.0	20	103.6	7	36.3	2	10.4	5	25.9	2	10.4	0	--

* Live birth rates per 1,000 estimated mid-year population. Maternal death rates per 10,000 live births. All other rates per 1,000 live births.

** Rates are not computed when the population is less than 50.

5

TABLE X (page 10 of 24)
 SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA, 1952

AREAS AND RACES	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
State Total (including military)	T	97,130	27.3	7,683	79.1	1,992	20.5	1,984	20.4	3,158	32.5	645	6.6	128	13.2
	W	61,439	24.9	4,202	68.4	853	13.9	1,135	18.5	1,567	25.5	323	5.3	36	5.9
	NW	35,691	33.0	3,481	97.5	1,139	31.9	849	23.8	1,591	44.6	322	9.0	92	25.8
Military	T	243		20		8		7		9		2		0	
	W	232		19		7		6		8		1		0	
	NW	11		1		1		1		1		1		0	
Central Region	T	27,587	30.1	2,104	76.3	605	21.9	566	20.5	881	31.9	190	6.9	53	19.2
	W	15,062	27.0	1,000	66.4	214	14.2	263	17.5	344	22.8	86	5.7	13	8.6
	NW	12,525	34.8	1,104	88.1	391	31.2	303	24.2	537	42.9	104	8.3	40	31.9
Baldwin	T	494	27.4	35	70.8	9	18.2	13	26.3	20	40.5	6	12.1	0	--
	W	223	21.6	12	53.8	2	9.0	1	4.5	2	9.0	0	--	0	--
	NW	271	35.2	23	84.9	7	25.8	12	44.3	18	66.4	6	22.1	0	--
Bibb	T	3,363	28.3	283	84.2	71	21.1	45	13.4	74	22.0	10	3.0	4	11.9
	W	2,021	25.8	139	68.8	36	17.8	33	16.3	41	20.3	6	3.0	1	4.9
	NW	1,342	32.9	144	107.3	35	26.1	12	8.9	33	24.6	4	3.0	3	22.4
Bleckley	T	206	23.1	15	72.8	5	24.3	5	24.3	8	38.8	1	4.9	2	97.1
	W	107	17.8	7	65.4	0	--	2	18.7	2	18.7	0	--	0	--
	NW	99	34.1	8	80.8	5	50.5	3	30.3	6	60.6	1	10.1	2	202.0
Bryan	T	208	35.9	15	72.1	6	28.8	3	14.4	8	38.5	0	--	0	--
	W	116	34.1	7	60.3	1	8.6	0	--	1	8.6	0	--	0	--
	NW	92	38.3	8	87.0	5	54.3	3	32.6	7	76.1	0	--	0	--
Bulloch	T	667	27.7	50	75.0	20	30.0	11	16.5	16	24.0	5	7.5	4	60.0
	W	326	21.7	28	85.9	7	21.5	7	21.5	7	21.5	3	9.2	0	--
	NW	341	37.5	22	64.5	13	38.1	4	11.7	9	26.4	2	5.9	4	117.3

See notes on page 57

TABLE X (page 11 of 24)
SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
Burke	T	773	33.5	41	53.0	15	19.4	17	22.0	32	41.4	10	12.9	2	25.9
	W	160	25.0	5	31.2	1	6.2	4	25.0	7	43.8	2	12.5	0	--
	NW	613	36.7	36	58.7	14	22.8	13	21.2	25	40.8	8	13.0	2	32.6
Butts	T	233	26.2	27	115.9	4	17.2	4	17.2	7	30.0	0	--	0	--
	W	99	20.6	12	121.2	1	10.1	3	30.3	4	40.4	0	--	0	--
	NW	134	32.7	15	111.9	3	22.4	1	7.5	3	22.4	0	--	0	--
Candler	T	167	21.4	10	59.9	2	12.0	2	12.0	4	24.0	1	6.0	2	119.8
	W	87	17.4	3	34.5	1	11.5	0	--	1	11.5	1	11.5	0	--
	NW	80	28.6	7	87.5	1	12.5	2	25.0	3	37.5	0	--	2	250.0
Chattahoochee	T	42	28.0	2	47.6	0	--	0	--	0	--	0	--	0	--
	W	17	24.3	1	58.8	0	--	0	--	0	--	0	--	0	--
	NW	25	31.2	1	40.0	0	--	0	--	0	--	0	--	0	--
Clayton	T	705	29.9	45	63.8	13	18.4	5	7.1	10	14.2	1	1.4	0	--
	W	591	29.8	33	55.8	7	11.8	3	5.1	7	11.8	0	--	0	--
	NW	114	30.0	12	105.3	6	52.6	2	17.5	3	26.3	1	8.8	0	--
Coweta	T	732	25.9	59	80.6	11	15.0	14	19.1	18	24.6	5	6.8	0	--
	W	383	21.5	30	78.3	5	13.1	10	26.1	10	26.1	5	13.1	0	--
	NW	349	33.2	29	83.1	6	17.2	4	11.5	8	22.9	0	--	0	--
Crawford	T	192	33.1	6	31.2	7	36.5	1	5.2	2	10.4	0	--	1	52.1
	W	50	21.7	3	60.0	0	--	1	20.0	1	20.0	0	--	0	--
	NW	142	40.6	3	21.1	7	49.3	0	--	1	7.0	0	--	1	70.4
Dodge	T	437	25.9	32	73.2	11	25.2	7	16.0	7	16.0	1	2.3	3	68.6
	W	252	21.9	15	59.5	7	27.8	6	23.8	6	23.8	1	4.0	2	79.4
	NW	185	34.3	17	91.9	4	21.6	1	5.4	1	5.4	0	--	1	54.1

See notes on page 57

TABLE X (page 12 of 24)
SUMMARY OF NATILITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA, 1952

REGION AND RACE	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
Effingham	T	262	29.8	22	84.0	12	45.8	10	38.2	15	57.3	3	11.4	2	76.3
	W	135	25.5	7	51.9	4	29.6	3	22.2	4	29.6	2	14.8	0	--
	NW	127	36.3	15	118.1	8	63.0	7	55.1	11	86.6	1	7.9	2	157.5
Emanuel	T	512	27.4	39	76.2	7	13.7	6	11.7	12	23.4	3	5.9	4	78.1
	W	288	24.4	15	52.1	3	10.4	3	10.4	4	13.9	1	3.5	2	69.4
	NW	224	32.5	24	107.1	4	17.9	3	13.4	8	35.7	2	8.9	2	89.3
Evans	T	187	29.2	12	64.2	7	37.4	4	21.4	5	26.7	1	5.3	0	--
	W	93	23.8	4	43.0	3	32.3	0	--	0	--	0	--	0	--
	NW	94	37.6	8	85.1	4	42.6	4	42.6	5	53.2	1	10.6	0	--
Fayette	T	173	22.2	11	63.6	5	28.9	2	11.6	4	23.1	0	--	0	--
	W	103	19.4	4	38.8	3	29.1	1	9.7	2	19.4	0	--	0	--
	NW	70	28.0	7	100.0	2	28.6	1	14.3	2	28.6	0	--	0	--
Glascock	T	71	21.5	5	70.4	0	--	0	--	2	28.2	0	--	0	--
	W	42	18.3	4	95.2	0	--	0	--	0	--	0	--	0	--
	NW	29	29.0	1	34.5	0	--	0	--	2	69.0	0	--	0	--
Harris	T	275	25.0	22	80.0	7	25.5	8	29.1	8	29.1	3	10.9	0	--
	W	103	22.4	7	68.0	1	9.7	4	38.8	4	38.8	3	29.1	0	--
	NW	172	26.9	15	87.2	6	34.9	4	23.3	4	23.3	0	--	0	--
Heard	T	146	22.5	12	82.2	3	20.5	1	6.8	4	27.4	1	6.8	0	--
	W	92	19.6	9	97.8	1	10.9	1	10.9	2	21.7	1	10.9	0	--
	NW	54	30.0	3	55.6	2	37.0	0	--	2	37.0	0	--	0	--
Henry	T	445	27.5	33	74.2	17	38.2	14	31.5	19	42.7	7	15.7	0	--
	W	172	18.9	7	40.7	3	17.4	4	23.3	5	29.1	2	11.6	0	--
	NW	273	38.4	26	95.2	14	51.3	10	36.6	14	51.3	5	18.3	0	--

See notes on page 57

TABLE X (page 13 of 24)
SUMMARY OF MORTALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA, 1952

ARE. AND RACE	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURETY		MATERNAL DEATHS		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
Houston	T	784	38.2	57	72.7	17	21.7	6	7.7	15	19.1	3	3.8	1	12.8
	W	493	37.6	29	58.8	2	4.1	3	6.1	6	12.2	0	--	1	20.3
	NW	291	39.3	28	96.2	15	51.5	3	10.3	9	30.9	3	10.3	0	--
Jefferson	T	565	30.4	33	58.4	9	15.9	14	24.8	24	42.5	5	8.8	1	17.7
	W	180	23.1	9	50.0	0	--	7	38.9	8	44.4	2	11.1	0	--
	NW	385	35.6	24	62.3	9	23.4	7	18.2	16	41.6	3	7.8	1	26.0
Jenkins	T	298	30.7	20	67.1	5	16.8	5	16.8	13	43.6	1	3.4	1	33.6
	W	114	27.1	2	17.5	2	17.5	1	8.8	2	17.5	0	--	0	--
	NW	184	33.5	18	97.8	3	16.3	4	21.7	11	59.8	1	5.4	1	54.3
Johnson	T	226	24.8	16	70.8	8	35.4	4	17.7	7	31.0	0	--	3	132.7
	W	123	21.2	8	65.0	1	8.1	0	--	2	16.3	0	--	1	81.3
	NW	103	31.2	8	77.7	7	68.0	4	38.8	5	48.5	0	--	2	194.2
Jones	T	194	26.6	21	108.2	3	15.5	7	36.1	13	67.0	5	25.8	1	51.5
	W	60	18.8	5	83.3	0	--	0	--	2	33.3	1	16.7	0	--
	NW	134	32.7	16	119.4	3	22.4	7	52.2	11	82.1	4	29.8	1	74.6
Lamar	T	289	27.8	29	100.3	7	24.2	8	27.7	11	38.1	2	6.9	0	--
	W	133	21.5	10	75.2	3	22.6	5	37.6	6	45.1	1	7.5	0	--
	NW	156	37.1	19	121.8	4	25.6	3	19.2	5	32.1	1	6.4	0	--
Laurens	T	934	28.8	49	52.5	30	32.1	25	26.8	46	49.2	7	7.5	6	64.2
	W	468	24.5	25	53.4	10	21.4	14	29.9	18	38.5	5	10.7	3	64.1
	NW	466	35.0	24	51.5	20	42.9	11	23.6	28	60.1	2	4.3	3	64.4
Macon	T	373	27.2	18	48.3	4	10.7	12	32.2	14	37.5	2	5.4	0	--
	W	83	19.3	3	36.1	0	--	0	--	0	--	0	--	0	--
	NW	290	30.9	15	51.7	4	13.8	12	41.4	14	48.3	2	6.9	0	--

See notes on page 57

TABLE X (page 14 of 24)
SUMMARY OF NATILITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA, 1952

ARE. AND RACE	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
Marion	T	195	31.0	6	30.8	13	66.7	4	20.5	6	30.8	0	--	0	--
	W	51	21.2	2	39.2	4	78.4	1	19.6	1	19.6	0	--	0	--
	N.W.	144	36.9	4	27.8	9	62.5	3	20.8	5	34.7	0	--	0	--
Meriwether	T	555	27.1	33	59.5	11	19.8	8	14.4	19	34.2	1	1.8	0	--
	W	209	21.3	11	52.6	1	4.8	4	19.1	6	28.7	0	--	0	--
	N.W.	346	32.3	22	63.6	10	28.9	4	11.6	13	37.6	1	2.9	0	--
Monroe	T	328	31.8	21	64.0	5	15.2	3	9.1	7	21.3	1	3.0	0	--
	W	133	27.1	8	60.2	3	22.6	2	15.0	2	15.0	0	--	0	--
	N.W.	195	36.1	13	66.7	2	10.3	1	5.1	5	25.6	1	5.1	0	--
Montgomery	T	168	22.7	9	53.6	4	23.8	1	6.0	6	35.7	0	--	0	--
	W	82	19.5	5	61.0	1	12.2	0	--	2	24.4	0	--	0	--
	N.W.	86	26.9	4	46.5	3	34.9	1	11.6	4	46.5	0	--	0	--
Muscogee	T	4,828	43.4	460	95.3	85	17.6	107	22.2	134	27.8	47	9.7	2	4.1
	W	3,705	44.6	290	78.3	46	12.4	79	21.3	88	23.8	36	9.7	1	2.7
	N.W.	1,123	39.8	170	151.4	39	34.7	28	24.9	46	41.0	11	9.8	1	8.9
Peach	T	361	30.1	25	69.3	9	24.9	11	30.5	17	47.1	4	11.1	0	--
	W	126	26.2	4	31.7	1	7.9	2	15.9	4	31.7	0	--	0	--
	N.W.	235	32.6	21	89.4	8	34.0	9	38.3	13	55.3	4	17.0	0	--
Pike	T	219	27.4	22	100.5	0	--	7	32.0	8	36.5	1	4.6	0	--
	W	78	19.0	7	89.7	0	--	1	12.8	1	12.8	1	12.8	0	--
	N.W.	141	36.2	15	106.4	0	--	6	42.6	7	49.6	0	--	0	--
Pulaski	T	265	31.2	8	30.2	9	34.0	3	11.3	7	26.4	1	3.8	2	75.5
	W	111	27.1	2	18.0	1	9.0	0	--	1	9.0	0	--	0	--
	N.W.	154	35.0	6	39.0	8	51.9	3	19.5	6	39.0	1	6.5	2	129.9

See notes on page 57

TABLE X (page 15 of 24)
SUMMARY OF NATILITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Schley	T	106	28.6	5	47.2	1	9.4	3	28.3	4	37.7	0	--	2 188.7
	W	27	20.8	2	74.1	0	--	0	--	0	--	0	--	0 --
	NW	79	32.9	3	38.0	1	12.7	3	38.0	4	50.6	0	--	2 253.2
Screven	T	549	31.9	35	63.8	17	31.0	13	23.7	18	32.8	2	3.6	2 36.4
	W	189	27.0	6	31.7	4	21.2	1	5.3	1	5.3	0	--	0 --
	NW	360	35.3	29	80.6	13	36.1	12	33.3	17	47.2	2	5.6	2 55.6
Spalding	T	795	25.1	72	90.6	15	18.9	33	41.5	43	54.1	15	18.9	2 25.2
	W	513	22.1	44	85.8	6	11.7	11	21.4	14	27.3	5	9.7	0 --
	NW	282	33.2	28	99.3	9	31.9	22	78.0	29	102.8	10	35.5	2 70.9
Talbot	T	241	32.1	17	70.5	1	4.1	3	12.4	4	16.6	1	4.1	0 --
	W	45	21.4	3	66.7	0	--	1	22.2	1	22.2	1	22.2	0 --
	NW	196	36.3	14	71.4	1	5.1	2	10.2	3	15.3	0	--	0 --
Tattnall	T	414	29.0	31	74.9	10	24.2	7	16.9	11	26.6	2	4.8	1 24.2
	W	268	26.3	11	41.0	3	11.2	2	7.5	4	14.9	0	--	0 --
	NW	146	35.6	20	137.0	7	47.9	5	34.2	7	47.9	2	13.7	1 68.5
Taylor	T	237	27.2	12	50.6	6	25.3	2	8.4	6	25.3	1	4.2	1 42.2
	W	98	22.8	2	20.4	0	--	0	--	1	10.2	0	--	1 102.0
	NW	139	31.6	10	71.9	6	43.2	2	14.4	5	36.0	1	7.2	0 --
Telfair	T	351	27.6	12	34.2	11	31.3	7	19.9	11	31.3	3	8.5	0 --
	W	203	24.2	7	34.5	6	29.6	3	14.8	5	24.6	0	--	0 --
	NW	148	34.4	5	33.8	5	33.8	4	27.0	6	40.5	3	20.3	0 --
Toombs	T	472	26.5	37	78.4	13	27.5	14	29.7	18	38.1	3	6.4	3 63.6
	W	303	23.3	25	82.5	7	23.1	9	29.7	10	33.0	3	9.9	1 33.0
	NW	169	35.2	12	71.0	6	35.5	5	29.6	8	47.3	0	--	2 118.3

See notes on page 57

TABLE X (page 16 of 24)

SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE - BY REGION, COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
Treutlen	T	171	27.6	15	87.7	3	17.5	2	11.7	3	17.5	0	--	0	--
	W	95	22.1	7	73.7	2	21.1	1	10.5	2	21.1	0	--	0	--
	NW	76	40.0	8	105.3	1	13.2	1	13.2	1	13.2	0	--	0	--
Troup	T	1,417	27.6	120	84.7	20	14.1	40	28.2	64	45.2	14	9.9	0	--
	W	855	24.3	68	79.5	10	11.7	22	25.7	30	35.1	3	3.5	0	--
	NW	562	34.9	52	92.5	10	17.8	18	32.0	34	60.5	11	19.6	0	--
Twiggs	T	270	33.8	12	44.4	6	22.2	8	29.6	12	44.4	3	11.1	1	37.0
	W	71	24.5	2	28.2	0	--	1	14.1	1	14.1	1	14.1	0	--
	NW	199	39.0	10	50.3	6	30.2	7	35.2	11	55.3	2	10.0	1	50.3
Upson	T	642	25.0	55	85.7	15	23.4	13	20.2	21	32.7	0	--	0	--
	W	399	20.9	27	67.7	7	17.5	4	10.0	8	20.0	0	--	0	--
	NW	243	36.8	28	115.2	8	32.9	9	37.0	13	53.5	0	--	0	--
Washington	T	631	31.4	51	80.8	24	38.0	21	33.3	35	55.5	8	12.7	0	--
	W	196	23.9	14	71.4	3	15.3	2	10.2	4	20.4	0	--	0	--
	NW	435	36.6	37	85.1	21	48.3	19	43.7	31	71.3	8	18.4	0	--
Wheeler	T	154	24.8	9	58.4	4	26.0	1	6.5	3	19.5	0	--	0	--
	W	78	19.5	5	64.1	3	38.5	1	12.8	2	25.6	0	--	0	--
	NW	76	34.5	4	52.6	1	13.2	0	--	1	13.2	0	--	0	--
Wilkinson	T	265	28.5	18	67.9	8	30.2	2	7.5	6	22.6	0	--	0	--
	W	113	24.6	5	44.2	2	17.7	0	--	2	17.7	0	--	0	--
	NW	152	32.3	13	85.5	6	39.5	2	13.2	4	26.3	0	--	0	--

* Live birth rates per 1,000 estimated mid-year population. Maternal death rates per 10,000 live births. All other rates per 1,000 live births.

** Rates are not computed when the population is less than 50.

TABLE X (page 17 of 24)
SUMMARY OF MORTALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
State Total (including military)	T	97,130	27.3	7,683	79.1	1,992	20.5	1,984	20.4	3,158	32.5	645	6.6	128	13.2
	W	61,439	24.9	4,202	68.4	853	13.9	1,135	18.5	1,567	25.5	323	5.3	36	5.9
	NW	35,691	33.0	3,481	97.5	1,139	31.9	849	23.8	1,591	44.6	322	9.0	92	25.8
Military	T	243		20		8		7		9		2		0	
	W	232		19		7		6		8		1		0	
	NW	11		1		1		1		1		1		0	
Southwestern Region	T	13,178	30.0	1,012	76.8	318	24.1	307	23.3	532	40.4	127	9.6	22	16.7
	W	5,959	25.2	395	66.3	97	16.3	132	22.2	184	30.9	46	7.7	6	10.1
	NW	7,219	35.6	617	85.5	221	30.6	175	24.2	348	48.2	81	11.2	16	22.2
Baker	T	175	31.2	10	57.1	3	17.1	1	5.7	4	22.9	1	5.7	1	57.1
	W	41	20.5	4	97.6	0	--	0	--	2	48.8	0	--	0	--
	NW	134	37.2	6	44.8	3	22.4	1	7.5	2	14.9	1	7.5	1	74.6
Ben Hill	T	368	24.4	28	76.1	7	19.0	5	13.6	10	27.2	0	--	2	54.3
	W	213	20.7	17	79.8	2	9.4	4	18.8	6	28.2	0	--	0	--
	NW	155	32.3	11	71.0	5	32.3	1	6.5	4	25.8	0	--	2	129.0
Brooks	T	450	25.9	42	93.3	14	31.1	10	22.2	22	48.9	2	4.4	0	--
	W	171	20.1	15	87.7	5	29.2	4	23.4	5	29.2	0	--	0	--
	NW	279	31.3	27	96.8	9	32.3	6	21.5	17	60.9	2	7.2	0	--
Calhoun	T	325	40.1	18	55.4	10	30.8	7	21.5	16	49.2	2	6.2	0	--
	W	57	24.8	0	--	0	--	0	--	0	--	0	--	0	--
	NW	268	46.2	18	67.2	10	37.3	7	26.1	16	59.7	2	7.5	0	--
Clay	T	165	30.0	9	54.5	4	24.2	4	24.2	5	30.3	0	--	1	60.6
	W	36	25.7	1	27.8	0	--	1	27.8	1	27.8	0	--	0	--
	NW	129	31.5	8	62.0	4	31.0	3	23.3	4	31.0	0	--	1	77.5

See notes on page 61

TABLE X (page 18 of 24)
 SUMMARY OF NATILITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
Colquitt	T	1,052	30.0	70	66.5	20	19.0	34	32.3	50	47.5	12	11.4	0	--
	W	736	27.2	40	54.3	7	9.5	18	24.5	25	34.0	5	6.8	0	--
	NW	316	39.5	30	94.9	13	41.1	16	50.6	25	79.1	7	22.2	0	--
Crisp	T	524	29.0	57	108.8	12	22.9	17	32.4	28	53.4	6	11.4	2	38.2
	W	245	23.8	22	89.8	7	28.6	8	32.7	14	57.1	3	12.2	2	81.6
	NW	279	35.8	35	125.4	5	17.9	9	32.3	14	50.2	3	10.8	0	--
Decatur	T	670	27.7	54	80.6	14	20.9	16	23.9	26	38.8	6	9.0	1	14.9
	W	361	27.3	27	74.8	4	11.1	5	13.8	8	22.2	1	2.8	0	--
	NW	309	28.1	27	87.4	10	32.4	11	35.6	18	58.3	5	16.2	1	32.4
Dooly	T	436	32.5	37	84.9	7	16.1	8	18.3	14	32.1	4	9.2	2	45.9
	W	140	23.7	11	78.6	1	7.1	3	21.4	3	21.4	1	7.1	0	--
	NW	296	39.5	26	87.8	6	20.3	5	16.9	11	37.2	3	10.1	2	67.6
Dougherty	T	1,684	39.3	168	99.8	30	17.8	37	22.0	54	32.1	15	8.9	3	17.8
	W	957	40.4	80	83.6	18	18.8	27	28.2	30	31.3	12	12.5	0	--
	NW	727	38.1	88	121.0	12	16.5	10	13.8	24	33.0	3	4.1	3	41.3
Early	T	513	30.4	28	54.6	13	25.3	6	11.7	14	27.3	6	11.7	1	19.5
	W	181	23.5	9	49.7	4	22.1	3	16.6	3	16.6	2	11.0	0	--
	NW	332	36.1	19	57.2	9	27.1	3	9.0	11	33.1	4	12.0	1	30.1
Grady	T	485	26.2	38	78.4	9	18.6	6	12.4	10	20.6	3	6.2	0	--
	W	273	22.6	18	65.9	3	11.0	3	11.0	4	14.7	1	3.7	0	--
	NW	212	33.1	20	94.3	6	28.3	3	14.2	6	28.3	2	9.4	0	--
Irwin	T	303	26.1	16	52.8	1	3.3	7	23.1	10	33.0	3	9.9	0	--
	W	134	18.4	5	37.3	1	7.5	6	44.8	7	52.2	2	14.9	0	--
	NW	169	39.3	11	65.1	0	--	1	5.9	3	17.8	1	5.9	0	--

See notes on page 61

TABLE X (page 19 of 24)
SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	LIVE BIRTHS				IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Lee	T	225	35.7	21	93.3	3	13.3	5	22.2	9	40.0	2	8.9	0	---	
	W	41	27.3	2	48.8	1	24.4	0	--	1	24.4	0	--	0	---	
	NW	184	38.3	19	103.3	2	10.9	5	27.2	8	43.5	2	10.9	0	---	
Miller	T	228	26.2	15	65.8	6	26.3	5	21.9	13	57.0	2	8.8	0	---	
	W	135	22.5	2	14.8	2	14.8	2	14.8	2	14.8	1	7.4	0	---	
	NW	93	34.4	13	139.8	4	43.0	3	32.3	11	118.3	1	10.8	0	---	
Mitchell	T	702	31.9	52	74.1	24	34.2	18	25.6	30	42.7	9	12.8	2	28.5	
	W	250	23.4	15	60.0	4	16.0	4	16.0	7	28.0	0	--	1	40.0	
	NW	452	40.0	37	81.9	20	44.2	14	31.0	23	50.9	9	19.9	1	22.1	
Quitman	T	79	27.2	6	75.9	2	25.3	2	25.3	3	38.0	1	12.7	0	---	
	W	19	21.1	1	52.6	0	--	0	--	0	--	0	--	0	---	
	NW	60	30.0	5	83.3	2	33.3	2	33.3	3	50.0	1	16.7	0	---	
Randolph	T	383	29.5	22	57.4	6	15.7	4	10.4	8	20.9	0	--	1	26.1	
	W	92	23.0	7	76.1	3	32.6	1	10.9	2	21.7	0	--	1	108.7	
	NW	291	32.3	15	51.5	3	10.3	3	10.3	6	20.6	0	--	0	---	
Seminole	T	215	27.9	13	60.5	3	14.0	7	32.6	8	37.2	2	9.3	0	---	
	W	98	20.9	7	71.4	3	30.6	7	71.4	7	71.4	2	20.4	0	---	
	NW	117	39.0	6	51.3	0	--	0	--	1	8.5	0	--	0	---	
Stewart	T	212	24.1	12	56.6	4	18.9	5	23.6	10	47.2	1	4.7	0	---	
	W	46	21.9	1	21.7	0	--	0	--	0	--	0	--	0	---	
	NW	166	24.8	11	66.3	3	18.1	5	30.1	10	60.2	1	6.0	0	---	
Sumter	T	691	29.0	42	60.8	27	39.1	13	18.8	31	44.9	7	10.1	0	---	
	W	253	24.1	14	55.3	2	7.9	4	15.8	5	19.8	1	4.0	0	---	
	NW	438	32.9	28	63.9	25	57.1	9	20.5	26	59.4	6	13.7	0	---	

TABLE X (page 20 of 24)

SUMMARY OF MORTALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
Terrell	T	442	32.5	25	56.6	18	40.7	15	33.9	24	54.3	8	18.1	2	45.2
	W	82	20.5	2	24.4	0	--	0	--	1	12.2	1	12.2	0	--
	NW	360	37.5	23	63.9	18	50.0	15	41.7	23	63.9	7	19.4	2	55.6
Thomas	T	930	27.0	84	90.3	25	26.9	19	20.4	37	39.8	11	11.8	1	10.8
	W	463	22.5	27	58.3	12	25.9	6	13.0	15	32.4	3	6.5	0	--
	NW	467	33.6	57	122.1	13	27.8	13	27.8	22	47.1	8	17.1	1	21.4
Tift	T	710	30.3	56	78.9	12	16.9	25	35.2	38	53.5	9	12.7	0	--
	W	447	26.3	38	85.0	4	8.9	18	40.3	20	44.7	6	13.4	0	--
	NW	263	41.1	18	68.4	8	30.4	7	26.6	18	68.4	3	11.4	0	--
Turner	T	293	28.7	36	122.9	10	34.1	5	17.1	11	37.5	3	10.2	2	68.3
	W	133	21.1	9	67.7	5	37.6	2	15.0	4	30.1	0	--	2	150.4
	NW	160	41.0	27	168.8	5	31.2	3	18.8	7	43.8	3	18.8	0	--
Webster	T	113	29.0	3	26.5	5	44.2	3	26.5	7	61.9	2	17.7	0	--
	W	23	17.7	1	43.5	0	--	0	--	2	87.0	1	43.5	0	--
	NW	90	34.6	2	22.2	5	55.6	3	33.3	5	55.6	1	11.1	0	--
Wilcox	T	219	23.3	10	45.7	6	27.4	2	9.1	3	13.7	1	4.6	0	--
	W	114	19.3	7	61.4	3	26.3	2	17.5	3	26.3	1	8.8	0	--
	NW	105	30.0	3	29.6	3	28.6	0	--	0	--	0	--	0	--
North	T	586	31.3	40	68.3	23	39.2	21	35.8	37	63.1	9	15.4	1	17.1
	W	218	23.4	13	59.6	5	22.9	4	18.3	7	32.1	3	13.8	0	--
	NW	368	39.1	27	73.4	18	48.9	17	46.2	30	81.5	6	16.3	1	27.2

* Live birth rates per 1,000 estimated mid-year population. Maternal death rates per 10,000 live births. All other rates per 1,000 live births.

** Rates are not computed when the population is less than 50.

TABLE X (page 21 of 24)
SUMMARY OF NATILITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
State Total (including military)	T	97,130	27.3	7,683	79.1	1,992	20.5	1,984	20.4	3,158	32.5	645	6.6	128	13.2
	W	61,439	24.9	4,202	68.4	853	13.9	1,135	18.5	1,567	25.5	323	5.3	36	5.9
	NW	35,691	33.0	3,481	97.5	1,139	31.9	849	23.8	1,591	44.6	322	9.0	92	25.8
Military	T	243		20		8		7		9		2		0	
	W	232		19		7		6		8		1		0	
	NW	11		1		1		1		1		1		0	
Southeastern Region	T	12,274	29.2	922	75.1	256	20.9	248	20.2	403	32.8	79	6.4	21	17.1
	W	7,997	28.1	559	69.9	102	12.8	150	18.8	203	25.4	39	4.9	6	7.5
	NW	4,277	31.8	363	84.9	154	36.0	98	22.9	200	46.8	40	9.4	15	35.1
Appling	T	386	28.2	19	49.2	7	18.1	5	13.0	8	20.7	2	5.2	0	--
	W	280	25.2	11	39.3	2	7.1	3	10.7	4	14.3	1	3.6	0	--
	NW	106	40.8	8	75.5	5	47.2	2	18.9	4	37.7	1	9.4	0	--
Atkinson	T	231	30.4	18	77.9	1	4.3	4	17.3	8	34.6	0	--	0	--
	W	163	27.2	8	49.1	1	6.1	2	12.3	3	18.4	0	--	0	--
	NW	68	42.5	10	147.1	0	--	2	29.4	5	73.5	0	--	0	--
Bacon	T	221	24.3	19	86.0	2	9.0	9	40.7	13	58.8	4	18.1	1	45.2
	W	198	24.8	18	90.9	0	--	8	40.4	11	55.6	4	20.2	1	50.5
	NW	23	20.9	1	43.5	2	87.0	1	43.5	2	87.0	0	--	0	--
Berrien	T	338	25.0	27	79.9	5	14.8	3	8.9	7	20.7	1	3.0	0	--
	W	281	24.2	20	71.2	3	10.7	3	10.7	6	21.4	1	3.6	0	--
	NW	57	30.0	7	122.3	2	35.1	0	--	1	17.5	0	--	0	--
Brantley	T	159	25.6	10	62.9	6	37.7	8	50.3	11	69.2	0	--	1	62.9
	W	130	24.1	9	69.2	4	30.8	6	46.2	8	61.5	0	--	0	--
	NW	29	36.2	1	34.5	2	69.0	2	69.0	3	103.4	0	--	1	344.8

See notes on page 65

TABLE X (page 22 of 24)

SUMMARY OF MATERNALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA, 1952

63

AREA AND RACE	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
Camden	T	207	27.6	13	62.8	8	38.6	2	9.7	5	24.2	0	--	1	48.3
	W	100	26.3	2	20.0	0	--	1	10.0	2	20.0	0	--	0	--
	NW	107	28.9	11	102.8	8	74.8	1	9.3	3	28.0	0	--	1	93.5
Charlton	T	169	36.7	9	53.3	3	17.8	5	29.6	5	29.6	2	11.8	0	--
	W	109	34.1	4	36.7	3	27.5	3	27.5	3	27.5	0	--	0	--
	NW	60	42.9	5	83.3	0	--	2	33.3	2	33.3	2	33.3	0	--
Chatham	T	4,631	29.5	345	74.5	105	22.7	110	23.8	174	37.6	30	6.5	8	17.3
	W	2,992	30.6	200	66.8	30	10.0	57	19.0	73	24.4	11	3.7	0	--
	NW	1,639	27.8	145	88.5	75	45.8	53	32.3	101	61.6	19	11.6	8	48.8
Clinch	T	211	36.4	9	42.7	3	14.2	7	33.2	11	52.1	3	14.2	0	--
	W	133	35.9	6	45.1	2	15.0	4	30.1	6	45.1	1	7.5	0	--
	NW	78	37.1	3	38.5	1	12.8	3	38.5	5	64.1	2	25.6	0	--
Coffee	T	727	29.4	45	61.9	14	19.3	13	17.9	24	33.0	7	9.6	0	--
	W	492	26.0	22	44.7	9	18.3	7	14.2	10	20.3	3	6.1	0	--
	NW	235	40.5	23	97.9	5	21.3	6	25.5	14	59.6	4	17.0	0	--
Cook	T	311	24.9	26	83.6	3	9.6	13	41.8	18	57.9	7	22.5	1	32.2
	W	189	20.8	12	63.5	0	--	8	42.3	8	42.3	4	21.2	1	52.9
	NW	122	35.9	14	114.8	3	24.6	5	41.0	10	82.0	3	24.6	0	--
Echols	T	50	20.8	3	60.0	0	--	0	--	0	--	0	--	0	--
	W	25	14.7	0	--	0	--	0	--	0	--	0	--	0	--
	NW	25	35.7	3	120.0	0	--	0	--	0	--	0	--	0	--
Glynn	T	780	26.3	53	67.9	20	25.6	14	17.9	24	30.8	7	9.0	2	25.6
	W	467	22.9	28	60.0	6	12.8	7	15.0	10	21.4	4	8.6	0	--
	NW	313	33.7	25	79.9	14	44.7	7	22.4	14	44.7	3	9.6	2	63.9

See notes on page 65

TABLE X (page 23 of 24)
SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
Jeff Davis	T	290	30.5	9	31.0	12	41.4	5	17.2	9	31.0	3	10.3	0	--
	W	222	29.2	8	36.0	7	31.5	4	18.0	5	22.5	2	9.0	0	--
	NW	68	35.8	1	14.7	5	73.5	1	14.7	4	58.8	1	14.7	0	--
Lanier	T	162	32.4	18	111.1	0	--	4	24.7	4	24.7	2	12.3	0	--
	W	95	27.9	14	147.4	0	--	3	31.6	3	31.6	1	10.5	0	--
	NW	67	41.9	4	59.7	0	--	1	14.9	1	14.9	1	14.9	0	--
Liberty	T	329	37.0	37	112.5	2	6.1	5	15.2	11	33.4	1	3.0	1	30.4
	W	135	37.5	18	133.3	0	--	3	22.2	5	37.0	1	7.4	0	--
	NW	194	36.6	19	97.9	2	10.3	2	10.3	6	30.9	0	--	1	51.5
Long	T	120	35.3	9	75.0	0	--	1	8.3	2	16.7	1	8.3	0	--
	W	79	35.9	7	88.6	0	--	0	--	1	12.7	0	--	0	--
	NW	41	34.2	2	48.8	0	--	1	24.4	1	24.4	1	24.4	0	--
Lowndes	T	1,203	33.2	93	77.3	21	17.5	16	13.3	28	23.3	3	2.5	2	16.6
	W	707	32.4	62	87.7	10	14.1	13	18.4	19	26.9	2	2.8	1	14.1
	NW	496	34.4	31	62.5	11	22.2	3	6.0	9	18.1	1	2.0	1	20.2
McIntosh	T	172	28.2	10	58.1	8	46.5	2	11.6	5	29.1	1	5.8	2	116.3
	W	47	19.6	5	106.4	1	21.3	1	21.3	1	21.3	0	--	1	212.8
	NW	125	33.8	5	40.0	7	56.0	1	8.0	4	32.0	1	8.0	1	80.0
Pierce	T	290	26.9	35	120.7	10	34.5	4	13.8	10	34.5	1	3.4	2	69.0
	W	199	23.7	22	110.6	7	35.2	3	15.1	6	30.2	1	5.0	2	100.5
	NW	91	37.9	13	142.9	3	33.0	1	11.0	4	44.0	0	--	0	--
Ware	T	837	27.0	75	89.6	17	20.3	11	13.1	16	19.1	4	4.8	0	--
	W	629	27.3	53	84.3	13	20.7	9	14.3	13	20.7	3	4.8	0	--
	NW	208	26.0	22	105.8	4	19.2	2	9.6	3	14.4	1	4.8	0	--

See notes on page 65

5

TABLE X (page 24 of 24)
 SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA, 1952

AREA AND RACE	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
Wayne	T	450	30.8	40	88.9	9	20.0	7	15.6	10	22.2	0	--	0	--
	M	325	27.5	30	92.3	4	12.3	5	15.4	6	18.5	0	--	0	--
	NW	125	44.6	10	80.0	5	40.0	2	16.0	4	32.0	0	--	0	--

*Live birth rates per 1,000 estimated mid-year population. Maternal death rates per 10,000 live births. All other rates per 1,000 live births.

**Rates are not computed when the population is less than 50.

TABLE XI (page 1 of 27)
TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE	DEATHS ALL CAUSES	HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM- MATURITY UN- QUALIFIED	ILL- DEFINED AND UNKNOWN	HOMICIDE		
											Number	Number
State Total (including military)	T 30,622	8.6	9,238	4,456	3,442	1,291	1,275	976	859	645	581	512
	W 18,310	7.4	5,991	2,506	2,471	722	537	699	409	323	208	103
	NW 12,312	11.4	3,247	1,950	971	569	738	277	450	322	373	409
Military	T 18		2	0	1	0	0	1	0	2	1	1
	W 15		2	0	1	0	0	1	0	1	1	0
	NW 3		0	0	0	0	0	0	0	1	0	1
Northwestern Region	T 9,357	8.3	2,972	1,158	1,260	374	319	280	200	164	116	156
	W 6,781	7.3	2,220	844	1,015	269	190	220	126	108	87	40
	NW 2,576	12.4	752	314	245	105	129	60	74	56	29	116
Bartow	T 207	7.4	55	29	29	7	10	6	12	6	6	1
	W 160	6.7	46	21	27	6	4	6	11	2	4	0
	NW 47	11.8	9	8	2	1	6	0	1	4	2	1
Carroll	T 280	8.4	103	31	40	14	12	3	7	5	3	2
	W 252	9.4	93	28	39	13	10	3	5	4	3	0
	NW 28	4.2	10	3	1	1	2	0	2	1	0	2
Catoosa	T 70	4.5	24	12	10	0	0	1	0	2	3	0
	W 69	4.5	24	11	10	0	0	1	0	2	3	0
	NW 1	3.3	0	1	0	0	0	0	0	0	0	0
Chattooga	T 168	7.8	40	33	17	4	4	3	1	6	2	0
	W 144	7.3	33	28	16	4	3	1	1	5	2	0
	NW 24	12.0	7	5	1	0	1	2	0	1	0	0

See note on page 70

TABLE XI (page 2 of 27)
TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE		INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM-MATURITY UN-QUALIFIED	ILL-DEFINED AND UNKNOWN	HOMICIDE
	DEATHS ALL CAUSES	Number				Number	Number						
		Number	Rate *	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Cherokee	T	136	6.4	39	17	19	6	7	5	2	1	6	0
	W	130	6.4	35	17	19	6	7	5	2	1	6	0
	NW	6	7.5	4	0	0	0	0	0	0	0	0	0
Cobb	T	424	6.2	137	34	51	23	18	18	11	1	3	4
	W	358	5.8	120	29	47	18	12	15	8	3	2	2
	NW	66	10.6	17	5	4	5	6	3	3	1	1	2
Dade	T	51	6.6	12	9	5	2	2	1	1	0	3	2
	W	51	6.8	12	9	5	2	2	1	1	0	3	2
	NW	0	—	0	0	0	0	0	0	0	0	0	0
Dawson	T	10	2.9	6	1	0	1	0	1	0	0	0	0
	W	10	2.9	6	1	0	1	0	1	0	0	0	0
	NW	0	—	0	0	0	0	0	0	0	0	0	0
DeKalb	T	984	7.0	314	115	146	43	27	42	18	12	12	9
	W	792	6.3	265	97	126	29	14	32	14	8	6	2
	NW	192	13.3	49	18	20	14	13	10	4	4	6	7
Douglas	T	93	7.4	19	15	11	6	6	4	3	5	3	2
	W	70	6.7	15	13	9	6	3	3	3	3	2	0
	NW	23	11.5	4	2	2	0	3	1	0	2	1	2
Fannin	T	114	7.4	26	12	12	9	5	4	6	2	6	1
	W	112	7.3	26	11	12	9	4	4	6	2	6	1
	NW	2	20.0	0	1	0	0	1	0	0	0	0	0

See note on page 70

TABLE XI (page 3 of 27)
TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM- MATURITY UN- QUALIFIED	ILL- DEFINED AND UNKNOWN	HOMICIDE	
	Number	Rate*											
Floyd	T	565	8.8	200	63	80	21	13	13	14	13	8	6
	W	438	8.0	162	53	66	17	10	11	2	10	6	4
	NW	127	13.7	38	10	14	4	3	2	12	3	2	2
Forsyth	T	65	6.1	16	6	12	0	2	5	1	1	3	0
	W	65	6.1	16	6	12	0	2	5	1	1	3	0
	NW	0	--	0	0	0	0	0	0	0	0	0	0
Fulton	T	4,719	9.7	1,540	600	652	175	146	124	90	74	25	113
	W	2,797	8.2	972	344	458	98	63	85	42	36	11	17
	NW	1,922	13.0	568	256	194	77	83	39	48	38	14	96
Gilmer	T	73	7.2	22	11	2	5	5	4	0	0	7	0
	W	72	7.1	22	11	2	5	5	4	0	0	7	0
	NW	1	--	0	0	0	0	0	0	0	0	0	0
Gordon	T	140	7.3	51	16	13	8	6	3	5	2	2	0
	W	126	6.9	47	16	13	6	5	3	4	2	2	0
	NW	14	12.7	4	0	0	2	1	0	1	0	0	0
Haralson	T	104	7.0	34	11	11	4	2	2	4	6	0	2
	W	97	7.2	33	11	10	4	2	2	3	6	0	2
	NW	7	5.4	1	0	1	0	0	0	1	0	0	0
Lumpkin	T	42	6.3	18	2	3	3	2	1	0	3	1	0
	W	40	6.1	17	2	2	3	2	1	0	3	1	0
	NW	2	20.0	1	0	1	0	0	0	0	0	0	0

See note on page 70

69

TABLE XI (page 4 of 27)
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM-MATURITY UN-QUALIFIED	ILL-DEFINED AND UNKNOWN	HOMICIDE
	DEATHS ALL CAUSES	Number										
	Number	Rate *	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Murray	T	79	7.6	25	10	10	1	5	3	1	0	2
	W	79	7.7	25	10	10	1	5	3	1	0	1
	NW	0	—	0	0	0	0	0	0	0	0	0
Paulding	T	112	9.9	29	14	14	7	5	4	6	1	1
	W	101	10.0	23	14	14	7	5	4	6	1	2
	NW	11	9.2	6	0	0	0	0	0	0	1	0
Pickens	T	60	6.9	11	14	11	4	4	1	0	0	0
	W	56	6.7	11	13	11	4	3	1	0	0	0
	NW	4	10.0	0	1	0	0	1	0	0	0	0
Polk	T	249	7.9	95	19	30	13	10	9	8	5	1
	W	192	7.2	70	17	28	12	6	9	6	4	1
	NW	57	11.4	25	2	2	1	4	0	2	5	0
Towns	T	23	4.9	6	3	5	0	0	1	0	0	0
	W	23	4.9	6	3	5	0	0	1	0	0	0
	NW	0	—	0	0	0	0	0	0	0	0	0
Union	T	50	7.0	10	11	4	2	3	2	1	2	0
	W	50	7.0	10	11	4	2	3	2	1	2	0
	NW	0	—	0	0	0	0	0	0	0	0	0
Walker	T	269	6.9	74	38	34	7	15	14	6	5	10
	W	251	6.8	69	37	33	7	13	11	6	5	8
	NW	18	7.8	5	1	1	0	2	3	0	0	2

See note on page 70

TABLE XI (page 5 of 27)
TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM-MATURITY AND UN-QUALIFIED	ILL-DEFINED AND UNKNOWN	HOMICIDE		
	DEATHS ALL CAUSES	Number											
		Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number		
Whitfield	T	270	7.6	66	32	39	9	10	6	3	9	3	6
	W	246	7.3	62	31	37	9	7	6	3	8	3	3
	NW	24	17.1	4	1	2	0	3	0	0	1	0	3

*Rate per 1,000 population.

71

TABLE XI (page 6 of 27)
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM- MATURITY UN- QUALIFIED	ILL- DEFINED AND UNKNOWN	HOMICIDE	
	DEATHS ALL CAUSES												
	Number	Rate *	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number	
State Total (including military)	T	30,622	8.6	9,238	4,456	3,442	1,291	1,275	976	859	645	581	512
	W	18,310	7.4	5,991	2,506	2,471	722	537	699	409	323	208	103
	NW	12,312	11.4	3,247	1,950	971	569	738	277	450	322	373	409
Military	T	18		2	0	1	0	0	1	0	2	1	1
	W	15		2	0	1	0	0	1	0	1	1	0
	NW	3		0	0	0	0	0	0	0	1	0	1
Northeastern Region	T	4,842	8.9	1,511	719	510	193	230	163	184	83	80	71
	W	3,010	7.8	1,006	424	385	107	106	121	88	43	30	19
	NW	1,832	11.7	505	295	125	86	124	42	96	40	50	52
Banks	T	58	8.9	27	9	5	2	1	2	3	0	0	0
	W	54	8.9	25	8	5	2	1	2	3	0	0	0
	NW	4	10.0	2	1	0	0	0	0	0	0	0	0
Barrow	T	122	9.2	35	26	10	4	6	4	7	1	1	2
	W	99	9.1	28	22	10	3	4	4	4	1	0	1
	NW	23	9.6	7	4	0	1	2	0	3	0	1	1
Clarke	T	320	8.6	122	38	28	14	10	9	22	11	8	3
	W	174	6.4	75	18	20	5	2	6	6	6	2	0
	NW	146	14.7	47	20	8	9	8	3	16	5	6	3
Columbia	T	83	8.6	22	12	7	2	3	1	4	5	0	2
	W	43	8.4	11	3	6	2	1	0	0	5	0	1
	NW	40	8.7	11	9	1	0	2	1	4	0	0	1

See note on page 75

TABLE XI (page 7 of 27)
TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM-MATURITY UN-QUALIFIED	ILL-DEFINED AND UNKNOWN	HOMICIDE
	DEATHS ALL CAUSES	Number										
Elbert	T	168	9.3	44	22	13	3	7	8	12	3	4
	W	110	9.2	27	14	11	2	5	8	3	2	2
	NW	58	9.4	17	8	2	1	2	0	9	1	1
Franklin	T	107	7.6	44	6	15	3	4	5	2	0	1
	W	85	7.0	37	5	14	1	3	5	2	0	1
	NW	22	12.2	7	1	1	2	1	0	0	0	0
Greene	T	147	11.8	58	7	18	5	10	2	3	4	3
	W	59	9.8	26	3	12	1	0	1	2	0	0
	NW	88	13.5	32	4	6	4	10	1	1	4	3
Gwinnett	T	259	7.8	75	48	31	7	14	11	5	6	5
	W	228	7.6	72	42	29	6	9	11	5	2	4
	NW	31	10.0	3	6	2	1	5	0	0	4	1
Habersham	T	113	6.7	31	16	14	5	5	8	4	1	2
	W	97	6.0	29	12	12	4	5	6	4	0	2
	NW	16	26.7	2	4	2	1	0	2	0	1	0
Hall	T	265	6.4	73	29	25	10	12	16	8	4	12
	W	218	5.9	56	28	21	9	8	15	6	4	9
	NW	47	12.1	17	1	4	1	4	1	2	0	3
Hancock	T	112	10.7	31	23	7	7	6	3	7	1	1
	W	33	13.2	8	8	4	2	1	0	0	0	0
	NW	79	9.9	23	15	3	5	5	3	7	1	1

See note on page 75

TABLE XI (page 8 of 27)
TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM- MATURITY UN- QUALIFIED	ILL- DEFINED AND UNKNOWN	HOMICIDE
	DEATHS ALL CAUSES											
	Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Hart	T	126	8.9	39	22	11	5	7	3	9	2	3
	W	101	9.6	34	18	11	5	3	3	1	2	1
	NW	25	6.9	5	4	0	0	4	0	8	0	1
Jackson	T	149	8.1	49	26	18	3	6	2	10	4	2
	W	122	7.8	39	20	18	3	6	1	7	4	1
	NW	27	9.3	10	6	0	0	0	1	3	0	1
Jasper	T	77	10.8	19	12	11	3	4	5	1	2	1
	W	37	12.8	10	4	8	0	2	4	0	1	0
	NW	40	9.5	9	8	3	3	2	1	1	1	1
Lincoln	T	64	10.3	24	6	4	1	1	1	5	0	2
	W	35	11.7	19	2	2	0	0	1	0	0	0
	NW	29	9.1	5	4	2	1	1	0	0	0	1
Madison	T	96	8.1	25	26	12	7	1	2	4	1	0
	W	76	8.0	21	23	10	3	1	1	2	0	0
	NW	20	8.7	4	3	2	4	0	1	2	1	0
McDuffie	T	109	9.2	27	14	14	6	4	3	0	5	6
	W	57	8.6	18	8	11	3	2	1	0	2	1
	NW	52	10.0	9	6	3	3	2	2	0	3	5
Morgan	T	119	10.3	36	14	14	3	11	4	1	2	1
	W	47	8.9	13	7	6	2	3	4	0	1	0
	NW	72	11.6	23	7	8	1	8	0	1	1	1

See note on page 75

TABLE XI (page 9 of 27)
TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM- MATURITY UN- QUALIFIED	ILL- DEFINED AND UNKNOWN	HOMICIDE	
	DEATHS ALL CAUSES	Number											
		Number		Number	Number	Number	Number	Number	Number	Number	Number	Number	
Newton	T	188	9.1	56	26	16	6	13	6	7	2	9	0
	W	110	7.9	35	18	10	5	2	5	7	0	1	0
	NW	78	11.6	21	8	6	1	11	1	0	2	8	0
Ccone	T	57	8.4	12	11	7	3	0	1	7	1	2	1
	W	43	8.6	10	9	5	1	0	1	5	1	1	0
	NW	14	7.8	2	2	2	2	0	0	2	0	1	1
Cglethorpe	T	107	11.5	35	12	13	6	6	1	7	2	2	0
	W	61	12.2	21	9	9	3	2	1	4	0	1	0
	NW	46	10.7	14	3	4	3	4	0	3	2	1	0
Putnam	T	80	10.7	25	11	10	5	4	0	0	4	0	2
	W	35	10.9	14	4	7	1	0	0	0	0	0	0
	NW	45	10.5	11	7	3	4	4	0	0	4	0	2
Rabun	T	69	9.6	33	9	4	6	3	2	4	0	1	0
	W	69	9.7	33	9	4	6	3	2	4	0	1	0
	NW	0	—	0	0	0	0	0	0	0	0	0	0
Richmond	T	1,146	9.3	355	201	121	48	51	44	24	12	5	23
	W	589	6.8	201	84	71	24	22	27	5	7	1	4
	NW	557	14.9	154	117	50	24	29	17	19	5	4	19
Rockdale	T	77	8.8	27	1	20	1	6	5	4	0	0	2
	W	49	7.9	17	1	16	1	4	2	3	0	0	1
	NW	28	11.2	10	0	4	0	2	3	1	0	0	1

See note on page 75

75

TABLE XI (page 10 of 27)
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM-MATURITY UN-QUALIFIED	ILL-DEFINED AND UNKNOWN	HOMICIDE
	DEATHS ALL CAUSES	Number										
	Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Stephens	T	135	7.9	52	12	13	4	4	5	6	2	1
	W	104	7.0	39	8	12	2	4	2	4	2	0
	NW	31	14.1	13	4	1	2	0	3	2	0	2
Taliaferro	T	41	10.0	9	7	3	3	4	1	1	1	2
	W	18	16.4	5	5	2	1	0	0	0	0	0
	NW	23	7.7	4	2	1	2	4	1	1	1	1
Walton	T	188	9.5	48	34	17	7	13	6	2	4	5
	W	119	8.8	32	18	15	4	7	6	1	2	2
	NW	69	11.0	16	16	2	3	6	0	1	2	3
Warren	T	81	9.3	16	21	5	2	8	1	8	0	1
	W	24	7.7	9	3	4	0	3	1	2	0	0
	NW	57	10.2	7	18	1	2	5	0	6	0	1
White	T	46	7.9	15	3	7	2	3	0	3	0	1
	W	41	7.5	14	3	7	2	1	0	3	0	1
	NW	5	16.7	1	0	0	0	2	0	0	0	0
Wilkes	T	133	11.5	48	15	17	10	2	2	4	3	1
	W	73	15.5	29	8	13	4	1	1	0	1	0
	NW	60	8.7	19	7	4	6	1	1	4	2	2

*Rate per 1,000 population.

TABLE XI (page 11 of 27)
TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM- MATURITY UN- QUALIFIED	ILL- DEFINED AND UNKNOWN	HOMICIDE
	DEATHS ALL CAUSES											
		Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number
State Total (including military)	T	30,622	8.6	9,238	4,456	3,442	1,291	1,275	976	859	645	581
	W	18,310	7.4	5,991	2,506	2,471	722	537	699	409	323	208
	NW	12,312	11.4	3,247	1,950	971	569	738	277	450	322	373
Military	T	18		2	0	1	0	0	1	0	2	1
	W	15		2	0	1	0	0	1	0	1	0
	NW	3		0	0	0	0	0	0	0	1	1
Central Region	T	8,386	9.1	2,341	1,296	866	348	347	273	280	190	235
	W	4,382	7.9	1,396	637	564	169	112	182	119	86	51
	NW	4,004	11.1	945	659	302	179	235	91	161	104	184
Baldwin	T	203	11.3	52	29	28	11	17	7	10	6	2
	W	88	8.5	25	17	15	2	8	5	1	0	1
	NW	115	14.9	27	12	13	9	9	2	9	6	5
Bibb	T	1,089	9.2	311	155	132	39	32	32	34	10	39
	W	583	7.5	183	75	83	22	12	23	12	6	14
	NW	506	12.4	128	80	49	17	20	9	22	4	25
Bleckley	T	83	9.3	15	18	8	1	3	0	2	1	3
	W	41	6.8	9	9	5	1	1	0	0	0	1
	NW	42	14.5	6	9	3	0	2	0	2	1	2
Bryan	T	59	10.2	10	14	8	2	5	2	0	0	0
	W	29	8.5	6	7	6	0	3	1	0	0	0
	NW	30	12.5	4	7	2	2	2	1	0	0	0

See note on page 83

TABLE XI (page 12 of 27)
TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM- MATURITY UN- QUALIFIED	ILL- DEFINED AND UNKNOWN	HOMICIDE	
	DEATHS ALL CAUSES	Number											
		Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number	
Bulloch	T	195	8.1	47	26	24	7	9	7	10	5	1	0
	W	117	7.8	31	15	16	5	4	4	8	3	0	0
	NW	78	8.6	16	11	8	2	5	3	2	2	1	0
Burke	T	260	11.3	57	51	20	9	11	5	6	10	6	10
	W	51	8.0	11	8	7	2	1	4	2	2	0	0
	NW	209	12.5	46	43	13	7	10	1	4	8	6	10
Butts	T	91	10.2	22	15	14	3	6	6	3	0	1	2
	W	61	12.7	13	10	12	3	2	4	1	0	0	0
	NW	30	7.3	9	5	2	0	4	2	2	0	1	2
Candler	T	70	9.0	18	13	9	2	2	1	1	1	3	1
	W	40	8.0	11	5	7	2	1	1	1	1	1	1
	NW	30	10.7	7	8	2	0	1	0	0	0	2	0
Chattahoochee	T	9	6.0	5	1	0	0	1	0	0	0	1	0
	W	5	7.1	4	0	0	0	0	0	0	0	0	0
	NW	4	5.0	1	1	0	0	1	0	0	0	1	0
Clayton	T	128	5.4	35	13	13	8	6	10	1	1	2	3
	W	96	4.8	25	12	13	5	3	8	1	0	0	1
	NW	32	8.4	10	1	0	3	3	2	0	1	2	2
Coweta	T	264	9.3	74	48	31	5	9	8	16	5	11	6
	W	148	8.3	48	28	19	4	3	4	8	5	1	2
	NW	116	11.0	26	20	12	1	6	4	8	0	10	4

See note on page 83

TABLE XI (page 13 of 27)
TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM-MATURITY UN-QUALIFIED	ILL-DEFINED AND UNKNOWN	HOMICIDE	
	DEATHS ALL CAUSES												
	Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number	
Crawford	T	51	8.8	16	10	9	5	0	1	1	0	0	2
	W	19	8.3	6	4	3	3	0	1	0	0	0	0
	NW	32	9.1	10	6	6	2	0	0	1	0	0	2
Dodge	T	146	8.6	38	28	13	5	2	4	4	1	7	3
	W	106	9.2	33	18	11	4	1	3	2	1	1	1
	NW	40	7.4	5	10	2	1	1	1	2	0	6	2
Effingham	T	111	12.6	26	18	13	4	4	3	2	3	8	3
	W	52	9.8	18	8	9	3	1	3	2	2	1	0
	NW	59	16.9	8	10	4	1	3	0	0	1	7	3
Emanuel	T	173	9.3	55	24	13	7	8	5	5	3	8	3
	W	90	7.6	32	9	6	4	2	3	3	2	4	0
	NW	83	12.0	23	15	7	3	4	3	2	2	4	3
Evans	T	48	7.5	17	3	5	0	1	3	1	1	1	0
	W	27	6.9	10	1	3	0	0	1	1	0	1	0
	NW	21	8.4	7	2	2	0	1	2	0	1	0	0
Fayette	T	65	8.3	11	10	15	3	1	3	1	1	0	1
	W	39	7.4	8	5	11	2	0	1	2	0	0	1
	NW	26	10.4	3	5	4	1	1	2	0	0	0	0
Glascock	T	22	6.7	5	6	3	0	0	0	2	0	0	0
	W	16	7.0	3	6	3	0	0	0	0	0	0	0
	NW	6	6.0	2	0	0	0	0	0	0	0	0	1

TABLE XI (page 14 of 27)
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM- MATURITY UN- QUALIFIED	ILL- DEFINED AND UNKNOWN	HOMICIDE
	DEATHS ALL CAUSES			Number	Rate*	Number	Number	Number	Number	Number	Number	Number
Harris	T	94	8.5	25	22	12	6	1	4	1	3	3
	W	49	10.7	16	10	6	3	1	1	0	2	0
	NW	45	7.0	9	12	6	3	0	3	1	1	1
Heard	T	44	6.8	12	6	9	1	2	0	2	1	1
	W	34	7.2	9	4	8	1	0	0	2	0	0
	NW	10	5.6	3	2	1	0	2	0	0	0	0
Henry	T	162	10.0	47	18	21	2	7	3	3	7	3
	W	75	8.2	25	6	14	0	2	1	2	5	2
	NW	87	12.3	22	12	7	2	5	2	1	4	1
Houston	T	139	6.8	40	29	10	7	7	6	3	3	0
	W	64	4.9	25	12	5	1	0	4	1	0	0
	NW	75	10.1	15	17	5	6	7	2	2	3	2
Jefferson	T	192	10.3	55	28	19	7	11	7	4	5	4
	W	78	10.0	24	14	8	0	2	3	2	0	0
	NW	114	10.6	31	14	11	7	9	4	2	3	4
Jenkins	T	115	11.9	24	21	6	7	12	1	6	1	3
	W	35	8.3	9	7	2	2	4	1	0	0	0
	NW	80	14.5	15	14	4	5	8	0	5	1	3
Johnson	T	85	9.3	22	18	7	3	5	8	4	0	0
	W	58	10.0	20	11	6	0	4	6	0	0	0
	NW	27	8.2	2	7	1	3	1	2	1	0	0

See note on page 83

TABLE XI (page 15 of 27)
TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM- MATURITY UN- QUALIFIED	ILL- DEFINED AND UNKNOWN	HOMICIDE	
	DEATHS ALL CAUSES	Number											
		Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number	
Jones	T	67	9.2	16	6	8	3	5	3	4	5	3	2
	W	26	8.1	12	4	4	1	0	0	0	1	2	0
	NW	41	10.0	4	2	4	2	5	3	4	4	1	2
Lamar	T	97	9.3	28	18	12	3	5	3	6	2	0	0
	W	53	8.5	12	12	8	2	3	3	2	1	0	0
	NW	44	10.5	16	6	4	1	2	0	4	1	0	0
Laurens	T	347	10.7	134	26	19	15	31	12	14	7	2	5
	W	175	9.2	73	12	12	7	6	10	7	5	0	1
	NW	172	12.9	61	14	7	8	25	2	7	2	2	4
Macon	T	133	9.7	31	26	12	8	5	1	2	2	9	2
	W	36	8.4	12	4	5	3	0	1	2	0	2	0
	NW	97	10.3	19	22	7	5	5	0	0	2	7	2
Marion	T	70	11.1	16	19	7	3	2	1	8	0	1	0
	W	29	12.1	7	8	4	1	0	0	2	0	0	0
	NW	41	10.5	9	11	3	2	2	1	6	0	1	0
Meriwether	T	198	9.7	54	29	20	17	9	5	8	1	13	3
	W	83	8.5	26	13	12	6	1	2	3	0	3	1
	NW	115	10.7	28	16	8	11	8	3	5	1	10	2
Monroe	T	112	10.9	31	21	11	8	4	5	3	1	6	4
	W	59	12.0	18	14	7	4	1	2	2	0	0	1
	NW	53	9.8	13	7	4	4	3	3	1	1	6	3

See note on page 83

TABLE XI (page 16 of 27)
TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM- MATURITY UN- QUALIFIED	ILL- DEFINED AND UNKNOWN	HOMICIDE										
	DEATHS ALL CAUSES																					
	Number	Rate [*]																				
Montgomery	T	67	9.1	21	12	4	2	0	5	0	2	2										
	W	27	6.4	10	5	4	2	0	2	0	0	0										
	NW	40	12.5	11	7	0	0	2	3	0	2	2										
Muscogee	T	881	7.9	241	129	85	39	16	29	23	47	39										
	W	565	6.8	177	70	60	19	5	25	10	36	30										
	NW	316	11.2	64	59	25	20	11	4	13	11	38										
Feach	T	130	10.8	59	12	14	4	5	3	4	4	1										
	W	42	8.8	23	3	2	2	0	3	1	0	0										
	NW	88	12.2	36	9	12	2	5	0	3	4	1										
Pike	T	81	10.1	26	11	6	2	2	2	6	1	2										
	W	41	10.0	18	4	5	0	0	1	1	2	0										
	NW	40	10.3	8	7	1	2	2	1	5	0	2										
Pulaski	T	78	9.2	23	11	7	2	6	1	4	1	1										
	W	43	10.5	12	8	4	2	2	1	3	0	0										
	NW	35	8.0	11	3	3	0	4	0	1	1	1										
Schley	T	50	13.5	11	8	2	4	1	0	4	0	0										
	W	18	13.8	6	0	1	2	0	0	3	0	0										
	NW	32	13.3	5	8	1	2	1	0	1	0	0										
Screven	T	147	8.5	35	35	9	3	6	2	1	2	2										
	W	44	6.3	15	9	6	1	1	0	1	0	0										
	NW	103	10.1	20	26	3	2	5	2	0	2	14										

See note on page 83

TABLE XI (page 17 of 27)
TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM- MATURITY UN- QUALIFIED	ILL- DEFINED AND UNKNOWN	HOMICIDE
	DEATHS ALL CAUSES	Number									
Spalding	T	308	9.7	76	47	16	7	12	14	15	7
	W	195	8.4	53	27	11	3	11	5	5	2
	NW	113	13.3	23	20	10	5	1	9	10	0
Talbot	T	68	9.1	19	15	7	1	2	3	1	3
	W	28	13.3	8	6	4	1	1	1	1	0
	NW	40	7.4	11	9	3	0	1	2	0	3
Tattnall	T	118	8.3	38	19	11	4	6	4	2	4
	W	81	7.9	30	12	10	1	4	1	0	2
	NW	37	9.0	8	7	1	3	2	0	2	2
Taylor	T	81	9.3	24	16	9	2	3	4	1	2
	W	38	8.8	13	10	5	1	0	2	0	0
	NW	43	9.8	11	6	4	1	3	2	1	2
Telfair	T	123	9.7	36	19	10	3	5	5	3	2
	W	80	9.5	28	9	9	2	2	1	0	0
	NW	43	10.0	8	10	1	1	3	3	3	1
Toombs	T	159	8.9	54	14	14	8	7	10	4	3
	W	105	8.1	39	8	10	5	4	6	3	0
	NW	54	11.2	15	6	4	3	3	4	0	3
Treutlen	T	57	9.2	11	11	7	4	0	3	8	0
	W	42	9.8	9	8	7	3	0	2	0	0
	NW	15	7.9	2	3	0	1	0	1	0	1

See note on page 83

TABLE XI (page 18 of 27)
TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM- MATURITY UN- QUALIFIED	ILL- DEFINED AND UNKNOWN	HOMICIDE	
	DEATHS ALL CAUSES												
		Number	Rate *										
Troup	T	509	9.9	146	78	49	14	24	20	17	14	6	20
	W	274	7.8	89	46	33	11	7	14	4	3	1	4
	NW	235	14.6	57	32	16	3	17	6	13	11	5	16
Twiggs	T	71	8.9	16	14	3	7	2	2	3	3	3	2
	W	25	8.6	6	4	2	1	0	1	2	1	0	0
	NW	46	9.0	10	10	1	6	2	1	1	2	3	2
Upson	T	182	7.1	57	34	17	9	10	5	1	0	5	4
	W	114	6.0	43	17	14	2	7	5	1	0	2	1
	NW	68	10.3	14	17	3	7	3	0	0	0	3	3
Washington	T	213	10.6	57	25	14	17	10	3	10	8	7	7
	W	75	9.1	28	11	5	7	2	1	1	0	1	0
	NW	138	11.6	29	14	9	10	8	2	9	8	6	7
Wheeler	T	53	8.5	15	6	10	1	5	2	0	0	3	0
	W	34	8.5	10	3	9	1	3	0	0	0	1	0
	NW	19	8.6	5	3	1	0	2	2	0	0	2	0
Wilkinson	T	88	9.5	27	11	10	5	5	7	1	0	6	4
	W	49	10.7	15	9	7	2	3	4	1	0	2	1
	NW	39	8.3	12	2	3	3	2	3	0	0	4	3

*Rate per 1,000 population.

TABLE XI (page 19 of 27)
TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM-MATURITY UN-QUALIFIED	ILL-DEFINED AND UNKNOWN	HOMICIDE
	DEATHS ALL CAUSES	Number										
	Number	Rate *	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
State Total (including military)	T 30,622 W 18,310 NW 12,312	8.6 7.4 11.4	9,238 5,991 3,247	4,456 2,506 1,950	3,442 2,471 971	1,291 722 569	1,275 537 738	976 699 277	859 409 450	645 323 322	581 208 373	512 103 409
Military	T 18 W 15 NW 3		2	0	1	0	0	1	0	2	1	1
Southwestern Region	T 4,141 W 1,957 NW 2,184	9.4 8.3 10.8	1,168 612 556	649 277 372	410 248 162	193 87 106	211 72 139	125 85 40	106 40 66	127 46 81	101 15 86	59 7 52
Baker	T 47 W 19 NW 28	8.4 9.5 7.8	18	4	3	4	3	0	1	1	1	2
Ben Hill	T 136 W 90 NW 46	9.0 8.7 9.6	52	16	7	3	7	5	2	0	2	1
Brooks	T 191 W 80 NW 111	11.0 9.4 12.5	46	38	13	8	18	6	18	2	7	3
Calhoun	T 97 W 30 NW 67	12.0 13.0 11.6	35	8	9	3	6	3	4	2	5	1

TABLE XI (page 20 of 27)
TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM- MATURITY UN- QUALIFIED	ILL- DEFINED AND UNKNOWN	HOMICIDE
	DEATHS ALL CAUSES	Number										
		Number	Rate *	Number	Number	Number	Number	Number	Number	Number	Number	Number
Clay	T	49	8.9	9	11	4	2	3	2	1	0	0
	W	15	10.7	4	4	1	1	1	0	0	0	0
	NW	34	8.3	5	7	3	1	2	1	0	0	0
Colquitt	T	288	8.2	66	34	32	12	20	6	4	12	3
	W	184	6.8	47	22	25	7	7	5	2	5	1
	NW	104	13.0	19	12	7	5	13	1	2	7	3
Crisp	T	181	10.0	58	18	11	7	10	8	0	6	2
	W	88	8.5	31	8	7	3	5	6	0	3	0
	NW	93	11.9	27	10	4	4	5	2	0	3	2
Decatur	T	226	9.3	51	36	24	19	8	9	8	6	2
	W	120	9.1	33	19	17	11	4	6	2	1	1
	NW	106	9.6	18	17	7	8	4	3	6	5	1
Dooly	T	142	10.6	39	28	11	6	4	3	6	4	3
	W	60	10.2	17	13	5	0	2	1	2	1	0
	NW	82	10.9	22	15	6	6	2	2	4	3	3
Dougherty	T	383	8.9	104	56	42	19	20	8	9	15	6
	W	155	6.5	37	20	23	10	6	5	2	12	2
	NW	228	11.9	67	36	19	9	14	3	7	3	5
Early	T	165	9.8	70	17	17	7	8	7	3	6	2
	W	65	8.4	22	7	11	1	1	3	2	2	0
	NW	100	10.9	48	10	6	6	7	4	1	4	2

See note on page 88

TABLE XI (page 21 of 27)
TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM-MATURITY UN-QUALIFIED	ILL-DEFINED AND UNKNOWN	HOMICIDE
	DEATHS ALL CAUSES	Number										
		Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number
Grady	T	150	8.1	50	19	21	6	7	4	11	3	1
	W	99	8.2	32	12	17	3	3	3	7	1	0
	NW	51	8.0	18	7	4	3	4	1	4	2	1
Irwin	T	97	8.4	27	18	5	5	3	7	3	3	2
	W	59	8.1	16	8	4	4	0	7	1	2	0
	NW	38	8.8	11	10	1	1	3	0	2	1	0
Lee	T	57	9.0	17	9	7	3	5	0	1	2	0
	W	19	12.7	8	2	4	2	0	0	0	0	0
	NW	38	7.9	9	7	3	1	5	0	1	2	0
Miller	T	72	8.3	14	10	5	4	6	6	0	2	0
	W	40	6.7	10	6	5	2	2	4	0	1	3
	NW	32	11.9	4	4	0	2	4	2	0	1	2
Mitchell	T	164	7.5	44	33	14	10	7	2	1	9	5
	W	62	5.8	18	15	8	1	4	1	1	0	0
	NW	102	9.0	26	18	6	9	3	1	0	9	5
Quitman	T	24	8.3	9	3	5	0	1	1	1	1	1
	W	9	10.0	2	2	2	0	0	1	1	0	1
	NW	15	7.5	7	1	3	0	1	0	0	1	0
Randolph	T	127	9.8	45	21	11	5	3	5	2	0	4
	W	42	10.5	17	6	5	1	0	2	1	0	0
	NW	85	9.4	28	15	6	4	3	3	1	0	2

TABLE XI (page 22 of 27)
TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE		INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM- MATURITY UN- QUALIFIED	ILL- DEFINED AND UNKNOWN	HOMICIDE
	DEATHS ALL CAUSES	Number			Number	Number						
		Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number
Seminole	T	86	11.2	23	8	11	1	9	3	0	2	0
	W	52	11.1	13	3	6	1	6	3	0	2	0
	NW	34	11.3	10	5	5	0	3	0	0	0	0
Stewart	T	102	11.6	25	22	15	3	6	6	1	1	0
	W	34	16.2	10	5	9	0	0	4	0	0	3
	NW	68	10.1	15	17	6	3	6	2	1	1	2
Sumter	T	243	10.2	68	45	30	11	12	6	1	7	3
	W	94	9.0	29	13	17	3	3	4	0	1	0
	NW	149	11.2	39	32	13	8	9	2	1	6	7
Terrell	T	187	13.8	43	28	26	5	7	3	2	8	6
	W	54	13.5	21	6	7	2	0	1	1	1	0
	NW	133	13.9	22	22	19	3	7	2	1	7	6
Thomas	T	332	9.6	91	66	31	17	17	7	12	11	3
	W	169	8.2	52	37	17	8	6	5	4	3	0
	NW	163	11.7	39	29	14	9	11	2	8	8	3
Tift	T	218	9.3	75	26	17	11	4	4	7	9	7
	W	131	7.7	57	15	12	6	1	3	1	6	1
	NW	87	13.6	18	11	5	5	3	1	6	3	7
Turner	T	74	7.3	20	17	5	7	8	3	0	3	2
	W	41	6.5	9	8	3	7	5	2	0	0	0
	NW	33	8.5	11	9	2	0	3	1	0	3	0

See note on page 88

TABLE XI (page 23 of 27)
TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM-MATURITY UN-QUALIFIED	ILL-DEFINED UNKNOWN	HOMICIDE
	DEATHS ALL CAUSES	Number										
Webster	T	33	8.5	4	10	4	1	0	0	2	1	1
	W	14	10.8	0	3	4	1	0	0	1	1	0
	NW	19	7.3	4	7	0	0	0	1	1	0	1
Wilcox	T	84	8.9	32	13	9	0	4	4	2	1	0
	W	56	9.5	21	9	6	0	2	4	1	1	1
	NW	28	8.0	11	4	3	0	2	0	1	0	1
Worth	T	186	9.9	33	35	21	14	5	7	5	9	12
	W	76	8.2	16	11	14	8	2	4	2	3	1
	NW	110	11.7	17	24	7	6	3	3	3	6	11

*Rate per 1,000 population.

88

TABLE XI (page 24 of 27)
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM-MATURITY UN-QUALIFIED	ILL-DEFINED AND UNKNOWN	HOMICIDE
	DEATHS ALL CAUSES	Number										
	Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
State Total (including military)	T 30,622 W 18,310 NW 12,312	8.6 7.4 11.4	9,238 5,991 3,247	4,456 2,506 1,950	3,442 2,471 971	1,291 722 569	1,275 537 738	976 699 277	859 409 450	645 323 322	581 208 373	512 103 409
Military	T 18 W 15 NW 3		2 2 0	0 0 0	1 1 0	0 0 0	0 0 0	1 1 0	0 0 0	2 1 1	1 1 0	1 0 1
Southeastern Region	T 3,878 W 2,165 NW 1,713	9.2 7.6 12.7	1,243 754 489	634 324 310	395 258 137	183 90 93	169 58 111	134 90 44	89 36 53	79 39 40	48 24 24	59 9 50
Appling	T 91 W 68 NW 23	6.6 6.1 8.8	21 16 5	19 15 4	7 6 1	1 1 0	12 6 6	1 1 0	4 4 0	2 1 1	4 3 1	1 0 1
Atkinson	T 67 W 44 NW 23	8.8 7.3 14.4	19 11 8	7 5 2	9 7 2	5 2 3	5 3 2	4 4 0	1 1 0	0 0 0	2 1 1	0 0 0
Bacon	T 81 W 68 NW 13	8.9 8.5 11.8	20 16 4	20 16 4	8 8 0	4 4 0	3 2 1	4 3 1	0 0 0	4 4 0	1 1 0	0 0 0
Berrien	T 85 W 64 NW 21	6.3 5.5 11.1	31 25 6	16 10 6	10 7 3	4 4 0	1 0 1	4 3 1	1 1 0	1 1 0	1 1 0	2 0 2

See note on page 92

TABLE XI (page 25 of 27)
TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM- MATURITY UN- QUALIFIED	ILL- DEFINED AND UNKNOWN	HOMICIDE
	DEATHS ALL CAUSES											
		Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number
Brantley	T	56	9.0	11	9	6	2	3	0	4	0	3
	W	41	7.6	7	7	4	1	3	0	3	0	1
	NW	15	18.8	4	2	2	1	0	0	1	0	1
Camden	T	65	8.7	15	8	10	4	2	3	2	0	0
	W	28	7.4	10	3	3	1	0	2	1	0	1
	NW	37	10.0	5	5	7	3	2	1	1	0	1
Charlton	T	38	8.3	15	3	1	0	0	2	1	1	1
	W	20	6.2	11	0	1	0	0	0	0	0	0
	NW	18	12.9	4	3	0	0	0	2	1	1	1
Chatham	T	1,620	10.3	550	272	187	77	72	38	29	30	28
	W	793	8.1	310	116	109	37	17	24	7	11	4
	NW	827	14.0	240	156	78	40	55	14	22	19	24
Clinch	T	72	12.4	17	16	7	3	4	4	1	3	0
	W	35	9.5	7	7	6	1	1	2	0	1	1
	NW	37	17.6	10	9	1	2	3	2	1	2	0
Coffee	T	176	7.1	51	31	17	5	9	7	1	7	5
	W	119	6.3	41	16	13	2	4	6	1	3	2
	NW	57	9.8	10	15	4	3	5	1	0	4	3
Cook	T	108	8.6	32	16	10	4	7	3	2	7	2
	W	70	7.7	22	9	8	2	3	3	2	4	0
	NW	38	11.2	10	7	2	2	4	0	0	3	2

6

TABLE XI (page 26 of 27)
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROSIS	IM- MATURITY UN- QUALIFIED	ILL- DEFINED AND UNKNOWN	HOMICIDE
	DEATHS ALL CAUSES	Number										
		Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number
Echols	T	13	5.4	4	5	1	0	1	0	1	0	0
	W	11	6.5	3	4	1	0	1	0	1	0	0
	NW	2	2.9	1	1	0	0	0	0	0	0	0
Glynn	T	284	9.6	101	38	31	15	9	6	7	7	6
	W	156	7.6	62	21	19	5	5	5	2	4	2
	NW	128	13.8	39	17	12	10	4	1	5	3	4
Jeff Davis	T	90	9.5	26	15	5	3	8	1	5	3	0
	W	58	7.6	19	13	4	3	3	1	3	2	0
	NW	32	16.8	7	2	1	0	5	0	2	1	0
Lanier	T	32	6.4	10	7	3	2	0	2	0	2	0
	W	24	7.1	9	5	1	2	0	1	0	1	0
	NW	8	5.0	1	2	2	0	0	1	0	1	0
Liberty	T	98	11.0	28	16	5	5	4	9	5	1	0
	W	21	5.8	5	4	1	1	0	4	1	1	0
	NW	77	14.5	23	12	4	4	4	5	4	0	1
Long	T	30	8.8	10	2	3	0	1	2	0	1	3
	W	17	7.7	6	0	2	0	1	1	0	0	2
	NW	13	10.8	4	2	1	0	0	1	0	1	1
Lowndes	T	336	9.3	108	57	30	18	8	15	11	3	6
	W	198	9.1	70	26	25	8	3	8	6	2	5
	NW	138	9.6	38	31	5	10	5	7	5	1	5

See note on page 92

TABLE XI (page 27 of 27)
TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE, 1952

AREA AND RACE			HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	ACCIDENTS EXCLUSIVE OF MOTOR VEHICLE	INFLUENZA AND PNEUMONIA	MOTOR VEHICLE ACCIDENTS	NEPHRITIS AND NEPHROCSIS	IM-MATURITY UN-QUALIFIED	ILL-DEFINED AND UNKNOWN	HOMICIDE
	DEATHS ALL CAUSES											
	Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
McIntosh	T	78	12.8	27	14	4	6	5	1	2	1	1
	W	18	7.5	7	4	3	0	0	0	1	0	0
	NW	60	16.2	20	10	1	6	5	1	1	1	1
Pierce	T	80	7.4	24	11	5	5	3	5	1	1	0
	W	59	7.0	15	7	4	5	1	5	0	1	0
	NW	21	8.8	9	4	1	0	2	0	1	0	0
Ware	T	262	8.5	89	41	27	12	6	15	9	4	6
	W	169	7.3	55	27	20	8	2	10	1	3	2
	NW	93	11.6	34	14	7	4	4	5	8	1	2
Wayne	T	116	7.9	34	11	9	8	6	8	2	0	2
	W	84	7.1	27	9	6	3	3	7	1	0	1
	NW	32	11.4	7	2	3	5	3	1	1	0	1

*Rate per 1,000 population.

TABLE XII (page 1 of 2)
NUMBER OF PHYSICIANS IN PRIVATE PRACTICE AND AVERAGE NUMBER OF PERSONS
PER PHYSICIAN BY COUNTY, GEORGIA, AUGUST, 1953

Note: County and state average number of persons per physician is based on Estimated Civilian Population of Georgia, July 1, 1952.

COUNTY	NUMBER PHYSICIANS	AVERAGE NUMBER PERSONS PER PHYSICIAN	COUNTY	NUMBER PHYSICIANS	AVERAGE NUMBER PERSONS PER PHYSICIAN
State Total	2,286	1,517	Dooly	6	2,233
Appling	8	1,712	Dougherty	33	1,297
Atkinson	3	2,533	Douglas	5	2,500
Bacon	5	1,820	Early	6	2,817
Baker	0	--	Echols	0	--
Baldwin	9	2,000	Effingham	1	8,800
Banks	1	6,500	Elbert	13	1,392
Barrow	10	1,330	Emanuel	6	3,117
Bartow	11	2,545	Evans	2	3,200
Ben Hill	8	1,888	Fannin	6	2,583
Berrien	4	3,375	Fayette	3	2,600
Bibb	101	1,178	Floyd	38	1,684
Bleckley	3	2,967	Forsyth	6	1,783
Brantley	1	6,200	Franklin	7	2,000
Brooks	6	2,900	Fulton	672	726
Bryan	2	2,900	Gilmer	3	3,400
Bulloch	16	1,506	Glynn	22	1,350
Burke	8	2,888	Gordon	8	2,412
Butts	3	2,967	Grady	9	2,056
Calhoun	4	2,025	Greene	7	1,786
Camden	5	1,500	Gwinnett	13	2,538
Candler	5	1,560	Habersham	9	1,878
Carroll	21	1,595	Hall	23	1,787
Catoosa	2	7,750	Hancock	4	2,625
Charlton	3	1,533	Haralson	5	2,960
Chatham	143	1,097	Harris	4	2,750
Chattahoochee	0	--	Hart	5	2,820
Chattooga	6	3,600	Heard	6	1,083
Cherokee	9	2,356	Henry	3	5,400
Clarke	33	1,124	Houston	7	2,929
Clay	3	1,833	Irwin	4	2,900
Clayton	7	3,371	Jackson	6	3,083
Clinch	2	2,900	Jasper	6	1,183
Cobb	36	1,897	Jeff Davis	4	2,375
Coffee	6	4,117	Jefferson	8	2,325
Collquitt	20	1,755	Jenkins	3	3,233
Columbia	2	4,850	Johnson	5	1,820
Cook	5	2,500	Jones	1	7,300
Coweta	17	1,665	Lamar	5	2,080
Crawford	1	5,800	Lanier	2	2,500
Crisp	9	2,011	Laurens	15	2,160
Dade	2	3,850	Lee	1	6,300
Dawson	0	--	Liberty	2	4,450
Decatur	9	2,689	Lincoln	3	2,067
DeKalb	50	2,816	Long	1	3,400
Dodge	5	3,380	Lowndes	27	1,341

TABLE XII (page 2 of 2)
NUMBER OF PHYSICIANS IN PRIVATE PRACTICE AND AVERAGE NUMBER OF PERSONS
PER PHYSICIAN BY COUNTY, GEORGIA, AUGUST, 1953

Note: County and state average number of persons per physician is based on Estimated Civilian Population of Georgia, July 1, 1952.

COUNTY	NUMBER PHYSICIANS	AVERAGE NUMBER PERSONS PER PHYSICIAN	COUNTY	NUMBER PHYSICIANS	AVERAGE NUMBER PERSONS PER PHYSICIAN
Lumpkin	4	1,675	Stephens	9	1,900
McDuffie	6	1,967	Stewart	3	2,933
McIntosh	3	2,033	Sumter	13	1,831
Macon	6	2,283	Talbot	1	7,500
Madison	3	3,933	Taliaferro	1	4,100
Marion	2	3,150	Tattnall	6	2,383
Meriwether	8	2,562	Taylor	5	1,740
Miller	4	2,175	Telfair	7	1,814
Mitchell	10	2,200	Terrell	6	2,267
Monroe	2	5,150	Thomas	32	1,078
Montgomery	3	2,467	Tift	13	1,800
Morgan	7	1,643	Toombs	12	1,483
Murray	5	2,080	Towns	2	2,350
Muscogee	83	1,341	Treutlen	4	1,550
Newton	8	2,575	Troup	39	1,315
Oconee	1	6,800	Turner	2	5,100
Oglethorpe	2	4,650	Twiggs	1	8,000
Paulding	2	5,650	Union	1	7,100
Peach	6	2,000	Upson	17	1,512
Pickens	4	2,175	Walker	14	2,786
Pierce	7	1,543	Walton	8	2,475
Pike	4	2,000	Ware	25	1,240
Polk	14	2,264	Warren	4	2,175
Pulaski	3	2,833	Washington	12	1,675
Putnam	3	2,500	Wayne	6	2,433
Quitman	0	--	Webster	0	--
Rabun	4	1,800	Wheeler	1	6,200
Randolph	7	1,857	White	5	1,160
Richmond	125	990	Whitfield	14	2,521
Rockdale	4	2,175	Wilcox	3	3,133
Schley	1	3,700	Wilkes	9	1,289
Screvan	6	2,867	Wilkinson	3	3,100
Seminole	6	1,283	Worth	5	3,740
Spalding	20	1,585			

Source: Medical Directory of Georgia
Georgia Department of Public Health
August, 1953

TABLE XIII (page 1 of 3)
 ESTIMATED TOTAL POPULATION BY RACE, BY URBAN 1/ AND RURAL; AND
 CIVILIAN POPULATION BY RACE, BY COUNTY AND INCORPORATED
 PLACE OF 2500 OR MORE PERSONS, GEORGIA, JULY 1, 1952

AREA	TOTAL	WHITE	NONWHITE	AREA	TOTAL	WHITE	NONWHITE
STATE TOTAL	3,552,000	2,472,000	1,080,000	Chattooga	21,600	19,600	2,000
URBAN <u>1/</u>	1,614,000	1,102,000	512,000	Summerville	4,100	3,600	500
RURAL	1,938,000	1,370,000	568,000	Trion	3,200	3,100	100
STATE TOTAL				Cherokee	21,200	20,400	800
CIVILIAN	3,467,000	2,400,000	1,067,000	Canton	2,800	2,600	200
Appling	13,700	11,100	2,600	Clarke	37,100	27,200	9,900
Baxley	3,600	2,600	1,000	Athens	29,100	21,200	7,900
Atkinson	7,600	6,000	1,600	Clay	5,500	1,400	4,100
Bacon	9,100	8,000	1,100	Clayton	23,600	19,800	3,800
Alma	2,700	2,300	400	College Park			
Baker	5,600	2,000	3,600	(Total in Fulton & Clayton)	15,300	12,200	3,100
Baldwin <u>2/</u>	18,000	10,300	7,700	Forest Park	2,800	2,800	--
State Hospital	12,800	8,400	4,400	Clinch	5,800	3,700	2,100
Milledgeville	9,000	4,900	4,100	Cobb	68,300	62,100	6,200
Banks	6,500	6,100	400	Marietta	24,800	21,200	3,600
Barrow	13,300	10,900	2,400	Coffee	24,700	13,900	5,800
Winder	4,800	4,000	800	Douglas	7,800	5,500	2,300
Bartow	28,000	24,000	4,000	Colquitt	35,100	27,100	8,000
Cartersville	7,600	5,700	1,900	Moultrie	12,300	7,900	4,400
Ben Hill	15,100	10,300	4,800	Columbia	9,700	5,100	4,600
Fitzgerald	8,400	5,500	2,900	Cook	12,500	9,100	3,400
Berrien	13,500	11,600	1,900	Adel	2,900	1,700	1,200
Nashville	3,600	2,900	700	Coweta	28,300	17,800	10,500
Bibb	119,000	78,200	40,800	Newnan	8,500	5,200	3,300
Macon	73,600	42,600	31,000	Crawford	5,800	2,300	3,500
Bleckley	8,900	6,000	2,900	Crisp	18,100	10,300	7,800
Cochran	3,500	2,400	1,100	Cordele	9,900	5,100	4,800
Brantley	6,200	5,400	800	Dade	7,700	7,500	200
Brooks	17,400	8,500	8,900	Dawson	3,500	3,500	--
Guitman	5,000	2,800	2,200	Decatur	24,200	13,200	11,000
Bryan	5,800	3,400	2,400	Bainbridge	7,800	4,800	3,000
Bullock	21,100	15,000	9,100	DeKalb	140,800	126,400	14,400
Statesboro	6,400	4,300	2,100	Atlanta (Part in Fulton & DeKalb)	442,000	301,100	140,900
Burke	23,100	6,400	16,700	Chamblee	4,200	4,100	100
Waynesboro	4,600	2,200	2,400	Decatur	22,900	19,400	3,500
Butts	8,900	4,800	4,100	Dodge	16,900	11,500	5,400
Calhoun	8,100	2,300	5,800	Eastman	3,800	2,500	1,300
Camden	7,500	3,800	3,700	Dooly	13,400	5,900	7,500
Candler	7,800	5,000	2,800	Dougherty	42,800	23,700	19,100
Carroll	33,500	26,300	6,700	Albany	33,200	19,000	14,200
Carrollton	8,100	6,400	1,700	Douglas	12,500	10,500	2,000
Catoosa	15,500	15,200	300	Douglasville	3,600	2,800	800
Charlton	4,600	3,200	1,400	Early	16,900	7,700	9,200
Chatham	156,900	97,900	59,000	Blakely	3,100	2,300	1,100
Savannah	123,800	73,800	50,000	Echols	2,400	1,700	700
Chattahoochee	1,500	700	800				

TABLE XIII (page 2 of 3)
ESTIMATED POPULATION GEORGIA - July 1, 1952

AREA	TOTAL	WHITE	NONWHITE	AREA	TOTAL	WHITE	NONWHITE
Effingham	8,800	5,300	3,500	Irwin	11,600	7,300	4,300
Elbert	18,100	11,900	6,200	Ocilla	2,800	1,400	1,400
Elberton	7,000	4,900	2,100	Jackson	13,500	15,600	2,900
Emanuel	18,700	11,800	6,900	Commerce	3,500	3,000	500
Swainsboro	4,400	2,600	1,800	Jasper	7,100	2,900	4,200
Evans	6,400	3,900	2,500	Jeff Davis	9,500	7,600	1,900
Fannin	15,500	15,400	100	Hazlehurst	2,800	2,100	700
Fayette	7,800	5,300	2,500	Jefferson	18,600	7,800	10,800
Floyd ^{2/}	64,000	54,700	9,300	Jenkins	9,700	4,200	5,500
Battey State Hospital	1,900	1,100	800	Millen	3,500	1,900	1,600
Rome	30,900	24,600	6,300	Johnson	9,100	5,800	3,300
Forsyth	10,700	10,600	100	Jones	7,300	3,200	4,100
Franklin	14,000	12,200	1,800	Lamar	10,400	6,200	4,200
Fulton	488,100	339,700	148,400	Barnesville	4,400	2,700	1,700
Atlanta (Total in Fulton & De-Kalb)	442,000	301,100	140,900	Lanier	5,000	3,400	1,600
(Part in Fulton)	403,300	265,100	138,200	Laurens	32,400	19,100	13,300
College Park				Dublin	10,600	6,400	4,200
(Total in Clayton & Fulton)	15,300	12,200	3,100	Lee	6,300	1,500	4,800
(Part in Fulton)	11,800	8,700	3,100	Liberty	8,900	3,600	5,300
East Point	22,200	19,200	3,000	Lincoln	6,200	3,000	3,200
Hapeville	9,100	9,100	--	Long	3,400	2,200	1,200
Gilmer	10,200	10,200	--	Lowndes	36,200	21,800	14,400
Glascock	3,300	2,300	1,000	Valdosta	21,100	11,800	9,300
Glynn	29,700	20,400	9,300	Lumpkin	6,700	6,600	100
Brunswick	18,800	11,500	7,300	Macon	13,700	4,300	9,400
Gordon	19,300	18,200	1,100	Montezuma	3,000	1,300	1,700
Calhoun	3,300	2,700	600	Madison	11,800	9,500	2,300
Grady	18,500	12,100	6,400	Marion	6,300	2,400	3,900
Cairo	5,700	3,400	2,300	McDuffie	11,800	6,600	5,200
Greene	12,500	6,000	6,500	Thomson	3,700	2,400	1,300
Greensboro	2,800	1,600	1,200	McIntosh	6,100	2,400	3,700
Gwinnett	33,000	29,900	3,100	Meriwether	20,500	9,800	10,700
Buford	3,700	2,900	800	Manchester			
Lawrenceville	3,000	2,500	500	(Total in Talbot & Meriwether)			
Habersham	16,900	16,300	600	(Part in Meriwether)			
Hall	41,100	37,200	3,900	Miller	4,200	3,000	1,200
Gainesville	12,500	9,400	3,100	Mitchell	8,700	6,000	2,700
Hancock	10,500	2,500	8,000	Camilla	22,000	10,700	11,300
Haralson	14,800	13,500	1,300	Pelham	4,000	1,800	2,200
Tallapoosa	2,900	2,600	300	Monroe	4,500	2,600	1,900
Harris	11,000	4,600	6,400	Forsyth	10,300	4,900	5,400
Hart	14,100	10,500	3,600	Montgomery	3,300	1,800	1,500
Hartwell	3,000	2,300	700	Morgan	7,400	4,200	3,200
Heard	6,500	4,700	1,800	Hurray	11,500	5,300	6,200
Henry	16,200	9,100	7,100	Muscogee	10,400	10,200	200
Houston	20,500	13,100	7,400	Columbus	111,300	83,100	28,200
Perry	4,000	1,900	2,100	Newton	84,300	58,000	26,300
Warner Robins	8,700	8,200	500	Covington	20,600	13,900	6,700
				Porterdale	5,400	3,100	2,300
				Oconee	3,400	3,300	100
				Oglethorpe	6,800	5,000	1,800
				Paulding	9,300	5,000	4,300
					11,300	10,100	1,200

TABLE XIII (page 3 of 3)
ESTIMATED POPULATION GEORGIA - July 1, 1952

AREA	TOTAL	WHITE	NONWHITE	AREA	TOTAL	WHITE	NONWHITE
Peach	12,000	4,800	7,200	Thomas	34,500	20,600	13,900
Ft. Valley	7,100	2,700	4,400	Thomasville	15,000	8,200	6,800
Pickens	8,700	8,300	400	Tift	23,400	17,000	6,400
Pierce	10,800	8,400	2,400	Tifton	7,200	6,100	1,100
Pike	8,000	4,100	3,900	Toombs	17,800	13,000	4,800
Polk	31,700	26,700	5,000	Lyons	2,900	1,900	1,000
Cedartown	9,800	8,300	1,500	Vidalia	6,000	3,900	2,100
Rockmart	4,000	3,400	600	Towns	4,700	4,700	--
Pulaski	8,500	4,100	4,400	Treutlen	6,200	4,300	1,900
Hawkinsville	3,500	2,200	1,300	Troup	51,300	35,200	16,100
Putnam	7,500	3,200	4,300	Hogansville	3,900	2,600	1,300
Eatonton	2,800	1,400	1,400	Lagrange	26,200	18,200	8,000
Quitman	2,900	900	2,000	West Point	4,300	1,800	2,500
Rabun	7,200	7,100	100	Turner	10,200	6,300	3,900
Randolph	13,000	4,000	9,000	Ashburn	3,000	1,700	1,300
Cuthbert	4,200	1,600	2,600	Twiggs	8,000	2,900	5,100
Richmond	123,800	86,300	37,500	Union	7,100	7,100	--
Augusta	89,300	52,700	37,100	Upson	25,700	19,100	6,600
Rockdale	3,700	6,200	2,500	E. Thomaston	3,000	3,000	--
Schley	3,700	1,300	2,400	Silvertown	3,400	3,400	--
Screven	17,200	7,000	10,200	Thomaston	7,100	4,800	2,300
Sylvania	3,100	1,700	1,400	Walker	39,000	36,700	2,300
Seminole	7,700	4,700	3,000	Lafayette	5,100	4,600	500
Donalsonville	2,800	1,600	1,200	Rossville	4,100	4,100	--
Spalding	31,700	23,200	8,500	Walton	19,800	13,500	6,300
Griffin	14,700	9,600	5,100	Monroe	4,700	3,300	1,400
Stephens	17,100	14,900	2,200	Ware	31,000	23,000	8,000
Toccoa	7,100	5,600	1,500	Waycross	19,700	12,700	7,000
Stewart	8,800	2,100	6,700	Warren	8,700	3,100	5,600
Sumter	23,800	10,500	13,300	Washington	20,100	8,200	11,900
Americus	11,900	6,000	5,900	Sandersville	4,600	2,000	2,600
Talbot	7,500	2,100	5,400	Wayne	14,600	11,800	2,800
Manchester (Total in Talbot & Meriwether)	4,200	3,000	1,200	Jesup	4,900	3,400	1,500
(Part in Talbot)	100	--	100	Webster	3,900	1,300	2,600
Taliaferry / Tattnall ² / State Prison	4,100	1,100	3,000	Wheeler	6,200	4,000	2,200
Taylor	14,300	10,200	4,100	White	5,800	5,500	300
Telfair	1,300	800	500	Whitfield	35,300	33,900	1,400
Terrell	8,700	4,300	4,400	Dalton	16,700	15,400	1,300
Dawson	12,700	8,400	4,300	Wilcox	9,400	5,900	3,500
	13,600	4,000	9,600	Wilkes	11,600	4,700	6,900
	4,500	2,000	2,500	Washington	3,900	1,800	2,100
				Wilkinson	9,300	4,600	4,700
				Worth	18,700	9,300	9,400
				Sylvester	2,700	1,500	1,200

NOTE: County estimates may not add to state totals due to rounding.

.. Estimated population not shown when less than fifty.

1/ Urban population is the total of the estimates for all incorporated places shown and the military population of the state.

2/ Population of state institutions is excluded from county totals but is included in state totals.