

VITAL STATISTICS

GEORGIA

1953

Property Of:
Georgia Department of Human
Resources
Division of Public Health
Health Assessment Services
Do Not Remove



Department of Public Health
State of Georgia

Atlanta

61451
G

VITAL STATISTICS

GEORGIA

1953

DEPARTMENT OF PUBLIC HEALTH

STATE OF GEORGIA

Atlanta

September 6, 1955

STATE OF
GEORGIA
HEALTH REGIONS
1953




NORTHWESTERN

NORTHEASTERN


CENTRAL

SOUTHWESTERN

SOUTHEASTERN



STATE
DEPARTMENT
OF
PUBLIC HEALTH



COUNTY LISTING INDICATING REGION IN WHICH COUNTY IS LOCATED, 1953

County	Region	County	Region
Appling	Southeastern	Jenkins	Central
Atkinson	Southeastern	Johnson	Central
Bacon	Southeastern	Jones	Central
Baker	Southwestern	Lamar	Central
Baldwin	Central	Lanier	Southeastern
Banks	Northeastern	Laurens	Central
Barrow	Northeastern	Lee	Southwestern
Barrow	Northeastern	Liberty	Southeastern
Bartow	Northwestern	Lincoln	Northeastern
Ben Hill	Southwestern	Long	Southeastern
Berrien	Southeastern	Lowmes	Southeastern
Bibb	Central	Lumpkin	Northwestern
Bleckley	Central	Macon	Central
Brantley	Southeastern	Madison	Northeastern
Brooks	Southwestern	Marion	Central
Bryan	Central	McDuffie	Northeastern
Bulloch	Central	McIntosh	Southeastern
Burke	Central	Meriwether	Central
Butts	Central	Miller	Southwestern
Calhoun	Southwestern	Mitchell	Southwestern
Camden	Southeastern	Monroe	Central
Candler	Central	Montgomery	Central
Carroll	Northwestern	Morgan	Northeastern
Catoosa	Northwestern	Murray	Northwestern
Charlton	Southeastern	Muscogee	Central
Chatham	Southeastern	Newton	Northeastern
Chattahoochee	Central	Oconee	Northeastern
Chattooga	Northwestern	Oglethorpe	Northeastern
Cherokee	Northwestern	Paulding	Northwestern
Clarke	Northeastern	Peach	Central
Clay	Southwestern	Pickens	Northwestern
Clayton	Central	Pierce	Southeastern
Clinch	Southeastern	Pike	Central
Cobb	Northwestern	Polk	Northwestern
Coffee	Southeastern	Pulaski	Central
Colquitt	Southwestern	Putnam	Northeastern
Columbia	Northeastern	Quitman	Southwestern
Cook	Southeastern	Rabun	Northeastern
Coweta	Central	Randolph	Southwestern
Crawford	Central	Richmond	Northeastern
Crisp	Southwestern	Rockdale	Northeastern
Dade	Northwestern	Schley	Central
Dawson	Northwestern	Screven	Central
Decatur	Southwestern	Seminole	Southwestern
DeKalb	Northwestern	Spalding	Central
Dodge	Central	Stephens	Northeastern
Dooly	Southwestern	Stewart	Southwestern
Dougherty	Southwestern	Sumter	Southwestern
Douglas	Northwestern	Talbot	Central
Early	Southwestern	Taliaferro	Northeastern
Echols	Southeastern	Tattall	Central
Effingham	Central	Taylor	Central
Elbert	Northeastern	Telfair	Central
Emanuel	Central	Terrell	Southwestern
Evans	Central	Thomas	Southwestern
Fannin	Northwestern	Tift	Southwestern
Fayette	Central	Toombs	Central
Floyd	Northwestern	Towns	Northwestern
Forsyth	Northwestern	Treutlen	Central
Franklin	Northeastern	Troup	Central
Fulton	Northwestern	Turner	Southwestern
Gilmer	Northwestern	Twiggs	Central
Glascock	Central	Union	Northwestern
Glynn	Southeastern	Upson	Central
Gordon	Northwestern	Walker	Northwestern
Grady	Southwestern	Walton	Northeastern
Greene	Northeastern	Ware	Southeastern
Gwinnett	Northeastern	Warren	Northeastern
Habersham	Northeastern	Washington	Central
Hall	Northeastern	Wayne	Southeastern
Hancock	Northeastern	Webster	Southwestern
Haralson	Northwestern	Wheeler	Central
Harris	Central	White	Northeastern
Hart	Northeastern	Whitfield	Northwestern
Heard	Central	Wilcox	Southwestern
Henry	Central	Wilkes	Northeastern
Houston	Central	Wilkinson	Central
Irwin	Southwestern	Worth	Southwestern
Irwin	Southwestern		
Jackson	Northeastern		
Jasper	Northeastern		
Jeff Davis	Southeastern		
Jefferson	Central		

TABLE OF CONTENTS

	Page
INTRODUCTION.	ix
SOME FACTORS INFLUENCING VITAL STATISTICS	x
Completeness of registration	x
Accuracy and completeness of reporting items on certificates	xiii
Changes in classification of causes of death	xiii
Socio-economic status.	xiv
Population, age and race trends.	xiv
Military events.	xvi
DISCUSSION OF 1953 STATISTICS	xvii
Population	xvii
Physicians	xvii
Marriages and divorces	xvii
Stillbirths.	xviii
Live births.	xix
Immature births.	xix
Illegitimate births.	xxi
Infant deaths.	xxi
Deaths from immaturity	xxi
Neonatal deaths.	xxiii
Deaths all ages.	xxiv
Maternal deaths.	xxvi

FIGURES

Figure

1. Live birth rates adjusted for underregistration, Georgia, 1940-1953.	xii
2. Percentage distribution census population by race, Georgia, 1920-1950.	xv
3. Percentage distribution census population by age, Georgia, 1920-1950.	xv
4. Live birth and death rates, by race, Georgia, 1924-1953.	xvi
5. Stillbirth ratio by race, Georgia, 1924-1953	xviii
6. Reported immature live birth rates by race, sex and attendant, Georgia, 1953.	xx
7. Immature birth rate and death rate from immaturity, by race, Georgia, 1924-1953	xxii
8. Infant and neonatal death rates by race, Georgia, 1924-1953. . .	xxiv
9. Maternal death ratio by race, Georgia, 1924-1953	xxvii

TEXT TABLES

Table	Page
1. Estimated percentage completeness of birth registration, by place of occurrence, attendant and race, Georgia 1940 and 1950.	x
2. Estimated birth registration completeness, Georgia, 1940-1950 . .	xi
3. Estimates of birth registration completeness, by place of occurrence, Georgia, 1940-1953	xi
4. Classification comparability ratios for specified causes of death under the Fifth and Sixth Revisions of the International List of Diseases and Causes of Death.	xiii
5. Deaths due to ill-defined and unknown causes, Georgia, 1944-1953.	xiv
6. Population by race and residence, Georgia, April 1, 1950 - July 1, 1954.	xvii
7. Marriages by residence of bride and groom, Georgia, 1953.	xviii
8. Live birth rates, Georgia, 1940-1953.	xix
9. Immature live births by place of occurrence, attendant, race and sex, Georgia, 1953.	xxi
10. Immature live birth rates, by race, residence and attendant, Georgia, 1953	xxi
11. Immature death rates adjusted for changes in classification under the Sixth Revision of the International List of Diseases and Causes of Death, Georgia, 1940-1953	xxiii
12. Cause specific death rates per 100,000 population for leading causes of death, adjusted for change in classification, Georgia, 1940-1953.	xxv
13. Death rates per 100,000 population for Georgia and United States - and Georgia, age race, adjusted death rates, 1950-1953.	xxvi

GENERAL TABLES

I. Selected vital events, number and rate, and per cent occurring in hospitals by race, urban and rural, Georgia, 1953.	1
II. Deaths, all causes, number and rate, by race, age and sex, Georgia, 1953	1
III. Summary of selected vital statistics, Georgia, 1924-1953.	2
IV. Important causes of death, number and per cent of total in specified age groups, by race, Georgia, 1953.	4

TABLE OF CONTENTS (Continued)

Table	Page
V. Deaths and death ratios per 10,000 live births, from diseases of pregnancy, childbirth and the puerperium, by race, Georgia, 1953.	7
VI. Infant deaths, number and percentage distribution by race, sex, and age, Georgia, 1953	7
VII. Infant deaths, number and rate per 1,000 live births, by race, by cause, Georgia, 1953.	8
VIII. Number of deaths from accidents by type of accident, by age, Georgia, 1953.	9
IX. Vital Statistics by county and race, Georgia, 1953	10
X. Vital statistics, cities of 50,000 population and over, Georgia, 1953	74
XI. Vital statistics, cities 10,000 to 50,000 population, 1953	76
XII. Marriages, divorces, and annulments by county of occurrence, by race, Georgia, 1953.	84
XIII. Number of physicians in private practice and average number of persons per physician, by county, January 1, 1955.	86
XIVA. Estimated total population by age, race and sex, Georgia, 1953	87
XIVB. Estimated population by race, by urban and rural, and civilian population by race, by county, and incorporated places of 2,500 or more persons, Georgia, July 1, 1953	87
XV. Total population by census years by age and race, Georgia, 1920-1950.	89

SYMBOLS USED IN THIS REPORT

- Quantity is zero in frequency table
- Data not available
- ... Rate or per cent not applicable
- 0.0 Rate or per cent more than 0 but less than 0.05
- 0 Quantity is zero

INTRODUCTION

This report has been prepared annually since 1948. The format has been changed almost every year, but a permanent one is introduced in this report that will be easier to use over a period of years. County and city tables will be in the same order from year to year, except in census years when city sizes are determined and new cities are added to the report, and will not be affected by shifts of counties from one health region or district to another.

Most data for a county or city are together in one table. Counties are in alphabetical sequence and cities are in alphabetical sequence within population groups. No data are shown for health regions as such. However, certain data are tabulated by regions, and are available on request. Detailed state data are included for the current year as well as several historical series covering the past thirty years.

Most tabulations are based on births, deaths, fetal deaths, marriages, and divorces recorded in the Division of Vital Statistics and known births and deaths of Georgia residents which occurred in other states. Unless specifically stated otherwise, all data on births, deaths and fetal deaths are allocated to place of residence. Marriages are tabulated by place of issuance of licenses and divorces by place in which the divorce was granted.

Population estimates and number of physicians by county are included in two tables at the end of the report.

Additional copies of most of the tables and more detailed tabulations of these and other health statistics are available.

Write to:

Georgia Department of Public Health
Central Statistical Unit
12 Capitol Square
Atlanta, Georgia

SOME FACTORS INFLUENCING VITAL STATISTICS

Completeness of Registration

Completeness of registration of vital events varies from county to county and in some instances accounts for differences in rates.

In 1940, birth registration in Georgia was 81.3% complete, but by 1950 it had increased to 94.6%. One of the major factors influencing completeness of birth registration in Georgia is the proportion of live births delivered in hospitals. Results of the 1940 and 1950 birth registration completeness tests for Georgia are shown in Table 1 by place of occurrence, attendant and race. From these figures it appears that for home deliveries midwives and nurse midwives do a better job of birth registration than physicians.

Table 1
ESTIMATED PERCENTAGE COMPLETENESS OF BIRTH REGISTRATION, BY PLACE OF OCCURRENCE, ATTENDANT AND RACE, GEORGIA, 1940 AND 1950

Place of Occurrence and Attendant	Total		White		Nonwhite	
	1940	1950	1940	1950	1940	1950
Total all places	81.3	94.6	83.6	96.7	77.6	91.0
Hospital births	96.3	98.1	96.5	98.7	95.2	95.7
Non-Hospital births	76.2	87.5	77.4	82.3	74.5	88.9
Physician	---	81.6	---	83.8	---	79.5
Other	---	90.2	---	78.3	---	91.4

--- Data not available.

Source: National Office of Vital Statistics, Special Reports, Vol. 39, No. 2

Assuming no change in completeness of registration by attendant and place of delivery from 1940 to 1950, overall birth registration completeness would have increased from 81.3% in 1940 to 88.6% in 1950 simply because more births were delivered in hospitals. The actual improvement in completeness of registration during the decade is estimated in Table 2.

Table 2
ESTIMATED BIRTH REGISTRATION COMPLETENESS,
GEORGIA, 1940-1950

Source of Estimate	Percent Completeness
a. 1940 test (occurrence basis)	81.3%
b. 1950 estimate (based on change in proportion of births occurring in hospitals and 1940 estimates of completeness)	88.6%
c. 1950 test (occurrence basis)	94.6%
d. Gross change in completeness, 1940-1950 (c minus a)	13.3%
e. Estimated actual change after adjustment for change in proportion of births in hospital 1940-1950 (c minus b)	6.0%

Source: Items (a) and (c) from National Office of Vital Statistics, Special Report, Vol. 39, No. 2;
Other data are estimates by Georgia Department of Public Health.

Estimates of completeness of birth registration are shown below for 1940-1953. Figures for 1941-1949 are interpolations of the results obtained in the birth registration tests of 1940 and 1950. Percentage completeness of registration by attendant and place of delivery in 1950 were applied to recorded births to obtain estimates for 1951-1953. The estimated increase since 1950 is due entirely to the increase in the proportion of births delivered in hospitals.


Table 3
ESTIMATES OF BIRTH REGISTRATION COMPLETENESS, BY PLACE
OF OCCURRENCE, GEORGIA, 1940-1953

Year	Per Cent Completeness
1940	81.3*
1941	82.6
1942	84.0
1943	85.3
1944	86.6
1945	88.0
1946	89.3
1947	90.6
1948	91.9
1949	93.3
1950	94.6*
1951	95.1
1952	95.5
1953	95.7

* Results of birth registration completeness tests.

Figure 1 shows live birth rates before and after correction for underregistration.

FIGURE 1
LIVE BIRTH RATES ADJUSTED FOR
UNDERREGISTRATION, GEORGIA, 1940-1953



It is felt that, in general, death registration is more complete than birth registration although formal tests of completeness such as the birth registration tests have not been done. Completeness of registration is probably poorest for infants who die soon after birth.

Stillbirths probably are grossly underreported in Georgia. More attention is being focused on the relationship of late fetal and early infant deaths and adequate analysis requires good reporting.

All county ordinaries report marriages to the Division of Vital Statistics. It is believed that completeness of reporting is good although no tests have been made.

Divorces are underreported in Georgia because several counties, including some of the most populous, never report any divorces to the Division of Vital Statistics.

Accuracy and Completeness of Reporting Items on Certificates

It is very important that all items on a certificate be answered accurately and completely.

However, answers to specific questions are sometimes omitted. This results in another "unknown" which cannot be interpreted in analysis of the data.

One of the most serious problems in birth and death registration is data on urban and rural residence. When a residence is outside the corporate limits of a city and the city is shown as the address, the residence is classified as urban unless the person completing the certificate indicates that the residence is outside of the city. This results in over-allocation of events to urban areas with an under-allocation to rural areas. This should be considered in analyzing rural and urban differences.

Changes in Classification of Causes of Death

A major change in classifying causes of death was made in 1950 with the adoption of the sixth revision of the International Statistical Classification of Diseases, Injuries and Causes of Death. Under the fifth revision an arbitrary method of selecting the primary cause of death was used when more than one cause was shown on the certificate. Now, the physician is asked to state the sequence of events which resulted in death, giving the underlying cause last and the other significant conditions in a separate section of the certificate. This medical certification, with few exceptions, determines the classification of the underlying cause under the sixth revision.

Changes in classification must be taken into account in comparing cause specific death rates since 1949 with those in 1949 or prior years.

Table 12, page xxv shows rates for some of the leading causes of death adjusted for the changes in classification. Table 4 shows the comparability ratios used in adjusting the rates for 1940-1949. The comparability ratio is the ratio of the number of deaths assigned to a cause under the "Sixth" revision to the number assigned to the same cause under the "Fifth" revision.

Table 4
CLASSIFICATION COMPARABILITY RATIOS FOR SPECIFIED CAUSES OF DEATH
UNDER THE FIFTH AND SIXTH REVISIONS OF THE INTERNATIONAL LIST
OF DISEASES AND CAUSES OF DEATH

Causes	Revision List Number		Comparability Ratio
	Sixth	Fifth	
Heart Diseases	410-443	90-95	1.185
Vascular lesions affecting central nervous system	330-334	83	1.058
Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues	140-205	45-55	1.029
Influenza and pneumonia	480-483 490-493	33, 107- 109	0.886
Accidents, exclusive of motor vehicle accidents	E800-E802 E840-E962	169, 171- 195	0.942
Motor vehicle accidents	E810-E835	170	1.020
Nephritis & nephrosis	590-594	130-132	0.380
Immaturity	774-776	159	0.682

Source: Georgia Department of Public Health, Georgia 1950 Natality and Mortality Statistics Pages 9, 14 & 15.

Changes in quality of medical certification have also resulted in improved mortality statistics. One indication of improvement is the decline in the per cent of deaths classed as due to ill-defined and unknown causes. In 1953, only 1.6% of the total deaths were in this category as compared with 3.2% in 1944. This does not necessarily mean that the quality of information is any better, but that more certificates do have classifiable data on cause of death.

Table 5
DEATHS DUE TO ILL-DEFINED AND UNKNOWN CAUSES,
GEORGIA, 1944-1953

Year	Number	Per Cent of Total Deaths
1944	921	3.2
1945	833	2.9
1946	750	2.7
1947	790	2.7
1948	740	2.5
1949	677	2.3
1950	615	2.0
1951	642	2.1
1952	581	1.9
1953	478	1.6

Socio-Economic Status


The socio-economic status of a population effects vital statistics rates in various ways.

Georgia's population is younger and includes a larger proportion of nonwhites than the United States as a whole. The average number of years of school completed and per capita incomes in Georgia have been lower than United States figures for many years.

Population - Age and Race Trends

Since 1900 Georgia's white population has increased 101.5% while the nonwhite population increase has amounted to only 2.8%. The change in the white -- nonwhite population ratio since 1920 is illustrated in Figure 2.

FIGURE 2
 PERCENTAGE DISTRIBUTION CENSUS POPULATION
 BY RACE, GEORGIA, 1920-1950



Most of the growth has been in urban areas. In 1900, Georgia's population was only 15.6% urban; by 1950 the population was 45.3% urban.

FIGURE 3
 PERCENTAGE DISTRIBUTION CENSUS POPULATION
 BY AGE, GEORGIA, 1920-1950





Figure 3 shows the proportion of Georgia's population in the various age groups since 1920. Percentage wise, Georgia's 5-14 and 15-24 year age groups have been decreasing while all age groups over 25 years have been steadily increasing. The under 5 year group had been decreasing also, until 1950 when the trend was reversed. The population 65 years and older in-

creased from 3.1% of the total in 1900 to 6.4% in 1950. See Table XV, page 89. These general age trends have been characteristic of both the white and nonwhite population although the rate of change has been more rapid for the white population.

One of the factors in Georgia's population growth is natural increase. Natural increase is the number of births occurring to residents of an area less the number of deaths to residents of the area. In 1953 Georgia's natural increase was 66,667. Figure 4 shows live birth and death rates by race for Georgia since 1924. The difference between the birth and death rates is an estimate of the rate of natural increase.

FIGURE 4
LIVE BIRTH AND DEATH RATES, BY RACE,
GEORGIA, 1924-1953



Military Events

From 1940-1949, vital events occurring on military reservations were not included in county figures. In 1950, those events occurring in military reservations, if the reservation was listed as the usual residence, were included in the county in which the reservation was located. Since 1950, events occurring in military reservations are included in state totals but excluded from county totals. The counties affected most by this procedure are, Chattahoochee, Liberty, Muscogee, and Richmond.

DISCUSSION OF 1953 STATISTICS

Population

It is estimated that the state population increased 4.6% from April 1, 1950, to July 1, 1953. Most of this is due to the increase in the white population as shown in Table 6.

"Urban" as used here results in an estimate which is less than would be obtained by using the United States Census Bureau's 1950 definition.

Table 6
POPULATION BY RACE AND RESIDENCE, GEORGIA, APRIL 1, 1950 - JULY 1, 1953

Year	Total	White	Nonwhite	Urban		Rural	
				White	Nonwhite	White	Nonwhite
Estimate							
July 1, 1953	3,604,000	2,519,000	1,085,000	1,123,000*	525,000*	1,396,000	560,000
U.S. Census							
April 1, 1950	3,444,578	2,380,577	1,064,001	1,067,911	491,536	1,312,666	572,465
% change since							
April 1, 1950	4.6%	5.8%	2.0%	5.2%	6.8%	6.3%	-2.2%

* Urban as used here includes the population of incorporated places which had 2,500 or more persons in 1950 plus military personnel stationed in the state.

Source: U. S. Census figures from Census Bureau Reports.

Physicians

As of January 1, 1955, there were 2,940 physicians located in Georgia. Of this number, 2,436 were engaged in private practice, 272 were institutional physicians, 65 were Public Health Physicians and 167 were retired. There were 1,447 civilian persons for each physician in private practice. County totals for physicians in private practice are shown in Table XIII, page 86.

Marriages and Divorces (Table XII, page 84)

In 1953 there were 52,092 marriages in Georgia, an increase of 7.6% over the previous year. The rate in 1953 was 14.5 per thousand population as compared to 13.6 in 1952. Seventy-eight percent of the marriages were between white persons.

Table 7 shows 1953 Georgia marriages, by place of residence of the bride and groom. About 39% of the persons married in Georgia were residents of other states.


Table 7
MARRIAGES BY RESIDENCE OF BRIDE AND GROOM, GEORGIA, 1953

Resident of Georgia	Number
Total marriages	52,092
Bride and Groom	29,616
Bride	2,855
Groom	1,392
Neither	18,025
Not stated	204

There were 6,809 divorces reported in the state during 1953, a decrease of 24.3% from the previous year. There is very little difference in divorce rates by race, the rates being 1.9 for whites and 1.8 for nonwhites per 1,000 population.

Stillbirths

A stillbirth is defined as a birth after 20 weeks of gestation which shows no sign of life. In 1953, there were 1,967 stillbirths reported which was the smallest number ever recorded for the state. Urban stillbirth rates are slightly higher than those for rural areas.



Live births

A liveborn child is one which shows evidence of life (breathing, heart beat, or movement of voluntary muscles) after complete birth.

The 97,421 live births recorded in 1953 is the largest number ever previously registered for Georgia residents, but the rate of 27.0 per thousand population is slightly lower than the 1952 rate of 27.3. Table 8 shows live birth rates since 1940, adjusted for incomplete registration. Figure 1, page xii shows the differences graphically.

Table 8
LIVE BIRTH RATES, GEORGIA, 1940 - 1953

Year	Rate per 1,000 Population	
	Crude	Adjusted for Incomplete Registration
1940	20.7	25.5
1941	21.6	26.2
1942	23.1	27.5
1943	25.1	29.4
1944	24.7	28.5
1945	24.0	27.3
1946	27.4	30.7
1947	29.2	32.2
1948	28.6	31.1
1949	29.0	31.1
1950	26.7	28.2
1951	26.7	28.1
1952	27.3	28.6
1953	27.0	28.2

Birth rates for the white population are higher in urban than rural areas, but this is reversed for the nonwhite population (see Table I, page 1). Since 1930, nonwhite live birth rates have been consistently higher than white live birth rates. In recent years the rates appear to have leveled off, with nonwhite rates remaining higher than white rates.

Approximately 79% of all live births occurred in hospitals in 1953 as compared to 76% in 1952.

Immature Births


An immature birth is defined as the birth of a liveborn infant with a weight of $5\frac{1}{2}$ lbs. (2500 grams) or less. If weight is not specified, a liveborn infant whose period of gestation is less than nine months is considered immature.

There were 7,673 immature births recorded for the state in 1953. The rate of 78.8 per 1,000 live births is essentially the same as 79.1 per 1,000 live births for 1952. Until this year the rate of immature births had shown a steady increase since 1947, the first year that immaturity (prematurity) data were tabulated. Classification is based on length of gestation for 1947-1949. Since 1949 birth weight has been the basis of classification. The yearly increase probably has been due to more complete reporting of birth weight rather than any actual increase in the incidence of immaturity.

Nonwhite immature birth rates are higher than white rates and the difference is probably greater than is indicated by overall rates. Probably the most accurate measure of the incidence of immaturity is among births delivered in hospitals by physicians. Rates by race and sex for physician deliveries in hospitals indicate that immaturity is almost twice as frequent among nonwhites as among whites. Part of this difference may possibly be due to a disproportionate number of complicated cases among nonwhite deliveries in hospitals, since more than 95% of white babies are delivered in hospitals as compared with about 50% of the nonwhite.

FIGURE 6

REPORTED IMMATURE LIVE BIRTH RATES BY RACE,
SEX AND ATTENDANT, GEORGIA, 1953



SOURCE: TABLE 9

Another factor which has considerable influence on the overall immaturity rates among nonwhites is apparent biases in reporting birth weight for deliveries outside of the hospital.

Immaturity rates among nonwhites are considerably lower for "physicians not in the hospital" and for "midwife not in the hospital" than for hospital deliveries. In contrast to white-nonwhite differences for "physician in hospital" deliveries, nonwhite rates are lower than white rates for "midwife not in hospital" deliveries and for white deliveries in the hospital.

Table 9
IMMATURE LIVE BIRTHS BY PLACE OF OCCURRENCE, ATTENDANT, RACE AND SEX, GEORGIA, 1953

Place of Occurrence and Attendant	Number					Rate per 100 live births				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
Total	7673	1980	2244	1595	1854	7.9	6.3	7.5	8.9	10.4
Physician in Hospital	6210	1899	2164	1004	1143	8.2	6.2	7.5	11.8	13.8
Physician not in Hosp.	341	52	48	114	127	7.6	7.0	6.5	7.5	8.5
Midwife in Hospital	21	--	--	13	8	9.0	0	0	10.7	8.3
Midwife not in Hosp.	1072	27	30	453	562	6.7	6.8	8.9	5.9	7.3
Nurse midwife & other	29	2	2	11	14	6.4	4.4	5.0	6.3	7.1

Delivery outside of a hospital might result in some upward bias in weighing infants, since there probably is more chance of reporting clothing and/or blankets in birth weight than for those weighed in hospitals. This may also be true to a certain extent for birth weight reported by small hospitals (2-10 beds) which usually are operated by a physician in a rural area or a small town.

Overall immaturity rates are higher for urban than rural areas. Table 10 shows rates by race, residence and attendant. The differences in rates by race are always lower for rural than urban areas except for nonwhites delivered in hospitals by physicians.

Again the inconsistency between white and nonwhite rates among midwife deliveries shows up. Among midwife deliveries rates are lower for whites than for nonwhites in both urban and rural areas.

Table 10
IMMATURE LIVE BIRTH RATES, BY RACE, RESIDENCE AND ATTENDANT, GEORGIA, 1953

Attendant and Place of Delivery	Total		White		Nonwhite	
	Urban	Rural	Urban	Rural	Urban	Rural
Total	8.6	7.3	7.1	6.6	11.2	8.3
Physician in Hospital	8.6	7.6	7.1	6.6	12.7	12.9
Physician not in Hosp.	8.4	7.1	9.4	6.2	8.2	7.8
Midwife in Hospital	10.6	7.9	0	0	11.0	8.7
Midwife not in Hosp.	7.6	6.4	8.1	7.7	7.5	6.4
Nurse Midwife & other	8.8	5.7	11.1	3.9	8.6	6.3

Note: Rates are based on figures in Table 9 distributed by residence.

Possibly there are other factors affecting the immaturity rates. Further investigation of this problem should be made with the objective of determining the factors responsible for the differences observed.

Illegitimate Births

On the confidential medical report of live birth the question is asked: "Is mother married to father of the child?" For statistical purposes, the answer "no" indicates a birth to an unwed mother. In 1953, the rate was 86.3 per 1,000 live births, the second highest ever recorded for the state. White and nonwhite rates were 12.9 and 213.0 per 1,000 live births respectively.

No county figures concerning illegitimate births are included in this report.


Infant Deaths

An infant death is any death occurring during the first year of life. Three thousand fifty-one infant deaths were recorded in Georgia during 1953. The white rate was 23.8 per thousand live births, while the nonwhite rate was 44.3. Infant death rates were higher for male and urban residents than for female and rural residents respectively.

Deaths from Immaturity

A death attributed to immaturity is one classified as "Immaturity with mention of other subsidiary causes" or "Immaturity Unqualified," sixth revision list numbers 774 and 776 respectively.

Immaturity is the leading cause of infant deaths in the state (see Table VII, page 8). In 1953, 609 infant deaths were classified as due to immaturity giving a rate of 6.3 per 1,000 live births or twenty percent of all infant deaths. Rates are higher for the nonwhite and urban populations than for the white and rural inhabitants respectively. Figure 7 shows immature birth and death rates by race for Georgia since 1924.



Death rates from immaturity declined from 15.7 per 1,000 live births in 1940 to 6.3 in 1953. However, much of this decrease is due to classification changes. Table 11 shows death rates from immaturity under the fifth revision of the "list" ^{1/} adjusted to the basis of the sixth revision which is now used.

Table 11
IMMATURE DEATH RATES ADJUSTED FOR CHANGES IN CLASSIFICATION
UNDER THE SIXTH REVISION OF THE INTERNATIONAL LIST OF
DISEASES AND CAUSES OF DEATH, GEORGIA, 1940-1953

Year	Fifth Revision Classification	Adjusted to Basis of Sixth Revision Classification
1940	15.7	10.7
1941	16.3	11.1
1942	15.2	10.4
1943	14.4	9.8
1944	13.7	9.3
1945	12.8	8.7
1946	12.1	8.3
1947	11.2	7.6
1948	11.5	7.8
1949	11.0	7.5
1950	...	7.8
1951	...	7.4
1952	...	6.6
1953	...	6.3

... Not applicable since Sixth Revision Classification went into effect in 1950.

In addition to the deaths from immaturity discussed above, 726 of the remaining 2,442 infant deaths were assigned to other causes with mention of immaturity. Immaturity was associated with 44% of all infant deaths in 1953.


Neonatal Deaths

A neonatal death is any death occurring under 28 days of age. In 1953, 2,005 or 65.7% of the infant deaths occurred during the first 27 days of life.

Since 1940 the neonatal death rate has declined from 35.0 to 20.6 per 1,000 live births in 1953. A high proportion of all neonatal deaths occur to infants under one day of age. In 1940 the under one day old death rate was 15.0 per 1,000 live births, but by 1953 this rate had decreased to 9.1. Figure 8 shows the decline in infant and neonatal death rates.

^{1/} Sixth Revision of International List of Diseases and Causes of Death.

FIGURE 8
 INFANT AND NEONATAL DEATH RATES BY RACE,
 GEORGIA, 1924-1953



Deaths all ages

The crude death rate of 8.5 per 1,000 population in 1953 is the lowest ever recorded for the state. White and nonwhite death rates were 7.4 and 11.3 per 1,000 population, respectively. Fifty-two percent of all deaths occurred either during the first year of life or after age 65. Table II shows rates by age, race and sex. Nonwhite rates are higher at all ages for both sexes except in the age group 65 years and older.

The death rate from heart disease for 1953 was 261.2 per 100,000 population. This was slightly higher than the rate recorded in 1952. The ten leading causes of death in 1953 were the same as in 1952 except for two changes:

- (1) Influenza and pneumonia, and accidents, exclusive of motor-vehicle accidents changed places, from sixth and fifth in 1952 to fifth and sixth respectively in 1953.
- (2) General arteriosclerosis replaced homicides in tenth place.

Table 12 shows rates for some of Georgia's leading causes of death before and after adjustment for changes in classification.

CAUSE SPECIFIC DEATH RATES PER 100,000 POPULATION FOR LEADING CAUSES OF DEATH, ADJUSTED FOR
CHANGES IN CLASSIFICATION, GEORGIA, 1940-1953

Cause and Sixth Revision International List Number	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953
Heart Diseases (410-443)														
Unadjusted	197.7	183.8	168.1	184.9	181.8	185.0	190.8	209.7	227.0	237.7	267.5	253.0	260.1	261.2
Adjusted	234.3	217.8	199.2	219.1	215.4	219.2	226.1	248.5	269.0	281.7	*	*	*	*
Vascular lesions affecting central nervous system (330-334)														
Unadjusted	103.5	101.9	97.6	99.6	100.4	104.4	94.4	102.1	109.5	110.2	118.6	122.5	125.4	126.2
Adjusted	109.5	107.8	103.2	105.4	106.2	110.5	99.9	108.0	115.8	116.6	*	*	*	*
Malignant Neoplasms including neoplasms of lymphatic and haematopoietic tissues (140-205)														
Unadjusted	62.7	68.0	67.9	67.1	72.2	78.1	77.5	82.9	90.4	94.9	96.7	90.1	96.9	100.3
Adjusted	64.5	70.0	69.8	69.1	74.3	80.4	79.7	85.3	93.0	97.6	*	*	*	*
Influenza & pneumonia (480-483, 490-493)														
Unadjusted	95.4	86.1	67.0	75.5	74.4	63.2	56.5	51.4	45.8	42.9	42.2	40.5	35.9	39.6
Adjusted	84.5	76.3	59.4	66.9	65.9	56.0	50.0	45.5	40.6	38.0	*	*	*	*
Accidents, excluding motor- vehicle (E800-E802, E840-E962)														
Unadjusted	40.2	40.1	44.3	42.2	43.8	41.6	42.9	40.4	41.9	38.6	35.4	39.4	36.3	35.1
Adjusted	37.8	37.8	41.7	39.8	41.2	39.2	40.4	38.1	39.5	36.3	*	*	*	*
Motor-vehicle accidents (E810-E835)														
Unadjusted	25.7	30.1	21.5	19.4	20.6	22.0	25.8	24.9	23.9	22.9	26.1	28.3	27.5	25.4
Adjusted	26.2	30.7	22.0	19.8	21.0	22.5	26.3	25.4	24.4	23.4	*	*	*	*
Nephritis & nephrosis (590-594)														
Unadjusted	107.2	107.5	102.0	100.5	92.9	91.7	82.5	79.3	77.6	76.0	24.6	24.6	24.2	20.3
Adjusted	40.7	40.8	38.8	38.2	35.3	34.8	31.3	30.1	29.5	28.9	*	*	*	*
Immaturity (774-776)														
Unadjusted	32.6	35.1	35.0	36.0	33.8	30.7	33.1	32.8	32.9	32.0	20.8	19.9	18.2	16.9
Adjusted	22.2	23.9	23.9	24.5	23.1	21.0	22.6	22.4	22.4	21.8	*	*	*	*

Note: 1940-1949 rates adjusted on the basis of comparability ratios shown in Table 4, page xiii.

* Same as unadjusted because adjustment is to the basis of Sixth Revision of International List Classification.

Table 13 shows death rates for Georgia adjusted for age and race. The direct method is used with the 1950 United States population as the standard.^{2/}

Table 13
DEATH RATES PER 100,000 POPULATION FOR GEORGIA AND UNITED STATES - AND GEORGIA, AGE, RACE, ADJUSTED DEATH RATES, 1950-1953

Year	Death Rates						Georgia Rates adjusted for:		
	United States			Georgia			Age & Race	Age Only	
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
1950	963.8	945.7	1119.4	880.6	767.8	1119.1	934.0	910.5	1144.0
1951	966.3	949.3	1110.9	865.0	738.0	1149.2	902.9	872.2	1162.7
1952	961.0	944.4	1101.5	862.1	740.7	1140.0	887.4	857.5	1144.0
1953	958.6	---	---	853.3	735.3	1127.5	884.5	855.8	1130.3

--- Figures not available.

Source: U. S. data from U. S. Vital Statistics Reports, 1950-1953. Other figures from Georgia Department of Public Health.

Age adjusted rates by race for Georgia are higher for both races than unadjusted rates for the state. Nonwhite rates were increased very little by the adjustment, but white rates were increased considerably. This is a reflection of differences in the age structure of the population of Georgia as compared with the United States.

Georgia's age-race adjusted rate is somewhat lower than the United States total rate in 1950, and has decreased at a faster rate than the unadjusted total rate for the United States.

Georgia's adjusted rates are not necessarily comparable with any United States rates, except 1950, because of changes in the composition of the population of the United States since 1950. To be comparable year by year United States rates would also have to be adjusted to the basis of the 1950 population.

Maternal Deaths

A maternal death is a death from complications of pregnancy, childbirth or the puerperium. There were 116 maternal deaths reported for Georgia in 1953. The rate has dropped steadily from 52.9 per 10,000 live births in 1940 to 11.9 in 1953. The rate for nonwhites is over three times as great as the rate for whites. Urban and rural rates are 9.3 and 14.3 deaths per 10,000 live births, respectively. Figure 9 shows maternal death rates for Georgia since 1924.

^{2/} The method is discussed in "Vital Statistics Rates in the United States, 1900-1940", pp. 66-69.

FIGURE 9
MATERNAL DEATH RATIO BY RACE,
GEORGIA, 1924-1953




TABLE I - SELECTED VITAL EVENTS, NUMBER AND RATE AND PER CENT OCCURRING IN HOSPITALS BY RACE, URBAN AND RURAL, GEORGIA, 1953 (By Place of Residence)

	State			Urban*			Rural		
	Total Both Races	White	Non-White	Total Both Races	White	Non-White	Total Both Races	White	Non-White
LIVE BIRTHS									
Number	97,421	61,671	35,750	46,312	29,877	16,435	51,109	31,794	19,315
Rate per 1,000 population	27.0	24.5	32.9	28.1	26.6	31.3	26.1	22.8	34.5
% occurring in hospital	78.8	96.4	48.4	88.7	98.8	70.4	69.7	94.0	29.6
DEATHS									
Number	30,754	18,521	12,233	15,823	9,150	6,673	14,931	9,371	5,560
Rate per 1,000 population	8.5	7.4	11.3	9.6	8.1	12.7	7.6	6.7	9.9
% occurring in hospital	42.1	49.1	31.5	48.7	55.8	39.0	35.0	42.5	22.5
STILLBIRTHS									
Number	1,967	867	1,100	953	437	516	1,014	430	584
Ratio per 1,000 live births	20.2	14.1	30.8	20.6	14.6	31.4	19.8	13.5	30.2
% occurring in hospital	69.9	90.8	53.5	81.0	94.5	69.6	59.5	87.0	39.2
MATERNAL DEATHS									
Number	116	39	77	43	13	30	73	26	47
Ratio per 10,000 live births	11.9	6.3	21.5	9.3	4.4	18.3	14.3	8.2	24.3
% occurring in hospital	62.9	84.6	51.9	72.1	92.3	63.3	57.5	80.8	44.7
INFANT DEATHS (Under 1 year)									
Number	3,051	1,469	1,582	1,486	739	747	1,565	730	835
Rate per 1,000 live births	31.3	23.8	44.3	32.1	24.7	45.5	30.6	23.0	43.2
% occurring in hospital	62.9	83.3	43.9	74.4	88.8	60.1	51.9	77.8	29.3
NEONATAL DEATHS									
Number	2,005	1,083	922	1,024	579	445	981	504	477
Rate per 1,000 live births	20.6	17.6	25.8	22.1	19.4	27.1	19.2	15.9	24.7
% occurring in hospital	75.0	93.3	53.5	87.4	96.9	75.1	62.0	89.1	33.3
IMMATURE BIRTHS									
Number	7,673	4,224	3,449	3,963	2,124	1,839	3,710	2,100	1,610
Rate per 1,000 live births	78.8	68.5	96.5	85.6	71.1	111.9	72.6	66.0	83.4
% occurring in hospital	81.5	96.2	63.5	89.7	98.5	79.6	72.7	93.9	45.1
DEATHS FROM IMMATUREITY									
Number	609	254	355	330	139	191	279	115	164
Rate per 1,000 live births	6.3	4.1	9.9	7.1	4.7	11.6	5.5	3.6	8.5
% occurring in hospital	69.6	93.3	52.7	82.1	97.1	71.2	54.8	88.7	31.1
MARRIAGES									
Number	52,092**	40,894	11,144	NA	NA	NA	NA	NA	NA
Rate per 1,000 population	14.5	16.2	10.3	NA	NA	NA	NA	NA	NA
DIVORCES									
Number	6,309	4,827	1,982	NA	NA	NA	NA	NA	NA
Rate per 1,000 population	1.9	1.9	1.8	NA	NA	NA	NA	NA	NA

NA - Not available
 * Events occurring in military installations are included in urban total.
 ** The breakdown by race will not add to total due to 54 of unknown race.

TABLE II - DEATHS, ALL CAUSES, NUMBER AND RATE, BY RACE, AGE AND SEX, GEORGIA, 1953

Age Group	Number					Rate per 100,000 population				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
All ages	30,754	11,040	7,481	6,614	5,619	853.3	883.8	589.1	1280.8	988.2
Under 1 year	3,051	845	624	894	688	3201.5	2807.3	2174.2	4656.2	3976.9
1-4 years	550	160	124	147	119	148.9	127.0	102.6	238.6	195.1
5-14 years	429	149	85	114	81	62.5	65.4	38.6	95.7	68.2
15-24 years	854	285	136	259	174	151.7	145.2	71.4	312.8	186.9
25-44 years	3,236	1,000	451	967	818	306.9	262.1	116.1	746.1	528.4
45-64 years	9,651	3,377	1,617	2,502	2,155	1619.6	1600.5	714.2	3427.4	2520.5
65 and over	12,968	5,219	4,443	1,724	1,582	5405.6	6858.1	4696.6	5543.4	4152.2
Unknown	15	5	1	7	2

TABLE III - SUMMARY OF SELECTED VITAL STATISTICS, GEORGIA, 1924-1953

Year	Livebirths						Deaths						Maternal Deaths *					
	Number			Rate			Number			Rate			Number			Ratio		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1924	63,386	41,379	22,007	21.8	23.6	19.2	34,797	17,750	17,047	12.0	10.1	14.9	708	362	346	111.7	87.5	157.2
1925	59,610	38,254	21,356	20.5	21.6	18.8	31,278	15,860	15,418	10.8	9.0	13.6	641	299	342	107.5	78.2	160.1
1926	50,493	32,226	18,267	17.4	18.1	16.3	29,905	15,136	14,769	10.3	8.5	13.2	485	222	263	96.1	68.9	144.0
1927	62,246	39,281	22,965	21.4	21.9	20.7	31,866	16,230	15,639	11.0	9.0	14.1	578	291	287	92.9	74.1	125.0
1928	60,259	38,135	22,124	20.7	21.0	20.2	36,085	18,642	17,443	12.4	10.3	15.9	622	312	310	103.2	81.8	140.1
1929	58,521	35,751	22,770	20.1	19.6	21.1	35,340	18,245	17,095	12.2	10.0	15.8	549	284	265	93.8	79.4	116.4
1930	60,318	37,064	23,254	20.7	20.1	21.7	35,188	18,036	17,152	12.1	9.8	16.0	658	361	297	109.1	97.4	127.7
1931	61,774	37,531	24,243	21.0	19.9	22.5	32,989	17,012	15,977	11.2	9.2	14.8	616	322	294	99.7	85.8	121.3
1932	63,690	38,209	25,481	21.5	20.4	22.5	32,122	16,813	15,309	10.8	9.0	14.1	620	310	310	97.3	81.1	121.7
1933	60,744	35,692	25,052	20.4	18.8	23.0	31,184	16,847	14,337	10.5	8.9	13.2	463	227	236	76.2	63.6	94.2
1934	64,615	38,333	26,282	21.5	20.1	24.0	35,590	19,157	16,433	11.8	10.0	15.0	505	262	243	78.2	68.3	92.5
1935	63,290	37,345	25,945	20.9	19.4	23.6	34,313	18,677	15,636	11.3	9.7	14.2	458	230	228	72.4	61.6	87.9
1936	61,617	36,320	25,297	20.2	18.7	22.9	37,293	20,156	17,137	12.2	10.4	15.5	491	251	240	79.7	69.1	94.9
1937	64,012	38,181	25,831	20.8	19.4	23.2	34,411	18,493	15,918	10.8	9.4	14.3	471	240	231	73.6	62.9	89.4
1938	64,307	38,613	25,694	20.7	19.5	23.0	33,617	18,109	15,508	10.8	9.1	13.9	421	198	223	65.5	51.3	86.8
1939	64,910	38,923	25,987	20.8	19.5	23.1	31,856	17,486	14,370	10.2	8.7	12.8	356	175	181	54.8	45.0	69.6
1940	64,695	38,911	25,784	20.7	19.1	23.8	32,296	17,324	14,972	10.3	8.5	13.8	342	146	196	52.9	37.5	76.0
1941	67,785	41,277	26,508	21.6	20.1	24.4	31,579	16,717	14,862	10.0	8.1	13.7	315	133	182	46.5	32.2	68.7
1942	72,189	45,192	26,997	23.1	22.2	24.9	28,807	15,820	12,987	9.2	7.8	12.0	299	146	153	41.4	32.3	56.7
1943	78,327	50,149	28,178	25.1	24.6	26.0	29,488	16,414	13,074	9.4	8.0	12.0	303	150	153	38.7	29.9	54.3
1944	77,018	49,464	27,554	24.7	24.3	25.4	28,803	16,118	12,685	9.2	7.9	11.7	276	122	154	35.8	24.7	55.9
1945	74,994	47,422	27,572	24.0	23.3	25.4	28,456	16,310	12,146	9.1	8.0	11.2	250	102	148	33.3	21.5	53.7
1946	85,699	56,354	29,345	27.4	27.6	27.0	27,405	16,160	11,245	8.8	7.9	10.4	229	85	144	26.7	15.1	49.1
1947	94,311	62,394	31,917	29.2	29.2	29.2	28,780	17,022	11,758	8.9	8.0	10.8	247	107	140	26.2	17.1	43.9
1948	91,604	58,601	33,003	28.6	27.7	30.5	29,309	17,083	12,226	9.2	8.1	11.3	208	78	130	22.7	13.3	39.4
1949	93,557	58,659	34,898	29.0	27.4	32.2	29,537	17,351	12,186	9.2	8.1	11.3	185	71	114	19.8	12.1	32.7
1950	92,099	57,003	35,096	26.7	24.3	31.6	30,416	18,005	12,411	8.8	7.7	11.2	150	55	95	16.3	9.6	27.1
1951	95,161	59,285	35,876	26.7	24.1	32.6	30,802	18,161	12,641	8.6	7.4	11.5	143	46	97	15.0	7.8	27.0
1952	97,130	61,439	35,691	27.3	24.9	33.0	30,622	18,310	12,312	8.6	7.4	11.4	128	36	92	13.2	5.9	25.8
1953	97,421	61,671	35,750	27.0	24.5	32.9	30,754	18,521	12,233	8.5	7.4	11.3	116	39	77	11.9	6.3	21.5

Year	Infant Deaths						Stillbirths						Immature Births					
	Number			Rate			Number			Ratio			Number			Rate		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1924	5,674	2,989	2,685	89.5	72.2	122.0	3,864	1,675	2,189	61.0	40.5	99.5						
1925	4,704	2,486	2,218	78.9	65.0	103.9	3,455	1,435	2,020	58.0	37.5	94.6						
1926	4,405	2,299	2,106	87.2	71.3	115.3	2,972	1,246	1,726	58.9	38.7	94.5						
1927	4,578	2,334	2,244	73.5	59.4	97.7	3,836	1,604	2,232	61.6	40.8	97.2						
1928	4,875	2,574	2,301	80.9	67.5	104.0	3,478	1,335	2,143	57.7	35.0	96.9						
1929	4,464	2,343	2,121	76.3	65.5	93.1	3,541	1,374	2,167	60.5	38.4	95.2						
1930	4,713	2,468	2,245	78.1	66.6	96.5	3,796	1,454	2,342	62.9	39.2	100.7						
1931	4,234	2,137	2,097	68.5	56.9	86.5	3,678	1,424	2,254	59.5	37.9	93.0						
1932	4,097	2,122	1,975	64.3	55.5	77.5	3,847	1,492	2,355	60.4	39.0	92.4						
1933	4,079	2,119	1,960	67.2	59.4	78.2	3,700	1,382	2,318	60.9	38.7	92.5						
1934	5,086	2,628	2,458	78.7	68.6	93.5	4,120	1,673	2,447	63.8	43.6	93.1						
1935	4,316	2,227	2,089	68.2	59.6	80.5	3,987	1,532	2,455	63.0	41.0	94.6						
1936	4,319	2,114	2,205	70.1	58.2	87.2	3,666	1,457	2,209	59.5	40.1	87.3						
1937	3,968	2,014	1,954	62.0	52.7	75.6	3,677	1,499	2,178	57.4	39.3	84.3						
1938	4,352	2,267	2,085	67.7	58.7	81.1	3,390	1,386	2,004	52.7	35.9	78.0						
1939	3,817	1,960	1,857	58.8	50.4	71.5	3,228	1,337	1,891	49.7	34.3	72.8						
1940	3,737	1,851	1,886	57.8	47.6	73.1	3,078	1,326	1,752	47.6	34.1	67.9						
1941	3,955	1,988	1,967	58.3	48.2	74.2	2,903	1,276	1,627	42.8	30.9	61.4						
1942	3,559	1,756	1,803	49.3	38.9	66.8	2,786	1,268	1,518	38.6	28.1	56.2						
1943	3,661	1,911	1,750	46.7	38.1	62.1	2,664	1,238	1,426	34.0	24.7	50.6						
1944	3,398	1,761	1,637	44.1	35.6	59.4	2,523	1,137	1,386	32.8	23.0	50.3						
1945	3,181	1,728	1,453	42.4	36.4	52.7	2,208	1,036	1,172	29.4	21.8	42.5						
1946	3,068	1,694	1,374	35.8	30.0	46.8	2,421	1,161	1,260	28.3	20.6	42.9						
1947	3,239	1,771	1,468	34.3	28.4	46.0	2,457	1,174	1,283	26.1	18.8	40.2						
1948	3,150	1,661	1,489	34.4	28.3	45.1	2,408	1,109	1,299	26.3	18.9	39.4	5,738	3,614	2,124	60.8	57.9	66.5
1949	3,093	1,668	1,425	33.1	28.4	40.8	2,178	972	1,206	23.3	16.6	34.6	6,557	3,738	2,819	70.1	63.7	80.8
1950	3,081	1,518	1,563	33.5	26.6	44.5	2,026	885	1,141	22.0	15.5	32.5	6,645	3,697	2,948	72.2	64.9	84.0
1951	3,256	1,548	1,708	34.2	26.1	47.6	2,097	974	1,123	22.0	16.4	31.3	7,355	4,079	3,276	77.3	68.8	91.3
1952	3,158	1,567	1,591	32.5	25.5	44.6	1,992	853	1,139	20.5	13.9	31.9	7,683	4,202	3,481	79.1	68.4	97.5
1953	3,051	1,469	1,582	31.3	23.8	44.3	1,967	867	1,100	20.2	14.1	30.8	7,673	4,224	3,449	78.8	68.5	96.5

NOT AVAILABLE

See notes at bottom of page 3.

TABLE III - SUMMARY OF SELECTED VITAL STATISTICS, GEORGIA, 1924-1953 (CONT'D)

Year	Deaths From Immaturity *						Illegitimate Births						Neonatal Deaths						
	Number			Rate			Number			Rate			Number			Rate			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1924	1,434	890	544	22.6	21.5	24.7	4,089	574	3,515	64.5	13.9	159.7							
1925	1,305	808	497	21.9	21.1	23.3	4,014	534	3,480	67.3	14.0	163.0							
1926	1,121	676	445	22.2	21.0	24.4	3,155	461	2,694	62.5	14.3	147.5							
1927	1,194	738	456	19.2	18.8	19.9	4,089	637	3,452	65.7	16.2	150.3	2,439	1,351	1,088	39.2	34.4	47.4	
1928	1,159	717	442	19.2	18.8	20.0	3,868	482	3,386	64.2	12.6	153.0	2,694	1,509	1,185	44.7	39.6	53.6	
1929	1,107	675	432	18.9	18.9	19.0	4,061	515	3,546	69.4	14.4	155.7	2,475	1,350	1,125	42.3	37.8	49.4	
1930	1,218	757	461	20.2	20.4	19.8	4,141	512	3,629	68.7	13.8	156.1	2,620	1,470	1,150	43.4	39.7	49.5	
1931	1,153	700	453	18.7	18.7	18.7	4,429	547	3,882	71.7	14.6	160.0	2,537	1,385	1,152	41.1	36.9	47.5	
1932	1,090	671	419	17.1	17.6	16.4	5,125	600	4,525	80.5	15.7	177.6	2,464	1,327	1,137	38.7	34.7	44.6	
1933	1,046	623	423	17.2	17.5	16.9	5,101	582	4,519	84.0	16.3	180.4	2,384	1,266	1,118	39.2	35.5	44.6	
1934	1,183	689	494	18.3	18.0	18.8	5,089	651	4,438	78.8	17.0	168.9	2,790	1,436	1,304	43.2	38.8	49.6	
1935	1,111	692	419	17.6	18.5	16.1	5,031	643	4,388	79.5	17.2	169.1	2,489	1,346	1,143	39.3	36.0	44.1	
1936	1,145	680	465	18.6	18.7	18.4	4,878	598	4,280	79.2	16.5	169.2	2,492	1,288	1,204	40.4	35.5	47.6	
1937	1,080	674	406	16.9	17.7	15.7	4,739	526	4,213	74.0	13.8	163.1	2,345	1,251	1,094	36.6	32.8	42.4	
1938	1,061	647	414	16.5	16.8	16.1	4,724	580	4,144	73.5	15.0	161.3	2,369	1,301	1,068	36.8	33.7	41.6	
1939	1,077	659	418	16.6	16.9	16.1	4,960	596	4,364	76.4	15.3	167.9	2,300	1,234	1,066	35.4	31.7	41.0	
1940	1,017	635	382	15.7	16.3	14.8	5,046	565	4,481	78.0	14.5	173.8	2,267	1,187	1,080	35.0	30.5	41.9	
1941	1,103	676	427	16.3	16.4	16.1	5,134	607	4,527	75.7	14.7	170.8	2,298	1,228	1,070	33.9	29.8	40.4	
1942	1,094	659	435	15.2	14.6	16.1	5,036	578	4,460	69.8	12.8	165.2	2,149	1,170	979	29.8	25.9	36.3	
1943	1,124	691	433	14.4	13.8	15.4	4,911	537	4,374	62.7	10.7	155.2	2,216	1,257	959	28.3	25.1	34.0	
1944	1,056	641	415	13.7	13.0	15.1	4,835	592	4,243	63.4	12.0	155.8	2,024	1,111	913	26.3	22.5	33.1	
1945	900	609	351	12.1	12.0	12.7	5,385	721	4,664	71.8	15.2	169.2	1,913	1,104	809	25.5	23.3	29.3	
1946	1,035	676	359	12.1	12.0	12.2	5,289	681	4,608	61.7	12.1	157.0	2,143	1,262	881	25.0	22.4	30.0	
1947	1,066	681	379	11.2	10.9	11.9	6,056	744	5,312	64.2	11.9	166.4	2,220	1,301	919	23.5	20.9	28.8	
1948	1,052	636	416	11.5	10.9	12.6	6,240	730	5,510	68.1	12.5	166.0	2,099	1,186	913	22.9	20.2	27.7	
1949	1,032	616	416	11.0	10.5	11.9	6,847	712	6,135	73.2	12.1	175.8	2,048	1,185	863	21.9	20.2	24.7	
1950	719	343	376	7.8	6.0	10.7	7,633	779	6,854	82.9	13.7	195.3	2,028	1,090	938	22.0	19.1	26.7	
1951	707	340	367	7.4	5.7	10.2	8,326	836	7,490	87.5	14.1	208.8	2,058	1,105	953	21.6	18.6	26.6	
1952	645	323	322	6.6	5.3	9.0	8,080	789	7,291	83.2	12.8	204.3	1,984	1,135	849	20.4	18.5	23.8	
1953	609	254	355	6.3	4.1	9.9	8,407	794	7,613	86.3	12.9	213.0	2,005	1,083	922	20.6	17.6	25.8	

Note: Prior to 1938 all events are by place of occurrence; beginning with 1938 events are by place of residence.

* Part of decrease from 1949 to 1950 is directly attributable to changes in classification of causes of death under the Sixth Revision of the International List of Diseases and Causes of Death.

Live birth and death rates are per 1,000 population, maternal death ratios are per 10,000 live births; all other rates and/or ratios are per 1,000 live births.

Not Available - Neonatal deaths are not available prior to 1927. Immature births are not available prior to 1947.

TABLE IV - IMPORTANT CAUSES OF DEATH, NUMBER AND PER CENT OF TOTAL IN SPECIFIED AGE GROUPS, BY RACE, GEORGIA, 1953

Rank	Age, Cause of Death and Sixth Revision of International List Number	Number			Per Cent of Total All Causes		
		Total	White	Non-White	Total	White	Non-White
	<u>ALL AGES</u>						
	Total, all causes	30,754	18,521	12,233	100.0	100.0	100.0
1.	Heart diseases (410-443)	9,412	6,201	3,211	30.6	33.5	26.2
	Chronic rheumatic heart disease (410-416)	223	137	86	0.7	0.7	0.7
	Arteriosclerotic and degenerative heart disease (420-422)	6,172	4,536	1,636	20.1	24.5	13.4
	Hypertension with heart disease (440-443)	2,294	1,166	1,128	7.5	6.3	9.2
2.	Vascular lesions affecting central nervous system (330-334)	4,549	2,495	2,054	14.8	13.5	16.8
3.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	3,615	2,595	1,020	11.8	14.0	8.3
4.	Influenza and pneumonia (480-483, 490-493)	1,426	600	826	4.6	3.2	6.8
5.	Accidents excluding motor-vehicle accidents (E800-E802, E840-E962)	1,265	756	509	4.1	4.1	4.2
6.	Motor-vehicle accidents (E810-E835)	917	658	259	3.0	3.6	2.1
7.	Nephritis and nephrosis (590-594)	730	332	398	2.4	1.8	3.3
8.	Immaturity (774-776)	609	254	355	2.0	1.4	2.9
9.	Ill-defined and unknown causes (780-793, 795)	478	171	307	1.6	0.9	2.5
10.	General arteriosclerosis (450)	466	328	138	1.5	1.8	1.1
	All other causes (residual)	7,287	4,131	3,156	23.7	22.3	25.8
	<u>UNDER ONE YEAR</u>						
	Total, all causes	3,051	1,469	1,582	100.0	100.0	100.0
1.	Immaturity (774-776)	609	254	355	20.0	17.3	22.4
2.	Influenza and pneumonia, (including pneumonia of newborn)(480-483, 490-493, 763)	444	148	296	14.6	10.1	18.7
	Pneumonia of newborn (763)	112	47	65	3.7	3.2	4.1
3.	Postnatal asphyxia and atelectasis (762)	392	264	128	12.8	18.0	8.1
4.	Congenital malformations (750-759)	327	242	85	10.7	16.5	5.4
5.	Birth injuries (760-761)	295	180	115	9.7	12.3	7.3
6.	Gastro-enteritis, colitis, and diarrhea of newborn (571, 764)	190	49	141	6.2	3.3	8.9
	Diarrhea of newborn (764)	36	5	31	1.2	0.3	2.0
7.	Other and ill-defined diseases peculiar to early infancy (766-769, 771, 773)	184	100	84	6.0	6.8	5.3
8.	Ill-defined and unknown causes (780-793, 795)	143	41	102	4.7	2.8	6.4
9.	Accidents, exclusive of motor-vehicle accidents (E800-E802, E840-E962)	116	44	72	3.8	3.0	4.6
10.	Haemolytic disease of newborn (Erythroblastosis)(770)	60	46	14	2.0	3.1	0.9
	All other causes (residual)	291	101	190	9.5	6.9	12.0
	<u>ONE - FOUR YEARS</u>						
	Total, all causes	550	284	266	100.0	100.0	100.0
1.	Influenza and pneumonia (480-483, 490-493)	97	31	66	17.6	10.9	24.8
2.	Accidents, exclusive of motor-vehicle accidents (E800-E802, E840-E962)	90	46	44	16.4	16.2	16.5
3.	Motor-vehicle accidents (E810-E835)	46	29	17	8.4	10.2	6.4
4.	Congenital malformations (750-759)	35	23	12	6.4	8.1	4.5
4.	Malignant neoplasms, including neoplasms of the lymphatic and haematopoietic tissues (140-205)	35	27	8	6.4	9.5	3.0
5.	Gastro-enteritis, colitis and ulcerative colitis (571, 572)	27	10	17	4.9	3.5	6.4
6.	Ill-defined and unknown causes (780-793, 795)	18	4	14	3.3	1.4	5.3
7.	Meningococcal infections (057)	17	13	4	3.1	4.6	1.5
8.	Bronchitis (500-502)	14	6	8	2.5	2.1	3.0
9.	Non-meningococcal meningitis (340)	13	6	7	2.4	2.1	2.6
10.	Tuberculosis, all forms (001-019)	12	4	8	2.2	1.4	3.0
	All other causes (residual)	146	85	61	26.5	29.9	22.9

TABLE IV - IMPORTANT CAUSES OF DEATH, NUMBER AND PER CENT OF TOTAL IN SPECIFIED AGE GROUPS, BY RACE, GEORGIA, 1953 (CONT'D)

Rank	Age, Cause of Death and Sixth Revision of International List Number	Number			Per Cent of Total All Causes		
		Total	White	Non-White	Total	White	Non-White
	<u>FIVE-FOURTEEN YEARS</u>						
	Total, all causes	429	234	195	100.0	100.0	100.0
1.	Accidents, exclusive of motor-vehicle accidents (E800-E802, E840-E962)	91	49	42	21.2	20.9	21.5
2.	Motor-vehicle accidents (E810-E835)	74	47	27	17.2	20.1	13.8
3.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	36	28	8	8.4	12.0	4.1
4.	Influenza and pneumonia (480-483, 490-493)	29	11	18	6.8	4.7	9.2
5.	Other diseases of central nervous system (350-357)	21	12	9	4.9	5.1	4.6
	Cerebral spastic infantile paralysis (351)	13	7	6	3.0	3.0	3.1
	Epilepsy (353)	6	3	3	1.4	1.3	1.5
	Other diseases of brain (355)	2	2	--	0.5	0.9	0
6.	Rheumatic fever (400-402)	16	7	9	3.7	3.0	4.6
6.	Nephritis and nephrosis (590-594)	16	10	6	3.7	4.3	3.1
7.	Congenital malformations (750-759)	14	7	7	3.3	3.0	3.6
8.	Heart diseases (410-443)	10	2	8	2.3	0.9	4.1
	Chronic rheumatic heart disease (410-416)	2	1	1	0.5	0.4	0.5
	Arteriosclerotic and degenerative heart disease (420-422)	4	--	4	0.9	0	2.1
9.	Diphtheria (075)	9	8	1	2.1	3.4	0.5
10.	Meningococcal infections (057)	8	4	4	1.9	1.7	2.1
	All other causes (residual)	105	49	56	24.5	20.9	28.7
	<u>FIFTEEN - TWENTY-FOUR YEARS</u>						
	Total, all causes	854	421	433	100.0	100.0	100.0
1.	Motor-vehicle accidents (E810-E835)	221	163	58	25.9	38.7	13.4
2.	Accidents, exclusive of motor-vehicle accidents (E800-E802, E840-E962)	141	71	70	16.5	16.9	16.2
3.	Homicide (E964, E980-E985)	98	11	87	11.5	2.6	20.1
4.	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues (140-205)	54	36	18	6.3	8.6	4.2
5.	Complications of pregnancy, childbirth, and the puerperium (640-689)	41	13	28	4.8	3.1	6.5
6.	Heart diseases (410-443)	39	15	24	4.6	3.6	5.5
	Chronic rheumatic heart disease (410-416)	14	7	7	1.6	1.7	1.6
	Arteriosclerotic and degenerative heart disease (420-422)	13	5	8	1.5	1.2	1.8
	Hypertension with heart disease (440-443)	4	1	3	0.5	0.2	0.7
7.	Tuberculosis, all forms (001-019)	38	3	35	4.4	0.7	8.1
8.	Influenza and pneumonia (480-483, 490-493)	29	12	17	3.4	2.8	3.9
9.	Nephritis and nephrosis (590-594)	18	10	8	2.1	2.4	1.8
9.	Suicide (E963, E970-E979)	18	12	6	2.1	2.8	1.4
10.	Other diseases of central nervous system (350-357)	14	6	8	1.6	1.4	1.8
	Cerebral spastic infantile paralysis (351)	4	1	3	0.5	0.2	0.7
	Other cerebral paralysis (352)	1	--	1	0.1	0	0.2
	Epilepsy (353)	9	5	4	1.1	1.2	0.9
	All other causes (residual)	143	69	74	16.7	16.4	17.1
	<u>TWENTY-FIVE - FORTY-FOUR YEARS</u>						
	Total, all causes	3,236	1,451	1,785	100.0	100.0	100.0
1.	Heart diseases (410-443)	600	262	338	18.5	18.1	18.9
	Chronic rheumatic heart disease (410-416)	69	43	26	2.1	3.0	1.5
	Arteriosclerotic and degenerative heart disease (420-422)	346	181	165	10.7	12.5	9.2
	Hypertension with heart disease (440-443)	117	15	102	3.6	1.0	5.7
2.	Malignant neoplasms, including neoplasms of the lymphatic and haematopoietic tissues (140-205)	383	222	161	11.8	15.3	9.0
3.	Accidents exclusive of motor-vehicle accidents (E800-E802, E840-E962)	301	186	115	9.3	12.8	6.4

TABLE IV- IMPORTANT CAUSES OF DEATH, NUMBER AND PER CENT OF TOTAL IN SPECIFIED AGE GROUPS, BY RACE, GEORGIA, 1953 (CONT'D)

Rank	Age, Cause of Death and Sixth Revision of International List Number	Number			Per Cent of Total All Causes		
		Total	White	Non-White	Total	White	Non-White
<u>FORTY-FIVE - FORTY-FOUR YEARS (CONT'D)</u>							
4.	Vascular lesions affecting central nervous system (330-334)	278	62	216	8.6	4.3	12.1
5.	Motor-vehicle accidents (E810-E835)	276	194	82	8.5	13.4	4.6
6.	Homicide (E964, E980-E985)	261	51	210	8.1	3.5	11.8
7.	Tuberculosis, all forms (001-019)	122	38	84	3.8	2.6	4.7
8.	Influenza and pneumonia (480-483, 490-493)	112	28	84	3.5	1.9	4.7
9.	Suicide (E963, E970-E979)	100	88	12	3.1	6.1	0.7
10.	Nephritis and nephrosis (590-594)	79	30	49	2.4	2.1	2.7
	All other causes (residual)	724	290	434	22.4	20.0	24.3
<u>FORTY-FIVE - SIXTY-FOUR YEARS</u>							
	Total, all causes	9,651	4,994	4,657	100.0	100.0	100.0
1.	Heart diseases (410-443)	3,566	1,972	1,594	36.9	39.5	34.2
	Chronic rheumatic heart disease (410-416)	80	47	33	0.8	0.9	0.7
	Arteriosclerotic and degenerative heart disease (420-422)	2,366	1,545	821	24.5	30.9	17.6
	Hypertension with heart disease (440-443)	828	261	567	8.6	5.2	12.2
2.	Vascular lesions affecting central nervous system (330-334)	1,599	543	1,056	16.6	10.9	22.7
3.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	1,591	1,023	568	16.5	20.5	12.2
4.	Influenza and pneumonia (480-483, 490-493)	308	77	231	3.2	1.5	5.0
5.	Accidents, exclusive of motor-vehicle accidents (E800-E802, E840-E962)	242	152	90	2.5	3.0	1.9
6.	Nephritis and nephrosis (590-594)	232	70	162	2.4	1.4	3.5
7.	Motor-vehicle accidents (E810-E835)	180	131	49	1.9	2.6	1.1
7.	Tuberculosis, all forms (001-019)	180	81	99	1.9	1.6	2.1
8.	Diabetes mellitus (260)	172	86	86	1.8	1.7	1.8
9.	Hypertension without mention of heart (444-447)	134	47	87	1.4	0.9	1.9
10.	Ill-defined and unknown causes (780-793, 795)	131	45	86	1.4	0.9	1.8
	All other causes (residual)	1,316	767	549	13.6	15.4	11.8
<u>SIXTY-FIVE AND OVER</u>							
	Total, all causes	12,968	9,662	3,306	100.0	100.0	100.0
1.	Heart disease (410-443)	5,185	3,945	1,240	40.0	40.8	37.5
	Chronic rheumatic heart disease (410-416)	58	39	19	0.4	0.4	0.6
	Arteriosclerotic and degenerative heart disease (420-422)	3,438	2,804	634	26.5	29.0	19.2
	Hypertension with heart disease (440-443)	1,344	888	456	10.4	9.2	13.8
2.	Vascular lesions affecting central nervous system (330-334)	2,648	1,879	769	20.4	19.4	23.3
3.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	1,507	1,255	252	11.6	13.0	7.6
4.	Influenza and pneumonia (480-483, 490-493)	518	340	178	4.0	3.5	5.4
5.	General arteriosclerosis (450)	385	294	91	3.0	3.0	2.8
6.	Nephritis and nephrosis (590-594)	375	210	165	2.9	2.2	5.0
7.	Accidents, exclusive of motor-vehicle accidents (E800-E802, E840-E962)	284	208	76	2.2	2.2	2.3
8.	Hypertension without mention of heart (444-447)	234	164	70	1.8	1.7	2.1
9.	Diabetes mellitus (260)	207	173	34	1.6	1.8	1.0
10.	Senility without mention of psychosis (794)	165	78	87	1.3	0.8	2.6
	All other causes (residual)	1,460	1,116	344	11.3	11.6	10.4
	<u>UNKNOWN AGE</u>	15	6	9

TABLE V - DEATHS AND DEATH RATIOS PER 10,000 LIVE BIRTHS, FROM DISEASES OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM, BY RACE, GEORGIA, 1953

Cause and Sixth Revision International List Number	Number			Ratio		
	Total	White	Non-White	Total	White	Non-White
Total, all causes	116	39	77	11.9	6.3	21.5
Abortion, all causes (650-652)	14	6	8	1.4	1.0	2.2
Ectopic pregnancy (645)	5	2	3	0.5	0.3	0.8
Hemorrhage of pregnancy (643, 644)	4	1	3	0.4	0.2	0.8
Toxemias of pregnancy (642)	36	8	28	3.7	1.3	7.8
Other complications arising during pregnancy (640, 641, 643-649)	6	--	6	0.6	0	1.7
Hemorrhage of childbirth and puerperium (670-672)	18	5	13	1.8	0.8	3.6
Infection during childbirth and puerperium (630-634)	14	6	8	1.4	1.0	2.2
Puerperal toxemias (635-636)	6	4	2	0.6	0.6	0.6
Other accidents and specified conditions of childbirth (673-678, 687)	11	6	5	1.1	1.0	1.4
Other and unspecified conditions of childbirth and the puerperium (660, 633)	2	1	1	0.2	0.2	0.3

TABLE VI - INFANT DEATHS, NUMBER AND PERCENTAGE DISTRIBUTION BY RACE, SEX AND AGE, GEORGIA, 1953

Race and Sex:	Number						Percentage Distribution					
	Under 1 Year	Under 28 Days				28 Days Thru 1 Year	Under 1 Year	Under 28 Days				28 Days Thru 1 Year
		Total	Under 1 Day	1-6 Days	7-27 Days			Total	Under 1 Day	1-6 Days	7-27 Days	
<u>Total (both races)</u>	3,051	2,005	890	822	293	1,046	100.0	65.7	29.2	26.9	9.6	34.3
<u>Male</u>	1,739	1,174	493	514	167	565	100.0	67.5	28.3	29.6	9.6	32.5
<u>Female</u>	1,312	831	397	308	126	481	100.0	63.3	30.3	23.5	9.6	36.7
<u>White</u>	1,469	1,083	505	462	116	386	100.0	73.7	34.4	31.4	7.9	26.3
<u>Male</u>	845	629	270	292	67	216	100.0	74.4	32.0	34.6	7.9	25.6
<u>Female</u>	624	454	235	170	49	170	100.0	72.8	37.7	27.2	7.9	27.2
<u>Nonwhite</u>	1,582	922	385	360	177	660	100.0	58.3	24.3	22.8	11.2	41.7
<u>Male</u>	894	545	223	222	100	349	100.0	61.0	24.9	24.8	11.2	39.0
<u>Female</u>	688	377	162	138	77	311	100.0	54.8	23.5	20.1	11.2	45.2

TABLE VII - INFANT DEATHS, NUMBER AND RATE PER 1,000 LIVE BIRTHS, BY RACE, BY CAUSE, GEORGIA, 1953

Cause and Sixth Revision International List Number	Number			Rate		
	Total	White	Non-White	Total	White	Non-White
Total, all causes	3,051	1,469	1,582	31.3	23.8	44.3
Tuberculosis, all forms (001-019)	1	--	1	0.0	0	0.0
Syphilis and its sequelae (020-029)	2	--	2	0.0	0	0.1
Dysentery, all forms (045-048)	22	3	19	0.2	0.0	0.5
Whooping cough (056)	4	--	4	0.0	0	0.1
All other infective and parasitic diseases (030-044, 049-055, 057-138)	43	13	30	0.4	0.2	0.8
Diseases of thymus gland (273)	7	4	3	0.1	0.1	0.1
Meningitis, except meningococcal and tuberculous (340)	23	8	15	0.2	0.1	0.4
All other diseases of nervous system and sense organs (330-334, 341-398)	6	3	3	0.1	0.0	0.1
Influenza and pneumonia, except pneumonia of newborn (430-493)	332	101	231	3.4	1.6	6.5
Influenza (480-483)	51	17	34	0.5	0.3	1.0
Pneumonia, except pneumonia of newborn (490-493)	281	84	197	2.9	1.4	5.5
All other diseases of respiratory system (470-475, 500-527)	49	16	33	0.5	0.3	0.9
Hernia and intestinal obstruction (560, 561, 570)	14	9	5	0.1	0.1	0.1
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543, 571, 572)	157	45	112	1.6	0.7	3.1
All other diseases of digestive system (530-542, 544-553, 573-587)	12	4	8	0.1	0.1	0.2
Congenital malformations (750-759)	327	242	85	3.4	3.9	2.4
Spina bifida and meningocele (751)	29	26	3	0.3	0.4	0.1
Congenital malformations of circulatory system (754)	132	99	33	1.4	1.6	0.9
All other congenital malformations (750, 752, 753, 755-759)	166	117	49	1.7	1.9	1.4
Certain diseases of early infancy (760-776)	1,733	903	830	17.8	14.6	23.2
Birth injuries (760, 761)	295	180	115	3.0	2.9	3.2
Without mention of immaturity (.0)	159	81	78	1.6	1.3	2.2
With immaturity (.5)	136	99	37	1.4	1.6	1.0
Intracranial and spinal injury at birth (760)	149	86	63	1.5	1.4	1.8
Without mention of immaturity (.0)	97	53	44	1.0	0.9	1.2
With immaturity (.5)	52	33	19	0.5	0.5	0.5
Other birth injury (761)	146	94	52	1.5	1.5	1.5
Without mention of immaturity (.0)	62	28	34	0.6	0.5	1.0
With immaturity (.5)	84	66	18	0.9	1.1	0.5
Postnatal asphyxia and atelectasis (762)	392	264	128	4.0	4.3	3.6
Without mention of immaturity (.0)	132	71	61	1.4	1.2	1.7
With immaturity (.5)	260	193	67	2.7	3.1	1.9
Pneumonia of newborn (763)	112	47	65	1.1	0.8	1.8
Without mention of immaturity (.0)	70	23	47	0.7	0.4	1.3
With immaturity (.5)	42	24	18	0.4	0.4	0.5
Diarrhea of newborn (764)	36	5	31	0.4	0.1	0.9
Without mention of immaturity (.0)	28	5	23	0.3	0.1	0.6
With immaturity (.5)	8	--	8	0.1	0	0.2
Other infections of newborn (765-768)	24	15	9	0.2	0.2	0.3
Without mention of immaturity (.0)	17	9	8	0.2	0.1	0.2
With immaturity (.5)	7	6	1	0.1	0.1	0.0
Neonatal disorders arising from maternal toxemia (769)	39	22	17	0.4	0.4	0.5
Without mention of immaturity (.0-.4)	9	4	5	0.1	0.1	0.1
With immaturity (.5-.9)	30	18	12	0.3	0.3	0.3
Hemolytic disease of newborn (erythroblastosis) (770)	60	46	14	0.6	0.7	0.4
Without mention of immaturity (.0-.2)	46	34	12	0.5	0.6	0.3
With immaturity (.5-.7)	14	12	2	0.1	0.2	0.1
Hemorrhagic disease of newborn (771)	20	7	13	0.2	0.1	0.4
Without mention of immaturity (.0)	15	5	10	0.2	0.1	0.3
With immaturity (.5)	5	2	3	0.1	0.0	0.1
Ill-defined diseases peculiar to early infancy including nutritional maladjustment (772, 773)	146	63	83	1.5	1.0	2.3
Without mention of immaturity (.0)	58	11	47	0.6	0.2	1.3
With immaturity (.5)	88	52	36	0.9	0.8	1.0
Immaturity with mention of subsidiary condition (774)	32	15	17	0.3	0.2	0.5
Immaturity unqualified (776)	577	239	338	5.9	3.9	9.5
Symptoms and ill-defined conditions (780-793, 795)	143	41	102	1.5	0.7	2.9
All other diseases (residual)	42	20	22	0.4	0.3	0.6
Accidents (E800-E962)	130	56	74	1.3	0.9	2.1
Inhalation and ingestion of food or other object causing obstruction or suffocation (E921, E922)	26	12	14	0.3	0.2	0.4
Accidental mechanical suffocation in bed and cradle (E924)	53	18	35	0.5	0.3	1.0
All other accidental causes (E800-E920, E923, E925-E962)	51	26	25	0.5	0.4	0.7
Homicide (E904, E980-E999)	4	1	3	0.0	0.0	0.1

TABLE VIII - NUMBER OF DEATHS FROM ACCIDENTS BY TYPE OF ACCIDENT, BY AGE, GEORGIA, 1953

Type of Accident (International List Number - Sixth Revision)	Age in Years							
	Total All Ages	Under 1	1-4	5-14	15-24	25-44	45-64	65 And Over
<u>Number</u>								
Total, all accidents	2,182*	130	136	165	362	577	422	389
Transport accidents (E800-E802, E810-E845, E850, E851-E858, E860-E866)	1,078*	14	47	84	268	346	209	109
Railway accidents (E800-E802)	35	--	1	1	6	16	10	1
Motor-vehicle accidents (traffic and non-traffic (E810-E835))	917*	14	46	74	221	276	180	105
Aircraft accidents (E860-E866)	69	--	--	--	28	39	2	--
All other transport accidents (E840-E845, E850, E851-E858)	57	--	--	9	13	15	17	3
Non-transport accidents (E870-E888, E890-E895, E900-E904, E910-E936, E940-E962)	1,104	116	89	81	94	231	213	280
Accidental poisoning (E870-E888, E890-E895)	69	--	15	--	6	26	17	5
Home	30	--	12	--	--	7	9	2
Other places	39	--	3	--	6	19	8	3
Accidental falls (E900-E904)	281	2	4	4	4	34	55	178
Home	180	2	3	2	--	13	31	129
Other places	101	--	1	2	4	21	24	49
Accidental burns (E916-E917)	227	12	37	24	6	39	47	62
Home	186	12	36	20	5	27	31	55
Other places	41	--	1	4	1	12	16	7
Accident caused by firearms (E919)	82	--	4	11	25	22	18	2
Home	42	--	3	5	12	12	9	1
Other places	40	--	1	6	13	10	9	1
Accidental mechanical suffocation (E924-E925)	74	62	5	1	1	3	1	1
Home	56	51	5	--	--	--	--	--
Other places	18	11	--	1	1	3	1	1
All other non-transport accidents (E910-E915, E918, E920-E923, E926-E936, E940-E962)	371	40	24	41	52	107	75	32
Home	68	19	14	5	5	11	8	6
Other places	303	21	10	36	47	96	67	26
<u>Rate Per 100,000 Population</u>								
Total, all accidents	60.5	136.4	36.8	24.0	64.3	54.7	70.8	162.2
Transport accidents (E800-E802, E810-E845, E850, E851-E858, E860-E866)	29.9	14.7	12.7	12.2	47.6	32.8	35.1	45.4
Railway accidents (E800-E802)	1.0	0	0.3	0.1	1.1	1.5	1.7	0.4
Motor vehicle accidents (traffic and non-traffic (E810-E835))	25.4	14.7	12.5	10.8	39.3	26.2	30.2	43.8
Aircraft accidents (E860-E866)	1.9	0	0	0	5.0	3.7	0.3	0
All other transport accidents (E840-E845, E850, E851-E858)	1.6	0	0	1.3	2.3	1.4	2.9	1.2
Non-transport accidents (E870-E888, E890-E895, E900-E904, E910-E936, E940-E962)	30.6	121.7	24.1	11.8	16.7	21.9	35.7	116.7
Accidental poisoning (E870-E888, E890-E895)	1.9	0	4.1	0	1.1	2.5	2.9	2.1
Home	0.8	0	3.2	0	0	0.7	1.5	0.8
Other places	1.1	0	0.8	0	1.1	1.8	1.3	1.2
Accidental falls (E900-E904)	7.8	2.1	1.1	0.6	0.7	3.2	9.2	74.2
Home	5.0	2.1	0.8	0.3	0	1.2	5.2	53.8
Other places	2.8	0	0.3	0.3	0.7	2.0	4.0	20.4
Accidental burns (E916-E917)	6.3	12.6	10.0	3.5	1.1	3.7	7.9	25.8
Home	5.2	12.6	9.7	2.9	0.9	2.6	5.2	22.9
Other places	1.1	0	0.3	0.6	0.2	1.1	2.7	2.9
Accidents caused by firearms (E919)	2.3	0	1.1	1.6	4.4	2.1	3.0	0.8
Home	1.2	0	0.8	0.7	2.1	1.1	1.5	0.4
Other places	1.1	0	0.3	0.9	2.3	0.9	1.5	0.4
Accidental mechanical suffocation (E924-E925)	2.1	65.1	1.4	0.1	0.2	0.3	0.2	0.4
Home	1.6	53.5	1.4	0	0	0	0	0
Other places	0.5	11.5	0	0.1	0.2	0.3	0.2	0.4
All other non-transport accidents (E910-E915, E918, E920-E923, E926-E936, E940-E962)	10.3	42.0	6.5	6.0	9.2	10.1	12.6	13.3
Home	1.9	19.9	3.8	0.7	0.9	1.0	1.3	2.5
Other places	8.4	22.0	2.7	5.2	8.4	9.1	11.2	10.8

* Includes one death with age unknown.

ITEM	State						Applying					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	97,421	61,671	35,750	27.0	24.5	33.5	389	265	124	28.0	23.7	45.9
2 Delivered in hospital	76,722	59,427	17,295	78.8%	96.4%	48.4%	230	207	23	59.1%	78.1%	18.5%
3 Delivered in home by physician	4,506	1,484	3,022	4.6%	2.4%	8.5%	84	49	35	21.6%	18.5%	28.2%
4 Delivered in home by midwife	16,038	731	15,307	16.5%	1.2%	42.8%	75	9	66	19.3%	3.4%	53.2%
5 Other deliveries	155	29	126	0.2%	0.0%	0.4%	--	--	--	0%	0%	0%
6 Immature births	7,673	4,224	3,449	78.8	68.5	96.5	20	16	4	51.4	60.4	32.3
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	1,967	867	1,100	20.2	14.1	30.8	5	1	4	12.9	3.8	32.3
DEATHS												
10 Total, all ages	30,754	18,521	12,233	853.3	735.3	1127.5	98	69	29	705.0	616.1	1074.1
11 Under 1 year	3,051	1,469	1,582	31.3	23.8	44.2	14	6	8	36.0	22.6	64.5
12 Under 28 days	2,005	1,083	922	20.6	17.6	25.8	7	4	3	18.0	15.1	24.2
13 Deaths from immaturity	609	254	355	6.3	4.1	9.9	1	1	--	2.6	3.8	0
14 1-4 years **	550	284	266	148.9	115.1	217.0	5	1	4	--	--	--
15 Maternal deaths	116	39	77	11.9	6.3	21.5	1	1	--	25.7	37.7	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	438	184	254	12.2	7.3	23.4	1	1	--	7.2	8.9	0
17 Syphilis and its sequelae (020-029)	113	38	75	3.1	1.5	6.9	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	42	13	29	1.2	0.5	2.7	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	8	4	4	0.2	0.2	0.4	--	--	--	0	0	0
22 Diphtheria (055)	20	13	7	0.6	0.5	0.6	--	--	--	0	0	0
23 Whooping cough (056)	6	1	5	0.2	0.0	0.5	--	--	--	0	0	0
24 Meningococcal infections (057)	45	26	19	1.2	1.0	1.8	--	--	--	0	0	0
25 Acute poliomyelitis (080)	9	5	4	0.2	0.2	0.4	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	13	6	7	0.4	0.2	0.6	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	7	3	4	0.2	0.1	0.4	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	2	2	--	0.1	0.1	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	2	1	1	0.1	0.0	0.1	--	--	--	0	0	0
31 Malaria (110-117)	2	--	2	0.1	0	0.2	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	133	61	72	3.7	2.4	6.6	--	--	--	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	3,615	2,595	1,020	100.3	103.0	94.0	8	7	1	57.6	62.5	37.0
34 Benign and unspecified neoplasms (210-239)	111	69	42	5.1	2.7	3.9	--	--	--	0	0	0
35 Diabetes mellitus (260)	437	289	148	12.1	11.5	13.6	--	--	--	0	0	0
36 Pellagra (281)	33	21	12	0.9	0.8	1.1	--	--	--	0	0	0
37 Anemias (290-293)	57	38	19	1.6	1.5	1.8	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	4,549	2,495	2,054	126.2	99.0	189.3	14	10	4	100.7	89.3	148.1
39 Nonmeningococcal meningitis (340)	70	31	39	1.9	1.2	3.6	--	--	--	0	0	0
40 Rheumatic fever (400-402)	48	23	25	1.3	0.9	2.3	1	--	1	7.2	0	37.0
41 Heart diseases (410-443)	9,412	6,201	3,211	261.2	246.2	295.9	29	24	5	208.6	214.3	185.2
42 Hypertension without mention of heart (444-447)	426	221	205	11.8	8.8	18.9	--	--	--	0	0	0
43 Influenza and pneumonia (480-483, 490-493)	1,426	600	826	39.6	23.8	76.1	12	5	7	86.3	44.6	259.3
44 Bronchitis (500-502)	61	44	17	1.7	1.8	1.6	1	1	--	7.2	8.9	0
45 Ulcer of stomach and duodenum (540-541)	131	94	37	3.6	3.7	3.4	--	--	--	0	0	0
46 Appendicitis (550-553)	53	33	20	1.5	1.3	1.8	--	--	--	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	169	91	78	4.7	3.6	7.2	1	1	--	7.2	8.9	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	248	96	152	6.9	3.8	14.0	1	--	1	7.2	0	37.0
49 Cirrhosis of liver (581)	206	167	39	5.7	6.6	3.6	1	1	--	7.2	8.9	0
50 Nephritis and nephrosis (590-594)	730	332	398	20.3	13.2	36.7	2	2	--	14.4	17.9	0
51 Hyperplasia of prostate (610)	149	84	65	4.1	3.3	6.0	--	--	--	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	116	39	77	3.2	1.6	7.1	1	1	--	7.2	8.9	0
53 Congenital malformations (750-759)	436	319	117	12.1	12.7	10.8	1	1	--	7.2	8.9	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	687	444	243	19.1	17.6	22.4	3	1	2	21.6	8.9	74.1
55 Infection of the newborn (763-768)	172	67	105	4.8	2.7	9.7	1	--	1	7.2	0	37.0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	874	392	482	24.2	15.6	44.4	2	2	--	14.4	17.9	0
57 Senility, without mention of psychosis (794)	171	78	93	4.7	3.1	8.6	1	--	1	7.2	0	37.0
58 Ill-defined and unknown causes (780-793, 795)	478	171	307	13.3	6.8	28.3	2	--	2	14.4	0	74.1
59 Motor vehicle accidents (E810-E835)	917	658	259	25.4	26.1	23.9	3	3	--	21.6	26.8	0
60 All other accidents (E800-E802, E840-E962)	1,265	756	509	35.1	30.0	46.9	4	2	2	28.8	17.9	74.1
61 Suicide (E963, E970-E979)	275	246	29	7.6	9.8	2.7	--	--	--	0	0	0
62 Homicide (E964, E980-E985)	463	295	168	12.0	3.8	33.9	1	1	--	7.2	8.9	0
63 All other diseases (residual)	2,129	1,375	754	59.1	54.6	69.5	8	6	2	57.6	53.6	74.1

COUNTY, BY RACE, GEORGIA, 1953

Atkinson						Bacon						Baker							
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *				
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White		
203	148	55	27.1	25.1	34.3	211	177	34	22.9	21.9	30.9	156	39	117	28.4	18.6	34.4	1	
114	111	3	56.2%	75.0%	5.5%	169	161	8	80.1%	91.0%	23.5%	80	39	41	51.3%	100.0%	35.0%	2	
39	26	13	19.2%	17.6%	23.6%	18	14	4	8.5%	7.9%	11.8%	2	--	2	1.3%	0%	1.7%	3	
50	11	39	24.6%	7.4%	70.9%	24	2	22	11.4%	1.1%	64.7%	74	--	74	47.4%	0%	63.2%	4	
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	5	
20	11	9	98.5	74.3	163.6	15	12	3	71.1	67.8	88.2	16	4	12	102.6	102.6	102.6	6	
																			7
																			8
10	7	3	49.3	47.3	54.5	3	2	1	14.2	11.3	29.4	3	--	3	19.2	0	25.6	9	
																			10
47	28	19	626.7	474.6	1187.5	70	61	9	760.9	753.1	818.2	54	20	34	981.8	952.4	1000.0	11	
7	3	4	34.5	20.3	72.7	9	8	1	42.7	45.2	29.4	5	1	4	32.1	25.6	34.2	12	
5	3	2	24.6	20.3	36.4	8	7	1	37.9	39.5	29.4	3	1	2	19.2	25.6	17.1	13	
2	1	1	9.9	6.8	18.2	3	3	--	14.2	16.9	0	1	--	1	6.4	0	8.5	14	
2	1	1	9.9	6.8	18.2	3	3	--	14.2	16.9	0	1	--	1	6.4	0	8.5	15	
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	64.1	0	85.5	16	
																			17
--	--	--	0	0	0	--	--	--	0	0	0	3	2	1	54.5	95.2	29.4	18	
--	--	--	0	0	0	1	1	--	10.9	12.3	0	--	--	--	0	0	0	19	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	20	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	21	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	22	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	24	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	25	
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	18.2	0	29.4	26	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31	
																			32
1	--	1	13.3	0	62.5	--	--	--	0	0	0	--	--	--	0	0	0	33	
5	5	--	66.7	84.7	0	9	8	1	97.8	98.8	90.9	5	2	3	90.9	95.2	88.2	34	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	35	
1	--	1	13.3	0	62.5	--	--	--	0	0	0	--	--	--	0	0	0	36	
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	18.2	0	29.4	37	
9	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	38	
9	4	5	120.0	67.8	312.5	12	8	4	130.4	98.8	363.6	11	4	7	200.0	190.5	205.9	39	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	40	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	41	
11	9	2	146.7	152.5	125.0	25	22	3	271.7	271.6	272.7	18	7	11	327.3	333.3	323.5	42	
--	--	--	0	0	0	--	--	--	0	0	0	2	2	--	36.4	95.2	0	43	
5	3	2	66.7	50.8	125.0	--	--	--	0	0	0	--	--	--	0	0	0	44	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	45	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	46	
1	--	1	13.3	0	62.5	--	--	--	0	0	0	--	--	--	0	0	0	47	
1	--	1	13.3	0	62.5	--	--	--	0	0	0	--	--	--	0	0	0	48	
--	--	--	0	0	0	1	1	--	10.9	12.3	0	--	--	--	0	0	0	49	
1	--	1	13.3	0	62.5	1	1	--	10.9	12.3	0	--	--	--	0	0	0	50	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	51	
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	18.2	0	29.4	52	
1	1	--	13.3	16.9	0	1	1	--	10.9	12.3	0	1	1	--	18.2	47.6	0	53	
1	--	1	13.3	0	62.5	4	3	1	43.5	37.0	90.9	1	1	--	18.2	47.6	0	54	
--	--	--	0	0	0	1	1	--	10.9	12.3	0	--	--	--	0	0	0	55	
3	2	1	40.0	33.9	62.5	3	3	--	32.6	37.0	0	2	--	2	36.4	0	58.8	56	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	57	
1	--	1	13.3	0	62.5	1	1	--	10.9	12.3	0	2	--	2	36.4	0	58.8	58	
2	2	--	26.7	33.9	0	1	1	--	10.9	12.3	0	1	--	1	18.2	0	29.4	59	
2	--	2	26.7	0	125.0	2	2	--	21.7	24.7	0	2	--	2	36.4	0	58.8	60	
1	1	--	13.3	16.9	0	1	1	--	10.9	12.3	0	1	1	--	18.2	47.6	0	61	
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	18.2	0	29.4	62	
1	1	--	13.3	16.9	0	7	7	--	76.1	86.4	0	1	--	1	18.2	0	29.4	63	

TABLE IX

VITAL STATISTICS, BY

ITEM	Baldwin						Banks					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	502	213	289	27.4	19.2	40.1	116	102	14	18.1	16.7	46.7
2 Delivered in hospital	241	206	35	48.0%	96.7%	12.1%	101	94	7	87.1%	92.2%	50.0%
3 Delivered in home by physician	28	--	28	5.6%	0%	9.7%	3	2	1	2.6%	2.0%	7.1%
4 Delivered in home by midwife	233	7	226	46.4%	3.3%	78.2%	11	5	6	9.5%	4.9%	42.9%
5 Other deliveries	--	--	--	0%	0%	0%	1	1	--	0.9%	1.0%	0%
6 Immature births	36	11	25	71.7	51.6	86.5	8	8	--	69.0	78.4	0
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	13	4	9	25.9	18.8	31.1	2	2	--	17.2	19.6	0
DEATHS												
10 Total, all ages	162	63	99	885.2	567.6	1375.0	56	50	6	875.0	819.7	2000.0
11 Under 1 year	19	3	16	37.8	14.1	55.4	2	2	--	17.2	19.6	0
12 Under 28 days	12	3	9	23.9	14.1	31.1	1	1	--	8.6	9.8	0
13 Deaths from immaturity	3	1	2	6.0	4.7	6.9	1	1	--	8.6	9.8	0
14 1-4 years **	4	1	3	--	--	--	--	--	--	--	--	0
15 Maternal deaths	--	--	--	0	0	0	--	--	--	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	5	2	3	27.3	18.0	41.7	--	--	--	0	0	0
17 Syphilis and its sequelae (020-029)	1	--	1	5.5	0	13.9	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	1	--	1	5.5	0	13.9	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	1	1	--	5.5	9.0	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	1	--	1	5.5	0	13.9	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	--	1	5.5	0	13.9	--	--	--	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	22	13	9	120.2	117.1	125.0	4	4	--	62.5	65.6	0
34 Benign and unspecified neoplasms (210-239)	1	--	1	5.5	0	13.9	--	--	--	0	0	0
35 Diabetes mellitus (260)	--	--	--	0	0	0	--	--	--	0	0	0
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	--	--	--	0	0	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	--	--	--	0	0	0	--	--	--	0	0	0
39 Nonmeningococcal meningitis (340)	16	8	8	87.4	72.1	111.1	12	9	3	187.5	147.5	1000.0
40 Rheumatic fever (400-402)	1	--	1	5.5	0	13.9	--	--	--	0	0	0
41 Heart diseases (410-443)	49	19	30	267.8	171.2	416.7	19	19	--	296.9	311.5	0
42 Hypertension without mention of heart (444-447)	3	2	1	16.4	18.0	13.9	1	1	--	15.6	16.4	0
43 Influenza and pneumonia (480-483, 490-493)	16	1	15	87.4	9.0	208.3	4	4	--	62.5	65.6	0
44 Bronchitis (500-502)	--	--	--	0	0	0	--	--	--	0	0	0
45 Ulcer of stomach and duodenum (540-541)	--	--	--	0	0	0	1	1	--	15.6	16.4	0
46 Appendicitis (550-553)	--	--	--	0	0	0	--	--	--	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	--	--	--	0	0	0	--	--	--	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	--	1	5.5	0	13.9	--	--	--	0	0	0
49 Cirrhosis of liver (581)	--	--	--	0	0	0	--	--	--	0	0	0
50 Nephritis and nephrosis (590-594)	4	--	4	21.9	0	55.6	2	--	2	31.2	0	666.7
51 Hyperplasia of prostate (610)	1	1	--	5.5	9.0	0	--	--	--	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	--	--	--	0	0	0	--	--	--	0	0	0
53 Congenital malformations (750-759)	--	--	--	0	0	0	--	--	--	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	4	--	4	21.9	0	55.6	--	--	--	0	0	0
55 Infection of the newborn (763-768)	--	--	--	0	0	0	--	--	--	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	7	3	4	38.3	27.0	55.6	1	1	--	15.6	16.4	0
57 Senility, without mention of psychosis (794)	--	--	--	0	0	0	--	--	--	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	1	1	--	5.5	9.0	0	--	--	--	0	0	0
59 Motor vehicle accidents (E810-E835)	1	1	--	5.5	9.0	0	3	3	--	46.9	49.2	0
60 All other accidents (E800-E802, E840-E962)	7	4	3	38.3	36.0	41.7	2	1	1	31.2	16.4	333.3
61 Suicide (E963, E970-E979)	2	2	--	10.9	18.0	0	1	1	--	15.6	16.4	0
62 Homicide (E964, E980-E985)	7	3	4	38.3	27.0	55.6	1	1	--	15.6	16.4	0
63 All other diseases (residual)	9	2	7	49.2	18.0	97.2	5	5	--	78.1	82.0	0

COUNTY, BY RACE, GEORGIA, 1953—CONTINUED

Barrow						Bartow						Ben Hill							
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *				
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White		
280	210	70	21.2	19.3	30.4	676	557	119	24.0	23.1	29.0	404	234	170	26.8	22.7	35.4	1	
238	201	37	85.0%	95.7%	52.9%	590	521	69	87.3%	93.5%	58.0%	282	233	49	69.8%	99.6%	28.8%	2	
11	6	5	3.9%	2.9%	7.1%	43	27	16	6.4%	4.8%	13.4%	6	1	5	1.5%	0.4%	2.9%	3	
31	3	28	11.1%	1.4%	40.0%	43	9	34	6.4%	1.6%	28.6%	116	--	116	28.7%	0%	68.2%	4	
--	--	--	0%	0%	0%	41	--	--	0%	0%	0%	--	--	--	0%	0%	0%	5	
20	11	9	71.4	52.4	128.6	41	33	8	60.7	59.2	67.2	33	21	12	81.7	89.7	70.6	6	
																			7
																			8
																			9
6	4	2	21.4	19.0	28.6	13	9	4	19.2	16.2	33.6	8	5	3	19.8	21.4	17.6	10	
																			11
92	77	15	697.0	706.4	652.2	178	155	23	631.2	643.2	561.0	151	91	60	1000.0	883.5	1250.0	12	
6	4	2	21.4	19.0	28.6	23	20	3	34.0	35.9	25.2	18	10	8	44.6	42.7	47.1	13	
3	3	--	10.7	14.3	0	16	13	3	23.7	23.3	25.2	12	9	3	29.7	38.5	17.6	14	
--	--	--	0	0	0	9	7	2	13.3	12.6	16.8	1	1	--	2.5	4.3	0	15	
1	1	--	--	--	--	1	1	1	--	--	--	3	3	--	--	--	--	16	
1	--	1	35.7	0	142.9	--	--	--	0	0	0	--	--	--	0	0	0	17	
																			18
1	1	--	7.6	9.2	0	1	1	--	3.5	4.1	0	1	--	1	6.6	0	20.8	19	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	20	
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	6.6	0	20.8	21	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	22	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	24	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	25	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	26	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30	
--	--	--	0	0	0	1	1	--	3.5	4.1	0	--	--	--	0	0	0	31	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	32	
--	--	--	0	0	0	1	1	--	3.5	4.1	0	--	--	--	0	0	0	33	
9	9	--	68.2	82.6	0	23	19	4	81.6	78.8	97.6	15	11	4	99.3	106.8	83.8	34	
--	--	--	0	0	0	1	1	--	3.5	4.1	0	--	--	--	0	0	0	35	
--	--	1	7.6	0	43.5	--	--	--	0	0	0	3	2	1	19.9	19.4	20.8	36	
1	1	--	7.6	9.2	0	1	1	--	3.5	4.1	0	1	1	--	6.6	9.7	0	37	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	38	
15	13	2	113.6	119.3	87.0	12	11	1	42.6	45.6	24.4	22	12	10	145.7	116.5	208.3	39	
--	--	--	0	0	0	1	--	1	3.5	0	24.4	--	--	--	0	0	0	40	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	41	
26	22	4	197.0	201.8	173.9	57	51	6	202.1	211.6	146.3	60	36	24	397.4	349.5	500.0	42	
7	5	2	53.0	45.9	87.0	5	3	2	17.7	12.4	48.8	1	1	--	6.6	9.7	0	43	
10	8	2	75.0	73.4	87.0	12	11	1	42.6	45.6	24.4	7	3	4	46.4	29.1	83.3	44	
--	--	--	0	0	0	1	1	--	3.5	4.1	0	--	--	--	0	0	0	45	
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	6.6	9.7	0	46	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	47	
1	--	1	7.6	0	43.5	2	2	--	7.1	8.3	0	--	--	--	0	0	0	48	
--	--	--	0	0	0	3	3	--	10.6	12.4	0	1	1	--	6.6	9.7	0	49	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	50	
2	2	--	15.2	18.3	0	3	2	1	10.6	8.3	24.4	3	1	2	19.9	9.7	41.7	51	
--	--	--	0	0	0	1	1	--	3.5	4.1	0	1	1	--	6.6	9.7	0	52	
1	--	1	7.6	0	43.5	--	--	--	0	0	0	--	--	--	0	0	0	53	
--	--	--	0	0	0	2	2	--	7.1	8.3	0	3	3	--	19.9	29.1	0	54	
2	2	--	15.2	18.3	0	2	2	--	7.1	8.3	0	6	5	1	39.7	48.5	20.8	55	
1	1	--	7.6	9.2	0	1	1	--	3.5	4.1	0	2	--	2	13.2	0	41.7	56	
--	--	--	0	0	0	11	8	3	39.0	33.2	73.2	2	2	--	13.2	19.4	0	57	
--	--	--	0	0	0	1	1	--	3.5	4.1	0	--	--	--	0	0	0	58	
2	2	--	15.2	18.3	0	5	5	--	17.7	20.7	0	2	--	2	13.2	0	41.7	59	
4	4	--	30.3	36.7	0	5	3	2	17.7	12.4	48.8	1	1	--	6.6	9.7	0	60	
2	2	--	15.2	18.3	0	12	11	1	42.6	45.6	24.4	5	2	3	33.1	19.4	62.9	61	
2	1	1	15.2	9.2	43.5	2	2	--	7.1	8.3	0	--	--	--	0	0	0	62	
1	--	1	7.6	0	43.5	1	1	--	3.5	0	24.4	2	--	2	13.2	0	41.7	63	
4	4	--	30.3	36.7	0	10	10	--	35.5	41.5	0	11	8	3	72.8	77.7	62.5	64	

TABLE IX

VITAL STATISTICS, BY

ITEM	Berrien						Bibb					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	342	269	73	25.1	23.0	38.4	3,437	2,040	1,397	28.1	25.4	33.1
2 Delivered in hospital	274	246	28	80.1%	91.4%	38.4%	3,359	2,038	1,321	97.7%	99.9%	94.6%
3 Delivered in home by physician	21	11	10	6.1%	4.1%	13.7%	28	1	27	0.8%	0.0%	1.9%
4 Delivered in home by midwife	47	12	35	13.7%	4.5%	47.9%	49	1	48	1.4%	0.0%	3.4%
5 Other deliveries	--	--	--	0%	0%	0%	1	--	1	0.0%	0%	0.1%
6 Immature births	25	17	8	73.1	63.2	109.6	260	136	124	75.6	66.7	88.8
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	7	4	3	20.5	14.9	41.1	71	36	35	20.7	17.6	25.1
DEATHS												
10 Total, all ages	96	71	25	705.9	606.8	1315.8	1,160	629	531	947.7	784.3	1258.3
11 Under 1 year	6	6	--	17.5	22.3	0	88	47	41	25.6	23.0	29.3
12 Under 28 days	5	5	--	14.6	18.6	0	56	35	21	16.3	17.2	15.0
13 Deaths from immaturity	2	2	--	5.8	7.4	0	11	5	6	3.2	2.4	4.3
14 1-4 years **	1	1	--	0	0	0	12	7	5	8.7	4.9	14.3
15 Maternal deaths	--	--	--	0	0	0	3	1	2	8.7	4.9	14.3
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	--	--	--	0	0	0	20	6	14	16.3	7.5	33.2
17 Syphilis and its sequelae (020-029)	--	--	--	0	0	0	8	2	6	6.5	2.5	14.2
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	1	--	1	0.8	0	2.4
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	1	--	1	0.8	0	2.4
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	1	1	--	0.8	1.2	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	1	1	--	0.8	1.2	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	1	--	7.4	8.5	0	3	2	1	2.4	2.5	2.4
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	14	13	1	102.9	111.1	52.6	150	96	54	122.5	119.7	128.0
34 Benign and unspecified neoplasms (210-239)	--	--	--	0	0	0	6	3	3	4.9	3.7	7.1
35 Diabetes mellitus (260)	--	--	--	0	0	0	22	12	10	18.0	15.0	23.7
36 Pellagra (281)	--	--	--	0	0	0	1	--	1	0.8	0	2.4
37 Anemias (290-293)	--	--	--	0	0	0	2	2	--	1.6	2.5	0
38 Vascular lesions affecting central nervous system (330-334)	18	13	5	132.4	111.1	263.2	178	80	98	145.4	99.8	232.2
39 Nonmeningococcal meningitis (340)	--	--	--	0	0	0	4	--	4	3.3	0	9.5
40 Rheumatic fever (400-402)	--	--	--	0	0	0	2	1	1	1.6	1.2	2.4
41 Heart diseases (410-443)	26	17	9	191.2	145.3	473.7	358	218	140	292.5	271.8	331.8
42 Hypertension without mention of heart (444-447)	1	1	--	7.4	8.5	0	18	11	7	14.7	13.7	16.6
43 Influenza and pneumonia (480-483, 490-493)	3	2	1	22.1	17.1	52.6	36	17	19	29.4	21.2	45.0
44 Bronchitis (500-502)	--	--	--	0	0	0	4	3	1	3.3	3.7	2.4
45 Ulcer of stomach and duodenum (540-541)	--	--	--	0	0	0	3	2	1	2.4	2.5	2.4
46 Appendicitis (550-553)	--	--	--	0	0	0	3	2	1	2.4	2.5	2.4
47 Intestinal obstruction and hernia (560, 561, 570)	2	1	1	14.7	8.5	52.6	10	6	4	8.2	7.5	9.5
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	--	--	--	0	0	0	11	2	9	9.0	2.5	21.3
49 Cirrhosis of liver (581)	1	1	--	7.4	8.5	0	6	4	2	4.9	5.0	4.7
50 Nephritis and nephrosis (590-594)	2	--	2	14.7	0	105.3	24	3	21	19.6	3.7	49.8
51 Hyperplasia of prostate (610)	--	--	--	0	0	0	7	3	4	5.7	3.7	9.5
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	--	--	--	0	0	0	3	1	2	2.4	1.2	4.7
53 Congenital malformations (750-759)	1	1	--	7.4	8.5	0	12	8	4	9.8	10.0	9.5
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	1	--	7.4	8.5	0	36	25	11	29.4	31.2	26.1
55 Infection of the newborn (763-768)	1	1	--	7.4	8.5	0	4	1	3	3.3	1.2	7.1
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	2	2	--	14.7	17.1	0	13	7	6	10.6	8.7	14.2
57 Senility, without mention of psychosis (794)	1	1	--	7.4	8.5	0	6	1	5	4.9	1.2	11.8
58 Ill-defined and unknown causes (780-793, 795)	1	1	--	7.4	8.5	0	25	7	18	20.4	8.7	42.7
59 Motor vehicle accidents (E810-E835)	6	5	1	44.1	42.7	52.6	29	20	9	23.7	24.9	21.3
60 All other accidents (E800-E802, E840-E962)	3	3	--	22.1	25.6	0	44	21	23	35.9	26.2	54.5
61 Suicide (E963, E970-E979)	3	3	--	22.1	25.6	0	11	10	1	9.0	12.5	2.4
62 Homicide (E964, E980-E985)	3	3	--	22.1	25.6	0	20	4	16	16.3	5.0	37.9
63 All other diseases (residual)	6	4	2	44.1	34.2	105.3	77	47	30	62.9	58.6	71.1

COUNTY, BY RACE, GEORGIA, 1953 — CONTINUED

Eleckley						Brantley						Brooks					
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *		
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
221	124	97	24.3	20.0	33.4	162	141	21	25.7	26.1	23.3	522	204	318	29.8	22.9	37.0
110	108	2	49.8%	87.1%	2.1%	99	97	2	61.1%	68.8%	9.5%	246	198	48	47.1%	97.1%	15.1%
18	12	6	8.1%	9.7%	6.2%	52	39	13	32.1%	27.7%	61.9%	17	2	15	3.3%	1.0%	4.7%
93	4	89	42.1%	3.2%	91.8%	11	5	6	6.8%	3.5%	28.6%	258	4	254	49.4%	2.0%	79.9%
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	--	--	1	0.2%	0%	7.1%
15	7	8	67.9	56.5	82.5	8	7	1	49.4	49.6	47.6	35	12	23	67.0	58.8	72.3
11	1	10	49.8	8.1	103.1	3	2	1	18.5	14.2	47.6	11	2	9	21.1	9.8	26.3
66	53	53	945.1	854.8	1137.9	48	42	6	761.9	777.8	666.7	169	76	93	965.7	853.9	1061.4
16	6	8	63.3	48.4	82.5	5	3	2	30.9	21.3	95.2	20	5	15	38.3	24.5	47.2
7	3	4	31.7	24.2	41.2	3	2	1	18.5	14.2	47.6	13	5	8	24.9	24.5	25.2
2	1	1	9.0	8.1	10.3	--	--	--	0	0	0	3	1	2	5.7	4.9	6.3
5	2	1	--	--	--	--	--	--	--	--	--	2	--	2	--	--	--
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
1	--	1	11.0	0	34.5	1	1	--	15.9	18.5	0	2	--	2	11.4	0	23.3
1	--	1	11.0	0	34.5	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
11	4	7	120.9	64.5	241.4	5	4	1	79.4	74.1	111.1	31	16	15	177.1	179.8	174.4
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
17	14	3	186.8	225.8	103.4	15	15	--	238.1	277.8	0	39	21	18	222.9	236.0	209.3
3	2	1	33.0	32.3	34.5	--	--	--	0	0	0	1	1	--	5.7	11.2	0
9	3	6	98.9	48.4	206.9	2	1	1	31.7	18.5	111.1	14	5	9	80.0	56.2	104.0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
1	1	--	11.0	16.1	0	--	--	--	0	0	0	--	--	--	0	0	0
1	1	--	11.0	16.1	0	--	--	--	0	0	0	3	3	--	17.1	33.7	0
5	3	2	54.9	48.4	69.0	3	1	2	47.6	18.5	222.2	5	3	2	28.6	33.7	23.3
--	--	--	0	0	0	--	--	--	0	0	0	2	1	1	11.4	11.2	11.6
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
3	3	--	33.0	48.4	0	--	--	--	0	0	0	1	--	1	5.7	0	11.6
--	--	--	0	0	0	1	--	1	15.9	0	111.1	3	1	2	17.1	11.2	23.3
4	1	3	44.0	16.1	103.4	1	1	--	15.9	18.5	0	4	1	3	22.9	11.2	34.9
--	--	--	0	0	0	--	--	--	0	0	0	2	2	2	11.4	0	23.3
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
2	2	--	22.0	32.3	0	--	--	--	0	0	0	3	--	3	17.1	0	34.9
3	3	--	33.0	48.4	0	2	2	--	31.7	37.0	0	3	2	1	17.1	22.5	11.6
8	5	3	87.9	80.6	103.4	2	2	--	31.7	37.0	0	12	4	8	68.6	44.9	93.0
--	--	--	0	0	0	1	1	--	15.9	18.5	0	1	1	--	5.7	11.2	0
1	1	--	22.0	16.1	34.5	--	--	--	0	0	0	4	--	4	22.9	0	46.5
9	5	4	98.9	80.6	137.9	6	6	--	95.2	111.1	0	9	3	6	51.4	33.7	69.8

ITEM	Bryan						Bulloch					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	185	102	83	31.4	28.3	36.1	677	303	374	27.7	19.9	40.7
2 Delivered in hospital	104	92	12	56.2%	90.2%	14.5%	450	289	161	66.5%	95.4%	43.0%
3 Delivered in home by physician	32	8	24	17.3%	7.8%	28.9%	33	8	25	4.9%	2.6%	6.7%
4 Delivered in home by midwife	48	2	46	25.9%	2.0%	55.4%	193	5	188	28.5%	1.7%	50.3%
5 Other deliveries	1	--	1	0.5%	0%	1.2%	1	1	--	0.1%	0.3%	0%
6 Immature births	14	9	5	75.7	88.2	60.2	55	16	39	81.2	52.8	104.3
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	2	1	1	10.8	9.8	12.0	18	7	11	26.6	23.1	29.4
DEATHS												
10 Total, all ages	56	32	24	949.2	888.9	1043.5	204	107	97	836.1	703.9	1054.3
11 Under 1 year	8	5	3	43.2	49.0	36.1	25	6	19	36.9	19.8	50.8
12 Under 28 days	5	4	1	27.0	39.2	12.0	17	4	13	25.1	13.2	34.8
13 Deaths from immaturity	1	1	--	5.4	9.8	0	9	1	8	13.3	3.3	21.4
14 1-4 years **	1	--	1				5	2	3			
15 Maternal deaths	--	--	--	0	0	0	1	--	1	14.8	0	26.7
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	--	--	--	0	0	0	--	--	--	0	0	0
17 Syphilis and its sequelae (020-029)	1	--	1	16.9		43.5	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	1	--	1	4.1	0	10.9
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	1	--	1	4.1	0	10.9
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	--	--	--	0	0	0	--	--	--	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	7	4	3	118.6	111.1	130.4	17	13	4	69.7	85.5	43.5
34 Benign and unspecified neoplasms (210-239)	--	--	--	0	0	0	--	--	--	0	0	0
35 Diabetes mellitus (260)	2	1	1	33.9	27.8	43.5	1	1	--	4.1	6.6	0
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	--	--	--	0	0	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	--	--	--	0	0	0	--	--	--	0	0	0
39 Nonmeningococcal meningitis (340)	10	3	7	169.5	83.3	304.3	38	17	21	155.7	111.8	228.3
40 Rheumatic fever (400-402)	--	--	--	0	0	0	--	--	--	0	0	0
41 Heart diseases (410-443)	--	--	--	0	0	0	--	--	--	0	0	0
42 Hypertension without mention of heart (444-447)	17	11	6	288.1	305.6	260.9	65	43	22	266.4	282.9	239.1
43 Influenza and pneumonia (480-483, 490-493)	--	--	--	0	0	0	7	3	4	28.7	19.7	43.5
44 Bronchitis (500-502)	3	1	2	50.8	27.8	87.0	11	1	10	45.1	6.6	108.7
45 Ulcer of stomach and duodenum (540-541)	--	--	--	0	0	0	1	1	--	4.1	6.6	0
46 Appendicitis (550-553)	--	--	--	0	0	0	1	--	1	4.1	0	10.9
47 Intestinal obstruction and hernia (560, 561, 570)	--	--	--	0	0	0	--	--	--	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	--	--	--	0	0	0	1	1	--	4.1	6.6	0
49 Cirrhosis of liver (581)	1	1	--	16.9	27.8	0	2	1	1	8.2	6.6	10.9
50 Nephritis and nephrosis (590-594)	2	2	--	33.9	55.6	0	--	--	--	0	0	0
51 Hyperplasia of prostate (610)	--	--	--	0	0	0	8	6	2	32.8	39.5	21.7
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	--	--	--	0	0	0	1	--	1	4.1	0	10.9
53 Congenital malformations (750-759)	1	1	--	16.9	27.8	0	2	1	1	8.2	6.6	10.9
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	1	1	33.9	27.8	43.5	5	2	3	20.5	13.2	32.6
55 Infection of the newborn (763-768)	--	--	--	0	0	0	--	--	--	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	2	1	50.8	55.6	43.5	11	2	9	45.1	13.2	97.8
57 Senility, without mention of psychosis (794)	--	--	--	0	0	0	--	--	--	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	--	--	--	0	0	0	1	1	--	4.1	6.6	0
59 Motor vehicle accidents (E810-E835)	1	--	1	16.9	0	43.5	6	3	3	24.6	19.7	32.6
60 All other accidents (E800-E802, E840-E962)	3	2	1	50.8	55.6	43.5	8	2	6	32.8	13.2	65.2
61 Suicide (E963, E970-E979)	--	--	--	0	0	0	1	1	--	4.1	6.6	0
62 Homicide (E964, E980-E985)	--	--	--	0	0	0	1	--	1	4.1	0	10.9
63 All other diseases (residual)	3	3	--	50.8	83.3	0	13	7	6	53.3	46.1	65.2

COUNTY, BY RACE, GEORGIA, 1953 — CONTINUED

Burke						Butts						Calhoun					
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *		
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
769	178	591	33.1	27.4	35.4	199	85	114	21.9	17.3	27.1	313	55	258	39.1	21.2	47.8
204	149	55	26.5%	83.7%	9.3%	132	84	48	66.3%	98.8%	42.1%	121	50	71	33.7%	90.9%	27.5%
64	11	53	6.3%	6.2%	9.0%	18	1	17	9.0%	1.2%	14.9%	5	1	4	1.6%	1.8%	1.6%
499	17	482	44.9%	9.6%	81.6%	49	--	49	24.6%	0%	43.0%	187	4	183	59.7%	7.3%	70.9%
2	1	1	0.3%	0.6%	0.2%	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%
52	10	42	67.6	56.2	71.1	17	7	10	85.4	82.4	87.7	28	2	26	39.5	36.4	100.3
18	--	18	23.4	0	30.5	5	3	2	25.1	35.3	17.5	5	--	5	16.0	0	19.4
254	62	192	1094.8	953.8	1149.7	89	54	35	978.0	1102.0	833.3	110	35	75	1375.0	1346.2	1356.9
21	3	28	40.3	16.9	47.4	7	3	4	35.2	35.3	35.1	15	--	15	47.9	0	35.1
18	2	16	23.4	11.2	27.1	5	2	3	25.1	23.5	26.3	11	--	11	35.1	0	42.4
9	1	8	11.7	5.6	13.5	3	1	2	15.1	11.8	17.5	4	--	4	12.8	0	15.4
5	--	5	--	--	--	1	1	--	--	--	--	2	1	1	--	--	--
3	--	3	39.0	0	50.8	--	--	--	0	0	0	1	--	1	31.9	0	16.2
5	1	4	21.6	15.4	24.0	--	--	--	0	0	0	1	1	--	12.5	38.5	0
4	--	4	17.2	0	24.0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
3	--	3	12.9	0	18.0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	12.5	0	15.5
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	1	--	1	11.0	0	23.8	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
4	--	4	17.2	0	24.0	--	--	--	0	0	0	1	--	1	12.5	0	15.4
27	12	15	116.4	184.6	89.8	14	8	6	153.8	163.3	142.9	10	4	6	125.0	153.8	111.1
--	--	--	0	0	0	1	1	--	11.0	20.4	0	--	--	--	0	0	0
4	1	3	17.2	15.4	18.0	--	--	--	0	0	0	--	--	--	0	0	0
1	--	1	4.3	0	6.0	--	--	--	0	0	0	--	--	--	0	0	0
1	1	--	4.3	15.4	0	--	--	--	0	0	0	--	--	--	0	0	0
40	5	35	172.4	76.9	209.6	4	4	--	44.0	81.6	0	11	4	7	137.5	153.8	129.6
1	--	1	4.3	0	6.0	2	1	1	22.0	20.4	23.8	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
57	20	37	245.7	307.7	221.6	26	20	6	285.7	408.2	142.9	50	19	31	625.0	730.8	574.1
4	2	2	17.2	30.8	12.0	1	--	1	11.0	0	23.8	1	--	1	12.5	0	18.5
17	2	15	73.3	30.8	89.8	12	2	10	131.9	40.8	238.1	6	--	6	75.0	0	111.1
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	12.5	38.5	0
--	--	--	0	0	0	1	--	1	11.0	0	23.8	1	--	1	12.5	0	18.5
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	2	2	--	22.0	40.8	0	1	--	1	12.5	0	18.5
2	--	2	8.6	0	12.0	--	--	--	0	0	0	1	--	1	12.5	0	18.5
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
5	1	4	21.6	15.4	24.0	2	1	1	22.0	20.4	23.8	1	--	1	12.5	0	18.5
1	--	1	4.3	0	6.0	--	--	--	0	0	0	--	--	--	0	0	0
3	--	3	12.9	0	18.0	--	--	--	0	0	0	1	--	1	12.5	0	18.5
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
3	1	2	12.9	15.4	12.0	--	--	--	0	0	0	4	--	4	50.0	0	74.1
4	--	4	17.2	0	24.0	1	--	1	11.0	0	23.8	1	--	1	12.5	0	18.5
10	1	9	43.1	15.4	53.9	4	2	2	44.0	40.8	47.6	6	--	6	75.0	0	111.1
11	2	9	47.4	30.8	53.9	1	1	--	11.0	20.4	0	1	--	1	12.5	0	18.5
5	--	5	21.6	0	29.9	2	1	1	22.0	20.4	23.8	1	--	1	12.5	0	18.5
7	4	3	30.2	61.5	18.0	5	4	1	54.9	81.6	23.8	--	--	--	0	0	0
10	4	6	43.1	61.5	35.9	3	2	1	33.0	40.8	23.8	2	1	1	25.0	38.5	18.5
1	1	--	4.3	15.4	0	--	--	--	0	0	0	3	2	1	37.5	76.9	18.5
5	--	5	21.6	0	29.9	1	--	--	11.0	0	23.8	2	1	1	25.0	38.5	18.5
19	4	15	81.9	61.5	89.8	6	5	1	65.9	102.0	23.8	3	2	1	37.5	76.9	18.5

ITEM	Camden						Candler					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	207	93	114	26.5	23.2	30.0	188	98	90	24.1	19.6	32.1
2 Delivered in hospital	106	89	17	51.2%	95.7%	14.9%	135	88	47	71.8%	89.8%	52.2%
3 Delivered in home by physician	5	2	3	2.4%	2.2%	2.6%	23	8	15	12.2%	8.2%	16.7%
4 Delivered in home by midwife	96	2	94	46.4%	2.2%	82.5%	30	2	28	16.0%	2.0%	31.1%
5 Other deliveries	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%
6 Immature births	10	5	5	48.3	53.8	43.9	3	--	3	16.0	0	33.3
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	3	--	3	14.5	0	26.3	4	1	3	21.3	10.2	33.3
DEATHS												
10 Total, all ages	75	28	47	961.5	700.0	1236.8	78	45	33	1000.0	900.0	1178.6
11 Under 1 year	9	3	6	43.5	32.3	52.6	4	1	3	21.3	10.2	33.3
12 Under 28 days	5	3	2	24.2	32.3	17.5	2	--	2	10.6	0	22.2
13 Deaths from immaturity	3	1	2	14.5	10.8	17.5	1	--	1	5.3	0	11.1
14 1-4 years **	1	--	1				2	2	--			
15 Maternal deaths	--	--	--	0	0	0	--	--	--	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	1	1	--	12.8	25.0	0	1	--	1	12.8	0	35.7
17 Syphilis and its sequelae (020-029)	--	--	--	0	0	0	1	--	1	12.8	0	35.7
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	1	--	1	12.8	0	26.3	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	--	1	12.8	0	26.3	--	--	--	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	5	1	4	64.1	25.0	105.3	8	7	1	102.6	140.0	35.7
34 Benign and unspecified neoplasms (210-239)	--	--	--	0	0	0	1	--	1	12.8	0	35.7
35 Diabetes mellitus (260)	2	1	1	25.6	25.0	26.3	1	1	--	12.8	20.0	0
36 Pellagra (281)	1	1	--	12.8	25.0	0	--	--	--	0	0	0
37 Anemias (290-293)	--	--	--	0	0	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	14	6	8	179.5	150.0	210.5	16	7	9	205.1	140.0	321.4
39 Nonmeningococcal meningitis (340)	--	--	--	0	0	0	--	--	--	0	0	0
40 Rheumatic fever (400-402)	--	--	--	0	0	0	2	1	1	25.6	20.0	35.7
41 Heart diseases (410-443)	19	7	12	243.6	175.0	315.8	19	12	7	243.6	240.0	250.0
42 Hypertension without mention of heart (444-447)	2	--	2	25.6	0	52.6	2	--	2	25.6	0	71.4
43 Influenza and pneumonia (480-483, 490-493)	4	1	3	51.3	25.0	78.9	3	2	1	38.5	40.0	35.7
44 Bronchitis (500-502)	--	--	--	0	0	0	--	--	--	0	0	0
45 Ulcer of stomach and duodenum (540-541)	--	--	--	0	0	0	--	--	--	0	0	0
46 Appendicitis (550-553)	--	--	--	0	0	0	--	--	--	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	--	12.8	25.0	0	1	--	1	12.8	0	35.7
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	--	--	--	0	0	0	--	--	--	0	0	0
49 Cirrhosis of liver (581)	--	--	--	0	0	0	--	--	--	0	0	0
50 Nephritis and nephrosis (590-594)	--	--	--	0	0	0	--	--	--	0	0	0
51 Hyperplasia of prostate (610)	--	--	--	0	0	0	5	4	1	64.1	80.0	35.7
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	--	--	--	0	0	0	--	--	--	0	0	0
53 Congenital malformations (750-759)	1	1	--	12.8	25.0	0	1	1	--	12.8	20.0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	--	--	--	0	0	0	--	--	--	0	0	0
55 Infection of the newborn (763-768)	--	--	--	0	0	0	1	--	1	12.8	0	35.7
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	4	2	2	51.3	50.0	52.6	1	--	1	12.8	0	35.7
57 Senility, without mention of psychosis (794)	--	--	--	0	0	0	--	--	--	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	2	--	2	25.6	0	52.6	1	--	1	12.8	0	35.7
59 Motor vehicle accidents (E810-E835)	5	1	4	64.1	25.0	105.3	4	3	1	51.3	60.0	35.7
60 All other accidents (E800-E802, E840-E962)	1	--	1	12.8	0	26.3	--	--	--	0	0	0
61 Suicide (E963, E970-E979)	3	2	1	38.5	50.0	26.3	1	1	--	12.8	20.0	0
62 Homicide (E964, E980-E985)	2	--	2	25.6	0	52.6	1	1	--	12.8	20.0	0
63 All other diseases (residual)	6	3	3	76.9	75.0	78.9	7	5	2	89.7	100.0	71.4

COUNTY, BY RACE, GEORGIA, 1953 — CONTINUED

Carroll						Catoosa						Charlton						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
780	638	142	23.2	23.5	22.2	396	388	8	24.4	24.6	20.0	180	107	73	38.3	32.4	52.1	1
642	592	50	82.3%	92.8%	35.2%	388	384	4	98.0%	99.0%	50.0%	105	97	8	58.3%	90.7%	11.0%	2
67	40	27	8.6%	6.3%	19.0%	8	4	4	2.0%	1.0%	50.0%	6	4	2	3.3%	3.7%	2.7%	3
71	6	65	9.1%	0.9%	45.8%	--	--	--	0%	0%	0%	69	6	63	38.3%	5.6%	86.3%	4
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	5
56	41	15	71.8	64.3	105.6	17	16	1	42.9	41.2	125.0	6	3	3	33.3	28.0	41.1	6
11	10	1	14.1	15.7	7.0	8	8	--	20.2	20.6	0	4	2	2	22.2	18.7	27.4	7
247	210	37	735.1	772.1	578.1	97	93	4	598.8	588.6	1000.0	43	18	25	914.9	545.5	1785.7	10
18	14	4	23.1	21.9	28.2	19	19	--	48.0	49.0	0	8	1	7	44.4	9.3	95.9	11
11	8	3	14.1	12.5	21.1	10	10	--	25.3	25.8	0	5	--	5	27.8	0	68.5	12
1	1	--	1.3	1.6	0	2	2	--	5.0	5.2	0	1	--	1	5.6	0	13.7	13
3	3	--	0	0	0	--	--	--	0	0	0	1	--	1	0	0	0	14
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	15
5	4	1	14.9	14.7	15.6	2	2	--	12.3	12.7	0	--	--	--	0	0	0	16
2	1	1	6.0	3.7	15.6	--	--	--	0	0	0	--	--	--	0	0	0	17
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	18
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	19
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	20
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	21
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	22
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	24
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	25
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	26
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	32
38	37	1	113.1	136.0	15.6	14	14	--	86.4	88.6	0	4	2	2	85.1	60.6	142.9	33
2	2	--	6.0	7.4	0	--	--	--	0	0	0	--	--	--	0	0	0	34
3	1	2	8.9	3.7	31.2	--	--	--	0	0	0	--	--	--	0	0	0	35
2	1	1	6.0	3.7	15.6	--	--	--	0	0	0	--	--	--	0	0	0	36
--	--	--	0	0	0	1	1	--	6.2	6.3	0	--	--	--	0	0	0	37
30	23	7	89.3	84.6	109.4	11	10	1	67.9	63.3	250.0	9	3	6	191.5	90.9	428.6	38
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	39
1	1	--	3.0	3.7	0	--	--	--	0	0	0	--	--	--	0	0	0	40
83	77	6	247.0	283.1	93.8	30	27	3	185.2	170.9	750.0	13	8	5	276.6	242.4	357.1	41
3	3	--	8.9	11.0	0	--	--	--	0	0	0	--	--	--	0	0	0	42
13	12	1	38.7	44.1	15.6	7	7	--	43.2	44.3	0	3	1	2	63.8	30.3	142.9	43
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	44
1	1	--	3.0	3.7	0	--	--	--	0	0	0	--	--	--	0	0	0	45
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	46
1	1	--	3.0	3.7	0	--	--	--	0	0	0	--	--	--	0	0	0	47
1	1	--	3.0	3.7	0	1	1	--	6.2	6.3	0	--	--	--	0	0	0	48
8	8	--	23.8	29.4	0	2	2	--	12.3	12.7	0	1	--	1	1.3	0	71.4	49
1	--	1	3.0	0	15.6	--	--	--	0	0	0	--	--	--	0	0	0	50
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	51
5	4	1	14.9	14.7	15.6	2	2	--	12.3	12.7	0	1	--	1	21.3	0	71.4	52
2	2	--	6.0	7.4	0	5	5	--	30.9	31.6	0	2	--	2	42.6	0	142.9	53
3	1	2	8.9	3.7	31.2	--	--	--	0	0	0	1	--	1	21.3	0	71.4	54
2	2	--	6.0	7.4	0	2	2	--	12.3	12.7	0	1	--	1	21.3	0	71.4	55
1	1	--	3.0	3.7	0	--	--	--	0	0	0	--	--	--	0	0	0	56
1	1	--	3.0	3.7	0	5	5	--	30.9	31.6	0	--	--	--	0	0	0	57
7	6	1	20.8	22.1	15.6	5	5	--	30.9	31.6	0	1	1	--	21.3	30.3	0	58
7	5	2	20.8	18.4	31.2	1	1	--	6.2	6.3	0	3	1	2	63.8	30.3	142.9	59
3	3	--	8.9	11.0	0	1	1	--	6.2	6.3	0	--	--	--	0	0	0	60
1	1	--	3.0	3.7	0	2	2	--	12.3	12.7	0	3	1	2	63.8	30.3	142.9	61
20	12	8	59.5	44.1	125.0	6	6	--	37.0	38.0	0	1	1	--	21.3	30.3	0	62

ITEM	Chatham						Chattahoochee					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	4,888	3,181	1,707	30.6	31.9	28.3	26	6	20	17.3	8.6	25.0
2 Delivered in hospital	4,494	3,171	1,323	91.9%	99.7%	77.5%	15	5	10	57.7%	83.3%	50.0%
3 Delivered in home by physician	363	10	353	7.4%	0.3%	20.7%	3	1	2	11.5%	16.7%	10.0%
4 Delivered in home by midwife	30	--	30	0.6%	0%	1.8%	8	--	8	30.8%	0%	40.0%
5 Other deliveries	1	--	1	0.0%	0%	0.1%	--	--	--	0%	0%	0%
6 Immature births	416	240	176	85.1	75.4	103.1	3	--	3	115.4	0	150.0
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	118	47	71	24.1	14.8	41.6	2	1	1	76.9	166.7	50.0
DEATHS												
10 Total, all ages	1,717	862	855	1073.1	864.6	1417.9	8	3	5	533.3	428.6	625.0
11 Under 1 year	180	73	107	36.8	22.9	52.7	1	--	1	38.5	0	50.0
12 Under 28 days	138	60	78	28.2	18.9	45.7	--	--	--	0	0	0
13 Deaths from immaturity	51	13	38	10.4	4.1	22.3	--	--	--	0	0	0
14 1-4 years **	36	12	24				--	--	--	0	0	0
15 Maternal deaths	7	2	5	14.3	6.3	29.3	--	--	--	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	31	7	24	19.4	7.0	39.8	--	--	--	0	0	0
17 Syphilis and its sequelae (020-029)	7	2	5	4.4	2.0	8.3	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	1	1	--	0.6	1.0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	2	--	2	1.2	0	3.3	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	5	4	1	3.1	4.0	1.7	--	--	--	0	0	0
25 Acute poliomyelitis (080)	1	--	1	0.6	0	1.7	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	3	1	2	1.9	1.0	3.3	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	3	2	1	1.9	2.0	1.7	--	--	--	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haemopoietic tissues (140-205)	222	135	87	138.8	135.4	144.3	1	1	--	66.7	142.9	0
34 Benign and unspecified neoplasms (210-239)	6	2	4	3.8	2.0	6.6	--	--	--	0	0	0
35 Diabetes mellitus (260)	33	17	16	20.6	17.1	26.5	--	--	--	0	0	0
36 Pellagra (281)	2	1	1	1.2	1.0	1.7	--	--	--	0	0	0
37 Anemias (290-293)	5	5	--	3.1	5.0	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	274	108	166	171.2	108.3	275.3	2	1	1	133.3	142.9	125.0
39 Nonmeningococcal meningitis (340)	7	2	5	4.4	2.0	8.3	--	--	--	0	0	0
40 Rheumatic fever (400-402)	6	1	5	3.8	1.0	8.3	--	--	--	0	0	0
41 Heart diseases (410-443)	533	296	237	333.1	296.9	393.0	4	1	3	266.7	142.9	375.0
42 Hypertension without mention of heart (444-447)	12	3	9	7.5	3.0	14.9	--	--	--	0	0	0
43 Influenza and pneumonia (480-483, 490-493)	73	21	52	45.6	21.1	86.2	1	--	1	66.7	0	125.0
44 Bronchitis (500-502)	1	--	1	0.6	0	1.7	--	--	--	0	0	0
45 Ulcer of stomach and duodenum (540-541)	4	2	2	2.5	2.0	3.3	--	--	--	0	0	0
46 Appendicitis (550-553)	4	--	4	2.5	0	6.6	--	--	--	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	8	3	5	5.0	3.0	8.3	--	--	--	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	5	--	5	3.1	0	8.3	--	--	--	0	0	0
49 Cirrhosis of liver (581)	6	6	--	3.8	6.0	0	--	--	--	0	0	0
50 Nephritis and nephrosis (590-594)	35	15	20	21.9	15.0	33.2	--	--	--	0	0	0
51 Hyperplasia of prostate (610)	4	2	2	2.5	2.0	3.3	--	--	--	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	7	2	5	4.4	2.0	8.3	--	--	--	0	0	0
53 Congenital malformations (750-759)	19	15	4	11.9	15.0	6.6	--	--	--	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	58	32	26	36.2	32.1	43.1	--	--	--	0	0	0
55 Infection of the newborn (763-768)	10	3	7	6.2	3.0	11.6	--	--	--	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	62	19	43	38.8	19.1	71.3	--	--	--	0	0	0
57 Senility, without mention of psychosis (794)	2	2	--	1.2	2.0	0	--	--	--	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	5	2	3	3.1	2.0	5.0	--	--	--	0	0	0
59 Motor vehicle accidents (E810-E835)	48	35	13	30.0	35.1	21.6	--	--	--	0	0	0
60 All other accidents (E800-E802, E840-E962)	83	48	35	51.9	48.1	58.0	--	--	--	0	0	0
61 Suicide (E963, E970-E979)	9	7	2	5.6	7.0	3.3	--	--	--	0	0	0
62 Homicide (E964, E980-E985)	31	7	24	19.4	7.0	39.8	--	--	--	0	0	0
63 All other diseases (residual)	90	54	36	56.2	54.2	59.7	--	--	--	0	0	0

COUNTY, BY RACE, GEORGIA, 1953 — CONTINUED

Chattooga						Cherokee						Clarke					
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *		
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
479	431	48	21.6	21.4	22.9	448	426	22	21.2	21.1	24.4	771	501	270	19.6	17.3	26.0
455	420	35	95.0%	97.4%	72.9%	411	396	15	91.7%	93.0%	68.2%	677	501	176	87.8%	100.0%	65.2%
10	8	2	2.1%	1.9%	4.2%	23	22	1	5.1%	5.2%	4.5%	39	--	39	5.1%	0%	14.4%
14	3	11	2.9%	0.7%	22.9%	14	8	6	3.1%	1.9%	27.3%	55	--	55	7.1%	0%	20.4%
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%
42	38	4	87.7	83.2	83.3	23	22	1	51.3	51.6	45.5	73	35	38	94.7	69.9	140.7
3	3	--	6.3	7.0	0	6	5	1	13.4	11.7	45.5	13	5	8	16.9	10.0	29.0
143	136	7	644.1	676.6	333.3	157	146	11	744.1	722.8	1222.2	304	177	127	773.5	612.5	1231.2
16	16	--	33.4	37.1	0	16	15	1	35.7	35.2	45.5	21	5	15	27.2	12.0	55.0
11	11	--	23.0	25.5	0	10	10	--	22.3	23.5	0	15	4	11	19.5	3.0	40.7
2	2	--	4.2	4.6	0	3	3	--	6.7	7.0	0	6	1	5	7.8	2.0	18.5
2	2	--	0	0	0	4	4	--	0	0	0	5	2	3	0	0	0
--	--	--	0	0	0	1	1	--	22.3	23.5	0	--	--	--	0	0	0
3	2	1	13.5	10.0	47.6	1	1	--	4.7	5.0	0	3	2	1	7.6	6.9	9.6
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	1	1	--	4.7	5.0	0	--	--	--	0	0	0
--	--	--	0	0	0	2	2	--	9.5	9.9	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
1	1	--	4.5	5.0	0	1	1	--	4.7	5.0	0	2	1	1	5.1	3.5	9.6
14	14	--	63.1	69.7	0	21	21	--	99.5	104.0	0	38	29	9	96.7	100.3	86.5
2	2	--	9.0	10.0	0	1	1	--	4.7	5.0	0	1	1	--	2.5	3.5	0
2	2	--	9.0	10.0	0	4	3	1	19.0	14.9	111.1	3	3	--	7.6	10.4	0
--	--	--	0	0	0	1	--	1	4.7	0	111.1	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
20	18	2	90.1	89.6	95.2	23	20	3	109.0	99.0	333.3	41	25	16	104.3	86.5	153.8
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	2.5	3.5	0
1	1	--	4.5	5.0	0	1	1	--	4.7	5.0	0	--	--	--	0	0	0
48	46	2	216.2	228.9	95.2	47	43	4	222.7	212.9	444.4	99	63	36	251.9	218.0	346.2
3	2	1	13.5	10.0	47.6	1	1	--	4.7	5.0	0	5	--	5	12.7	0	48.1
4	4	--	18.0	19.9	0	8	8	--	37.9	39.6	0	16	5	11	40.7	17.3	105.8
--	--	--	0	0	0	--	--	--	0	0	0	2	1	1	5.1	3.5	9.6
2	2	--	9.0	10.0	0	3	3	--	14.2	14.9	0	2	1	1	5.1	3.5	9.6
--	--	--	0	0	0	1	1	--	4.7	5.0	0	1	1	--	2.5	3.5	0
1	1	--	4.5	5.0	0	--	--	--	0	0	0	1	--	1	2.5	0	9.6
1	1	--	4.5	5.0	0	2	2	--	9.5	9.9	0	3	--	3	7.6	0	28.8
--	--	--	0	0	0	1	1	--	4.7	5.0	0	2	2	--	5.1	6.9	0
2	2	--	9.0	10.0	0	6	5	1	28.4	24.8	111.1	24	7	17	61.1	24.2	163.5
1	1	--	4.5	5.0	0	--	--	--	0	0	0	1	1	--	2.5	3.5	0
--	--	--	0	0	0	1	1	--	4.7	5.0	0	--	--	--	0	0	0
3	3	--	13.5	14.9	0	1	1	--	4.7	5.0	0	5	3	2	12.7	10.4	19.2
2	2	--	9.0	10.0	0	6	6	--	28.4	29.7	0	4	1	3	10.2	3.5	28.8
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	2.5	0	9.6
5	5	--	22.5	24.9	0	4	4	--	19.0	19.8	0	9	3	6	22.9	10.4	57.7
--	--	--	0	0	0	1	1	--	4.7	5.0	0	--	--	--	0	0	0
4	4	--	18.0	19.9	0	2	1	1	9.5	5.0	111.1	3	1	2	7.6	3.5	19.2
5	5	--	22.5	24.9	0	4	4	--	19.0	19.8	0	9	6	3	22.9	20.8	28.8
3	3	--	13.5	14.9	0	3	3	--	14.2	14.9	0	8	5	3	20.4	17.3	28.8
1	1	--	4.5	5.0	0	3	3	--	14.2	14.9	0	3	3	--	7.6	10.4	0
1	1	--	4.5	5.0	0	1	1	--	4.7	5.0	0	3	--	3	7.6	0	28.8
14	13	1	63.1	64.7	47.6	6	6	--	28.4	29.7	0	14	12	2	35.6	41.5	19.2

ITEM	Clay						Clayton					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	175	32	143	31.8	18.8	37.6	808	679	129	32.8	32.6	33.9
2 Delivered in hospital	47	32	15	26.9%	100.0%	10.5%	698	663	35	86.4%	97.6%	27.1%
3 Delivered in home by physician	4	--	4	2.3%	0%	2.8%	42	12	30	5.2%	1.8%	23.3%
4 Delivered in home by midwife	124	--	124	70.9%	0%	86.7%	68	4	64	8.4%	0.6%	49.6%
5 Other deliveries	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%
6 Immature births	14	3	11	80.0	93.8	76.9	68	57	11	84.2	83.9	85.3
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	4	--	4	22.9	0	28.0	15	12	3	18.6	17.7	23.3
DEATHS												
10 Total, all ages	62	24	38	1127.3	1411.8	1000.0	153	115	38	622.0	552.9	1000.0
11 Under 1 year	8	1	7	45.7	31.2	49.0	19	10	9	23.5	14.7	69.8
12 Under 28 days	7	1	6	40.0	31.2	42.0	11	7	4	13.6	10.3	31.0
13 Deaths from immaturity	1	--	1	5.7	0	7.0	2	2	--	2.5	2.9	0
14 1-4 years **	1	--	1	--	--	--	6	5	1	--	--	--
15 Maternal deaths	1	--	1	57.1	0	69.9	--	--	--	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	--	--	--	0	0	0	5	4	1	20.3	19.2	26.3
17 Syphilis and its sequelae (020-029)	1	--	1	18.2	0	26.3	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	2	--	2	36.4	0	52.6	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	1	1	--	4.1	4.8	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	1	--	1	18.2	0	26.3	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	--	--	--	0	0	0	--	--	--	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	8	3	5	145.5	176.5	131.6	14	13	1	56.9	62.5	26.3
34 Benign and unspecified neoplasms (210-239)	--	--	--	0	0	0	--	--	--	0	0	0
35 Diabetes mellitus (260)	--	--	--	0	0	0	4	4	--	16.3	12.2	0
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	1	1	--	18.2	58.8	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	12	6	6	218.2	352.9	157.9	20	13	7	81.3	62.5	184.2
39 Nonmeningococcal meningitis (340)	--	--	--	0	0	0	1	--	1	4.1	0	26.3
40 Rheumatic fever (400-402)	--	--	--	0	0	0	--	--	--	0	0	0
41 Heart diseases (410-443)	15	8	7	272.7	470.6	184.2	46	37	9	187.0	177.9	236.8
42 Hypertension without mention of heart (444-447)	1	--	1	18.2	0	26.3	1	1	--	4.1	4.8	0
43 Influenza and pneumonia (480-483, 490-493)	4	1	3	72.7	58.8	78.9	6	3	3	24.4	14.4	78.9
44 Bronchitis (500-502)	--	--	--	0	0	0	--	--	--	0	0	0
45 Ulcer of stomach and duodenum (540-541)	--	--	--	0	0	0	1	1	--	4.1	4.8	0
46 Appendicitis (550-553)	--	--	--	0	0	0	--	--	--	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	--	--	--	0	0	0	1	1	--	4.1	4.8	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	--	--	--	0	0	0	1	--	1	4.1	0	26.3
49 Cirrhosis of liver (581)	--	--	--	0	0	0	--	--	--	0	0	0
50 Nephritis and nephrosis (590-594)	1	--	1	18.2	0	26.3	2	2	--	8.1	9.6	0
51 Hyperplasia of prostate (610)	--	--	--	0	0	0	1	1	--	4.1	4.8	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	--	1	18.2	0	26.3	--	--	--	0	0	0
53 Congenital malformations (750-759)	2	1	1	36.4	58.8	26.3	2	2	--	8.1	9.6	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	--	1	18.2	0	26.3	4	2	2	16.3	9.6	52.6
55 Infection of the newborn (763-768)	1	--	1	18.2	0	26.3	2	1	1	8.1	4.8	26.3
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	--	--	--	0	0	0	4	4	--	16.3	19.2	0
57 Senility, without mention of psychosis (794)	--	--	--	0	0	0	2	--	2	8.1	0	52.6
58 Ill-defined and unknown causes (780-793, 795)	3	--	3	54.5	0	78.9	5	1	4	20.3	4.8	105.3
59 Motor vehicle accidents (E810-E835)	1	--	1	18.2	0	26.3	5	4	1	20.3	19.2	26.3
60 All other accidents (E800-E802, E840-E962)	2	1	1	36.4	58.8	26.3	10	8	2	40.6	38.5	52.6
61 Suicide (E963, E970-E979)	1	1	--	18.2	58.8	0	1	1	--	4.1	4.8	0
62 Homicide (E964, E980-E985)	--	--	--	0	0	0	1	--	1	4.1	0	26.3
63 All other diseases (residual)	3	2	1	54.5	117.6	26.3	13	11	2	52.8	52.9	52.6

COUNTY, BY RACE, GEORGIA, 1953—CONTINUED

Clinch						Cobb						Coffee					
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *		
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
214	138	76	36.3	35.4	38.0	2,297	2,071	226	32.1	31.9	34.2	696	465	231	28.1	24.7	38.5
179	134	45	83.6%	97.1%	59.2%	2,225	2,033	192	96.9%	98.2%	85.0%	507	440	67	72.8%	94.6%	29.0%
3	2	1	1.4%	1.4%	1.3%	47	33	14	2.0%	1.6%	6.2%	21	9	12	3.0%	1.9%	5.2%
32	2	30	15.0%	1.4%	39.5%	24	4	20	1.0%	0.2%	8.3%	168	16	152	24.1%	3.4%	65.8%
--	--	0	0%	0%	0%	1	1	--	0.0%	0.0%	0%	--	--	--	0%	0%	0%
17	9	8	79.4	65.2	105.3	194	173	21	84.5	83.5	92.9	44	27	17	63.2	58.1	73.6
6	3	3	28.0	21.7	39.5	30	29	1	13.1	14.0	4.4	21	12	9	30.2	25.8	39.0
74	33	41	1254.2	846.2	2050.0	471	388	83	657.8	596.9	1257.6	199	140	59	802.4	744.7	983.3
12	7	5	56.1	50.7	65.8	55	45	10	23.9	21.7	44.2	18	9	9	25.9	19.4	39.0
7	5	2	32.7	36.2	26.3	39	34	5	17.0	16.4	22.1	13	7	6	18.7	15.1	26.0
1	1	--	4.7	7.2	0	7	6	1	3.0	2.9	4.4	4	--	4	5.7	0	17.3
2	1	1	0	0	0	9	8	1	4.4	0	44.2	12	5	7	14.4	21.5	0
--	--	--	0	0	0	1	--	1	4.4	0	44.2	1	1	--	14.4	21.5	0
--	--	--	0	0	0	5	2	3	7.0	3.1	45.5	1	--	1	4.0	0	16.7
--	--	--	0	0	0	2	2	--	2.8	3.1	0	3	2	1	12.1	10.6	16.7
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	1	1	--	1.4	1.5	0	1	1	--	4.0	5.3	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	2	2	--	2.8	3.1	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	2	2	--	2.8	3.1	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
1	1	--	16.9	25.6	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
1	--	1	16.9	0	50.0	1	--	1	1.4	0	15.2	1	1	--	4.0	5.3	0
6	4	2	101.7	102.6	100.0	83	77	6	115.9	118.5	90.9	21	17	4	84.7	90.4	66.7
--	--	--	0	0	0	1	1	--	1.4	1.5	0	1	1	--	4.0	5.3	0
1	--	1	16.9	0	50.0	2	2	--	2.8	3.1	0	2	2	--	8.1	10.6	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
10	4	6	169.5	102.6	300.0	60	53	7	83.8	81.5	106.1	29	19	10	116.9	101.1	166.7
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	1	--	1	1.4	0	15.2	--	--	--	0	0	0
19	12	7	322.0	307.7	350.0	158	123	35	220.7	189.2	530.3	54	42	12	217.7	223.4	200.0
2	2	--	33.9	51.3	0	7	5	2	9.8	7.7	30.3	1	--	1	4.0	0	16.7
5	1	4	84.7	25.6	200.0	15	14	1	20.9	21.5	15.2	9	2	7	36.3	10.6	116.7
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	1	1	--	1.4	1.5	0	3	2	1	12.1	10.6	16.7
--	--	--	0	0	0	2	2	--	2.8	3.1	0	--	--	--	0	0	0
--	--	--	0	0	0	2	1	1	2.8	1.5	15.2	--	--	--	0	0	0
3	--	3	50.8	0	150.0	3	1	2	4.2	1.5	30.3	1	1	--	4.0	5.3	0
--	--	--	0	0	0	3	3	--	4.2	4.6	0	3	3	--	12.1	16.0	0
--	--	--	0	0	0	5	3	2	7.0	4.6	30.3	3	3	--	12.1	16.0	0
1	--	1	16.9	0	50.0	2	2	--	2.8	3.1	0	--	--	--	0	0	0
--	--	--	0	0	0	1	--	1	1.4	0	15.2	1	1	--	4.0	5.3	0
1	--	1	16.9	0	50.0	7	5	2	9.8	7.7	30.3	1	1	--	4.0	5.3	0
5	3	2	84.7	76.9	100.0	16	15	1	22.3	23.1	15.2	3	2	1	12.1	10.6	16.7
--	--	--	0	0	0	4	3	1	5.6	4.6	15.2	3	2	1	12.1	10.6	16.7
2	2	--	33.9	51.3	0	12	11	1	16.8	16.9	15.2	6	2	4	24.2	10.6	66.7
--	--	--	0	0	0	1	1	--	1.4	1.5	0	3	1	2	12.1	5.3	33.3
1	--	1	16.9	0	50.0	11	8	3	15.4	12.3	45.5	4	2	2	16.1	10.6	33.3
5	1	4	84.7	25.6	200.0	19	16	3	26.5	24.6	45.5	13	12	1	52.4	63.8	16.7
3	2	1	50.8	51.3	50.0	15	10	5	20.9	15.4	75.8	7	4	3	28.2	21.3	50.0
--	--	--	0	0	0	--	--	--	0	0	0	4	4	--	16.1	21.3	0
4	--	4	67.8	0	200.0	2	1	1	2.8	1.5	15.2	7	2	5	28.2	10.6	83.3
4	1	3	67.8	25.6	150.0	25	21	4	34.9	32.3	60.6	14	11	3	56.5	58.5	50.0

ITEM	Colquitt						Columbia					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	958	657	301	27.8	25.0	37.2	379	216	163	39.5	40.0	38.8
2 Delivered in hospital	785	649	136	81.9%	98.8%	45.2%	250	206	44	66.0%	95.4%	27.0%
3 Delivered in home by physician	30	5	25	3.1%	0.8%	8.3%	15	5	10	4.0%	2.3%	6.1%
4 Delivered in home by midwife	143	3	140	14.9%	0.5%	46.5%	114	5	109	30.1%	2.3%	66.9%
5 Other deliveries	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%
6 Immature births	59	36	23	61.6	54.8	76.4	26	15	11	68.6	69.4	67.5
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	16	11	5	16.7	16.7	16.6	4	--	4	10.6	0	24.5
DEATHS												
10 Total, all ages	266	176	90	773.3	669.2	1111.1	105	56	49	1093.8	1037.0	1166.7
11 Under 1 year	25	12	13	26.1	18.3	43.2	15	9	6	39.6	41.7	36.8
12 Under 28 days	16	11	5	16.7	16.7	16.6	11	6	5	29.0	27.8	30.7
13 Deaths from immaturity	--	--	--	0	0	0	3	1	2	7.9	4.6	12.3
14 1-4 years **	5	4	1				3	1	2			
15 Maternal deaths	3	2	1	31.3	30.4	33.2	--	--	--	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	1	1	--	2.9	3.8	0	2	--	2	20.8	0	47.6
17 Syphilis and its sequelae (020-029)	1	--	1	2.9	0	12.3	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	1	--	1	2.9	0	12.3	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	1	--	1	2.9	0	12.3	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	2	1	1	5.8	3.8	12.3	--	--	--	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haemotopoietic tissues (140-205)	20	16	4	58.1	60.8	49.4	8	5	3	83.3	92.6	71.4
34 Benign and unspecified neoplasms (210-239)	1	--	1	2.9	0	12.3	--	--	--	0	0	0
35 Diabetes mellitus (260)	3	1	2	8.7	3.8	24.7	1	--	1	10.4	0	23.8
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	--	--	--	0	0	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	46	32	14	133.7	121.7	172.8	11	5	6	114.6	92.6	142.9
39 Nonmeningococcal meningitis (340)	1	--	1	2.9	0	12.3	--	--	--	0	0	0
40 Rheumatic fever (400-402)	--	--	--	0	0	0	--	--	--	0	0	0
41 Heart diseases (410-443)	74	53	21	215.1	201.5	259.3	37	19	18	385.4	351.9	428.6
42 Hypertension without mention of heart (444-447)	3	3	--	8.7	11.4	0	2	1	1	20.8	18.5	23.8
43 Influenza and pneumonia (480-483, 490-493)	26	12	14	75.6	45.6	172.8	9	4	5	93.7	74.1	119.0
44 Bronchitis (500-502)	1	1	--	2.9	3.8	0	--	--	--	0	0	0
45 Ulcer of stomach and duodenum (540-541)	--	--	--	0	0	0	1	1	--	10.4	18.5	0
46 Appendicitis (550-553)	--	--	--	0	0	0	--	--	--	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	2	2	--	5.8	7.6	0	1	1	--	10.4	18.5	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	2	--	5.8	7.6	0	1	--	1	10.4	0	23.8
49 Cirrhosis of liver (581)	3	3	--	8.7	11.4	0	--	--	--	0	0	0
50 Nephritis and nephrosis (590-594)	4	2	2	11.6	7.6	24.7	3	1	2	31.2	18.5	47.6
51 Hyperplasia of prostate (610)	1	1	--	2.9	3.8	0	2	2	--	20.8	37.0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	3	2	1	8.7	7.6	12.3	--	--	--	0	0	0
53 Congenital malformations (750-759)	3	2	1	8.7	7.6	12.3	4	3	1	41.7	55.6	23.8
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	8	6	2	23.3	22.8	24.7	3	2	1	31.2	37.0	23.8
55 Infection of the newborn (763-768)	3	1	2	8.7	3.8	24.7	1	--	1	10.4	0	23.8
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	4	3	1	11.6	11.4	12.3	4	2	2	41.7	37.0	47.6
57 Senility, without mention of psychosis (794)	--	--	--	0	0	0	1	--	1	10.4	0	23.8
58 Ill-defined and unknown causes (780-793, 795)	4	1	3	11.6	3.8	37.0	2	1	1	20.8	18.5	23.8
59 Motor vehicle accidents (E810-E835)	6	6	--	17.4	22.8	0	3	2	1	31.2	37.0	23.8
60 All other accidents (E800-E802, E840-E962)	8	5	3	23.3	19.0	37.0	4	3	1	41.7	55.6	23.8
61 Suicide (E963, E970-E979)	4	4	--	11.6	15.2	0	1	1	--	10.4	18.5	0
62 Homicide (E964, E980-E985)	8	--	8	23.3	0	98.8	1	1	--	10.4	18.5	0
63 All other diseases (residual)	22	16	6	64.0	60.8	74.1	3	2	1	31.2	37.0	23.8

COUNTY, BY RACE, GEORGIA, 1953—CONTINUED

Cook						Coweta						Crawford						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
347	210	137	28.2	23.6	40.3	640	352	288	22.7	20.0	27.2	171	37	134	29.5	16.1	38.3	1
295	207	88	85.0%	98.6%	64.2%	464	337	127	72.5%	95.7%	44.1%	65	35	30	38.0%	94.6%	22.4%	2
3	1	2	0.9%	0.5%	1.5%	30	10	20	4.7%	2.8%	6.9%	1	--	1	0.6%	0%	0.7%	3
49	2	47	14.1%	1.0%	34.3%	144	5	139	22.5%	1.4%	48.3%	105	2	103	61.4%	5.4%	76.9%	4
--	--	--	0%	0%	0%	2	--	2	0.3%	0%	0.7%	--	--	--	0%	0%	0%	5
45	22	23	129.7	104.8	167.9	59	35	24	92.2	99.4	83.3	10	3	7	58.5	81.1	52.2	6
6	1	5	17.3	4.8	36.5	6	5	1	9.4	14.2	3.5	1	--	1	5.8	0	7.5	7
106	72	34	861.8	809.0	1000.0	244	142	102	865.2	806.8	962.3	64	28	36	1103.4	1217.4	1028.6	8
15	6	9	43.2	28.6	65.7	17	8	9	26.6	22.7	31.2	7	1	6	40.9	27.0	44.8	9
10	4	6	28.8	19.0	43.8	11	6	5	17.2	17.0	17.4	3	--	3	17.5	0	22.4	10
5	1	4	14.4	4.8	29.2	4	2	2	6.2	5.7	6.9	--	--	--	0	0	0	11
5	1	4	0	0	0	2	1	1	0	0	0	1	--	1	0	0	0	12
--	--	--	0	0	0	1	--	1	15.6	0	34.7	--	--	--	0	0	0	13
2	--	2	16.3	0	58.8	2	1	1	7.1	5.7	9.4	1	1	--	17.2	43.5	0	14
--	--	--	0	0	0	2	--	2	7.1	0	18.9	--	--	--	0	0	0	15
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	16
--	--	--	0	0	0	--	--	--	0	0	0	--	--	1	17.2	0	28.6	17
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	18
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	19
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	20
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	21
1	--	1	8.1	0	29.4	--	--	--	0	0	0	--	--	--	0	0	0	22
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	17.2	0	28.6	24
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	25
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	26
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29
--	--	--	0	0	0	1	--	1	3.5	0	9.4	--	--	--	0	0	0	30
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31
1	--	1	8.1	0	29.4	1	--	1	3.5	0	9.4	--	--	--	0	0	0	32
9	6	3	73.2	67.4	88.2	34	26	8	120.6	147.7	75.5	9	6	3	155.2	260.9	85.7	33
--	--	--	0	0	0	1	1	--	3.5	5.7	0	--	--	--	0	0	0	34
5	5	--	40.6	56.2	0	4	3	1	14.2	17.0	9.4	--	--	--	0	0	0	35
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	36
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	37
12	11	1	97.6	123.6	29.4	38	17	21	134.8	96.6	198.1	10	4	6	172.4	173.9	171.4	38
--	--	--	0	0	0	1	1	--	3.5	5.7	0	--	--	--	0	0	0	39
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	40
26	22	4	211.4	247.2	117.6	73	49	24	258.9	278.4	226.4	24	9	15	413.8	391.3	428.0	41
2	1	1	16.3	11.2	29.4	11	5	6	39.0	28.4	56.6	1	--	1	17.2	0	25.6	42
8	4	4	65.0	44.9	117.6	4	2	2	14.2	11.4	18.9	4	1	3	69.0	43.5	85.7	43
2	--	2	16.3	0	58.8	--	--	--	0	0	0	--	--	--	0	0	0	44
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	45
--	--	--	0	0	0	2	1	1	7.1	5.7	9.4	--	--	--	0	0	0	46
1	--	1	8.1	0	29.4	1	--	1	3.5	0	9.4	--	--	--	0	0	0	47
2	1	1	16.3	11.2	29.4	2	--	2	7.1	0	18.9	--	--	--	0	0	0	48
--	--	--	0	0	0	1	1	--	3.5	5.7	0	--	--	--	0	0	0	49
4	1	3	32.5	11.2	88.2	6	3	3	21.3	17.0	28.3	--	--	--	0	0	0	50
1	1	--	8.1	11.2	0	3	1	2	10.6	5.7	18.9	--	--	--	0	0	0	51
--	--	--	0	0	0	1	--	1	3.5	0	9.4	--	--	--	0	0	0	52
1	--	1	8.1	0	29.4	2	1	1	7.1	5.7	9.4	1	1	--	17.2	43.5	0	53
3	2	1	24.4	22.5	29.4	5	3	2	17.7	17.0	18.9	--	--	--	0	0	0	54
1	1	--	8.1	11.2	0	--	--	--	0	0	0	--	--	--	0	0	0	55
5	1	4	40.6	11.2	117.6	4	2	2	14.2	11.4	18.9	--	--	--	0	0	0	56
--	--	--	0	0	0	4	1	3	14.2	5.7	28.3	--	--	--	0	0	0	57
--	--	--	0	0	0	6	2	4	21.3	11.4	37.7	4	1	3	69.0	43.5	85.7	58
5	5	--	40.6	56.2	0	8	3	5	28.4	17.0	47.2	1	1	--	17.2	43.5	28.0	59
4	3	1	32.5	33.7	29.4	6	2	4	21.3	11.4	37.7	1	--	1	17.2	0	28.0	60
--	--	--	0	0	0	1	1	--	3.5	5.7	0	1	1	--	17.2	43.5	0	61
1	--	1	8.1	0	29.4	6	3	3	21.3	17.0	28.3	--	--	--	0	0	0	62
10	8	2	81.3	89.9	58.8	14	13	1	49.6	73.9	9.4	5	3	2	86.2	130.4	57.0	63

ITEM	Crisp						Dade					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	553	256	297	31.1	25.3	38.6	197	194	3	24.9	25.2	15.0
2 Delivered in hospital	268	236	32	48.5%	92.2%	10.8%	138	135	3	70.0%	69.6%	100.0%
3 Delivered in home by physician	7	1	6	1.3%	0.4%	2.0%	54	54	--	27.4%	27.8%	0%
4 Delivered in home by midwife	278	19	259	50.3%	7.4%	87.2%	5	5	--	2.5%	2.6%	0%
5 Other deliveries	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%
6 Immature births	46	17	29	83.2	66.4	97.6	4	4	--	20.3	20.6	0
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	27	5	22	48.8	19.5	74.1	1	1	--	5.1	5.2	0
DEATHS												
10 Total, all ages	174	87	87	977.5	861.4	1129.9	51	50	1	645.6	649.4	500.0
11 Under 1 year	27	5	22	48.8	19.5	74.1	8	8	--	40.6	41.2	0
12 Under 28 days	14	4	10	25.3	15.6	33.7	3	3	--	15.2	15.5	0
13 Deaths from immaturity	9	2	7	16.3	7.8	23.6	1	1	--	5.1	5.2	0
14 1-4 years **	1	--	1	--	--	--	1	1	--	--	--	--
15 Maternal deaths	1	1	--	18.1	39.1	0	--	--	--	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	6	1	5	33.7	9.9	64.9	--	--	--	0	0	0
17 Syphilis and its sequelae (020-029)	--	--	--	0	0	0	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	1	--	1	5.6	0	13.0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	--	--	--	0	0	0	1	1	--	12.7	13.0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	23	18	5	129.2	178.2	64.9	3	3	--	38.0	39.0	0
34 Benign and unspecified neoplasms (210-239)	--	--	--	0	0	0	1	1	--	12.7	13.0	0
35 Diabetes mellitus (240)	4	3	1	22.5	29.7	13.0	--	--	--	0	0	0
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	--	--	--	0	0	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	15	5	10	84.3	49.5	129.9	4	4	--	50.6	51.9	0
39 Nonmeningococcal meningitis (340)	--	--	--	0	0	0	--	--	--	0	0	0
40 Rheumatic fever (400-402)	1	1	--	5.6	9.9	0	--	--	--	0	0	0
41 Heart diseases (410-443)	48	33	15	269.7	326.7	194.8	21	21	--	265.8	272.7	0
42 Hypertension without mention of heart (444-447)	6	2	4	33.7	19.8	51.9	--	--	--	0	0	0
43 Influenza and pneumonia (480-483, 490-493)	4	2	2	22.5	19.8	26.0	4	4	--	50.6	51.9	0
44 Bronchitis (500-502)	1	1	--	5.6	9.9	0	--	--	--	0	0	0
45 Ulcer of stomach and duodenum (540-541)	1	--	1	5.6	0	13.0	--	--	--	0	0	0
46 Appendicitis (550-553)	1	--	1	5.6	0	13.0	--	--	--	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	--	--	--	0	0	0	--	--	--	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	5	1	4	28.1	9.9	51.9	2	2	--	25.3	26.0	0
49 Cirrhosis of liver (581)	2	--	2	11.2	0	26.0	2	2	--	25.3	26.0	0
50 Nephritis and nephrosis (590-594)	3	--	3	16.9	0	39.0	2	1	1	25.3	13.0	500.0
51 Hyperplasia of prostate (610)	1	1	--	5.6	9.9	0	--	--	--	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	1	--	5.6	9.9	0	--	--	--	0	0	0
53 Congenital malformations (750-759)	--	--	--	0	0	0	1	1	--	12.7	13.0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	3	1	2	16.9	9.9	26.0	--	--	--	0	0	0
55 Infection of the newborn (763-768)	2	--	2	11.2	0	26.0	1	1	--	12.7	13.0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	12	3	9	67.4	29.7	116.9	1	1	--	12.7	13.0	0
57 Senility, without mention of psychosis (794)	6	3	3	33.7	29.7	39.0	--	--	--	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	3	1	2	16.9	9.9	26.0	1	1	--	12.7	13.0	0
59 Motor vehicle accidents (E810-E835)	3	1	2	16.9	9.9	26.0	3	3	--	38.0	39.0	0
60 All other accidents (E800-E802, E840-E962)	5	--	5	28.1	0	64.9	1	1	--	12.7	13.0	0
61 Suicide (E963, E970-E979)	2	2	--	11.2	19.8	0	1	1	--	12.7	13.0	0
62 Homicide (E964, E980-E985)	2	--	2	11.2	0	26.0	1	1	--	12.7	13.0	0
63 All other diseases (residual)	13	7	6	73.0	69.3	77.9	1	1	--	12.7	13.0	0

COUNTY, BY RACE, GEORGIA, 1953— CONTINUED

Dawson						Decatur						DeKalb					
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *		
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
77	77	--	22.0	22.0	0	702	373	329	29.0	28.5	29.6	4,887	4,247	640	33.4	32.3	42.7
68	68	--	88.3%	88.3%	0%	493	366	127	70.2%	98.1%	38.6%	4,803	4,236	567	98.3%	99.7%	88.6%
4	4	--	5.2%	5.2%	0%	38	3	35	5.4%	0.8%	10.6%	29	9	20	0.6%	0.2%	3.1%
5	5	--	6.5%	6.5%	0%	171	4	167	24.4%	1.1%	50.8%	54	1	53	1.1%	0.0%	8.3%
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	1	1	--	0.0%	0.0%	0%
1	1	--	13.0	13.0	0	41	19	22	58.4	50.9	66.9	360	280	80	73.7	65.9	125.0
2	2	--	26.0	26.0	0	20	4	16	28.5	10.7	48.6	73	53	20	14.9	12.5	31.2
26	26	--	742.9	742.9	0	238	106	132	983.5	809.2	1189.2	1,111	937	174	759.4	713.6	1160.0
1	1	--	13.0	13.0	0	22	7	15	38.5	18.8	45.6	96	73	23	19.6	17.2	35.9
1	1	--	13.0	13.0	0	15	7	8	21.4	18.8	24.3	77	63	14	15.8	14.8	21.9
--	--	--	0	0	0	7	2	5	10.0	5.4	15.2	16	11	5	3.3	2.6	7.8
--	--	--	0	0	0	7	4	3	0	0	0	20	14	6	0	0	0
1	1	--	129.9	129.9	0	--	--	--	0	0	0	2	2	--	4.1	4.7	0
--	--	--	0	0	0	2	--	2	8.3	0	18.0	13	10	3	8.9	7.6	20.0
--	--	--	0	0	0	--	--	--	0	0	0	5	--	5	3.4	0	33.3
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	1	--	1	4.1	0	9.0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
1	1	--	28.6	28.6	0	1	--	1	4.1	0	9.0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	0.7	0.8	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	3	3	--	2.0	2.3	0
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	0.7	0.8	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	1	1	--	4.1	7.6	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	2	--	2	8.3	0	18.0	8	7	1	5.5	5.3	6.7
6	6	--	171.4	171.4	0	23	15	8	95.0	114.5	72.1	169	151	18	115.5	115.0	120.0
--	--	--	0	0	0	1	1	--	4.1	7.6	0	6	6	--	4.1	4.6	0
--	--	--	0	0	0	2	1	1	8.3	7.6	9.0	22	19	3	15.0	14.5	20.0
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	0.7	0.8	0
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	0.7	0.8	0
4	4	--	114.3	114.3	0	47	19	28	194.2	145.0	252.3	144	117	27	98.4	89.1	180.0
--	--	--	0	0	0	--	--	--	0	0	0	2	2	--	1.4	1.5	0
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	0.7	0.8	0
7	7	--	200.0	200.0	0	64	31	33	264.5	236.6	297.3	381	334	47	260.4	254.4	313.3
--	--	--	0	0	0	5	4	1	20.7	30.5	9.0	13	8	5	8.9	6.1	33.3
1	1	--	28.6	28.6	0	14	2	12	57.9	15.3	108.1	22	16	6	15.0	12.2	40.0
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	0.7	0.8	0
1	1	--	28.6	28.6	0	--	--	--	0	0	0	4	4	--	2.7	3.0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	3	1	2	12.4	7.6	18.0	4	3	1	2.7	2.3	6.7
--	--	--	0	0	0	1	--	1	4.1	0	9.0	4	4	--	2.7	3.0	0
--	--	--	0	0	0	1	1	--	4.1	7.6	0	10	9	1	6.8	6.9	6.7
--	--	--	0	0	0	2	--	2	8.3	0	18.0	13	10	3	8.9	7.6	20.0
--	--	--	0	0	0	--	--	--	0	0	0	4	4	--	2.7	3.0	0
1	1	--	28.6	28.6	0	--	--	--	0	0	0	2	2	--	1.4	1.5	0
--	--	--	0	0	0	2	2	--	8.3	15.3	0	29	26	3	19.8	19.8	20.0
1	1	--	28.6	28.6	0	2	1	1	8.3	7.6	9.0	32	28	4	21.9	21.3	26.7
--	--	--	0	0	0	1	--	1	4.1	0	9.0	6	6	--	4.1	4.6	0
--	--	--	0	0	0	9	4	5	37.2	30.5	45.0	22	14	8	15.0	10.7	53.3
--	--	--	0	0	0	3	1	2	12.4	7.6	18.0	2	2	--	1.4	1.5	0
1	1	--	28.6	28.6	0	3	1	2	12.4	7.6	18.0	5	4	1	3.4	3.0	6.7
2	2	--	57.1	57.1	0	10	4	6	41.3	30.5	54.1	28	23	5	19.1	17.5	33.3
--	--	--	0	0	0	13	5	8	53.7	38.2	72.1	35	27	8	23.9	20.0	53.3
--	--	--	0	0	0	--	--	--	0	0	0	15	14	1	10.3	10.7	6.7
--	--	--	0	0	0	9	2	7	37.2	15.3	63.1	7	2	5	4.8	1.5	33.3
1	1	--	28.6	28.6	0	16	10	6	66.1	76.3	54.1	95	76	19	64.9	57.9	126.7

ITEM	Dodge						Dooly					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	456	278	178	27.0	23.4	35.6	376	129	247	28.3	22.2	32.9
2 Delivered in hospital	246	225	21	53.9%	80.9%	11.8%	133	111	22	35.4%	86.0%	8.9%
3 Delivered in home by physician	64	42	22	14.0%	15.1%	12.4%	46	6	40	12.2%	4.7%	16.2%
4 Delivered in home by midwife	145	10	135	31.8%	3.6%	75.8%	197	12	185	52.4%	9.3%	74.9%
5 Other deliveries	1	1	--	0.2%	0.4%	0%	--	--	--	0%	0%	0%
6 Immature births	34	12	22	74.6	43.2	123.6	39	10	29	103.7	77.5	117.4
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	7	1	6	15.4	3.6	33.7	13	2	11	34.6	15.5	44.5
DEATHS												
10 Total, all ages	163	118	45	964.5	991.6	900.0	156	56	100	1172.9	965.5	1333.3
11 Under 1 year	15	10	5	32.9	36.0	28.1	11	2	9	29.3	15.5	36.4
12 Under 28 days	9	7	2	19.7	25.2	11.2	6	2	4	16.0	15.5	16.2
13 Deaths from immaturity	5	3	2	11.0	10.8	11.2	4	2	2	10.6	15.5	8.1
14 1-4 years **	2	1	1	--	--	--	4	--	4	--	--	--
15 Maternal deaths	--	--	--	0	0	0	2	--	2	53.2	0	81.0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	--	--	--	0	0	0	2	--	2	15.0	0	26.7
17 Syphilis and its sequelae (020-029)	--	--	--	0	0	0	1	1	--	7.5	17.2	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	--	--	--	0	0	0	--	--	--	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	13	10	3	76.9	84.0	60.0	12	5	7	90.2	86.2	93.3
34 Benign and unspecified neoplasms (210-239)	--	--	--	0	0	0	1	--	1	7.5	0	13.3
35 Diabetes mellitus (260)	1	--	1	5.9	0	20.0	2	1	1	15.0	17.2	13.3
36 Pellagra (281)	1	1	--	5.9	8.4	0	--	--	--	0	0	0
37 Anemias (290-293)	1	--	1	5.9	0	20.0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	33	21	12	195.3	176.5	240.0	26	9	17	195.5	155.2	226.7
39 Nonmeningococcal meningitis (340)	--	--	--	0	0	0	1	1	--	7.5	17.2	0
40 Rheumatic fever (400-402)	--	--	--	0	0	0	--	--	--	0	0	0
41 Heart diseases (410-443)	46	37	9	272.2	310.9	180.0	36	18	18	270.7	310.3	240.0
42 Hypertension without mention of heart (444-447)	3	2	1	17.8	16.8	20.0	3	2	1	22.6	34.5	13.3
43 Influenza and pneumonia (480-483, 490-493)	6	6	--	35.5	50.4	0	12	--	12	90.2	0	160.0
44 Bronchitis (500-502)	--	--	--	0	0	0	--	--	--	0	0	0
45 Ulcer of stomach and duodenum (540-541)	--	--	--	0	0	0	1	1	--	7.5	17.2	0
46 Appendicitis (550-553)	--	--	--	0	0	0	1	--	1	7.5	0	13.3
47 Intestinal obstruction and hernia (560, 561, 570)	2	2	--	11.8	16.8	0	2	1	1	15.0	17.2	13.3
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	3	2	1	17.8	16.8	20.0	1	--	1	7.5	0	13.3
49 Cirrhosis of liver (581)	2	2	--	11.8	16.8	0	1	--	1	7.5	0	13.3
50 Nephritis and nephrosis (590-594)	1	--	1	5.9	0	20.0	13	3	10	97.7	51.7	133.3
51 Hyperplasia of prostate (610)	2	--	2	11.8	0	40.0	--	--	--	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	--	--	--	0	0	0	2	--	2	15.0	0	26.7
53 Congenital malformations (750-759)	--	--	--	0	0	0	1	--	1	7.5	0	13.3
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	1	1	11.8	8.4	20.0	--	--	--	0	0	0
55 Infection of the newborn (763-768)	2	2	--	11.8	16.8	0	--	--	--	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	5	3	2	29.6	25.2	40.0	5	2	3	37.6	34.5	40.0
57 Senility, without mention of psychosis (794)	--	--	--	0	0	0	2	2	--	15.0	34.5	0
58 Ill-defined and unknown causes (780-793, 795)	7	5	2	41.4	42.0	40.0	2	--	2	15.0	0	26.7
59 Motor vehicle accidents (E810-E835)	6	6	--	35.5	50.4	0	9	4	5	67.7	69.0	66.7
60 All other accidents (E800-E802, E840-E962)	5	3	2	29.6	25.2	40.0	6	2	4	45.1	34.5	53.3
61 Suicide (E963, E970-E979)	1	1	--	5.9	8.4	0	--	--	--	0	0	0
62 Homicide (E964, E980-E985)	1	--	1	5.9	0	20.0	4	--	4	30.1	0	53.3
63 All other diseases (residual)	20	14	6	118.3	117.6	120.0	10	4	6	75.2	69.0	80.0

TABLE IX

VITAL STATISTICS, BY

ITEM	Echols						Effingham					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	60	34	26	26.1	20.0	43.3	260	123	137	28.9	21.6	41.5
2 Delivered in hospital	32	29	3	53.3%	85.3%	11.5%	144	114	30	55.4%	92.7%	21.9%
3 Delivered in home by physician	4	4	--	6.7%	11.8%	0%	6	4	2	2.3%	3.3%	1.5%
4 Delivered in home by midwife	24	1	23	40.0%	2.9%	88.5%	110	5	105	42.3%	4.1%	76.6%
5 Other deliveries	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%
6 Immature births	6	1	5	100.0	29.4	192.3	14	6	8	53.8	48.8	58.4
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	1	1	--	16.7	29.4	0	7	--	7	26.9	0	51.1
DEATHS												
10 Total, all ages	21	15	6	913.0	882.4	1000.0	94	50	44	1044.4	877.2	1333.3
11 Under 1 year	1	--	1	16.7	0	38.5	5	--	5	19.2	0	36.5
12 Under 28 days	--	--	--	0	0	0	3	--	3	11.5	0	21.9
13 Deaths from immaturity	--	--	--	0	0	0	1	--	1	3.8	0	7.3
14 1-4 years **	--	--	--	0	0	0	4	3	1	--	--	--
15 Maternal deaths	--	--	--	0	0	0	1	1	--	38.5	81.3	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	--	--	--	0	0	0	2	1	1	22.2	17.5	30.3
17 Syphilis and its sequelae (020-029)	--	--	--	0	0	0	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	1	--	1	11.1	0	30.3
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	--	--	--	0	0	0	--	--	--	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	3	3	--	130.4	176.5	0	5	4	1	55.6	70.2	30.3
34 Benign and unspecified neoplasms (210-239)	--	--	--	0	0	0	--	--	--	0	0	0
35 Diabetes mellitus (260)	1	1	--	43.5	58.8	0	2	1	1	22.2	17.5	30.3
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	--	--	--	0	0	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	--	--	--	0	0	0	--	--	--	0	0	0
39 Nonmeningococcal meningitis (340)	3	1	2	130.4	58.8	333.3	21	12	9	233.3	210.5	272.7
40 Rheumatic fever (400-402)	--	--	--	0	0	0	--	--	--	0	0	0
41 Heart diseases (410-443)	--	--	--	0	0	0	2	1	1	22.2	17.5	30.3
42 Hypertension without mention of heart (444-447)	9	9	--	391.3	529.4	0	27	17	10	300.0	298.2	303.0
43 Influenza and pneumonia (480-483, 490-493)	--	--	--	0	0	0	--	--	--	0	0	0
44 Bronchitis (500-502)	2	1	1	87.0	58.8	166.7	1	--	1	11.1	0	30.3
45 Ulcer of stomach and duodenum (540-541)	--	--	--	0	0	0	1	1	--	11.1	17.5	0
46 Appendicitis (550-553)	--	--	--	0	0	0	--	--	--	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	--	--	--	0	0	0	--	--	--	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	--	--	--	0	0	0	--	--	--	0	0	0
49 Cirrhosis of liver (581)	--	--	--	0	0	0	2	1	1	22.2	17.5	30.3
50 Nephritis and nephrosis (590-594)	--	--	--	0	0	0	1	1	--	11.1	17.5	0
51 Hyperplasia of prostate (610)	--	--	--	0	0	0	1	1	--	11.1	17.5	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	--	--	--	0	0	0	1	1	--	11.1	17.5	0
53 Congenital malformations (750-759)	--	--	--	0	0	0	1	--	1	11.1	0	30.3
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	--	--	--	0	0	0	1	--	1	11.1	0	30.3
55 Infection of the newborn (763-768)	--	--	--	0	0	0	1	--	1	11.1	0	30.3
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	--	--	--	0	0	0	--	--	--	0	0	0
57 Senility, without mention of psychosis (794)	1	--	1	43.5	0	166.7	1	--	1	11.1	0	30.3
58 Ill-defined and unknown causes (780-793, 795)	1	--	1	43.5	0	166.7	6	1	5	66.7	17.5	151.5
59 Motor vehicle accidents (E810-E835)	--	--	--	0	0	0	6	3	3	66.7	52.6	90.9
60 All other accidents (E800-E802, E840-E962)	1	--	1	43.5	0	166.7	8	3	5	88.9	52.6	151.5
61 Suicide (E963, E970-E979)	--	--	--	0	0	0	--	--	--	0	0	0
62 Homicide (E964, E980-E985)	--	--	--	0	0	0	--	--	--	0	0	0
63 All other diseases (residual)	--	--	--	0	0	0	3	2	1	33.3	35.1	30.3

COUNTY, BY RACE, GEORGIA, 1953—CONTINUED

Elbert						Emanuel						Evans							
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *				
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White		
393	219	174	21.5	18.1	28.1	482	258	224	25.8	21.9	32.5	188	92	96	29.4	23.6	38.4	1	
292	215	77	74.3%	98.2%	44.3%	320	244	76	66.4%	94.6%	33.9%	106	90	16	56.4%	97.8%	16.7%	2	
15	1	14	3.8%	0.5%	8.0%	20	9	11	4.1%	3.5%	4.9%	10	1	9	5.3%	1.1%	9.4%	3	
86	3	83	21.9%	1.4%	47.7%	142	5	137	29.5%	1.9%	61.2%	72	1	71	38.3%	1.1%	74.0%	4	
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	5	
38	18	20	96.7	82.2	114.9	29	10	19	60.2	39.8	84.8	15	3	12	79.8	32.6	125.0	6	
																			7
																			8
5	2	3	12.7	9.1	17.2	12	4	8	24.9	15.5	35.7	6	1	5	31.9	10.7	52.1	9	
163	100	63	890.7	826.4	1016.1	173	107	66	925.1	906.8	956.5	55	34	21	859.4	871.8	840.0	10	
12	7	5	30.5	32.0	28.7	15	2	13	31.1	7.8	58.0	3	1	2	16.0	10.9	20.8	11	
10	6	4	25.4	27.4	23.0	4	1	3	8.3	3.9	13.4	3	1	2	16.0	10.9	20.8	12	
3	2	1	7.6	9.1	5.7	--	--	--	0	0	0	--	--	--	0	0	0	13	
4	3	1	--	--	--	2	--	2	--	--	--	3	1	2	--	--	--	14	
1	--	1	25.4	0	57.5	--	--	--	0	0	0	--	--	--	0	0	0	15	
																			16
5	1	4	27.3	8.3	64.5	2	1	1	10.7	8.5	14.5	--	--	--	0	0	0	17	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	18	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	19	
1	1	--	5.5	8.3	0	--	--	--	0	0	0	--	--	--	0	0	0	20	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	21	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	22	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	24	
--	--	--	0	0	0	1	--	1	5.3	0	14.5	--	--	--	0	0	0	25	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	26	
--	--	--	0	0	0	1	--	1	5.3	0	14.5	--	--	--	0	0	0	27	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31	
																			32
2	2	--	10.9	16.5	0	2	--	2	10.7	0	29.0	--	--	--	0	0	0	33	
24	20	4	131.1	165.3	64.5	20	15	5	107.0	127.1	72.5	8	6	2	125.0	153.8	80.0	34	
1	1	--	5.5	8.3	0	--	--	--	0	0	0	--	--	--	0	0	0	35	
1	1	--	5.5	8.3	0	2	1	1	10.7	8.5	14.5	--	--	--	0	0	0	36	
--	--	--	0	0	0	1	--	1	5.3	0	14.5	--	--	--	0	0	0	37	
--	--	--	0	0	0	1	1	--	5.3	8.5	0	--	--	--	0	0	0	38	
21	12	9	114.8	99.2	145.2	24	19	5	128.3	161.0	72.5	10	6	4	156.2	153.8	160.0	39	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	40	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	41	
36	26	10	196.7	214.9	161.3	50	36	14	267.4	305.1	202.9	17	13	4	265.6	333.3	160.0	42	
5	1	4	27.3	8.3	64.5	4	1	3	21.4	8.5	43.5	--	--	--	0	0	0	43	
10	7	3	54.6	57.8	48.4	13	5	8	69.5	42.4	116.9	--	--	--	0	0	0	44	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	45	
--	--	--	0	0	0	2	2	--	10.7	16.9	0	--	--	--	0	0	0	46	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	47	
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	15.6	0	40.0	48	
3	2	1	16.4	16.5	16.1	2	--	2	10.7	0	30.0	1	--	1	15.6	0	40.0	49	
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	15.6	25.6	0	50	
13	2	11	71.0	16.5	177.4	3	3	--	16.0	25.4	0	--	--	--	0	0	0	51	
--	--	--	0	0	0	1	--	1	5.3	0	14.5	--	--	--	0	0	0	52	
																			53
1	--	1	5.5	0	16.1	--	--	--	0	0	0	--	--	--	0	0	0	54	
2	1	1	10.9	8.3	16.1	2	1	1	10.7	8.5	14.5	--	--	--	0	0	0	55	
2	--	2	10.9	0	32.3	1	--	1	5.3	0	14.5	1	1	--	15.6	25.6	0	56	
1	1	--	5.5	8.3	0	--	--	--	0	0	0	1	--	1	15.6	0	40.0	57	
3	2	1	16.4	16.5	16.1	2	--	2	10.7	0	30.0	1	--	1	15.6	0	40.0	58	
--	--	--	0	0	0	1	1	1	10.7	8.5	14.5	--	--	--	0	0	0	59	
3	1	2	16.4	8.3	32.3	7	1	6	37.4	8.5	87.0	--	--	--	0	0	0	60	
1	1	--	5.5	8.3	0	6	4	2	32.1	33.9	30.0	3	2	1	46.9	51.3	40.0	61	
14	7	7	76.5	57.9	112.9	9	7	2	48.1	59.3	30.0	7	3	4	109.4	76.9	160.0	62	
2	2	--	10.9	16.5	0	--	--	--	0	0	0	--	--	--	0	0	0	63	
--	--	--	0	0	0	3	1	2	16.0	8.5	30.0	1	--	1	15.6	0	40.0	64	
12	9	3	65.6	74.4	48.4	13	8	5	69.5	67.8	72.5	3	2	1	46.9	51.3	40.0	65	

ITEM	Panmin						Fayette					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	320	320	--	20.8	20.9	0	186	102	84	23.5	18.9	33.6
2 Delivered in hospital	261	261	--	81.6%	81.6%	0%	85	82	3	45.7%	80.4%	3.6%
3 Delivered in home by physician	53	53	--	16.6%	16.6%	0%	22	9	13	11.8%	8.8%	15.5%
4 Delivered in home by midwife	6	6	--	1.9%	1.9%	0%	79	11	68	42.5%	10.8%	81.0%
5 Other deliveries	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%
6 Immature births	8	8	--	25.0	25.0	0	16	11	5	86.0	107.8	59.5
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	6	6	--	18.8	18.8	0	1	1	--	5.4	9.8	0
DEATHS												
10 Total, all ages	102	101	1	662.3	660.1	1000.0	68	41	27	860.8	759.3	1080.0
11 Under 1 year	10	10	--	31.2	31.2	0	3	1	2	16.1	9.8	23.8
12 Under 28 days	6	6	--	18.8	18.8	0	2	1	1	10.8	9.8	11.9
13 Deaths from immaturity	1	1	--	3.1	3.1	0	1	--	1	5.4	0	11.9
14 1-4 years **	--	--	--	--	--	--	3	--	3	--	--	--
15 Maternal deaths	--	--	--	0	0	0	--	--	--	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	1	1	--	6.5	6.5	0	--	--	--	0	0	0
17 Syphilis and its sequelae (020-029)	--	--	--	0	0	0	1	--	1	12.7	0	40.0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	1	--	1	12.7	0	40.0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	1	--	1	12.7	0	40.0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	--	--	--	0	0	0	--	--	--	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	12	12	--	77.9	78.4	0	5	5	--	63.3	92.6	0
34 Benign and unspecified neoplasms (210-239)	--	--	--	0	0	0	--	--	--	0	0	0
35 Diabetes mellitus (260)	--	--	--	0	0	0	1	--	1	12.7	0	40.0
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	--	--	--	0	0	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	--	--	--	0	0	0	--	--	--	0	0	0
39 Nonmeningococcal meningitis (340)	19	19	--	123.4	124.2	0	12	5	7	151.9	92.6	280.0
40 Rheumatic fever (400-402)	--	--	--	0	0	0	--	--	--	0	0	0
41 Heart diseases (410-443)	21	20	1	136.4	130.7	1000.0	19	16	3	240.5	296.3	120.0
42 Hypertension without mention of heart (444-447)	2	2	--	13.0	13.1	0	--	--	--	0	0	0
43 Influenza and pneumonia (480-483, 490-493)	11	11	--	71.4	71.9	0	--	--	--	0	0	0
44 Bronchitis (500-502)	--	--	--	0	0	0	--	--	--	0	0	0
45 Ulcer of stomach and duodenum (540-541)	2	2	--	13.0	13.1	0	1	--	1	12.7	0	40.0
46 Appendicitis (550-553)	--	--	--	0	0	0	--	--	--	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	--	--	--	0	0	0	1	1	--	12.7	18.5	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	1	--	6.5	6.5	0	--	--	--	0	0	0
49 Cirrhosis of liver (581)	1	1	--	6.5	6.5	0	--	--	--	0	0	0
50 Nephritis and nephrosis (590-594)	2	2	--	13.0	13.1	0	1	--	1	12.7	0	40.0
51 Hyperplasia of prostate (610)	1	1	--	6.5	6.5	0	--	--	--	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	--	--	--	0	0	0	--	--	--	0	0	0
53 Congenital malformations (750-759)	4	4	--	26.0	26.1	0	--	--	--	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	1	--	6.5	6.5	0	1	1	--	12.7	18.5	0
55 Infection of the newborn (763-768)	2	2	--	13.0	13.1	0	--	--	--	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	1	--	6.5	6.5	0	1	--	1	12.7	0	40.0
57 Senility, without mention of psychosis (794)	--	--	--	0	0	0	--	--	--	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	2	2	--	13.0	13.1	0	3	--	3	38.0	0	120.0
59 Motor vehicle accidents (E810-E835)	4	4	--	26.0	26.1	0	3	2	1	38.0	37.0	40.0
60 All other accidents (E800-E802, E840-E962)	7	7	--	45.5	45.8	0	4	3	1	50.6	55.6	40.0
61 Suicide (E963, E970-E979)	--	--	--	0	0	0	1	1	--	12.7	18.5	0
62 Homicide (E964, E980-E985)	--	--	--	0	0	0	1	--	1	12.7	0	40.0
63 All other diseases (residual)	8	8	--	51.9	52.3	0	11	7	4	139.2	129.6	160.0

COUNTY, BY RACE, GEORGIA, 1953—CONTINUED

Floyd						Forsyth						Franklin							
Number			Rate or Ratio*			Number			Rate or Ratio*			Number			Rate or Ratio*				
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White		
1,425	1,189	236	22.0	21.5	24.6	231	231	--	21.2	21.4	0	284	248	36	20.1	20.0	21.2	1	
1,329	1,176	153	93.3%	98.9%	64.8%	225	225	--	97.4%	97.4%	0%	241	232	9	84.9%	93.5%	25.0%	2	
10	4	6	0.7%	0.3%	2.5%	3	3	--	1.3%	1.3%	0%	21	13	8	7.4%	5.2%	22.2%	3	
85	9	76	6.0%	0.8%	32.2%	3	3	--	1.3%	1.3%	0%	22	3	19	7.7%	1.2%	52.8%	4	
1	--	1	0.1%	0%	0.4%	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	5	
149	113	36	104.6	95.0	152.5	13	13	--	56.3	56.3	0	15	13	2	52.8	52.4	55.6	6	
																			7
																			8
29	19	10	20.4	16.0	42.4	2	1	1	8.7	4.3	...	4	2	2	14.1	8.1	55.6	9	
																			10
495	394	101	762.7	712.5	1052.1	65	64	1	596.3	592.6	1000.0	128	112	16	907.8	903.2	941.2	11	
50	39	11	35.1	32.8	46.6	2	2	--	8.7	8.7	0	3	1	2	10.6	4.0	55.6	12	
36	29	7	25.3	24.4	29.7	2	2	--	8.7	8.7	0	3	1	2	10.6	4.0	55.6	13	
11	8	3	7.7	6.7	12.7	--	--	--	0	0	0	1	--	1	3.5	0	27.8	14	
6	5	1				1	1	--				2	2	--				15	
2	1	1	14.0	8.4	42.4	1	--	1	43.3	0	...	1	--	1	35.2	0	277.8	16	
																			17
14	10	4	21.6	18.1	41.7	1	1	--	9.2	9.3	0	1	1	--	7.1	8.1	0	18	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	19	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	20	
1	1	--	1.5	1.8	0	--	--	--	0	0	0	--	--	--	0	0	0	21	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	22	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	24	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	25	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	26	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31	
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	7.1	8.1	0	32	
																			33
66	54	12	101.7	97.6	125.0	6	6	--	55.0	55.6	0	18	17	1	127.7	137.1	58.8	34	
3	3	--	4.6	5.4	0	--	--	--	0	0	0	--	--	--	0	0	0	35	
5	3	2	7.7	5.4	20.8	1	1	--	9.2	9.3	0	5	3	2	35.5	24.2	117.6	36	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	37	
1	1	--	1.5	1.8	0	--	--	--	0	0	0	--	--	--	0	0	0	38	
62	50	12	95.5	90.4	125.0	9	9	--	82.6	83.3	0	24	21	3	170.2	169.4	176.5	39	
1	1	--	1.5	1.8	0	--	--	--	0	0	0	--	--	--	0	0	0	40	
1	1	--	1.5	1.8	0	--	--	--	0	0	0	--	--	--	0	0	0	41	
163	137	26	251.2	247.7	270.8	27	27	--	247.7	250.0	0	42	42	--	297.9	338.7	0	42	
8	6	2	12.3	10.8	20.8	1	1	--	9.2	9.3	0	--	--	--	0	0	0	43	
9	8	1	13.9	14.5	10.4	1	1	--	9.2	9.3	0	7	6	1	49.6	48.4	58.8	44	
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	7.1	8.1	0	45	
2	1	1	3.1	1.8	10.4	--	--	--	0	0	0	--	--	--	0	0	0	46	
1	1	--	1.5	1.8	0	--	--	--	0	0	0	--	--	--	0	0	0	47	
5	4	1	7.7	7.2	10.4	--	--	--	0	0	0	--	--	--	0	0	0	48	
2	1	1	3.1	1.8	10.4	--	--	--	0	0	0	--	--	--	0	0	0	49	
2	1	1	3.1	1.8	10.4	1	1	--	9.2	9.3	0	1	1	--	7.1	8.1	0	50	
9	5	4	13.9	9.0	41.7	--	--	--	0	0	0	6	1	5	42.6	8.1	294.1	51	
3	3	--	4.6	5.4	0	--	--	--	0	0	0	--	--	--	0	0	0	52	
2	1	1	3.1	1.8	10.4	1	--	1	9.2	0	1000.0	1	--	1	7.1	0	58.8	53	
9	8	1	13.9	14.5	10.4	3	3	--	27.5	27.8	0	1	1	--	7.1	8.1	0	54	
14	12	2	21.6	21.7	20.8	1	1	--	9.2	9.3	0	--	--	--	0	0	0	55	
3	3	--	4.6	5.4	0	--	--	--	0	0	0	1	--	1	7.1	0	58.8	56	
13	9	4	20.0	16.3	41.7	--	--	--	0	0	0	2	1	1	14.2	8.1	58.8	57	
2	1	1	3.1	1.8	10.4	3	3	--	27.5	27.8	0	2	1	1	14.2	8.1	58.8	58	
6	2	4	9.2	3.6	41.7	1	1	--	9.2	9.3	0	--	--	--	0	0	0	59	
16	12	4	24.7	21.7	41.7	4	4	--	36.7	37.0	0	6	6	--	42.6	48.4	0	60	
24	20	4	37.0	36.2	41.7	3	3	--	27.5	27.8	0	2	2	--	14.2	16.1	0	61	
7	6	1	10.8	10.8	10.4	--	--	--	0	0	0	--	--	--	0	0	0	62	
5	1	4	7.7	1.8	41.7	--	--	--	0	0	0	1	1	--	7.1	8.1	0	63	
36	28	8	55.5	50.6	83.3	2	2	--	18.3	18.5	0	6	6	--	42.6	48.4	0	63	

ITEM	Fulton						Gilmer					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	12,902	8,011	4,891	25.9	23.1	32.3	195	195	--	18.9	18.9	0
2 Delivered in hospital	12,524	7,958	4,566	97.1%	99.3%	93.4%	178	178	--	91.3%	91.3%	0%
3 Delivered in home by physician	336	48	288	2.6%	0.6%	5.9%	2	2	--	1.0%	1.0%	0%
4 Delivered in home by midwife	42	5	37	0.3%	0.1%	0.8%	15	15	--	7.7%	7.7%	0%
5 Other deliveries	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%
6 Immature births	1,221	572	649	94.6	71.4	132.7	16	16	--	82.1	82.1	0
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	222	85	137	17.2	10.6	28.0	2	2	--	10.3	10.3	0
DEATHS												
10 Total, all ages	4,808	2,795	2,013	964.5	805.7	1327.8	69	69	--	669.9	669.9	0
11 Under 1 year	373	177	196	28.9	22.1	40.1	4	4	--	20.5	20.5	0
12 Under 28 days	263	139	124	20.4	17.4	25.4	3	3	--	15.4	15.4	0
13 Deaths from immaturity	73	26	47	5.7	3.2	9.6	--	--	--	0	0	0
14 1-4 years **	55	24	31	--	--	--	1	1	--	0	0	0
15 Maternal deaths	5	2	3	3.9	2.5	6.1	--	--	--	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	93	39	54	18.7	11.2	35.6	--	--	--	0	0	0
17 Syphilis and its sequelae (020-029)	23	10	13	4.6	2.9	8.6	1	1	--	9.7	9.7	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	2	1	1	0.4	0.3	0.7	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	1	1	--	0.2	0.3	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	11	8	3	2.2	2.3	2.0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	1	1	--	0.2	0.3	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	23	11	12	4.6	3.2	7.9	1	1	--	9.7	9.7	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	627	435	192	125.8	125.4	126.6	4	4	--	38.8	38.8	0
34 Benign and unspecified neoplasms (210-239)	23	13	10	4.6	3.7	6.6	--	--	--	0	0	0
35 Diabetes mellitus (260)	83	53	30	16.6	15.3	19.8	--	--	--	0	0	0
36 Pellagra (281)	2	--	2	0.4	0	1.3	1	1	--	9.7	9.7	0
37 Anemias (290-293)	11	6	5	2.2	1.7	3.3	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	659	324	335	132.2	93.4	221.0	14	14	--	135.9	135.9	0
39 Nonmeningococcal meningitis (340)	14	4	10	2.8	1.2	6.6	--	--	--	0	0	0
40 Rheumatic fever (400-402)	8	4	4	1.6	1.2	2.6	--	--	--	0	0	0
41 Heart diseases (410-443)	1,537	974	563	308.3	280.8	371.4	27	27	--	262.1	262.1	0
42 Hypertension without mention of heart (444-447)	59	29	30	11.8	8.4	19.8	2	2	--	19.4	19.4	0
43 Influenza and pneumonia (480-483, 490-493)	157	57	100	31.5	16.4	66.0	1	1	--	9.7	9.7	0
44 Bronchitis (500-502)	10	5	5	2.0	1.4	3.3	--	--	--	0	0	0
45 Ulcer of stomach and duodenum (540-541)	30	22	8	6.0	6.3	5.3	1	1	--	9.7	9.7	0
46 Appendicitis (550-553)	10	6	4	2.0	1.7	2.6	1	1	--	9.7	9.7	0
47 Intestinal obstruction and hernia (560, 561, 570)	24	14	10	4.8	4.0	6.6	1	1	--	9.7	9.7	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	26	13	13	5.2	3.7	8.6	--	--	--	0	0	0
49 Cirrhosis of liver (581)	47	36	11	9.4	10.4	7.3	1	1	--	9.7	9.7	0
50 Nephritis and nephrosis (590-594)	109	48	61	21.9	13.8	40.2	--	--	--	0	0	0
51 Hyperplasia of prostate (610)	16	9	7	3.2	2.6	4.6	1	1	--	9.7	9.7	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	5	2	3	1.0	0.6	2.0	--	--	--	0	0	0
53 Congenital malformations (750-759)	65	50	15	13.0	14.4	9.9	1	1	--	9.7	9.7	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	110	63	47	22.1	18.2	31.0	2	2	--	19.4	19.4	0
55 Infection of the newborn (763-768)	17	5	12	3.4	1.4	7.9	--	--	--	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	104	45	59	20.9	13.0	38.9	--	--	--	0	0	0
57 Senility, without mention of psychosis (794)	9	8	1	1.8	2.3	0.7	--	--	--	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	24	14	10	4.8	4.0	6.6	2	2	--	19.4	19.4	0
59 Motor vehicle accidents (E810-E835)	104	74	30	20.9	21.3	19.8	4	4	--	38.8	38.8	0
60 All other accidents (E800-E802, E840-E962)	180	106	74	36.1	30.6	48.8	2	2	--	19.4	19.4	0
61 Suicide (E963, E970-E979)	57	51	6	11.4	14.7	4.0	2	2	--	19.4	19.4	0
62 Homicide (E964, E980-E985)	96	10	86	19.3	2.9	56.7	--	--	--	0	0	0
63 All other diseases (residual)	431	244	187	86.5	70.3	123.4	--	--	--	0	0	0

COUNTY, BY RACE, GEORGIA, 1953—CONTINUED

Glascok						Glynn						Gordon						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
64	33	31	19.4	14.3	31.0	818	549	269	26.8	26.1	28.3	363	348	15	18.9	19.3	12.5	1
27	25	2	42.2%	75.8%	6.5%	634	527	107	77.5%	96.0%	39.8%	349	342	7	96.1%	98.3%	46.7%	2
6	6	--	9.4%	18.2%	0%	1	1	--	0.1%	0.2%	0%	11	4	7	3.0%	1.1%	46.7%	3
31	2	29	48.4%	6.1%	93.5%	183	21	162	22.4%	3.8%	60.2%	3	2	1	0.8%	0.6%	6.7%	4
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	5
6	3	3	93.7	90.9	96.8	76	48	28	92.9	87.4	104.1	21	21	--	57.9	60.3	0	6
2	--	2	31.2	0	64.5	17	12	5	20.8	21.9	18.6	4	4	--	11.0	11.5	0	7
43	30	13	1303.0	1304.3	1300.0	273	154	119	895.1	733.3	1252.6	129	120	9	671.9	666.7	750.0	10
2	2	--	31.2	60.6	0	28	17	11	34.2	31.0	40.9	15	14	1	41.3	40.2	66.7	11
2	2	--	31.2	60.6	0	20	13	7	24.4	23.7	26.0	11	10	1	30.3	28.7	66.7	12
2	2	--	31.2	60.6	0	10	5	5	12.2	9.1	18.6	2	1	1	5.5	2.9	66.7	13
1	--	1	0	0	0	5	4	1	36.7	36.4	37.2	--	--	--	0	0	0	14
--	--	--	0	0	0	3	2	1	0	0	0	--	--	--	0	0	0	15
1	1	--	30.3	43.5	0	5	2	3	16.4	9.5	31.6	1	1	--	5.2	5.6	0	16
--	--	--	0	0	0	1	--	1	3.3	0	10.5	--	--	--	0	0	0	17
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	18
--	--	--	0	0	0	1	--	1	3.3	0	10.5	--	--	--	0	0	0	19
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	20
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	21
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	22
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	24
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	25
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	26
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	32
5	4	1	151.5	173.9	100.0	34	25	9	111.5	119.0	94.7	14	11	3	72.9	61.1	250.0	33
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	34
1	1	--	30.3	43.5	0	4	3	1	13.1	14.3	10.5	2	2	--	10.4	11.1	0	35
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	36
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	37
8	6	2	242.4	260.9	200.0	34	16	18	111.5	76.2	189.5	9	8	1	46.9	44.4	83.3	38
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	39
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	40
15	10	5	454.5	434.8	500.0	93	53	40	304.9	252.4	421.1	47	45	2	244.8	250.0	166.7	41
1	1	--	30.3	43.5	0	3	2	1	9.8	9.5	10.5	1	1	--	5.2	5.6	0	42
1	--	1	30.3	0	100.0	8	2	6	26.2	9.5	63.2	7	6	1	36.5	33.3	83.3	43
--	--	--	0	0	0	1	1	--	3.3	4.8	0	--	--	--	0	0	0	44
1	--	1	30.3	0	100.0	2	2	--	6.6	9.5	0	2	2	--	10.4	11.1	0	45
--	--	--	0	0	0	1	1	--	3.3	4.8	0	1	1	--	5.2	5.6	0	46
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	5.2	5.6	0	47
--	--	--	0	0	0	2	1	1	6.6	4.8	10.5	1	1	--	5.2	5.6	0	48
--	--	--	0	0	0	4	2	2	13.1	9.5	21.1	2	2	--	10.4	11.1	0	49
2	1	1	60.6	43.5	100.0	9	3	6	29.5	14.3	63.2	3	2	1	15.6	11.1	83.3	50
1	1	--	30.3	43.5	0	1	--	1	3.3	0	10.5	2	2	--	10.4	11.1	0	51
--	--	--	0	0	0	3	2	1	9.8	9.5	10.5	--	--	--	0	0	0	52
--	--	--	0	0	0	3	3	--	9.8	14.3	0	4	4	--	20.8	22.2	0	53
--	--	--	0	0	0	4	3	1	13.1	14.3	10.5	4	4	--	20.8	22.2	0	54
--	--	--	0	0	0	1	1	--	3.3	4.8	0	--	--	--	0	0	0	55
2	2	--	60.6	87.0	0	14	8	6	45.9	38.1	63.2	4	3	1	20.8	16.7	83.3	56
1	1	--	30.3	43.5	0	2	2	--	6.6	0	21.1	--	--	--	0	0	0	57
--	--	--	0	0	0	1	--	1	3.3	0	10.5	--	--	--	0	0	0	58
2	1	1	60.6	43.5	100.0	6	4	2	19.7	19.0	21.1	5	5	--	26.0	27.8	0	59
--	--	--	0	0	0	16	10	6	52.5	47.6	63.2	7	7	--	36.5	38.9	0	60
--	--	--	0	0	0	2	2	--	6.6	9.5	0	2	2	--	10.4	11.1	0	61
--	--	--	0	0	0	4	2	2	13.1	9.5	21.1	--	--	--	0	0	0	62
2	1	1	60.6	43.5	100.0	13	6	7	42.6	28.6	73.7	10	10	--	52.1	55.6	0	63

ITEM	Grady						Greene					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	518	258	260	27.6	21.0	40.0	346	123	223	27.5	19.8	34.8
2 Delivered in hospital	262	224	38	50.6%	86.8%	14.6%	193	120	73	55.8%	97.6%	32.7%
3 Delivered in home by physician	187	31	156	36.1%	12.0%	60.0%	14	2	12	4.0%	1.6%	5.4%
4 Delivered in home by midwife	68	2	66	13.1%	0.8%	25.4%	139	1	138	40.2%	0.8%	61.9%
5 Other deliveries	1	1	--	0.2%	0.4%	0%	--	--	--	0%	0%	0%
6 Immature births	40	15	25	77.2	58.1	96.2	31	10	21	89.6	81.3	94.2
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	8	--	8	15.4	0	30.8	11	3	8	31.8	24.4	35.9
DEATHS												
10 Total, all ages	161	93	68	856.4	756.1	1046.2	149	69	80	1182.5	1112.9	1250.0
11 Under 1 year	18	4	14	34.7	15.5	53.8	14	4	10	40.5	32.5	44.8
12 Under 28 days	13	4	9	25.1	15.5	34.6	6	1	5	17.3	8.1	22.4
13 Deaths from immaturity	8	1	7	15.4	3.9	26.9	1	--	1	2.9	0	4.5
14 1-4 years **	3	2	1				3	2	1			
15 Maternal deaths	1	--	1	19.3	0	38.5	--	--	--	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	--	--	--	0	0	0	4	--	4	31.7	0	62.5
17 Syphilis and its sequelae (020-029)	1	1	--	5.3	8.1	0	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	1	1	1	5.3	0	15.4	1	1	--	7.9	16.1	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	--	--	--	0	0	0	1	1	--	7.9	16.1	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	9	6	3	47.9	48.8	46.2	12	9	3	95.2	145.2	46.9
34 Benign and unspecified neoplasms (210-239)	2	1	1	10.6	8.1	15.4	--	--	--	0	0	0
35 Diabetes mellitus (260)	1	--	1	5.3	0	15.4	4	1	3	31.7	16.1	46.9
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	--	--	--	0	0	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	--	--	--	0	0	0	--	--	--	0	0	0
39 Nonmeningococcal meningitis (340)	26	18	8	138.3	146.3	123.1	11	5	6	87.3	80.6	93.8
40 Rheumatic fever (400-402)	--	--	--	0	0	0	--	--	--	0	0	0
41 Heart diseases (410-443)	55	37	18	292.6	300.8	276.9	61	27	34	484.1	435.5	531.2
42 Hypertension without mention of heart (444-447)	4	2	2	21.3	16.3	30.8	3	1	2	23.0	16.1	31.2
43 Influenza and pneumonia (480-483, 490-493)	6	--	6	31.9	0	92.3	9	1	8	71.4	16.1	125.0
44 Bronchitis (500-502)	--	--	--	0	0	0	1	--	1	7.9	0	15.6
45 Ulcer of stomach and duodenum (540-541)	--	--	--	0	0	0	2	2	--	15.9	32.3	0
46 Appendicitis (550-553)	--	--	--	0	0	0	3	1	2	23.8	16.1	31.2
47 Intestinal obstruction and hernia (560, 561, 570)	1	--	1	5.3	0	15.4	1	--	1	7.9	0	15.6
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	--	--	--	0	0	0	1	--	1	7.9	0	15.6
49 Cirrhosis of liver (581)	2	2	--	10.6	16.3	0	--	--	--	0	0	0
50 Nephritis and nephrosis (590-594)	5	3	2	26.6	24.4	30.8	5	3	2	39.7	48.4	31.2
51 Hyperplasia of prostate (610)	3	1	2	16.0	8.1	30.8	1	1	--	7.9	16.1	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	--	1	5.3	0	15.4	--	--	--	0	0	0
53 Congenital malformations (750-759)	2	1	1	10.6	8.1	15.4	2	1	1	15.9	16.1	15.6
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	1	--	5.3	8.1	0	3	1	2	23.8	16.1	31.2
55 Infection of the newborn (763-768)	1	--	1	5.3	0	15.4	--	--	--	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	10	2	8	53.2	16.3	123.1	1	1	1	7.9	0	15.6
57 Senility, without mention of psychosis (794)	7	4	3	37.2	32.5	46.2	1	--	1	7.9	0	15.6
58 Ill-defined and unknown causes (780-793, 795)	2	--	2	10.6	0	30.8	2	--	2	15.9	0	31.2
59 Motor vehicle accidents (E810-E835)	2	2	--	10.6	16.3	0	6	5	1	47.6	80.6	15.6
60 All other accidents (E800-E802, E840-E962)	5	3	2	26.6	24.4	30.8	5	1	4	39.7	16.1	62.5
61 Suicide (E963, E970-E979)	--	--	--	0	0	0	--	--	--	0	0	0
62 Homicide (E964, E980-E985)	3	1	2	16.0	8.1	30.8	--	--	--	0	0	0
63 All other diseases (residual)	11	8	3	58.5	65.0	46.2	9	8	1	71.4	129.0	15.6

COUNTY, BY RACE, GEORGIA, 1953—CONTINUED

Gwinnett						Habersham						Hall								
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *					
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White			
815	714	101	24.3	23.6	31.6	389	378	11	22.6	22.9	15.7	1,049	901	148	25.0	23.7	37.0	1		
765	691	74	93.9%	96.8%	73.3%	380	372	8	97.7%	98.4%	72.7%	912	855	57	86.9%	94.9%	38.5%	2		
32	21	11	3.9%	2.9%	10.9%	4	2	2	1.0%	0.5%	18.2%	92	23	69	8.8%	2.6%	46.6%	3		
17	2	15	2.1%	0.3%	14.9%	5	4	1	1.3%	1.1%	9.1%	39	17	22	3.7%	1.9%	14.9%	4		
1	--	1	0.1%	0%	1.0%	--	--	--	0%	0%	0%	6	6	--	0.6%	0.7%	0%	5		
77	66	11	94.5	92.4	108.9	19	17	2	48.8	45.0	181.8	59	40	19	56.2	44.4	128.4	6		
																			7	
																			8	
24	20	4	29.4	28.0	39.6	5	4	1	12.9	10.6	90.9	19	11	8	18.1	12.2	54.1	9		
262	225	37	782.1	742.6	1156.2	116	109	7	674.4	660.6	1000.0	258	206	52	614.3	542.1	1300.0	10		
16	11	5	19.6	15.4	49.5	8	8	--	20.6	21.2	0	31	18	13	29.6	20.0	87.8	11		
12	8	4	14.7	11.2	39.6	6	6	--	15.4	15.9	0	17	8	9	16.2	8.9	60.8	12		
5	3	2	6.1	4.2	19.8	--	--	--	0	0	0	10	6	4	9.5	6.7	27.0	13		
4	3	1	--	--	--	--	--	--	--	--	--	7	6	1	--	--	--	14		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	15		
3	1	2	9.0	3.3	62.5	1	1	--	5.8	6.1	0	5	3	2	11.9	7.9	50.0	16		
2	1	1	6.0	3.3	31.2	--	--	--	0	0	0	2	1	1	4.8	2.6	25.0	17		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	18		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	19		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	20		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	21		
3	3	--	9.0	9.9	0	--	--	--	0	0	0	1	1	--	2.4	2.6	0	22		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	24		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	25		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	26		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	32		
36	31	5	107.5	102.3	156.2	16	16	--	93.0	97.0	0	32	28	4	76.2	73.7	100.0	33		
2	2	--	6.0	6.6	0	--	--	--	0	0	0	1	1	--	2.4	2.6	0	34		
6	6	--	17.9	19.8	0	4	4	--	23.3	24.2	0	5	5	--	11.9	13.2	0	35		
3	3	--	9.0	9.9	0	--	--	--	0	0	0	--	--	--	0	0	0	36		
1	1	--	3.0	3.3	0	--	--	--	0	0	0	1	1	--	2.4	2.6	0	37		
41	37	4	122.4	122.1	125.0	15	12	3	87.2	72.7	428.6	34	26	8	81.0	68.4	200.0	38		
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	2.4	2.6	0	39		
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	2.4	2.6	0	40		
84	75	9	250.7	247.5	281.2	41	39	2	238.4	236.4	285.7	71	59	12	169.0	155.3	300.0	41		
2	2	--	6.0	6.6	0	1	1	--	5.8	6.1	0	4	4	--	9.5	10.5	0	42		
13	12	1	38.8	39.6	31.2	3	3	--	17.4	18.2	0	8	4	4	19.0	10.5	100.0	43		
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	2.4	2.6	0	44		
2	2	--	6.0	6.6	0	2	2	--	11.6	12.1	0	4	4	--	9.5	10.5	0	45		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	46		
1	1	--	3.0	3.3	0	1	1	--	5.8	6.1	0	1	--	1	2.4	0	25.0	47		
--	--	--	0	0	0	1	1	--	5.8	6.1	0	--	--	--	0	0	0	48		
--	--	--	0	0	0	1	1	--	5.8	6.1	0	2	2	--	4.8	5.3	0	49		
4	2	2	11.9	6.6	62.5	5	4	1	29.1	24.2	142.9	6	5	1	14.3	13.2	25.0	50		
2	1	1	6.0	3.3	31.2	--	--	--	0	0	0	--	--	--	0	0	0	51		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	52		
3	1	2	9.0	3.3	62.5	1	1	--	5.8	6.1	0	1	1	--	2.4	2.6	0	53		
1	1	--	3.0	3.3	0	5	5	--	29.1	30.3	0	3	2	1	7.1	5.3	25.0	54		
1	--	1	3.0	--	31.2	--	--	--	0	0	0	1	--	1	2.4	0	25.0	55		
7	5	2	20.9	16.5	62.5	--	--	--	0	0	0	12	7	5	28.6	18.4	125.0	56		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	57		
4	3	1	11.9	9.9	31.2	--	--	--	0	0	0	11	7	4	26.2	18.4	100.0	58		
12	11	1	35.8	36.3	31.2	5	4	1	29.1	24.2	142.9	19	18	1	45.2	47.4	25.0	59		
9	8	1	26.9	26.4	31.2	2	2	--	11.6	12.1	0	7	7	--	16.7	18.4	0	60		
3	3	--	9.0	9.9	0	--	--	--	0	0	0	4	3	1	9.5	7.9	25.0	61		
1	--	1	3.0	0	31.2	1	1	--	5.8	6.1	0	4	--	4	9.5	0	100.0	62		
16	13	3	47.8	42.9	93.7	11	11	--	64.0	66.7	0	16	14	2	38.1	36.8	50.0	63		

ITEM	Hancock						Haralson					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	342	54	288	32.6	19.3	37.4	302	271	31	20.3	20.1	22.1
2 Delivered in hospital	100	51	49	29.2%	94.4%	17.0%	263	255	8	87.1%	94.1%	25.8%
3 Delivered in home by physician	5	--	5	1.5%	0%	1.7%	17	9	8	5.6%	3.3%	25.8%
4 Delivered in home by midwife	237	3	234	69.3%	5.6%	81.2%	22	7	15	7.3%	2.6%	48.4%
5 Other deliveries	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%
6 Immature births	14	1	13	40.9	18.5	45.1	28	26	2	92.7	95.9	64.5
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	8	2	6	23.4	37.0	20.8	6	5	1	19.9	18.4	32.3
DEATHS												
10 Total, all ages	103	31	72	981.0	1107.1	935.1	101	90	11	677.9	666.7	785.7
11 Under 1 year	13	--	13	38.0	0	45.1	8	5	3	26.5	18.4	96.8
12 Under 28 days	7	--	7	20.5	0	24.3	5	3	2	16.6	11.1	64.5
13 Deaths from immaturity	2	--	2	5.8	0	6.9	--	--	--	0	0	0
14 1-4 years **	--	--	--	--	--	--	3	3	--	0	0	0
15 Maternal deaths	3	--	3	87.7	0	104.2	--	--	--	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	1	1	--	9.5	35.7	0	--	--	--	0	0	0
17 Syphilis and its sequelae (020-029)	--	--	--	0	0	0	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	1	1	--	6.7	7.4	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	--	--	--	0	0	0	2	2	--	13.4	14.8	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	12	3	9	114.3	107.1	116.9	16	14	2	107.4	103.7	142.9
34 Benign and unspecified neoplasms (210-239)	--	--	--	0	0	0	--	--	--	0	0	0
35 Diabetes mellitus (260)	1	--	1	9.5	0	13.0	3	3	--	20.1	22.2	0
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	--	--	--	0	0	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	13	6	7	123.8	214.3	90.9	11	11	--	74.8	81.5	0
39 Nonmeningococcal meningitis (340)	2	--	2	19.0	0	26.0	1	1	--	6.7	7.4	0
40 Rheumatic fever (400-402)	1	--	1	9.5	0	13.0	--	--	--	0	0	0
41 Heart diseases (410-443)	22	10	12	209.5	357.1	155.8	39	35	4	261.7	259.3	285.7
42 Hypertension without mention of heart (444-447)	1	1	--	9.5	35.7	0	--	--	--	0	0	0
43 Influenza and pneumonia (480-483, 490-493)	6	--	6	57.1	0	77.9	2	1	1	13.4	7.4	71.4
44 Bronchitis (500-502)	--	--	--	0	0	0	--	--	--	0	0	0
45 Ulcer of stomach and duodenum (540-541)	--	--	--	0	0	0	1	1	--	6.7	7.4	0
46 Appendicitis (550-553)	--	--	--	0	0	0	--	--	--	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	3	1	2	28.6	35.7	26.0	1	1	--	6.7	7.4	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	--	2	19.0	0	26.0	--	--	--	0	0	0
49 Cirrhosis of liver (581)	1	--	1	9.5	0	13.0	--	--	--	0	0	0
50 Nephritis and nephrosis (590-594)	--	--	--	0	0	0	1	1	--	6.7	7.4	0
51 Hyperplasia of prostate (610)	--	--	--	0	0	0	1	1	--	6.7	7.4	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	3	--	3	28.6	0	39.0	--	--	--	0	0	0
53 Congenital malformations (750-759)	--	--	--	0	0	0	1	1	--	6.7	7.4	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	--	1	9.5	0	13.0	3	3	--	20.1	22.2	0
55 Infection of the newborn (763-768)	--	--	--	0	0	0	1	--	1	6.7	0	71.4
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	5	--	5	47.6	0	64.9	--	--	--	0	0	0
57 Senility, without mention of psychosis (794)	1	--	1	9.5	0	13.0	--	--	--	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	4	--	4	38.1	0	51.9	--	--	--	0	0	0
59 Motor vehicle accidents (E810-E835)	2	1	1	19.0	35.7	13.0	3	2	1	20.1	14.8	71.4
60 All other accidents (E800-E802, E840-E962)	5	2	3	47.6	71.4	39.0	3	1	2	20.1	7.4	142.9
61 Suicide (E963, E970-E979)	3	2	1	28.6	71.4	13.0	1	1	--	6.7	7.4	0
62 Homicide (E964, E980-E985)	3	--	3	28.6	0	39.0	3	3	--	20.1	22.2	0
63 All other diseases (residual)	11	4	7	104.8	142.9	90.9	7	7	--	47.0	51.9	0

COUNTY, BY RACE, GEORGIA, 1953—CONTINUED

Harris						Hart						Heard						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
283	90	193	25.3	18.8	30.2	283	194	89	19.9	18.1	25.4	125	82	43	19.5	17.1	26.9	1
170	90	80	60.1%	100.0%	41.4%	198	185	13	70.0%	95.4%	14.6%	89	72	17	71.2%	87.8%	39.5%	2
36	--	36	12.7%	0%	18.7%	41	6	35	14.5%	3.1%	39.3%	12	7	5	9.6%	8.5%	11.6%	3
77	--	77	27.2%	0%	39.9%	44	3	41	15.5%	1.5%	46.1%	24	3	21	19.2%	3.7%	48.8%	4
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	5
18	4	14	63.6	44.4	72.5	12	6	6	42.4	30.9	67.4	10	5	5	80.0	61.0	116.3	6
8	3	5	28.3	33.3	25.9	4	2	2	14.1	10.3	22.5	3	1	2	24.0	12.2	46.5	7
96	44	52	857.1	916.7	812.5	118	88	30	831.0	822.4	857.1	62	47	15	968.8	979.2	937.5	8
5	1	4	17.7	11.1	20.7	10	5	5	35.3	25.8	56.2	6	2	4	48.0	24.4	93.0	9
3	1	2	10.6	11.1	10.4	4	2	2	14.1	10.3	22.5	1	1	--	8.0	12.2	0	10
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	8.0	12.2	0	11
1	--	1	35.4	0	51.8	2	1	1	35.3	51.5	0	2	--	2	0	0	0	12
1	--	1	0	0	0	1	1	--	0	0	0	--	--	--	0	0	0	13
1	1	--	8.9	20.8	0	2	1	1	14.1	9.3	28.6	--	--	--	0	0	0	14
1	--	1	8.9	0	15.6	--	--	--	0	0	0	--	--	--	0	0	0	15
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	16
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	17
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	18
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	19
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	20
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	21
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	22
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	24
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	25
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	26
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	32
11	5	6	98.2	104.2	93.8	13	12	1	91.5	112.1	28.6	7	6	1	109.4	125.0	62.5	33
1	1	--	8.9	20.8	0	--	--	--	0	0	0	--	--	--	0	0	0	34
1	1	--	8.9	20.8	0	1	1	--	7.0	9.3	0	--	--	--	0	0	0	35
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	36
--	--	--	0	0	0	1	1	--	7.0	9.3	0	--	--	--	0	0	0	37
23	11	12	205.4	229.2	187.5	18	14	4	126.8	130.8	114.3	11	8	3	171.9	166.7	187.5	38
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	39
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	15.6	20.8	0	40
23	11	12	205.4	229.2	187.5	35	30	5	246.5	280.4	142.9	17	16	1	265.6	333.3	62.5	41
--	--	--	0	0	0	3	3	--	21.1	28.0	0	2	2	--	31.2	41.7	0	42
5	1	4	44.6	20.8	62.5	6	2	4	42.3	18.7	114.3	3	1	2	46.9	20.8	125.0	43
1	1	--	8.9	20.8	0	--	--	--	0	0	0	--	--	--	0	0	0	44
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	45
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	46
1	1	--	8.9	20.8	0	--	--	--	0	0	0	--	--	--	0	0	0	47
1	--	1	8.9	0	15.6	1	--	1	7.0	0	28.6	--	--	--	0	0	0	48
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	15.6	20.8	0	49
2	1	1	17.9	20.8	15.6	13	1	12	91.5	9.3	342.9	--	--	--	0	0	0	50
1	1	--	8.9	20.8	0	--	--	--	0	0	0	--	--	--	0	0	0	51
1	--	1	8.9	0	15.6	1	1	--	7.0	9.3	0	--	--	--	0	0	0	52
1	--	1	8.9	0	15.6	--	--	--	0	0	0	1	--	1	15.6	0	62.5	53
1	1	--	8.9	20.8	0	2	2	--	14.1	18.7	0	--	--	--	0	0	0	54
--	--	--	0	0	0	1	--	1	7.0	0	28.6	--	--	--	0	0	0	55
1	--	1	8.9	0	15.6	--	--	--	0	0	0	2	1	1	31.2	20.8	62.5	56
--	--	--	0	0	0	1	1	--	7.0	9.3	0	--	--	--	0	0	0	57
--	--	--	0	0	0	2	1	1	14.1	9.3	28.6	2	2	--	31.2	41.7	0	58
2	1	--	17.9	20.8	15.6	4	4	4	28.2	37.4	0	3	3	--	46.9	62.5	0	59
2	--	2	17.9	0	31.2	5	5	--	35.2	46.7	0	6	2	4	93.8	41.7	250.0	60
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	15.6	20.8	0	61
3	1	2	26.8	20.8	31.2	--	--	--	0	0	0	--	--	--	0	0	0	62
13	6	7	116.1	125.0	109.4	9	9	--	63.4	84.1	0	5	3	2	78.1	62.5	125.0	63

ITEM	Henry						Houston					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	393	162	231	24.3	17.8	32.5	841	533	308	38.8	38.3	39.5
2 Delivered in hospital	182	153	29	46.3%	94.4%	12.6%	729	530	199	86.7%	99.4%	64.6%
3 Delivered in home by physician	17	5	12	4.3%	3.1%	5.2%	10	1	9	1.2%	0.2%	2.9%
4 Delivered in home by midwife	194	4	190	49.4%	2.5%	82.3%	102	2	100	12.1%	0.4%	32.5%
5 Other deliveries	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%
6 Immature births	47	13	34	119.6	80.2	147.2	55	30	25	65.4	56.3	81.2
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	3	1	2	7.6	6.2	8.7	25	11	14	29.7	20.6	45.5
DEATHS												
10 Total, all ages	158	75	83	975.3	824.2	1169.0	172	98	74	792.6	705.0	948.7
11 Under 1 year	16	3	13	40.7	18.5	56.3	23	12	11	27.3	22.5	35.7
12 Under 28 days	10	1	9	25.4	6.2	39.0	14	9	5	16.6	16.9	16.2
13 Deaths from immaturity	9	1	8	22.9	6.2	34.6	5	1	4	5.9	1.9	13.0
14 1-4 years **	2	2	--	--	--	--	7	4	3	--	--	--
15 Maternal deaths	--	--	--	0	0	0	1	--	1	11.9	0	32.5
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	2	1	1	12.3	11.0	14.1	1	1	--	4.6	7.2	0
17 Syphilis and its sequelae (020-029)	--	--	--	0	0	0	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	1	1	--	4.6	7.2	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	--	--	--	0	0	0	--	--	--	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	18	11	7	111.1	120.9	98.6	23	13	10	106.0	93.5	128.2
34 Benign and unspecified neoplasms (210-239)	--	--	--	0	0	0	--	--	--	0	0	0
35 Diabetes mellitus (260)	2	2	--	12.3	22.0	0	3	2	1	13.8	14.4	12.8
36 Pellagra (281)	--	--	--	0	0	0	1	1	--	4.6	7.2	0
37 Anemias (290-293)	--	--	--	0	0	0	1	1	--	4.6	7.2	0
38 Vascular lesions affecting central nervous system (330-334)	16	9	7	98.8	98.9	98.6	21	9	12	96.8	64.7	153.8
39 Nonmeningococcal meningitis (340)	--	--	--	0	0	0	1	1	--	4.6	7.2	0
40 Rheumatic fever (400-402)	--	--	--	0	0	0	--	--	--	0	0	0
41 Heart diseases (410-443)	58	28	30	358.0	307.7	422.5	38	23	15	175.1	165.5	192.3
42 Hypertension without mention of heart (444-447)	6	2	4	37.0	22.0	56.3	2	1	1	9.2	7.2	12.8
43 Influenza and pneumonia (480-483, 490-493)	13	2	11	80.2	22.0	154.9	3	1	2	13.8	7.2	25.6
44 Bronchitis (500-502)	--	--	--	0	0	0	1	--	1	4.6	0	12.8
45 Ulcer of stomach and duodenum (540-541)	1	1	--	6.2	11.0	0	--	--	--	0	0	0
46 Appendicitis (550-553)	--	--	--	0	0	0	1	--	1	4.6	0	12.8
47 Intestinal obstruction and hernia (560, 561, 570)	2	2	--	12.3	22.0	0	--	--	--	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhoea of the newborn) (543, 571, 572)	1	--	1	6.2	0	14.1	4	--	4	18.4	0	51.3
49 Cirrhosis of liver (581)	--	--	--	0	0	0	1	1	--	4.6	7.2	0
50 Nephritis and nephrosis (590-594)	3	1	2	18.5	11.0	28.2	--	--	--	0	0	0
51 Hyperplasia of prostate (610)	--	--	--	0	0	0	5	--	5	23.0	0	64.1
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	--	--	--	0	0	0	1	--	1	4.6	0	12.8
53 Congenital malformations (750-759)	1	1	--	6.2	11.0	0	6	4	2	27.6	28.8	25.6
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	--	1	6.2	0	14.1	5	4	1	23.0	28.8	12.8
55 Infection of the newborn (763-768)	--	--	--	0	0	0	--	--	--	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	10	2	8	61.7	22.0	112.7	7	3	4	32.3	21.6	51.3
57 Senility, without mention of psychosis (794)	2	1	1	12.3	11.0	14.1	1	--	1	4.6	0	12.8
58 Ill-defined and unknown causes (780-793, 795)	2	--	2	12.3	0	28.2	3	3	--	13.8	21.6	0
59 Motor vehicle accidents (E810-E835)	2	2	--	12.3	22.0	0	6	3	3	27.6	21.6	38.5
60 All other accidents (E800-E802, E840-E962)	5	1	4	30.9	11.0	56.3	21	16	5	96.8	115.1	64.1
61 Suicide (E963, E970-E979)	--	--	--	0	0	0	1	1	--	4.6	7.2	0
62 Homicide (E964, E980-E985)	--	--	--	0	0	0	1	--	1	4.6	7.2	12.8
63 All other diseases (residual)	13	9	4	80.2	98.9	56.3	13	9	4	59.9	64.7	51.3

COUNTY, BY RACE, GEORGIA, 1953—CONTINUED

Irwin						Jackson						Jasper							
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *				
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White		
317	130	187	27.1	17.3	44.5	469	384	85	25.1	24.3	29.3	231	79	152	32.5	27.2	36.2	1	
160	127	33	50.5%	97.7%	17.6%	352	325	27	75.1%	84.6%	31.8%	98	75	23	42.4%	94.9%	15.1%	2	
3	1	2	0.9%	0.8%	1.1%	89	54	35	19.0%	14.1%	41.2%	22	4	18	9.5%	5.1%	11.8%	3	
154	2	152	48.6%	1.5%	81.3%	28	5	23	6.0%	1.3%	27.1%	111	--	111	48.1%	0%	73.0%	4	
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	5	
14	5	9	44.2	38.5	48.1	41	28	13	87.4	72.9	152.9	13	4	9	56.3	50.6	59.2	6	
																			7
																			8
5	1	4	15.8	7.7	21.4	8	3	5	17.1	7.8	58.8	9	3	6	39.0	38.0	39.5	9	
																			10
88	49	39	752.1	653.3	928.6	152	122	30	812.8	772.2	1034.5	75	28	47	1056.3	965.5	1119.0	11	
12	5	7	37.9	38.5	37.4	13	11	2	27.7	28.6	23.5	9	3	6	39.0	38.0	39.5	12	
5	3	2	15.8	23.1	10.7	11	9	2	23.5	23.4	23.5	6	2	4	26.0	25.3	26.3	13	
1	1	--	3.2	7.7	0	3	1	2	6.4	2.6	23.5	2	--	2	8.7	0	13.2	14	
2	--	2	--	--	--	6	5	1	--	--	--	--	--	--	--	--	--	15	
2	--	2	63.1	0	10.7	2	2	--	42.6	52.1	0	1	--	1	43.3	0	65.8	16	
																			17
1	--	1	8.5	0	23.8	--	--	--	0	0	0	1	--	1	14.1	0	23.8	18	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	19	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	20	
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	14.1	0	23.8	21	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	22	
--	--	--	0	0	0	--	--	--	0	0	0	2	1	1	28.2	34.5	23.8	23	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	24	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	25	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	26	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28	
--	--	--	0	0	0	1	1	--	5.3	6.3	0	--	--	--	0	0	0	29	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31	
--	--	--	0	0	0	1	--	1	5.3	0	34.5	--	--	--	0	0	0	32	
--	--	--	0	0	0	1	1	--	5.3	6.3	0	--	--	--	0	0	0	33	
12	12	--	102.6	160.0	0	17	15	2	90.9	94.9	69.0	6	5	1	84.5	172.4	23.8	34	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	35	
1	1	--	3.5	13.3	0	7	6	1	37.4	38.0	34.5	--	--	--	0	0	0	36	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	37	
1	--	1	8.5	0	23.8	--	--	--	0	0	0	--	--	--	0	0	0	38	
13	7	6	111.1	93.3	142.9	23	17	6	123.0	107.6	206.9	16	3	13	225.4	103.4	309.5	39	
--	--	--	0	0	0	2	2	--	10.7	12.7	0	--	--	--	0	0	0	40	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	41	
20	11	9	170.9	146.7	214.3	35	29	6	187.2	183.5	206.9	21	9	12	295.8	310.3	285.7	42	
--	--	--	0	0	0	3	2	1	16.0	12.7	34.5	--	--	--	0	0	0	43	
5	2	3	42.7	26.7	71.4	9	5	4	48.1	31.6	137.9	5	1	4	70.4	34.5	95.2	44	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	45	
--	--	--	0	0	0	1	1	--	5.3	6.3	0	--	--	--	0	0	0	46	
--	--	--	0	0	0	2	1	1	10.7	6.3	34.5	1	1	--	14.1	34.5	0	47	
1	--	1	8.5	0	23.8	1	--	1	5.3	0	34.5	2	1	1	28.2	34.5	23.8	48	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	49	
--	--	--	0	0	0	5	5	--	26.7	31.6	0	--	--	--	0	0	0	50	
4	1	3	34.2	13.3	71.4	3	3	--	16.0	19.0	0	1	--	1	14.1	0	23.8	51	
--	--	--	0	0	0	1	--	1	5.3	0	34.5	1	1	--	14.1	34.5	0	52	
2	--	2	17.1	0	47.6	2	2	--	10.7	12.7	0	1	--	1	14.1	0	23.8	53	
2	1	1	17.1	13.3	23.8	5	4	1	26.7	25.3	34.5	1	1	--	14.1	34.5	0	54	
4	2	2	34.2	26.7	47.6	2	2	--	10.7	12.7	0	1	1	--	14.1	34.5	0	55	
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	14.1	0	23.8	56	
1	1	--	8.5	13.3	0	4	2	2	21.4	12.7	69.0	4	1	3	56.3	34.5	71.4	57	
2	1	1	17.1	13.3	23.8	--	--	--	0	0	0	2	--	2	28.2	0	47.6	58	
2	1	1	17.1	13.3	23.8	1	1	--	5.3	6.3	0	--	--	--	0	0	0	59	
2	2	--	17.1	26.7	0	8	8	--	42.8	50.6	0	1	1	--	14.1	34.5	0	60	
3	2	1	25.6	26.7	23.8	5	3	2	26.7	19.0	69.0	1	--	1	14.1	0	23.8	61	
--	--	--	0	0	0	1	1	--	5.3	6.3	0	--	--	--	0	0	0	62	
1	--	1	8.5	0	23.8	2	1	1	10.7	6.3	34.5	1	--	1	14.1	0	23.8	63	
11	5	6	94.0	66.7	142.9	10	10	--	53.5	63.3	0	5	2	3	70.4	69.0	71.4	64	

ITEM	Jeff Davis						Jefferson					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	280	209	71	29.5	28.2	33.8	552	155	397	29.7	19.9	36.8
2 Delivered in hospital	151	149	2	53.9%	71.3%	2.8%	203	144	59	36.8%	92.9%	14.9%
3 Delivered in home by physician	62	51	11	22.1%	24.4%	15.5%	32	8	24	5.8%	5.2%	6.0%
4 Delivered in home by midwife	67	9	58	23.9%	4.3%	81.7%	317	3	314	57.4%	1.9%	79.1%
5 Other deliveries	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%
6 Immature births	24	14	10	85.7	67.0	140.8	34	7	27	61.6	45.2	68.0
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	6	3	3	21.4	14.4	42.3	10	5	5	18.1	32.3	12.6
DEATHS												
10 Total, all ages	76	58	18	800.0	783.8	857.1	175	74	101	940.9	948.7	935.2
11 Under 1 year	11	7	4	39.3	33.5	56.3	12	2	10	21.7	12.9	25.2
12 Under 28 days	7	6	1	25.0	28.7	14.1	7	--	7	12.7	0	17.6
13 Deaths from immaturity	2	1	1	7.1	4.8	14.1	2	--	2	3.6	0	5.0
14 1-4 years **	1	1	--	--	--	--	4	1	3	--	--	--
15 Maternal deaths	1	1	--	35.7	47.8	0	--	--	--	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	2	1	1	21.1	13.5	47.6	3	2	1	16.1	25.6	9.3
17 Syphilis and its sequelae (020-029)	--	--	--	0	0	0	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	--	--	--	0	0	0	2	1	1	10.8	12.8	9.3
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	7	6	1	73.7	81.1	47.6	17	8	9	91.4	102.6	83.3
34 Benign and unspecified neoplasms (210-239)	--	--	--	0	0	0	--	--	--	0	0	0
35 Diabetes mellitus (260)	1	1	--	10.5	13.5	0	6	2	4	32.3	25.6	37.0
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	--	--	--	0	0	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	14	9	5	147.4	121.6	238.1	31	12	19	166.7	153.8	175.9
39 Nonmeningococcal meningitis (340)	--	--	--	0	0	0	1	1	--	5.4	12.8	0
40 Rheumatic fever (400-402)	--	--	--	0	0	0	--	--	--	0	0	0
41 Heart diseases (410-443)	27	22	5	284.2	297.3	238.1	56	28	28	301.1	359.0	259.3
42 Hypertension without mention of heart (444-447)	--	--	--	0	0	0	3	2	1	16.1	25.6	9.3
43 Influenza and pneumonia (480-483, 490-493)	6	4	2	63.2	54.1	95.2	5	1	4	26.9	12.8	37.0
44 Bronchitis (500-502)	--	--	--	0	0	0	1	1	--	5.4	12.8	0
45 Ulcer of stomach and duodenum (540-541)	--	--	--	0	0	0	2	--	2	10.8	0	18.5
46 Appendicitis (550-553)	--	--	--	0	0	0	--	--	--	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	--	--	--	0	0	0	1	1	--	5.4	12.8	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	--	1	10.5	0	47.6	3	2	1	16.1	25.6	9.3
49 Cirrhosis of liver (581)	--	--	--	0	0	0	3	3	--	16.1	38.5	0
50 Nephritis and nephrosis (590-594)	4	2	2	42.1	27.0	95.2	4	--	4	21.5	0	37.0
51 Hyperplasia of prostate (610)	1	1	--	10.5	13.5	0	1	--	1	5.4	0	9.3
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	1	--	10.5	13.5	0	--	--	--	0	0	0
53 Congenital malformations (750-759)	1	1	--	10.5	13.5	0	1	1	--	5.4	12.8	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	2	--	21.1	27.0	0	1	--	1	5.4	0	9.3
55 Infection of the newborn (763-768)	1	1	--	10.5	13.5	0	2	--	2	10.8	0	18.5
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	2	1	31.6	27.0	47.6	5	--	5	26.9	0	46.3
57 Senility, without mention of psychosis (794)	--	--	--	0	0	0	1	--	1	5.4	0	9.3
58 Ill-defined and unknown causes (780-793, 795)	--	--	--	0	0	0	9	--	9	48.4	0	83.3
59 Motor vehicle accidents (E810-E835)	1	1	--	10.5	13.5	0	1	1	--	5.4	12.8	0
60 All other accidents (E800-E802, E840-E962)	3	3	--	31.6	40.5	0	7	2	5	37.6	25.6	46.3
61 Suicide (E963, E970-E979)	--	--	--	0	0	0	1	1	--	5.4	12.8	0
62 Homicide (E964, E980-E985)	1	1	--	10.5	13.5	0	1	1	--	5.4	12.8	0
63 All other diseases (residual)	--	--	--	0	0	0	7	4	3	37.6	51.3	27.8

COUNTY, BY RACE, GEORGIA, 1953—CONTINUED

Jenkins						Johnson						Jones							
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *				
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White		
299	120	179	30.8	28.6	32.5	230	119	111	25.8	20.2	37.0	193	61	132	26.4	17.9	33.8	1	
152	114	38	50.8%	95.0%	21.2%	122	112	10	53.0%	94.1%	9.0%	62	46	16	32.1%	75.4%	12.1%	2	
5	1	4	1.7%	0.8%	2.2%	3	2	1	1.3%	1.7%	0.9%	26	11	15	13.5%	18.0%	11.4%	3	
142	5	137	47.5%	4.2%	76.5%	105	5	100	45.7%	4.2%	90.1%	104	4	100	53.9%	6.6%	75.8%	4	
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	1	--	1	0.5%	0%	0.8%	5	
19	6	13	63.5	50.0	72.6	21	7	14	91.3	58.8	126.1	18	6	12	93.3	98.4	90.9	6	
																			7
																			8
8	2	6	26.8	16.7	33.5	9	2	7	39.1	16.8	63.1	3	1	2	15.5	16.4	15.2	9	
																			10
122	46	76	1257.7	1095.2	1381.8	78	54	24	876.4	915.3	800.0	48	25	23	657.5	735.3	589.7	11	
16	6	10	53.5	50.0	55.9	10	4	6	43.5	33.6	54.1	3	--	3	15.5	0	22.7	12	
9	5	4	30.1	41.7	22.3	7	1	6	30.4	8.4	54.1	2	--	2	10.4	0	15.2	13	
--	--	--	0	0	0	1	--	1	4.3	0	9.0	--	--	--	0	0	0	14	
4	2	2				2	1	1				--	--	--				15	
1	--	1	33.4	0	55.9	--	--	--	0	0	0	--	--	--	0	0	0	16	
																			17
3	1	2	30.9	23.8	36.4	1	--	1	11.2	0	33.3	2	2	--	27.4	58.8	0	18	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	19	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	20	
2	--	2	20.6	0	36.4	--	--	--	0	0	0	--	--	--	0	0	0	21	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	22	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23	
1	1	--	10.3	23.8	0	--	--	--	0	0	0	--	--	--	0	0	0	24	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	25	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	26	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27	
1	--	1	10.3	0	18.2	--	--	--	0	0	0	--	--	--	0	0	0	28	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31	
																			32
3	1	2	30.9	23.8	36.4	--	--	--	0	0	0	--	--	--	0	0	0	33	
6	4	2	61.9	95.2	36.4	7	5	2	78.7	84.7	66.7	10	6	4	137.0	176.5	102.6	34	
2	--	2	20.6	0	36.4	--	--	--	0	0	0	--	--	--	0	0	0	35	
2	2	--	20.6	47.6	0	--	--	--	0	0	0	--	--	--	0	0	0	36	
1	1	--	10.3	23.8	0	--	--	--	0	0	0	--	--	--	0	0	0	37	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	38	
21	7	14	216.5	166.7	254.5	8	6	2	89.9	101.7	66.7	9	6	3	123.3	176.5	76.9	39	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	40	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	41	
30	14	16	309.3	333.3	290.9	24	21	3	269.7	355.9	100.0	11	7	4	150.7	205.9	102.6	42	
1	--	1	10.3	0	18.2	1	1	--	11.2	16.9	0	--	--	--	0	0	0	43	
8	--	8	82.5	0	145.5	5	5	--	56.2	84.7	0	2	1	1	27.4	29.4	25.6	44	
--	--	--	0	0	0	1	1	--	11.2	16.9	0	--	--	--	0	0	0	45	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	46	
--	--	--	0	0	0	1	--	1	11.2	0	33.3	--	--	--	0	0	0	47	
3	2	1	30.9	47.6	18.2	1	1	--	11.2	16.9	0	1	--	1	13.7	0	25.6	48	
1	1	--	10.3	23.8	0	--	--	--	0	0	0	--	--	--	0	0	0	49	
4	2	2	41.2	47.6	36.4	8	4	4	89.9	67.8	133.3	7	2	5	95.9	58.8	128.2	50	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	51	
1	--	1	10.3	0	18.2	--	--	--	0	0	0	--	--	--	0	0	0	52	
--	--	--	0	0	0	2	1	1	22.5	16.9	33.3	--	--	--	0	0	0	53	
3	3	--	30.9	71.4	0	4	--	4	44.9	0	133.3	--	--	--	0	0	0	54	
1	1	--	10.3	23.8	0	--	--	--	0	0	0	1	--	1	13.7	0	25.6	55	
3	--	3	30.9	0	54.5	1	--	1	11.2	0	33.3	1	--	1	13.7	0	25.6	56	
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	13.7	0	25.6	57	
10	2	8	103.1	47.6	145.5	3	1	2	33.7	16.9	66.7	--	--	--	0	0	0	58	
2	1	1	20.6	23.8	18.2	5	4	1	56.2	67.8	33.3	--	--	--	0	0	0	59	
5	--	5	51.5	0	90.9	2	2	--	22.5	33.9	0	2	1	1	27.4	29.4	25.6	60	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	61	
1	--	1	10.3	0	18.2	2	1	1	22.5	16.9	33.3	--	--	--	0	0	0	62	
7	3	4	72.2	71.4	72.7	2	1	1	22.5	16.9	33.3	1	--	1	13.7	0	25.6	63	

ITEM	Lamar						Lanier					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	273	123	150	26.5	19.8	36.6	109	62	47	21.8	18.2	29.4
2 Delivered in hospital	251	121	130	91.9%	98.4%	86.7%	74	55	19	67.9%	88.7%	40.4%
3 Delivered in home by physician	3	1	2	1.1%	0.8%	1.3%	12	4	8	11.0%	6.5%	17.0%
4 Delivered in home by midwife	18	--	18	6.6%	0%	12.0%	23	3	20	21.1%	4.8%	42.6%
5 Other deliveries	1	1	--	0.4%	0.8%	0%	--	--	--	0%	0%	0%
6 Immature births	27	9	18	98.9	73.2	120.0	8	5	3	73.4	80.6	63.8
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	13	9	4	47.6	73.2	26.7	3	2	1	27.5	32.3	21.3
DEATHS												
10 Total, all ages	102	55	47	990.3	887.1	1146.3	26	15	11	520.0	441.2	687.5
11 Under 1 year	4	3	1	14.7	24.4	6.7	3	1	2	27.5	16.1	42.6
12 Under 28 days	4	3	1	14.7	24.4	6.7	3	1	2	27.5	16.1	42.6
13 Deaths from immaturity	2	1	1	7.3	8.1	6.7	1	--	1	9.2	0	21.3
14 1-4 years **	--	--	--	--	--	--	--	--	--	--	--	--
15 Maternal deaths	--	--	--	0	0	0	--	--	--	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	2	--	2	19.4	0	48.8	--	--	--	0	0	0
17 Syphilis and its sequelae (020-029)	--	--	--	0	0	0	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	--	1	9.7	0	24.4	--	--	--	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	10	4	6	97.1	64.5	146.3	--	--	--	0	0	0
34 Benign and unspecified neoplasms (210-239)	--	--	--	0	0	0	--	--	--	0	0	0
35 Diabetes mellitus (260)	2	2	--	19.4	32.3	0	--	--	--	0	0	0
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	1	--	1	9.7	0	24.4	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	12	5	7	116.5	80.6	170.7	6	5	1	120.0	147.1	62.5
39 Nonmeningococcal meningitis (340)	--	--	--	0	0	0	--	--	--	0	0	0
40 Rheumatic fever (400-402)	--	--	--	0	0	0	--	--	--	0	0	0
41 Heart diseases (410-443)	40	23	17	388.3	371.0	414.6	6	4	2	120.0	117.6	125.0
42 Hypertension without mention of heart (444-447)	2	--	2	19.4	0	48.8	3	1	2	60.0	29.4	125.0
43 Influenza and pneumonia (480-483, 490-493)	3	1	2	29.1	16.1	48.8	1	1	--	20.0	29.4	0
44 Bronchitis (500-502)	1	1	--	9.7	16.1	0	--	--	--	0	0	0
45 Ulcer of stomach and duodenum (540-541)	--	--	--	0	0	0	--	--	--	0	0	0
46 Appendicitis (550-553)	--	--	--	0	0	0	--	--	--	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	--	--	--	0	0	0	1	1	--	20.0	29.4	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	2	--	19.4	32.3	0	--	--	--	0	0	0
49 Cirrhosis of liver (581)	--	--	--	0	0	0	--	--	--	0	0	0
50 Nephritis and nephrosis (590-594)	5	1	4	48.5	16.1	97.6	1	--	1	20.0	0	62.5
51 Hyperplasia of prostate (610)	1	--	1	9.7	0	24.4	--	--	--	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	--	--	--	0	0	0	--	--	--	0	0	0
53 Congenital malformations (750-759)	1	--	1	9.7	0	24.4	1	1	--	20.0	29.4	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	1	--	9.7	16.1	0	1	--	1	20.0	0	62.5
55 Infection of the newborn (763-768)	1	1	--	9.7	16.1	0	--	--	--	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	2	1	1	19.4	16.1	24.4	1	--	1	20.0	0	62.5
57 Senility, without mention of psychosis (794)	--	--	--	0	0	0	1	--	1	20.0	0	62.5
58 Ill-defined and unknown causes (780-793, 795)	--	--	--	0	0	0	--	--	--	0	0	0
59 Motor vehicle accidents (E810-E835)	3	3	--	29.1	48.4	0	--	--	--	0	0	0
60 All other accidents (E800-E802, E840-E962)	4	3	1	38.8	48.4	24.4	1	1	--	20.0	29.4	0
61 Suicide (E963, E970-E979)	3	2	1	29.1	32.3	24.4	--	--	--	0	0	0
62 Homicide (E964, E980-E985)	--	--	--	0	0	0	--	--	--	0	0	0
63 All other diseases (residual)	5	5	--	48.5	80.6	0	3	1	2	60.0	29.4	125.0

COUNTY, BY RACE, GEORGIA, 1953—CONTINUED

Laurens						Lee						Liberty						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
846	431	415	26.0	22.4	31.2	192	39	153	30.5	26.0	31.9	366	178	188	43.6	52.4	37.6	1
542	419	123	64.1%	97.2%	29.6%	47	37	10	24.5%	94.9%	6.5%	252	178	74	68.9%	100.0%	39.4%	2
32	8	24	3.8%	1.9%	5.8%	2	1	1	1.0%	2.6%	0.7%	7	--	7	1.9%	0%	3.7%	3
272	4	268	32.2%	0.9%	64.6%	143	1	142	74.5%	2.6%	92.8%	107	--	107	29.2%	0%	56.9%	4
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	5
54	27	27	63.8	62.6	65.1	16	3	13	83.3	76.9	85.0	19	8	11	51.9	44.9	58.5	6
																		7
																		8
25	5	20	29.6	11.6	48.2	9	--	9	46.9	0	58.8	5	--	5	13.7	0	26.6	9
323	153	170	993.8	796.9	1278.2	63	18	45	1000.0	1200.0	937.5	95	30	65	1131.0	882.4	1300.0	10
40	16	24	47.3	37.1	57.8	9	2	7	46.9	51.3	45.8	11	1	10	30.1	5.6	53.2	11
25	13	12	29.6	30.2	28.9	3	1	2	15.6	25.6	13.1	10	1	9	27.3	5.6	47.9	12
13	6	7	15.4	13.9	16.9	1	1	--	5.2	25.6	0	1	--	1	2.7	0	5.3	13
8	1	7				2	--	2				2	--	2				14
3	1	2	35.5	23.2	48.2	--	--	--	0	0	0	--	--	--	0	0	0	15
2	1	1	6.2	5.2	7.5	1	--	1	15.9	0	20.8	--	--	--	0	0	0	16
1	--	1	3.1	0	7.5	--	--	--	0	0	0	2	--	2	23.8	0	40.0	17
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	18
1	1	--	3.1	5.2	0	--	--	--	0	0	0	--	--	--	0	0	0	19
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	20
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	21
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	22
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	24
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	25
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	26
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	32
23	12	11	70.8	62.5	82.7	10	6	4	158.7	400.0	83.3	11	3	8	131.0	88.2	160.0	33
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	11.9	0	20.0	34
3	3	--	9.2	15.6	0	--	--	--	0	0	0	1	1	--	11.9	29.4	0	35
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	36
3	1	2	9.2	5.2	15.0	--	--	--	0	0	0	--	--	--	0	0	0	37
41	21	20	126.2	109.4	150.4	6	2	4	95.2	133.3	83.3	17	6	11	202.4	176.5	220.0	38
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	39
--	--	--	0	0	0	1	--	1	15.9	0	20.8	--	--	--	0	0	0	40
97	51	46	298.5	265.6	345.9	21	6	15	333.3	400.0	312.5	21	7	14	250.0	205.9	280.0	41
8	1	7	24.6	5.2	52.6	1	1	--	15.9	66.7	0	--	--	--	0	0	0	42
30	7	23	92.3	36.5	172.9	5	--	5	79.4	0	104.2	5	--	5	59.5	0	100.0	43
1	--	1	3.1	0	7.5	--	--	--	0	0	0	--	--	--	0	0	0	44
2	1	1	6.2	5.2	7.5	--	--	--	0	0	0	2	1	1	23.8	29.4	20.0	45
1	1	--	3.1	5.2	0	--	--	--	0	0	0	--	--	--	0	0	0	46
2	--	2	6.2	0	15.0	--	--	--	0	0	0	--	--	--	0	0	0	47
4	2	2	12.3	10.4	15.0	--	--	--	0	0	0	--	--	--	0	0	0	48
3	3	--	9.2	15.6	0	1	--	1	15.9	0	20.8	1	1	--	11.9	29.4	0	49
14	8	6	43.1	41.7	45.1	1	--	1	15.9	0	20.8	1	--	1	11.9	0	20.0	50
1	1	--	3.1	5.2	0	1	--	1	15.9	0	20.8	--	--	--	0	0	0	51
3	1	2	9.2	5.2	15.0	--	--	--	0	0	0	--	--	--	0	0	0	52
1	--	1	3.1	0	7.5	--	--	--	0	0	0	2	1	1	23.8	29.4	20.0	53
7	3	4	21.5	15.6	30.1	--	--	--	0	0	0	4	--	4	47.6	0	80.0	54
1	1	--	3.1	5.2	0	--	--	--	0	0	0	1	--	1	11.9	0	20.0	55
18	9	9	55.4	46.9	67.7	2	1	1	31.7	66.7	20.8	2	--	2	23.8	0	40.0	56
3	1	2	9.2	5.2	15.0	1	--	1	15.9	0	20.8	3	2	1	35.7	58.8	20.0	57
10	2	8	30.8	10.4	60.2	5	--	5	79.4	0	104.2	2	--	2	23.8	0	40.0	58
7	4	3	21.5	20.8	22.6	--	--	--	0	0	0	9	5	4	107.1	147.1	80.0	59
13	5	8	40.0	26.0	60.2	1	--	1	15.9	0	20.8	4	1	3	47.6	29.4	60.0	60
1	1	--	3.1	5.2	0	1	1	--	15.9	66.7	0	1	1	--	11.9	29.4	0	61
6	1	5	18.5	5.2	37.6	2	--	2	31.7	0	41.7	1	--	1	11.9	0	20.0	62
16	11	5	49.2	57.3	37.6	3	1	2	47.6	66.7	41.7	4	1	3	47.6	29.4	60.0	63

ITEM	Lincoln						Long					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	165	65	100	26.2	19.7	33.3	124	81	43	36.5	36.8	35.8
2 Delivered in hospital	126	61	65	76.4%	93.8%	65.0%	97	73	24	78.2%	90.1%	55.8%
3 Delivered in home by physician	28	4	24	17.0%	6.2%	24.0%	13	7	6	10.5%	8.6%	14.0%
4 Delivered in home by midwife	11	--	11	6.7%	0%	11.0%	13	1	12	10.5%	1.2%	27.9%
5 Other deliveries	--	--	--	0%	0%	0%	1	--	1	0.8%	0%	2.3%
6 Immature births	14	3	11	84.8	46.2	110.0	13	7	6	104.8	86.4	139.5
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	1	--	1	6.1	0	10.0	1	1	--	8.1	12.3	0
DEATHS												
10 Total, all ages	51	23	28	809.5	697.0	933.3	40	30	10	1176.5	1363.6	833.3
11 Under 1 year	5	--	5	30.3	0	50.0	4	3	1	32.3	37.0	23.3
12 Under 28 days	1	--	1	6.1	0	10.0	4	3	1	32.3	37.0	23.3
13 Deaths from immaturity	--	--	--	0	0	0	2	1	1	16.1	12.3	23.3
14 1-4 years **	--	--	--	--	--	--	--	--	--	--	--	--
15 Maternal deaths	--	--	--	0	0	0	--	--	--	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	1	--	1	15.9	0	33.3	1	1	--	29.4	45.5	0
17 Syphilis and its sequelae (020-029)	--	--	--	0	0	0	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	--	--	--	0	0	0	--	--	--	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	7	5	2	111.1	151.5	66.7	6	5	1	176.5	227.3	83.3
34 Benign and unspecified neoplasms (210-239)	--	--	--	0	0	0	--	--	--	0	0	0
35 Diabetes mellitus (260)	--	--	--	0	0	0	--	--	--	0	0	0
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	--	--	--	0	0	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	11	5	6	174.6	151.5	200.0	3	2	1	88.2	90.9	83.3
39 Nonmeningococcal meningitis (340)	--	--	--	0	0	0	1	1	--	29.4	45.5	0
40 Rheumatic fever (400-402)	--	--	--	0	0	0	--	--	--	0	0	0
41 Heart diseases (410-443)	14	11	3	222.2	333.3	100.0	15	12	3	441.2	545.5	250.0
42 Hypertension without mention of heart (444-447)	2	1	1	31.7	30.3	33.3	--	--	--	0	0	0
43 Influenza and pneumonia (480-483, 490-493)	3	--	3	47.6	0	100.0	4	3	1	117.6	136.4	83.3
44 Bronchitis (500-502)	--	--	--	0	0	0	--	--	--	0	0	0
45 Ulcer of stomach and duodenum (540-541)	--	--	--	0	0	0	--	--	--	0	0	0
46 Appendicitis (550-553)	--	--	--	0	0	0	--	--	--	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	--	--	--	0	0	0	--	--	--	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	--	2	31.7	0	66.7	--	--	--	0	0	0
49 Cirrhosis of liver (581)	--	--	--	0	0	0	--	--	--	0	0	0
50 Nephritis and nephrosis (590-594)	--	--	--	0	0	0	1	1	--	29.4	45.5	0
51 Hyperplasia of prostate (610)	--	--	--	0	0	0	--	--	--	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	--	--	--	0	0	0	--	--	--	0	0	0
53 Congenital malformations (750-759)	--	--	--	0	0	0	--	--	--	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	--	--	--	0	0	0	--	--	--	0	0	0
55 Infection of the newborn (763-768)	1	--	1	15.9	0	33.3	1	1	--	29.4	45.5	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	--	--	--	0	0	0	3	2	1	88.2	90.9	83.3
57 Senility, without mention of psychosis (794)	1	--	1	15.9	0	33.3	--	--	--	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	1	--	1	15.9	0	33.3	--	--	--	0	0	0
59 Motor vehicle accidents (E810-E835)	1	--	1	15.9	0	33.3	--	--	--	0	0	0
60 All other accidents (E800-E802, E840-E962)	3	--	3	47.6	0	100.0	2	--	2	58.8	0	166.7
61 Suicide (E963, E970-E979)	--	--	--	0	0	0	--	--	--	0	0	0
62 Homicide (E964, E980-E985)	--	--	--	0	0	0	1	1	--	29.4	45.5	0
63 All other diseases (residual)	4	1	3	63.5	30.3	100.0	2	1	1	58.8	45.5	83.3

COUNTY, BY RACE, GEORGIA, 1953—CONTINUED

Lowndes						Lumpkin						Macon							
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *				
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White		
1,220	667	553	33.5	30.2	38.1	154	151	3	23.0	22.9	30.0	356	93	263	26.0	21.6	28.0	1	
786	651	135	64.4%	97.6%	24.4%	136	134	2	88.3%	88.7%	66.7%	165	88	77	46.3%	94.6%	29.3%	2	
16	3	13	1.3%	0.4%	2.4%	3	3	--	1.9%	2.0%	0%	33	4	29	9.3%	4.3%	11.0%	3	
418	13	405	34.3%	1.9%	73.2%	15	14	1	9.7%	9.3%	33.3%	158	1	157	44.4%	1.1%	59.7%	4	
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	5	
123	59	64	100.8	88.5	115.7	11	11	--	71.4	72.8	0	15	--	15	42.1	0	57.0	6	
																			7
																			8
26	12	14	21.3	18.0	25.3	1	1	--	6.5	6.6	0	6	--	6	16.9	0	22.8	9	
																			10
342	181	161	939.6	826.5	1110.3	54	53	1	806.0	803.0	1000.0	134	40	94	978.1	930.2	1000.0	11	
41	22	19	33.6	33.0	34.4	7	7	--	45.5	46.4	0	7	--	7	19.7	0	26.6	12	
28	16	12	23.0	24.0	21.7	4	4	--	26.0	26.5	0	4	--	4	11.2	0	15.2	13	
14	5	9	11.5	7.5	16.3	--	--	--	0	0	0	--	--	--	0	0	0	14	
2	1	1	--	--	--	1	1	--	0	0	0	2	--	2	--	--	--	15	
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	28.1	0	38.0	16	
																			17
4	--	4	11.0	0	27.6	1	1	--	14.9	15.2	0	4	1	3	29.2	23.3	31.9	18	
1	--	1	2.7	0	6.9	--	--	--	0	0	0	--	--	--	0	0	0	19	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	20	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	21	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	22	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	24	
1	1	--	2.7	4.6	0	--	--	--	0	0	0	--	--	--	0	0	0	25	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	26	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31	
																			32
2	2	--	5.5	9.1	0	1	1	--	14.9	15.2	0	1	--	1	7.3	0	10.6	33	
																			34
34	25	9	93.4	114.2	62.1	5	5	--	74.6	75.8	0	17	4	13	124.1	93.0	138.3	35	
2	--	2	5.5	0	13.8	--	--	--	0	0	0	--	--	--	0	0	0	36	
3	1	2	8.2	4.6	13.8	2	2	--	29.8	30.3	0	3	--	3	21.9	0	31.9	37	
1	1	--	2.7	4.6	0	--	--	--	0	0	0	--	--	--	0	0	0	38	
3	2	1	8.2	9.1	6.9	1	1	--	14.9	15.2	0	--	--	--	0	0	0	39	
																			40
51	22	29	140.1	100.5	200.0	8	8	--	119.4	121.2	0	15	4	11	109.5	93.0	117.0	41	
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	7.3	0	10.6	42	
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	7.3	0	10.6	43	
97	54	43	266.5	246.6	296.6	16	16	--	238.8	242.4	0	50	21	29	365.0	488.4	308.5	44	
8	4	4	22.0	18.3	27.6	1	1	--	14.9	0	1000.0	--	--	--	0	0	0	45	
19	5	14	52.2	22.8	96.6	5	5	--	74.6	75.8	0	11	--	11	80.3	0	117.0	46	
1	1	--	2.7	4.6	0	--	--	--	0	0	0	--	--	--	0	0	0	47	
1	--	1	2.7	0	6.9	--	--	--	0	0	0	--	--	--	0	0	0	48	
1	--	1	2.7	0	6.9	--	--	--	0	0	0	--	--	--	0	0	0	49	
2	--	2	5.5	0	13.8	--	--	--	0	0	0	4	--	4	29.2	0	42.6	50	
																			51
10	4	6	27.5	18.3	41.4	--	--	--	0	0	0	1	--	1	7.3	0	10.6	52	
1	--	1	2.7	0	6.9	--	--	--	0	0	0	--	--	--	0	0	0	53	
4	1	3	11.0	4.6	20.7	1	1	--	14.9	15.2	0	3	2	1	21.9	46.5	10.6	54	
2	2	--	5.5	9.1	0	--	--	--	0	0	0	1	--	1	7.3	0	10.6	55	
																			56
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	7.3	0	10.6	57	
7	5	2	19.2	22.8	13.8	3	3	--	44.8	45.5	0	1	--	1	7.3	0	10.6	58	
																			59
5	4	1	13.7	18.3	6.9	1	1	--	14.9	15.2	0	1	--	1	7.3	0	10.6	60	
5	3	2	13.7	13.7	13.8	1	1	--	14.9	15.2	0	--	--	--	0	0	0	61	
																			62
16	7	9	44.0	32.0	62.1	1	1	--	14.9	15.2	0	--	--	--	0	0	0	63	
3	2	1	8.2	9.1	6.9	--	--	--	0	0	0	--	--	--	0	0	0	64	
																			65
2	2	--	5.5	9.1	0	--	--	--	0	0	0	5	--	5	36.5	0	53.2	66	
7	5	2	19.2	22.8	13.8	2	2	--	29.8	30.3	0	7	5	2	51.1	116.3	21.3	67	
15	10	5	41.2	45.7	34.5	1	1	--	14.9	15.2	0	--	--	--	0	0	0	68	
1	1	--	2.7	4.6	0	--	--	--	0	0	0	1	1	--	7.3	23.3	0	69	
10	--	10	27.5	0	69.0	--	--	--	0	0	0	--	--	--	0	0	0	70	
23	17	6	63.2	77.6	41.4	4	4	--	59.7	60.6	0	6	2	4	43.8	46.5	42.6	71	

ITEM	Madison						Marion					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	280	199	81	23.5	20.7	35.2	186	44	142	29.1	17.6	36.4
2 Delivered in hospital	209	185	24	74.6%	93.0%	29.6%	50	33	17	26.9%	75.0%	12.0%
3 Delivered in home by physician	12	5	7	4.3%	2.5%	8.6%	13	9	4	7.0%	20.5%	2.8%
4 Delivered in home by midwife	59	9	50	21.1%	4.5%	61.7%	123	2	121	66.1%	4.5%	85.2%
5 Other deliveries	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%
6 Immature births	27	16	11	96.4	80.4	135.8	13	3	10	69.9	68.2	70.4
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	9	7	2	32.1	35.2	24.7	9	2	7	48.4	45.5	49.3
DEATHS												
10 Total, all ages	91	78	13	764.7	812.5	565.2	75	34	41	1171.9	1360.0	1051.3
11 Under 1 year	8	8	--	28.6	40.2	0	8	2	6	43.0	45.5	42.3
12 Under 28 days	4	4	--	14.3	20.1	0	6	2	4	32.3	45.5	28.2
13 Deaths from immaturity	2	2	--	7.1	10.0	0	2	1	1	10.8	22.7	7.0
14 1-4 years **	--	--	--	--	--	--	--	--	--	--	--	--
15 Maternal deaths	--	--	--	0	0	0	--	--	--	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	2	2	--	16.8	20.8	0	--	--	--	0	0	0
17 Syphilis and its sequelae (020-029)	--	--	--	0	0	0	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	--	--	--	0	0	0	--	--	--	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	13	12	1	109.2	125.0	43.5	7	4	3	109.4	160.0	76.9
34 Benign and unspecified neoplasms (210-239)	--	--	--	0	0	0	--	--	--	0	0	0
35 Diabetes mellitus (260)	--	--	--	0	0	0	2	1	1	31.2	40.0	25.6
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	--	--	--	0	0	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	19	16	3	159.7	166.7	130.4	23	9	14	359.4	360.0	359.0
39 Nonmeningococcal meningitis (340)	--	--	--	0	0	0	--	--	--	0	0	0
40 Rheumatic fever (400-402)	--	--	--	0	0	0	--	--	--	0	0	0
41 Heart diseases (410-443)	25	22	3	210.1	229.2	130.4	13	8	5	203.1	320.0	128.2
42 Hypertension without mention of heart (444-447)	--	--	--	0	0	0	1	1	--	15.6	40.0	0
43 Influenza and pneumonia (480-483, 490-493)	2	2	--	16.8	20.8	0	5	4	1	78.1	160.0	25.6
44 Bronchitis (500-502)	--	--	--	0	0	0	--	--	--	0	0	0
45 Ulcer of stomach and duodenum (540-541)	1	--	1	8.4	0	43.5	--	--	--	0	0	0
46 Appendicitis (550-553)	--	--	--	0	0	0	--	--	--	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	--	--	--	0	0	0	--	--	--	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	1	--	8.4	10.4	0	--	--	--	0	0	0
49 Cirrhosis of liver (581)	1	1	--	8.4	10.4	0	--	--	--	0	0	0
50 Nephritis and nephrosis (590-594)	4	3	1	33.6	31.2	43.5	11	2	9	171.9	80.0	230.8
51 Hyperplasia of prostate (610)	1	1	--	8.4	10.4	0	--	--	--	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	--	--	--	0	0	0	--	--	--	0	0	0
53 Congenital malformations (750-759)	1	1	--	8.4	10.4	0	1	1	--	15.6	40.0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	1	--	8.4	10.4	0	--	--	--	0	0	0
55 Infection of the newborn (763-768)	1	1	--	8.4	10.4	0	--	--	--	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	2	2	--	16.8	20.8	0	2	1	1	31.2	40.0	25.6
57 Senility, without mention of psychosis (794)	--	--	--	0	0	0	--	--	--	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	2	1	1	16.8	10.4	43.5	4	--	4	62.5	0	102.6
59 Motor vehicle accidents (E810-E835)	3	2	1	25.2	20.8	43.5	2	2	--	31.2	80.0	0
60 All other accidents (E800-E802, E840-E962)	3	2	1	25.2	20.8	43.5	1	--	1	15.6	0	25.6
61 Suicide (E963, E970-E979)	1	1	--	8.4	10.4	0	--	--	--	0	0	0
62 Homicide (E964, E980-E985)	1	--	1	8.4	0	43.5	--	--	--	0	0	0
63 All other diseases (residual)	7	7	--	58.8	72.9	0	3	1	2	46.9	40.0	51.3

COUNTY, BY RACE, GEORGIA, 1953—CONTINUED

McDuffie						McIntosh						Meriwether							
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *				
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White		
366	168	198	31.3	25.8	38.1	180	59	121	28.6	24.6	31.0	515	212	303	24.8	21.4	27.8	1	
246	165	81	67.2%	98.2%	40.9%	57	49	8	31.7%	83.0%	6.6%	220	178	42	42.7%	84.0%	13.9%	2	
2	--	2	0.5%	0%	1.0%	--	--	--	0%	0%	0%	90	31	59	17.5%	14.6%	19.5%	3	
118	3	115	32.2%	1.8%	58.1%	123	10	113	68.3%	16.9%	93.4%	205	3	202	39.8%	1.4%	66.7%	4	
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	5	
36	14	22	98.4	83.3	111.1	9	4	5	50.0	67.8	41.3	29	14	15	56.3	66.0	49.5	6	
																			7
7	3	4	19.1	17.9	20.2	8	1	7	44.4	16.9	57.9	12	4	8	23.3	18.9	26.4	8	
																			9
146	69	77	1247.9	1061.5	1480.8	84	30	54	1333.3	1250.0	1384.6	196	81	115	942.3	818.2	1055.0	10	
20	8	12	54.6	47.6	60.6	9	2	7	50.0	33.9	57.9	11	2	9	21.4	9.4	29.7	11	
10	4	6	27.3	23.8	30.3	5	--	5	27.8	0	41.3	4	1	3	7.8	4.7	9.9	12	
2	1	1	5.5	6.0	5.0	1	--	1	5.6	0	8.3	--	--	--	0	0	0	13	
2	--	2	--	--	--	5	1	4	--	--	--	5	1	4	--	--	--	14	
2	--	2	54.6	0	101.0	--	--	--	0	0	0	4	3	1	77.7	141.5	33.0	15	
																			16
2	2	--	17.1	30.8	0	1	--	1	15.9	0	25.6	3	1	2	14.4	10.1	18.3	17	
--	--	--	0	0	0	1	--	1	15.9	0	25.6	1	--	1	4.8	0	9.2	18	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	19	
--	--	--	0	0	0	3	1	2	47.6	41.7	51.3	--	--	--	0	0	0	20	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	21	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	22	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	24	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	25	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	26	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31	
--	--	--	0	0	0	1	--	1	15.9	0	25.6	--	--	--	0	0	0	32	
12	5	7	102.6	76.9	134.6	7	3	4	111.1	125.0	102.6	23	11	12	110.6	111.1	110.1	33	
1	1	--	8.5	15.4	0	--	--	--	0	0	0	1	--	1	4.8	0	9.2	34	
1	1	--	8.5	15.4	0	--	--	--	0	0	0	3	1	2	14.4	10.1	18.3	35	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	36	
1	1	--	8.5	15.4	0	--	--	--	0	0	0	1	1	--	4.8	10.1	0	37	
16	10	6	136.8	153.8	115.4	5	2	3	79.4	83.3	76.9	38	16	22	182.7	161.6	201.8	38	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	39	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	40	
48	25	23	410.3	384.6	442.3	36	16	20	571.4	666.7	512.8	63	24	39	302.9	242.4	357.8	41	
1	--	1	8.5	0	19.2	1	--	1	15.9	0	25.6	1	--	1	4.8	0	9.2	42	
11	4	7	94.0	61.5	134.6	3	2	1	47.6	83.3	25.6	14	6	8	67.3	60.6	73.4	43	
2	2	--	17.1	30.8	0	--	--	--	0	0	0	--	--	--	0	0	0	44	
--	--	--	0	0	0	1	--	1	15.9	0	25.6	--	--	--	0	0	0	45	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	46	
--	--	--	0	0	0	1	--	1	15.9	0	25.6	--	--	--	0	0	0	47	
1	--	1	8.5	0	19.2	--	--	--	0	0	0	1	--	1	4.8	0	9.2	48	
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	4.8	0	9.2	49	
3	2	1	25.6	30.8	19.2	2	--	2	31.7	0	51.3	2	1	1	9.6	10.1	9.2	50	
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	4.8	10.1	0	51	
2	--	2	17.1	0	38.5	--	--	--	0	0	0	4	3	1	19.2	30.3	9.2	52	
2	2	--	17.1	30.8	0	2	1	1	31.7	41.7	25.6	3	2	1	14.4	20.2	9.2	53	
5	1	4	42.7	15.4	76.9	2	--	2	31.7	0	51.3	2	1	1	9.6	10.1	9.2	54	
1	--	1	8.5	0	19.2	--	--	--	0	0	0	--	--	--	0	0	0	55	
3	1	2	25.6	15.4	38.5	2	--	2	31.7	0	51.3	2	--	2	9.6	0	18.3	56	
2	--	2	17.1	0	38.5	--	--	--	0	0	0	--	--	--	0	0	0	57	
3	1	2	25.6	15.4	38.5	1	--	1	15.9	0	25.6	4	--	4	19.2	0	36.7	58	
6	3	3	51.3	46.2	57.7	2	--	2	31.7	0	51.3	6	3	3	28.8	30.3	27.5	59	
7	--	7	59.8	0	134.6	9	5	4	142.9	208.3	102.6	8	3	5	38.5	30.3	45.9	60	
--	--	--	0	0	0	--	--	--	0	0	0	2	2	--	9.6	20.2	0	61	
4	1	3	34.2	15.4	57.7	3	--	3	47.6	0	76.9	4	--	4	19.2	0	36.7	62	
12	7	5	102.6	107.7	96.2	1	--	1	15.9	0	25.6	8	5	3	38.5	50.5	27.5	63	

ITEM	Miller						Mitchell					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	252	136	116	29.0	21.9	46.4	693	255	438	30.9	23.4	38.1
2 Delivered in hospital	197	132	65	78.2%	97.1%	56.0%	460	249	211	66.4%	97.6%	48.2%
3 Delivered in home by physician	1	--	1	0.4%	0%	0.9%	17	3	14	2.5%	1.2%	3.2%
4 Delivered in home by midwife	54	4	50	21.4%	2.9%	43.1%	216	3	213	31.2%	1.2%	48.6%
5 Other deliveries	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%
6 Immature births	17	9	8	67.5	66.2	69.0	64	19	45	92.4	74.5	102.7
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	4	--	4	15.9	0	34.5	23	3	20	33.2	11.8	45.7
DEATHS												
10 Total, all ages	63	42	21	724.1	677.4	840.0	199	86	113	888.4	789.0	982.6
11 Under 1 year	2	1	1	7.9	7.4	8.6	43	12	31	62.0	47.1	70.8
12 Under 28 days	2	1	1	7.9	7.4	8.6	35	12	23	50.5	47.1	52.5
13 Deaths from immaturity	1	1	--	4.0	7.4	0	11	3	8	15.9	11.8	18.3
14 1-4 years **	1	1	--				4	2	2			
15 Maternal deaths	--	--	--	0	0	0	1	--	1	14.4	0	22.8
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	--	--	--	0	0	0	1	--	1	4.5	0	8.7
17 Syphilis and its sequelae (020-029)	1	1	--	11.5	16.1	0	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	1	--	1	4.5	0	8.7
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	1	--	1	4.5	0	8.7
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	--	--	--	0	0	0	1	--	1	4.5	0	8.7
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	10	7	3	114.9	112.9	120.0	15	9	6	67.0	82.6	52.2
34 Benign and unspecified neoplasms (210-239)	--	--	--	0	0	0	--	--	--	0	0	0
35 Diabetes mellitus (260)	--	--	--	0	0	0	1	1	--	4.5	9.2	0
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	--	--	--	0	0	0	2	1	1	8.9	9.2	8.7
38 Vascular lesions affecting central nervous system (330-334)	14	10	4	160.9	161.3	160.0	31	13	18	138.4	119.3	156.5
39 Nonmeningococcal meningitis (340)	--	--	--	0	0	0	--	--	--	0	0	0
40 Rheumatic fever (400-402)	--	--	--	0	0	0	1	--	1	4.5	0	8.7
41 Heart diseases (410-443)	18	10	8	206.9	161.3	320.0	51	29	22	227.7	266.1	191.3
42 Hypertension without mention of heart (444-447)	2	2	--	23.0	32.3	0	2	1	1	8.9	9.2	8.7
43 Influenza and pneumonia (480-483, 490-493)	--	--	--	0	0	0	5	1	4	22.3	9.2	34.8
44 Bronchitis (500-502)	--	--	--	0	0	0	--	--	--	0	0	0
45 Ulcer of stomach and duodenum (540-541)	--	--	--	0	0	0	--	--	--	0	0	0
46 Appendicitis (550-553)	--	--	--	0	0	0	1	--	1	4.5	0	8.7
47 Intestinal obstruction and hernia (560, 561, 570)	--	--	--	0	0	0	2	1	1	8.9	9.2	8.7
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	--	--	--	0	0	0	2	--	2	8.9	0	17.4
49 Cirrhosis of liver (581)	1	1	--	11.5	16.1	0	1	--	1	4.5	0	8.7
50 Nephritis and nephrosis (590-594)	1	1	--	11.5	16.1	0	3	--	3	13.4	0	26.1
51 Hyperplasia of prostate (610)	--	--	--	0	0	0	1	1	--	4.5	9.2	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	--	--	--	0	0	0	1	--	1	4.5	0	8.7
53 Congenital malformations (750-759)	--	--	--	0	0	0	5	2	3	22.3	18.3	26.1
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	--	--	--	0	0	0	11	5	6	49.1	45.9	52.2
55 Infection of the newborn (763-768)	--	--	--	0	0	0	--	--	--	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	1	--	11.5	16.1	0	17	4	13	75.9	36.7	113.0
57 Senility, without mention of psychosis (794)	--	--	--	0	0	0	--	--	--	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	1	--	1	11.5	0	40.0	9	2	7	40.2	18.3	60.9
59 Motor vehicle accidents (E810-E835)	--	--	--	0	0	0	7	3	4	31.2	27.5	34.8
60 All other accidents (E800-E802, E840-E862)	4	1	3	46.0	16.1	120.0	12	6	6	53.6	55.0	52.2
61 Suicide (E963, E970-E979)	--	--	--	0	0	0	2	2	--	8.9	18.3	0
62 Homicide (E964, E980-E985)	1	--	1	11.5	0	40.0	--	--	--	0	0	0
63 All other diseases (residual)	9	8	1	103.4	129.0	40.0	13	5	8	58.0	45.9	69.6

COUNTY, BY RACE, GEORGIA, 1953—CONTINUED

Monroe						Montgomery						Morgan							
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *				
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White		
264	92	172	25.1	18.0	31.9	147	70	77	19.9	16.7	24.1	305	125	180	26.1	23.1	28.6	1	
120	90	30	45.5%	97.8%	17.4%	63	57	6	42.9%	81.4%	7.8%	131	111	20	43.0%	88.8%	11.1%	2	
2	1	1	0.8%	1.1%	0.6%	21	8	13	14.3%	11.4%	16.9%	23	6	17	7.5%	4.8%	9.4%	3	
142	1	141	53.8%	1.1%	82.0%	62	5	57	42.2%	7.1%	74.0%	151	8	143	49.5%	6.4%	79.4%	4	
--	--	--	0%	0%	0%	1	--	1	0.7%	0%	1.3%	--	--	--	0%	0%	0%	5	
24	8	16	90.9	87.0	93.0	8	2	6	54.4	28.6	77.9	28	15	13	91.8	120.0	72.2	6	
																			7
																			8
9	--	9	34.1	0	52.3	4	3	1	27.2	42.9	13.0	4	2	2	13.1	16.0	11.1	9	
																			10
102	51	51	971.4	1000.0	944.4	62	42	20	837.8	1000.0	625.0	142	49	93	1213.7	907.4	1476.2	11	
13	2	11	49.2	21.7	64.0	5	1	4	34.0	14.3	51.9	15	2	13	49.2	16.0	72.2	12	
8	2	6	30.3	21.7	34.9	1	1	--	6.8	14.3	0	7	1	6	23.0	8.0	33.3	13	
4	--	4	15.2	0	23.3	--	--	--	0	0	0	1	--	1	3.3	0	5.6	14	
2	1	1	--	--	--	--	--	--	--	--	--	3	1	2	--	--	--	15	
1	1	--	37.9	108.7	0	--	--	--	0	0	0	2	--	2	65.6	0	111.1	16	
																			17
4	2	2	38.1	39.2	37.0	1	1	--	13.5	23.8	0	3	--	3	25.6	0	47.6	18	
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	8.5	0	15.9	19	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	20	
--	--	--	0	0	0	--	--	--	0	0	0	3	--	3	25.6	0	47.6	21	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	22	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	24	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	25	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	26	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31	
																			32
1	1	--	9.5	19.6	0	--	--	--	0	0	0	1	--	1	8.5	0	15.9	33	
																			34
11	5	6	104.8	98.0	111.1	5	4	1	67.6	95.2	31.2	14	9	5	119.7	166.7	79.4	35	
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	8.5	0	15.9	36	
--	--	--	0	0	0	--	--	--	0	0	0	3	2	1	25.6	37.0	15.9	37	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	38	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	39	
16	7	9	152.4	137.3	166.7	10	8	2	135.1	190.5	62.5	24	7	17	205.1	129.6	269.8	40	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	41	
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	8.5	18.5	0	42	
29	19	10	276.2	372.5	185.2	18	12	6	243.0	285.7	187.5	37	15	22	316.2	277.8	349.2	43	
2	1	1	19.0	19.6	18.5	1	1	--	13.5	23.8	0	7	1	6	59.8	18.5	95.2	44	
2	1	1	19.0	19.6	18.5	5	2	3	67.6	47.6	93.8	8	--	8	68.4	0	127.0	45	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	46	
1	1	--	9.5	19.6	0	1	1	--	13.5	23.8	0	1	1	--	8.5	18.5	0	47	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	48	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	49	
2	--	2	19.0	0	37.0	--	--	--	0	0	0	1	--	1	8.5	0	15.9	50	
1	1	--	9.5	19.6	0	3	2	1	40.5	47.6	31.2	--	--	--	0	0	0	51	
--	--	--	0	0	0	5	3	2	67.6	71.4	62.5	2	2	--	17.1	37.0	0	52	
1	1	--	9.5	19.6	0	2	2	--	27.0	47.6	0	1	--	1	8.5	0	15.9	53	
																			54
1	1	--	9.5	19.6	0	--	--	--	0	0	0	2	--	2	17.1	0	31.7	55	
--	--	--	0	0	0	1	--	1	13.5	0	31.2	4	2	2	34.2	37.0	31.7	56	
1	1	--	9.5	19.6	0	--	--	--	0	0	0	3	1	2	25.6	18.5	31.7	57	
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	8.5	0	15.9	58	
6	1	5	57.1	19.6	92.6	1	1	--	13.5	23.8	0	2	--	2	17.1	0	31.7	59	
2	2	--	19.0	39.2	0	--	--	--	0	0	0	3	--	3	25.6	0	47.6	60	
																			61
3	--	3	28.6	0	55.6	2	--	2	27.0	0	62.5	2	--	2	17.1	0	31.7	62	
3	1	2	28.6	19.6	37.0	3	1	2	40.5	23.8	62.5	2	1	1	17.1	18.5	15.9	63	
3	1	2	28.6	19.6	37.0	2	2	--	27.0	47.6	0	3	--	3	25.6	0	47.6	64	
1	1	--	9.5	19.6	0	--	--	--	0	0	0	--	--	--	0	0	0	65	
3	--	3	28.6	0	55.6	1	1	--	13.5	23.8	0	1	1	--	8.5	18.5	0	66	
9	4	5	85.7	78.4	92.6	1	1	--	13.5	23.8	0	11	6	5	94.0	111.1	79.4	67	

ITEM	Murray						Miscogee					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	227	218	9	21.4	21.0	45.0	4,529	3,414	1,115	38.1	38.5	37.0
2 Delivered in hospital	204	195	9	89.9%	89.4%	100.0%	4,370	3,412	958	96.5%	99.9%	85.9%
3 Delivered in home by physician	12	12	--	5.3%	5.5%	0%	46	2	44	1.0%	0.1%	3.9%
4 Delivered in home by midwife	11	11	--	4.8%	5.0%	0%	113	--	113	2.5%	0%	10.1%
5 Other deliveries	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%
6 Immature births	18	18	--	79.3	82.6	0	381	255	126	84.1	74.7	113.0
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	4	4	--	17.6	18.3	0	78	42	36	17.2	12.3	32.3
DEATHS												
10 Total, all ages	68	66	2	641.5	634.6	1000.0	905	551	354	761.8	621.2	1176.1
11 Under 1 year	6	5	1	26.4	22.9	111.1	123	82	41	27.2	24.0	36.8
12 Under 28 days	3	2	1	13.2	9.2	111.1	88	63	25	19.4	18.5	22.4
13 Deaths from immaturity	--	--	--	0	0	0	20	14	6	4.4	4.1	5.4
14 1-4 years **	--	--	--	--	--	--	15	9	6	--	--	--
15 Maternal deaths	--	--	--	0	0	0	3	1	2	6.6	2.9	17.9
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	3	3	--	28.3	28.8	0	18	3	15	15.2	3.4	49.8
17 Syphilis and its sequelae (020-029)	--	--	--	0	0	0	5	3	2	4.2	3.4	6.6
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	1	--	1	0.8	0	3.3
24 Meningococcal infections (057)	--	--	--	0	0	0	2	1	1	1.7	1.1	3.3
25 Acute poliomyelitis (080)	--	--	--	0	0	0	1	1	--	0.8	1.1	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	--	--	--	0	0	0	2	--	2	1.7	0	6.6
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	8	8	--	75.5	76.9	0	96	64	32	80.8	72.2	106.3
34 Benign and unspecified neoplasms (210-239)	--	--	--	0	0	0	3	2	1	2.5	2.3	3.3
35 Diabetes mellitus (260)	--	--	--	0	0	0	14	5	9	11.8	5.6	29.9
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	--	--	--	0	0	0	1	--	1	0.8	0	3.3
38 Vascular lesions affecting central nervous system (330-334)	8	8	--	75.5	76.9	0	130	69	61	109.4	77.8	202.7
39 Nonmeningococcal meningitis (340)	--	--	--	0	0	0	3	2	1	2.5	2.3	3.3
40 Rheumatic fever (400-402)	--	--	--	0	0	0	1	--	1	0.8	0	3.3
41 Heart diseases (410-443)	23	22	1	217.0	211.5	500.0	248	168	80	208.8	189.4	265.8
42 Hypertension without mention of heart (444-447)	--	--	--	0	0	0	19	4	15	16.0	4.5	49.8
43 Influenza and pneumonia (480-483, 490-493)	10	10	--	94.3	96.2	0	34	20	14	28.6	22.5	46.5
44 Bronchitis (500-502)	--	--	--	0	0	0	2	1	1	1.7	1.1	3.3
45 Ulcer of stomach and duodenum (540-541)	1	1	--	9.4	9.6	0	3	3	--	2.5	3.4	0
46 Appendicitis (550-553)	--	--	--	0	0	0	4	2	2	3.4	2.3	6.6
47 Intestinal obstruction and hernia (560, 561, 570)	--	--	--	0	0	0	8	5	3	6.7	5.6	10.0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	--	--	--	0	0	0	8	3	5	6.7	3.4	16.6
49 Cirrhosis of liver (581)	--	--	--	0	0	0	5	5	--	4.2	5.6	0
50 Nephritis and nephrosis (590-594)	--	--	--	0	0	0	18	10	8	15.2	11.3	20.6
51 Hyperplasia of prostate (610)	--	--	--	0	0	0	--	--	--	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	--	--	--	0	0	0	3	1	2	2.5	1.1	6.6
53 Congenital malformations (750-759)	1	1	--	9.4	9.6	0	26	19	7	21.9	21.4	23.3
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	2	--	18.9	19.2	0	43	31	12	36.2	34.9	39.9
55 Infection of the newborn (763-768)	--	--	--	0	0	0	7	4	3	5.9	4.5	10.0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	--	1	9.4	0	500.0	25	17	8	21.0	19.2	26.6
57 Senility, without mention of psychosis (794)	1	1	--	9.4	9.6	0	2	2	--	1.7	2.3	0
58 Ill-defined and unknown causes (780-793, 795)	--	--	--	0	0	0	6	2	4	5.1	2.3	13.3
59 Motor vehicle accidents (E810-E835)	4	4	--	37.7	38.5	0	26	17	9	21.9	19.2	29.9
60 All other accidents (E800-E802, E840-E962)	3	3	--	28.3	28.8	0	46	34	12	38.7	38.3	39.9
61 Suicide (E963, E970-E979)	--	--	--	0	0	0	11	7	4	9.3	7.9	13.3
62 Homicide (E964, E980-E985)	--	--	--	0	0	0	13	2	11	10.9	2.3	36.5
63 All other diseases (residual)	3	3	--	28.3	28.8	0	71	44	27	59.8	49.6	89.7

COUNTY, BY RACE, GEORGIA, 1953— CONTINUED

Newton						Occonee						Oglethorpe							
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *				
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White		
516	296	220	24.8	21.3	31.9	130	75	55	19.1	14.7	32.4	196	74	122	21.3	14.0	31.3	1	
304	292	12	58.9%	98.6%	5.5%	78	62	16	60.0%	82.7%	29.1%	93	73	20	47.4%	98.6%	16.4%	2	
34	1	33	6.6%	0.3%	15.0%	28	12	16	21.5%	16.0%	29.1%	1	--	1	0.5%	0%	0.8%	3	
178	3	175	34.5%	1.0%	79.5%	24	1	23	18.5%	1.3%	41.8%	102	1	101	52.0%	1.4%	82.8%	4	
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	5	
40	20	20	77.5	67.6	90.9	11	6	5	84.6	80.0	90.9	12	2	10	61.2	27.0	82.0	6	
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	7
11	4	7	21.3	13.5	31.8	5	1	4	38.5	13.3	72.7	8	1	7	40.8	13.5	57.4	8	
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9
199	112	87	956.7	805.8	1260.9	69	49	20	1014.7	960.8	1176.5	83	44	39	902.2	830.2	1000.0	10	
22	10	12	42.6	33.8	54.5	5	2	3	38.5	26.7	54.5	6	--	6	30.6	0	49.2	11	
8	5	3	15.5	16.9	13.6	3	2	1	23.1	26.7	18.2	4	--	4	20.4	0	32.8	12	
3	3	--	5.8	10.1	0	1	--	1	7.7	0	18.2	1	--	1	5.1	0	8.2	13	
1	1	2	--	--	--	1	--	1	--	--	--	2	--	2	--	--	--	14	
3	1	3	77.5	33.8	136.4	--	--	--	0	0	0	--	--	--	0	0	0	15	
4	1	3	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	16
2	--	2	9.6	0	29.0	1	--	1	14.7	0	58.8	--	--	--	0	0	0	17	
--	--	--	0	0	0	--	--	--	0	0	0	2	--	2	21.7	0	51.3	18	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	19	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	20	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	21	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	22	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23	
1	--	1	4.8	0	14.5	--	--	--	0	0	0	--	--	--	0	0	0	24	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	25	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	26	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31	
1	1	--	4.8	7.2	0	--	--	--	0	0	0	--	--	--	0	0	0	32	
24	15	9	115.4	107.9	130.4	9	8	1	132.4	156.9	58.8	7	6	1	76.1	113.2	25.6	33	
1	1	--	4.8	7.2	0	1	1	--	14.7	19.6	0	1	--	1	10.9	0	25.6	34	
1	1	--	4.8	7.2	0	1	1	--	14.7	19.6	0	1	--	1	10.9	0	25.6	35	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	36	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	37	
31	20	11	149.0	143.9	159.4	13	9	4	191.2	176.5	235.3	16	8	8	173.9	150.9	205.1	38	
3	1	2	14.4	7.2	29.0	--	--	--	0	0	0	--	--	--	0	0	0	39	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	40	
63	39	24	302.9	280.6	347.8	19	16	3	279.4	313.7	176.5	31	19	12	337.0	358.5	307.7	41	
2	2	--	9.6	14.4	0	4	3	1	58.8	58.8	58.8	1	--	1	10.9	0	25.6	42	
13	4	9	62.5	28.8	130.4	1	--	1	14.7	0	58.8	1	--	1	10.9	0	25.6	43	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	44	
1	1	--	4.8	7.2	0	--	--	--	0	0	0	--	--	--	0	0	0	45	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	46	
2	1	1	9.6	7.2	14.5	1	1	--	14.7	19.6	0	1	--	1	10.9	0	25.6	47	
2	1	1	9.6	7.2	14.5	--	--	--	0	0	0	1	--	1	10.9	0	25.6	48	
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	10.9	18.9	0	49	
5	2	3	24.0	14.4	43.5	6	3	3	88.2	58.8	176.5	2	1	1	21.7	18.9	25.6	50	
1	1	--	4.8	7.2	0	--	--	--	0	0	0	--	--	--	0	0	0	51	
4	1	3	19.2	7.2	43.5	--	--	--	0	0	0	--	--	--	0	0	0	52	
3	--	3	14.4	0	43.5	--	--	--	0	0	0	2	--	2	21.7	0	51.3	53	
1	1	--	4.8	7.2	0	2	2	--	29.4	39.2	0	1	--	1	10.9	0	25.6	54	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	55	
7	4	3	33.7	28.8	43.5	1	--	1	14.7	0	58.8	1	--	1	10.9	0	25.6	56	
--	--	--	0	0	0	1	1	--	14.7	19.6	0	1	--	1	10.9	0	25.6	57	
3	--	3	14.4	0	43.5	--	--	--	0	0	0	4	1	3	43.5	18.9	76.9	58	
3	2	1	14.4	14.4	14.5	3	2	1	44.1	39.2	58.8	1	1	--	10.9	18.9	0	59	
8	3	5	38.5	21.6	72.5	3	--	3	44.1	0	176.5	2	2	--	21.7	37.7	0	60	
2	2	--	9.6	14.4	0	--	--	--	0	0	0	1	1	--	10.9	18.9	0	61	
1	1	--	4.8	7.2	0	1	--	1	14.7	0	58.8	--	--	--	0	0	0	62	
14	8	6	67.3	57.6	87.0	2	2	--	29.4	39.2	0	5	4	1	54.3	75.5	25.6	63	

ITEM	Paulding						Peach					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	253	217	36	22.2	21.3	30.0	373	137	236	30.6	29.1	31.5
2 Delivered in hospital	227	205	22	89.7%	94.5%	61.1%	233	133	100	62.5%	97.1%	42.4%
3 Delivered in home by physician	11	9	2	4.3%	4.1%	5.6%	16	3	13	4.3%	2.2%	5.5%
4 Delivered in home by midwife	14	2	12	5.5%	0.9%	33.3%	124	1	123	33.2%	0.7%	52.1%
5 Other deliveries	1	1	--	0.4%	0.5%	0%	--	--	--	0%	0%	0%
6 Immature births	10	8	2	39.5	36.9	55.6	40	12	28	107.2	87.6	118.6
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	6	6	--	23.7	27.6	0	6	1	5	16.1	7.3	21.2
DEATHS												
10 Total, all ages	77	75	2	675.4	735.3	166.7	114	41	73	934.4	872.3	973.3
11 Under 1 year	7	6	1	27.7	27.6	27.8	19	4	15	50.9	29.2	63.6
12 Under 28 days	3	2	1	11.9	9.2	27.8	12	4	8	32.2	29.2	33.9
13 Deaths from immaturity	1	--	1	4.0	0	27.8	2	--	2	5.4	0	8.5
14 1-4 years **	1	1	--	--	--	--	--	--	--	--	--	--
15 Maternal deaths	--	--	--	0	0	0	1	--	1	26.8	0	42.4
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	1	1	--	8.8	9.8	0	--	--	--	0	0	0
17 Syphilis and its sequelae (020-029)	--	--	--	0	0	0	1	--	1	8.2	0	13.3
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	1	1	--	8.8	9.8	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	--	--	--	0	0	0	2	--	2	16.4	0	26.7
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	15	15	--	131.6	147.1	0	13	5	8	106.6	106.4	106.7
34 Benign and unspecified neoplasms (210-239)	--	--	--	0	0	0	1	1	--	8.2	21.3	0
35 Diabetes mellitus (260)	3	3	--	26.3	29.4	0	2	2	--	16.4	42.6	0
36 Pellagra (281)	2	1	1	17.5	9.8	83.3	1	--	1	8.2	0	13.3
37 Anemias (290-293)	--	--	--	0	0	0	1	--	1	8.2	0	13.3
38 Vascular lesions affecting central nervous system (330-334)	17	17	--	149.1	166.7	0	8	5	3	65.6	106.4	40.0
39 Nonmeningococcal meningitis (340)	--	--	--	0	0	0	2	--	2	16.4	0	26.7
40 Rheumatic fever (400-402)	--	--	--	0	0	0	--	--	--	0	0	0
41 Heart diseases (410-443)	20	20	--	175.4	196.1	0	44	16	28	360.7	340.4	373.3
42 Hypertension without mention of heart (444-447)	1	1	--	8.8	9.8	0	--	--	--	0	0	0
43 Influenza and pneumonia (480-483, 490-493)	2	2	--	17.5	19.6	0	7	--	7	57.4	0	93.3
44 Bronchitis (500-502)	--	--	--	0	0	0	--	--	--	0	0	0
45 Ulcer of stomach and duodenum (540-541)	1	1	--	8.8	9.8	0	--	--	--	0	0	0
46 Appendicitis (550-553)	1	1	--	8.8	9.8	0	--	--	--	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	--	--	--	0	0	0	1	--	1	8.2	0	13.3
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	1	--	8.8	9.8	0	--	--	--	0	0	0
49 Cirrhosis of liver (581)	1	1	--	8.8	9.8	0	--	--	--	0	0	0
50 Nephritis and nephrosis (590-594)	1	1	--	8.8	9.8	0	--	--	--	0	0	0
51 Hyperplasia of prostate (610)	--	--	--	0	0	0	--	--	--	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	--	--	--	0	0	0	1	--	1	8.2	0	13.3
53 Congenital malformations (750-759)	2	2	--	17.5	19.6	0	1	1	--	8.2	21.3	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	1	--	8.8	9.8	0	3	3	--	24.6	63.8	0
55 Infection of the newborn (763-768)	--	--	--	0	0	0	1	--	1	8.2	0	13.3
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	--	1	8.8	--	83.3	5	--	5	41.0	0	66.7
57 Senility, without mention of psychosis (794)	--	--	--	0	0	0	--	--	--	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	1	1	--	8.8	9.8	0	3	--	3	24.6	0	40.0
59 Motor vehicle accidents (E810-E835)	1	1	--	8.8	9.8	0	4	3	1	32.8	63.8	13.3
60 All other accidents (E800-E802, E840-E962)	1	1	--	8.8	9.8	0	6	2	4	49.2	42.6	53.3
61 Suicide (E963, E970-E979)	1	1	--	8.8	9.8	0	--	--	--	0	0	0
62 Homicide (E964, E980-E985)	--	--	--	0	0	0	2	--	2	16.4	0	26.7
63 All other diseases (residual)	2	2	--	17.5	19.6	0	5	3	2	41.0	63.8	26.7

COUNTY, BY RACE, GEORGIA, 1953— CONTINUED

Pickens						Pierce						Pike								
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *					
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White			
224	214	10	25.7	25.8	25.0	292	206	86	26.8	24.2	35.8	217	86	131	27.5	20.5	35.4	1		
221	211	10	98.7%	98.6%	100.0%	217	185	32	74.3%	89.8%	37.2%	73	63	10	33.6%	73.3%	7.6%	2		
2	2	--	0.9%	0.9%	0%	29	17	12	9.9%	8.3%	14.0%	44	18	26	20.3%	20.9%	19.8%	3		
1	1	--	0.4%	0.5%	0%	46	4	42	15.8%	1.9%	48.8%	100	5	95	46.1%	5.8%	72.5%	4		
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	5		
16	15	1	71.4	70.1	100.0	20	13	7	68.5	63.1	81.4	18	6	12	82.9	69.8	91.6	6		
																			7	
																			8	
5	5	--	22.3	23.4	0	4	3	1	13.7	14.6	11.6	4	2	2	18.4	23.3	15.3	9		
																				10
65	62	3	747.1	747.0	750.0	89	63	26	816.5	741.2	1083.3	79	42	37	1000.0	1000.0	1000.0			
6	4	2	26.8	18.7	200.0	10	6	4	34.2	29.1	46.5	5	1	4	23.0	11.6	30.5	11		
4	3	1	17.9	14.0	100.0	7	5	2	24.0	24.3	23.3	3	1	2	13.8	11.6	15.3	12		
--	--	--	0	0	0	1	1	--	3.4	4.9	0	--	--	--	0	0	0	13		
2	2	--	0	0	0	2	2	--	0	0	0	3	1	2	0	0	0	14		
--	--	--	0	0	0	2	2	--	68.5	97.1	0	--	--	--	0	0	0	15		
																				16
1	1	--	11.5	12.0	0	1	--	1	9.2	0	41.7	--	--	--	0	0	0		16	
1	1	--	11.5	12.0	0	--	--	--	0	0	0	1	--	1	12.7	0	27.0		17	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0		18	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0		19	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0		20	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0		21	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0		22	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0		23	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0		24	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0		25	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0		26	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0		27	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0		28	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0		29	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0		30	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0		31	
--	--	--	0	0	0	1	1	--	9.2	11.8	0	--	--	--	0	0	0		32	
9	9	--	103.4	108.4	0	5	3	2	45.9	35.3	83.3	9	9	--	113.9	214.3	0		33	
1	1	--	11.5	12.0	0	1	1	--	9.2	11.8	0	--	--	--	0	0	0		34	
--	--	--	0	0	0	4	3	1	36.7	35.3	41.7	--	--	--	0	0	0		35	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0		36	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0		37	
15	15	--	172.4	180.7	0	9	5	4	82.6	58.8	166.7	16	7	9	202.5	166.7	243.2		38	
--	--	--	0	0	0	1	1	--	9.2	11.8	0	1	--	1	12.7	0	27.0		39	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0		40	
12	11	1	137.9	132.5	250.0	32	22	10	293.6	258.8	333.3	21	13	8	265.8	309.5	216.2		41	
--	--	--	0	0	0	1	1	--	9.2	11.8	0	1	1	--	12.7	23.8	0		42	
3	3	--	34.5	36.1	0	7	5	2	64.2	58.8	83.3	8	2	6	101.3	47.6	162.2		43	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0		44	
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	12.7	23.8	0		45	
1	1	--	11.5	12.0	0	--	--	--	0	0	0	--	--	--	0	0	0		46	
1	1	--	11.5	12.0	0	--	--	--	0	0	0	--	--	--	0	0	0		47	
--	--	--	0	0	0	1	1	--	9.2	11.8	0	1	--	1	12.7	0	27.0		48	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0		49	
1	1	--	11.5	12.0	0	--	--	--	0	0	0	1	--	1	12.7	0	27.0		50	
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	12.7	23.8	0		51	
--	--	--	0	0	0	2	2	--	18.3	23.5	0	--	--	--	0	0	0		52	
--	--	--	0	0	0	2	2	--	18.3	23.5	0	3	2	1	38.0	47.6	27.0		53	
3	2	1	34.5	24.1	250.0	5	3	2	45.9	35.3	83.3	--	--	--	0	0	0		54	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0		55	
1	--	1	11.5	0	250.0	1	1	--	9.2	11.8	0	1	--	1	12.7	0	27.0		56	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0		57	
--	--	--	0	0	0	--	--	--	0	0	0	3	--	3	38.0	0	81.1		58	
8	8	--	92.0	96.4	0	4	2	2	36.7	23.5	83.3	3	1	2	38.0	23.8	54.1		59	
2	2	--	23.0	24.1	0	3	2	1	27.5	23.5	41.7	1	1	--	12.7	23.8	0		60	
2	2	--	23.0	24.1	0	--	--	--	0	0	0	--	--	--	0	0	0		61	
--	--	--	0	0	0	--	--	--	0	0	0	2	--	2	25.3	0	54.1		62	
4	4	--	46.0	48.2	0	9	8	1	82.6	94.1	41.7	5	4	1	63.3	95.2	27.0		63	

ITEM	Polk						Pulaski					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	653	533	120	20.5	20.0	23.1	242	96	146	28.5	21.8	35.6
2 Delivered in hospital	562	501	61	86.1%	94.0%	50.8%	104	88	16	43.0%	91.7%	11.0%
3 Delivered in home by physician	23	17	6	3.5%	3.2%	5.0%	--	--	--	0%	0%	0%
4 Delivered in home by midwife	68	15	53	10.4%	2.8%	44.2%	138	8	130	57.0%	8.3%	89.0%
5 Other deliveries	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%
6 Immature births	65	41	24	99.5	76.9	200.0	19	6	13	78.5	62.5	89.0
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	12	9	3	18.4	16.9	25.0	11	2	9	45.5	20.8	61.6
DEATHS												
10 Total, all ages	235	191	44	736.7	715.4	846.2	100	51	49	1176.5	1159.1	1195.1
11 Under 1 year	21	14	7	32.2	26.3	58.3	16	11	5	66.1	114.6	34.2
12 Under 28 days	12	8	4	18.4	15.0	33.3	8	6	2	33.1	62.5	13.7
13 Deaths from immaturity	6	3	3	9.2	5.6	25.0	--	--	--	0	0	0
14 1-4 years **	3	3	--	--	--	--	--	--	--	0	0	0
15 Maternal deaths	--	--	--	0	0	0	--	--	--	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	2	2	--	6.3	7.5	0	--	--	--	0	0	0
17 Syphilis and its sequelae (020-029)	--	--	--	0	0	0	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	1	1	--	3.1	3.7	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	2	1	1	6.3	3.7	19.2	1	--	1	11.8	0	24.4
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	33	28	5	103.4	104.9	96.2	11	8	3	129.4	181.8	73.2
34 Benign and unspecified neoplasms (210-239)	3	2	1	9.4	7.5	19.2	--	--	--	0	0	0
35 Diabetes mellitus (260)	5	5	--	15.7	18.7	0	1	--	1	11.8	0	24.4
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	--	--	--	0	0	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	25	21	4	78.4	78.7	76.9	8	1	7	94.1	22.7	170.7
39 Nonmeningococcal meningitis (340)	1	1	--	3.1	3.7	0	--	--	--	0	0	0
40 Rheumatic fever (400-402)	1	1	--	3.1	3.7	0	--	--	--	0	0	0
41 Heart diseases (410-443)	69	53	16	216.3	198.5	307.7	26	16	10	305.9	363.6	243.9
42 Hypertension without mention of heart (444-447)	3	1	2	9.4	3.7	38.5	5	2	3	58.8	45.5	73.2
43 Influenza and pneumonia (480-483, 490-493)	9	3	6	28.2	11.2	115.4	6	1	5	70.6	22.7	122.0
44 Bronchitis (500-502)	2	2	--	6.3	7.5	0	--	--	--	0	0	0
45 Ulcer of stomach and duodenum (540-541)	3	2	1	9.4	7.5	19.2	--	--	--	0	0	0
46 Appendicitis (550-553)	--	--	--	0	0	0	--	--	--	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	2	2	--	6.3	7.5	0	--	--	--	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	2	--	6.3	7.5	0	2	2	--	23.5	45.5	0
49 Cirrhosis of liver (581)	--	--	--	0	0	0	1	1	--	11.8	22.7	0
50 Nephritis and nephrosis (590-594)	8	8	--	25.1	30.0	0	3	--	3	35.3	0	73.2
51 Hyperplasia of prostate (610)	1	--	1	3.1	0	19.2	--	--	--	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	--	--	--	0	0	0	--	--	--	0	0	0
53 Congenital malformations (750-759)	2	2	--	6.3	7.5	0	3	3	--	35.3	68.2	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	5	5	--	15.7	18.7	0	3	3	--	35.3	68.2	0
55 Infection of the newborn (763-768)	1	1	--	3.1	3.7	0	2	--	2	23.5	0	48.8
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	6	3	3	18.8	11.2	57.7	3	3	--	35.3	68.2	0
57 Senility, without mention of psychosis (794)	1	--	1	3.1	0	19.2	2	1	1	23.5	22.7	24.4
58 Ill-defined and unknown causes (780-793, 795)	--	--	--	0	0	0	4	--	4	47.1	0	97.6
59 Motor vehicle accidents (E810-E835)	9	9	--	28.2	33.7	0	3	1	2	35.3	22.7	48.8
60 All other accidents (E800-E802, E840-E962)	17	17	--	53.3	63.7	0	4	2	2	47.1	45.5	48.8
61 Suicide (E963, E970-E979)	1	1	--	3.1	3.7	0	1	1	--	11.8	22.7	0
62 Homicide (E964, E980-E985)	3	1	2	9.4	3.7	38.5	1	1	--	11.8	22.7	0
63 All other diseases (residual)	18	17	1	56.4	63.7	19.2	10	5	5	117.6	113.6	122.0

COUNTY, BY RACE, GEORGIA, 1953—CONTINUED

Putnam						Quitman						Rabun						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
232	79	153	30.9	23.2	37.3	89	26	63	30.7	26.0	33.2	165	162	3	22.6	22.5	30.0	1
96	77	19	41.4%	97.5%	12.4%	26	21	5	29.2%	80.8%	7.9%	157	154	3	95.2%	95.1%	100.0%	2
7	1	6	3.0%	1.3%	3.9%	3	2	1	3.4%	7.7%	1.6%	--	--	--	0%	0%	0%	3
129	1	128	55.6%	1.3%	83.7%	60	3	57	67.4%	11.5%	90.5%	8	8	--	4.8%	4.9%	0%	4
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	5
7	3	4	30.2	38.0	26.1	7	1	6	78.7	38.5	95.2	16	14	2	97.0	86.4	666.7	6
7	2	5	30.2	25.3	32.7	--	--	--	0	0	0	3	3	--	18.2	18.5	0	7
70	31	39	933.3	911.8	951.2	22	9	13	758.6	900.0	684.2	58	54	4	794.5	750.0	4000.0	10
4	2	2	17.2	25.3	13.1	4	--	4	44.9	0	63.5	6	5	1	36.4	30.9	333.3	11
1	1	--	4.3	12.7	0	2	--	2	22.5	0	31.7	5	4	1	30.3	24.7	333.3	12
--	--	--	0	0	0	3	--	3	33.7	0	47.6	1	1	--	6.1	6.2	0	13
2	1	1	--	--	--	--	--	--	--	--	--	1	1	--	--	--	--	14
1	--	1	43.1	0	65.4	--	--	--	0	0	0	--	--	--	0	0	0	15
--	--	--	0	0	0	1	1	--	34.5	100.0	0	1	1	--	13.7	13.9	0	16
1	1	--	13.3	29.4	0	--	--	--	0	0	0	--	--	--	0	0	0	17
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	18
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	19
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	20
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	21
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	22
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23
1	--	1	13.3	0	24.4	--	--	--	0	0	0	--	--	--	0	0	0	24
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	25
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	26
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31
1	--	1	13.3	0	24.4	--	--	--	0	0	0	--	--	--	0	0	0	32
15	7	8	200.0	205.9	195.1	--	--	--	0	0	0	10	9	1	137.0	125.0	1000.0	33
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	34
1	--	1	13.3	0	24.4	--	--	--	0	0	0	--	--	--	0	0	0	35
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	36
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	37
8	1	7	106.7	29.4	170.7	2	1	1	69.0	100.0	52.6	6	5	1	82.2	69.4	1000.0	38
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	39
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	40
19	11	8	253.3	323.5	195.1	9	6	3	310.3	600.0	157.9	19	19	--	260.3	263.9	0	41
1	--	1	13.3	0	24.4	--	--	--	0	0	0	--	--	--	0	0	0	42
6	1	5	80.0	29.4	122.0	2	--	2	69.0	0	105.3	8	7	1	109.6	97.2	1000.0	43
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	44
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	45
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	46
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	13.7	13.9	0	47
1	--	1	13.3	0	24.4	--	--	--	0	0	0	--	--	--	0	0	0	48
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	49
1	--	1	13.3	0	24.4	--	--	--	0	0	0	1	1	--	13.7	13.9	0	50
1	1	--	13.3	29.4	0	--	--	--	0	0	0	--	--	--	0	0	0	51
1	--	1	13.3	0	24.4	--	--	--	0	0	0	--	--	--	0	0	0	52
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	53
1	1	--	13.3	29.4	0	--	--	--	0	0	0	2	1	1	27.4	13.9	1000.0	54
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	13.7	13.9	0	55
--	--	--	0	0	0	4	--	4	137.9	0	210.5	2	2	--	27.4	27.8	0	56
1	--	1	13.3	0	24.4	--	--	--	0	0	0	--	--	--	0	0	0	57
1	1	--	13.3	29.4	0	--	--	--	0	0	0	1	1	--	13.7	13.9	0	58
6	3	3	80.0	88.2	73.2	--	--	--	0	0	0	1	1	--	13.7	13.9	0	59
3	3	--	40.0	88.2	0	1	--	1	34.5	0	52.6	3	3	--	41.1	41.7	0	60
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	61
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	62
1	1	--	13.3	29.4	0	3	1	2	103.4	100.0	105.3	2	2	--	27.4	27.8	0	63

ITEM	Randolph						Richmond					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	382	95	287	29.6	20.7	34.6	3,984	2,704	1,280	31.5	30.8	33.2
2 Delivered in hospital	107	87	20	28.0%	91.6%	7.0%	3,882	2,693	1,189	97.4%	99.6%	92.9%
3 Delivered in home by physician	3	1	2	0.8%	1.1%	0.7%	61	10	51	1.5%	0.4%	4.0%
4 Delivered in home by midwife	272	7	265	71.2%	7.4%	92.3%	41	1	40	1.0%	0.0%	3.1%
5 Other deliveries	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%
6 Immature births	17	4	13	44.5	42.1	45.3	335	197	138	84.1	72.9	107.8
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	12	1	11	31.4	10.5	38.3	55	24	31	13.8	8.9	24.2
DEATHS												
10 Total, all ages	117	34	83	907.0	739.1	1000.0	1,060	581	479	839.3	661.7	1244.2
11 Under 1 year	19	1	18	49.7	10.5	62.7	83	50	33	20.8	18.5	25.8
12 Under 28 days	14	1	13	36.6	10.5	45.3	50	35	15	12.6	12.9	11.7
13 Deaths from immaturity	5	1	4	13.1	10.5	13.9	19	16	3	4.8	5.9	2.3
14 1-4 years **	3	--	3				24	18	6			
15 Maternal deaths	1	--	1	26.2	0	34.8	1	--	1	2.5	0	7.8
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	3	1	2	23.3	21.7	24.1	18	4	14	14.3	4.6	36.4
17 Syphilis and its sequelae (020-029)	--	--	--	0	0	0	5	1	4	4.0	1.1	10.4
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	1	--	1	0.8	0	2.6
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	1	1	--	0.8	1.1	0
23 Whooping cough (056)	--	--	--	0	0	0	1	--	1	0.8	0	2.6
24 Meningococcal infections (057)	--	--	--	0	0	0	4	2	2	3.2	2.3	5.2
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	2	1	1	1.6	1.1	2.6
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	--	--	--	0	0	0	2	--	2	1.6	0	5.2
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	6	1	5	46.5	21.7	60.2	121	74	47	95.8	84.3	122.1
34 Benign and unspecified neoplasms (210-239)	1	1	--	7.8	21.7	0	4	2	2	3.2	2.3	5.2
35 Diabetes mellitus (260)	1	--	1	7.8	0	12.0	23	18	5	18.2	20.5	13.0
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	--	--	--	0	0	0	4	3	1	3.2	3.4	2.6
38 Vascular lesions affecting central nervous system (330-334)	25	8	17	193.8	173.9	204.8	151	73	78	119.6	83.1	202.6
39 Nonmeningococcal meningitis (340)	--	--	--	0	0	0	5	4	1	4.0	4.6	2.6
40 Rheumatic fever (400-402)	--	--	--	0	0	0	1	1	--	0.8	1.1	0
41 Heart diseases (410-443)	32	10	22	248.1	217.4	265.1	359	207	152	284.2	235.8	394.8
42 Hypertension without mention of heart (444-447)	1	1	--	7.8	21.7	0	9	5	4	7.1	5.7	10.4
43 Influenza and pneumonia (480-483, 490-493)	5	2	3	38.8	43.5	36.1	54	22	32	42.8	25.1	83.1
44 Bronchitis (500-502)	--	--	--	0	0	0	2	2	--	1.6	2.3	0
45 Ulcer of stomach and duodenum (540-541)	1	1	--	7.8	21.7	0	5	2	3	4.0	2.3	7.8
46 Appendicitis (550-553)	--	--	--	0	0	0	1	1	--	0.8	1.1	0
47 Intestinal obstruction and hernia (560, 561, 570)	2	--	2	15.5	0	24.1	3	3	--	2.4	3.4	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	3	--	3	23.3	0	36.1	10	3	7	7.9	3.4	18.2
49 Cirrhosis of liver (581)	1	1	--	7.8	21.7	0	12	10	2	9.5	11.4	5.2
50 Nephritis and nephrosis (590-594)	1	--	1	7.8	0	12.0	13	4	9	10.3	4.6	23.4
51 Hyperplasia of prostate (610)	2	1	1	15.5	21.7	12.0	6	3	3	4.8	3.4	7.8
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	--	1	7.8	0	12.0	1	--	1	0.8	0	2.6
53 Congenital malformations (750-759)	1	--	1	7.8	0	12.0	18	14	4	14.3	15.9	10.4
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	--	2	15.5	0	24.1	15	9	6	11.9	10.2	15.6
55 Infection of the newborn (763-768)	2	--	2	15.5	0	24.1	5	2	3	4.0	2.3	7.8
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	7	1	6	54.3	21.7	72.3	23	18	5	18.2	20.5	13.0
57 Senility, without mention of psychosis (794)	3	1	2	23.3	21.7	24.1	5	4	1	4.0	4.6	2.6
58 Ill-defined and unknown causes (780-793, 795)	5	1	4	38.8	21.7	48.2	5	3	2	4.0	3.4	5.2
59 Motor vehicle accidents (E810-E835)	2	1	1	15.5	21.7	12.0	26	14	12	20.6	15.9	31.2
60 All other accidents (E800-E802, E840-E962)	5	1	4	38.8	21.7	48.2	44	28	16	34.8	31.9	41.6
61 Suicide (E963, E970-E979)	--	--	--	0	0	0	7	7	--	5.5	8.0	0
62 Homicide (E964, E980-E985)	1	--	1	7.8	0	12.0	22	3	19	17.4	3.4	49.4
63 All other diseases (residual)	4	2	2	31.0	43.5	24.1	72	33	39	57.0	37.6	101.3

COUNTY, BY RACE, GEORGIA, 1953—CONTINUED

Rockdale						Schley						Screven								
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *					
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White			
199	125	74	22.9	20.2	29.6	95	18	77	25.7	12.0	35.0	594	177	417	34.3	24.9	40.9	1		
131	117	14	65.8%	93.6%	18.9%	25	17	8	26.3%	94.4%	10.4%	252	156	96	42.4%	88.1%	23.0%	2		
12	6	6	6.0%	4.8%	8.1%	9	1	8	9.5%	5.6%	10.4%	11	3	8	1.9%	1.7%	1.9%	3		
56	2	54	28.1%	1.6%	73.0%	61	--	61	64.2%	0%	79.2%	331	18	313	55.7%	10.2%	75.1%	4		
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	5		
16	10	6	80.4	80.0	81.1	3	1	2	31.6	55.6	26.0	30	10	20	50.5	56.5	48.0	6		
																			7	
																			8	
5	1	4	25.1	8.0	54.1	5	1	4	52.6	55.6	51.9	14	2	12	23.6	11.3	28.8	9		
																				10
71	42	29	816.1	677.4	1160.0	45	22	23	1216.2	1466.7	1045.5	193	71	122	1115.6	1000.0	1196.1			
10	4	6	50.3	32.0	81.1	5	--	5	52.6	0	64.9	32	5	27	53.9	28.2	64.7	11		
9	4	5	45.2	32.0	67.6	4	--	4	42.1	0	51.9	19	4	15	32.0	22.6	36.0	12		
1	--	1	5.0	0	13.5	1	--	1	10.5	0	13.0	5	--	5	8.4	0	12.0	13		
2	1	1	0	0	0	1	--	1	0	0	0	4	1	3	0	0	0	14		
--	--	--	0	0	0	--	--	--	0	0	0	2	--	2	33.7	0	48.0	15		
																				16
1	--	1	11.5	0	40.0	--	--	--	0	0	0	1	1	--	5.8	14.1	0			
--	--	--	0	0	0	2	--	2	54.1	0	90.9	--	--	--	0	0	0	17		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	18		
1	1	--	11.5	16.1	0	--	--	--	0	0	0	--	--	--	0	0	0	19		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	20		
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	5.8	0	9.8	21		
																				22
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23		
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	5.8	0	9.8	24		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	25		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	26		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27		
																				28
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31		
																				32
--	--	--	0	0	0	--	--	--	0	0	0	4	--	4	23.1	0	39.2			
7	6	1	80.5	96.8	40.0	1	1	--	27.0	66.7	0	15	7	8	86.7	98.6	78.4	33		
																				34
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	35		
2	1	1	23.0	16.1	40.0	--	--	--	0	0	0	5	2	3	28.9	28.2	29.4	36		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	37		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0			
6	4	2	69.0	64.5	80.0	7	4	3	189.2	266.7	136.4	27	10	17	156.1	140.8	166.7	38		
--	--	--	0	0	0	1	--	1	27.0	0	45.5	1	1	--	5.8	14.1	0	39		
																				40
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	41		
26	14	12	298.8	225.8	480.0	16	11	5	432.4	733.3	227.3	44	21	23	254.3	295.8	225.5	42		
1	1	--	11.5	16.1	0	1	--	1	27.0	0	45.5	1	1	--	5.8	14.1	0	43		
2	2	--	23.0	32.3	0	1	--	1	27.0	0	45.5	13	3	10	75.1	42.5	98.0	44		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	45		
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	5.8	0	9.8	46		
1	1	--	11.5	16.1	0	--	--	--	0	0	0	--	--	--	0	0	0	47		
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0			
--	--	--	0	0	0	--	--	--	0	0	0	3	--	3	17.3	0	29.4	48		
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	5.8	14.1	0	49		
--	--	--	0	0	0	4	--	4	108.1	0	181.8	6	4	2	34.7	56.3	19.6	50		
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	5.8	0	9.8	51		
																				52
--	--	--	0	0	0	--	--	--	0	0	0	2	--	2	11.6	0	19.6	53		
--	--	--	0	0	0	1	--	1	27.0	0	45.5	4	2	2	23.1	28.2	19.6			
6	3	3	69.0	48.0	120.0	--	--	--	0	0	0	3	2	1	17.3	28.2	9.8	54		
1	--	1	11.5	0	40.0	--	--	--	0	0	0	--	--	--	0	0	0	55		
2	1	1	23.0	16.1	40.0	3	--	3	81.1	0	136.4	6	--	6	34.7	0	58.8	56		
--	--	--	0	0	0	--	--	--	0	0	0	4	3	1	23.1	42.3	9.8	57		
1	--	1	11.5	0	40.0	--	--	--	0	0	0	22	5	17	127.2	70.4	166.7	58		
2	1	1	23.0	16.1	40.0	--	--	--	0	0	0	7	2	5	40.5	28.2	49.0	59		
2	1	1	23.0	16.1	40.0	3	3	--	81.1	200.0	0	7	3	4	40.5	42.3	39.2	60		
1	1	--	11.5	16.1	0	1	1	--	27.0	66.7	0	2	--	2	11.6	0	19.6	61		
2	1	1	23.0	16.1	40.0	1	--	1	27.0	0	45.5	2	--	2	11.6	0	19.6	62		
7	4	3	80.5	64.5	120.0	3	2	1	81.1	133.3	45.5	9	3	6	52.0	42.3	58.8	63		

ITEM	Seminole						Spalding					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	208	115	93	27.0	24.0	32.1	795	510	285	24.8	21.8	33.1
2 Delivered in hospital	157	115	42	75.5%	100.0%	45.2%	600	500	100	75.5%	98.0%	35.1%
3 Delivered in home by physician	1	--	1	0.5%	0%	1.1%	25	3	22	3.1%	0.6%	7.7%
4 Delivered in home by midwife	50	--	50	24.0%	0%	53.8%	169	7	162	21.3%	1.4%	56.8%
5 Other deliveries	--	--	--	0%	0%	0%	1	--	1	0.1%	0%	0.4%
6 Immature births	10	8	2	48.1	69.6	21.5	64	35	29	80.5	68.6	101.8
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	1	--	1	4.8	0	10.8	12	7	5	15.1	13.7	17.5
DEATHS												
10 Total, all ages	58	35	23	753.2	729.2	793.1	329	198	131	1028.1	846.2	1523.3
11 Under 1 year	5	2	3	24.0	17.4	32.3	40	18	22	50.3	35.3	77.2
12 Under 28 days	2	1	1	9.6	8.7	10.8	27	13	14	34.0	25.5	49.1
13 Deaths from immaturity	--	--	--	0	0	0	4	1	3	5.0	2.0	10.5
14 1-4 years **	2	1	1				3	2	1			
15 Maternal deaths	1	--	1	48.1	0	107.6	--	--	--	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	2	1	1	26.0	20.8	34.5	5	1	4	15.6	4.3	46.5
17 Syphilis and its sequelae (020-029)	--	--	--	0	0	0	1	1	--	3.1	4.3	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	1	1	--	3.1	4.3	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	3	1	2	39.0	20.8	69.0	1	1	--	3.1	4.3	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	3	2	1	39.0	41.7	34.5	36	23	13	112.5	98.3	151.2
34 Benign and unspecified neoplasms (210-239)	1	--	1	13.0	0	34.5	--	--	--	0	0	0
35 Diabetes mellitus (260)	3	3	--	39.0	62.5	0	4	4	--	12.5	17.1	0
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	--	--	--	0	0	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	10	4	6	129.9	83.3	206.9	67	38	29	209.4	162.4	337.2
39 Nonmeningococcal meningitis (340)	--	--	--	0	0	0	--	--	--	0	0	0
40 Rheumatic fever (400-402)	--	--	--	0	0	0	1	--	1	3.1	--	11.6
41 Heart diseases (410-443)	14	10	4	181.8	208.3	137.9	89	57	32	278.1	243.6	372.1
42 Hypertension without mention of heart (444-447)	--	--	--	0	0	0	1	1	--	3.1	4.3	0
43 Influenza and pneumonia (480-483, 490-493)	2	2	--	26.0	41.7	0	16	8	8	50.0	34.2	93.0
44 Bronchitis (500-502)	1	1	--	13.0	20.8	0	1	--	1	3.1	0	11.6
45 Ulcer of stomach and duodenum (540-541)	--	--	--	0	0	0	--	--	--	0	0	0
46 Appendicitis (550-553)	--	--	--	0	0	0	--	--	--	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	--	--	--	0	0	0	2	--	2	6.2	0	23.3
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	--	1	13.0	0	34.5	8	4	4	25.0	17.1	46.5
49 Cirrhosis of liver (581)	--	--	--	0	0	0	2	2	--	6.2	8.5	0
50 Nephritis and nephrosis (590-594)	1	1	--	13.0	20.8	0	12	6	6	37.5	25.6	69.8
51 Hyperplasia of prostate (610)	--	--	--	0	0	0	2	1	1	6.2	4.3	11.6
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	--	1	13.0	0	34.5	--	--	--	0	0	0
53 Congenital malformations (750-759)	2	1	1	26.0	20.8	34.5	2	1	1	6.2	4.3	11.6
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	--	--	--	0	0	0	16	9	7	50.0	38.5	81.4
55 Infection of the newborn (763-768)	--	--	--	0	0	0	2	--	2	6.2	0	23.3
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	--	--	--	0	0	0	8	2	6	25.0	8.5	69.8
57 Senility, without mention of psychosis (794)	--	--	--	0	0	0	1	--	1	3.1	0	11.6
58 Ill-defined and unknown causes (780-793, 795)	--	--	--	0	0	0	2	1	1	6.2	4.3	11.6
59 Motor vehicle accidents (E810-E835)	5	3	2	64.9	62.5	69.0	8	8	--	25.0	34.2	0
60 All other accidents (E800-E802, E840-E962)	4	2	2	51.9	41.7	69.0	13	9	4	40.6	38.5	46.5
61 Suicide (E963, E970-E979)	1	1	--	13.0	20.8	0	3	3	--	9.4	12.8	0
62 Homicide (E964, E980-E985)	--	--	--	0	0	0	5	2	3	15.6	8.5	34.9
63 All other diseases (residual)	4	3	1	51.9	62.5	34.5	20	15	5	62.5	64.1	58.1

ITEM	Talbot						Taliaferro					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	233	34	199	31.1	14.8	38.3	105	19	86	26.9	13.6	34.4
2 Delivered in hospital	68	34	34	29.2%	100.0%	17.1%	33	19	14	31.4%	100.0%	16.3%
3 Delivered in home by physician	6	--	6	2.6%	0%	3.0%	5	--	5	4.8%	0%	5.8%
4 Delivered in home by midwife	159	--	159	68.2%	0%	79.9%	66	--	66	62.9%	0%	76.7%
5 Other deliveries	--	--	--	0%	0%	0%	1	--	1	1.0%	0%	1.2%
6 Immature births	16	2	14	68.7	58.8	70.4	15	1	14	142.9	52.6	162.8
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	8	--	8	34.3	0	40.2	2	1	1	19.0	52.6	11.6
DEATHS												
10 Total, all ages	62	16	46	826.7	697.7	884.6	37	14	23	948.7	1000.0	920.0
11 Under 1 year	11	--	11	47.2	0	55.3	5	--	5	47.6	0	58.1
12 Under 28 days	7	--	7	30.0	0	35.2	1	--	1	9.5	0	11.6
13 Deaths from immaturity	1	--	1	4.3	0	5.0	--	--	--	0	0	0
14 1-4 years **	--	--	--	--	--	--	--	--	--	0	0	0
15 Maternal deaths	--	--	--	0	0	0	--	--	--	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	1	--	1	13.3	0	19.2	--	--	--	0	0	0
17 Syphilis and its sequelae (020-029)	--	--	--	0	0	0	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	--	1	13.3	0	19.2	--	--	--	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	6	1	5	80.0	43.5	96.2	3	2	1	76.9	142.9	40.0
34 Benign and unspecified neoplasms (210-239)	--	--	--	0	0	0	--	--	--	0	0	0
35 Diabetes mellitus (260)	--	--	--	0	0	0	--	--	--	0	0	0
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	--	--	--	0	0	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	21	7	14	280.0	304.3	269.2	8	3	5	205.1	214.3	200.0
39 Nonmeningococcal meningitis (340)	--	--	--	0	0	0	--	--	--	0	0	0
40 Rheumatic fever (400-402)	--	--	--	0	0	0	--	--	--	0	0	0
41 Heart diseases (410-443)	14	6	8	186.7	260.9	153.8	9	4	5	230.8	285.7	200.0
42 Hypertension without mention of heart (444-447)	--	--	--	0	0	0	1	1	--	25.6	71.4	0
43 Influenza and pneumonia (480-483, 490-493)	6	--	6	80.0	0	115.4	4	1	3	102.6	71.4	120.0
44 Bronchitis (500-502)	--	--	--	0	0	0	--	--	--	0	0	0
45 Ulcer of stomach and duodenum (540-541)	--	--	--	0	0	0	--	--	--	0	0	0
46 Appendicitis (550-553)	--	--	--	0	0	0	1	1	--	25.6	71.4	0
47 Intestinal obstruction and hernia (560, 561, 570)	--	--	--	0	0	0	--	--	--	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	--	--	--	0	0	0	--	--	--	0	0	0
49 Cirrhosis of liver (581)	--	--	--	0	0	0	--	--	--	0	0	0
50 Nephritis and nephrosis (590-594)	1	1	--	13.3	43.5	0	--	--	--	0	0	0
51 Hyperplasia of prostate (610)	1	1	--	13.3	43.5	0	--	--	--	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	--	--	--	0	0	0	--	--	--	0	0	0
53 Congenital malformations (750-759)	2	--	2	26.7	0	38.5	1	--	1	25.6	0	40.0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	--	2	26.7	0	38.5	--	--	--	0	0	0
55 Infection of the newborn (763-768)	2	--	2	26.7	0	38.5	--	--	--	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	--	1	13.3	0	19.2	2	--	2	51.3	0	80.0
57 Senility, without mention of psychosis (794)	--	--	--	0	0	0	--	--	--	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	1	--	1	13.3	0	19.2	1	--	1	25.6	0	40.0
59 Motor vehicle accidents (E810-E835)	--	--	--	0	0	0	1	1	--	25.6	71.4	0
60 All other accidents (E800-E802, E840-E962)	1	--	1	13.3	0	19.2	--	--	--	0	0	0
61 Suicide (E963, E970-E979)	--	--	--	0	0	0	--	--	--	0	0	0
62 Homicide (E964, E980-E985)	1	--	1	13.3	0	19.2	1	--	1	25.6	0	40.0
63 All other diseases (residual)	1	--	1	13.3	0	19.2	5	1	4	128.2	71.4	160.0

COUNTY, BY RACE, GEORGIA, 1953—CONTINUED

Tattnall						Taylor						Telfair						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
419	267	152	28.7	25.2	38.0	237	89	148	27.6	19.8	36.1	335	208	127	26.6	24.5	31.0	1
279	243	36	66.6%	91.0%	23.7%	113	86	27	47.7%	96.6%	18.2%	181	164	17	54.0%	78.8%	13.4%	2
85	23	62	20.3%	8.6%	40.8%	7	--	7	3.0%	0%	4.7%	40	30	10	11.9%	14.4%	7.9%	3
55	1	54	13.1%	0.4%	35.5%	117	3	114	49.4%	3.4%	77.0%	114	14	100	34.0%	6.7%	78.7%	4
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	5
36	17	19	85.9	63.7	125.0	15	4	11	63.3	44.9	74.3	25	16	9	74.6	76.9	70.9	6
9	6	3	21.5	22.5	19.7	11	4	7	46.4	44.9	47.3	5	2	3	14.9	9.6	23.6	7
117	75	42	801.4	707.5	1050.0	80	41	39	930.2	911.1	951.2	111	70	41	881.0	823.5	1000.0	10
7	4	3	16.7	15.0	19.7	10	2	8	42.2	22.5	54.1	4	3	1	11.9	14.4	7.9	11
3	3	--	7.2	11.2	0	7	1	6	29.5	11.2	40.5	3	3	--	9.0	14.4	0	12
--	--	--	0	0	0	4	1	3	16.9	11.2	20.3	2	2	--	6.0	9.6	0	13
3	--	3	--	--	--	3	--	3	--	--	--	1	1	--	--	--	--	14
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	15
2	1	1	13.7	9.4	25.0	--	--	--	0	0	0	2	1	1	15.9	11.8	24.4	16
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	7.9	0	24.4	17
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	18
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	19
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	20
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	21
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	22
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	24
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	25
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	26
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	32
14	11	3	95.9	103.8	75.0	7	6	1	81.4	133.3	24.4	12	9	3	95.2	105.9	73.2	33
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	34
2	1	1	13.7	9.4	25.0	--	--	--	0	0	0	--	--	--	0	0	0	35
1	1	--	6.8	9.4	0	--	--	--	0	0	0	2	1	1	15.9	11.8	24.4	36
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	37
14	6	8	95.9	56.6	200.0	22	12	10	255.8	266.7	243.9	23	13	10	182.5	152.9	243.9	38
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	39
--	--	--	0	0	0	1	--	1	11.6	0	24.4	--	--	--	0	0	0	40
42	33	9	287.7	311.3	225.0	22	11	11	255.8	244.4	268.3	37	24	13	293.6	282.4	317.1	41
2	1	1	13.7	9.4	25.0	--	--	--	0	0	0	--	--	--	0	0	0	42
3	2	1	20.5	18.9	25.0	3	--	3	34.9	0	73.2	2	2	--	15.9	23.5	0	43
--	--	--	0	0	0	2	2	--	23.3	44.4	0	--	--	--	0	0	0	44
1	--	1	6.8	0	25.0	1	1	--	11.6	22.2	0	--	--	--	0	0	0	45
1	1	--	6.8	9.4	0	--	--	--	0	0	0	--	--	--	0	0	0	46
1	--	1	6.8	0	25.0	--	--	--	0	0	0	--	--	--	0	0	0	47
2	--	2	13.7	0	50.0	1	--	1	11.6	0	24.4	--	--	--	0	0	0	48
1	1	--	6.8	9.4	0	--	--	--	0	0	0	1	1	--	7.9	11.8	0	49
2	2	--	13.7	18.9	0	--	--	--	0	0	0	3	3	--	23.8	35.3	0	50
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	7.9	0	24.4	51
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	52
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	7.9	--	24.4	53
2	2	--	13.7	18.9	0	--	--	--	0	0	0	1	1	--	7.9	11.8	0	54
--	--	--	0	0	0	1	--	1	11.6	0	24.4	--	--	--	0	0	0	55
1	1	--	6.8	9.4	0	6	1	5	69.8	22.2	122.0	2	2	--	15.9	23.5	0	56
1	1	--	6.8	9.4	0	--	--	--	0	0	0	1	--	1	7.9	0	24.4	57
1	--	1	6.8	0	25.0	4	2	2	46.5	44.4	48.8	1	1	--	7.9	11.8	0	58
3	1	2	20.5	9.4	50.0	2	1	1	23.3	22.2	24.4	3	3	--	23.8	35.3	0	59
9	3	6	61.6	28.3	150.0	2	2	2	23.3	44.4	0	5	2	3	39.7	23.5	73.2	60
1	1	--	6.8	9.4	0	--	--	--	0	0	0	1	1	--	7.9	11.8	0	61
2	1	1	13.7	9.4	25.0	--	--	--	0	0	0	3	1	2	23.8	11.8	48.8	62
9	5	4	61.6	47.2	100.0	6	3	3	69.8	66.7	73.2	9	5	4	71.4	58.8	97.6	63

ITEM	Terrell						Thomas					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	423	82	341	31.1	17.8	37.9	968	500	468	27.7	23.8	33.7
2 Delivered in hospital	137	82	55	32.4%	100.0%	16.1%	590	474	116	60.9%	94.8%	24.8%
3 Delivered in home by physician	26	--	26	6.1%	0%	7.6%	35	8	27	3.6%	1.6%	5.8%
4 Delivered in home by midwife	260	--	260	61.5%	0%	76.2%	225	6	219	23.2%	1.2%	46.8%
5 Other deliveries	--	--	--	0%	0%	0%	118	12	106	12.2%	2.4%	22.6%
6 Immature births	27	4	23	63.8	48.8	67.4	59	24	35	60.9	48.0	74.8
FETAL DEATHS												
7												
8												
9 " 20 weeks gestation and more	17	1	16	40.2	12.2	46.9	16	7	9	16.5	14.0	19.2
DEATHS												
10 Total, all ages	175	45	130	1286.8	978.3	1444.4	303	157	146	868.2	747.6	1050.4
11 Under 1 year	30	--	30	70.9	0	88.0	31	13	18	32.0	26.0	38.5
12 Under 28 days	15	--	15	35.5	0	44.0	22	9	13	22.7	18.0	27.8
13 Deaths from immaturity	2	--	2	4.7	0	5.9	10	4	6	10.3	8.0	12.8
14 1-4 years **	1	--	1	--	--	--	4	1	3	--	--	--
15 Maternal deaths	2	--	2	47.3	0	58.7	2	1	1	20.7	20.0	21.4
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	1	--	1	7.4	0	11.1	3	1	2	8.6	4.8	14.4
17 Syphilis and its sequelae (020-029)	--	--	--	0	0	0	1	1	--	2.9	4.8	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	4	--	4	29.4	0	44.4	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	--	--	--	0	0	0	2	1	1	5.7	4.8	7.2
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	12	2	10	88.2	43.5	111.1	30	18	12	86.0	85.7	86.3
34 Benign and unspecified neoplasms (210-239)	--	--	--	0	0	0	--	--	--	0	0	0
35 Diabetes mellitus (260)	1	1	--	7.4	21.7	0	2	1	1	5.7	4.8	7.2
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	--	--	--	0	0	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	22	3	19	161.8	65.2	211.1	70	37	33	200.6	176.2	237.4
39 Nonmeningococcal meningitis (340)	--	--	--	0	0	0	1	--	1	2.9	0	7.2
40 Rheumatic fever (400-402)	--	--	--	0	0	0	--	--	--	0	0	0
41 Heart diseases (410-443)	51	23	28	375.0	500.0	311.1	84	48	36	240.7	228.6	259.0
42 Hypertension without mention of heart (444-447)	2	--	2	14.7	0	22.2	4	2	2	11.5	9.5	14.4
43 Influenza and pneumonia (480-483, 490-493)	12	2	10	88.2	43.5	111.1	16	2	14	45.8	9.5	100.7
44 Bronchitis (500-502)	--	--	--	0	0	0	--	--	--	0	0	0
45 Ulcer of stomach and duodenum (540-541)	1	--	1	7.4	0	11.1	1	--	1	2.9	0	7.2
46 Appendicitis (550-553)	--	--	--	0	0	0	--	--	--	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	2	--	2	14.7	0	22.2	--	--	--	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	--	--	--	0	0	0	2	1	1	5.7	4.8	7.2
49 Cirrhosis of liver (581)	2	2	--	14.7	43.5	0	2	2	--	5.7	9.5	0
50 Nephritis and nephrosis (590-594)	3	1	2	22.1	21.7	22.2	8	4	4	22.9	19.0	28.8
51 Hyperplasia of prostate (610)	2	--	2	14.7	0	22.2	6	1	5	17.2	4.8	36.0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	2	--	2	14.7	0	22.2	2	1	1	5.7	4.8	7.2
53 Congenital malformations (750-759)	--	--	--	0	0	0	3	3	--	8.6	14.3	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	--	2	14.7	0	22.2	5	3	2	14.3	14.3	14.4
55 Infection of the newborn (763-768)	4	--	4	29.4	0	44.4	3	--	3	8.6	0	21.6
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	7	--	7	51.5	0	77.8	11	4	7	31.5	19.0	50.4
57 Senility, without mention of psychosis (794)	2	--	2	14.7	0	22.2	2	1	1	5.7	4.8	7.2
58 Ill-defined and unknown causes (780-793, 795)	9	--	9	66.2	0	100.0	2	2	--	5.7	9.5	0
59 Motor vehicle accidents (E810-E835)	8	--	8	58.8	0	88.9	6	3	3	17.2	14.3	21.6
60 All other accidents (E800-E802, E840-E962)	9	3	6	66.2	65.2	66.7	14	10	4	40.1	47.6	28.8
61 Suicide (E963, E970-E979)	2	2	--	14.7	43.5	0	3	2	1	8.6	9.5	7.2
62 Homicide (E964, E980-E985)	1	--	1	7.4	0	11.1	4	1	3	11.5	4.8	21.6
63 All other diseases (residual)	14	6	8	102.9	130.4	88.9	16	8	8	45.8	38.1	57.6

COUNTY, BY RACE, GEORGIA, 1953-CONTINUED

Tift						Toombs						Towns					
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *		
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
710	436	274	29.5	25.2	40.3	526	329	197	29.6	25.3	41.0	90	90	--	19.1	19.1	0
489	412	77	68.9%	94.5%	28.1%	299	271	28	56.8%	82.4%	14.2%	87	87	--	96.7%	96.7%	0%
15	12	3	2.1%	2.8%	1.1%	90	56	34	17.1%	17.0%	17.3%	2	2	--	2.2%	2.2%	0%
206	12	194	29.0%	2.8%	70.8%	135	2	133	25.7%	0.6%	67.5%	1	1	--	1.1%	1.1%	0%
--	--	--	0%	0%	0%	2	--	2	0.4%	0%	1.0%	--	--	--	0%	0%	0%
47	31	16	66.2	71.1	58.4	39	28	11	74.1	85.1	55.8	1	1	--	11.1	11.1	0
14	7	7	19.7	16.1	25.5	9	6	3	17.1	18.2	15.2	--	--	--	0	0	0
199	122	77	825.7	705.2	1132.4	152	112	40	853.9	861.5	833.3	19	19	--	404.3	404.3	0
17	5	12	23.9	11.5	43.8	17	12	5	32.3	36.5	25.4	1	1	--	11.1	11.1	0
8	3	5	11.3	6.9	18.2	12	10	2	22.8	30.4	10.2	1	1	--	11.1	11.1	0
1	--	1	1.4	0	3.6	3	3	--	5.7	9.1	0	--	--	--	0	0	0
5	2	3	0	0	0	2	1	1	0	0	0	1	1	--	0	0	0
--	--	--	0	0	0	1	1	--	19.0	30.4	0	--	--	--	0	0	0
4	2	2	16.6	11.6	29.4	--	--	--	0	0	0	--	--	--	0	0	0
1	1	--	4.1	5.8	0	1	1	--	5.6	7.7	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	1	--	1	5.6	0	20.8	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
1	--	1	4.1	0	14.7	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
2	1	1	8.3	5.8	14.7	--	--	--	0	0	0	--	--	--	0	0	0
29	21	8	120.3	121.4	117.6	23	16	7	129.2	123.1	145.8	2	2	--	42.6	42.6	0
--	--	--	0	0	0	1	1	--	5.6	7.7	0	--	--	--	0	0	0
1	1	--	4.1	5.8	0	3	3	--	16.9	23.1	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
1	1	--	4.1	5.8	0	1	1	--	5.6	7.7	0	--	--	--	0	0	0
27	13	14	112.0	75.1	205.9	20	12	8	112.4	92.3	166.7	2	2	--	42.6	42.6	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	1	1	--	5.6	7.7	0	--	--	--	0	0	0
69	50	19	286.3	289.0	279.4	39	29	10	219.1	223.1	208.3	8	8	--	170.2	170.2	0
5	3	2	20.7	17.3	29.4	2	1	1	11.2	7.7	20.8	--	--	--	0	0	0
8	3	5	33.2	17.3	73.5	8	6	2	44.9	46.2	41.7	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
1	1	--	4.1	5.8	0	--	--	--	0	0	0	--	--	--	0	0	0
2	1	1	8.3	5.8	14.7	--	--	--	0	0	0	--	--	--	0	0	0
3	--	3	12.4	0	44.1	1	--	1	5.6	0	20.8	--	--	--	0	0	0
1	1	--	4.1	5.8	0	1	1	--	5.6	7.7	0	--	--	--	0	0	0
2	1	1	8.3	5.8	14.7	8	5	3	44.9	38.5	62.5	1	1	--	21.3	21.3	0
2	--	2	8.3	0	29.4	--	--	--	0	0	0	--	--	--	0	0	0
--	--	--	0	0	0	1	1	--	5.6	7.7	0	--	--	--	0	0	0
3	1	2	12.4	5.8	29.4	1	--	1	5.6	0	20.8	--	--	--	0	0	0
4	3	1	16.6	17.3	14.7	4	4	--	22.5	30.8	0	1	1	--	21.3	21.3	0
1	1	--	4.1	5.8	0	--	--	--	0	0	0	--	--	--	0	0	0
3	1	2	12.4	5.8	29.4	6	6	--	33.7	46.2	0	--	--	--	0	0	0
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0
5	--	5	20.7	0	73.5	4	2	2	22.5	15.4	41.7	--	--	--	0	0	0
9	8	1	37.3	46.2	14.7	6	6	--	33.7	46.2	0	2	2	--	42.6	42.6	0
8	4	4	33.2	23.1	58.8	7	6	1	39.3	46.2	20.8	1	1	--	21.3	21.3	0
1	1	--	4.1	5.8	0	2	2	--	11.2	15.4	0	--	--	--	0	0	0
1	--	1	4.1	0	14.7	--	--	--	0	0	0	--	--	--	0	0	0
5	3	2	20.7	17.3	29.4	11	8	3	61.8	61.5	62.5	2	2	--	42.6	42.6	0

ITEM	Trentlen						Troup					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	175	108	67	28.2	24.5	37.2	1,391	815	576	26.8	22.8	35.3
2 Delivered in hospital	99	91	8	56.6%	84.3%	11.9%	1,110	806	304	79.8%	98.9%	52.8%
3 Delivered in home by physician	17	12	5	9.7%	11.1%	7.5%	15	4	11	1.1%	0.5%	1.9%
4 Delivered in home by midwife	59	5	54	33.7%	4.6%	80.6%	265	5	260	19.1%	0.6%	45.1%
5 Other deliveries	--	--	--	0%	0%	0%	1	--	1	0.1%	0%	0.2%
6 Immature births	7	7	--	40.0	64.8	0	104	50	54	74.8	61.3	93.8
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	3	2	1	17.1	18.5	14.9	22	11	11	15.8	13.5	19.1
DEATHS												
10 Total, all ages	41	30	11	661.3	681.8	611.1	457	254	203	878.8	711.5	1245.4
11 Under 1 year	2	1	1	11.4	9.3	14.9	35	17	18	25.2	20.9	31.2
12 Under 28 days	2	1	1	11.4	9.3	14.9	24	9	15	17.3	11.0	26.0
13 Deaths from immaturity	1	1	--	5.7	9.3	0	9	2	7	6.5	2.5	12.2
14 1-4 years **	--	--	--	--	--	--	13	9	4	--	--	--
15 Maternal deaths	--	--	--	0	0	0	1	--	1	7.2	0	17.4
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	--	--	--	0	0	0	4	2	2	7.7	5.6	12.3
17 Syphilis and its sequelae (020-029)	1	--	1	16.1	0	55.6	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	1	1	--	1.9	2.8	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	--	--	--	0	0	0	3	2	1	5.8	5.6	6.1
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	3	3	--	48.4	68.2	0	41	29	12	78.8	81.2	73.6
34 Benign and unspecified neoplasms (210-239)	1	1	--	16.1	22.7	0	--	--	--	0	0	0
35 Diabetes mellitus (260)	1	1	--	16.1	22.7	0	3	1	2	5.8	2.8	12.3
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	--	--	--	0	0	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	6	4	2	96.8	90.9	111.1	83	39	44	159.6	109.2	269.9
39 Nonmeningococcal meningitis (340)	--	--	--	0	0	0	--	--	--	0	0	0
40 Rheumatic fever (400-402)	--	--	--	0	0	0	1	--	1	1.9	0	6.1
41 Heart diseases (410-443)	12	9	3	193.5	204.5	166.7	146	87	59	280.8	243.7	362.0
42 Hypertension without mention of heart (444-447)	1	--	1	16.1	0	55.6	1	1	--	1.9	2.8	0
43 Influenza and pneumonia (480-483, 490-493)	2	2	--	32.3	45.5	0	18	10	8	34.6	28.0	49.1
44 Bronchitis (500-502)	--	--	--	0	0	0	4	2	2	7.7	5.6	12.3
45 Ulcer of stomach and duodenum (540-541)	--	--	--	0	0	0	1	1	--	1.9	2.8	0
46 Appendicitis (550-553)	--	--	--	0	0	0	--	--	--	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	--	--	--	0	0	0	--	--	--	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	--	--	--	0	0	0	5	3	2	9.6	8.4	12.3
49 Cirrhosis of liver (581)	--	--	--	0	0	0	1	1	--	1.9	2.8	0
50 Nephritis and nephrosis (590-594)	--	--	--	0	0	0	13	4	9	25.0	11.2	55.2
51 Hyperplasia of prostate (610)	--	--	--	0	0	0	1	1	--	1.9	2.8	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	--	--	--	0	0	0	1	--	1	1.9	0	6.1
53 Congenital malformations (750-759)	--	--	--	0	0	0	7	4	3	13.5	11.2	18.4
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	--	--	--	0	0	0	4	2	2	7.7	5.6	12.3
55 Infection of the newborn (763-768)	1	--	1	16.1	0	55.6	2	--	2	3.8	0	12.3
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	1	--	16.1	22.7	0	16	6	10	30.8	16.8	61.3
57 Senility, without mention of psychosis (794)	--	--	--	0	0	0	3	3	--	5.8	8.4	0
58 Ill-defined and unknown causes (780-793, 795)	--	--	--	0	0	0	7	4	3	13.5	11.2	18.4
59 Motor vehicle accidents (E810-E835)	4	4	--	64.5	90.9	0	15	9	6	28.8	25.2	36.8
60 All other accidents (E800-E802, E840-E962)	3	1	2	48.4	22.7	111.1	18	10	8	34.6	28.0	49.1
61 Suicide (E963, E970-E979)	--	--	--	0	0	0	8	8	--	15.4	22.4	0
62 Homicide (E964, E980-E985)	1	--	1	16.1	0	55.6	17	1	16	32.7	2.8	98.2
63 All other diseases (residual)	4	4	--	64.5	90.9	0	33	23	10	63.5	64.4	61.3

COUNTY, BY RACE, GEORGIA, 1953-CONTINUED

Turner						Twiggs						Union						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
253	137	116	24.3	21.1	29.7	222	67	155	27.8	23.1	30.4	147	147	--	20.4	20.4	0	1
197	134	63	77.9%	97.8%	54.3%	103	65	38	46.4%	97.0%	24.5%	122	122	--	83.0%	83.0%	0%	2
7	3	4	2.8%	2.2%	3.4%	--	--	--	0%	0%	0%	21	21	--	14.3%	14.3%	0%	3
49	--	49	19.4%	0%	42.2%	119	2	117	53.6%	3.0%	75.5%	4	4	--	2.7%	2.7%	0%	4
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	5
22	10	12	87.0	73.0	103.4	11	2	9	49.5	29.8	58.1	12	12	--	81.6	81.6	0	6
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	7
2	--	2	7.9	0	17.2	9	--	9	40.5	0	58.1	1	1	--	6.8	6.8	0	8
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9
94	58	36	903.8	892.3	923.1	75	31	44	937.5	1069.0	862.7	43	43	--	597.2	597.2	0	10
9	4	5	35.6	29.2	43.1	7	3	4	31.5	44.8	25.8	4	4	--	27.2	27.2	0	11
4	3	1	15.8	21.9	8.6	3	2	1	13.5	29.8	6.5	3	3	--	20.4	20.4	0	12
2	2	--	7.9	14.6	0	--	--	--	0	0	0	1	1	--	6.8	6.8	0	13
2	1	1	--	--	--	2	1	1	--	--	--	2	2	--	--	--	--	14
1	1	--	39.5	73.0	0	2	1	1	90.1	14.9	64.5	--	--	--	0	0	0	15
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	16
3	1	2	28.8	15.4	51.3	1	--	1	12.5	0	19.6	1	1	--	13.9	13.9	0	17
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	18
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	19
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	13.9	13.9	0	20
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	21
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	22
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	24
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	25
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	26
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31
--	--	--	0	0	0	1	--	1	12.5	0	19.6	--	--	--	0	0	0	32
11	7	4	105.8	107.7	102.6	4	3	1	50.0	103.4	19.6	4	4	--	55.6	55.6	0	33
1	--	1	9.6	0	25.6	--	--	--	0	0	0	--	--	--	0	0	0	34
2	2	--	19.2	30.8	0	--	--	--	0	0	0	1	1	--	13.9	13.9	0	35
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	36
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	37
17	6	11	163.5	92.3	282.1	11	6	5	137.5	206.9	98.0	5	5	--	69.4	69.4	0	38
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	39
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	40
32	24	8	307.7	369.2	205.1	20	8	12	250.0	275.9	235.3	12	12	--	166.7	166.7	0	41
1	1	--	9.6	15.4	0	2	1	1	25.0	34.5	19.6	2	2	--	27.8	27.8	0	42
4	1	3	38.5	15.4	76.9	8	2	6	100.0	69.0	117.6	3	3	--	41.7	41.7	0	43
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	44
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	45
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	46
--	--	--	0	0	0	1	--	1	12.5	0	19.6	--	--	--	0	0	0	47
3	2	1	28.8	30.8	25.6	--	--	--	0	0	0	--	--	--	0	0	0	48
2	2	--	19.2	30.8	0	1	--	1	12.5	0	19.6	--	--	--	0	0	0	49
1	1	--	9.6	15.4	0	2	--	2	25.0	0	39.2	1	1	--	13.9	13.9	0	50
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	51
1	1	--	9.6	15.4	0	2	1	1	25.0	34.5	19.6	--	--	--	0	0	0	52
1	1	--	9.6	15.4	0	1	--	1	12.5	0	19.6	--	--	--	0	0	0	53
1	--	1	9.6	0	25.6	2	1	1	25.0	34.5	19.6	1	1	--	13.9	13.9	0	54
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	55
2	2	--	19.2	30.8	0	1	1	--	12.5	34.5	0	1	1	--	13.9	13.9	0	56
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	57
1	--	1	9.6	0	25.6	7	4	3	87.5	137.9	58.8	2	2	--	27.8	27.8	0	58
--	--	--	0	0	0	2	1	1	25.0	34.5	19.6	2	2	--	27.8	27.8	0	59
3	3	--	28.8	46.2	0	4	2	2	50.0	69.0	39.2	2	2	--	27.8	27.8	0	60
--	--	--	0	0	0	--	--	--	0	0	0	2	2	--	27.8	27.8	0	61
3	1	2	28.8	15.4	51.3	1	--	1	12.5	0	19.6	--	--	--	0	0	0	62
5	3	2	48.1	46.2	51.3	4	1	3	50.0	34.5	58.8	3	3	--	41.7	41.7	0	63

ITEM	Upson						Walker					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	619	388	231	24.0	20.2	35.0	916	861	55	22.6	22.6	22.0
2 Delivered in hospital	414	354	60	66.9%	91.2%	26.0%	903	854	49	98.6%	99.2%	89.1%
3 Delivered in home by physician	84	31	53	13.6%	8.0%	22.9%	12	6	6	1.3%	0.7%	10.9%
4 Delivered in home by midwife	120	3	117	19.4%	0.8%	50.6%	1	1	--	0.1%	0.1%	0%
5 Other deliveries	1	--	1	0.2%	0%	0.4%	--	--	--	0%	0%	0%
6 Immature births	55	30	25	88.9	77.3	108.2	38	36	2	41.5	41.8	36.4
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	23	7	16	37.2	18.0	69.3	9	8	1	9.8	9.3	18.2
DEATHS												
10 Total, all ages	183	124	59	709.3	645.8	893.9	241	231	10	593.6	606.3	400.0
11 Under 1 year	13	8	5	21.0	20.6	21.6	24	23	1	26.2	26.7	18.2
12 Under 28 days	11	6	5	17.8	15.5	21.6	21	20	1	22.9	23.2	18.2
13 Deaths from immaturity	2	--	2	3.2	0	8.7	7	6	1	7.6	7.0	18.2
14 1-4 years **	5	4	1	--	--	--	8	8	--	--	--	--
15 Maternal deaths	--	--	--	0	0	0	--	--	--	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	1	--	1	3.9	0	15.2	5	4	1	12.3	10.5	40.0
17 Syphilis and its sequelae (020-029)	--	--	--	0	0	0	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	1	1	--	3.9	5.2	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	--	--	--	0	0	0	2	1	1	4.9	2.6	40.0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	17	14	3	65.9	72.9	45.5	30	29	1	73.9	76.1	40.0
34 Benign and unspecified neoplasms (210-239)	--	--	--	0	0	0	2	2	--	4.9	5.2	0
35 Diabetes mellitus (260)	3	3	--	11.6	15.6	0	--	--	--	0	0	0
36 Pellagra (281)	--	--	--	0	0	0	1	1	--	2.5	2.6	0
37 Anemias (290-293)	--	--	--	0	0	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	32	16	16	124.0	83.3	242.4	26	25	1	64.0	65.6	40.0
39 Nonmeningococcal meningitis (340)	--	--	--	0	0	0	--	--	--	0	0	0
40 Rheumatic fever (400-402)	--	--	--	0	0	0	--	--	--	0	0	0
41 Heart diseases (410-443)	71	52	19	275.2	270.8	287.9	72	70	2	177.3	183.7	80.0
42 Hypertension without mention of heart (444-447)	1	1	--	3.9	5.2	0	3	3	--	7.4	7.9	0
43 Influenza and pneumonia (480-483, 490-493)	4	3	1	15.5	15.6	15.2	8	8	--	19.7	21.0	0
44 Bronchitis (500-502)	1	1	--	3.9	5.2	0	1	1	--	2.5	2.6	0
45 Ulcer of stomach and duodenum (540-541)	1	1	--	3.9	5.2	0	1	1	--	2.5	2.6	0
46 Appendicitis (550-553)	--	--	--	0	0	0	1	1	--	2.5	2.6	0
47 Intestinal obstruction and hernia (560, 561, 570)	2	1	1	7.8	5.2	15.2	2	2	--	4.9	5.2	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhoea of the newborn) (543, 571, 572)	--	--	--	0	0	0	1	1	--	2.5	2.6	0
49 Cirrhosis of liver (581)	1	1	--	3.9	5.2	0	4	4	--	9.9	10.5	0
50 Nephritis and nephrosis (590-594)	5	3	2	19.4	15.6	30.3	5	5	--	12.3	13.1	0
51 Hyperplasia of prostate (610)	1	1	--	3.9	5.2	0	3	2	1	7.4	5.2	40.0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	--	--	--	0	0	0	--	--	--	0	0	0
53 Congenital malformations (750-759)	5	3	2	19.4	15.6	30.3	9	9	--	22.2	23.6	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	3	3	--	11.6	15.6	0	4	4	--	9.9	10.5	0
55 Infection of the newborn (763-768)	--	--	--	0	0	0	3	3	--	7.4	7.9	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	5	2	3	19.4	10.4	45.5	8	7	1	19.7	18.4	40.0
57 Senility, without mention of psychosis (794)	2	1	1	7.8	5.2	15.2	1	1	--	2.5	2.6	0
58 Ill-defined and unknown causes (780-793, 795)	2	1	1	7.8	5.2	15.2	10	10	--	24.6	26.2	0
59 Motor vehicle accidents (E810-E835)	6	5	1	23.3	26.0	15.2	9	8	1	22.2	21.0	40.0
60 All other accidents (E800-E802, E840-E962)	6	4	2	23.3	20.8	30.3	9	9	--	22.2	23.6	0
61 Suicide (E963, E970-E979)	1	1	--	3.9	5.2	0	1	1	--	2.5	2.6	0
62 Homicide (E964, E980-E985)	2	2	--	7.8	10.4	0	--	--	--	0	0	0
63 All other diseases (residual)	10	4	6	38.8	20.8	90.9	20	19	1	49.3	49.9	40.0

COUNTY, BY RACE, GEORGIA, 1953—CONTINUED

Walton						Ware						Warren							
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *				
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White		
462	251	211	22.9	18.2	33.0	859	652	207	27.5	28.5	24.9	242	42	200	29.2	14.5	37.0	1	
404	248	156	87.4%	98.8%	73.9%	664	599	65	77.3%	91.9%	31.4%	71	40	31	29.3%	95.2%	15.5%	2	
7	2	5	1.5%	0.8%	2.4%	126	49	77	14.7%	7.5%	37.2%	4	1	3	1.7%	2.4%	1.5%	3	
50	1	49	10.8%	0.4%	23.2%	69	4	65	8.0%	0.6%	31.4%	167	1	166	69.0%	2.4%	83.0%	4	
1	--	1	0.2%	0%	0.5%	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	5	
48	14	34	103.9	55.8	161.1	56	35	21	65.2	53.7	10.1	21	4	17	86.8	95.2	85.0	6	
																			7
																			8
8	1	7	17.3	4.0	33.2	13	7	6	15.1	10.7	29.0	9	1	8	37.2	23.8	40.0	9	
																			10
155	87	68	767.3	630.4	1062.5	266	171	95	852.6	746.7	1144.6	75	26	49	903.6	896.6	907.4	11	
18	5	13	39.0	19.9	61.6	26	16	10	30.3	24.5	48.3	7	1	6	28.9	23.8	30.0	12	
14	5	9	30.3	19.9	42.7	17	11	6	19.8	16.9	29.0	5	1	4	20.7	23.8	20.0	13	
10	3	7	21.6	12.0	33.2	7	1	6	8.1	1.5	29.0	1	--	1	4.1	0	5.0	14	
1	--	1	0	0	0	7	7	2	0	0	0	1	--	1	0	0	0	15	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	16	
1	--	1	5.0	0	15.6	4	1	3	12.8	4.4	36.1	1	--	1	12.0	0	18.5	17	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	18	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	19	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	20	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	21	
1	--	1	5.0	0	15.6	--	--	--	0	0	0	--	--	--	0	0	0	22	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23	
--	--	--	0	0	0	1	--	1	3.2	0	12.0	--	--	--	0	0	0	24	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	25	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	26	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31	
--	--	--	0	0	0	1	1	--	3.2	4.4	0	--	--	--	0	0	0	32	
17	11	6	84.2	79.7	93.8	35	31	4	112.2	135.4	48.2	8	3	5	96.4	103.4	92.6	33	
1	--	1	5.0	0	15.6	1	1	--	3.2	4.4	0	--	--	--	0	0	0	34	
--	--	--	0	0	0	3	1	2	9.6	4.4	24.1	1	--	1	12.0	0	18.5	35	
1	1	--	5.0	7.2	0	1	1	--	3.2	4.4	0	--	--	--	0	0	0	36	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	37	
26	15	11	128.7	108.7	171.9	42	22	20	134.6	96.1	241.0	7	2	5	84.3	69.0	92.6	38	
--	--	--	0	0	0	1	--	1	3.2	0	12.0	--	--	--	0	0	0	39	
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	12.0	34.5	0	40	
42	27	15	207.9	195.7	234.4	87	60	27	278.8	262.0	325.3	26	11	15	313.3	379.3	277.8	41	
3	1	2	14.9	7.2	31.2	2	2	--	6.4	8.7	0	1	--	1	12.0	0	18.5	42	
8	2	6	39.6	14.5	93.8	7	4	3	22.4	17.5	36.1	5	1	4	60.2	34.5	74.1	43	
1	1	--	5.0	7.2	0	--	--	--	0	0	0	--	--	--	0	0	0	44	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	45	
--	--	--	0	0	0	1	1	--	3.2	4.4	0	--	--	--	0	0	0	46	
1	--	1	5.0	0	15.6	2	2	--	6.4	8.7	0	--	--	--	0	0	0	47	
1	1	--	5.0	7.2	0	3	3	--	9.6	13.1	0	1	--	1	12.0	0	18.5	48	
1	--	1	5.0	0	15.6	1	1	--	3.2	4.4	0	--	--	--	0	0	0	49	
4	1	3	19.8	7.2	46.9	7	1	6	22.4	4.4	72.3	10	2	8	120.5	69.0	148.1	50	
--	--	--	0	0	0	1	--	1	3.2	0	12.0	--	--	--	0	0	0	51	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	52	
2	1	1	9.9	7.2	15.6	2	2	--	6.4	8.7	0	1	--	1	12.0	0	18.5	53	
1	--	1	5.0	0	15.6	5	4	1	16.0	17.5	12.0	1	1	--	12.0	34.5	0	54	
2	1	1	9.9	7.2	15.6	2	2	--	6.4	8.7	0	3	--	3	36.1	0	55.6	55	
11	4	7	54.5	29.0	109.4	7	1	6	22.4	4.4	72.3	1	--	1	12.0	0	18.5	56	
2	1	1	9.9	7.2	15.6	3	1	2	9.6	4.4	24.1	--	--	--	0	0	0	57	
--	--	--	0	0	0	5	2	3	16.0	8.7	36.1	--	--	--	0	0	0	58	
7	3	4	34.7	21.7	62.5	11	10	1	35.3	43.7	12.0	2	2	--	24.1	69.0	0	59	
5	4	1	24.8	29.0	15.6	9	5	4	28.8	21.8	48.2	1	1	--	12.0	34.5	0	60	
4	3	1	19.8	21.7	15.6	2	1	1	6.4	4.4	12.0	1	1	--	12.0	34.5	0	61	
1	1	--	5.0	7.2	0	2	--	2	6.4	0	24.1	1	--	1	12.0	0	18.5	62	
12	9	3	59.4	65.2	46.9	18	11	7	57.7	48.0	84.3	3	1	2	36.1	34.5	37.0	63	

ITEM	Washington						Wayne					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	582	172	410	29.0	21.0	34.5	457	339	118	31.1	28.7	40.7
2 Delivered in hospital	200	160	40	34.4%	93.0%	9.8%	376	318	58	82.3%	93.8%	49.2%
3 Delivered in home by physician	6	--	6	1.0%	0%	1.5%	21	13	8	4.6%	3.8%	6.8%
4 Delivered in home by midwife	376	12	364	64.6%	7.0%	88.8%	60	8	52	13.1%	2.4%	44.1%
5 Other deliveries	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%
6 Immature births	52	14	38	89.3	81.4	92.7	33	16	17	72.2	47.2	144.1
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	26	6	20	44.7	34.9	48.8	8	5	3	17.5	14.7	25.4
DEATHS												
10 Total, all ages	198	91	107	985.1	1109.8	899.2	152	105	47	1034.0	889.8	1620.7
11 Under 1 year	25	8	17	43.0	46.5	41.5	25	11	14	54.7	32.4	118.6
12 Under 28 days	18	5	13	30.9	29.1	31.7	12	4	8	26.3	11.8	67.8
13 Deaths from immaturity	5	1	4	8.6	5.8	9.8	5	1	4	10.9	2.9	33.9
14 1-4 years **	2	--	2	--	--	--	3	1	--	--	--	--
15 Maternal deaths	2	--	2	34.4	0	48.8	1	--	1	21.9	0	84.7
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	1	--	1	5.0	0	8.4	1	1	--	6.8	8.5	0
17 Syphilis and its sequelae (020-029)	1	1	--	5.0	12.2	0	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	1	--	1	6.8	0	34.5
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	2	--	2	13.6	0	69.0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	1	1	--	6.8	8.5	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	--	--	--	0	0	0	3	1	2	20.4	8.5	69.0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	18	10	8	89.6	122.0	67.2	18	15	3	122.4	127.1	103.4
34 Benign and unspecified neoplasms (210-239)	--	--	--	0	0	0	--	--	--	0	0	0
35 Diabetes mellitus (260)	1	1	--	5.0	12.2	0	1	1	--	6.8	8.5	0
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	--	--	--	0	0	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	33	19	14	164.2	231.7	117.6	24	19	5	163.3	161.0	172.4
39 Nonmeningococcal meningitis (340)	--	--	--	0	0	0	1	1	--	6.8	8.5	0
40 Rheumatic fever (400-402)	1	--	1	5.0	0	8.4	--	--	--	0	0	0
41 Heart diseases (410-443)	56	28	28	278.6	341.5	235.3	39	33	6	265.3	279.7	206.9
42 Hypertension without mention of heart (444-447)	4	2	2	19.9	24.4	16.8	2	--	2	13.6	0	69.0
43 Influenza and pneumonia (480-483, 490-493)	4	--	4	19.9	0	33.6	10	5	5	68.0	42.4	172.4
44 Bronchitis (500-502)	1	1	--	5.0	12.2	0	--	--	--	0	0	0
45 Ulcer of stomach and duodenum (540-541)	--	--	--	0	0	0	--	--	--	0	0	0
46 Appendicitis (550-553)	--	--	--	0	0	0	1	1	--	6.8	8.5	0
47 Intestinal obstruction and hernia (560, 561, 570)	3	2	1	14.9	24.4	8.4	--	--	--	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	--	--	--	0	0	0	1	1	--	6.8	8.5	0
49 Cirrhosis of liver (581)	--	--	--	0	0	0	1	--	1	6.8	0	34.5
50 Nephritis and nephrosis (590-594)	5	4	1	24.9	48.8	8.4	2	1	1	13.6	8.5	34.5
51 Hyperplasia of prostate (610)	2	--	2	10.0	0	16.8	3	2	1	20.4	16.9	34.5
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	2	--	2	10.0	0	16.8	1	--	1	6.8	0	34.5
53 Congenital malformations (750-759)	4	2	2	19.9	24.4	16.8	2	2	--	13.6	16.9	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	6	2	4	29.8	24.4	33.6	3	2	1	20.4	16.9	34.5
55 Infection of the newborn (763-768)	1	--	1	5.0	0	8.4	2	--	2	13.6	0	69.0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	7	2	5	34.8	24.4	42.0	7	3	4	47.6	25.4	137.9
57 Senility, without mention of psychosis (794)	1	--	1	5.0	0	8.4	--	--	--	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	4	1	3	19.9	12.2	25.2	3	1	2	20.4	8.5	69.0
59 Motor vehicle accidents (E810-E835)	6	4	2	29.8	48.8	16.8	4	2	2	27.2	16.9	69.0
60 All other accidents (E800-E802, E840-E962)	11	3	8	54.7	36.6	67.2	12	8	4	81.6	67.8	137.9
61 Suicide (E963, E970-E979)	--	--	--	0	0	0	1	1	--	6.8	8.5	0
62 Homicide (E964, E980-E985)	6	--	6	29.8	0	50.4	1	1	--	6.8	8.5	0
63 All other diseases (residual)	20	9	11	99.5	109.8	92.4	5	3	2	34.0	25.4	69.0

COUNTY, BY RACE, GEORGIA, 1953 CONTINUED

Webster						Wheeler						White							
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *				
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White		
109	24	85	27.9	18.5	32.7	152	85	67	24.9	20.7	33.5	146	135	11	25.2	24.5	36.7	1	
45	24	21	41.3%	100.0%	24.7%	94	76	18	61.8%	89.4%	26.9%	138	132	6	94.5%	97.8%	54.5%	2	
2	--	2	1.8%	0%	2.4%	14	8	6	9.2%	9.4%	9.0%	--	--	--	0%	0%	0%	3	
62	--	62	56.9%	0%	72.9%	44	1	43	28.9%	1.2%	64.2%	8	3	5	5.5%	2.2%	45.5%	4	
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	5	
5	4	1	45.9	166.7	11.8	7	5	2	46.1	58.8	29.9	13	13	--	89.0	96.3	0	6	
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	7
2	--	2	18.3	0	23.5	8	3	5	52.6	35.3	74.6	7	6	1	48.0	44.4	90.9	8	
27	11	16	692.3	846.2	615.4	54	36	18	885.2	878.0	900.0	46	42	4	793.1	763.6	1333.3	9	
8	1	7	73.4	41.7	82.4	3	2	1	19.7	23.5	14.9	4	4	--	27.4	29.6	0	10	
6	1	5	55.0	41.7	58.8	2	1	1	13.2	11.8	14.9	3	3	--	20.5	22.2	0	11	
2	1	1	18.3	41.7	11.8	1	--	1	6.6	0	14.9	1	1	--	6.8	7.4	0	12	
1	--	1	0	0	0	1	--	1	--	--	--	--	--	--	--	--	--	0	13
--	--	--	0	0	0	1	--	1	65.8	0	149.3	1	1	--	68.5	74.1	0	14	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	15	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	16	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	17	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	18	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	19	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	20	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	21	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	22	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	24	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	25	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	26	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	32	
1	1	--	25.6	76.9	0	4	4	--	65.6	97.6	0	15	13	2	258.6	236.4	666.7	33	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	34	
--	--	--	0	0	0	1	1	--	16.4	24.4	0	--	--	--	0	0	0	35	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	36	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	37	
4	2	2	102.6	153.8	76.9	9	5	4	147.5	122.0	200.0	1	1	--	17.2	18.2	0	38	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	39	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	40	
7	5	2	179.5	384.6	76.9	17	13	4	278.7	317.1	200.0	13	12	1	224.1	218.2	333.3	41	
1	1	--	25.6	76.9	0	--	--	--	0	0	0	2	2	--	34.5	36.4	0	42	
1	--	1	25.6	0	38.5	6	3	3	98.4	73.2	150.0	--	--	--	0	0	0	43	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	44	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	45	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	46	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	47	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	48	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	49	
--	--	--	0	0	0	4	4	--	65.6	97.6	0	1	1	--	17.2	18.2	0	50	
--	--	--	0	0	0	1	--	1	16.4	0	50.0	--	--	--	0	0	0	51	
--	--	--	0	0	0	1	--	1	16.4	0	50.0	1	1	--	17.2	18.2	0	52	
1	--	1	25.6	0	38.5	--	--	--	0	0	0	2	2	--	34.5	36.4	0	53	
--	--	--	0	0	0	1	1	--	16.4	24.4	0	--	--	--	0	0	0	54	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	55	
6	1	5	153.8	76.9	192.3	2	1	1	32.8	24.4	50.0	2	2	--	34.5	36.4	0	56	
--	--	--	0	0	0	1	--	1	16.4	0	50.0	--	--	--	0	0	0	57	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	58	
3	1	2	76.9	76.9	76.9	2	2	--	32.8	48.8	0	--	--	--	0	0	0	59	
2	--	2	51.3	0	76.9	3	3	3	49.2	0	150.0	2	2	--	34.5	36.4	0	60	
--	--	--	0	0	0	1	1	--	16.4	24.4	0	2	2	--	34.5	36.4	0	61	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	62	
1	--	1	25.6	0	38.5	1	1	--	16.4	24.4	0	5	4	1	86.2	72.7	333.3	63	

ITEM	Whitfield						Wilcox					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	973	929	44	26.9	26.8	29.3	254	147	107	27.3	24.5	32.4
2 Delivered in hospital	904	873	31	92.9%	94.0%	70.5%	117	110	7	46.1%	74.0%	6.5%
3 Delivered in home by physician	34	21	13	3.5%	2.3%	29.5%	48	34	14	18.9%	23.1%	13.1%
4 Delivered in home by midwife	34	34	--	3.5%	3.7%	0%	89	3	86	35.0%	2.0%	80.4%
5 Other deliveries	1	1	--	0.1%	0.1%	0%	--	--	--	0%	0%	0%
6 Immature births	79	71	8	81.2	76.4	181.8	17	10	7	66.9	68.0	65.4
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	18	15	3	18.5	16.1	68.2	3	1	2	11.8	6.8	18.7
DEATHS												
10 Total, all ages	282	260	22	779.0	749.3	1466.7	77	49	28	828.0	816.7	848.5
11 Under 1 year	36	33	3	37.0	35.5	68.2	7	4	3	27.6	27.2	28.0
12 Under 28 days	26	25	1	26.7	26.9	22.7	5	3	2	19.7	20.4	18.7
13 Deaths from immaturity	6	5	1	6.2	5.4	22.7	1	--	1	3.9	0	9.3
14 1-4 years **	9	8	1	--	--	--	--	--	--	--	--	--
15 Maternal deaths	2	1	1	20.6	10.8	227.3	1	--	1	39.4	0	93.5
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	3	3	--	8.3	8.6	0	1	--	1	10.8	0	30.3
17 Syphilis and its sequelae (020-029)	--	--	--	0	0	0	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	1	--	2.8	2.9	0	1	1	--	10.8	16.7	0
33 Malignant neoplasms, including neoplasms of lymphatic and haemopoietic tissues (140-205)	42	41	1	116.0	118.2	66.7	12	9	3	129.0	150.0	90.9
34 Benign and unspecified neoplasms (210-239)	1	1	--	2.8	2.9	0	--	--	--	0	0	0
35 Diabetes mellitus (260)	3	3	--	8.3	8.6	0	1	1	--	10.8	16.7	0
36 Pellagra (281)	2	1	1	5.5	2.9	66.7	--	--	--	0	0	0
37 Anemias (290-293)	2	2	--	5.5	5.8	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	38	35	3	105.0	100.9	200.0	6	4	2	64.5	66.7	60.6
39 Nonmeningococcal meningitis (340)	--	--	--	0	0	0	--	--	--	0	0	0
40 Rheumatic fever (400-402)	1	1	--	2.8	2.9	0	--	--	--	0	0	0
41 Heart diseases (410-443)	68	64	4	187.8	184.4	266.7	28	17	11	301.1	283.3	333.3
42 Hypertension without mention of heart (444-447)	1	--	1	2.8	0	66.7	--	--	--	0	0	0
43 Influenza and pneumonia (480-483, 490-493)	15	11	4	41.4	31.7	266.7	2	2	--	21.5	33.3	0
44 Bronchitis (500-502)	1	1	--	2.8	2.9	0	--	--	--	0	0	0
45 Ulcer of stomach and duodenum (540-541)	--	--	--	0	0	0	--	--	--	0	0	0
46 Appendicitis (550-553)	--	--	--	0	0	0	--	--	--	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	--	--	--	0	0	0	1	1	--	10.8	16.7	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	4	1	3	11.0	2.9	200.0	1	--	1	10.8	0	30.3
49 Cirrhosis of liver (581)	1	1	--	2.8	2.9	0	1	1	--	10.8	16.7	0
50 Nephritis and nephrosis (590-594)	5	4	1	13.8	11.5	66.7	2	--	2	21.5	0	60.6
51 Hyperplasia of prostate (610)	3	3	--	8.3	8.6	0	1	1	--	10.8	16.7	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	2	1	1	5.5	2.9	66.7	1	--	1	10.8	0	30.3
53 Congenital malformations (750-759)	8	8	--	22.1	23.1	0	--	--	--	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	13	13	--	35.9	37.5	0	3	2	1	32.3	33.3	30.3
55 Infection of the newborn (763-768)	--	--	--	0	0	0	--	--	--	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	9	8	1	24.9	23.1	66.7	1	--	1	10.8	0	30.3
57 Senility, without mention of psychosis (794)	1	1	--	2.8	2.9	0	4	3	1	43.0	100.0	30.3
58 Ill-defined and unknown causes (780-793, 795)	1	1	--	2.8	2.9	0	3	1	2	32.3	16.7	60.6
59 Motor vehicle accidents (E810-E835)	14	14	--	38.7	40.3	0	2	1	1	21.5	16.7	30.3
60 All other accidents (E800-E802, E840-E962)	18	18	--	49.7	51.9	0	1	1	--	10.8	16.7	0
61 Suicide (E963, E970-E979)	2	2	--	5.5	5.8	0	--	--	--	0	0	0
62 Homicide (E964, E980-E985)	2	1	1	5.5	2.9	66.7	1	1	--	10.8	16.7	0
63 All other diseases (residual)	21	20	1	58.0	57.6	66.7	4	3	1	43.0	100.0	30.3

COUNTY, BY RACE, GEORGIA, 1953—CONTINUED

Wilkes						Wilkinson						Worth							
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *				
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White		
273	86	187	23.7	18.3	27.5	227	74	153	24.1	15.4	33.3	569	214	355	30.3	22.8	37.8	1	
147	85	62	53.8%	98.8%	33.2%	97	68	29	42.7%	91.9%	19.0%	335	209	126	58.9%	97.7%	35.5%	2	
37	1	36	13.6%	1.2%	19.3%	13	1	12	5.7%	1.4%	7.8%	10	2	8	1.8%	0.9%	2.3%	3	
89	--	89	32.6%	0%	47.6%	117	5	112	51.5%	6.8%	73.2%	224	3	221	39.4%	1.4%	62.3%	4	
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	5	
26	6	20	95.2	69.8	107.0	22	4	18	96.9	54.1	117.6	48	20	28	84.4	93.5	78.9	6	
																			7
																			8
3	--	3	11.0	0	16.0	10	4	6	44.1	54.1	39.2	12	2	10	21.1	9.3	28.2	9	
																			10
126	62	64	1095.7	1319.1	941.2	93	50	43	989.4	1041.7	934.8	166	71	95	883.0	755.3	1010.6	11	
3	--	3	11.0	0	16.0	9	1	8	39.6	13.5	52.3	22	3	19	38.7	14.0	53.5	12	
2	--	2	7.3	0	10.7	3	--	3	13.2	0	19.6	12	2	10	21.1	9.3	28.2	13	
1	--	1	3.7	0	5.3	1	--	1	4.4	0	6.5	6	--	6	10.5	0	16.9	14	
3	2	1				4	1	3				2	1	1				15	
--	--	--	0	0	0	--	--	--	0	0	0	3	1	2	52.7	46.7	56.3	16	
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	5.3	0	10.6	17	
2	--	2	17.4	0	29.4	--	--	--	0	0	0	--	--	--	0	0	0	18	
1	1	--	8.7	21.3	0	--	--	--	0	0	0	--	--	--	0	0	0	19	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	20	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	21	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	22	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23	
--	--	--	0	0	0	--	--	--	0	0	0	--	1	1	5.3	10.6	0	24	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	25	
--	--	--	0	0	0	1	1	--	10.6	20.8	0	--	--	--	0	0	0	26	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31	
--	--	--	0	0	0	1	--	1	10.6	0	21.7	--	--	--	0	0	0	32	
21	14	7	182.6	297.9	102.9	9	8	1	95.7	166.7	21.7	16	9	7	85.1	95.7	74.5	33	
1	--	1	8.7	0	14.7	1	1	--	10.6	20.8	0	--	--	--	0	0	0	34	
4	1	3	34.8	21.3	44.1	1	1	--	10.6	20.8	0	1	1	--	5.3	10.6	0	35	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	36	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	37	
19	7	12	165.2	148.9	176.5	13	5	8	138.3	104.2	173.9	26	8	18	138.3	85.1	191.5	38	
1	--	1	8.7	0	14.7	--	--	--	0	0	0	--	--	--	0	0	0	39	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	40	
34	21	13	295.7	446.8	191.2	21	12	9	223.4	250.0	195.7	44	27	17	234.0	287.2	180.9	41	
1	1	--	8.7	21.3	0	1	1	--	10.6	20.8	0	3	3	--	16.0	31.9	0	42	
8	2	6	69.6	42.6	88.2	7	4	3	74.5	83.3	65.2	10	--	10	53.2	0	106.4	43	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	44	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	45	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	46	
2	1	1	17.4	21.3	14.7	2	1	1	21.3	20.8	21.7	1	--	1	5.3	0	10.6	47	
1	--	1	8.7	0	14.7	--	--	--	0	0	0	1	--	1	5.3	0	10.6	48	
--	--	--	0	0	0	1	1	--	10.6	20.8	0	2	--	2	10.6	0	21.3	49	
4	1	3	34.8	21.3	44.1	3	1	2	31.9	20.8	43.5	7	2	5	37.2	21.3	53.2	50	
2	1	1	17.4	21.3	14.7	2	2	--	21.3	41.7	0	--	--	--	0	0	0	51	
--	--	--	0	0	0	--	--	--	0	0	0	3	1	2	16.0	10.6	21.3	52	
--	--	--	0	0	0	--	--	--	0	0	0	1	1	--	5.3	10.6	0	53	
--	--	--	0	0	0	1	--	1	10.6	0	21.7	4	--	4	21.3	0	42.6	54	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	55	
1	--	1	8.7	0	14.7	1	--	1	10.6	0	21.7	10	2	8	53.2	21.3	85.1	56	
1	--	1	8.7	0	14.7	--	--	--	0	0	0	3	--	3	16.0	0	31.9	57	
5	--	5	43.5	0	73.5	11	1	10	117.0	20.8	217.4	2	1	1	10.6	10.6	10.6	58	
1	1	--	8.7	21.3	0	2	2	--	21.3	41.7	0	5	2	3	26.6	21.3	31.9	59	
3	2	1	26.1	42.6	14.7	6	3	3	63.8	62.5	65.2	7	4	3	37.2	42.6	31.9	60	
2	--	2	17.4	0	29.4	1	1	--	10.6	20.8	0	--	--	--	0	0	0	61	
2	--	2	17.4	0	29.4	--	--	--	0	0	0	5	--	5	26.6	0	53.2	62	
10	9	1	87.0	191.5	14.7	8	5	3	85.1	104.2	65.2	13	9	4	69.1	95.7	42.6	63	

TABLE X VITAL STATISTICS, CITIES

ITEM	Atlanta						Augusta					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	11,471	6,920	4,551	25.5	22.6	31.7	2,517	1,483	1,034	27.5	27.7	27.4
2 Delivered in hospital	11,156	6,883	4,273	97.3%	99.5%	93.9%	2,456	1,478	978	97.6%	99.7%	94.6%
3 Delivered in home by physician	286	33	253	2.5%	0.5%	5.6%	48	5	43	1.9%	0.3%	4.2%
4 Delivered in home by midwife	29	4	25	0.3%	0.1%	0.5%	13	--	13	0.5%	0%	1.3%
5 Other deliveries	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%
6 Immature births	1,125	517	608	98.1	74.7	133.6	209	102	107	83.0	68.8	103.5
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	202	71	131	17.6	10.3	28.8	49	22	27	19.5	14.8	26.1
DEATHS												
10 Total, all ages	4,496	2,581	1,915	998.9	841.8	1334.5	882	449	433	965.0	837.7	1145.5
11 Under 1 year	335	157	178	29.2	22.7	39.1	56	30	26	22.2	20.2	25.1
12 Under 28 days	240	123	117	20.9	17.8	25.7	33	20	13	13.1	13.5	12.6
13 Deaths from immaturity	67	22	45	5.8	3.2	9.9	13	10	3	5.2	6.7	2.9
14 1-4 years (Not available by city)												
15 Maternal deaths	5	2	3	4.4	2.9	6.6	1	--	1	4.0	0	9.7
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	86	34	52	19.1	11.1	36.2	17	4	13	18.6	7.5	34.4
17 Syphilis and its sequelae (020-029)	23	10	13	5.1	3.3	9.1	5	1	4	5.5	1.9	10.6
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	1	--	1	0.2	0	0.7	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	1	1	--	0.2	0.3	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	1	1	--	1.1	1.9	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	11	8	3	2.4	2.6	2.1	3	2	1	3.3	3.7	2.6
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	1	--	1	1.1	0	2.6
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	27	15	12	6.0	4.9	8.4	2	--	2	2.2	0	5.3
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	594	408	186	132.0	133.1	129.6	100	57	43	109.4	106.3	113.8
34 Benign and unspecified neoplasms (210-239)	21	15	6	4.7	4.9	4.2	4	2	2	4.4	3.7	5.3
35 Diabetes mellitus (260)	82	53	29	18.2	17.3	20.2	21	16	5	23.0	29.9	13.2
36 Pellagra (281)	2	--	2	0.4	0	1.4	--	--	--	0	0	0
37 Anemias (290-293)	11	6	5	2.4	2.0	3.5	4	3	1	4.4	5.6	2.6
38 Vascular lesions affecting central nervous system (330-334)	622	304	318	138.2	99.2	221.6	124	54	70	135.7	100.7	185.2
39 Nonmeningococcal meningitis (340)	14	5	9	3.1	1.6	6.3	4	3	1	4.4	5.6	2.6
40 Rheumatic fever (400-402)	5	2	3	1.1	0.7	2.1	1	1	--	1.1	1.9	0
41 Heart diseases (410-443)	1,451	909	542	322.4	296.5	377.7	310	170	140	339.2	317.2	370.4
42 Hypertension without mention of heart (444-447)	50	24	26	11.1	7.8	18.1	8	4	4	8.8	7.5	10.6
43 Influenza and pneumonia (480-483, 490-493)	144	49	95	32.0	16.0	66.2	47	17	30	51.4	31.7	79.4
44 Bronchitis (500-502)	8	5	3	1.8	1.6	2.1	1	1	--	1.1	1.9	0
45 Ulcer of stomach and duodenum (540-541)	27	19	8	6.0	6.2	5.6	5	2	3	5.5	3.7	7.9
46 Appendicitis (550-553)	10	6	4	2.2	2.0	2.8	1	1	--	1.1	1.9	0
47 Intestinal obstruction and hernia (560, 561, 570)	22	13	9	4.9	4.2	6.3	2	2	--	2.2	3.7	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	21	12	9	4.7	3.9	6.3	10	3	7	10.9	5.6	18.5
49 Cirrhosis of liver (581)	47	36	11	10.4	11.7	7.7	8	6	2	8.8	11.2	5.3
50 Nephritis and nephrosis (590-594)	106	46	60	23.6	15.0	41.8	10	2	8	10.9	3.7	21.2
51 Hyperplasia of prostate (610)	18	11	7	4.0	3.6	4.9	5	2	3	5.5	3.7	7.9
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	5	2	3	1.1	0.7	2.1	1	--	1	1.1	0	2.6
53 Congenital malformations (750-759)	62	49	13	13.8	16.0	9.1	13	11	2	14.2	20.5	5.3
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	102	58	44	22.7	18.9	30.7	10	5	5	10.9	9.3	13.2
55 Infection of the newborn (763-768)	16	4	12	3.6	1.3	8.4	2	--	2	2.2	0	5.3
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	91	36	55	20.2	11.7	38.3	16	11	5	17.5	20.5	13.2
57 Senility, without mention of psychosis (794)	5	4	1	1.1	1.3	0.7	4	3	1	4.4	5.6	2.6
58 Ill-defined and unknown causes (780-793, 795)	23	13	10	5.1	4.2	7.0	4	3	1	4.4	5.6	2.6
59 Motor vehicle accidents (E810-E835)	95	65	30	21.1	21.2	20.9	24	12	12	26.3	22.4	31.7
60 All other accidents (E800-E802, E840-E962)	151	80	71	33.5	26.1	49.5	34	19	15	37.2	35.4	39.7
61 Suicide (E963, E970-E979)	52	45	7	11.6	14.7	4.9	4	4	--	4.4	7.5	0
62 Homicide (E964, E980-E985)	88	8	80	19.6	2.6	55.7	19	3	16	20.8	5.6	42.3
63 All other diseases (residual)	402	226	176	89.3	73.7	122.6	57	24	33	62.4	44.8	87.3

OF 50,000 POPULATION AND OVER, GEORGIA, 1953

Columbus						Macon						Savannah						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
2,802	1,924	878	31.8	31.7	31.9	2,102	1,135	967	28.1	26.2	30.7	3,769	2,349	1,420	29.6	30.9	27.6	1
2,716	1,922	794	96.9%	99.9%	90.4%	2,057	1,134	923	97.9%	99.9%	95.4%	3,447	2,341	1,106	91.5%	99.7%	77.9%	2
39	2	37	1.4%	0.1%	4.2%	22	1	21	1.0%	0.1%	2.2%	308	8	300	8.2%	0.3%	21.1%	3
47	--	47	1.7%	0%	5.4%	23	--	23	1.1%	0%	2.4%	13	--	13	0.3%	0%	0.9%	4
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	1	--	1	0.0%	0%	0.1%	5
256	151	105	91.4	78.5	119.6	172	83	89	81.8	73.1	92.0	328	180	148	87.0	76.6	104.2	6
69	37	32	24.6	19.2	36.4	61	29	32	29.0	25.6	33.1	98	39	59	26.0	16.6	41.5	7
762	473	289	863.9	779.2	1050.9	873	432	441	1167.1	997.7	1400.0	1,402	696	706	1101.3	917.0	1373.5	8
94	61	33	33.5	31.7	37.6	57	26	31	27.1	22.9	32.1	141	54	87	37.4	23.0	61.3	9
69	48	21	24.6	24.9	23.9	33	21	12	15.7	18.5	12.4	107	42	65	28.4	17.9	45.8	10
16	10	6	5.7	5.2	6.8	5	2	3	2.4	1.8	3.1	42	9	33	11.1	3.8	23.2	11
3	1	2	10.7	5.2	22.8	2	--	2	9.5	0	20.7	6	2	4	15.9	8.5	28.2	12
18	3	15	20.4	4.9	54.5	17	4	13	22.7	9.2	41.3	28	6	22	22.0	7.9	42.8	13
5	3	2	5.7	4.9	7.3	5	1	4	6.7	2.3	12.7	7	2	5	5.5	2.6	9.7	14
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	15
--	--	--	0	0	0	1	--	1	1.3	0	3.2	1	1	--	0.8	1.3	0	16
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	17
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	18
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	19
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	20
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	21
--	--	--	0	0	0	--	--	--	0	0	0	2	--	2	1.6	0	3.9	22
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23
1	--	1	1.1	0	3.6	1	1	--	1.3	2.3	0	5	4	1	3.9	5.3	1.9	24
1	1	--	1.1	1.6	0	--	--	--	0	0	0	1	--	1	0.8	0	1.9	25
--	--	--	0	0	0	--	--	--	0	0	0	2	--	2	1.6	0	3.9	26
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31
2	--	2	2.3	0	7.3	2	1	1	2.7	2.3	3.2	1	1	--	0.8	1.3	0	32
78	54	24	88.4	89.0	87.3	118	75	43	157.8	173.2	136.5	192	113	79	150.8	148.9	153.7	33
1	--	1	1.1	0	3.6	4	1	3	5.3	2.3	9.5	4	1	3	3.1	1.3	5.8	34
11	4	7	12.5	6.6	25.5	14	5	9	18.7	11.5	28.6	29	15	14	22.8	19.8	27.2	35
--	--	--	0	0	0	1	--	1	1.3	0	3.2	2	1	1	1.6	1.3	1.9	36
1	--	1	1.1	0	3.6	2	2	--	2.7	4.6	0	3	3	--	2.4	4.0	0	37
111	64	47	125.9	105.4	170.9	144	58	86	192.5	133.9	273.0	226	87	139	177.5	114.6	270.4	38
2	1	1	2.3	1.6	3.6	4	--	4	5.3	0	12.7	6	2	4	4.7	2.6	7.8	39
1	--	1	1.1	0	3.6	1	--	1	1.3	0	3.2	5	1	4	3.9	1.3	7.8	40
211	145	66	239.2	238.9	240.0	271	154	117	362.3	355.7	371.4	434	250	184	340.9	329.4	358.0	41
18	4	14	20.4	6.6	50.9	12	5	7	16.0	11.5	22.2	11	2	9	8.6	2.6	17.5	42
26	16	10	29.5	26.4	36.3	28	12	16	37.4	27.7	50.7	56	18	38	44.0	23.7	73.9	43
2	1	1	2.3	1.6	3.6	1	--	1	1.3	0	3.2	1	--	1	0.8	0	1.9	44
1	1	--	1.1	1.6	0	2	1	1	2.7	2.3	3.2	3	2	1	2.4	2.6	1.9	45
4	2	2	4.5	3.3	7.3	--	--	--	0	0	0	4	--	4	3.1	0	7.8	46
8	5	3	9.1	8.2	10.9	9	5	4	12.0	11.5	12.7	8	3	5	6.3	4.0	9.7	47
8	3	5	9.1	4.9	18.2	10	1	9	13.4	2.3	28.6	5	--	5	3.9	0	9.7	48
4	4	--	4.5	6.6	0	5	4	1	6.7	9.2	3.2	5	5	--	3.9	6.6	0	49
18	10	8	20.4	16.5	29.1	22	2	20	29.4	4.6	63.5	29	12	17	22.8	15.8	33.1	50
--	--	--	0	0	0	6	2	4	8.0	4.6	12.7	3	1	2	2.4	1.3	3.9	51
3	1	2	3.4	1.6	7.3	2	--	2	2.7	0	6.3	6	2	4	4.7	2.6	7.8	52
17	12	5	19.3	19.8	18.2	6	2	4	8.0	4.6	12.7	17	14	3	13.4	18.4	5.8	53
36	25	11	40.8	41.2	40.0	23	16	7	30.7	37.0	22.2	41	23	18	32.2	30.3	35.0	54
5	4	1	5.7	6.6	3.6	2	1	1	2.7	2.3	3.2	7	1	6	5.5	1.3	11.7	55
18	11	7	20.4	18.1	25.5	7	4	3	9.4	9.2	9.5	50	12	38	39.3	15.8	73.9	56
2	2	--	2.3	3.3	0	5	1	4	6.7	2.3	12.7	1	1	--	0.8	1.3	0	57
4	2	2	4.5	3.3	7.3	20	6	14	26.7	13.9	44.4	4	2	2	3.1	2.6	3.9	58
23	15	8	26.1	24.7	29.1	18	13	5	24.1	30.0	15.9	34	24	10	26.7	31.6	19.5	59
40	31	9	45.4	51.1	32.7	32	14	18	42.8	32.3	57.1	61	30	31	47.9	39.5	60.3	60
9	7	2	10.2	11.5	7.3	7	6	1	9.4	13.9	3.2	7	5	2	5.5	6.6	3.9	61
12	1	11	13.6	1.6	40.0	17	1	16	22.7	2.3	50.8	26	7	19	20.4	9.2	37.0	62
61	41	20	69.2	67.9	72.7	54	34	20	72.2	78.5	63.5	75	45	30	58.9	59.3	58.4	63

TABLE XI VITAL STATISTICS, CITIES

ITEM	Albany						Americus					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	1,622	985	637	46.2	49.0	42.5	334	135	199	27.6	22.1	33.2
2 Delivered in hospital	1,327	980	347	81.8%	99.5%	54.5%	199	135	64	59.6%	100.0%	32.2%
3 Delivered in home by physician	169	4	165	10.4%	0.4%	25.9%	18	--	18	5.4%	0%	9.0%
4 Delivered in home by midwife	126	1	125	7.8%	0.1%	19.6%	117	--	117	35.0%	0%	58.8%
5 Other deliveries	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%
6 Immature births	162	72	90	99.9	73.1	141.3	20	12	8	59.9	88.9	40.2
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	41	20	21	25.3	20.3	33.0	8	1	7	24.0	7.4	35.2
DEATHS												
10 Total, all ages	375	160	215	1068.4	796.0	1433.3	148	56	92	1223.1	918.0	1533.3
11 Under 1 year	48	16	32	29.6	16.2	50.2	9	1	8	26.9	7.4	40.2
12 Under 28 days	27	14	13	16.6	14.2	20.4	5	1	4	15.0	7.4	20.1
13 Deaths from immaturity	9	3	6	5.5	3.0	9.4	2	--	2	6.0	0	10.0
14 1-4 years (Not available by city)												
15 Maternal deaths	2	1	1	12.3	10.2	15.7	1	--	1	29.9	0	50.3
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	3	--	3	8.5	0	20.0	4	1	3	33.1	16.4	50.0
17 Syphilis and its sequelae (020-029)	2	--	2	5.7	0	13.3	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	1	--	1	2.8	0	6.7	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	1	--	1	2.8	0	6.7	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	1	--	2.8	5.0	0	1	--	1	8.3	0	16.7
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	54	29	25	153.8	144.3	166.7	13	10	3	107.4	163.9	50.0
34 Benign and unspecified neoplasms (210-239)	3	1	2	8.5	5.0	13.3	1	--	1	8.3	0	16.7
35 Diabetes mellitus (260)	4	3	1	11.4	14.9	6.7	2	--	2	16.5	0	33.3
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	1	--	1	2.8	0	6.7	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	55	20	35	156.7	99.5	233.3	36	11	25	297.5	180.3	416.7
39 Nonmeningococcal meningitis (340)	--	--	--	0	0	0	--	--	--	0	0	0
40 Rheumatic fever (400-402)	--	--	--	0	0	0	--	--	--	0	0	0
41 Heart diseases (410-443)	102	46	56	290.6	228.9	373.3	44	17	27	363.6	278.7	450.0
42 Hypertension without mention of heart (444-447)	3	1	2	8.5	5.0	13.3	1	--	1	8.3	0	16.7
43 Influenza and pneumonia (480-483, 490-493)	19	4	15	54.1	19.9	100.0	8	3	5	66.1	49.2	83.3
44 Bronchitis (500-502)	--	--	--	0	0	0	--	--	--	0	0	0
45 Ulcer of stomach and duodenum (540-541)	3	2	1	8.5	10.0	6.7	1	--	1	8.3	0	16.7
46 Appendicitis (550-553)	--	--	--	0	0	0	--	--	--	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	2	--	2	5.7	0	13.3	--	--	--	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	6	2	4	17.1	10.0	26.7	1	--	1	8.3	0	16.7
49 Cirrhosis of liver (581)	4	2	2	17.1	19.9	13.3	1	1	--	8.3	16.4	0
50 Nephritis and nephrosis (590-594)	6	1	5	17.1	5.0	33.3	2	1	1	16.5	16.4	16.7
51 Hyperplasia of prostate (610)	2	1	1	5.7	5.0	6.7	1	1	--	8.3	16.4	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	2	1	1	5.7	5.0	6.7	1	--	1	8.3	0	16.7
53 Congenital malformations (750-759)	5	4	1	14.2	19.9	6.7	3	1	2	24.8	16.4	33.3
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	5	4	1	14.2	19.9	6.7	1	1	--	8.3	16.4	0
55 Infection of the newborn (763-768)	--	--	--	0	0	0	1	--	1	8.3	0	16.7
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	22	7	15	62.7	34.8	100.0	2	--	2	16.5	0	33.3
57 Senility, without mention of psychosis (794)	4	--	4	11.4	0	26.7	--	--	--	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	4	1	3	11.4	5.0	20.0	5	--	5	41.3	0	83.3
59 Motor vehicle accidents (E810-E835)	8	5	3	22.8	24.9	20.0	3	1	2	24.8	16.4	33.3
60 All other accidents (E800-E802, E840-E962)	16	7	9	45.6	34.8	60.0	8	3	5	66.1	49.2	83.3
61 Suicide (E963, E970-E979)	2	2	--	5.7	10.0	0	2	2	--	16.5	32.8	0
62 Homicide (E964, E980-E985)	11	2	9	31.3	10.0	60.0	--	--	--	0	0	0
63 All other diseases (residual)	22	12	10	62.7	59.7	66.7	6	3	3	49.6	49.2	50.0

OF 10,000 TO 50,000 POPULATION, GEORGIA, 1953

Athens						Brunswick						College Park						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
609	403	206	19.9	18.1	24.8	607	399	208	31.8	34.1	28.1	512	390	122	30.8	29.1	38.1	1
541	403	138	88.8%	100.0%	67.0%	467	386	81	76.9%	96.7%	38.9%	500	383	117	97.7%	98.2%	95.9%	2
26	--	26	4.3%	0%	12.6%	1	1	--	0.2%	0.2%	0%	12	7	5	2.3%	1.8%	4.1%	3
42	--	42	6.9%	0%	20.4%	139	12	127	22.9%	3.0%	61.1%	--	--	--	0%	0%	0%	4
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	5
60	31	29	98.5	76.9	140.8	57	34	23	93.9	85.2	110.6	32	25	7	62.5	64.1	57.4	6
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	7
9	4	5	14.8	9.9	24.3	9	5	4	14.8	12.5	19.2	11	6	5	21.5	15.4	41.0	8
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	9
244	141	103	797.4	632.3	1241.0	183	100	83	958.1	854.7	1121.6	133	99	34	801.2	738.8	1062.5	10
20	6	14	32.8	14.9	68.0	20	10	10	32.9	25.1	48.1	14	10	4	27.3	25.6	32.8	11
14	4	10	23.0	9.9	48.5	14	8	6	23.1	20.0	28.8	8	7	1	15.6	17.9	8.2	12
5	1	4	8.2	2.5	19.4	7	3	4	11.5	7.5	19.2	--	--	--	0	0	0	13
--	--	--	0	0	0	3	2	1	49.4	50.1	48.1	--	--	--	0	0	0	14
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	15
2	1	1	6.5	4.5	12.0	5	2	3	26.2	17.1	40.5	1	1	--	6.0	7.5	0	16
--	--	--	0	0	0	1	--	1	5.2	0	13.5	--	--	--	0	0	0	17
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	18
--	--	--	0	0	0	1	--	1	5.2	0	13.5	1	1	--	6.0	7.5	0	19
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	20
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	21
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	22
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	24
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	25
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	26
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31
2	1	1	6.5	4.5	12.0	1	--	1	5.2	0	13.5	--	--	--	0	0	0	32
33	24	9	107.8	107.6	108.4	26	19	7	136.1	162.4	94.6	15	12	3	90.4	89.6	93.8	33
--	--	--	0	0	0	--	--	--	0	0	0	2	1	1	12.0	7.5	31.2	34
1	1	--	3.3	4.5	0	3	3	--	15.7	25.6	0	3	2	1	13.1	14.9	31.2	35
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	36
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	37
32	20	12	104.6	89.7	144.6	26	13	13	136.1	111.1	175.7	21	13	8	126.5	97.0	250.0	38
1	1	--	3.3	4.5	0	--	--	--	0	0	0	1	--	1	6.0	0	31.2	39
--	--	--	0	0	0	--	--	--	0	0	0	2	1	1	12.0	7.5	31.2	40
73	46	27	238.6	206.3	325.3	58	32	26	303.7	273.5	351.4	34	26	8	204.8	194.0	250.0	41
5	--	5	16.3	0	60.2	--	--	--	0	0	0	4	1	3	24.1	7.5	93.8	42
14	4	10	45.7	18.0	120.5	6	1	5	31.4	8.5	67.6	2	2	--	12.0	15.0	0	43
2	1	1	6.5	4.5	12.0	--	--	--	0	0	0	--	--	--	0	0	0	44
2	1	1	6.5	4.5	12.0	1	1	--	5.2	8.5	0	1	1	--	6.0	7.5	0	45
1	1	--	3.3	4.5	0	--	--	--	0	0	0	--	--	--	0	0	0	46
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	47
3	--	3	9.8	0	36.1	2	1	1	10.5	8.5	13.5	2	--	2	12.0	0	62.5	48
2	2	--	6.5	9.0	0	3	2	1	15.7	17.1	13.5	2	2	--	12.0	14.9	0	49
16	6	10	52.3	26.9	120.5	6	2	4	31.4	17.1	54.1	--	--	--	0	0	0	50
1	1	--	3.3	4.5	0	--	--	--	0	0	0	--	--	--	0	0	0	51
--	--	--	0	0	0	3	2	1	15.7	17.1	13.5	--	--	--	0	0	0	52
4	2	2	13.1	9.0	24.1	2	2	--	10.5	17.1	0	3	3	--	18.1	22.4	0	53
4	1	3	13.1	4.5	36.1	4	3	1	20.9	25.6	13.5	5	5	--	30.1	37.3	0	54
1	--	1	3.3	0	12.1	--	--	--	0	0	0	--	--	--	0	0	0	55
8	3	5	26.1	13.5	60.2	10	5	5	52.4	42.7	67.6	2	1	1	12.0	7.5	31.2	56
--	--	--	0	0	0	2	--	2	10.5	0	27.0	--	--	--	0	0	0	57
3	1	2	9.8	4.5	24.1	1	--	1	5.2	0	13.5	1	1	--	6.0	7.5	0	58
7	5	2	22.9	22.4	24.1	3	1	2	15.7	8.5	27.0	4	4	--	24.1	29.8	0	59
8	5	3	26.1	22.4	36.1	8	4	4	41.9	34.2	54.1	11	10	1	66.3	74.6	31.2	60
2	2	--	6.5	9.0	0	2	2	--	10.5	17.1	0	4	4	--	24.1	29.8	0	61
3	--	3	9.8	0	36.1	3	2	1	15.7	17.1	13.5	2	--	2	12.0	0	62.5	62
14	12	2	45.8	53.8	24.1	6	3	3	31.4	25.6	40.5	10	8	2	60.2	59.7	62.5	63

ITEM	Gainesville						Griffin					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	451	342	109	35.2	35.6	34.1	509	312	197	33.9	31.8	37.9
2 Delivered in hospital	371	331	40	82.3%	96.8%	36.7%	392	309	83	77.0%	99.0%	42.1%
3 Delivered in home by physician	60	6	54	13.3%	1.8%	49.5%	16	1	15	3.1%	0.3%	7.6%
4 Delivered in home by midwife	19	4	15	4.2%	1.2%	13.8%	100	2	98	19.6%	0.6%	49.7%
5 Other deliveries	1	1	--	0.2%	0.3%	0%	1	--	1	0.2%	0%	0.5%
6 Immature births	29	14	15	64.3	40.9	137.6	42	21	21	82.5	67.3	106.6
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	12	4	8	26.6	11.7	73.4	9	6	3	17.7	19.2	15.2
DEATHS												
10 Total, all ages	136	95	41	1062.0	989.6	1281.2	210	111	99	1400.0	1132.7	1903.8
11 Under 1 year	19	9	10	42.1	26.3	91.7	24	10	14	47.2	32.1	71.1
12 Under 28 days	12	5	7	26.6	14.6	64.2	18	9	9	35.4	28.8	45.7
13 Deaths from immaturity	9	5	4	20.0	14.6	36.7	4	1	3	7.9	3.2	15.2
14 1-4 years (Not available by city)												
15 Maternal deaths	--	--	--	0	0	0	--	--	--	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	1	--	1	7.8	0	31.2	5	1	4	33.3	10.2	76.9
17 Syphilis and its sequelae (020-029)	2	1	1	15.6	10.4	31.2	1	1	--	6.7	10.2	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	1	1	--	7.8	10.4	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	--	--	--	0	0	0	1	1	--	6.7	10.2	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	10	6	4	78.1	62.5	125.0	23	12	11	153.3	122.4	211.5
34 Benign and unspecified neoplasms (210-239)	1	1	--	7.8	10.4	0	--	--	--	0	0	0
35 Diabetes mellitus (260)	1	1	--	7.8	10.4	0	1	1	--	6.7	10.2	0
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	--	--	--	0	0	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	20	15	5	156.2	156.2	156.2	41	20	21	273.3	204.1	403.8
39 Nonmeningococcal meningitis (340)	1	1	--	7.8	10.4	0	--	--	--	0	0	0
40 Rheumatic fever (400-402)	--	--	--	0	0	0	1	--	1	6.7	0	19.2
41 Heart diseases (410-443)	45	34	11	351.6	354.2	343.8	54	30	24	360.0	306.1	461.5
42 Hypertension without mention of heart (444-447)	2	2	--	15.6	20.8	0	1	1	--	6.7	10.2	0
43 Influenza and pneumonia (480-483, 490-493)	4	1	3	31.2	10.4	93.8	9	3	6	60.0	30.6	115.4
44 Bronchitis (500-502)	--	--	--	0	0	0	1	--	1	6.7	0	19.2
45 Ulcer of stomach and duodenum (540-541)	1	1	--	7.8	10.4	0	--	--	--	0	0	0
46 Appendicitis (550-553)	--	--	--	0	0	0	--	--	--	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	1	--	1	7.8	0	31.2	1	--	1	6.7	0	19.2
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	--	--	--	0	0	0	5	2	3	33.3	20.4	57.7
49 Cirrhosis of liver (581)	--	--	--	0	0	0	1	1	--	6.7	10.2	0
50 Nephritis and nephrosis (590-594)	2	2	--	15.6	20.8	0	8	3	5	53.3	30.6	96.2
51 Hyperplasia of prostate (610)	--	--	--	0	0	0	2	1	1	13.3	10.2	19.2
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	--	--	--	0	0	0	--	--	--	0	0	0
53 Congenital malformations (750-759)	--	--	--	0	0	0	1	1	--	6.7	10.2	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	1	1	15.6	10.4	31.2	12	6	6	80.0	61.2	115.4
55 Infection of the newborn (763-768)	--	--	--	0	0	0	--	--	--	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	9	5	4	70.3	52.1	125.0	6	2	4	40.0	20.4	76.9
57 Senility, without mention of psychosis (794)	--	--	--	0	0	0	1	--	1	6.7	0	19.2
58 Ill-defined and unknown causes (780-793, 795)	7	4	3	54.7	41.7	93.8	1	--	1	6.7	0	19.2
59 Motor vehicle accidents (E810-E835)	5	4	1	39.1	41.7	31.2	5	5	--	33.3	51.0	0
60 All other accidents (E800-E802, E840-E962)	4	4	--	31.2	41.7	0	8	4	4	53.3	40.8	76.9
61 Suicide (E963, E970-E979)	3	2	1	23.4	20.8	31.2	2	2	--	13.3	20.4	0
62 Homicide (E964, E980-E985)	3	--	3	23.4	0	93.8	3	--	3	20.0	0	57.7
63 All other diseases (residual)	1.1	9	2	85.9	93.8	62.5	16	14	2	106.7	142.9	38.5

OF 10,000 TO 50,000 POPULATION, GEORGIA, 1953—CONTINUED

LaGrange						Marietta						Moultrie							
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *				
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White		
687	395	292	25.9	21.5	36.0	1,009	904	105	38.8	40.7	27.6	438	275	163	35.3	34.4	37.0	1	
562	393	169	81.8%	99.5%	57.9%	992	901	91	98.3%	99.7%	86.7%	364	275	89	83.1%	100.0%	54.6%	2	
11	2	9	1.6%	0.5%	3.1%	9	3	6	0.9%	0.3%	5.7%	5	5	1	1.1%	0%	3.1%	3	
113	--	113	16.4%	0%	38.7%	8	--	8	0.8%	0%	7.6%	69	--	69	15.8%	0%	42.3%	4	
1	--	1	0.1%	0%	0.3%	--	--	--	0%	0%	0%	--	--	--	0%	0%	0%	5	
54	28	26	78.6	70.9	89.0	90	78	12	89.2	86.3	114.3	28	16	12	63.9	58.2	73.6	6	
																			7
																			8
10	4	6	14.6	10.1	20.5	14	14	--	13.9	15.5	0	3	2	1	6.8	7.3	6.1	9	
233	133	100	879.2	722.8	1234.6	167	126	41	642.3	567.6	1078.9	128	79	49	1032.3	987.5	1113.6	10	
19	6	13	27.7	15.2	44.5	21	17	4	20.8	18.8	38.1	8	3	5	18.3	10.9	30.7	11	
13	3	10	18.9	7.6	34.2	16	15	1	15.9	16.6	9.5	4	3	1	9.1	10.9	6.1	12	
3	--	3	4.4	0	10.3	3	3	--	3.0	3.3	0	--	--	--	0	0	0	13	
--	--	--	0	0	0	--	--	--	0	0	0	2	1	1	45.7	36.4	61.3	14	
4	2	2	15.1	10.9	24.7	1	--	1	3.8	0	26.3	--	--	--	0	0	0	16	
--	--	--	0	0	0	1	1	--	3.8	4.5	0	1	--	1	8.1	0	22.7	17	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	18	
--	--	--	0	0	0	--	--	--	0	0	0	1	--	1	8.1	0	22.7	19	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	20	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	21	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	22	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	23	
--	--	--	0	0	0	1	1	--	3.8	4.5	0	--	--	--	0	0	0	24	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	25	
1	1	--	3.8	5.4	0	1	1	--	3.8	4.5	0	--	--	--	0	0	0	26	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	27	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	28	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	29	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	30	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	31	
--	--	--	0	0	0	1	--	1	3.8	0	26.3	2	1	1	16.1	12.5	22.7	32	
24	17	7	90.6	92.4	86.4	23	21	2	88.5	94.6	52.6	11	9	2	88.7	112.5	45.5	33	
--	--	--	0	0	0	1	1	--	3.8	4.5	0	--	--	--	0	0	0	34	
2	1	1	7.5	5.4	12.3	--	--	--	0	0	0	--	--	--	0	0	0	35	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	36	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	37	
38	18	20	143.4	97.8	246.9	26	23	3	100.0	103.6	78.9	27	17	10	217.7	212.5	227.3	38	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	39	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	40	
77	48	29	290.6	260.9	358.0	53	35	18	203.8	157.7	473.7	31	20	11	250.0	250.0	250.0	41	
1	1	--	3.8	5.4	0	3	1	2	11.5	4.5	52.6	--	--	--	0	0	0	42	
8	6	2	30.2	32.6	24.7	3	3	--	11.5	13.5	0	16	7	9	129.1	87.5	204.5	43	
3	2	1	11.3	10.9	12.3	--	--	--	0	0	0	1	1	--	8.1	12.5	0	44	
1	1	--	3.8	5.4	0	1	1	--	3.8	4.5	0	--	--	--	0	0	0	45	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	46	
--	--	--	0	0	0	--	--	--	0	0	0	--	--	--	0	0	0	47	
2	1	1	7.5	5.4	12.3	1	--	1	3.8	0	26.3	1	1	--	8.1	12.5	0	48	
--	--	--	0	0	0	1	1	--	3.8	4.5	0	2	2	--	16.1	25.0	0	49	
6	1	5	22.6	5.4	61.7	3	1	2	11.5	4.5	52.6	--	--	--	0	0	0	50	
--	--	--	0	0	0	1	1	--	3.8	4.5	0	--	--	--	0	0	0	51	
--	--	--	0	0	0	--	--	--	0	0	0	2	1	1	16.1	12.5	22.7	52	
4	2	2	15.1	10.9	24.7	2	--	2	7.7	0	52.6	2	2	--	16.1	25.0	0	53	
3	1	2	11.3	5.4	24.7	11	10	1	42.3	45.0	26.3	2	1	1	16.1	12.5	22.7	54	
2	--	2	7.5	0	24.7	--	--	--	0	0	0	--	--	--	0	0	0	55	
6	1	5	22.6	5.4	61.7	5	5	--	19.2	22.5	0	1	1	--	8.1	12.5	0	56	
2	2	--	7.5	10.9	0	--	--	--	0	0	0	--	--	--	0	0	0	57	
7	4	3	26.4	21.7	37.0	5	3	2	19.2	13.5	52.6	2	1	1	16.1	12.5	22.7	58	
3	2	1	11.3	10.9	12.3	7	7	--	26.9	31.5	0	2	2	--	16.1	25.0	0	59	
10	5	5	37.7	27.2	61.7	5	1	4	19.2	4.5	105.3	4	2	2	32.3	25.0	45.5	60	
5	5	--	18.9	27.2	0	--	--	--	0	0	0	2	2	--	16.1	25.0	0	61	
7	1	6	26.4	5.4	74.1	1	1	--	3.8	4.5	0	4	--	4	32.3	0	90.9	62	
17	11	6	64.2	59.8	74.1	10	8	2	38.5	36.0	52.6	14	9	5	112.9	112.5	113.6	63	

TABLE XI VITAL STATISTICS, CITIES

ITEM	Rome						Thomasville					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	877	695	182	28.1	28.0	28.4	501	282	219	33.4	34.4	32.2
2 Delivered in hospital	818	693	125	93.3%	99.7%	68.7%	360	277	83	71.9%	98.2%	37.9%
3 Delivered in home by physician	5	--	5	0.6%	0%	2.7%	6	2	4	1.2%	0.7%	1.8%
4 Delivered in home by midwife	54	2	52	6.2%	0.3%	28.6%	87	--	87	17.4%	0%	39.7%
5 Other deliveries	--	--	--	0%	0%	0%	48	3	45	9.6%	1.1%	20.5%
6 Immature births	95	67	28	108.3	96.4	153.8	31	7	24	61.9	24.8	109.6
FETAL DEATHS												
7												
8												
9 20 weeks gestation and more	21	12	9	23.9	17.3	49.4	8	5	3	16.0	17.7	13.7
DEATHS												
10 Total, all ages	292	223	69	935.9	899.2	1078.1	155	71	84	1033.3	865.9	1235.3
11 Under 1 year	30	23	7	34.2	33.1	38.5	15	8	7	29.9	28.4	32.0
12 Under 28 days	23	18	5	26.2	25.9	27.5	10	5	5	20.0	17.7	22.8
13 Deaths from immaturity	8	6	2	9.1	8.6	11.0	6	2	4	12.0	7.1	18.3
14 1-4 years (Not available by city)												
15 Maternal deaths	1	--	1	11.4	0	54.9	--	--	--	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	6	5	1	19.2	20.2	15.6	1	1	--	6.7	12.2	0
17 Syphilis and its sequelae (020-029)	--	--	--	0	0	0	--	--	--	0	0	0
18 Typhoid fever (040)	--	--	--	0	0	0	--	--	--	0	0	0
19 Dysentery, all forms (045-048)	--	--	--	0	0	0	--	--	--	0	0	0
20 Scarlet fever (050)	--	--	--	0	0	0	--	--	--	0	0	0
21 Streptococcal sore throat (051)	--	--	--	0	0	0	--	--	--	0	0	0
22 Diphtheria (055)	--	--	--	0	0	0	--	--	--	0	0	0
23 Whooping cough (056)	--	--	--	0	0	0	--	--	--	0	0	0
24 Meningococcal infections (057)	--	--	--	0	0	0	--	--	--	0	0	0
25 Acute poliomyelitis (080)	--	--	--	0	0	0	--	--	--	0	0	0
26 Acute infectious encephalitis (082)	--	--	--	0	0	0	--	--	--	0	0	0
27 Smallpox (084)	--	--	--	0	0	0	--	--	--	0	0	0
28 Measles (085)	--	--	--	0	0	0	--	--	--	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	--	--	--	0	0	0	--	--	--	0	0	0
30 Rocky Mountain spotted fever (104)	--	--	--	0	0	0	--	--	--	0	0	0
31 Malaria (110-117)	--	--	--	0	0	0	--	--	--	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	--	--	--	0	0	0	--	--	--	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	36	28	8	115.4	112.9	125.0	11	4	7	73.3	48.8	102.9
34 Benign and unspecified neoplasms (210-239)	2	2	--	6.4	8.1	0	--	--	--	0	0	0
35 Diabetes mellitus (260)	4	3	1	12.8	12.1	15.6	1	--	1	6.7	0	14.7
36 Pellagra (281)	--	--	--	0	0	0	--	--	--	0	0	0
37 Anemias (290-293)	--	--	--	0	0	0	--	--	--	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	40	30	10	128.2	121.0	156.2	33	14	19	220.0	170.7	279.4
39 Nonmeningococcal meningitis (340)	--	--	--	0	0	0	--	--	--	0	0	0
40 Rheumatic fever (400-402)	1	1	--	3.2	4.0	0	--	--	--	0	0	0
41 Heart diseases (410-443)	99	81	18	317.3	326.6	281.2	50	24	26	333.3	292.7	382.4
42 Hypertension without mention of heart (444-447)	3	1	2	9.6	4.0	31.2	3	1	2	20.0	12.2	29.4
43 Influenza and pneumonia (480-483, 490-493)	4	4	--	12.8	16.1	0	7	1	6	46.7	12.2	88.2
44 Bronchitis (500-502)	--	--	--	0	0	0	--	--	--	0	0	0
45 Ulcer of stomach and duodenum (540-541)	1	1	--	3.2	4.0	0	1	--	1	6.7	0	14.7
46 Appendicitis (550-553)	--	--	--	0	0	0	--	--	--	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	2	2	--	6.4	8.1	0	--	--	--	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	1	1	6.4	4.0	15.6	1	1	--	6.7	12.2	0
49 Cirrhosis of liver (581)	2	1	1	6.4	4.0	15.6	--	--	--	0	0	0
50 Nephritis and nephrosis (590-594)	7	4	3	22.4	16.1	46.9	3	2	1	20.0	24.4	14.7
51 Hyperplasia of prostate (610)	1	1	--	3.2	4.0	0	3	--	3	20.0	0	44.1
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	--	1	3.2	0	15.6	--	--	--	0	0	0
53 Congenital malformations (750-759)	6	6	--	19.2	24.2	0	3	3	--	20.0	36.6	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	9	7	2	28.8	28.2	31.2	1	1	--	6.7	12.2	0
55 Infection of the newborn (763-768)	1	1	--	3.2	4.0	0	1	--	1	6.7	0	14.7
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	10	7	3	32.1	28.2	46.9	6	2	4	40.0	24.4	58.8
57 Senility, without mention of psychosis (794)	1	1	--	3.2	4.0	0	--	--	--	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	3	1	2	9.6	4.0	31.2	--	--	--	0	0	0
59 Motor vehicle accidents (E810-E835)	7	5	2	22.4	20.2	31.2	3	2	1	20.0	24.4	14.7
60 All other accidents (E800-E802, E840-E962)	16	12	4	51.3	48.4	62.5	9	6	3	60.0	73.2	44.1
61 Suicide (E963, E970-E979)	4	3	1	12.8	12.1	15.6	3	2	1	20.0	24.4	14.7
62 Homicide (E964, E980-E985)	3	--	3	9.6	0	46.9	2	--	2	13.3	0	29.4
63 All other diseases (residual)	21	15	6	67.3	60.5	93.8	13	7	6	86.7	85.4	88.2

* Rates and ratios: Live births are per 1,000 estimated population; Immature births, stillbirths, infant deaths, neonatal deaths and deaths from immaturity are per 1,000 live births; Deaths all ages and deaths by cause of death are per 100,000

OF 10,000 TO 50,000 POPULATION, GEORGIA, 1953-CONTINUED

Valdosta						Waycross												
Number			Rate or Ratio*			Number			Rate or Ratio*			Number			Rate or Ratio*			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
792	438	354	36.8	36.5	37.3	626	438	188	31.1	33.7	26.5							1
506	430	76	63.9%	98.2%	21.5%	476	416	60	76.0%	95.0%	31.9%							2
8	--	8	1.0%	0%	2.3%	96	22	74	15.3%	5.0%	39.4%							3
278	8	270	35.1%	1.8%	76.3%	54	--	54	8.6%	0%	28.7%							4
--	--	--	0%	0%	0%	--	--	--	0%	0%	0%							5
73	36	37	92.2	82.2	104.5	41	22	19	65.5	50.2	101.1							6
																		7
																		8
17	9	8	21.5	20.5	22.6	11	6	5	17.6	13.7	26.6							9
																		10
236	131	105	1097.7	1091.7	1105.3	205	117	88	1019.9	900.0	1239.4							11
22	14	8	27.8	32.0	22.6	20	11	9	31.9	25.1	47.9							12
14	11	3	17.7	25.1	8.5	12	7	5	19.2	16.0	26.6							13
6	3	3	7.6	6.8	8.5	5	--	5	8.0	0	26.6							14
--	--	--	0	0	0	--	--	--	0	0	0							15
																		16
1	--	1	4.7	0	10.5	4	1	3	19.9	7.7	42.3							17
1	--	1	4.7	0	10.5	--	--	--	0	0	0							18
--	--	--	0	0	0	--	--	--	0	0	0							19
--	--	--	0	0	0	--	--	--	0	0	0							20
--	--	--	0	0	0	--	--	--	0	0	0							21
--	--	--	0	0	0	--	--	--	0	0	0							22
--	--	--	0	0	0	--	--	--	0	0	0							23
--	--	--	0	0	0	--	--	--	0	0	0							24
--	--	--	0	0	0	1	--	1	5.0	0	14.1							25
--	--	--	0	0	0	--	--	--	0	0	0							26
--	--	--	0	0	0	--	--	--	0	0	0							27
--	--	--	0	0	0	--	--	--	0	0	0							28
--	--	--	0	0	0	--	--	--	0	0	0							29
--	--	--	0	0	0	--	--	--	0	0	0							30
--	--	--	0	0	0	--	--	--	0	0	0							31
																		32
2	2	--	9.3	16.7	0	1	1	--	5.0	7.7	0							33
22	15	7	102.3	125.0	73.7	25	21	4	124.4	161.5	56.3							34
1	--	1	4.7	0	10.5	--	--	--	0	0	0							35
3	1	2	14.0	8.3	21.1	3	1	2	14.9	7.7	28.2							36
1	1	--	4.7	8.3	0	--	--	--	0	0	0							37
2	2	--	9.3	16.7	0	--	--	--	0	0	0							38
40	18	22	186.0	150.0	231.6	34	15	19	169.2	115.4	267.6							39
--	--	--	0	0	0	1	--	1	5.0	0	14.1							40
--	--	--	0	0	0	--	--	--	0	0	0							41
67	37	30	311.6	308.3	315.8	65	40	25	323.4	307.7	352.1							42
7	4	3	32.6	33.3	31.6	--	--	--	0	0	0							43
13	3	10	60.5	25.0	105.3	5	2	3	24.9	15.4	42.3							44
1	1	--	4.7	8.3	0	--	--	--	0	0	0							45
--	--	--	0	0	0	--	--	--	0	0	0							46
--	--	--	0	0	0	1	1	--	5.0	7.7	0							47
2	--	2	9.3	0	21.1	2	2	--	10.0	15.4	0							48
9	3	6	41.9	25.0	63.2	1	1	--	5.0	7.7	0							49
1	--	1	4.7	0	10.5	1	1	--	5.0	7.7	0							50
4	1	3	18.6	8.3	31.6	6	--	6	29.8	0	34.5							51
2	2	--	9.3	16.7	0	1	--	1	5.0	0	14.1							52
																		53
--	--	--	0	0	0	--	--	--	0	0	0							54
3	3	--	14.0	25.0	0	2	2	--	10.0	15.4	0							55
4	4	--	18.6	33.3	0	4	3	1	19.9	23.1	14.1							56
2	2	--	9.3	16.7	0	1	1	--	5.0	7.7	0							57
8	5	3	37.2	41.7	31.6	5	--	5	24.9	0	70.4							58
1	1	--	4.7	8.3	0	3	1	2	14.9	7.7	28.2							59
2	2	--	9.3	16.7	0	3	1	2	14.9	7.7	28.2							60
5	5	--	23.3	41.7	0	9	8	1	44.8	61.5	14.1							61
9	7	2	41.9	58.3	21.1	8	5	3	39.8	38.5	42.3							62
--	--	--	0	0	0	2	1	1	10.0	7.7	14.1							63
6	6	6	27.9	0	63.2	1	--	1	5.0	0	14.1							64
17	12	5	79.1	100.0	52.6	16	9	7	79.6	69.2	98.6							65

estimated population. No rate can be computed on deaths in 1-4 years age group by county because 1953 estimated population is not available for that age group.

TABLE XII - MARRIAGES, DIVORCES, AND ANNULMENTS BY COUNTY OF OCCURRENCE, BY RACE, GEORGIA, 1953
Recorded Data

	Total	Marriages			Divorces			Annulments
		White	Non-White	Unknown	Total	White	Non-White	
TOTAL	52,092	40,894	11,144	54	6,809	4,827	1,982	34
Appling	105	79	26	--	--	--	--	--
Atkinson	73	53	20	--	--	--	--	--
Bacon	94	81	13	--	8	8	--	--
Baker	40	23	15	2	2	2	--	--
Baldwin	201	119	82	--	46	15	31	--
Banks	35	32	2	1	--	--	--	--
Barrow	78	66	12	--	6	6	--	--
Bartow	217	188	29	--	--	--	--	--
Ben Hill	148	95	53	--	48	34	14	--
Berrien	115	101	14	--	37	35	2	--
Bibb	1,032	714	317	1	366	280	86	2
Bleckley	117	86	31	--	--	--	--	--
Brantley	416	407	9	--	4	4	--	--
Brooks	225	125	100	--	19	15	4	1
Bryan	60	37	23	--	12	7	5	--
Bulloch	203	116	87	--	32	26	6	--
Burke	145	27	118	--	--	--	--	--
Butts	94	53	41	--	1	1	--	--
Calhoun	90	22	68	--	--	--	--	--
Camden	2,896	2,711	184	1	25	14	11	1
Candler	76	41	35	--	8	7	1	--
Carroll	280	226	54	--	42	30	12	1
Catoosa	2,300	2,224	70	6	12	11	1	--
Charlton	3,448	3,065	377	6	11	7	4	--
Chatham	1,092	726	366	--	730	479	251	4
Chattahoochee	360	324	35	1	3	1	2	--
Chattooga	103	92	11	--	42	36	6	--
Cherokee	240	230	10	--	--	--	--	--
Clarke	363	262	101	--	71	57	14	--
Clay	75	23	52	--	4	1	3	--
Clayton	501	449	52	--	19	18	1	--
Clinch	100	72	28	--	5	5	--	--
Cobb	537	475	62	--	140	126	14	--
Coffee	181	119	60	2	43	28	15	1
Colquitt	353	293	60	--	58	30	28	--
Columbia	43	25	18	--	--	--	--	--
Cook	192	148	44	--	30	17	13	--
Coveta	303	166	137	--	12	9	3	--
Crawford	59	33	26	--	1	--	1	--
Crisp	193	110	83	--	20	16	4	--
Dade	1,159	1,147	12	--	--	--	--	--
Dawson	93	93	--	--	7	1	6	--
Decatur	617	437	180	--	29	19	10	2
DeKalb	1,022	903	119	--	315	243	72	1
Dodge	155	107	48	--	17	17	--	--
Dooly	116	47	69	--	--	--	--	--
Dougherty	707	413	292	2	163	94	69	--
Douglas	191	164	27	--	20	18	2	--
Early	168	82	84	2	11	8	3	--
Echols	173	140	33	--	2	2	--	--
Effingham	64	38	26	--	7	4	3	1
Elbert	65	48	16	1	16	8	8	--
Emanuel	196	116	79	1	14	10	4	--
Evans	94	58	36	--	4	4	--	1
Fannin	429	427	2	--	20	20	--	--
Fayette	98	72	26	--	6	6	--	--
Floyd	689	563	125	1	166	121	45	1
Forsyth	74	74	--	--	--	--	--	--
Franklin	87	73	13	1	33	20	13	--
Fulton	5,200	3,612	1,588	--	1,910	1,510	400	7
Gilmer	56	56	--	--	7	7	--	--
Glascock	52	25	26	1	2	2	--	--
Glynn	386	286	100	--	49	37	12	--
Gordon	147	136	11	--	--	--	--	--
Grady	237	156	80	1	35	19	16	--
Greene	88	32	56	--	--	--	--	--
Gwinnett	426	390	36	--	39	30	9	--
Habersham	102	99	3	--	32	32	--	--
Hall	297	265	32	--	15	13	2	--
Hancock	79	12	67	--	--	--	--	--
Haralson	371	359	12	--	3	3	--	--
Harris	77	36	41	--	7	2	5	--
Hart	378	349	29	--	13	12	1	--
Heard	113	102	11	--	4	3	1	--
Henry	150	105	45	--	20	17	3	--
Houston	230	150	80	--	32	26	6	--
Irwin	100	62	38	--	1	--	1	--
Jackson	148	125	23	--	8	7	1	--
Jasper	78	43	35	--	2	2	--	--
Jeff Davis	64	53	11	--	--	--	--	--
Jefferson	124	31	91	2	15	8	7	--

TABLE XII - MARRIAGES, DIVORCES, AND ANNULMENTS BY COUNTY OF OCCURRENCE, BY RACE, GEORGIA, 1953 (CONT'D)
Recorded Data

	Marriages				Divorces			Annulments
	Total	White	Non-White	Unknown	Total	White	Non-White	
Jenkins	94	36	58	--	9	9	--	--
Johnson	67	45	22	--	--	--	--	--
Jones	43	18	24	1	10	8	2	--
Lamar	133	75	58	--	7	5	2	--
Lanier	51	31	20	--	8	7	1	--
Laurens	373	227	145	1	41	13	28	--
Lee	50	29	21	--	--	--	--	--
Liberty	114	66	48	--	19	--	19	--
Lincoln	7	7	--	--	7	4	3	--
Long	53	35	18	--	--	--	--	--
Lowndes	970	720	248	2	133	79	54	2
Lumpkin	34	33	1	--	1	1	--	--
Macon	123	38	85	--	17	8	9	--
Madison	65	49	16	--	15	12	3	--
Marion	38	14	24	--	7	--	7	1
McDuffie	96	55	41	--	11	8	3	--
McIntosh	66	35	31	--	1	--	1	--
Meriwether	143	61	82	--	9	7	2	1
Miller	95	65	29	1	--	--	--	--
Mitchell	152	97	55	--	19	12	7	--
Monroe	67	35	32	--	15	8	7	--
Montgomery	46	32	14	--	4	4	--	--
Morgan	71	33	35	3	9	6	3	--
Murray	267	264	3	--	18	17	1	--
Muscogee	1,099	788	308	3	562	241	321	4
Newton	156	104	52	--	--	--	--	--
Oconee	34	29	5	--	4	4	--	--
Oglethorpe	56	36	19	1	1	1	--	--
Paulding	604	575	29	--	11	10	1	--
Peach	151	59	92	--	--	--	--	--
Pickens	73	69	4	--	6	5	1	--
Pierce	147	105	42	--	--	--	--	--
Pike	66	46	20	--	2	1	1	--
Polk	224	196	28	--	42	30	12	--
Pulaski	108	61	47	--	--	--	--	--
Putnam	52	25	27	--	20	15	5	--
Quitman	70	23	47	--	1	1	--	--
Rabun	63	63	--	--	14	14	--	--
Randolph	97	25	72	--	--	--	--	--
Richmond	680	575	105	--	--	--	--	--
Rockdale	317	240	75	2	2	2	--	--
Schley	58	20	38	--	--	--	--	--
Screven	105	41	64	--	--	--	--	--
Seminole	321	250	71	--	14	11	3	--
Spalding	372	269	103	--	88	48	40	--
Stephens	174	157	17	--	49	46	3	--
Stewart	54	19	35	--	4	1	3	--
Sumter	216	106	107	3	33	2	31	1
Talbot	55	15	40	--	--	--	--	--
Taliaferro	23	5	18	--	--	--	--	--
Tattnall	99	84	15	--	25	17	8	--
Taylor	89	46	43	--	2	1	1	--
Telfair	140	94	46	--	--	--	--	--
Terrell	144	41	103	--	30	5	25	--
Thomas	590	412	175	3	92	53	39	1
Tift	346	264	82	--	30	26	4	--
Toombs	219	161	58	--	52	40	12	--
Towns	55	55	--	--	--	--	--	--
Treutlen	65	44	21	--	3	3	--	--
Troup	769	552	217	--	127	105	22	--
Turner	86	51	35	--	--	--	--	--
Twiggs	262	158	104	--	4	2	2	--
Union	94	94	--	--	--	--	--	--
Upson	212	150	62	--	41	37	4	--
Walker	5,917	5,272	645	--	71	57	14	--
Walton	179	135	43	1	23	19	4	--
Ware	797	710	87	--	60	48	12	--
Warren	44	10	34	--	9	4	5	--
Washington	134	63	71	--	16	11	5	--
Wayne	221	193	28	--	10	9	1	--
Webster	26	9	17	--	--	--	--	--
Wheeler	42	33	9	--	--	--	--	--
White	58	53	5	--	--	--	--	--
Whitfield	284	275	9	--	102	87	15	1
Wilcox	64	45	19	--	12	11	1	--
Wilkes	36	18	18	--	4	1	3	--
Wilkinson	64	42	22	--	2	1	1	--
Worth	180	105	74	1	--	--	--	--

TABLE XIII - NUMBER OF PHYSICIANS IN PRIVATE PRACTICE AND AVERAGE NUMBER OF PERSONS PER PHYSICIAN, BY COUNTY, GEORGIA, JANUARY 1, 1955

County	Number Physicians	Average Number Persons Per Physician	County	Number Physicians	Average Number Persons Per Physician
State Total	2,436	1,447	Jeff Davis	4	2,375
Appling	8	1,738	Jefferson	10	1,860
Atkinson	2	3,750	Jenkins	3	3,233
Bacon	4	2,300	Johnson	4	2,225
Baker	-	...	Jones	1	7,300
Baldwin	10	1,830	Lamar	6	1,717
Banks	-	...	Lanier	2	2,500
Barrow	8	1,650	Laurens	14	2,321
Bartow	11	2,564	Lee	-	...
Ben Hill	8	1,888	Liberty	3	2,800
Berrien	4	3,400	Lincoln	4	1,575
Bibb	108	1,133	Long	2	1,700
Bleckley	2	4,550	Lowndes	27	1,348
Brantley	1	6,300	Lumpkin	3	2,233
Brooks	6	2,917	McDuffie	7	1,671
Bryan	3	1,967	McIntosh	2	3,150
Bulloch	16	1,525	Macon	6	2,283
Burke	10	2,320	Madison	2	5,950
Butts	3	3,033	Marion	2	3,200
Calhoun	5	1,600	Meriwether	9	2,311
Camden	5	1,560	Miller	4	2,175
Candler	5	1,560	Mitchell	10	2,240
Carroll	21	1,600	Monroe	2	5,250
Catoosa	3	5,400	Montgomery	3	2,467
Charlton	4	1,175	Morgan	6	1,950
Chatham	148	1,081	Murray	5	2,120
Chattahoochee	-	...	Muscogee	94	1,264
Chattooga	7	3,171	Newton	8	2,600
Cherokee	10	2,110	Oconee	1	6,800
Clarke	35	1,123	Oglethorpe	2	4,600
Clay	4	1,375	Paulding	3	3,800
Clayton	7	3,514	Peach	6	2,033
Clinch	2	2,950	Pickens	4	2,175
Cobb	42	1,705	Pierce	5	2,180
Coffee	11	2,255	Pike	4	1,975
Colquitt	21	1,638	Polk	16	1,994
Columbia	3	3,200	Pulaski	4	2,125
Cook	5	2,460	Putnam	3	2,500
Coweta	19	1,484	Quitman	1	2,900
Crawford	-	...	Rabun	3	2,453
Crisp	8	2,225	Randolph	5	2,580
Dade	3	2,633	Richmond	142	889
Dawson	-	...	Rockdale	4	2,175
Decatur	11	2,200	Schley	1	3,700
DeKalb	67	2,184	Screven	6	2,883
Dodge	7	2,414	Seminole	5	1,540
Dooly	6	2,217	Spalding	21	1,524
Dougherty	35	1,243	Stephens	12	1,492
Douglas	5	2,580	Stewart	3	2,900
Early	6	2,850	Sumter	15	1,613
Echols	-	...	Talbot	1	7,500
Effingham	1	9,000	Taliaferro	1	3,900
Elbert	13	1,408	Tattnall	7	2,086
Emanuel	8	2,338	Taylor	5	1,720
Evans	2	3,200	Telfair	8	1,575
Fannin	5	3,080	Terrell	5	2,720
Fayette	3	2,633	Thomas	31	1,126
Floyd	46	1,411	Tift	14	1,721
Forsyth	5	2,180	Toombs	12	1,483
Franklin	8	1,762	Tooms	3	1,567
Fulton	708	704	Treutlen	3	2,067
Gilmer	1	10,300	Troup	40	1,300
Glascock	1	3,300	Turner	4	2,600
Glynn	32	953	Twiggs	1	8,000
Gordon	10	1,920	Union	1	7,200
Grady	10	1,880	Upson	14	1,843
Greene	7	1,800	Walker	16	2,538
Gwinnett	9	3,722	Walton	10	2,020
Habersham	9	1,911	Ware	26	1,200
Hall	25	1,680	Warren	4	2,075
Hancock	3	3,500	Washington	11	1,827
Haralson	5	2,980	Wayne	7	2,100
Harris	4	2,800	Webster	-	...
Hart	3	4,733	Wheeler	1	6,100
Heard	6	1,067	White	5	1,160
Henry	3	5,400	Whitfield	16	2,263
Houston	9	2,411	Wilcox	3	3,100
Irwin	4	2,925	Wilkes	9	1,278
Jackson	7	2,671	Wilkinson	3	3,133
Jasper	5	1,420	Worth	5	3,760

... Not Applicable

Source: Medical Directory of Georgia, Georgia Department of Public Health, January 1, 1955

TABLE XIV-A - ESTIMATED TOTAL POPULATION BY RACE, SEX AND AGE, GEORGIA, JULY 1, 1953
(Estimates include military population)

Age Group	Total	White			Nonwhite		
		Total	Male	Female	Total	Male	Female
Total, all ages	3,604,000	2,519,000	1,249,000	1,270,000	1,085,000	516,400	568,600
Under 1 year	95,300	58,800	30,100	28,700	36,500	19,200	17,300
1 - 4 years	369,400	246,800	126,000	120,800	122,600	61,600	61,000
5 - 9 years	372,100	246,100	125,500	120,600	126,000	63,000	63,000
10 - 14 years	314,200	202,300	102,500	99,800	111,900	56,100	55,800
15 - 24 years	562,800	386,900	196,300	190,600	175,900	82,800	93,100
25 - 34 years	547,000	405,000	199,600	205,400	142,000	63,600	78,400
35 - 44 years	507,400	365,000	181,900	183,100	142,400	66,000	76,400
45 - 54 years	354,700	254,500	123,700	130,800	100,200	45,800	54,400
55 - 64 years	241,200	182,900	87,300	95,600	58,300	27,200	31,100
65 - 74 years	169,700	120,000	54,100	65,900	49,700	21,800	27,900
75 - 84 years	60,800	44,700	19,800	24,900	16,100	8,000	8,100
85 years and over	9,400	6,000	2,200	3,800	3,400	1,300	2,100

TABLE XIV-B - ESTIMATED POPULATION BY RACE, BY URBAN AND RURAL, AND CIVILIAN POPULATION BY RACE, BY COUNTY, AND INCORPORATED PLACES OF 2,500 OR MORE PERSONS, GEORGIA, JULY 1, 1953

Area	Total	White	Nonwhite	Area	Total	White	Nonwhite
STATE TOTAL	3,604,000	2,519,000	1,085,000	Cherokee	21,100	20,200	900
URBAN ^{1/}	1,648,000	1,123,000	525,000	Canton	2,700	2,500	200
RURAL	1,956,000	1,396,000	560,000	Clarke	39,300	28,900	10,400
STATE TOTAL CIVILIAN	3,524,000	2,451,000	1,073,000	Athens	30,600	22,300	8,300
Appling	13,900	11,200	2,700	Clay	5,500	1,700	3,800
Baxley	3,600	2,600	1,000	Clayton	24,600	20,800	3,800
Atkinson	7,500	5,900	1,600	College Park (Total in Fulton & Clayton)	16,600	13,400	3,200
Bacon	9,200	8,100	1,100	(Part in Clayton)	4,300	4,300	—
Alma	2,800	2,400	400	Forrest Park	3,300	3,300	—
Baker	5,500	2,100	3,400	Clinch	5,900	3,900	2,000
Baldwin ^{2/}	18,300	11,100	7,200	Cobb *	71,600	65,000	6,600
State Hospital	13,300	8,400	4,900	Marietta	26,000	22,200	3,800
Milledgeville	9,500	5,200	4,300	Coffee	21,800	18,800	6,000
Banks	6,400	6,100	300	Douglas	8,200	5,800	2,400
Barrow	13,200	10,900	2,300	Colquitt	34,400	26,300	8,100
Winder	4,800	4,000	800	Moultrie	12,400	8,000	4,400
Bartow	28,200	24,100	4,100	Columbia	9,600	5,400	4,200
Cartersville	7,600	5,700	1,900	Cook	12,300	8,900	3,400
Ben Hill	15,100	10,300	4,800	Adel	3,000	1,800	1,200
Fitzgerald	8,400	5,500	2,900	Coweta	28,200	17,600	10,600
Berrien	13,600	11,700	1,900	Newman	8,600	5,300	3,300
Nashville	3,700	3,000	700	Crawford	5,800	2,300	3,500
Bibb *	122,400	80,200	42,200	Crisp	17,800	10,100	7,700
Macon	74,800	43,300	31,500	Cordele	10,000	5,200	4,800
Bleakley	9,100	6,200	2,900	Dade	7,900	7,700	200
Cochran	3,600	2,500	1,100	Dawson	3,500	3,500	—
Brantley	6,300	5,400	900	Decatur	24,200	13,100	11,100
Brooks	17,500	8,900	8,600	Bainbridge	8,000	4,900	3,100
Quitman	4,900	2,700	2,200	DeKalb *	146,300	131,300	15,000
Bryan	5,900	3,600	2,300	Atlanta (Part in DeKalb)	40,300	37,400	2,900
Bulloch	24,400	15,200	9,200	Atlanta (Total in Fulton & DeKalb)	450,100	306,600	143,500
Statesboro	6,500	4,400	2,100	Chamblee	4,400	4,300	100
Burke *	23,200	6,500	16,700	Decatur	23,300	19,700	3,600
Waynesboro	4,700	2,200	2,500	Dodge	16,900	11,900	5,000
Butts	9,100	4,900	4,200	Eastman	3,700	2,400	1,300
Calhoun	8,000	2,600	5,400	Dooly	13,300	5,800	7,500
Camden	7,800	4,000	3,800	Dougherty *	43,500	24,100	19,400
Candler	7,800	5,000	2,800	Albany	35,100	20,100	15,000
Carroll *	33,600	27,200	6,400	Douglas	12,900	10,800	2,100
Carrollton	8,300	6,600	1,700	Douglasville	3,700	2,900	800
Catoosa	16,200	15,800	400	Early	17,100	7,800	9,300
Charlton	4,700	3,300	1,400	Blakely	3,400	2,300	1,100
Chatham *	160,000	99,700	60,300	Echols	2,300	1,700	600
Savannah	127,300	75,900	51,400	Effingham	9,000	5,700	3,300
Chattahoochee	1,500	700	800	Elbert	18,300	12,100	6,200
Chattooga	22,200	20,100	2,100	Elberton	7,000	4,900	2,100
Summerville	4,400	3,900	500	Emanuel	18,700	11,800	6,900
Trion	3,200	3,100	100	Swainsboro	4,500	2,700	1,800
				Evans	6,400	3,900	2,500

See notes on last page

TABLE XIV-B - ESTIMATED POPULATION BY RACE, BY URBAN AND RURAL, AND CIVILIAN POPULATION BY RACE, BY COUNTY,
AND INCORPORATED PLACES OF 2,500 OR MORE PERSONS, GEORGIA, JULY 1, 1953
(cont'd)

Area	Total	White	Nonwhite	Area	Total	White	Nonwhite
Fannin	15,400	15,300	100	Mitchell	22,400	10,900	11,500
Fayette	7,900	5,400	2,500	Camilla	4,100	1,800	2,300
Floyd * 2/	64,900	55,300	9,600	Felham	4,700	2,700	2,000
Batley State Hospital	1,800	1,100	700	Monroe	10,500	5,100	5,400
Rome	31,200	24,800	6,400	Forsyth	3,400	1,900	1,500
Forsyth	10,900	10,800	100	Montgomery	7,400	4,200	3,200
Franklin	14,100	12,400	1,700	Morgan	11,700	5,400	6,300
Fulton	498,500	346,900	151,600	Murray	10,600	10,400	200
Atlanta (Total in Fulton & DeKalb)	450,100	306,600	143,500	Muscogee	118,800	88,700	30,100
(Part in Fulton)	409,800	269,200	140,600	Columbus	88,200	60,700	27,500
College Park (Total in Clayton & Fulton)	16,600	13,400	3,200	Newton	20,800	13,900	6,900
(Part in Fulton)	12,300	9,100	3,200	Covington	5,600	3,200	2,400
East Point	23,900	20,700	3,200	Porterdale	3,400	3,300	100
Hapeville	9,700	9,700	—	Oconee	6,800	5,100	1,700
Gilmer	10,300	10,300	—	Oglethorpe	9,200	5,300	3,900
Glascocok	3,300	2,300	1,000	Paulding	11,400	10,200	1,200
Glynn *	30,500	21,000	9,500	Peach	12,200	4,700	7,500
Brunswick	19,100	11,700	7,400	Ft. Valley	7,400	2,800	4,600
Gordon	19,200	18,000	1,200	Pickens	8,700	8,300	400
Calhoun	3,300	2,700	600	Pierce	10,900	8,500	2,400
Grady	18,800	12,300	6,500	Pike	7,900	4,200	3,700
Cairo	5,900	3,500	2,400	Polk	31,900	26,700	5,200
Greene	12,600	6,200	6,400	Cedartown	9,800	8,300	1,500
Greensboro	2,800	1,600	1,200	Rockmart	4,000	3,400	600
Gwinnett	33,500	30,300	3,200	Pulaski	8,500	4,400	4,100
Buford	3,700	2,900	800	Hawkinsville	3,500	2,200	1,300
Lawrenceville	3,200	2,700	500	Putnam	7,500	3,400	4,100
Habersham	17,200	16,500	700	Eatonton	2,900	1,500	1,400
Hall	42,000	38,000	4,000	Quitman	2,900	1,000	1,900
Gainesville	12,800	9,600	3,200	Rabun	7,300	7,200	100
Hancock	10,500	2,800	7,700	Randolph	12,900	4,600	8,300
Haralson	14,900	13,500	1,400	Cuthbert	4,200	1,600	2,600
Tallapoosa	3,000	2,700	300	Richmond *	126,300	87,800	38,500
Harris	11,200	4,800	6,400	Augusta	91,400	53,600	37,800
Hart	14,200	10,700	3,500	Rockdale	8,700	6,200	2,500
Hartwell	3,200	2,500	700	Schley	3,700	1,500	2,200
Heard	6,400	4,800	1,600	Screven	17,300	7,100	10,200
Henry	16,200	9,100	7,100	Sylvania	3,100	1,700	1,400
Houston	21,700	13,900	7,800	Seminole	7,700	4,800	2,900
Perry	4,600	2,200	2,400	Donalsonville	2,800	1,600	1,200
Warner Robins	9,000	8,500	500	Spalding	32,000	23,400	8,600
Irwin	11,700	7,500	4,200	Griffin	15,000	9,800	5,200
Ocilla	2,900	1,500	1,400	Stephens	17,900	15,600	2,300
Jackson	18,700	15,800	2,900	Toccoa	7,200	5,700	1,500
Commerce	3,600	1,600	2,000	Stewart	8,700	2,400	6,300
Jasper	7,100	2,900	4,200	Sumter	24,200	11,200	13,000
Jeff Davis	9,500	7,400	2,100	Americus	12,100	6,100	6,000
Hazlehurst	3,000	2,200	800	Talbot	7,500	2,300	5,200
Jefferson	18,600	7,800	10,800	Manchester (Total in Talbot & Meriwether)	4,300	3,100	1,200
Jenkins	9,700	4,200	5,500	(Part in Talbot)	100	—	100
Millen	3,700	2,000	1,700	Taliaferro	3,900	1,400	2,500
Johnson	8,900	5,900	3,000	Tattnall 2/	14,600	10,600	4,000
Jones	7,300	3,400	3,900	Tattnall State Prison	1,400	900	500
Lamar	10,300	6,200	4,100	Taylor	8,600	4,500	4,100
Barnesville	4,400	2,700	1,700	Telfair	12,600	8,500	4,100
Lanier	5,000	3,400	1,600	Terrell	13,600	4,600	9,000
Laurens *	32,500	19,200	13,300	Dawson	4,600	2,000	2,600
Dublin	11,000	6,600	4,400	Thomas	34,900	21,000	13,900
Lee	6,300	1,500	4,800	Thomasville	15,000	8,200	6,800
Liberty *	8,400	3,400	5,000	Tift	24,100	17,300	6,800
Lincoln	6,300	3,300	3,000	Tifton	7,400	6,300	1,100
Long	3,400	2,200	1,200	Toombs *	17,800	13,000	4,800
Lowndes *	36,400	21,900	14,500	Lyons	3,100	2,000	1,100
Valdosta	21,500	12,000	9,500	Vidalia	6,400	4,200	2,200
Lumpkin	6,700	6,600	100	Towns	4,700	4,700	—
Macon	13,700	4,300	9,400	Treutlen	6,200	4,400	1,800
Montezuma	3,100	1,300	1,800	Troup	52,000	35,700	16,300
Madison	11,900	9,600	2,300	Hogansville	3,800	2,500	1,300
Marion	6,400	2,500	3,900	Lagrange	26,500	18,400	8,100
McDuffie	11,700	6,500	5,200	West Point	4,400	1,800	2,600
Thomson	3,600	2,300	1,300	Turner	10,400	6,500	3,900
McIntosh	6,300	2,400	3,900	Ashburn	3,100	1,800	1,300
Meriwether	20,800	9,900	10,900	Twiggs	8,000	2,900	5,100
Manchester (Total in Talbot & Meriwether)	4,300	3,100	1,200	Union	7,200	7,200	—
(Part in Meriwether)	4,200	3,100	1,100	Upson *	25,800	19,200	6,600
Miller	8,700	6,200	2,500	East Thomaston	3,000	3,000	—
				Silvertown	3,400	3,400	—
				Thomaston	7,300	4,900	2,400

See notes on last page

TABLE XIV-B - ESTIMATED POPULATION BY RACE, BY URBAN AND RURAL, AND CIVILIAN POPULATION BY RACE, BY COUNTY, AND INCORPORATED PLACES OF 2,500 OR MORE PERSONS, GEORGIA, JULY 1, 1953
(Cont'd)

Area	Total	White	Nonwhite	Area	Total	White	Nonwhite
Walker	40,600	38,100	2,500	Webster	3,900	1,300	2,600
Lafayette	5,300	4,800	500	Wheeler	6,100	4,100	2,000
Rossville	4,100	4,100	--	White	5,800	5,500	300
Walton	20,200	13,800	6,400	Whitfield*	36,200	34,700	1,500
Monroe	4,800	3,400	1,400	Dalton	17,300	16,000	1,300
Ware	31,200	22,900	8,300	Wilcox	9,300	6,000	3,300
Waycross	20,100	13,000	7,100	Wilkes	11,500	4,700	6,800
Warren	8,300	2,900	5,400	Washington	3,900	1,800	2,100
Washington	20,100	8,200	11,900	Wilkinson	9,400	4,800	4,600
Sandersville	4,800	2,100	2,700	Worth	18,800	9,400	9,400
Wayne	14,700	11,800	2,900	Sylvester	2,800	1,600	1,200
Jesup	5,200	3,600	1,600				

Note: County estimates may not add to state total due to rounding.

* Because of problems peculiar to these areas a method other than straight line projection was used.

1/ Urban population is the total of the estimates of all incorporated places shown here plus the military population of the state.

2/ Population of the state institutions is excluded from county totals but is included in state totals.

TABLE XV - TOTAL POPULATION BY CENSUS YEARS BY AGE AND RACE, GEORGIA, 1920-1950

Age	Number				Percent Distribution			
	1950	1940	1930	1920	1950	1940	1930	1920
<u>Total</u>								
Total all ages	3,444,578	3,123,723	2,908,506	2,895,832	100.0	100.0	100.0	100.0
Under 5 years	422,486	313,122	316,404	363,229	12.3	10.0	10.9	12.5
5-14 years	666,501	644,065	692,770	747,685	19.3	20.6	23.8	25.8
15-24 years	567,999	633,048	622,962	580,363	16.5	20.3	21.4	20.0
25-44 years	1,005,559	897,303	744,444	737,099	29.2	28.7	25.6	25.5
45-64 years	562,378	477,471	416,804	362,405	16.3	15.3	14.3	12.5
65 years & over	219,655	158,714	113,278	102,111	6.4	5.1	3.9	3.5
Not reported	--	--	1,844	2,940	--	--	0.1	0.1
<u>White</u>								
Total all ages	2,380,577	2,038,278	1,837,021	1,689,114	100.0	100.0	100.0	100.0
Under 5 years	276,321	193,741	200,353	217,864	11.6	9.5	10.9	12.9
5-14 years	431,958	401,814	427,296	423,031	18.1	19.8	23.3	25.0
15-24 years	385,584	403,636	376,348	323,636	16.2	19.8	20.5	19.2
25-44 years	722,534	597,165	482,449	443,295	30.4	29.3	26.3	26.2
45-64 years	409,754	336,232	271,590	214,251	17.2	16.5	14.8	12.7
65 years & over	154,426	105,690	78,022	65,896	6.5	5.1	4.2	3.9
Not reported	--	--	963	1,141	--	--	0.1	0.1
<u>Nonwhite</u>								
Total all ages	1,064,001	1,085,445	1,071,485	1,206,718	100.0	100.0	100.0	100.0
Under 5 years	146,165	119,381	116,051	145,365	13.7	11.0	10.8	12.0
5-14 years	234,543	242,251	265,474	324,654	22.0	22.3	24.8	26.9
15-24 years	182,415	229,412	246,614	256,727	17.1	21.1	23.0	21.3
25-44 years	283,025	300,138	261,995	293,804	26.6	27.7	24.5	24.3
45-64 years	152,624	141,239	145,214	148,154	14.3	13.0	13.6	12.3
65 years & over	65,229	53,024	35,256	36,215	6.1	4.9	3.3	3.0
Not reported	--	--	881	1,799	--	--	0.1	0.1

Source: U. S. Census 1920, 1930, 1940, 1950

