

VITAL STATISTICS

GEORGIA

1957

Property Of:
Georgia Department of Human
Resources
Division of Public Health
Health Assessment Services
Do Not Remove

STATE DEPARTMENT
LIBRARY
ATLANTA



SEP 12 1953

Department of Public Health State of Georgia

Atlanta

614.1

VITAL STATISTICS

GEORGIA

1957

DEPARTMENT OF PUBLIC HEALTH

STATE OF GEORGIA

Atlanta

October 1, 1958

TABLE OF CONTENTS

	Page
INTRODUCTION	vii
SOME FACTORS INFLUENCING VITAL STATISTICS.....	viii- xi
Sources of data.....	viii
Completeness of registration.....	viii- ix
Accuracy and completeness of reporting items on certificates.....	ix - x
Changes in classification of causes of death.....	x
Socio-economic status.....	x
Population, race and age trends.....	x -xi
Military events.....	xi
DISCUSSION OF 1957 STATISTICS.....	xii-xix
Population.....	xii
Physicians.....	xii
Marriages and divorces.....	xii-xiii
Fetal deaths.....	xiii
Live births.....	xiv
Immature births.....	xiv- xv
Births to unwed mothers.....	xv
Infant deaths.....	xv
Deaths from immaturity.....	xv -xvi
Neonatal deaths.....	xvi-xvii
Maternal deaths.....	xvii-xviii
Deaths all ages.....	xviii-xix
Deaths by age groups.....	xix

FIGURES

Figure	Page
1. Live birth rates adjusted for underregistration, Georgia 1940-1957.....	ix
2. Live birth and death rates, by race, Georgia, 1925-1957...	xi
3. Immature birth rates, 1947-1957.....	xvi
4. Infant and neonatal death rates by race, Georgia, 1925-1957	xvii
5. Maternal death ratio by race, Georgia, 1925-1957.....	xviii

TEXT TABLES

Table	Page
1. Estimates of birth registration completeness, by place of occurrence, Georgia, 1940-1957.....	viii
2. Deaths due to ill-defined and unknown causes, Georgia 1947-1957.....	x
3. Population by race and residence, Georgia, April 1, 1950-July 1, 1957.....	xii
4. Marriages by residence of bride and groom, Georgia, 1957....	xiii
5. Fetal deaths by race, place of occurrence, attendant and length of gestation, Georgia, 1957.....	xiii
6. Live birth rates, Georgia, 1940-1957.....	xiv
7. Death rates per 100,000 population for Georgia and United States, and death rates adjusted for age and race, Georgia, 1950-1957.....	xix

GENERAL TABLES

I. Selected vital events, number and rate and per cent occurring in hospitals by race, urban and rural, Georgia, 1957...	1
II. Deaths, all causes, number and rate per 1,000 population by race, age and sex, Georgia, 1957.....	1
III. Summary of selected vital statistics, Georgia, 1927-1957....	2-3
IV. Live births by age of parents, Georgia, 1957.....	4
V. Live births to unwed mothers, number and rate per 1,000 live births, by age of mother, Georgia, 1957.....	4
VI. Important causes of death, number and rate per 100,000 population, in specified age groups, by race, Georgia, 1957.	5-8
VI-a. Important causes of death, number and per cent, in specified age groups, Georgia, 1957 (Charts).....	9-11
VII. Deaths from heart diseases by type, by age, Georgia, 1957...	12
VIII. Deaths from cancer, by site, race, and sex, Georgia, 1957...	12

GENERAL TABLES (Cont'd)

Table	Page
IX. Deaths, number and ratio (per 10,000 live births) from diseases of pregnancy, childbirth, and the puerperium, by race, Georgia, 1957.....	13
X. Infant deaths, number and rate per 1,000 live births by race, sex and age, Georgia, 1957.....	13
XI. Infant deaths, number and rate per 1,000 live births by race, by cause, Georgia, 1957.....	14
XII. Accidental deaths, number and rate, by type of accident, by age, Georgia, 1957.....	15
XIII. Vital statistics, by county and race, Georgia, 1957.....	16-79
XIV-A. Vital statistics, by cities with population of 75,000 or more, Georgia, 1957.....	80-81
XIV-B. Vital statistics, by cities with population of 10,000-74,999, Georgia, 1957.....	82-91
XV. Live births to unwed mothers, number and rate per 1,000 live births, by race, Georgia, 1957.....	92-93
XVI. Number of physicians in private practice and average number of persons per physician, by county, Georgia, January 1, 1958.....	94
XVII-A. Estimated population by race, sex and age, Georgia, July 1, 1957.....	95
XVII-B. Estimated population by race, by urban and rural civilian population by race, by county and incorporated places of 2,500 or more persons, Georgia, July 1, 1957.....	95-97
XVIII. Total population by census years by age and race, Georgia, 1920-1950.....	97
XIX. Marriages, divorces, and annulments, by county of application, by race, Georgia, 1957.....	98-99

SYMBOLS USED IN THIS REPORT

- Quantity is zero in frequency table
- Data not available
- ... Rate or per cent not applicable
- 0.0 Rate or per cent more than zero but less than 0.05
- 0 Quantity is zero in rate table

INTRODUCTION

This is the tenth consecutive year this report has been prepared. The format has varied from year to year as efforts are made to present the material in the most useful and concise manner. In 1953, a format which should prove useful over a period of years was introduced and is followed very closely in this report.

Most data for a county or city are together in one table. Counties are in alphabetical sequence and cities are in alphabetical sequence within population size groups. No data are shown for health regions. However, certain data are tabulated by regions and are available on request. Detailed state data are included for the current year as well as several historical series for 1926-1957.

Most tabulations are based on births, deaths, fetal deaths, marriages and divorces recorded in the Division of Vital Records and known births and deaths of Georgia residents which occurred outside of Georgia. Unless specifically stated otherwise, all data on births, deaths and fetal deaths are allocated to place of residence. Marriages are tabulated by place of issuance of licenses and divorces by place in which divorce is granted.

Population estimates and number of physicians by county are also included in this report.

Additional copies of most of the tables and more detailed tabulations of these and other health statistics are available. Address correspondence to:

Georgia Department of Public Health
Division of Statistics
12 Capitol Square
Atlanta 3, Georgia

SOME FACTORS INFLUENCING VITAL STATISTICS

Sources of data

The data contained in this report are obtained primarily from certificates of birth, death, fetal deaths, reports of divorces and annulments and the marriage registry. Population estimates are compiled in the Division of Statistics using births, deaths, and school enrollment figures as a measure of increase or decrease and the latest census count as a base. (Copies of these estimates with a description of method used are available upon request.)

Completeness of registration

In connection with the Census of Population Reports of 1940 and 1950, tests were made to determine the completeness of birth registration in each state. The 1950 test showed 94.6% of Georgia's births to be registered. The percentage of completeness varies from county to county and in some instances accounts for differences in rates which can result in misinterpretations of health statistics.

Estimates of completeness of birth registration for 1940-1957 are shown in Table 1. Estimates for 1941-1949 are interpolations of the results obtained in the birth registration tests of 1940 and 1950. Percentage completeness of registration by race and place of delivery in 1950 was applied to reported births to obtain estimates for 1951-1957. The estimated increase since 1950 is due entirely to the increase in the proportion of births delivered in hospitals.


TABLE 1 - ESTIMATES OF BIRTH REGISTRATION COMPLETENESS, BY PLACE OF OCCURRENCE, GEORGIA, 1940-1957

<u>Year</u>	<u>Per Cent Completeness</u>
1940	81.3*
1941	82.6
1942	84.0
1943	85.3
1944	86.6
1945	88.0
1946	89.3
1947	90.6
1948	91.9
1949	93.3
1950	94.6*
1951	95.1
1952	95.5
1953	95.7
1954	96.0
1955	96.2
1956	96.3
1957	96.4

* Results of birth registration completeness tests

Figure 1 shows live birth rates before and after correction for under-registration.

Figure 1
LIVE BIRTH RATES ADJUSTED FOR
UNDERREGISTRATION, GEORGIA, 1940-1957



Very little study has been made on completeness of registration of other vital events. However, the statistics on these events do show certain indications concerning the quality of reporting.

It is felt that death registration, in general, is more complete than birth registration since it is necessary to file a death certificate in order to receive a burial permit. Completeness of death registration is probably poorest for infants who die soon after birth.

Fetal deaths are probably grossly underreported in Georgia. An increasing amount of attention is being focused on the relationship of late fetal and early infant deaths, and adequate analysis requires good reporting.

County ordinaries are required to report marriages to the Division of Vital Records and completeness of reporting is believed to be good.

Accuracy and completeness of reporting items on certificates

The accuracy and completeness of the reporting of events determine to a great extent the quality of statistics regarding such events.

Unanswered items on certificates result in "unknown" quantities which can not be interpreted in the analysis of the data, and erroneously answered items create a bias in the data which will affect any conclusions made.

One of the most serious problems in birth and death registration is the allocation of data to urban or rural residence. When a residence is outside the corporate limits of a city and the city is shown as the address, the residence is classified as urban unless the person completing the certificate indicates that

the residence is outside the city. This results in an over-allocation of events to urban areas with an under-allocation to rural areas. This should be considered in analyzing rural and urban differences.

Changes in classification of causes of death

A major change in classifying causes of death was made in 1950 with the adoption of the sixth revision of the International Statistical Classification of Diseases, Injuries and Causes of Death.

In order to compare specific death rates since 1949 with those in 1949 or prior years, it was necessary to determine comparability ratios for each disease to use in adjusting the rates for 1940-1949. The comparability ratio is the ratio of the number of deaths assigned to a cause under the "Sixth" revision to the number assigned to the same cause under the "Fifth" revision. Ratios for some of the leading causes are given in Vital Statistics, Georgia, 1953, Tables 4 and 12, pages xiii and xxv.

Changes in the manner of medical certification have also resulted in improved mortality statistics. One indication of improvement is the decline in the per cent of deaths attributed to ill-defined and unknown causes. In 1957, only 1.1% of the total deaths was in this category as compared with 2.5% in 1948. This does not necessarily imply that the quality of the information is better, but it does show that more certificates have classifiable data on cause of death.

TABLE 2 - DEATHS DUE TO ILL-DEFINED AND UNKNOWN CAUSES,
GEORGIA, 1948-1957

<u>Year</u>	<u>Number</u>	<u>Per Cent of Total Deaths</u>
1948	740	2.5
1949	677	2.3
1950	615	2.0
1951	642	2.1
1952	581	1.9
1953	478	1.6
1954	433	1.4
1955	359	1.2
1956	315	1.0
1957	364	1.1

Socio-economic status

The socio-economic status of a population affects vital statistics in various ways.

Georgia's population is younger and includes a larger proportion of non-whites than the United States as a whole. The average number of years of school completed and per capita incomes in Georgia have been lower than United States figures for many years.


Population, race and age trends

Most of Georgia's recent growth can be attributed to gains among the white population. An indication of the high rate of increase for the white population is illustrated by U. S. Census Bureau reports which show the white proportion of the population increasing from 53.2% in 1900 to 69.1% in 1950.

A large amount of growth from 1900 to 1950 has taken place in urban areas. The urban population which represented only 15.6% of the population in 1900 had increased to 45.3% in 1950. Although this trend has prevailed among both white and nonwhite races, the rate of urbanization for whites has proceeded at a higher rate than for nonwhites.

Georgia's population is living to be older than ever before. In 1950, all age groups over 25 years of age were greater numerically and represented a higher per cent of the total population than in 1900. This general trend is true of each race-sex component of the population.

One of the factors in Georgia's population growth is natural increase (the excess of births over deaths). In 1957, Georgia had a natural increase of 68,461. Figure 2 shows live birth and death rates, by race, for Georgia, 1925-1957. The difference between the birth and death rates is the rate of natural increase.



Military events

In 1950, vital events occurring on military reservations were included in county figures. In all other years from 1940-1957, events occurring on military reservations are included in state totals but excluded from county totals. The counties affected most by this procedure are Chattahoochee, Liberty, Muscogee and Richmond.

DISCUSSION OF 1957 STATISTICS

Population

The estimated population for Georgia, July 1, 1957, shows an increase of 12.2% over the Census figures for Georgia, April 1, 1950. Approximately 84% of this increase occurred in the white population. (See Table 3)

"Urban" as used here results in an estimate which is less than would be obtained by using the United States Census Bureau's 1950 definition.

TABLE 3 - POPULATION BY RACE AND RESIDENCE, GEORGIA, APRIL 1, 1950 - JULY 1, 1957

Year	Total	White	Nonwhite	Urban		Rural	
				White	Nonwhite	White	Nonwhite
Estimate July 1, 1957	3,866,000	2,733,000	1,133,000	1,222,000*	566,000*	1,511,000	567,000
U. S. Census April 1, 1950	3,444,578	2,380,577	1,064,001	1,067,911	491,536	1,312,666	572,465
% change since April 1, 1950	12.2	14.8	6.5	14.4	15.1	15.1	- 1.0

* Urban as used here includes the population of incorporated places which had 2,500 or more in 1957 plus military personnel stationed in the state.

Source: U. S. Census figures from Census Bureau Reports

Physicians

As of December 31, 1957, there were 3,182 physicians located in Georgia. Of this number, 2,529 were engaged in private practice, 406 were institutional physicians, 55 were in public health and 192 were retired. There were 1,500 civilian persons for each physician in private practice. County totals for physicians in private practice are shown in Table XVI, page 94.

Marriages and divorces

In 1957, there were 51,235 marriages recorded in Georgia, a decrease of 986 from the 52,221 recorded in 1956. The rate in 1957 was 13.3 per 1,000 population as compared with 13.8 in 1956.

Table 4 shows marriages occurring in Georgia in 1957, by place of residence of the bride and groom. Approximately 39% of the persons married in Georgia were residents of other states.

TABLE 4 - MARRIAGES BY RESIDENCE OF BRIDE AND GROOM, GEORGIA, 1957

Resident of Georgia	Number
Total marriages	51,235
Bride and groom	28,725
Bride	2,573
Groom	1,604
Neither	18,026
Not stated	307

There were 8,798 divorces reported in Georgia in 1957, which is an increase of 1,075 over the 7,723 reported in 1956. The divorce rate in 1957 was 2.3 per 1,000 population, as compared to 2.0 in 1956.

Fetal deaths

A fetal death is defined as a delivery of any length gestation that shows no sign of life after complete birth. Prior to 1954, only fetal deaths of "20 or more" weeks gestation were recorded, and they were classified as stillbirths.

In 1954, a new procedure was initiated whereby all fetal deaths, regardless of length of gestation, were recorded and so classified. They were grouped according to length of gestation, so that the total of the two fetal death groupings, "20-27 weeks" and "28 weeks and over" corresponds to what has been classified as stillbirths prior to 1954.

Table 5 shows Georgia fetal deaths for 1957 by race, place of occurrence, attendant and length of gestation. Fetal deaths in 1957, with 3,638 and a ratio of 35.7 per 1,000 live births show the lowest number and ratio since the new procedure of classification was instituted in 1954.

Three thousand and seventy-five (84.5%) of the fetal deaths in 1957 occurred in hospitals as compared with 3,053 (81.8%) in 1956.

TABLE 5 - FETAL DEATHS BY RACE, PLACE OF OCCURRENCE, ATTENDANT AND LENGTH OF GESTATION, GEORGIA, 1957

Race and Length of Gestation	Total	Hospital				Non-hospital			
		Total	Physician	Midwife	Other	Total	Physician	Midwife	Other
Total	3,638	3,075	3,062	2	11	563	285	222	56
Under 20 weeks	1,480	1,335	1,334	-	1	145	109	27	9
20-27 weeks	556	447	445	-	2	109	63	39	7
28 weeks & over	1,429	1,154	1,145	1	8	275	92	149	34
Unknown	173	139	138	1	-	34	21	7	6
White	2,080	2,005	1,999	-	6	75	71	3	1
Under 20 weeks	1,044	1,003	1,002	-	1	41	41	-	-
20-27 weeks	271	260	258	-	2	11	11	-	-
28 weeks & over	681	665	662	-	3	16	12	3	1
Unknown	84	77	77	-	-	7	7	-	-
Nonwhite	1,558	1,070	1,063	2	5	488	214	219	55
Under 20 weeks	436	332	332	-	-	104	68	27	9
20-27 weeks	285	187	187	-	-	98	52	39	7
28 weeks & over	748	489	483	1	5	259	80	146	33
Unknown	89	62	61	1	-	27	14	7	6

Live births

A live born child is one who shows any evidence of life (breathing, heart beat, or movement of voluntary muscles) after complete birth.

The 101,882 live births in 1957 is a slight decrease from the 1956 record number of 102,643, but this is the fourth consecutive year in which more than 100,000 live births were recorded. The 1957 live birth rate was 26.4 per 1,000 population compared to 27.1 for 1956. Table 6 shows live birth rates, 1940-1957 adjusted for incomplete registration, and Figure 1, page xi, graphically illustrates the information in this table.

TABLE 6 - LIVE BIRTH RATES, GEORGIA, 1940 - 1957

Year	Rate per 1,000 Population	
	Crude	Adjusted for Incomplete Registration
1940	20.7	25.5
1941	21.6	26.2
1942	23.1	27.5
1943	25.1	29.4
1944	24.7	28.5
1945	24.0	27.3
1946	27.4	30.7
1947	29.2	32.2
1948	28.6	31.1
1949	29.0	31.1
1950	26.7	28.2
1951	26.7	28.1
1952	27.3	28.6
1953	27.0	28.2
1954	27.3	28.4
1955	26.8	27.9
1956	27.1	28.1
1957	26.4	27.3

Since 1928, nonwhite birth rates have been consistently higher than white birth rates. From 1928 to 1950, rates for the nonwhite race showed a gradual increase while white rates remained fairly constant from 1928 to 1942 and increased rapidly from 1942 to 1950. The rates for both races leveled off in 1950 and have remained fairly constant through 1957.

The white and nonwhite birth rates for 1957 are 23.9 and 32.2, respectively. Birth rates for both races are higher in urban than rural areas (see Table I, page 1).

In 1957, approximately 86% of all live births, 98.1% of the white and 63.0% of the nonwhite, occurred in hospitals. This is a 1.2% increase over the proportion which were hospital births in 1956, with most of the increase occurring to the nonwhite births (0.1% increase in white, 2.8% increase in nonwhite).

Immature births

An immature birth is defined as the birth of a live born infant with a weight of $5\frac{1}{2}$ lbs. (2500 grams) or less. If weight is not specified, a live born infant whose period of gestation is less than 37 weeks is considered immature.

Eight thousand, seven hundred and fifty-two (8,752) immature births were reported in 1957, giving a rate of 85.9 per 1,000 live births. This is an increase over 1956 figures of 90 in number and 1.5 in rate.

Births to unwed mothers

On the confidential medical report of live births the question is asked: "Is mother married to father of the child?" For statistical purposes, the answer "no" indicates a birth to an unwed mother. In 1957, there were 10,061 of these births, resulting in a rate of 98.8 per 1,000 live births. This rate is even higher than last year's rate - the highest ever recorded in the state up until that time. The white and nonwhite rates for 1957 are 15.7 and 247.3 per 1,000 live births, respectively.

Births to unwed mothers, by county of residence, are shown in Table XV, page 92.


Infant deaths

An infant death is any death occurring during the first year of life. There were 3,099 infant deaths recorded for 1957, with a white rate of 22.7 per 1,000 live births and a nonwhite rate of 44.3. The ten leading causes of death in the under-one-year age group remain the same as for 1956, the only changes being slight shifts in position of the individual causes within the group.

Deaths from immaturity

A death attributed to immaturity is one classified as "Immaturity with mention of other subsidiary causes" or "Immaturity unqualified," sixth revision list numbers 774 and 776, respectively.

Immaturity continues to be the leading cause of infant deaths in the state. In 1957, 579 infant deaths were classified as due to immaturity, giving a rate of 5.7 per 1,000 live births. Both the number and rate reveal a very slight increase over those of 1956, with the increase occurring in the nonwhite population. Figure 3 shows immature birth and death rates by race for Georgia since 1926.



Of the remaining 2,520 infant deaths, 690 were assigned to other causes with mention of immaturity. Thus, immaturity was associated with 40.9% of all infant deaths in 1957, as compared to 39.9% in 1956.


Neonatal deaths

A neonatal death is any death occurring under 28 days of age. The 2,062 neonatal deaths reported for 1957 comprise 66.5% of the total infant deaths for the year.

Approximately 49% of all neonatal deaths occurred to infants under one day of age. This proportion is slightly higher than that for last year, but the rate of 10.0 per 1,000 live births is essentially the same. However, total neonatal deaths have shown a marked decline since 1935. Figure 4 illustrates the decline in the infant and neonatal death rates.

Figure 4


INFANT AND NEONATAL DEATH RATES BY RACE, GEORGIA, 1925-1957

Maternal deaths

A maternal death is a death from complication of pregnancy, childbirth or the puerperium. There were 82 maternal deaths reported for Georgia in 1957. The rate has dropped steadily since 1940, reaching a new low of 8.0 per 10,000 live births in 1957. Figure 5 shows maternal death rates for Georgia since 1924.

Figure 5

MATERNAL DEATH RATIO BY RACE, GEORGIA, 1925 — 1957

Deaths all ages

For the first time since 1948, the crude death rate, 8.6 per 1,000 population, showed an increase over the rate for the preceding year. This increase is believed to be due in part to an outbreak of influenza. Approximately 55% of all deaths occurred either during the first year of life or after age 65. Table II shows death rates by age, race and sex. Nonwhite rates are higher than white rates at all ages for both sexes except in the age group 75 years and older.

Heart disease was again the leading cause of death in 1957, with a rate of 272.3 per 100,000 population. This rate was slightly higher than the rate of 262.2 reported for 1956.

The ten leading causes of death remained the same in 1957 as in 1956. However, influenza and pneumonia moved into fourth place and deaths from accidents other than motor-vehicle dropped to fifth. The other causes remained in the same position as in 1956.

Table 7 shows death rates for Georgia adjusted for age and race. The direct method is used with the 1950 United States population as the standard. ^{1/}

^{1/} This method is discussed in Vital Statistics Rates in the United States 1900-1940, pp. 66-69

TABLE 7 - DEATH RATES PER 100,000 POPULATION FOR GEORGIA AND UNITED STATES - AND DEATH RATES ADJUSTED FOR AGE AND RACE, GEORGIA, 1950-1957

Year	Death Rates						Georgia Rates Adjusted for:		
	United States			Georgia			Age & Race	Age Only	
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
1950	963.8	945.7	1119.4	880.6	767.8	1119.1	934.9	910.5	1144.4
1951	966.3	949.3	1110.9	865.0	738.0	1149.2	902.6	872.2	1162.7
1952	961.0	944.4	1101.5	862.1	740.7	1140.0	887.4	857.5	1144.0
1953	958.5	944.5	1076.8	853.3	735.3	1127.5	884.5	855.8	1130.3
1954	918.9	908.3	1007.4	832.1	732.0	1067.8	872.4	849.5	1068.0
1955	929.5*	922.2*	990.3*	825.4	731.5	1044.8	871.4	851.5	1042.4
1956	936.1*	928.1*	1009.9*	832.6	741.9	1049.3	870.4	844.1	1094.9
1957	960.0*	---	---	864.5	765.8	1102.6	902.8	874.0	1149.7

* Estimated by NOVS

Age adjusted death rates for the white race in Georgia are considerably higher than unadjusted rates. On the other hand, nonwhite death rates show little change when adjusted for age. The variations between age adjusted and unadjusted rates are a reflection of differences in the age structure of the population of Georgia as compared with the United States.

Georgia's age-race adjusted rate is somewhat lower than the United States total rate in 1950 and has decreased at a faster rate than the unadjusted total rate for the United States. However, the 1957 adjusted and unadjusted rates are slightly higher than in 1956.

Georgia's adjusted rates are not necessarily comparable with any United States rates except those for 1950, because of changes in the composition of the population of the United States since 1950. To be comparable year by year, United States rates would also have to be adjusted to the basis of the 1950 population.

Deaths by age groups

Heart diseases (International List code numbers 410-443) are the leading cause of death in the age groups of 25-44 years, 45-64 years, and 65 years and over.

In the 5-14 years age group, accidents, excluding motor-vehicle accidents, are the leading cause of death, comprising approximately 28% of the deaths occurring in this age group. These accidents are the second leading cause in the 1-4 and 15-24 years age groups and fall among the ten leading causes in each age group.

Motor-vehicle accidents lead the list of causes for the 15-24 years age group and are second in the 5-14 group and third in the 25-44 years age group.

Deaths from all accidents combined are the leading cause of death for all age groups from one through forty-four years of age.

Violence (all accidents, homicides and suicides) causes approximately 62% of all the deaths of people 15-24 years of age, and 30% of those 25-44 years old. The high percentage of deaths from violence in the 15-24 years age group can be partially attributed to the fact that so few in this age group die from diseases. The age specific rate of deaths from violence is lower in this group than in the 25-44 years age group. (See Tables VI and VI-a).

GENERAL TABLES

TABLE I - SELECTED VITAL EVENTS, NUMBER AND RATE AND PER CENT OCCURRING IN HOSPITALS BY RACE, URBAN AND RURAL, GEORGIA, 1957

Event	State			Urban *			Rural		
	Total Both Races	White	Non-white	Total Both Races	White	Non-white	Total Both Races	White	Non-white
LIVE BIRTHS									
Number	101,882	65,412	36,470	48,333	29,802	18,531	53,549	35,610	17,939
Rate per 1,000 population	26.4	23.9	32.2	27.0	24.4	32.7	25.8	23.6	31.6
% occurring in hospital	85.6	98.1	63.0	92.2	99.3	80.7	79.6	97.2	44.7
DEATHS									
Number	33,421	20,929	12,492	17,132	10,046	7,086	16,289	10,883	5,406
Rate per 1,000 population	8.6	7.7	11.0	9.6	8.2	12.5	7.8	7.2	9.5
% occurring in hospital	47.7	53.8	37.5	52.6	59.0	43.6	42.5	48.9	29.5
FETAL DEATHS									
Number	3,638	2,080	1,558	1,886	1,036	850	1,752	1,044	708
Ratio per 1,000 live births	35.7	31.8	42.7	39.0	34.8	45.9	32.7	29.3	39.5
% occurring in hospital	84.5	96.4	68.7	89.3	97.5	79.4	79.3	95.3	55.8
MATERNAL DEATHS									
Number	82	23	59	29	8	21	53	15	38
Ratio per 10,000 live births	8.0	3.5	16.2	6.0	2.7	11.3	9.9	4.2	21.2
% occurring in hospital	67.1	73.9	64.4	79.3	100.0	71.4	60.4	60.0	60.5
INFANT DEATHS (Under 1 year)									
Number	3,099	1,482	1,617	1,484	710	774	1,615	772	843
Rate per 1,000 live births	30.4	22.7	44.3	30.7	23.8	41.8	30.2	21.7	47.0
% occurring in hospital	67.1	86.2	49.5	75.1	91.3	60.2	59.7	81.5	39.7
NEONATAL DEATHS									
Number	2,062	1,148	914	1,041	576	465	1,021	572	449
Rate per 1,000 live births	20.2	17.6	25.1	21.5	19.3	25.1	19.1	16.1	25.0
% occurring in hospital	82.1	95.7	65.0	88.8	98.1	77.2	75.3	93.4	52.3
IMMATURE BIRTHS									
Number	8,752	4,441	4,311	4,538	2,147	2,391	4,214	2,294	1,920
Rate per 1,000 live births	85.9	67.9	118.2	93.9	72.0	129.0	78.7	64.4	107.0
% occurring in hospital	85.5	97.9	72.7	91.4	99.0	84.5	79.2	96.8	58.1
DEATHS FROM IMMATUREITY									
Number	579	291	288	279	133	146	300	158	142
Rate per 1,000 live births	5.7	4.4	7.9	5.8	4.5	7.9	5.6	4.4	7.9
% occurring in hospital	81.0	96.2	65.6	90.3	97.7	83.6	72.3	94.9	47.2
LIVE BIRTHS TO UNWED MOTHERS									
Number	10,061	1,042	9,019	5,556	566	4,990	4,505	476	4,029
Rate per 1,000 live births	98.8	15.9	247.3	115.0	19.0	269.3	84.1	13.4	224.6
% occurring in hospital	60.1	93.9	56.2	75.7	96.6	73.3	40.9	90.5	35.1
FETAL DEATHS TO UNWED MOTHERS									
Number	511	65	446	319	34	285	192	31	161
Ratio per 1,000 live births	5.0	1.0	12.2	6.6	1.1	15.4	3.6	0.9	9.0
% occurring in hospital	68.9	92.3	65.5	76.8	97.1	74.4	55.7	87.1	49.7
MARRIAGES** (Place of application)									
Number	51,235	41,090	10,080	---	---	---	---	---	---
Rate per 1,000 population	13.3	15.0	8.9	---	---	---	---	---	---
DIVORCES AND ANNULMENTS (Place of occurrence)									
Number	8,798	---	---	---	---	---	---	---	---
Rate per 1,000 population	2.3	---	---	---	---	---	---	---	---

* Includes events occurring in military installations

** Total contains 65 of unknown race

--- Not available

TABLE II - DEATHS, ALL CAUSES, NUMBER AND RATE PER 1,000 POPULATION BY RACE, AGE, AND SEX, GEORGIA, 1957

Age Group	Number					Rate per 1,000 Population				
	White		Nonwhite			White		Nonwhite		
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All ages	33,421	12,235	8,694	6,707	5,785	8.6	9.0	6.3	12.4	9.8
Under 1 year	3,099	849	633	915	702	31.8	25.4	20.0	56.5	43.1
1 - 4 years	514	131	108	148	127	1.4	1.0	0.9	2.3	2.0
5 - 14 years	470	166	93	134	77	0.6	0.6	0.4	1.0	0.6
15 - 24 years	731	318	115	198	100	1.2	1.5	0.6	2.0	1.0
25 - 34 years	1,155	406	163	314	272	2.1	2.0	0.8	4.6	3.3
35 - 44 years	2,191	688	371	597	535	4.3	3.7	1.9	10.3	7.6
45 - 54 years	4,021	1,469	637	998	917	10.2	10.2	4.2	21.7	16.6
55 - 64 years	5,873	2,171	1,032	1,437	1,233	21.7	22.3	9.5	48.7	34.7
65 - 74 years	7,237	2,947	1,957	1,215	1,118	42.7	51.4	27.4	68.6	48.8
75 - 84 years	5,898	2,392	2,529	504	473	79.1	107.7	79.0	54.8	42.2
85 years & over*	2,232	698	1,056	247	231	178.6	268.5	234.7	98.8	79.7

* Includes 11 with age unknown

TABLE III - SUMMARY OF SELECTED VITAL STATISTICS, GEORGIA, 1927 - 1957

Year	Livebirths						Deaths						Maternal Deaths *					
	Number			Rate			Number			Rate			Number			Ratio		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
1927	62,246	39,281	22,965	21.4	21.9	20.7	31,869	16,230	15,639	11.0	9.0	14.1	578	291	287	92.9	74.1	125.0
1928	60,259	38,135	22,124	20.7	21.0	20.2	36,085	18,642	17,443	12.4	10.3	15.9	622	312	310	103.2	81.8	140.1
1929	58,521	35,751	22,770	20.1	19.6	21.1	35,340	18,245	17,095	12.2	10.0	15.8	549	284	265	93.8	79.4	116.4
1930	60,318	37,064	23,254	20.7	20.1	21.7	35,188	18,036	17,152	12.1	9.8	16.0	658	361	297	109.1	97.4	127.7
1931	61,774	37,531	24,243	21.0	19.9	22.5	32,989	17,012	15,977	11.2	9.2	14.8	616	322	294	99.7	85.8	121.3
1932	63,690	38,209	25,481	21.5	20.4	23.5	32,122	16,813	15,309	10.8	9.0	14.1	620	310	310	97.3	81.1	121.7
1933	60,744	35,692	25,052	20.4	18.8	23.0	31,184	16,847	14,337	10.4	8.9	13.2	463	227	236	76.2	63.6	94.2
1934	64,615	38,333	26,282	21.5	20.1	24.0	35,590	19,157	16,433	11.8	10.0	15.0	505	262	243	78.2	68.3	92.5
1935	63,290	37,345	25,945	20.9	19.4	23.6	34,313	18,677	15,636	11.3	9.7	14.2	458	230	228	72.4	61.6	87.9
1936	61,617	36,320	25,297	20.2	18.7	22.9	37,293	20,156	17,137	12.2	10.4	15.5	491	251	240	79.7	69.1	94.9
1937	64,012	38,181	25,831	20.8	19.4	23.2	34,411	18,493	15,918	10.8	9.4	14.3	471	240	231	73.6	62.9	89.4
1938	64,307	38,613	25,694	20.7	19.5	23.0	33,617	18,109	15,508	10.8	9.1	13.9	421	198	223	65.5	51.3	86.8
1939	64,910	38,923	25,987	20.8	19.5	23.1	31,856	17,486	14,370	10.2	8.7	12.8	356	175	181	54.8	45.0	69.6
1940	64,695	38,911	25,784	20.7	19.1	23.8	32,296	17,324	14,972	10.3	8.5	13.8	342	146	196	52.9	37.5	76.0
1941	67,785	41,277	26,508	21.6	20.1	24.4	31,579	16,717	14,862	10.0	8.1	13.7	315	133	182	46.5	32.2	68.7
1942	72,189	45,192	26,997	23.1	22.2	24.9	28,807	15,820	12,987	9.2	7.8	12.0	299	146	153	41.4	32.3	56.7
1943	70,149	43,149	26,178	23.1	22.6	25.0	29,488	16,414	13,074	9.4	8.0	12.0	303	150	153	38.7	29.9	54.3
1944	71,018	44,464	27,554	24.7	24.3	25.4	28,803	16,118	12,685	9.2	7.9	11.7	276	122	154	35.8	24.7	55.9
1945	74,994	47,422	27,572	24.0	23.3	25.4	28,456	16,310	12,146	9.1	8.0	11.2	250	102	148	33.3	21.5	53.7
1946	85,699	56,354	29,345	27.4	27.6	27.0	27,405	16,160	11,245	8.8	7.9	10.4	229	85	144	26.7	15.1	49.1
1947	94,311	62,394	31,917	29.2	29.2	29.2	28,780	17,022	11,758	8.9	8.0	10.8	247	107	140	26.2	17.1	43.9
1948	91,604	58,601	33,003	28.6	27.7	30.5	29,309	17,083	12,226	9.2	8.1	11.3	208	78	130	22.7	13.3	39.4
1949	93,527	58,659	34,898	29.0	27.4	32.2	29,537	17,351	12,186	9.2	8.1	11.3	185	71	114	19.8	12.1	32.7
1950	92,099	57,003	35,096	26.7	24.3	31.6	30,416	18,005	12,411	8.8	7.7	11.2	150	55	95	16.3	9.6	27.1
1951	95,161	59,285	35,876	26.7	24.1	32.6	30,802	18,161	12,641	8.6	7.4	11.5	143	46	97	15.0	7.8	27.0
1952	97,130	61,439	35,691	27.3	24.9	33.0	30,622	18,310	12,312	8.6	7.4	11.4	128	36	92	13.2	5.9	25.8
1953	97,421	61,671	35,750	27.0	24.5	32.9	30,754	18,521	12,233	8.5	7.4	11.3	116	39	77	11.9	6.3	21.5
1954	100,191	64,392	35,799	27.3	25.0	32.7	30,555	18,863	11,692	8.3	7.3	10.7	106	31	75	10.9	4.8	21.0
1955	100,295	64,238	36,057	26.8	24.6	32.2	30,838	19,136	11,702	8.3	7.3	10.4	99	38	61	9.9	5.9	16.9
1956	102,643	65,642	37,001	27.1	24.6	33.0	31,582	19,830	11,752	8.3	7.4	10.5	95	36	59	9.3	5.5	15.9
1957	101,882	65,412	36,470	26.4	23.9	32.2	33,421	20,929	14,492	8.6	7.7	11.0	82	23	59	8.0	3.5	16.2

Year	Infant Deaths						Fetal Deaths						Immature Births					
	Number			Rate			Number			Ratio			Number			Rate		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
1927	4,578	2,334	2,244	73.5	59.4	97.7	3,836	1,604	2,232	61.6	40.8	97.2						
1928	4,875	2,574	2,301	80.9	67.5	104.0	3,478	1,335	2,143	57.7	35.0	96.9						
1929	4,464	2,343	2,121	76.3	65.5	93.1	3,541	1,374	2,167	60.5	38.4	95.2						
1930	4,713	2,468	2,245	78.1	66.6	96.5	3,796	1,454	2,342	62.9	39.2	100.7						
1931	4,234	2,137	2,097	68.5	56.9	86.5	3,678	1,424	2,254	59.5	37.9	93.0						
1932	4,097	2,122	1,975	64.3	55.5	77.5	3,847	1,492	2,355	60.4	39.0	92.4						
1933	4,079	2,119	1,960	67.2	59.4	78.2	3,700	1,382	2,318	60.9	38.7	92.5						
1934	5,086	2,628	2,458	78.7	68.6	93.5	4,120	1,673	2,447	63.8	43.6	93.1						
1935	4,316	2,227	2,089	68.2	59.6	80.5	3,987	1,532	2,455	63.0	41.0	94.6						
1936	4,319	2,114	2,205	70.1	58.2	87.2	3,666	1,457	2,209	59.5	40.1	87.3						
1937	3,968	2,014	1,954	62.0	52.7	75.6	3,677	1,499	2,178	57.4	39.3	84.3						
1938	4,352	2,267	2,085	67.7	58.7	81.1	3,390	1,386	2,004	52.7	35.9	78.0						
1939	3,817	1,960	1,857	58.8	50.4	71.5	3,228	1,337	1,891	49.7	34.3	72.8						
1940	3,737	1,851	1,886	57.8	47.6	73.1	3,078	1,326	1,752	47.6	34.1	67.9						
1941	3,955	1,988	1,967	58.3	48.2	74.2	2,903	1,276	1,627	42.8	30.9	61.4						
1942	3,559	1,756	1,803	49.3	38.9	66.8	2,786	1,268	1,518	38.6	28.1	56.2						
1943	3,661	1,911	1,750	46.7	38.1	62.1	2,664	1,238	1,426	34.0	24.7	50.6						
1944	3,398	1,761	1,637	44.1	35.6	59.4	2,523	1,137	1,386	32.8	23.0	50.3						
1945	3,181	1,728	1,453	42.4	36.4	52.7	2,208	1,036	1,172	29.4	21.8	42.5						
1946	3,068	1,694	1,374	35.8	30.0	46.8	2,421	1,161	1,260	28.3	20.6	42.9						
1947	3,239	1,771	1,468	34.3	28.4	46.0	2,457	1,174	1,283	26.1	18.8	40.2	5,738	3,614	2,124	60.8	57.9	66.5
1948	3,150	1,661	1,489	34.4	28.3	45.1	2,408	1,109	1,299	26.3	18.9	39.4	6,508	3,870	2,638	71.0	66.0	79.9
1949	3,093	1,668	1,425	33.1	28.4	40.8	2,178	972	1,206	23.3	16.6	34.6	6,557	3,738	2,819	70.1	63.7	80.8
1950	3,081	1,518	1,563	33.5	26.6	44.5	2,026	885	1,141	22.0	15.5	32.5	6,645	3,697	2,948	72.2	64.9	84.0
1951	3,256	1,548	1,708	34.2	26.1	47.6	2,097	974	1,123	22.0	16.4	31.3	7,355	4,079	3,276	77.3	68.8	91.3
1952	3,158	1,567	1,591	32.5	25.5	44.6	1,992	853	1,139	20.5	13.9	31.9	7,683	4,202	3,481	79.1	68.4	97.5
1953	3,051	1,469	1,582	31.3	23.8	44.3	1,967	867	1,100	20.2	14.1	30.8	7,673	4,224	3,449	78.8	68.5	96.5
1954**	3,155	1,562	1,593	31.5	24.3	44.5	3,950	2,239	1,711	39.4	34.8	47.8	8,382	4,641	3,741	83.7	72.1	104.5
1955	2,985	1,456	1,529	29.8	22.7	42.4	4,161	2,245	1,916	41.5	34.9	53.1	8,572	4,499	4,073	85.5	70.0	113.0
1956	3,087	1,478	1,609	30.1	22.5	43.5	3,734	2,065	1,669	36.4	31.5	45.1	8,662	4,412	4,250	84.4	67.2	114.9
1957	3,099	1,482	1,617	30.4	22.7	44.3	3,638	2,080	1,558	35.7	31.8	42.7	8,752	4,441	4,311	85.9	67.9	118.2

See notes at bottom of page 3.

TABLE III - SUMMARY OF SELECTED VITAL STATISTICS, GEORGIA, 1927 - 1957
 (CONT'D)

Year	Deaths From Immaturity *						Live Births to Unwed Mothers						Neonatal Deaths					
	Number			Rate			Number			Rate			Number			Rate		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
1927	1,194	738	456	19.2	18.8	19.9	4,089	637	3,452	65.7	16.2	150.3	2,439	1,351	1,088	39.2	34.4	47.4
1928	1,159	717	442	19.2	18.8	20.0	3,868	482	3,386	64.2	12.6	153.0	2,694	1,509	1,185	44.7	39.6	53.6
1929	1,107	675	432	18.9	18.9	19.0	4,061	515	3,546	69.4	14.4	155.7	2,475	1,350	1,125	42.3	37.8	49.4
1930	1,218	757	461	20.2	20.4	19.8	4,141	512	3,629	68.7	13.8	156.1	2,620	1,470	1,150	43.4	39.7	49.5
1931	1,153	700	453	18.7	18.7	18.7	4,429	547	3,882	71.7	14.6	160.0	2,537	1,385	1,152	41.1	36.9	47.5
1932	1,090	671	419	17.1	17.6	16.4	5,125	600	4,525	80.5	15.7	177.6	2,464	1,327	1,137	38.7	34.7	44.6
1933	1,046	623	423	17.2	17.5	16.9	5,101	582	4,519	84.0	16.3	180.4	2,384	1,266	1,118	39.2	35.5	44.6
1934	1,183	689	494	18.3	18.0	18.8	5,089	651	4,438	78.8	17.0	168.9	2,790	1,486	1,304	43.2	38.8	49.6
1935	1,111	692	419	17.6	18.5	16.1	5,031	643	4,388	79.5	17.2	169.1	2,489	1,346	1,143	39.3	36.0	44.1
1936	1,145	680	465	18.6	18.7	18.4	4,878	598	4,280	79.2	16.5	169.2	2,492	1,288	1,204	40.4	35.5	47.6
1937	1,080	674	406	16.9	17.7	15.7	4,739	526	4,213	74.0	13.8	163.1	2,345	1,251	1,094	36.6	32.8	42.4
1938	1,061	647	414	16.5	16.8	16.1	4,724	580	4,144	73.5	15.0	161.3	2,369	1,301	1,068	36.8	33.7	41.6
1939	1,077	659	418	16.6	16.9	16.1	4,960	596	4,364	76.4	15.3	167.9	2,300	1,234	1,066	35.4	31.7	41.0
1940	1,017	635	382	15.7	16.3	14.8	5,046	565	4,481	78.0	14.5	173.8	2,267	1,187	1,080	35.0	30.5	41.9
1941	1,103	676	427	16.3	16.4	16.1	5,134	607	4,527	75.7	14.7	170.8	2,298	1,228	1,070	33.9	29.8	40.4
1942	1,094	659	435	15.2	14.6	16.1	5,038	578	4,460	69.8	12.8	165.2	2,149	1,170	979	29.8	25.9	36.3
1943	1,124	691	433	14.4	13.8	15.4	4,911	537	4,374	62.7	10.7	155.2	2,216	1,257	959	28.3	25.1	34.0
1944	1,056	641	415	13.7	13.0	15.1	4,885	592	4,293	63.4	12.0	155.8	2,024	1,111	913	26.3	22.5	33.1
1945	960	609	351	12.8	12.8	12.7	5,385	721	4,664	71.8	15.2	169.2	1,913	1,104	809	25.5	23.3	29.3
1946	1,035	676	359	12.1	12.0	12.2	5,289	681	4,608	61.7	12.1	157.0	2,143	1,262	881	25.0	22.4	30.0
1947	1,060	681	379	11.2	10.9	11.9	6,056	744	5,312	64.2	11.9	166.4	2,220	1,301	919	23.5	20.9	28.8
1948	1,052	636	416	11.5	10.9	12.6	6,240	730	5,510	68.1	12.5	166.0	2,099	1,186	913	22.9	20.2	27.7
1949	1,032	616	416	11.0	10.5	11.9	6,847	712	6,135	73.2	12.1	175.8	2,048	1,185	863	21.9	20.2	24.7
1950	719	343	376	7.8	6.0	10.7	7,633	779	6,854	82.9	13.7	195.3	2,028	1,090	938	22.0	19.1	26.7
1951	707	340	367	7.4	5.7	10.2	8,326	836	7,490	87.5	14.1	208.8	2,058	1,105	953	21.6	18.6	26.6
1952	645	323	322	6.6	5.3	9.0	8,080	789	7,291	83.2	12.8	204.3	1,984	1,135	849	20.4	18.5	23.8
1953	609	254	355	6.3	4.1	9.9	8,407	794	7,613	86.3	12.9	213.0	2,005	1,083	922	20.6	17.6	25.8
1954	618	301	317	6.2	4.7	8.9	8,967	960	8,007	89.5	14.9	223.7	2,106	1,186	920	21.0	18.4	25.7
1955	634	303	331	6.3	4.7	9.2	9,415	962	8,453	93.9	15.0	234.4	1,992	1,091	901	19.9	17.0	25.0
1956	573	300	273	5.6	4.6	7.4	9,916	988	8,928	96.6	15.1	241.3	2,098	1,141	957	20.4	17.4	25.9
1957	579	291	288	5.7	4.4	7.9	10,061	1,042	9,019	98.8	15.9	247.3	2,062	1,148	914	20.2	17.6	25.1

NOTE: Prior to 1938 all events are by place of occurrence; beginning with 1938 events are by place of residence.

* Part of decrease from 1949 to 1950 is directly attributable to changes in classification of causes of death under the Sixth Revision of the International List of Diseases and Causes of Death.

** Prior to 1954 fetal deaths include only those of twenty or more weeks gestation.

Live birth and death rates are per 1,000 population, maternal death ratios are per 10,000 live births; all other rates and/or ratios are per 1,000 live births.

Not Available - Immature births are not available prior to 1947.

TABLE IV - LIVE BIRTHS BY AGE OF PARENTS, GEORGIA, 1957

Age of Mother	Age of Father														
	Total	15 & Under	16-17	18-19	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 - 49	50 - 54	55 - 59	60 - 64	65 & Over	Unknown
Total	101,882	8	299	2,664	24,053	26,272	17,979	11,473	5,732	2,342	777	285	102	99	9,797
15 & Under	1,315	5	73	216	278	37	9	1	1	1	-	-	-	-	694
16 - 17	6,036	1	178	1,034	2,590	463	82	25	7	3	3	1	-	-	1,649
18 - 19	11,428	2	39	1,102	6,555	1,714	253	78	27	12	4	1	1	-	1,640
20 - 24	33,466	-	8	294	13,437	12,993	2,942	799	239	85	35	13	4	7	2,610
25 - 29	24,182	-	1	17	1,065	9,861	8,202	2,506	710	256	91	43	9	16	1,405
30 - 34	14,870	-	-	-	96	1,042	5,755	4,778	1,565	475	180	58	23	17	881
35 - 39	8,073	-	-	-	21	142	691	3,076	2,393	842	243	108	41	25	491
40 - 44	2,021	-	-	-	3	8	38	205	776	600	180	51	21	27	112
45 - 49	150	-	-	-	-	-	1	3	8	65	40	10	3	6	14
50 - 54	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
55 - 59	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Unknown	338	-	-	1	8	12	6	2	6	2	-	-	-	-	301

TABLE V - LIVE BIRTHS TO UNWED MOTHERS, NUMBER AND RATE PER 1,000 LIVE BIRTHS BY AGE OF MOTHER, GEORGIA, 1957

Age Group in Years	Number			Rate		
	Total	White	Nonwhite	Total	White	Nonwhite
Total	10,061	1,042	9,019	98.8	15.9	247.3
15 and under	721	46	675	548.3	114.1	740.1
16 - 17	1,730	182	1,548	286.6	58.2	532.0
18 - 19	1,708	198	1,510	149.5	28.0	346.6
20 - 24	2,718	341	2,377	81.2	15.1	217.6
25 - 29	1,509	139	1,370	62.4	8.6	172.2
30 - 34	944	81	863	63.5	8.3	169.8
35 - 39	515	33	482	63.8	6.7	153.9
40 - 44	111	11	100	54.9	9.3	118.9
45 - 49	15	1	14	100.0	13.7	181.8
Unknown	90	10	80	266.3	161.3	289.9

TABLE VI - IMPORTANT CAUSES OF DEATH, NUMBER AND RATE IN SPECIFIED AGE GROUPS
BY RACE, GEORGIA, 1957

Rank	Age, Cause of Death and Sixth Revision of International List Number	Number			Rate per 100,000 Population		
		Total	White	Non-white	Total	White	Non-white
<u>ALL AGES</u>							
	Total, all causes	33,421	20,929	12,492	864.5	765.8	1102.6
1.	Heart diseases (410-443)	10,526	7,202	3,324	272.3	263.5	293.4
	Chronic rheumatic heart disease (410-416)	212	141	71	5.5	5.2	6.3
	Arteriosclerotic and degenerative heart disease (420-422)	7,794	5,827	1,967	201.6	213.2	173.6
	Hypertension with heart disease (440-443)	1,929	924	1,005	49.9	33.8	88.7
2.	Vascular lesions affecting central nervous system (330-334)	5,481	3,151	2,330	141.8	115.3	205.6
3.	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues (140-205)	4,107	2,972	1,135	106.2	108.7	100.2
4.	Influenza and pneumonia (480-483, 490-493)	1,627	714	913	42.1	26.1	80.6
	Influenza (480-483)	341	153	188	8.8	5.6	16.6
	Pneumonia (490-493)	1,286	561	725	33.3	20.5	64.0
5.	Accidents other than motor-vehicle accidents (E800-E802, E840-E862)	1,312	752	560	33.9	27.5	49.4
6.	Motor-vehicle accidents (E810-E835)	1,022	767	255	26.4	28.1	22.5
7.	Diseases of arteries (450-456)	839	571	268	21.7	20.9	23.7
	General arteriosclerosis (450)	638	438	200	16.5	16.0	17.7
	Aortic aneurysm specified as non-syphilitic and dissecting aneurysm (451)	152	104	48	3.9	3.8	4.2
8.	Nephritis and nephrosis (590-594)	582	259	323	15.1	9.5	28.5
9.	Immaturity (774-776)	579	291	288	15.0	10.6	25.4
10.	Postnatal asphyxia and atelectasis (762)	523	334	189	13.5	12.2	16.7
	All other causes (residual)	6,823	3,916	2,907	176.5	143.3	256.6
<u>UNDER ONE YEAR</u> *							
	Total, all causes	3,099	1,482	1,617	3041.8	2265.6	4433.8
1.	Immaturity (774-776)	579	291	288	568.3	444.9	789.7
2.	Postnatal asphyxia and atelectasis (762)	523	334	189	513.3	510.6	518.2
3.	Influenza and pneumonia including pneumonia of the newborn (480-483, 490-493, 763)	500	125	375	490.8	191.1	1028.2
	Pneumonia of the newborn (763)	123	40	83	120.7	61.2	227.6
4.	Congenital malformations (750-759)	328	215	113	321.9	328.7	309.8
5.	Birth injuries (760-761)	260	171	89	255.2	261.4	244.0
6.	Other and ill-defined diseases peculiar to early infancy (766-773)	227	115	112	222.8	175.8	307.1
7.	Gastritis, duodenitis, enteritis and colitis, including diarrhea of the newborn (543, 571-572, 764)	149	29	120	146.2	44.3	329.0
	Diarrhea of the newborn (764)	18	5	13	17.7	7.6	35.6
8.	Accidents other than motor-vehicle accidents (E800-E802, E840-E862)	147	50	97	144.3	76.4	266.0
9.	Ill-defined and unknown causes (780-793, 795)	112	19	93	109.9	29.0	255.0
10.	Other diseases of respiratory system (470-475, 500-527)	82	49	33	80.5	74.9	90.5
	Acute upper respiratory infections (470-475)	16	5	11	15.7	7.6	30.2
	Bronchitis (500-502)	21	12	9	20.6	18.3	24.7
	Chronic interstitial pneumonia (non-occupational)(525)	7	3	4	6.9	4.6	11.0
	All other causes (residual)	192	84	108	188.5	128.4	296.1

* Rates for the under one year age group are per 100,000 live births

TABLE VI - IMPORTANT CAUSES OF DEATH, NUMBER AND RATE IN SPECIFIED AGE GROUPS
BY RACE, GEORGIA, 1957 (CONT'D)

Rank	Age, Cause of Death and Sixth Revision of International List Number	Number			Rate per 100,000 Population		
		Total	White	Non-white	Total	White	Non-white
<u>ONE - FOUR YEARS</u>							
	Total, all causes	514	239	275	136.5	96.1	215.0
1.	Influenza and pneumonia (480-483, 490-493)	110	32	78	29.2	12.9	61.0
	Influenza (480-483)	13	4	9	3.5	1.6	7.0
	Pneumonia (490-493)	97	28	69	25.7	11.3	53.9
2.	Accidents other than motor-vehicle accidents (E800-E802, E840-E862)	102	47	55	27.1	18.9	43.0
3.	Congenital malformations (750-759)	52	41	11	13.8	16.5	8.6
4.	Motor-vehicle accidents (E810-E835)	38	24	14	10.1	9.6	10.9
5.	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues (140-205)	37	30	7	9.8	12.1	5.5
6.	Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn)(543, 571-572)	21	7	14	5.6	2.8	10.9
7.	Inflammatory diseases of central nervous system (340-345)	18	7	11	4.8	2.8	8.6
	Meningitis except meningococcal and tuberculous (340)	11	4	7	2.9	1.6	5.5
	intracranial and intraspinal abscess and late effects of intracranial abscess or pyogenic infection (342, 344)	5	1	4	1.3	0.4	3.1
8.	Other diseases of respiratory system (470-475, 500-527)	15	7	8	4.0	2.8	6.3
8.	Ill-defined and unknown causes (780-793, 795)	15	6	9	4.0	2.4	7.0
9.	Other diseases of central nervous system (350-357)	11	5	6	2.9	2.0	4.7
	Cerebral spastic infantile paralysis (351)	7	3	4	1.9	1.2	3.1
10.	Nephritis and nephrosis (590-594)	10	2	8	2.7	0.8	6.3
	All other causes (residual)	85	31	54	22.6	12.5	42.2
<u>FIVE - FOURTEEN YEARS</u>							
	Total, all causes	470	259	211	58.8	48.0	81.0
1.	Accidents other than motor-vehicle accidents (E800-E802, E840-E862)	132	55	77	16.5	10.2	29.6
2.	Motor-vehicle accidents (E810-E835)	77	57	20	9.6	10.6	7.7
3.	Influenza and pneumonia (480-483, 490-493)	43	22	21	5.4	4.1	8.1
	Influenza (480-483)	16	7	9	2.0	1.3	3.5
	Pneumonia (490-493)	27	15	12	3.4	2.8	4.6
4.	Congenital malformations (750-759)	36	27	9	4.5	5.0	3.5
5.	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues (140-205)	35	25	10	4.4	4.6	3.8
6.	Other diseases of central nervous system (350-357)	25	16	9	3.1	3.0	3.5
	Cerebral spastic infantile paralysis (351)	14	10	4	1.8	1.9	1.5
	Epilepsy (353)	9	4	5	1.1	0.7	1.9
7.	Nephritis and nephrosis (590-594)	12	6	6	1.5	1.1	2.3
8.	Vascular lesions affecting central nervous system (330-334)	10	3	7	1.2	0.6	2.7
9.	Other diseases of respiratory system (470-475, 500-527)	7	6	1	0.9	1.1	0.4
	Acute upper respiratory infections (470-475)	3	3	-	0.4	0.6	0
	Hypertrophy of tonsils and adenoids (510)	2	2	-	0.2	0.4	0
	Bronchiectasis (526)	1	1	-	0.1	0.2	0
9.	Appendicitis (550-553)	7	5	2	0.9	0.9	0.8
10.	Measles (085)	5	2	3	0.6	0.4	1.2
10.	Inflammatory diseases of central nervous system (340-345)	5	4	1	0.6	0.7	0.4
	Meningitis except meningococcal and tuberculous (340)	3	3	-	0.4	0.6	0
10.	Heart diseases (410-443)	5	1	4	0.6	0.2	1.5
	Chronic rheumatic heart disease (410-416)	2	-	2	0.2	0	0.8
10.	Other diseases of muscle, tendon and fascia (744)	5	5	-	0.6	0.9	0
10.	Ill-defined and unknown causes (780-793, 795)	5	-	5	0.6	0	1.9
	All other causes (residual)	61	25	36	7.6	4.6	13.8

TABLE VI - IMPORTANT CAUSES OF DEATH, NUMBER AND RATE IN SPECIFIED AGE GROUPS
BY RACE, GEORGIA, 1957 (CONT'D)

Rank	Age, Cause of Death and Sixth Revision of International List Number	Number			Rate per 100,000 Population		
		Total	White	Non-white	Total	White	Non-white
<u>FIFTEEN - TWENTY-FOUR YEARS</u>							
	Total, all causes	731	433	298	120.0	105.9	148.6
1.	Motor-vehicle accidents (E810-E835)	236	182	54	38.7	44.5	26.9
2.	Accidents other than motor-vehicle accidents (E800-E802, E840-E962)	118	67	51	19.4	16.4	25.4
3.	Homicides (E964, E965, E980-E985)	77	15	62	12.6	3.7	30.9
4.	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues (140-205)	36	28	8	5.9	6.8	4.0
5.	Influenza and pneumonia (480-483, 490-493)	34	22	12	5.6	5.4	6.0
	Influenza (480-483)	8	4	4	1.3	1.0	2.0
	Pneumonia (490-493)	26	18	8	4.3	4.4	4.0
6.	Heart diseases (410-443)	24	10	14	3.9	2.4	7.0
	Chronic rheumatic heart disease (410-416)	10	5	5	1.6	1.2	2.5
	Arteriosclerotic and degenerative heart disease (420-422)	9	3	6	1.5	0.7	3.0
	Hypertension with heart disease (440-443)	1	-	1	0.2	0	0.5
7.	Complications of pregnancy, childbirth and the puerperium (640-652, 660, 670-689)	22	10	12	3.6	2.4	6.0
8.	Vascular lesions affecting central nervous system (330-334)	19	9	10	3.1	2.2	5.0
8.	Other diseases of central nervous system (350-357)	19	12	7	3.1	2.9	3.5
	Cerebral spastic infantile paralysis (351)	4	4	-	0.7	1.0	0
	Epilepsy (353)	15	8	7	2.5	2.0	3.5
8.	Suicides (E963, E970-E979)	19	16	3	3.1	3.9	1.5
9.	Diabetes mellitus (260)	14	6	8	2.3	1.5	4.0
9.	Nephritis and nephrosis (590-594)	14	11	3	2.3	2.7	1.5
10.	Congenital malformations (750-759)	9	6	3	1.5	1.5	1.5
	All other causes (residual)	90	39	51	14.8	9.5	25.4
<u>TWENTY-FIVE - FORTY-FOUR YEARS</u>							
	Total, all causes	3,346	1,628	1,718	315.7	208.5	615.5
1.	Heart diseases (410-443)	580	267	313	54.7	34.2	112.1
	Chronic rheumatic heart disease (410-416)	46	24	22	4.3	3.1	7.9
	Arteriosclerotic and degenerative heart disease (420-422)	382	211	171	36.0	27.0	61.3
	Hypertension with heart disease (440-443)	107	17	90	10.1	2.2	32.2
2.	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues (140-205)	484	312	172	45.7	40.0	61.6
3.	Motor-vehicle accidents (E810-E835)	373	280	93	35.2	35.9	33.3
4.	Vascular lesions affecting central nervous system (330-334)	295	73	222	27.8	9.3	79.5
5.	Accidents other than motor-vehicle accidents (E800-E802, E840-E962)	270	167	103	25.5	21.4	36.9
6.	Homicides (E964, E965, E980-E985)	230	53	177	21.7	6.8	63.4
7.	Influenza and pneumonia (480-483, 490-493)	135	26	109	12.7	3.3	39.1
	Influenza (480-483)	28	5	23	2.6	0.6	8.2
	Pneumonia (490-493)	107	21	86	10.1	2.7	30.8
8.	Suicides (E963, E970-E979)	123	105	18	11.6	13.4	6.4
9.	Nephritis and nephrosis (590-594)	89	26	63	8.4	3.3	22.6
10.	Diseases of liver, gallbladder and pancreas (580-587)	81	55	26	7.6	7.0	9.3
	Cirrhosis of liver (581)	58	41	17	5.5	5.3	6.1
	All other causes (residual)	686	264	422	64.7	33.8	151.2

TABLE VI - IMPORTANT CAUSES OF DEATH, NUMBER AND RATE IN SPECIFIED AGE GROUPS
BY RACE, GEORGIA, 1957 (CONT'D)

Rank	Age, Cause of Death and Sixth Revision of International List Number	Number			Rate per 100,000 Population		
		Total	White	Non-white	Total	White	Non-white
<u>FORTY-FIVE - SIXTY-FOUR YEARS</u>							
	Total, all causes	9,894	5,309	4,585	1484.0	1060.5	2760.4
1.	Heart diseases (410-443)	3,724	2,118	1,606	558.6	423.1	966.9
	Chronic rheumatic heart disease (410-416)	102	71	31	15.3	14.2	18.7
	Arteriosclerotic and degenerative heart disease (420-422)	2,731	1,790	941	409.6	357.6	566.5
	Hypertension with heart disease (440-443)	687	184	503	103.0	36.8	302.8
2.	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues (140-205)	1,689	1,104	585	253.3	220.5	352.2
3.	Vascular lesions affecting central nervous system (330-334)	1,626	564	1,062	243.9	112.7	639.4
4.	Influenza and pneumonia (480-483, 490-493)	312	107	205	46.8	21.4	123.4
	Influenza (480-483)	79	24	55	11.8	4.8	33.1
	Pneumonia (490-493)	233	83	150	34.9	16.6	90.3
5.	Accidents other than motor-vehicle accidents (E800-E802, E840-E862)	253	149	104	37.9	29.8	62.6
6.	Motor-vehicle accidents (E810-E835)	212	149	63	31.8	29.8	37.9
7.	Nephritis and nephrosis (590-594)	167	56	111	25.0	11.2	66.8
8.	Diseases of arteries (450-456)	163	79	84	24.4	15.8	50.6
	General arteriosclerosis (450)	77	27	50	11.5	5.4	30.1
	Aortic aneurysm specified as non-syphilitic and dissecting aneurysm (451)	67	38	29	10.0	7.6	17.5
9.	Diabetes mellitus (260)	159	89	70	23.8	17.8	42.1
10.	Diseases of liver, gallbladder and pancreas (580-587)	155	119	36	23.2	23.8	21.7
	Cirrhosis of liver (581)	114	88	26	17.1	17.6	15.7
	All other causes (residual)	1,434	775	659	215.1	154.8	396.7
<u>SIXTY-FIVE YEARS AND OVER</u>							
	Total, all causes	15,356	11,577	3,779	5989.1	6093.2	5691.3
1.	Heart diseases (410-443)	6,182	4,804	1,378	2411.1	2528.4	2075.3
	Chronic rheumatic heart disease (410-416)	52	41	11	20.3	21.6	16.6
	Arteriosclerotic and degenerative heart disease (420-422)	4,669	3,823	846	1821.0	2012.1	1274.1
	Hypertension with heart disease (440-443)	1,133	723	410	441.9	380.5	617.5
2.	Vascular lesions affecting central nervous system (330-334)	3,518	2,497	1,021	1372.1	1314.2	1537.6
3.	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues (140-205)	1,821	1,469	352	710.2	773.2	530.1
4.	Diseases of arteries (450-456)	654	485	169	255.1	255.3	254.5
	General arteriosclerosis (450)	559	410	149	218.0	215.8	224.4
	Aortic aneurysm specified as non-syphilitic and dissecting aneurysm (451)	78	65	13	30.4	34.2	19.6
5.	Influenza and pneumonia (480-483, 490-493)	614	420	194	239.5	221.1	292.2
	Influenza (480-483)	159	98	61	62.0	51.6	91.9
	Pneumonia (490-493)	455	322	133	177.5	169.5	200.3
6.	Accidents other than motor-vehicle accidents (E800-E802, E840-E862)	289	217	72	112.7	114.2	108.4
6.	Nephritis and nephrosis (590-594)	289	158	131	112.7	83.2	197.3
7.	Hypertension without mention of heart disease (444-447)	239	154	85	93.2	81.1	128.0
8.	Diabetes mellitus (260)	203	166	37	79.2	87.4	55.7
9.	Other diseases of respiratory system (470-475, 500-527)	170	148	22	66.3	77.9	33.1
	Bronchitis (500-502)	19	16	3	7.4	8.4	4.5
	Pulmonary congestion and hypostasis (522)	29	22	7	11.3	11.6	10.5
	Bronchiectasis (526)	31	28	3	12.1	14.7	4.5
10.	Diseases of liver, gallbladder and pancreas (580-587)	152	135	17	59.3	71.1	25.6
	Cirrhosis of liver (581)	73	64	9	28.5	33.7	13.6
	All other causes (residual)	1,225	924	301	477.8	486.3	453.3
	<u>UNKNOWN AGE</u>	11	2	9

TABLE VI-a - IMPORTANT CAUSES OF DEATH, NUMBER AND PER CENT, IN SPECIFIED AGE GROUPS, 1957
(A cause of death must account for at least 5% of all deaths in a given age group to appear in the chart)

	Cause of Death*	Number	Per Cent
TOTAL ALL AGES			
	Total, all causes	33,421	100.0
	Heart diseases	10,526	31.5
	Vascular lesions affecting central nervous system	5,481	16.4
	Malignant neoplasms	4,107	12.3
	Influenza and pneumonia	1,627	4.9
	Accidents other than motor-vehicle accidents	1,312	3.9
	Motor-vehicle accidents	1,022	3.1
	Diseases of arteries	839	2.5
	Nephritis and nephrosis	582	1.7
	Immaturity	579	1.7
	Postnatal asphyxia and atelectasis	523	1.6
	All other causes (residual)	6,823	20.4
UNDER ONE YEAR			
	Total, all causes	3,099	100.0
	Immaturity	579	18.7
	Postnatal asphyxia and atelectasis	523	16.9
	Influenza and pneumonia including pneumonia of the newborn	500	16.1
	Congenital malformations	328	10.6
	Birth injuries	260	8.4
	Other and ill-defined diseases peculiar to early infancy	227	7.3
	Gastritis, duodenitis, enteritis and colitis, including diarrhea of the newborn	149	4.8
	Accidents other than motor-vehicle accidents	147	4.7
	Ill-defined and unknown causes	112	3.6
	Other diseases of respiratory system	82	2.6
	All other causes (residual)	192	6.2
	ONE - FOUR YEARS		
	Total, all causes	514	100.0
	Influenza and pneumonia	110	21.4
	Accidents other than motor-vehicle accidents	102	19.8
	Congenital malformations	52	10.1
	Motor-vehicle accidents	38	7.4
	Malignant neoplasms	37	7.2
	Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn)	21	4.1
	Inflammatory diseases of central nervous system	18	3.5
	Other diseases of respiratory system	15	2.9
	Ill-defined and unknown causes	15	2.9
	Other diseases of central nervous system	11	2.1
	Nephritis and nephrosis	10	1.9
All other causes (residual)	85	16.5	

TABLE VI-a - IMPORTANT CAUSES OF DEATH, NUMBER AND PER CENT, IN SPECIFIED AGE GROUPS, 1957
 (A cause of death must account for at least 5% of all deaths in a given age group to appear in the chart)

	Cause of Death*	Number	Per Cent
FIVE-FOURTEEN YEARS			
	Total, All Causes	470	100.0
	Accidents other than motor-vehicle accidents	132	28.1
	Motor-vehicle accidents	77	16.4
	Influenza and pneumonia	43	9.1
	Congenital malformation	36	7.7
	Malignant neoplasms	35	7.4
	Other diseases of central nervous system	25	5.3
	Nephritis and nephrosis	12	2.6
	Vascular lesions affecting nervous system	10	2.1
	Other diseases of respiratory system	7	1.5
	Appendicitis	7	1.5
	Measles	5	1.1
	Inflammatory diseases of central nervous system	5	1.1
	Heart diseases	5	1.1
Other diseases of muscle, tendon and fascia	5	1.1	
Ill-defined and unknown causes	5	1.1	
All other causes (residual)	61	13.0	
FIFTEEN-TWENTY-FOUR YEARS			
	Total, all causes	731	100.0
	Motor-vehicle accidents	236	32.3
	Accidents, other than motor-vehicle accidents	118	16.1
	Homicides	77	10.5
	Malignant neoplasms	36	4.9
	Influenza and pneumonia	34	4.7
	Heart diseases	24	3.3
	Maternal deaths	22	3.0
	Vascular lesions affecting central nervous system	19	2.6
	Other diseases of central nervous system	19	2.6
	Suicides	19	2.6
	Diabetes mellitus	14	1.9
	Nephritis and nephrosis	14	1.9
	Congenital malformations	9	1.2
All other causes (residual)	90	12.3	
TWENTY-FIVE - FORTY-FOUR YEARS			
	Total, all causes	3,346	100.0
	Heart diseases	580	17.3
	Malignant neoplasms	484	14.5
	Motor-vehicle accidents	373	11.1
	Vascular lesions affecting central nervous system	295	8.8
	Accidents other than motor-vehicle accidents	270	8.1
	Homicides	230	6.9
	Influenza and pneumonia	135	4.0
	Suicides	123	3.7
	Nephritis and nephrosis	89	2.7
	Diseases of liver, gallbladder and pancreas	81	2.4
	All other causes (residual)	686	20.5

TABLE VI-a - IMPORTANT CAUSES OF DEATH, NUMBER AND PER CENT, IN SPECIFIED AGE GROUPS, 1957

(A cause of death must account for at least 5% of all deaths in a given age group to appear in the chart)

	Cause of Death*	Number	Per Cent	
FORTY-FIVE - SIXTY-FOUR YEARS				
	Total, all causes	9,894	100.0	
	Heart diseases	3,724	37.6	
	Malignant neoplasms	1,679	17.1	
	Vascular lesions affecting central nervous system	1,626	16.4	
	Influenza and pneumonia	312	3.2	
	Accidents, other than motor-vehicle accidents	253	2.6	
	Motor-vehicle accidents	212	2.1	
	Nephritis and nephrosis	167	1.7	
	Diseases of arteries	163	1.6	
	Diabetes mellitus	159	1.6	
	Diseases of liver, gallbladder, and pancreas	155	1.6	
	All other causes (residual)	1,434	14.5	
	SIXTY-FIVE YEARS AND OVER			
		Total, all causes	15,356	100.0
Heart diseases		6,182	40.3	
Vascular lesions affecting central nervous system		3,518	22.6	
Malignant neoplasms		1,821	11.9	
Diseases of arteries		654	4.3	
Influenza and pneumonia		614	4.0	
Accidents, other than motor-vehicle accidents		289	1.9	
Nephritis and nephrosis		289	1.9	
Hypertension without mention of heart disease		239	1.6	
Diabetes mellitus		203	1.3	
Other diseases of respiratory system		170	1.1	
Diseases of liver, gallbladder and pancreas		152	1.0	
All other causes (residual)		1,225	8.0	

* See Table VI for Sixth Revision, International List Code Numbers

TABLE VII - DEATHS FROM HEART DISEASE BY TYPE, BY AGE, GEORGIA, 1957

Type and Sixth Revision of International List Number	Age in Years											
	Total all Ages	Under 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & Over	Unknown Age
<u>Number</u>												
Total, all types (410-443)	10,526	9	5	24	100	480	1,372	2,352	2,969	2,368	845	2
Chronic rheumatic heart disease (410-416)	212	-	2	10	21	25	61	41	33	17	2	-
Arteriosclerotic and degenerative heart disease (420-422)	7,794	2	-	9	51	331	984	1,747	2,231	1,814	624	1
Hypertensive heart disease (440-443)	1,929	-	-	1	13	94	250	437	541	427	165	1
Other diseases of the heart (430-434)	591	7	3	4	15	30	77	127	164	110	54	-
<u>Percentage Distribution</u>												
Total, all types (410-443)	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Chronic rheumatic heart disease (410-416)	2.0	0	40.0	41.7	21.0	5.2	4.4	1.7	1.1	0.7	0.2	0
Arteriosclerotic and degenerative heart disease (420-422)	74.0	22.2	0	37.5	51.0	69.0	71.7	74.3	75.1	76.6	73.8	50.0
Hypertensive heart disease (440-443)	18.3	0	0	4.2	13.0	19.6	18.2	18.6	18.2	18.0	19.5	50.0
Other diseases of the heart (430-434)	5.6	77.8	60.0	16.7	15.0	6.2	5.6	5.4	5.5	4.6	6.4	0

TABLE VIII - DEATHS FROM CANCER, BY SITE, RACE, AND SEX, GEORGIA, 1957

Site	Number					Percentage Distribution				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
Malignant neoplasms, total all sites (140-205)	4,107	1,540	1,432	509	626	100.0	100.0	100.0	100.0	100.0
Buccal cavity and pharynx (140-148)	120	66	27	20	7	2.9	4.3	1.9	3.9	1.1
Digestive organs and peritoneum (150-156A, 157-159)	1,191	433	405	190	163	29.0	28.1	28.3	37.3	26.0
Respiratory system (160-164)	553	381	75	79	18	13.5	24.7	5.2	15.5	2.9
Breast (170)	356	4	258	5	89	8.7	0.3	18.0	1.0	14.2
Genital organs (171-179)	764	166	288	93	217	18.6	10.8	20.1	18.3	34.7
Urinary organs (180-181)	167	83	41	27	16	4.1	5.4	2.9	5.3	2.5
Other and unspecified sites (156B, 165, 190-199)	567	231	205	52	79	13.8	15.0	14.3	10.2	12.6
Leukemia and aleukemia (204)	202	90	74	22	16	4.9	5.8	5.2	4.3	2.6
Lymphosarcoma, etc. (200-203, 205)	187	86	59	21	21	4.6	5.6	4.1	4.1	3.4

TABLE IX - MATERNAL DEATHS, NUMBER AND RATIO, (PER 10,000 LIVE BIRTHS) BY RACE, GEORGIA, 1957

Cause and Sixth Revision International List Number	Number			Ratio		
	Total	White	Non-white	Total	White	Non-white
Total, all causes	82	23	59	8.0	3.5	16.2
Abortion, all causes (650-652)	10	3	7	1.0	0.5	1.9
Ectopic pregnancy (645)	7	2	5	0.7	0.3	1.4
Hemorrhage of pregnancy (643-644)	3	1	2	0.3	0.2	0.5
Toxemias of pregnancy (642)	33	8	25	3.2	1.2	6.9
Other complications arising during pregnancy (640, 641, 646-649)	3	-	3	0.3	0	0.8
Hemorrhage of childbirth and puerperium (670-672)	11	6	5	1.1	0.9	1.4
Infection during childbirth and puerperium (680-684)	8	-	8	0.8	0	2.2
Puerperal toxemias (685, 686)	3	1	2	0.3	0.2	0.5
Other accidents and specified conditions of childbirth (673-678, 687)	4	2	2	0.4	0.3	0.5
Other and unspecified conditions of childbirth and the puerperium (660, 688)	-	-	-	0	0	0

TABLE X - INFANT DEATHS, NUMBER AND RATE PER 1,000 LIVE BIRTHS, BY RACE, SEX, AND AGE, GEORGIA, 1957

Race and Sex	Number						Rate					
	Under 1 Year	Under 28 Days				28 Days to 1 Year	Under 1 Year	Under 28 Days				28 Days to 1 Year
		Total	Under 1 Day	1-6 Days	7-27 Days			Total	Under 1 Day	1-6 Days	7-27 Days	
Total	3,099	2,062	1,019	754	289	1,037	30.4	20.2	10.0	7.4	2.8	10.2
Male	1,764	1,200	599	452	149	564	33.7	23.0	11.5	8.6	2.8	10.8
Female	1,335	862	420	302	140	473	26.9	17.4	8.5	6.1	2.8	9.5
White	1,482	1,148	581	458	109	334	22.7	17.6	8.9	7.0	1.7	5.1
Male	849	650	327	273	50	199	25.1	19.2	9.7	8.1	1.5	5.9
Female	633	498	254	185	59	135	20.0	15.7	8.0	5.8	1.9	4.3
Nonwhite	1,617	914	438	296	180	703	44.3	25.1	12.0	8.1	4.9	19.3
Male	915	550	272	179	99	365	49.5	29.7	14.7	9.7	5.4	19.7
Female	702	364	166	117	81	338	39.0	20.2	9.2	6.5	4.5	18.8

TABLE XI - INFANT DEATHS, NUMBER AND RATE PER 1,000 LIVE BIRTHS, BY RACE, BY CAUSE, GEORGIA, 1957

Cause and Sixth Revision International List Number	Number			Rate		
	Total	White	Non- white	Total	White	Non- white
Total, all causes	3,099	1,482	1,617	30.4	22.7	44.3
Tuberculosis, all forms (001-019)	5	1	4	0.0	0.0	0.1
Dysentery, all forms (045-048)	11	1	10	0.1	0.0	0.3
Whooping cough (056)	4	-	4	0.0	0	0.1
Meningococcal infections (057)	6	6	-	0.1	0.1	0
All other infective and parasitic diseases (020-044, 049-055, 058-138)	35	11	24	0.3	0.2	0.7
Diseases of the thymus gland (273)	4	2	2	0.0	0.0	0.1
Meningitis, except meningococcal and tubercu- lous (340)	26	15	11	0.3	0.2	0.3
All other diseases of nervous system and sense organs (330-334, 341-398)	17	5	12	0.2	0.1	0.3
Influenza and pneumonia, except pneumonia of newborn (480-493)	377	85	292	3.7	1.3	8.0
Influenza (480-483)	38	11	27	0.4	0.2	0.7
Pneumonia, except pneumonia of newborn (490-493)	339	74	265	3.3	1.1	7.3
All other diseases of respiratory system (470- 475, 500-527)	82	49	33	0.8	0.7	0.9
Hernia and intestinal obstruction (560-561, 570)	21	10	11	0.2	0.2	0.3
Gastritis, duodenitis, enteritis and colitis, except diarrhea of newborn (543, 571, 572)	131	24	107	1.3	0.4	2.9
All other diseases of digestive system (530- 542, 544-553, 573-587)	12	5	7	0.1	0.1	0.2
Congenital malformations (750-759)	328	215	113	3.2	3.3	3.1
Spina bifida and meningocele (751)	35	31	4	0.3	0.5	0.1
Congenital malformations of circulatory system (754)	144	96	48	1.4	1.5	1.3
All other congenital malformations (750, 752, 753, 755-759)	149	88	61	1.5	1.3	1.7
Certain diseases of early infancy (760-776)	1,730	956	774	17.0	14.6	21.2
Without mention of immaturity (.0-.4)	515	266	249	5.1	4.1	6.8
With immaturity (.5-.9)	1,215	690	525	11.9	10.5	14.4
Birth injuries (760, 761)	260	171	89	2.6	2.6	2.4
Without mention of immaturity (.0)	137	83	54	1.3	1.3	1.5
With immaturity (.5)	123	88	35	1.2	1.3	1.0
Intracranial and spinal injury at birth (760)	95	57	38	0.9	0.9	1.0
Without mention of immaturity (.0)	71	43	28	0.7	0.7	0.8
With immaturity (.5)	24	14	10	0.2	0.2	0.3
Other birth injury (761)	165	114	51	1.6	1.7	1.4
Without mention of immaturity (.0)	66	40	26	0.6	0.6	0.7
With immaturity (.5)	99	74	25	1.0	1.1	0.7
Postnatal asphyxia and atelectasis (762)	523	334	189	5.1	5.1	5.2
Without mention of immaturity (.0)	163	102	61	1.6	1.6	1.7
With immaturity (.5)	360	232	128	3.5	3.5	3.5
Pneumonia of newborn (763)	123	40	83	1.2	0.6	2.3
Without mention of immaturity (.0)	93	26	67	0.9	0.4	1.8
With immaturity (.5)	30	14	16	0.3	0.2	0.4
Diarrhea of newborn (764)	18	5	13	0.2	0.1	0.4
Without mention of immaturity (.0)	16	3	13	0.2	0.0	0.4
With immaturity (.5)	2	2	-	0.0	0.0	0
Other infections of newborn (765-768)	19	11	8	0.2	0.2	0.2
Without mention of immaturity (.0)	13	7	6	0.1	0.1	0.2
With immaturity (.5)	6	4	2	0.1	0.1	0.1
Neonatal disorders arising from maternal toxemia (769)	21	11	10	0.2	0.2	0.3
Without mention of immaturity (.0-.4)	7	5	2	0.1	0.1	0.1
With immaturity (.5-.9)	14	6	8	0.1	0.1	0.2
Hemolytic disease of newborn (erythroblas- tosis) (770)	41	30	11	0.4	0.5	0.3
Without mention of immaturity (.0-.2)	34	24	10	0.3	0.4	0.3
With immaturity (.5-.7)	7	6	1	0.1	0.1	0.0
Hemorrhagic diseases of newborn (771)	18	6	12	0.2	0.1	0.3
Without mention of immaturity (.0)	13	4	9	0.1	0.1	0.2
With immaturity (.5)	5	2	3	0.0	0.0	0.1
Ill-defined diseases peculiar to early in- fancy, including nutritional maladjustment (772-773)	128	57	71	1.3	0.9	1.9
Without mention of immaturity (.0)	39	12	27	0.4	0.2	0.7
With immaturity (.5)	89	45	44	0.9	0.7	1.2
Immaturity with mention of subsidiary con- dition (774)	57	33	24	0.6	0.5	0.7
Immaturity unqualified (776)	522	258	264	5.1	3.9	7.2
Symptoms and ill-defined conditions (780-793, 795)	112	19	93	1.1	0.3	2.6
All other diseases (residual)	39	20	19	0.4	0.3	0.5
Accidents (E800-E962)	153	54	99	1.5	0.8	2.7
Inhalation and ingestion of food or other object causing obstruction or suffocation (E921, E922)	57	20	37	0.6	0.3	1.0
Accidental mechanical suffocation in bed and cradle (E924)	61	24	37	0.6	0.4	1.0
All other accidental causes (E800-E920, E923, E925-E962)	35	10	25	0.3	0.2	0.7
Homicide (E964, E980-E999)	6	4	2	0.1	0.1	0.1

TABLE XII - ACCIDENTAL DEATHS, NUMBER AND RATE, BY TYPE OF ACCIDENT, BY AGE, GEORGIA, 1957

Type of Accident (International List Number - Sixth Revision)	Number										Rate									
	Total All Ages	Age in Years									Total All Ages	Age in Years							65 & Over	Not Stated
		Under 1	1-4	5-14	15-24	25-44	45-64	65 & Over	Not Stated	Under 1		1-4	5-14	15-24	25-44	45-64				
Total, all accidents	2,334	153	140	210	358	642	465	365	1	60.4	156.8	37.2	26.3	58.8	60.6	69.7	142.4	---		
Transport accidents (E800-E802, E810-E845, E850-E858, E860-E866)	1,134	6	44	88	249	430	234	82	1	29.3	6.1	11.7	11.0	40.9	40.6	35.1	32.0	---		
Railway accidents (E800-E802)	36	-	2	2	-	18	10	4	-	0.9	0	0.5	0.2	0	1.7	1.5	1.6	0		
Motor-vehicle accidents (E810-E835)	1,022	6	38	78	239	373	212	76	-	26.4	6.1	10.1	9.8	39.2	35.2	31.8	29.6	0		
Aircraft accidents (E860-E866)	30	-	-	-	8	19	3	-	-	0.8	0	0	0	1.3	1.8	0.4	0	0		
All other transport accidents (E840-E845, E850-E858)	46	-	4	8	2	20	9	2	1	1.2	0	1.1	1.0	0.3	1.9	1.3	0.8	---		
Non-transport accidents (E870-E888, E890-E895, E900-E904, E910-E936, E940-E962)	1,200	147	96	122	109	212	231	283	-	31.0	150.6	25.5	15.3	17.9	20.0	34.6	110.4	0		
Home	636	123	75	49	24	71	95	199	-	16.5	126.0	19.9	6.1	3.9	6.7	14.2	77.6	0		
Farm	96	-	8	21	15	21	26	5	-	2.5	0	2.1	2.6	2.5	2.0	3.9	2.0	0		
Other	468	24	13	52	70	120	110	79	-	12.1	24.6	3.5	6.5	11.5	11.3	16.5	30.8	0		
Accidental poisoning (E870-E888, E890-E895)	60	3	10	2	5	18	17	5	-	1.6	3.1	2.7	0.2	0.8	1.7	2.5	2.0	0		
Home	28	3	6	1	2	10	4	2	-	0.7	3.1	1.6	0.1	0.3	0.9	0.6	0.8	0		
Farm	2	-	2	-	-	-	-	-	-	0.1	0	0.5	0	0	0	0	0	0		
Other	30	-	2	1	3	8	13	3	-	0.8	0	0.5	0.1	0.5	0.8	1.9	1.2	0		
Accidental falls (E900-E904)	254	3	2	2	8	16	44	179	-	6.6	3.1	0.5	0.2	1.3	1.5	6.6	69.8	0		
Home	173	2	2	-	2	8	22	137	-	4.5	2.0	0.5	0	0.3	0.8	3.3	53.4	0		
Farm	3	-	-	-	-	-	3	-	-	0.1	0	0	0	0	0	0	0	0		
Other	78	1	-	2	6	8	19	42	-	2.0	1.0	0	0.2	1.0	0.8	2.8	16.4	0		
Accidents caused by machinery (E912)	52	-	2	4	5	24	15	2	-	1.3	0	0.5	0.5	0.8	2.3	2.2	0.8	0		
Home	3	-	-	1	-	1	-	1	-	0.1	0	0	0.1	0	0.1	0	0.4	0		
Farm	28	-	2	3	3	13	6	1	-	0.7	0	0.5	0.4	0.5	1.2	0.9	0.4	0		
Other	21	-	-	-	2	10	9	-	-	0.5	0	0	0	0.3	0.9	1.3	0	0		
Accidental burns (E916-E917)	241	7	50	25	9	47	49	54	-	6.2	7.2	13.3	3.1	1.5	4.4	7.3	21.1	0		
Home	211	7	48	23	6	32	43	52	-	5.5	7.2	12.7	2.9	1.0	3.0	6.4	20.3	0		
Farm	2	-	-	-	-	-	1	1	-	0.1	0	0	0	0	0	0.1	0.4	0		
Other	28	-	2	2	3	15	5	1	-	0.7	0	0.5	0.2	0.5	1.4	0.7	0.4	0		
Accidents caused by firearms (E919)	109	-	4	22	25	29	26	3	-	2.8	0	1.1	2.8	4.1	2.7	3.9	1.2	0		
Home	58	-	4	15	13	12	12	2	-	1.5	0	1.1	1.9	2.1	1.1	1.8	0.8	0		
Farm	16	-	-	3	2	4	7	-	-	0.4	0	0	0.4	0.3	0.4	1.0	0	0		
Other	35	-	-	4	10	13	7	1	-	0.9	0	0	0.5	1.6	1.2	1.0	0.4	0		
Accidental inhalation and ingestion of food and other objects (E921-E922)	77	57	4	3	1	3	7	2	-	2.0	58.4	1.1	0.4	0.2	0.3	1.0	0.8	0		
Home	49	40	4	2	-	1	2	-	-	1.3	41.0	1.1	0.2	0	0.1	0.3	0	0		
Farm	-	-	-	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0		
Other	28	17	-	1	1	2	5	2	-	0.7	17.4	0	0.1	0.2	0.2	0.7	0.8	0		
Accidental mechanical suffocation (E924-E925)	74	65	3	3	1	1	-	1	-	1.9	66.6	0.8	0.4	0.2	0.1	0	0.4	0		
Home	67	64	3	-	-	-	-	-	-	1.7	65.6	0.8	0	0	0	0	0	0		
Farm	-	-	-	-	-	-	-	-	-	0	0	0	0	0	0	0	0	0		
Other	7	1	-	3	1	1	-	1	-	0.2	1.0	0	0.4	0.2	0.1	0	0.4	0		
Accidental drowning (exclusive of submersion in transport accidents) (E929)	145	1	10	50	38	25	18	3	-	3.8	1.0	2.7	6.3	6.2	2.4	2.7	1.2	0		
Home	10	1	3	2	1	1	2	-	-	0.3	1.0	0.8	0.2	0.2	0.1	0.3	0	0		
Farm	30	-	3	14	7	3	3	-	-	0.8	0	0.8	1.8	1.1	0.3	0.4	0	0		
Other	105	-	4	34	30	21	13	3	-	2.7	0	1.1	4.3	4.9	2.0	1.9	1.2	0		
All other non-transport accidents (E910-E915, E918, E920, E923, E926-E928, E930-E936, E940-E962)	188	11	11	11	17	49	55	34	-	4.9	11.3	2.9	1.4	2.8	4.6	8.2	13.3	0		
Home	37	6	5	5	-	6	10	5	-	1.0	6.1	1.3	0.6	0	0.6	1.5	2.0	0		
Farm	15	-	1	1	3	1	6	3	-	0.4	0	0.3	0.1	0.5	0.1	0.9	1.2	0		
Other	136	5	5	5	14	42	39	26	-	3.5	5.1	1.3	0.6	2.3	4.0	5.8	10.1	0		

ITEM	Georgia State Total						Appling						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	101,882	65,412	36,470	26.4	23.9	32.2	348	246	102	25.0	22.2	36.4	1
2 Delivered in hospital	87,184	64,201	22,983	85.6%	98.1%	63.0%	260	224	36	74.7%	91.1%	35.3%	2
3 Delivered in home by physician	2,980	819	2,161	2.9%	1.3%	5.9%	32	20	12	9.2%	8.1%	11.8%	3
4 Delivered in home by midwife	11,569	363	11,206	11.4%	0.6%	30.7%	54	2	52	15.5%	0.8%	51.0%	4
5 Other deliveries	149	23	120	0.1%	0.0%	0.3%	2	2	0	0.6%	0%	2.0%	5
6 Immature births	8,752	4,441	4,311	85.9	67.9	118.2	19	13	6	54.6	52.8	58.8	6
FETAL DEATHS													
7 Total	3,638	2,080	1,558	35.7	31.8	42.7	5	1	4	14.4	4.1	39.2	7
8 Under 20 weeks gestation	1,480	1,044	436	14.5	16.0	12.0	1	1	1	2.9	4.1	0	8
9 20-27 weeks gestation	556	271	285	5.5	4.1	7.8	1	1	1	0	0	0	9
28 weeks and more	1,429	665	764	14.0	10.4	20.5	3	1	2	8.6	0	29.4	
Unknown length of gestation	173	84	89	1.7	1.3	2.4	1	1	1	2.9	0	9.8	
DEATHS													
10 Total, all ages	33,421	20,929	12,492	864.5	765.8	1102.6	116	82	34	834.5	738.7	1214.3	10
11 Under 1 year	3,099	1,482	1,617	30.4	22.7	44.3	8	2	6	23.0	8.1	58.8	11
12 Under 28 days	2,062	1,148	914	20.2	17.6	25.1	6	2	4	17.2	8.1	39.2	12
13 Deaths from immaturity	579	291	288	5.7	4.4	7.9	1	1	1	0	0	0	13
14 1-4 years **	514	239	275	5.7	4.4	7.9	2	2	1	0	0	0	14
15 Maternal deaths	82	23	59	8.0	3.5	16.2	1	1	1	28.7	0	98.0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	262	145	117	6.8	5.3	10.3	1	1	1	7.2	9.0	0	16
17 Syphilis and its sequelae (020-029)	90	30	60	2.3	1.1	5.3	1	1	1	0	0	0	17
18 Typhoid fever (040)	1	1	0	0	0	0	1	1	1	0	0	0	18
19 Dysentery, all forms (045-048)	23	7	16	0.6	0.3	1.4	1	1	1	0	0	0	19
20 Scarlet fever (050)	1	1	0	0	0	0	1	1	1	0	0	0	20
21 Streptococcal sore throat (051)	7	4	3	0.2	0.1	0.3	1	1	1	0	0	0	21
22 Diphtheria (055)	8	4	4	0.2	0.1	0.4	1	1	1	0	0	0	22
23 Whooping cough (056)	9	1	8	0.1	0	0.4	1	1	1	0	0	0	23
24 Meningococcal infections (057)	23	18	5	0.6	0.7	0.4	1	1	1	0	0	0	24
25 Acute poliomyelitis (080)	1	1	0	0.1	0.0	0.1	1	1	1	0	0	0	25
26 Acute infectious encephalitis (082)	7	4	3	0.2	0.1	0.3	1	1	1	0	0	0	26
27 Smallpox (084)	1	1	0	0	0	0	1	1	1	0	0	0	27
28 Measles (085)	20	5	15	0.5	0.2	1.3	1	1	1	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	1	1	0	0.0	0.0	0	1	1	1	0	0	0	29
30 Rocky Mountain spotted fever (104)	2	1	1	0.1	0.0	0.1	1	1	1	0	0	0	30
31 Malaria (110-117)	1	1	0	0	0	0	1	1	1	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	127	62	65	3.3	2.3	5.7	2	1	1	14.4	0	71.4	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	4,107	2,972	1,135	106.2	108.7	100.2	11	8	3	79.1	72.1	107.1	33
34 Benign and unspecified neoplasms (210-239)	91	49	42	2.4	1.8	3.7	1	1	1	0	0	0	34
35 Diabetes mellitus (260)	426	286	140	11.0	10.5	12.4	1	1	1	0	0	0	35
36 Pellagra (281)	15	7	8	0.4	0.3	0.7	1	1	1	0	0	0	36
37 Anemias (290-293)	65	31	34	1.7	1.1	3.0	1	1	1	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	5,481	3,151	2,330	141.8	115.3	205.6	22	19	3	158.3	171.2	107.1	38
39 Nonmeningococcal meningitis (340)	56	28	28	1.4	1.0	2.5	1	1	1	0	0	0	39
40 Rheumatic fever (400-402)	12	3	9	0.3	0.1	0.8	1	1	1	0	0	0	40
41 Heart diseases (410-443)	10,526	7,202	3,324	272.3	263.5	293.4	31	22	9	223.0	198.2	321.4	41
42 Hypertension without mention of heart (444-447)	391	195	196	10.1	7.1	17.3	1	1	1	7.2	0	35.7	42
43 Influenza and pneumonia (480-483, 490-493)	1,627	714	913	42.1	26.1	80.6	9	3	6	64.7	27.0	214.3	43
44 Bronchitis (500-502)	68	45	23	1.7	1.6	1.9	1	1	1	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	194	136	58	5.0	5.0	5.1	1	1	1	7.2	9.0	0	45
46 Appendicitis (550-553)	34	17	17	0.9	0.6	1.5	1	1	1	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	167	92	75	4.3	3.4	6.6	2	2	1	14.4	18.0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	218	75	143	5.6	2.7	12.6	1	1	1	7.2	9.0	0	48
49 Cirrhosis of liver (581)	248	193	55	6.4	7.1	4.9	1	1	1	0	0	0	49
50 Nephritis and nephrosis (590-594)	582	259	323	15.1	9.5	28.5	1	1	1	0	0	0	50
51 Hyperplasia of prostate (610)	127	73	54	3.3	2.7	4.8	1	1	1	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	82	23	59	2.1	6.8	5.2	1	1	1	7.2	0	35.7	52
53 Congenital malformations (750-759)	475	325	150	12.3	11.9	13.2	1	1	1	7.2	9.0	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	783	505	278	20.3	18.5	24.5	1	1	1	7.2	0	0	54
55 Infection of the newborn (763-768)	160	56	104	4.1	2.0	9.2	1	1	1	7.2	0	35.7	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	787	395	392	20.4	14.5	34.6	3	1	2	21.6	9.0	71.4	56
57 Senility, without mention of psychosis (794)	84	48	36	2.2	1.8	3.2	1	1	1	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	364	137	227	9.4	5.0	20.0	3	2	1	21.6	18.0	35.7	58
59 Motor vehicle accidents (E810-E835)	1,022	767	255	26.4	28.1	22.5	11	10	1	79.1	90.1	35.7	59
60 All other accidents (E800-E802, E840-E962)	1,312	752	560	33.9	27.5	49.4	6	4	2	43.2	36.0	71.4	60
61 Suicide (E963, E970-E979)	301	270	31	7.8	9.9	2.7	1	1	1	0	0	0	61
62 Homicide (E964, E980-E985)	421	116	305	10.9	4.2	26.9	1	1	1	7.2	0	35.7	62
63 All other diseases (residual)	2,620	1,725	895	67.8	63.1	79.0	8	7	1	57.6	63.1	35.7	63

COUNTY, BY RACE, GEORGIA, 1957

	Atkinson						Bacon						Baker						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	180	109	71	23.7	18.5	41.8	232	199	33	24.2	23.7	27.5	131	35	96	25.2	18.4	29.1	1
2	98	79	19	54.4%	72.5%	26.8%	222	194	28	95.7%	97.5%	84.8%	85	34	51	64.9%	97.1%	53.1%	2
3	44	27	17	24.4%	24.8%	23.9%	2	1	1	0.9%	0.5%	3.0%	2	1	1	1.5%	2.9%	1.0%	3
4	34	3	31	18.9%	2.8%	43.7%	8	4	4	3.4%	2.0%	12.1%	44	-	44	33.6%	0%	45.5%	4
5	4	-	4	2.2%	0%	5.6%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	16	8	8	88.9	73.4	112.7	20	16	4	86.2	80.4	121.2	17	3	14	129.8	85.7	145.8	6
7	8	3	5	44.4	27.5	70.4	5	3	2	21.6	15.1	60.6	4	-	4	30.5	0	41.7	7
8	1	1	1	5.6	0	14.1	-	-	-	0	0	0	-	-	-	0	0	0	8
9	1	1	1	5.6	9.2	0	1	-	1	4.3	0	30.3	1	-	1	7.6	0	10.4	9
	6	2	4	33.3	18.3	56.3	3	2	1	12.9	10.0	30.3	3	-	3	22.9	0	31.2	
	-	-	-	0	0	0	1	1	-	4.3	5.0	0	-	-	-	0	0	0	
10	57	36	21	750.0	610.2	1235.3	87	82	5	906.2	976.2	416.7	50	17	33	961.5	894.7	1000.0	10
11	10	6	4	55.6	55.0	56.3	13	12	1	56.0	60.3	30.3	7	2	5	53.4	57.1	52.1	11
12	6	4	2	33.3	36.7	28.2	10	10	-	43.1	50.3	0	4	1	3	30.5	28.6	31.2	12
13	-	-	-	0	0	0	1	1	-	4.3	5.0	0	1	1	-	7.6	28.6	0	13
14	1	1	-	-	-	-	1	-	1	-	-	-	2	1	1	-	-	-	14
15	1	-	1	55.6	0	140.8	-	-	-	0	0	0	1	-	1	76.3	0	104.2	15
16	-	-	-	0	0	0	2	2	-	20.8	23.8	0	-	-	-	0	0	0	16
17	1	-	1	13.2	0	58.8	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	1	1	-	13.2	16.9	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	19.2	52.6	0	32
33	4	3	1	52.6	50.8	58.8	9	9	-	93.7	107.1	0	4	2	2	76.9	105.3	60.6	33
34	-	-	-	0	0	0	1	-	1	10.4	0	83.3	-	-	-	0	0	0	34
35	2	2	-	26.3	33.9	0	1	1	-	10.4	11.9	0	3	-	3	57.7	0	90.9	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	8	5	3	105.3	84.7	176.5	14	14	-	145.8	166.7	0	6	2	4	115.4	105.3	121.2	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	19	12	7	250.0	203.4	411.8	29	27	2	302.1	321.4	166.7	12	6	6	230.8	315.8	181.8	41
42	-	-	-	0	0	0	1	1	-	10.4	11.9	0	1	-	1	19.2	0	30.3	42
43	1	1	-	13.2	16.9	0	2	1	1	20.8	11.9	83.3	2	2	-	38.5	105.3	0	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	1	1	-	10.4	11.9	0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	47
48	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	48
49	-	-	-	0	0	0	1	1	-	10.4	11.9	0	1	-	1	19.2	0	30.3	49
50	-	-	-	0	0	0	1	1	-	10.4	11.9	0	1	-	1	19.2	0	30.3	50
51	-	-	-	0	0	0	1	1	-	10.4	11.9	0	-	-	-	0	0	0	51
52	1	-	1	13.2	0	58.8	-	-	-	0	0	0	1	-	1	19.2	0	30.3	52
53	2	1	1	26.3	16.9	58.8	-	-	-	0	0	0	-	-	-	0	0	0	53
54	2	1	1	26.3	16.9	58.8	4	4	-	41.7	47.6	0	1	-	1	19.2	0	30.3	54
55	1	-	1	13.2	0	58.8	1	1	-	10.4	11.9	0	-	-	-	0	0	0	55
56	2	2	-	26.3	33.9	0	4	4	-	41.7	47.6	0	4	1	3	76.9	52.6	90.9	56
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
58	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	58
59	3	2	1	39.5	33.9	58.8	6	6	-	62.5	71.4	0	-	-	-	0	0	0	59
60	3	1	2	39.5	16.9	117.6	3	2	1	31.2	23.8	83.3	3	-	3	57.7	0	90.9	60
61	1	1	-	13.2	16.9	0	-	-	-	0	0	0	-	-	-	0	0	0	61
62	1	1	1	13.2	0	58.8	-	-	-	0	0	0	2	-	2	38.5	0	60.6	62
63	5	4	1	65.8	67.8	58.8	6	6	-	62.5	71.4	0	8	3	5	153.8	157.9	151.5	63

ITEM	Baldwin						Banks					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	530	250	280	24.8	18.5	35.4	130	119	11	22.0	21.2	36.7
2 Delivered in hospital	343	244	99	64.7%	97.6%	35.4%	126	119	7	96.9%	100.0%	63.6%
3 Delivered in home by physician	20	1	19	3.8%	0.4%	6.8%	-	-	-	0%	0%	0%
4 Delivered in home by midwife	167	5	162	31.5%	2.0%	57.9%	4	-	4	3.1%	0%	36.4%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	44	17	27	83.0	68.0	96.4	15	14	1	115.4	117.6	90.9
FETAL DEATHS												
7 Total	14	3	11	26.4	12.0	39.3	3	2	1	23.1	16.8	90.9
8 Under 20 weeks gestation	6	2	4	11.3	8.0	14.3	1	1	-	7.7	8.4	0
9 20-27 weeks gestation	2	2	2	3.8	0	7.1	1	1	-	7.7	8.4	0
28 weeks and more	6	1	5	11.3	4.0	17.9	1	-	1	7.7	0	90.9
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	190	104	86	887.8	770.4	1088.6	53	51	2	898.3	910.7	666.7
11 Under 1 year	21	9	12	39.6	36.0	42.9	2	2	-	15.4	16.8	0
12 Under 28 days	14	6	8	26.4	24.0	28.6	1	1	-	7.7	8.4	0
13 Deaths from immaturity	6	3	3	11.3	12.0	10.7	-	-	-	0	0	0
14 1-4 years **	3	3	-	-	-	-	-	-	-	-	-	-
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	1	1	-	4.7	7.4	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	-	1	4.7	0	12.7	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	25	16	9	116.8	118.5	113.9	6	6	-	101.7	107.1	0
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	2	-	2	9.3	0	25.3	-	-	-	0	0	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	39	17	22	182.2	125.9	278.5	9	9	-	152.5	160.7	0
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	58	37	21	271.0	274.1	265.8	19	18	1	322.0	321.4	333.3
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	2	2	-	33.9	35.7	0
43 Influenza and pneumonia (480-483, 490-493)	8	3	5	37.4	22.2	63.3	2	2	-	33.9	35.7	0
44 Bronchitis (500-502)	1	-	1	4.7	0	12.7	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	1	1	-	16.9	17.9	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	4.7	7.4	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	2	-	9.3	14.8	0	1	1	-	16.9	17.9	0
49 Cirrhosis of liver (581)	1	1	-	4.7	7.4	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	4	-	4	18.7	0	50.6	-	-	-	0	0	0
51 Hyperplasia of prostate (610)	1	-	1	4.7	0	12.7	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	3	3	-	14.0	22.2	0	-	-	-	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	5	2	3	23.4	14.8	38.0	-	-	-	0	0	0
55 Infection of the newborn (763-768)	1	-	1	4.7	0	12.7	1	1	-	16.9	17.9	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	7	3	4	32.7	22.2	50.6	-	-	-	0	0	0
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	1	1	-	16.9	17.9	0
59 Motor vehicle accidents (E810-E835)	5	3	2	23.4	22.2	25.3	3	3	-	50.8	53.6	0
60 All other accidents (E800-E802, E840-E962)	7	5	2	32.7	37.0	25.3	2	1	1	33.9	17.9	333.3
61 Suicide (E963, E970-E979)	1	1	-	4.7	7.4	0	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	3	-	3	14.0	0	38.0	2	2	-	0	0	0
63 All other diseases (residual)	14	9	5	65.4	66.7	63.3	4	4	-	33.9	35.7	0

COUNTY, BY RACE, GEORGIA, 1957

	Barrow						Bartow						Ben Hill						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	322	249	73	24.0	22.8	29.2	670	531	139	23.0	21.4	32.3	343	188	155	22.4	18.3	31.0	1
2	298	245	53	92.5%	98.4%	72.6%	633	520	113	94.5%	97.9%	81.3%	259	187	72	75.5%	99.5%	46.5%	2
3	4	2	2	1.2%	0.8%	2.7%	18	7	11	2.7%	1.3%	7.9%	-	-	-	0%	0%	0%	3
4	20	2	18	6.2%	0.8%	24.7%	18	4	14	2.7%	0.8%	10.1%	84	1	83	24.5%	0.5%	53.5%	4
5	-	-	-	0%	0%	0%	1	-	1	0.1%	0%	0.7%	-	-	-	0%	0%	0%	5
6	27	17	10	83.8	68.3	137.0	50	32	18	74.6	60.3	129.5	31	12	19	90.4	63.8	122.6	6
7	15	11	4	46.6	44.2	54.8	20	16	4	29.8	30.1	28.8	10	2	8	29.2	10.6	51.6	7
8	8	7	1	24.8	28.1	13.7	12	11	1	17.9	20.7	7.2	5	1	4	14.6	5.3	25.8	8
9	2	2	-	6.2	8.0	0	2	1	1	3.0	1.9	7.2	3	-	3	8.7	0	19.4	9
	3	1	2	9.3	4.0	27.4	5	3	2	7.5	5.6	14.4	1	1	-	2.9	5.3	0	
	2	1	1	6.2	4.0	13.7	1	1	-	1.5	1.9	0	1	-	1	2.9	0	6.5	
10	121	98	23	903.0	899.1	920.0	243	186	57	835.1	750.0	1325.6	145	85	60	947.7	825.2	1200.0	10
11	12	5	7	37.3	20.1	95.9	23	17	6	34.3	32.0	43.2	11	4	7	32.1	21.3	45.2	11
12	9	5	4	28.0	20.1	54.8	15	11	4	22.4	20.7	28.8	8	4	4	23.3	21.3	25.8	12
13	3	1	2	9.3	4.0	27.4	9	6	3	13.4	11.3	21.6	1	-	1	2.9	0	6.5	13
14	1	1	-	-	-	-	4	3	1	1	-	-	2	-	2	-	-	-	14
15	1	1	-	31.1	40.2	0	-	-	-	0	0	0	1	-	1	29.2	0	64.5	15
16	-	-	-	0	0	0	2	1	1	6.9	4.0	23.3	-	-	-	0	0	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	6.5	0	20.0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	6.5	0	20.0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	1	1	-	3.4	4.0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	6.5	9.7	0	32
33	13	10	3	97.0	91.7	120.0	39	34	5	134.0	137.1	116.3	20	14	6	130.7	135.9	120.0	33
34	-	-	-	0	0	0	1	1	-	3.4	4.0	0	1	-	1	6.5	0	20.0	34
35	1	1	-	7.5	9.2	0	2	1	1	6.9	4.0	23.3	-	-	-	0	0	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	2	1	1	14.9	9.2	40.0	1	-	1	3.4	0	23.3	-	-	-	0	0	0	37
38	22	17	5	164.2	156.0	200.0	42	28	14	144.3	112.9	325.6	26	15	11	169.9	145.6	220.0	38
39	1	-	1	7.5	0	40.0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	43	40	3	320.9	367.0	120.0	61	49	12	209.6	197.6	279.1	45	29	16	294.1	281.6	320.0	41
42	1	1	-	7.5	9.2	0	6	6	-	20.6	24.2	0	2	1	1	13.1	9.7	20.0	42
43	6	4	2	44.8	36.7	80.0	17	13	4	58.4	52.4	93.0	8	1	7	52.3	9.7	140.0	43
44	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	6.5	0	20.0	44
45	1	1	-	7.5	9.2	0	-	-	-	0	0	0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	1	1	-	7.5	9.2	0	-	-	-	0	0	0	1	1	-	6.5	9.7	0	47
48	-	-	-	0	0	0	3	1	2	10.3	4.0	46.5	-	-	-	0	0	0	48
49	1	1	-	7.5	9.2	0	2	2	-	6.9	8.1	0	1	-	1	6.5	0	20.0	49
50	1	1	-	7.5	9.2	0	2	1	1	6.9	4.0	23.3	1	1	-	6.5	9.7	0	50
51	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	6.5	0	20.0	51
52	1	1	-	7.5	9.2	0	-	-	-	0	0	0	1	-	1	6.5	0	20.0	52
53	-	-	-	0	0	0	1	1	-	3.4	4.0	0	2	2	-	13.1	19.4	0	53
54	2	2	-	14.9	18.3	0	6	5	1	20.6	20.2	23.3	6	3	3	39.2	29.1	60.0	54
55	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	55
56	4	1	3	29.8	9.2	120.0	9	6	3	30.9	24.2	69.8	1	-	1	6.5	0	20.0	56
57	-	-	-	0	0	0	1	1	-	3.4	4.0	0	2	-	2	13.1	0	40.0	57
58	-	-	-	0	0	0	2	1	1	6.9	4.0	23.3	2	1	1	13.1	9.7	20.0	58
59	5	4	1	37.3	36.7	40.0	9	9	-	30.9	36.3	0	2	2	-	13.1	19.4	0	59
60	5	4	1	37.3	36.7	40.0	10	5	5	34.4	20.2	116.3	4	4	-	26.1	38.8	0	60
61	2	2	-	14.9	18.3	0	3	2	1	10.3	8.1	23.3	3	2	1	19.6	19.4	20.0	61
62	1	1	-	7.5	9.2	0	3	2	1	10.3	8.1	23.3	2	2	2	13.1	0	40.0	62
63	8	5	3	59.7	45.9	120.0	20	16	4	68.7	64.5	93.0	10	8	2	65.4	77.7	40.0	63

ITEM	Berrien						Bibb						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	282	236	46	21.2	20.7	24.2	3,700	2,174	1,526	26.6	23.5	32.6	1
2 Delivered in hospital	261	228	33	92.6%	96.6%	71.7%	3,666	2,168	1,498	99.1%	99.7%	98.2%	2
3 Delivered in home by physician	7	7	-	2.5%	3.0%	0%	20	6	14	0.5%	0.3%	0.9%	3
4 Delivered in home by midwife	12	-	12	4.3%	0%	26.1%	10	-	10	0.3%	0%	0.7%	4
5 Other deliveries	2	1	1	0.7%	0.4%	2.2%	4	-	4	0.1%	0%	0.3%	5
6 Immature births	23	18	5	81.6	76.3	108.7	350	151	199	94.6	69.5	130.4	6
FETAL DEATHS													
7 Total	10	6	4	35.5	25.4	87.0	103	44	59	27.8	20.2	38.7	
8 Under 20 weeks gestation	3	1	2	10.6	4.2	43.5	25	14	11	6.8	6.4	7.2	7
9 20-27 weeks gestation	3	2	1	10.6	8.5	21.7	27	11	16	7.3	5.1	10.5	8
28 weeks and more	4	3	1	14.2	12.7	21.7	50	18	32	13.5	8.3	21.0	9
Unknown length of gestation	-	-	-	0	0	0	1	1	-	0.3	0.5	0	
DEATHS													
10 Total, all ages	103	88	15	774.4	771.9	789.5	1,321	747	574	949.0	808.4	1226.5	10
11 Under 1 year	5	4	1	17.7	16.9	21.7	108	56	52	29.2	25.8	34.1	11
12 Under 28 days	4	4	-	14.2	16.9	0	74	46	28	20.0	21.2	18.3	12
13 Deaths from immaturity	-	-	-	0	0	0	25	13	12	6.8	6.0	7.9	13
14 1-4 years **	1	1	-	-	-	-	17	5	12	1.2	1.2	1.4	14
15 Maternal deaths	-	-	-	0	0	0	2	-	2	5.4	0	13.1	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	1	1	-	7.5	8.8	0	15	8	7	10.8	8.7	15.0	16
17 Syphilis and its sequelae (020-029)	1	1	-	7.5	8.8	0	5	-	5	3.6	0	10.7	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	1	1	-	0.7	1.1	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 084-096, 120-138)	1	1	-	7.5	8.8	0	11	7	4	7.9	7.6	8.5	32
33 Malignant neoplasms, including neoplasms of lymphatic and haemopoietic tissues (140-205)	8	7	1	60.2	61.4	52.6	162	100	62	116.4	108.2	132.5	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	5	1	4	3.6	1.1	8.5	34
35 Diabetes mellitus (260)	-	-	-	0	0	0	13	7	6	9.3	7.6	12.8	35
36 Pellagra (281)	-	-	-	0	0	0	1	-	1	0.7	0	2.1	36
37 Anemias (290-293)	-	-	-	0	0	0	2	1	1	1.4	1.1	2.1	37
38 Vascular lesions affecting central nervous system (330-334)	17	12	5	127.8	105.3	263.2	209	120	89	150.1	129.9	190.2	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	2	1	1	1.4	1.1	2.1	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	43	38	5	323.3	333.3	263.2	435	251	184	312.5	271.6	393.2	41
42 Hypertension without mention of heart (444-447)	2	1	1	15.0	8.8	52.6	15	6	9	10.8	6.5	19.2	42
43 Influenza and pneumonia (480-483, 490-493)	5	4	1	37.6	35.1	52.6	37	25	12	26.6	27.1	25.6	43
44 Bronchitis (500-502)	-	-	-	0	0	0	3	3	-	2.2	3.2	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	7	4	3	5.0	4.3	6.4	45
46 Appendicitis (550-553)	-	-	-	0	0	0	2	1	1	1.4	1.1	2.1	46
47 Intestinal obstruction and hernia (560, 561, 570)	2	2	-	15.0	17.5	0	4	1	3	2.9	1.1	6.4	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	7	2	5	5.0	2.2	10.7	48
49 Cirrhosis of liver (581)	1	1	-	7.5	8.8	0	9	8	1	6.5	8.7	2.1	49
50 Nephritis and nephrosis (590-594)	1	1	-	7.5	8.8	0	29	10	19	20.8	10.8	40.6	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	2	-	2	1.4	0	4.3	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	2	-	2	1.4	0	4.3	52
53 Congenital malformations (750-759)	1	1	-	7.5	8.8	0	23	14	9	16.5	15.2	19.2	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	2	-	15.0	17.5	0	25	19	6	18.0	20.6	12.8	54
55 Infection of the newborn (763-768)	1	1	-	7.5	8.8	0	2	1	1	1.4	1.1	2.1	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	0	0	0	38	18	20	27.3	19.5	42.7	56
57 Senility, without mention of psychosis (794)	3	3	-	22.6	26.3	0	2	1	1	1.4	1.1	2.1	57
58 Ill-defined and unknown causes (780-793, 795)	1	1	1	7.5	0	52.6	12	2	10	8.6	2.2	21.4	58
59 Motor vehicle accidents (E810-E835)	1	1	-	7.5	8.8	0	38	24	14	27.3	26.0	29.9	59
60 All other accidents (E800-E802, E840-E962)	3	2	1	22.6	17.5	52.6	49	23	26	35.2	24.9	55.6	60
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	12	10	2	8.6	10.8	4.3	61
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	34	6	28	24.4	6.5	59.8	62
63 All other diseases (residual)	9	9	-	67.7	78.9	0	108	72	36	77.6	77.9	76.9	63

COUNTY, BY RACE, GEORGIA, 1957

	Bleckley						Brantley						Brooks						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	219	118	101	24.1	18.4	37.4	126	99	27	20.3	18.0	38.6	414	185	229	24.4	21.0	27.9	1
2	121	114	7	55.3%	96.6%	6.9%	100	84	16	79.4%	84.8%	59.3%	236	177	59	57.0%	95.7%	25.8%	2
3	8	2	6	3.7%	1.7%	5.9%	18	12	6	14.3%	12.1%	22.2%	22	6	16	5.3%	3.2%	7.0%	3
4	90	2	88	41.1%	1.7%	87.1%	8	3	5	6.3%	3.0%	18.5%	155	2	153	37.4%	1.1%	66.8%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	1	-	1	0.2%	0%	0.4%	5
6	16	8	8	73.1	67.8	79.2	9	7	2	71.4	70.7	74.1	33	13	20	79.7	70.3	87.3	6
7	8	4	4	36.5	33.9	39.6	5	4	1	39.7	40.4	37.0	9	2	7	21.7	10.8	30.6	7
8	1	-	1	4.6	0	9.9	2	2	-	15.9	20.2	0	4	1	3	9.7	5.4	13.1	8
9	1	1	-	4.6	8.5	0	-	-	-	0	0	0	-	-	-	0	0	0	9
	6	3	3	27.4	25.4	29.7	2	2	2	15.9	20.2	0	4	-	4	9.7	0	17.5	
	-	-	-	0	0	0	1	-	1	7.9	0	37.0	1	1	-	2.4	5.4	0	
10	100	64	36	1098.9	1000.0	1333.3	52	46	6	838.7	836.4	857.1	181	88	93	1064.7	1000.0	1134.1	10
11	11	7	4	50.2	59.3	39.6	1	1	-	7.9	10.1	0	14	3	11	33.8	16.2	48.0	11
12	5	5	-	22.8	42.4	0	1	1	-	7.9	10.1	0	8	3	5	19.3	16.2	21.8	12
13	1	1	-	4.6	8.5	0	1	1	-	7.9	10.1	0	3	1	2	7.2	5.4	8.7	13
14	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	14
15	-	-	-	0	0	0	-	-	-	0	0	0	4	-	4	96.6	0	174.7	15
16	-	-	-	0	0	0	1	1	-	16.1	18.2	0	1	-	1	5.9	0	12.2	16
17	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	5.9	11.4	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	11.8	0	24.4	32
33	14	8	6	153.8	125.0	222.2	7	6	1	112.9	109.1	142.9	18	14	4	105.9	159.1	48.8	33
34	-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	11.8	11.4	12.2	34
35	1	1	-	11.0	15.6	0	1	1	-	16.1	18.2	0	1	-	1	5.9	0	12.2	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	1	-	1	11.0	0	37.0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	14	5	9	153.8	78.1	333.3	9	7	2	145.2	127.3	285.7	45	14	31	264.7	159.1	378.0	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	1	1	-	16.1	18.2	0	-	-	-	0	0	0	40
41	30	21	9	329.7	328.1	333.3	22	20	2	354.8	363.6	285.7	47	30	17	276.5	340.9	207.3	41
42	1	1	-	11.0	15.6	0	1	1	-	16.1	0	142.9	4	4	4	23.5	0	48.8	42
43	6	6	-	65.9	93.8	0	2	2	-	32.3	36.4	0	11	3	8	64.7	34.1	97.6	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	1	-	1	11.0	0	37.0	-	-	-	0	0	0	1	1	-	5.9	11.4	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	-	-	-	0	0	0	4	2	2	23.5	22.7	24.4	47
48	3	-	3	33.0	0	111.1	-	-	-	0	0	0	1	1	-	5.9	11.4	0	48
49	1	1	-	11.0	15.6	0	-	-	-	0	0	0	-	-	-	0	0	0	49
50	3	3	-	33.0	46.9	0	1	1	-	16.1	18.2	0	8	4	4	47.1	45.5	48.8	50
51	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	4	-	4	23.5	0	48.8	52
53	2	1	1	22.0	15.8	37.0	-	-	-	0	0	0	2	2	-	11.8	22.7	0	53
54	4	4	-	44.0	62.5	0	-	-	-	0	0	0	1	-	1	5.9	0	12.2	54
55	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	5.9	0	12.2	55
56	1	1	-	11.0	15.8	0	1	1	-	16.1	18.2	0	3	1	2	17.6	11.4	24.4	56
57	-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	11.8	11.4	12.2	57
58	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	5.9	11.4	0	58
59	4	3	1	44.0	46.9	37.0	-	-	-	0	0	0	2	2	2	23.5	22.7	24.4	59
60	3	3	-	33.0	46.9	0	2	2	-	32.3	36.4	0	4	2	2	11.8	22.7	0	60
61	1	1	-	11.0	15.8	0	-	-	-	0	0	0	2	1	1	11.8	11.4	12.2	61
62	1	-	1	11.0	0	37.0	-	-	-	0	0	0	4	2	2	23.5	22.7	24.4	62
63	9	5	4	98.9	78.1	148.1	4	4	-	64.5	72.7	0	9	5	4	52.9	56.8	48.8	63

ITEM	Bryan						Bulloch						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	198	92	106	33.6	26.3	44.2	538	261	277	22.1	17.1	30.8	1
2 Delivered in hospital	124	84	40	62.6%	91.3%	37.7%	465	259	206	86.4%	99.2%	74.4%	2
3 Delivered in home by physician	9	1	8	4.5%	1.1%	7.5%	11	1	10	2.0%	0.4%	3.6%	3
4 Delivered in home by midwife	63	7	56	31.8%	7.6%	52.8%	62	1	61	11.5%	0.4%	22.0%	4
5 Other deliveries	2	2	0	1.0%	0%	1.9%	-	-	-	0%	0%	0%	5
6 Immature births	15	5	10	75.8	54.3	94.3	55	23	32	102.2	88.1	115.5	6
FETAL DEATHS													
7 Total	14	5	9	70.7	54.3	84.9	16	4	12	29.7	15.3	43.3	
8 Under 20 weeks gestation	1	1	0	5.0	10.9	0	1	1	-	1.9	3.8	0	7
9 20-27 weeks gestation	4	1	3	20.2	10.9	28.3	4	1	3	7.4	3.8	10.8	8
28 weeks and more	9	3	6	45.5	32.6	56.6	10	2	8	18.6	7.7	28.9	9
Unknown length of gestation	-	-	-	0	0	0	1	-	1	1.9	0	3.6	
DEATHS													
10 Total, all ages	68	39	29	1152.5	1114.3	1208.3	188	105	83	773.7	686.3	922.2	10
11 Under 1 year	7	3	4	35.4	32.6	37.7	18	5	13	33.5	19.2	46.9	11
12 Under 28 days	4	3	1	20.2	32.6	9.4	13	4	9	24.2	15.3	32.5	12
13 Deaths from immaturity	-	-	-	0	0	0	6	1	5	11.2	3.8	18.0	13
14 1-4 years **	1	-	1	0	0	0	1	-	1	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	3	2	1	12.3	13.1	11.1	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	3	1	2	12.3	6.5	22.2	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	1	-	16.9	28.6	0	1	-	1	4.1	0	11.1	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	15	10	5	254.2	285.7	208.3	13	9	4	53.5	58.8	44.4	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	2	-	2	8.2	0	22.2	34
35 Diabetes mellitus (260)	-	-	-	0	0	0	3	-	3	12.3	0	33.3	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	8	4	4	135.6	114.3	166.7	35	22	13	144.0	143.8	144.4	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	8	6	2	135.6	171.4	83.3	47	34	13	193.4	222.2	144.4	41
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	6	4	2	24.7	26.1	22.2	42
43 Influenza and pneumonia (480-483, 490-493)	7	4	3	118.6	114.3	125.0	7	2	5	28.8	13.1	55.6	43
44 Bronchitis (500-502)	-	-	-	0	0	0	2	-	2	8.2	0	22.2	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	2	2	-	8.2	13.1	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	1	-	1	4.1	0	11.1	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	2	2	-	33.9	57.1	0	3	-	3	12.3	0	33.3	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	2	-	2	8.2	0	22.2	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	-	-	-	0	0	0	5	4	1	20.6	26.1	11.1	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	2	-	33.9	57.1	0	5	2	3	20.6	13.1	33.3	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	0	0	0	6	1	5	24.7	6.5	55.6	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	1	-	1	16.9	0	41.7	8	-	8	32.9	0	88.9	58
59 Motor vehicle accidents (E810-E835)	2	2	-	33.9	57.1	0	8	4	4	32.9	26.1	44.4	59
60 All other accidents (E800-E802, E840-E962)	13	3	10	220.3	85.7	416.7	6	3	3	24.7	19.6	33.3	60
61 Suicide (E963, E970-E979)	1	1	-	16.9	28.6	0	-	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	1	-	1	16.9	0	41.7	2	-	2	8.2	0	22.2	62
63 All other diseases (residual)	7	4	3	118.6	114.3	125.0	18	15	3	74.1	98.0	33.3	63

COUNTY, BY RACE, GEORGIA, 1957

	Burke						Butts						Calhoun						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	535	132	403	24.4	19.4	26.7	177	58	119	19.4	11.8	28.3	240	46	194	32.0	19.2	38.0	1
2	182	123	59	34.0%	93.2%	14.6%	109	58	51	61.6%	100.0%	42.9%	84	43	41	35.0%	93.5%	21.1%	2
3	25	3	22	4.7%	2.3%	5.5%	5	-	5	2.8%	0%	4.2%	-	-	-	0%	0%	0%	3
4	328	6	322	61.3%	4.5%	79.9%	63	-	63	35.6%	0%	52.9%	156	3	153	65.0%	6.5%	78.9%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	47	9	38	87.8	68.2	94.3	20	3	17	113.0	51.7	142.9	19	2	17	79.2	43.5	87.6	6
7	15	1	14	28.0	7.6	34.7	13	2	11	73.4	34.5	92.4	9	-	9	37.5	0	46.4	7
8	1	-	1	1.9	0	2.5	3	-	3	16.9	0	25.2	-	-	-	0	0	0	8
9	5	1	4	9.3	7.6	9.9	3	1	2	16.9	17.2	16.8	-	-	-	0	0	0	9
	9	-	9	16.8	0	22.3	6	-	6	33.9	0	50.4	7	-	7	29.2	0	36.1	
	-	-	-	0	0	0	1	1	-	5.6	17.2	0	2	-	2	8.3	0	10.3	
10	239	65	174	1091.3	955.9	1152.3	85	46	39	934.1	938.8	928.6	102	37	65	1360.0	1541.7	1274.5	10
11	17	4	13	31.8	30.3	32.3	7	2	5	39.5	34.5	42.0	4	-	4	16.7	0	20.6	11
12	11	2	9	20.6	15.2	22.3	5	1	4	28.2	17.2	33.6	2	-	2	8.3	0	10.3	12
13	4	-	4	7.5	0	9.9	1	-	1	5.6	0	8.4	-	-	-	0	0	0	13
14	1	-	1	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	14
15	1	-	1	18.7	0	24.8	1	-	1	56.5	0	84.0	-	-	-	0	0	0	15
16	-	-	-	0	0	0	1	1	-	11.0	20.4	0	-	-	-	0	0	0	16
17	2	-	2	9.1	0	13.2	1	-	1	11.0	0	23.8	1	-	1	13.3	0	19.6	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	1	-	1	4.6	0	6.6	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	1	-	1	4.6	0	6.6	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	-	1	4.6	0	6.6	-	-	-	0	0	0	-	-	-	0	0	0	32
33	26	11	15	118.7	161.8	99.3	9	8	1	98.9	163.3	23.8	8	3	5	106.7	125.0	98.0	33
34	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	13.3	0	19.6	34
35	1	1	-	4.6	14.7	0	-	-	-	0	0	0	1	-	1	13.3	0	19.6	35
36	-	-	-	0	0	0	1	1	-	11.0	20.4	0	-	-	-	0	0	0	36
37	2	-	2	9.1	0	13.2	-	-	-	0	0	0	-	-	-	0	0	0	37
38	36	12	24	164.4	176.5	158.9	11	2	9	120.9	40.8	214.3	20	5	15	266.7	208.3	294.1	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	89	19	70	406.4	279.4	463.6	37	25	12	406.6	510.2	285.7	41	19	22	546.7	791.7	431.4	41
42	9	1	8	41.1	14.7	53.0	-	-	-	0	0	0	-	-	-	0	0	0	42
43	6	-	6	27.4	0	39.7	7	2	5	76.9	40.8	119.0	6	2	4	80.0	83.3	78.4	43
44	-	-	-	0	0	0	1	1	-	11.0	20.4	0	-	-	-	0	0	0	44
45	2	1	1	9.1	14.7	6.6	-	-	-	0	0	0	2	1	1	26.7	41.7	19.6	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	2	1	1	9.1	14.7	6.6	-	-	-	0	0	0	-	-	-	0	0	0	47
48	4	2	2	18.3	29.4	13.2	-	-	-	0	0	0	1	-	1	13.3	0	19.6	48
49	3	2	1	13.7	29.4	6.6	-	-	-	0	0	0	-	-	-	0	0	0	49
50	4	-	4	18.3	0	26.5	2	-	2	22.0	0	47.6	1	-	1	13.3	0	19.6	50
51	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	1	-	1	4.6	0	6.6	1	-	1	11.0	0	23.8	-	-	-	0	0	0	52
53	1	1	-	4.6	14.7	0	2	1	1	22.0	20.4	23.8	-	-	-	0	0	0	53
54	3	1	2	13.7	14.7	13.2	1	-	1	11.0	0	23.8	1	-	1	13.3	0	19.6	54
55	1	-	1	4.6	0	6.6	1	-	1	11.0	0	23.8	1	-	1	13.3	0	19.6	55
56	6	1	5	27.4	14.7	33.1	1	-	1	11.0	0	23.8	-	-	-	0	0	0	56
57	6	3	3	27.4	44.1	19.9	-	-	-	0	0	0	-	-	-	0	0	0	57
58	3	-	3	13.7	0	19.9	-	-	-	0	0	0	1	-	1	13.3	0	19.6	58
59	5	3	2	22.8	44.1	13.2	1	1	-	11.0	20.4	0	2	1	1	26.7	41.7	19.6	59
60	5	1	4	22.8	14.7	26.5	3	2	1	33.0	40.8	23.8	5	1	4	66.7	41.7	78.4	60
61	1	1	-	4.6	14.7	0	1	1	-	11.0	20.4	0	-	-	-	0	0	0	61
62	4	1	3	18.3	14.7	19.9	-	-	-	0	0	0	-	-	-	0	0	0	62
63	14	3	11	63.9	44.1	72.8	4	1	3	44.0	20.4	71.4	10	5	5	133.3	208.3	98.0	63

ITEM	Camden						Candler						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	308	185	123	35.4	40.2	30.0	139	71	68	18.5	14.8	25.2	1
2 Delivered in hospital	230	181	49	74.7%	97.8%	39.8%	112	67	45	80.6%	94.4%	66.2%	2
3 Delivered in home by physician	5	1	4	1.6%	0.5%	3.3%	6	3	3	4.3%	4.2%	4.4%	3
4 Delivered in home by midwife	73	3	70	23.7%	1.6%	56.9%	21	1	20	15.1%	1.4%	29.4%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	24	12	12	77.9	64.9	97.6	9	2	7	64.7	28.2	102.9	6
FETAL DEATHS													
7 Total	10	4	6	32.5	21.6	48.8	3	-	3	21.6	0	44.1	7
8 Under 20 weeks gestation	2	1	1	6.5	5.4	8.1	-	-	-	0	0	0	8
9 20-27 weeks gestation	1	-	1	3.2	0	8.1	-	-	-	0	0	0	9
28 weeks and more	5	3	2	16.2	16.2	16.3	2	-	2	14.4	0	29.4	
Unknown length of gestation	2	-	2	6.5	0	16.3	1	-	1	7.2	0	14.7	
DEATHS													
10 Total, all ages	74	29	45	850.6	630.4	1097.6	71	45	26	946.7	937.5	963.0	10
11 Under 1 year	8	1	7	26.0	5.4	56.9	6	3	3	43.2	42.3	44.1	11
12 Under 28 days	8	1	7	26.0	5.4	56.9	4	1	3	28.8	14.1	44.1	12
13 Deaths from immaturity	-	-	-	0	0	0	2	2	2	14.4	0	29.4	13
14 1-4 years **	2	-	2	-	-	-	1	1	-	-	-	-	14
15 Maternal deaths	1	-	1	32.5	0	81.3	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	1	-	1	11.5	0	24.4	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	-	1	11.5	0	24.4	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	3	3	-	34.5	65.2	0	4	3	1	53.3	62.5	37.0	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	1	1	-	13.3	20.8	0	34
35 Diabetes mellitus (260)	2	1	1	23.0	21.7	24.4	1	1	-	13.3	20.8	0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	13	7	6	149.4	152.2	146.3	12	7	5	160.0	145.8	185.2	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	19	8	11	218.4	173.9	268.3	23	16	7	306.7	333.3	259.3	41
42 Hypertension without mention of heart (444-447)	1	-	1	11.5	0	24.4	4	2	2	53.3	41.7	74.1	42
43 Influenza and pneumonia (480-483, 490-493)	5	1	4	57.5	21.7	97.6	1	1	-	13.3	20.8	0	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	2	2	-	23.0	43.5	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	1	-	1	13.3	0	37.0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	2	1	1	26.7	20.8	37.0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	1	1	-	13.3	20.8	0	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	3	1	2	34.5	21.7	48.8	-	-	-	0	0	0	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	11.5	0	24.4	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	2	1	1	23.0	21.7	24.4	1	1	-	13.3	20.8	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	3	-	3	34.5	0	73.2	-	-	-	0	0	0	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	2	-	2	23.0	0	48.8	3	-	3	40.0	0	111.1	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	1	-	1	11.5	0	24.4	2	-	2	26.7	0	74.1	58
59 Motor vehicle accidents (E810-E835)	6	2	4	69.0	43.5	97.6	3	2	1	40.0	41.7	37.0	59
60 All other accidents (E800-E802, E840-E962)	4	2	2	46.0	43.5	48.8	2	1	1	26.7	20.8	37.0	60
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	-	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	1	-	1	11.5	0	24.4	2	1	1	26.7	20.8	37.0	62
63 All other diseases (residual)	4	1	3	46.0	21.7	73.2	8	7	1	106.7	145.8	37.0	63

COUNTY, BY RACE, GEORGIA, 1957

	Carroll						Catoosa						Charlton						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	818	593	225	23.6	21.3	33.1	452	444	8	26.1	26.4	16.0	169	90	79	36.0	27.3	56.4	1
2	737	589	148	90.1%	99.3%	65.8%	451	443	8	99.8%	99.8%	100.0%	116	85	31	68.6%	94.4%	39.2%	2
3	10	3	7	1.2%	0.5%	3.1%	-	-	-	0%	0%	0%	1	-	1	0.6%	0%	1.3%	3
4	71	1	70	8.7%	0.2%	31.1%	1	1	1	0.2%	0.2%	0%	52	5	47	30.8%	5.6%	59.5%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	70	42	28	85.6	70.8	124.4	34	32	2	75.2	72.1	250.0	14	2	12	82.8	22.2	151.9	6
7	22	16	6	26.9	27.0	26.7	16	16	-	35.4	36.0	0	10	7	3	59.2	77.8	38.0	7
8	9	8	1	11.0	13.5	4.4	10	10	-	22.1	22.5	0	6	5	1	35.5	55.6	12.7	8
9	2	1	1	2.4	1.7	4.4	2	2	-	4.4	4.5	0	-	-	-	0	0	0	9
	10	6	4	12.2	10.1	17.8	4	4	-	8.8	9.0	0	3	2	1	17.8	22.2	12.7	
	1	1	-	1.2	1.7	0	-	-	-	0	0	0	1	-	1	5.9	0	12.7	
10	287	255	32	829.5	917.3	470.6	108	105	3	624.3	625.0	600.0	43	27	16	914.9	818.2	1142.9	10
11	20	15	5	24.4	25.3	22.2	9	9	-	19.9	20.3	0	6	1	5	35.5	11.1	63.3	11
12	12	10	2	14.7	16.9	8.9	8	8	-	17.7	18.0	0	4	1	3	23.7	11.1	38.0	12
13	2	1	1	2.4	1.7	4.4	2	2	-	4.4	4.5	0	1	1	-	5.9	11.1	0	13
14	2	1	1	-	-	-	1	1	-	-	-	0	1	-	1	-	-	0	14
15	1	1	-	12.2	16.9	0	-	-	-	0	0	0	-	-	-	0	0	0	15
16	2	2	-	5.8	7.2	0	1	1	-	5.8	6.0	0	-	-	-	0	0	0	16
17	3	2	1	8.7	7.2	14.7	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
33	34	33	1	98.3	118.7	14.7	18	17	1	104.0	101.2	200.0	3	2	1	63.8	60.6	71.4	33
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	3	3	-	8.7	10.8	0	-	-	-	0	0	0	-	-	-	0	0	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	2	2	-	5.8	7.2	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	50	45	5	144.5	161.9	73.5	19	17	2	109.8	101.2	400.0	3	2	1	63.8	60.6	71.4	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	97	88	9	280.3	316.5	132.4	31	31	-	179.2	184.5	0	15	12	3	319.1	363.6	214.3	41
42	5	4	1	14.4	14.4	14.7	-	-	-	0	0	0	1	1	-	21.3	30.3	0	42
43	10	7	3	28.9	25.2	44.1	5	5	-	28.9	29.8	0	1	-	1	21.3	0	71.4	43
44	1	1	-	2.9	3.6	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	21.3	30.3	0	45
46	1	1	-	2.9	3.6	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	1	1	-	5.8	6.0	0	1	1	-	21.3	30.3	0	47
48	2	2	-	5.8	7.2	0	-	-	-	0	0	0	1	-	1	21.3	0	71.4	48
49	-	-	-	0	0	0	2	2	-	11.6	11.9	0	1	1	-	21.3	30.3	0	49
50	9	8	1	26.0	28.8	14.7	-	-	-	0	0	0	-	-	-	0	0	0	50
51	1	1	-	2.9	3.6	0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	1	1	-	2.9	3.6	0	-	-	-	0	0	0	-	-	-	0	0	0	52
53	3	2	1	8.7	7.2	14.7	1	1	-	5.8	6.0	0	-	-	-	0	0	0	53
54	5	5	-	14.4	18.0	0	3	3	-	17.3	17.9	0	1	-	1	21.3	0	71.4	54
55	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	55
56	5	3	2	14.4	10.8	29.4	2	2	-	11.6	11.9	0	1	1	-	21.3	30.3	0	56
57	2	2	-	5.8	7.2	0	1	1	-	5.8	6.0	0	-	-	-	0	0	0	57
58	1	-	1	2.9	0	14.7	5	5	-	28.9	29.8	0	2	1	1	42.6	30.3	71.4	58
59	6	6	-	17.3	21.6	0	2	2	-	11.6	11.9	0	1	1	-	21.3	30.3	0	59
60	20	16	4	57.8	57.6	58.8	2	2	-	11.6	11.9	0	3	1	2	63.8	30.3	142.9	60
61	6	5	1	17.3	18.0	14.7	1	1	-	5.8	6.0	0	1	1	-	21.3	30.3	0	61
62	2	-	2	5.8	0	29.4	1	1	-	5.8	6.0	0	1	1	-	21.3	0	71.4	62
63	16	16	-	46.2	57.6	0	13	13	-	75.1	77.4	0	6	2	4	127.7	60.6	285.7	63

TABLE XIII VITAL STATISTICS, BY

ITEM	Chatham						Chattahoochee					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	5,495	3,505	1,990	29.4	29.7	29.1	41	23	18	34.2	38.3	30.0
2 Delivered in hospital	5,313	3,500	1,813	96.7%	99.9%	91.1%	31	23	8	75.6%	100.0%	44.4%
3 Delivered in home by physician	176	4	172	3.2%	0.1%	8.6%	2	-	2	4.9%	0%	11.1%
4 Delivered in home by midwife	5	1	4	0.1%	0.0%	0.2%	8	-	8	19.5%	0%	44.4%
5 Other deliveries	1	-	1	0.0%	0%	0.1%	-	-	-	0%	0%	0%
6 Immature births	466	232	234	84.8	66.2	117.6	6	3	3	146.3	130.4	166.7
FETAL DEATHS												
7 Total	299	209	90	54.4	59.6	45.2	2	1	1	48.8	43.5	55.6
8 Under 20 weeks gestation	170	135	35	30.9	38.5	17.6	1	1	-	24.4	43.5	0
9 20-27 weeks gestation	38	24	14	6.9	6.8	7.0	1	-	1	24.4	0	55.6
28 weeks and more	82	45	37	14.9	12.8	18.6	-	-	-	0	0	0
Unknown length of gestation	9	5	4	1.6	1.4	2.0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	1,712	892	820	917.0	754.7	1197.1	18	7	11	1500.0	1166.7	1833.3
11 Under 1 year	168	73	95	30.6	20.8	47.7	3	-	3	73.2	0	166.7
12 Under 28 days	128	64	64	23.3	18.3	32.2	3	-	3	73.2	0	166.7
13 Deaths from immaturity	42	13	29	7.6	3.7	14.6	3	-	2	48.8	0	111.1
14 1-4 years **	28	7	21	-	-	-	1	-	1	-	-	-
15 Maternal deaths	4	1	3	7.3	2.9	15.1	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	19	6	13	10.2	5.1	19.0	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	7	1	6	3.7	0.8	8.8	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	1	-	1	0.5	0	1.5	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	1	-	1	0.5	0	1.5	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	7	1	6	3.7	0.8	8.8	1	-	1	83.3	0	166.7
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	204	130	74	109.3	110.0	108.0	1	-	1	83.3	0	166.7
34 Benign and unspecified neoplasms (210-239)	4	1	3	2.1	0.8	4.4	-	-	-	0	0	0
35 Diabetes mellitus (260)	23	15	8	12.3	12.7	11.7	-	-	-	0	0	0
36 Pellagra (281)	1	1	-	0.5	0.8	0	-	-	-	0	0	0
37 Anemias (290-293)	2	-	2	1.1	0	2.9	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	31.0	124	186	166.0	104.9	271.5	4	3	1	333.3	500.0	166.7
39 Nonmeningococcal meningitis (340)	1	-	1	0.5	0	1.5	-	-	-	0	0	0
40 Rheumatic fever (400-402)	1	-	1	0.5	0	1.5	-	-	-	0	0	0
41 Heart diseases (410-443)	546	328	218	292.4	277.5	318.2	6	3	3	500.0	500.0	500.0
42 Hypertension without mention of heart (444-447)	14	6	8	7.5	5.1	11.7	-	-	-	0	0	0
43 Influenza and pneumonia (480-483, 490-493)	81	22	59	43.4	18.6	86.1	1	-	1	83.3	0	166.7
44 Bronchitis (500-502)	2	1	1	1.1	0.8	1.5	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	15	7	8	8.0	5.9	11.7	-	-	-	0	0	0
46 Appendicitis (550-553)	1	-	1	0.5	0	1.5	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	11	6	5	5.9	5.1	7.3	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	6	4	2	3.2	3.4	2.9	-	-	-	0	0	0
49 Cirrhosis of liver (581)	23	17	6	12.3	14.4	8.8	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	19	5	14	10.2	4.2	20.4	-	-	-	0	0	0
51 Hyperplasia of prostate (610)	1	-	1	0.5	0	1.5	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	4	1	3	2.1	0.8	4.4	-	-	-	0	0	0
53 Congenital malformations (750-759)	25	17	8	13.4	14.4	11.7	-	-	-	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	49	27	22	26.2	22.8	32.1	1	-	1	83.3	0	166.7
55 Infection of the newborn (763-768)	9	2	7	4.8	1.7	10.2	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	55	23	32	29.5	19.5	46.7	2	-	2	166.7	0	333.3
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	5	3	2	2.7	2.5	2.9	-	-	-	0	0	0
59 Motor vehicle accidents (E810-E835)	49	30	19	26.2	25.4	27.7	-	-	-	0	0	0
60 All other accidents (E800-E802, E840-E962)	69	27	42	37.0	22.8	61.3	-	-	-	0	0	0
61 Suicide (E963, E970-E979)	8	8	-	4.3	6.8	0	1	1	-	83.3	166.7	0
62 Homicide (E964, E980-E985)	24	8	16	12.9	6.8	23.4	-	-	-	0	0	0
63 All other diseases (residual)	115	71	44	61.6	60.1	64.2	1	-	1	83.3	0	166.7

COUNTY, BY RACE, GEORGIA, 1957

	Chattooga						Cherokee						Clarke						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	529	485	44	22.9	23.3	19.1	521	495	26	24.2	24.1	26.0	1,018	685	333	24.1	21.5	32.3	1
2	512	481	31	96.8%	99.2%	70.5%	514	488	26	98.7%	98.6%	100.0%	1,010	684	326	99.2%	99.9%	97.9%	2
3	3	2	1	0.6%	0.4%	2.3%	1	1	-	0.2%	0.2%	0%	6	1	5	0.6%	0.1%	1.5%	3
4	12	1	11	2.3%	0.2%	25.0%	6	6	-	1.2%	1.2%	0%	2	-	2	0.2%	0%	0.6%	4
5	2	1	1	0.4%	0.2%	2.3%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	64	52	12	121.0	107.2	272.7	24	22	2	46.1	44.4	76.9	84	38	46	82.5	55.5	138.1	6
7	19	14	5	35.9	28.9	113.6	11	11	-	21.1	22.2	0	34	15	19	33.4	21.9	57.1	7
8	6	6	0	11.3	12.4	0	2	2	-	3.8	4.0	0	11	6	5	10.8	8.8	15.0	8
9	4	2	2	7.6	4.1	45.5	1	1	-	1.9	2.0	0	4	1	3	3.9	1.5	9.0	9
	6	5	1	11.3	10.3	22.7	6	6	-	11.5	12.1	0	19	8	11	18.7	11.7	33.0	9
	3	1	2	5.7	2.1	45.5	2	2	-	3.8	4.0	0	-	-	-	0	0	0	0
10	180	158	22	779.2	759.6	956.5	140	136	4	651.2	663.4	400.0	371	213	158	879.1	667.7	1534.0	10
11	18	14	4	34.0	28.9	90.9	8	8	-	15.4	16.2	0	30	15	15	29.5	21.9	45.0	11
12	14	11	3	26.5	22.7	68.2	5	5	-	9.6	10.1	0	18	11	7	17.7	16.1	21.0	12
13	5	4	1	9.5	8.2	22.7	3	3	-	5.8	6.1	0	7	4	3	6.9	5.8	9.0	13
14	2	2	-	-	-	-	3	3	-	-	-	0	6	3	3	-	-	-	14
15	1	-	1	18.9	0	227.3	-	-	-	0	0	0	1	1	-	9.8	14.6	0	15
16	9	8	1	39.0	38.5	43.5	-	-	-	0	0	0	2	2	-	4.7	6.3	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	4.7	3.1	9.7	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	1	1	-	4.3	4.8	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
33	25	23	2	108.2	110.6	87.0	18	18	-	83.7	87.8	0	47	33	14	111.4	103.4	135.9	33
34	1	1	-	4.3	4.8	0	1	1	-	4.7	4.9	0	2	1	1	4.7	3.1	9.7	34
35	3	3	-	13.0	14.4	0	1	1	-	4.7	4.9	0	2	1	1	4.7	3.1	9.7	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	4.7	0	19.4	37
38	39	33	6	168.8	158.7	260.9	23	22	1	107.0	107.3	100.0	50	29	21	118.5	90.9	203.9	38
39	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	2.4	0	9.7	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	45	43	2	194.8	206.7	87.0	51	49	2	237.2	239.0	200.0	114	78	36	270.1	244.5	349.5	41
42	-	-	-	0	0	0	1	1	-	4.7	4.9	0	9	2	7	21.3	6.3	68.0	42
43	4	3	1	17.3	14.4	43.5	8	7	1	37.2	34.1	100.0	24	4	20	56.9	12.5	194.2	43
44	-	-	-	0	0	0	1	1	-	4.7	4.9	0	2	2	-	4.7	6.3	0	44
45	1	1	-	4.3	4.8	0	-	-	-	0	0	0	5	4	1	11.8	12.5	9.7	45
46	1	1	-	4.3	4.8	0	-	-	-	0	0	0	1	-	1	2.4	0	9.7	46
47	2	2	-	8.7	9.6	0	-	-	-	0	0	0	3	2	1	7.1	6.3	9.7	47
48	1	1	1	4.3	0	43.5	1	1	-	4.7	4.9	0	2	-	2	4.7	0	19.4	48
49	1	1	-	4.3	4.8	0	1	1	-	4.7	4.9	0	4	2	2	9.5	6.3	19.4	49
50	4	4	-	17.3	19.2	0	1	1	-	4.7	4.9	0	21	3	18	49.8	9.4	174.8	50
51	-	-	-	0	0	0	1	1	-	4.7	4.9	0	2	1	1	4.7	3.1	9.7	51
52	1	-	1	4.3	0	43.5	-	-	-	0	0	0	1	1	-	2.4	3.1	0	52
53	3	3	-	13.0	14.4	0	2	2	-	9.3	9.8	0	1	1	-	2.4	3.1	0	53
54	4	2	2	17.3	9.6	87.0	1	1	-	4.7	4.9	0	9	6	3	21.3	18.8	29.1	54
55	1	1	-	4.3	4.8	0	-	-	-	0	0	0	1	-	1	2.4	0	9.7	55
56	7	6	1	30.3	28.8	43.5	3	3	-	14.0	14.6	0	7	4	3	16.6	12.5	29.1	56
57	-	-	-	0	0	0	2	2	-	9.3	9.8	0	1	1	-	2.4	3.1	0	57
58	3	2	1	13.0	9.6	43.5	-	-	-	0	0	0	7	4	3	16.6	12.5	29.1	58
59	1	1	-	4.3	4.8	0	7	7	-	32.6	34.1	0	6	4	2	14.2	12.5	19.4	59
60	6	5	1	26.0	24.0	43.5	6	6	-	27.9	29.3	0	11	3	8	26.1	9.4	77.7	60
61	1	1	-	4.3	4.8	0	-	-	-	0	0	0	4	4	-	9.5	12.5	0	61
62	1	-	1	4.3	0	43.5	1	1	-	4.7	4.9	0	3	1	2	7.1	3.1	19.4	62
63	15	13	2	64.9	62.5	87.0	10	10	-	46.5	48.8	0	25	19	6	59.2	59.6	58.3	63

ITEM	Clay						Clayton						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	118	26	92	22.7	16.2	25.6	1,086	954	132	33.3	34.4	26.9	1
2 Delivered in hospital	45	26	19	38.1%	100.0%	20.7%	1,032	949	83	95.0%	99.5%	62.9%	2
3 Delivered in home by physician	-	-	-	0%	0%	0%	15	3	12	1.4%	0.3%	9.1%	3
4 Delivered in home by midwife	73	-	73	61.9%	0%	79.3%	39	2	37	3.6%	0.2%	28.0%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	11	1	10	93.2	38.5	108.7	91	77	14	83.8	80.7	106.1	6
FETAL DEATHS													
7 Total	-	-	-	0	0	0	33	28	5	30.4	29.4	37.9	7
8 Under 20 weeks gestation	-	-	-	0	0	0	17	15	2	15.7	15.7	15.2	8
9 20-27 weeks gestation	-	-	-	0	0	0	4	2	2	3.7	2.1	15.2	8
28 weeks and more	-	-	-	0	0	0	12	11	1	11.0	11.5	7.6	9
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0	9
DEATHS													
10 Total, all ages	47	15	32	903.8	937.5	888.9	214	177	37	656.4	638.0	755.1	10
11 Under 1 year	3	-	3	25.4	0	32.6	22	15	7	20.3	15.7	53.0	11
12 Under 28 days	1	-	1	8.5	0	10.9	14	11	3	12.9	11.5	22.7	12
13 Deaths from immaturity	-	-	-	0	0	0	5	3	2	4.6	3.1	15.2	13
14 1-4 years **	-	-	-	0	0	0	6	4	2	-	-	-	14
15 Maternal deaths	1	-	1	84.7	0	108.7	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	1	-	1	19.2	0	27.8	2	2	-	6.1	7.2	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	1	1	-	3.1	3.6	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	1	1	-	3.1	3.6	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	1	1	-	3.1	3.6	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	4	2	2	76.9	125.0	55.6	28	23	5	85.9	83.0	102.0	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	1	1	-	3.1	3.6	0	34
35 Diabetes mellitus (260)	-	-	-	0	0	0	4	3	1	12.3	10.8	20.4	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	8	2	6	153.8	125.0	166.7	27	24	3	82.8	86.6	61.2	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	3	3	-	9.2	10.8	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	13	7	6	250.0	437.5	166.7	69	59	10	211.7	213.0	204.1	41
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	-	-	-	0	0	0	42
43 Influenza and pneumonia (480-483, 490-493)	4	-	4	76.9	0	111.1	14	9	5	42.9	32.5	102.0	43
44 Bronchitis (500-502)	-	-	-	0	0	0	1	1	-	3.1	3.6	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	1	1	-	3.1	3.6	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	2	1	1	6.1	3.6	20.4	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	1	1	-	3.1	3.6	0	49
50 Nephritis and nephrosis (590-594)	5	-	5	96.2	0	138.9	3	2	1	9.2	7.2	20.4	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	19.2	0	27.8	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	-	-	-	0	0	0	3	3	-	9.2	10.8	0	53
54 Birth injuries, postnatal asphyxia and otelectasis (760-762)	-	-	-	0	0	0	7	6	1	21.5	21.7	20.4	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	2	-	2	38.5	0	55.6	5	3	2	15.3	10.8	40.8	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	1	-	1	3.1	0	20.4	58
59 Motor vehicle accidents (E810-E835)	2	-	2	38.5	0	55.6	9	8	1	27.6	28.9	20.4	59
60 All other accidents (E800-E802, E840-E962)	3	1	2	57.7	62.5	55.6	12	9	3	36.8	32.5	61.2	60
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	5	5	-	15.3	18.0	0	61
62 Homicide (E964, E980-E985)	1	-	1	19.2	0	27.8	2	1	1	6.1	3.6	20.4	62
63 All other diseases (residual)	3	3	-	57.7	187.5	0	11	9	2	33.7	32.5	40.8	63

COUNTY, BY RACE, GEORGIA, 1957

	Clineh						Cobb						Coffee						
	Number			Rate or Ratio*			Number			Rate or Ratio*			Number			Rate or Ratio*			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	210	116	94	32.3	26.4	44.8	2,996	2,738	258	36.7	36.8	35.8	603	370	233	23.4	19.1	36.4	1
2	165	98	67	78.6%	84.5%	71.3%	2,974	2,730	244	99.3%	99.7%	94.6%	429	337	92	71.1%	91.1%	39.5%	2
3	31	18	13	14.8%	15.5%	13.8%	18	7	11	0.6%	0.3%	4.3%	58	30	28	9.6%	8.1%	12.0%	3
4	14	-	14	6.7%	0%	14.9%	4	1	3	0.1%	0.0%	1.2%	116	3	113	19.2%	0.8%	48.5%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	21	7	14	100.0	60.3	148.9	208	175	33	69.4	63.9	127.9	51	24	27	84.6	64.9	115.9	6
7	9	4	5	42.9	34.5	53.2	77	62	15	25.7	22.6	58.1	25	15	10	41.5	40.5	42.9	7
8	6	4	2	28.6	34.5	21.3	24	19	5	8.0	6.9	19.4	11	11	-	18.2	29.7	0	8
9	3	-	3	0	0	0	16	13	3	5.3	4.7	11.6	4	3	1	6.6	8.1	4.3	9
	-	-	-	14.3	0	31.9	31	26	5	10.3	9.5	19.4	10	1	9	16.6	2.7	38.6	
	-	-	-	0	0	0	6	4	2	2.0	1.5	7.8	-	-	-	0	0	0	
10	61	25	36	938.5	568.2	1714.3	554	478	76	678.9	642.5	1055.6	196	138	58	759.7	711.3	906.2	10
11	10	4	6	47.6	34.5	63.8	57	50	7	19.0	18.3	27.1	25	9	16	41.5	24.3	68.7	11
12	5	2	3	23.8	17.2	31.9	43	40	3	14.4	14.6	11.6	11	6	5	18.2	16.2	21.5	12
13	2	1	1	9.5	8.6	10.6	10	10	-	3.3	3.7	0	4	2	2	6.6	5.4	8.6	13
14	-	-	-	-	-	-	5	4	1	-	-	-	4	2	2	-	-	-	14
15	1	-	1	47.6	0	106.4	1	1	-	3.3	3.7	0	-	-	-	0	0	0	15
16	-	-	-	0	0	0	1	1	-	1.2	1.3	0	-	-	-	0	0	0	16
17	-	-	-	0	0	0	3	1	2	3.7	1.3	27.8	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	2	2	-	2.4	2.7	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	3	3	-	3.7	4.0	0	-	-	-	0	0	0	32
33	4	-	4	61.5	0	190.5	75	68	7	91.9	91.4	97.2	28	21	7	108.5	108.2	109.4	33
34	-	-	-	0	0	0	2	2	-	2.4	2.7	0	-	-	-	0	0	0	34
35	-	-	-	0	0	0	13	10	3	15.9	13.4	41.7	5	5	-	19.4	25.8	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	7.8	5.2	15.6	37
38	7	3	4	107.7	68.2	190.5	68	58	10	83.3	78.0	138.9	40	27	13	155.0	139.2	203.1	38
39	-	-	-	0	0	0	2	2	-	2.4	2.7	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	20	10	10	307.7	227.3	476.2	186	164	22	227.9	220.4	305.6	47	35	12	182.2	180.4	187.5	41
42	1	-	1	15.4	0	47.6	2	1	1	2.4	1.3	13.9	2	2	-	7.8	10.3	0	42
43	2	-	2	30.8	0	95.2	15	11	4	18.4	14.8	55.6	14	9	5	54.3	46.4	78.1	43
44	-	-	-	0	0	0	1	1	-	1.2	1.3	0	1	1	-	3.9	0	15.6	44
45	1	1	-	15.4	22.7	0	8	7	1	9.8	9.4	13.9	4	4	-	15.5	20.6	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	1	-	1	1.2	0	13.9	1	1	-	3.9	5.2	0	47
48	1	-	1	15.4	0	47.6	1	1	-	1.2	1.3	0	3	-	3	11.6	0	46.9	48
49	-	-	-	0	0	0	5	4	1	6.1	5.4	13.9	-	-	-	0	0	0	49
50	2	-	2	30.8	0	95.2	3	1	2	3.7	1.3	27.8	4	2	2	15.5	10.3	31.2	50
51	1	1	-	15.4	22.7	0	1	1	-	1.2	1.3	0	1	1	-	3.9	5.2	0	51
52	1	-	1	15.4	0	47.6	1	1	-	1.2	1.3	0	-	-	-	0	0	0	52
53	2	2	-	30.8	45.5	0	10	10	-	12.3	13.4	0	3	2	1	11.6	10.3	15.6	53
54	2	1	1	30.8	22.7	47.6	16	14	2	19.6	18.8	27.8	4	3	1	15.5	15.5	15.6	54
55	-	-	-	0	0	0	3	3	-	3.7	4.0	0	1	-	1	3.9	0	15.6	55
56	3	1	2	46.2	22.7	95.2	14	14	-	17.2	18.8	0	5	2	3	19.4	10.3	46.9	56
57	1	1	-	15.4	22.7	0	-	-	-	0	0	0	1	1	-	3.9	5.2	0	57
58	-	-	-	0	0	0	3	1	2	3.7	1.3	27.8	2	2	2	7.8	0	31.2	58
59	2	2	-	30.8	45.5	0	31	29	2	38.0	39.0	27.8	6	5	1	23.3	25.8	15.6	59
60	2	1	1	30.8	22.7	47.6	20	16	4	24.5	21.5	55.6	6	5	1	23.3	25.8	15.6	60
61	-	-	-	0	0	0	5	5	-	6.1	6.7	0	3	2	1	11.6	10.3	15.6	61
62	1	-	1	15.4	0	47.6	8	2	6	9.8	2.7	83.3	3	1	2	11.6	5.2	31.2	62
63	8	2	6	123.1	45.5	285.7	51	45	6	62.5	60.5	83.3	10	9	1	38.8	46.4	15.6	63

TABLE XIII VITAL STATISTICS, BY

ITEM	Colquitt						Columbia					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	909	610	299	25.8	22.8	35.2	357	214	143	33.4	36.3	29.8
2 Delivered in hospital	737	599	138	81.1%	98.2%	46.2%	269	211	58	75.4%	98.6%	40.6%
3 Delivered in home by physician	15	7	8	1.6%	1.1%	2.7%	16	2	14	4.5%	0.9%	9.8%
4 Delivered in home by midwife	157	4	153	17.3%	0.7%	51.2%	71	1	70	19.9%	0.5%	49.0%
5 Other deliveries	-	-	-	0%	0%	0%	1	-	1	0.3%	0%	0.7%
6 Immature births	53	25	28	58.3	41.0	93.6	36	12	24	100.8	56.1	167.8
FETAL DEATHS												
7 Total	30	19	11	33.0	31.1	36.8	21	13	8	58.8	60.7	55.9
8 Under 20 weeks gestation	12	9	3	13.2	14.8	10.0	14	10	4	39.2	46.7	28.0
9 20-27 weeks gestation	5	3	2	5.5	4.9	6.7	2	2	-	5.6	9.3	0
28 weeks and more	13	7	6	14.3	11.5	20.1	5	1	4	14.0	4.7	28.0
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	266	181	85	755.7	677.9	1000.0	93	50	43	869.2	847.5	895.8
11 Under 1 year	21	7	14	23.1	11.5	46.8	15	6	9	42.0	28.0	62.9
12 Under 28 days	8	1	7	8.8	1.6	23.4	7	3	4	19.6	14.0	28.0
13 Deaths from immaturity	1	-	1	1.1	-	3.3	2	1	1	5.6	4.7	7.0
14 1-4 years **	8	6	2	-	-	-	7	1	6	-	-	-
15 Maternal deaths	4	2	2	44.0	32.8	66.9	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	1	-	1	2.8	0	11.8	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	1	-	1	2.8	0	11.8	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	1	9.3	0	20.8
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	2	1	1	5.7	3.7	11.8	1	-	1	9.3	0	20.8
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	27	23	4	76.7	86.1	47.1	10	9	1	93.5	152.5	20.8
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	5	3	2	14.2	11.2	23.5	3	3	-	28.0	50.8	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	2	2	-	5.7	0	23.5	1	-	1	9.3	0	20.8
38 Vascular lesions affecting central nervous system (330-334)	55	35	20	156.2	131.1	235.3	16	7	9	149.5	118.6	187.5
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	1	-	1	9.3	0	20.8
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	74	59	15	210.2	221.0	176.5	18	10	8	168.2	169.5	166.7
42 Hypertension without mention of heart (444-447)	3	2	1	8.5	7.5	11.8	1	1	-	9.3	16.9	0
43 Influenza and pneumonia (480-483, 490-493)	12	9	3	34.1	33.7	35.3	9	4	5	84.1	67.8	104.2
44 Bronchitis (500-502)	1	1	-	2.8	3.7	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	1	1	-	2.8	3.7	0	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	2.8	3.7	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	1	1	2.8	0	11.8	-	-	-	0	0	0
49 Cirrhosis of liver (581)	1	1	-	2.8	3.7	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	8	7	1	22.7	26.2	11.8	3	-	3	28.0	0	62.5
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	4	2	2	11.4	7.5	23.5	-	-	-	0	0	0
53 Congenital malformations (750-759)	2	1	1	5.7	3.7	11.8	4	3	1	37.4	50.8	20.8
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	5	2	3	14.2	7.5	35.3	1	1	-	9.3	16.9	0
55 Infection of the newborn (763-768)	-	-	-	0	0	0	1	-	1	9.3	0	20.8
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	-	3	8.5	0	35.3	2	1	1	18.7	16.9	20.8
57 Senility, without mention of psychosis (794)	1	-	1	2.8	0	11.8	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	5	3	2	14.2	11.2	23.5	2	-	2	18.7	0	41.7
59 Motor vehicle accidents (E810-E835)	11	9	2	31.2	33.7	23.5	4	2	2	37.4	33.9	41.7
60 All other accidents (E800-E802, E840-E962)	15	9	6	42.6	33.7	70.6	4	3	1	37.4	50.8	20.8
61 Suicide (E963, E970-E979)	3	3	-	8.5	11.2	0	1	1	-	9.3	16.9	0
62 Homicide (E964, E980-E985)	4	3	1	11.4	11.2	11.8	1	-	1	9.3	0	20.8
63 All other diseases (residual)	18	6	12	51.1	22.5	141.2	9	5	4	84.1	84.7	83.3

COUNTY, BY RACE, GEORGIA, 1957

	Cook						Coweta						Crawford						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	310	188	122	24.6	21.1	33.0	686	388	298	24.0	21.6	28.1	160	49	111	29.1	22.3	33.6	1
2	276	184	92	89.0%	97.9%	75.4%	555	384	171	80.9%	99.0%	57.4%	71	47	24	44.4%	95.9%	21.6%	2
3	3	-	3	1.0%	0%	2.5%	15	3	12	2.2%	0.8%	4.0%	42	2	40	26.2%	4.1%	36.0%	3
4	29	3	26	9.4%	1.6%	21.3%	112	1	111	16.3%	0.3%	37.2%	47	-	47	29.4%	0%	42.3%	4
5	2	1	1	0.6%	0.5%	0.8%	4	-	4	0.6%	0%	1.3%	-	-	-	0%	0%	0%	5
6	24	14	10	77.4	74.5	82.0	55	27	28	80.2	69.6	94.0	22	6	16	137.5	122.4	144.1	6
7	13	6	7	41.9	31.9	57.4	13	3	10	19.0	7.7	33.6	4	-	4	25.0	0	36.0	7
8	6	4	2	19.4	21.3	16.4	2	1	1	2.9	2.6	3.4	-	-	-	0	0	0	8
9	4	1	3	12.9	5.3	24.6	1	1	1	1.5	0	3.4	1	-	1	6.2	0	9.0	9
	3	1	2	9.7	5.3	16.4	8	1	7	11.7	2.6	23.5	2	-	2	12.5	0	10.0	
	-	-	-	0	0	0	2	1	1	2.9	2.6	3.4	1	-	1	6.2	0	9.0	
10	117	73	44	928.6	820.2	1189.2	262	157	105	916.1	872.2	990.6	45	21	24	818.2	954.5	727.3	10
11	16	4	12	51.6	21.3	98.4	25	17	8	36.4	43.8	26.8	5	-	5	31.2	0	45.0	11
12	10	4	6	32.3	21.3	49.2	18	13	5	26.2	33.5	16.8	3	-	3	18.5	0	27.0	12
13	5	1	4	16.1	5.3	32.8	6	4	2	8.7	10.3	6.7	-	-	-	0	0	0	13
14	3	2	1	-	-	-	5	4	1	-	-	-	1	-	1	-	-	-	14
15	1	-	1	32.3	0	82.0	-	-	-	0	0	0	-	-	-	0	0	0	15
16	-	-	-	0	0	0	3	2	1	10.5	11.1	9.4	-	-	-	0	0	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	1	1	-	7.9	11.2	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	1	1	-	3.5	5.6	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
33	10	7	3	79.4	78.7	81.1	42	27	15	146.9	150.0	141.5	2	1	1	36.4	45.5	30.3	33
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	2	2	-	15.9	22.5	0	7	6	1	24.5	33.3	9.4	-	-	-	0	0	0	35
36	-	-	-	0	0	0	1	-	1	3.5	0	9.4	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	20	12	8	158.7	134.8	216.2	45	24	21	157.3	133.3	198.1	9	4	5	163.6	181.8	151.5	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	0	-	-	0	0	0	-	-	-	0	0	0	40
41	32	25	7	254.0	280.9	189.2	79	54	25	276.2	300.0	235.8	17	9	8	309.1	409.1	244.4	41
42	1	1	1	7.9	0	27.0	4	2	2	14.0	11.1	18.9	2	-	-	0	0	0	42
43	10	3	7	79.4	33.7	189.2	6	2	4	21.0	11.1	37.7	1	1	-	18.2	45.5	0	43
44	1	1	-	7.9	11.2	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	2	1	1	7.0	5.6	9.4	-	-	-	0	0	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	1	-	1	3.5	0	9.4	-	-	-	0	0	0	47
48	1	1	-	7.9	11.2	0	1	-	1	3.5	0	9.4	-	-	-	0	0	0	48
49	1	1	-	7.9	11.2	0	-	-	-	0	0	0	-	-	-	0	0	0	49
50	1	1	-	7.9	11.2	0	2	1	1	7.0	5.6	9.4	3	1	2	54.5	45.5	60.6	50
51	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	1	-	1	7.9	0	27.0	-	-	-	0	0	0	-	-	-	0	0	0	52
53	-	-	-	0	0	0	6	6	-	21.0	33.3	0	2	-	2	36.4	0	60.6	53
54	4	3	1	31.7	33.7	27.0	5	5	-	17.5	27.8	0	1	-	1	18.2	0	30.3	54
55	-	-	-	0	0	0	3	2	1	10.5	11.1	9.4	1	-	1	18.2	0	30.3	55
56	6	1	5	47.6	11.2	135.1	8	4	4	28.0	22.2	37.7	-	-	-	0	0	0	56
57	-	-	-	0	0	0	2	-	2	7.0	0	18.9	-	-	-	0	0	0	57
58	1	-	1	7.9	0	27.0	6	2	4	21.0	11.1	37.7	-	-	-	0	0	0	58
59	4	4	-	31.7	44.9	0	6	3	3	21.0	16.7	28.3	3	1	2	54.5	45.5	60.6	59
60	7	3	4	55.6	33.7	108.1	11	4	7	38.5	22.2	66.0	1	-	1	18.2	0	30.3	60
61	1	-	1	7.9	0	27.0	2	1	1	7.0	5.6	9.4	-	-	-	0	0	0	61
62	2	-	2	15.9	0	54.1	3	-	3	10.5	0	28.3	-	-	-	0	0	0	62
63	11	8	3	87.3	89.9	81.1	16	10	6	55.9	55.6	56.6	5	4	1	90.9	181.8	30.3	63

ITEM	Crisp						Dade					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	473	196	277	26.3	19.2	35.5	216	214	2	25.7	25.8	20.0
2 Delivered in hospital	257	187	70	54.3%	95.4%	25.3%	180	178	2	83.3%	83.2%	100.0%
3 Delivered in home by physician	5	2	3	1.1%	1.0%	1.1%	35	35	-	16.2%	16.4%	0%
4 Delivered in home by midwife	211	7	204	44.6%	3.6%	73.6%	1	1	-	0.5%	0.5%	0%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	29	11	18	61.3	56.1	65.0	10	10	-	46.3	46.7	0
FETAL DEATHS												
7 Total	41	26	15	86.7	132.7	54.2	5	5	-	23.1	23.4	0
8 Under 20 weeks gestation	23	16	6	46.5	81.6	21.7	1	1	-	4.6	4.7	0
9 20-27 weeks gestation	5	5	-	10.6	25.5	0	1	1	-	4.6	4.7	0
28 weeks and more	12	5	7	25.4	15.3	32.5	3	3	-	13.9	14.0	0
Unknown length of gestation	2	2	-	4.2	10.2	0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	175	100	75	972.2	980.4	961.5	66	65	1	785.7	783.1	1000.0
11 Under 1 year	19	11	8	40.2	56.1	28.9	5	5	-	23.1	23.4	0
12 Under 28 days	10	6	4	21.1	30.6	14.4	5	5	-	23.1	23.4	0
13 Deaths from immaturity	3	1	2	6.3	5.1	7.2	2	2	-	9.3	9.3	0
14 1-4 years **	3	2	1	-	-	-	2	2	-	-	-	0
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	1	-	1	5.6	0	12.8	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	1	-	1	5.6	0	12.8	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	1	-	1	5.6	0	12.8	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	1	-	1	5.6	0	12.8	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	2	1	1	11.1	9.8	12.8	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	19	11	8	105.6	107.8	102.6	8	8	-	95.2	96.4	0
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	2	2	-	23.8	24.1	0
35 Diabetes mellitus (260)	-	-	-	16.7	29.4	0	1	-	1	11.9	0	1000.0
36 Pellagra (281)	3	3	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	-	-	-	0	0	0	-	-	-	0	0	0
39 Nonmeningococcal meningitis (340)	24	13	11	133.3	127.4	141.0	11	11	-	131.0	132.5	0
	1	1	-	5.6	9.8	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	58	33	25	322.2	323.5	320.5	18	18	-	214.3	216.9	0
42 Hypertension without mention of heart (444-447)	2	1	1	11.1	9.8	12.8	-	-	-	0	0	0
43 Influenza and pneumonia (480-483, 490-493)	6	1	5	33.3	9.8	64.1	4	4	-	47.6	48.2	0
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	1	-	1	5.6	0	12.8	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	2	2	-	11.1	19.6	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	1	-	5.6	9.8	0	-	-	-	0	0	0
49 Cirrhosis of liver (581)	3	2	1	16.7	19.6	12.8	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	4	3	1	22.2	29.4	12.8	-	-	-	0	0	0
51 Hyperplasia of prostate (610)	1	1	-	5.6	9.8	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	-	-	-	0	0	0	1	1	-	11.9	12.0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	5	5	-	27.8	49.0	0	1	1	-	11.9	12.0	0
55 Infection of the newborn (763-768)	1	-	1	5.6	0	12.8	1	1	-	11.9	12.0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	4	2	2	22.2	19.6	25.6	2	2	-	23.8	24.1	0
57 Senility, without mention of psychosis (794)	1	1	-	5.6	9.8	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	3	3	-	16.7	29.4	0	2	2	-	23.8	24.1	0
59 Motor vehicle accidents (E810-E835)	4	3	1	22.2	29.4	12.8	8	8	-	95.2	96.4	0
60 All other accidents (E800-E802, E840-E962)	6	2	4	33.3	19.6	51.3	3	3	-	35.7	36.1	0
61 Suicide (E963, E970-E979)	3	3	-	16.7	29.4	0	1	1	-	11.9	12.0	0
62 Homicide (E964, E980-E985)	5	1	4	27.8	9.8	51.3	-	-	-	0	0	0
63 All other diseases (residual)	12	7	5	66.7	68.6	64.1	3	3	-	35.7	36.1	0

COUNTY, BY RACE, GEORGIA, 1957

	Dawson						Decatur						DeKalb						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	73	73	-	22.1	22.1	0	674	338	336	27.1	25.0	29.5	6,509	5,738	771	33.5	32.6	41.7	1
2	73	73	-	100.0%	100.0%	0%	513	332	181	76.1%	98.2%	53.9%	6,369	5,661	708	97.8%	98.7%	91.8%	2
3	-	-	-	0%	0%	0%	37	5	32	5.5%	1.5%	9.5%	132	77	55	2.0%	1.3%	7.1%	3
4	-	-	-	0%	0%	0%	124	1	123	18.4%	0.3%	36.6%	7	-	7	0.1%	0%	0.9%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	1	-	1	0.0%	0%	0.1%	5
6	1	1	-	13.7	13.7	0	54	22	32	80.1	65.1	95.2	444	325	119	68.2	56.6	154.3	6
7	6	6	-	82.2	82.2	0	17	7	10	25.2	20.7	29.8	212	179	33	32.6	31.2	42.8	7
8	1	1	-	13.7	13.7	0	-	-	-	0	0	0	114	106	8	17.5	18.5	10.4	8
9	4	4	-	54.8	54.8	0	17	7	10	25.2	20.7	29.8	63	47	16	9.7	8.2	20.8	9
	1	1	-	13.7	13.7	0	-	-	-	0	0	0	5	4	1	0.8	0.7	1.3	
10	33	33	-	1000.0	1000.0	0	229	103	126	919.7	763.0	1105.3	1,426	1,195	231	733.2	679.0	1248.6	10
11	1	1	-	13.7	13.7	0	26	4	22	38.6	11.8	65.5	152	111	41	23.4	19.3	53.2	11
12	1	1	-	13.7	13.7	0	13	4	9	19.3	11.8	26.8	121	90	31	18.6	15.7	40.2	12
13	-	-	-	0	0	0	1	1	1	1.5	0	3.0	25	21	4	3.8	3.7	5.2	13
14	1	1	-	-	-	0	4	2	2	-	-	-	23	20	3	-	-	-	14
15	-	-	-	0	0	0	1	-	1	14.8	0	29.8	2	-	2	3.1	0	25.9	15
16	-	-	-	0	0	0	-	-	-	0	0	0	14	8	6	7.2	4.5	32.4	16
17	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	0.5	0	5.4	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	2	2	-	1.0	1.1	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	0.5	0	5.4	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	0.5	0.6	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	0.5	0.6	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	1	1	-	4.0	7.4	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	2	2	-	1.0	1.1	0	32
33	2	2	-	60.6	60.6	0	29	20	9	116.5	148.1	78.9	224	204	20	115.2	115.9	108.1	33
34	-	-	-	0	0	0	1	-	1	4.0	0	8.8	3	3	-	1.5	1.7	0	34
35	-	-	-	0	0	0	3	2	1	12.0	14.8	8.8	15	13	2	7.4	7.4	10.8	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	4	4	-	2.1	2.3	0	37
38	7	7	-	212.1	212.1	0	35	12	23	140.6	88.9	201.8	192	162	30	98.7	92.0	162.2	38
39	-	-	-	0	0	0	2	-	2	8.0	0	17.5	3	3	1	1.5	1.1	5.4	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	-	9	-	272.7	272.7	0	75	35	40	301.2	259.3	350.9	462	402	60	237.5	228.4	324.3	41
42	-	-	-	0	0	0	3	2	1	12.0	14.8	8.8	7	6	1	3.6	3.4	5.4	42
43	1	1	-	30.3	30.3	0	11	2	9	44.2	14.8	78.9	33	21	12	17.0	11.9	64.9	43
44	-	-	-	0	0	0	1	-	1	4.0	0	8.8	5	5	-	2.6	2.8	0	44
45	-	-	-	0	0	0	-	-	-	0	0	0	9	8	1	4.6	4.5	5.4	45
46	-	-	-	0	0	0	2	-	2	8.0	0	17.5	3	2	1	1.5	1.1	5.4	46
47	-	-	-	0	0	0	3	2	1	12.0	14.8	8.8	3	1	2	1.5	0.6	10.8	47
48	-	-	-	0	0	0	5	1	4	20.1	7.4	35.1	7	7	-	3.6	4.0	0	48
49	4	4	-	121.2	121.2	0	-	-	-	0	0	0	19	15	4	9.8	8.5	21.6	49
50	-	-	-	0	0	0	3	-	3	12.0	0	26.3	14	10	4	7.2	5.7	21.6	50
51	-	-	-	0	0	0	-	-	-	0	0	0	3	-	-	1.5	1.7	0	51
52	-	-	-	0	0	0	1	-	1	4.0	0	8.8	2	-	2	1.0	0	10.8	52
53	-	-	-	0	0	0	4	3	1	16.1	22.2	8.8	45	36	9	23.1	20.5	48.6	53
54	1	1	-	30.3	30.3	0	3	2	1	12.0	14.8	8.8	56	39	17	28.8	22.2	91.9	54
55	-	-	-	0	0	0	1	-	1	4.0	0	8.8	7	5	2	3.6	2.8	10.8	55
56	-	-	-	0	0	0	4	-	4	16.1	0	35.1	39	32	7	20.1	18.2	37.8	56
57	-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	1.0	0.6	5.4	57
58	1	1	-	30.3	30.3	0	4	1	3	16.1	7.4	26.3	4	-	4	2.1	0	21.6	58
59	6	6	-	181.8	181.8	0	6	4	2	24.1	29.6	17.5	47	44	3	24.2	25.0	16.2	59
60	-	-	-	0	0	0	8	4	4	32.1	29.6	35.1	42	35	7	21.6	19.9	37.8	60
61	-	-	-	0	0	0	-	-	-	0	0	0	17	17	-	8.7	9.7	0	61
62	-	-	-	0	0	0	2	-	2	8.0	0	17.5	18	7	11	9.3	4.0	59.5	62
63	2	2	-	60.6	60.6	0	22	12	10	88.4	88.9	87.7	119	97	22	61.2	55.1	118.9	63

ITEM	Dodge						Dooly						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	396	252	144	24.8	22.3	30.6	334	114	220	26.5	19.0	33.3	1
2 Delivered in hospital	266	227	39	67.2%	90.1%	27.1%	172	106	66	51.5%	93.0%	30.0%	2
3 Delivered in home by physician	50	19	31	12.6%	7.5%	21.5%	12	3	9	3.6%	2.6%	4.1%	3
4 Delivered in home by midwife	80	6	74	20.2%	2.4%	51.4%	150	5	145	44.9%	4.4%	65.9%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	24	15	9	60.6	59.5	62.5	40	13	27	119.8	114.0	122.7	6
FETAL DEATHS													
7 Total	12	5	7	30.3	19.8	48.6	10	2	8	29.9	17.5	36.4	
8 Under 20 weeks gestation	3	2	1	7.6	7.9	6.9	1	-	1	3.0	0	4.5	7
9 20-27 weeks gestation	1	1	-	2.5	4.0	0	4	-	4	12.0	0	18.2	8
28 weeks and more	8	2	6	20.2	7.9	41.7	5	2	3	15.0	17.5	13.6	9
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0	
DEATHS													
10 Total, all ages	179	123	56	1118.8	1088.5	1191.5	136	65	71	1079.4	1083.3	1075.8	10
11 Under 1 year	16	11	5	40.4	43.7	34.7	16	4	12	47.9	35.1	54.5	11
12 Under 28 days	11	8	3	27.8	31.7	20.8	10	2	8	29.9	17.5	36.4	12
13 Deaths from immaturity	1	1	-	2.5	4.0	0	4	-	4	12.0	0	18.2	13
14 1-4 years **	3	2	1	-	-	-	2	1	1	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	1	-	1	29.9	0	45.5	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	1	-	1	6.2	0	21.3	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	1	1	-	6.2	8.8	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	1	-	1	7.9	0	15.2	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	2	1	1	12.5	8.8	21.3	1	-	1	7.9	0	15.2	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	14	10	4	87.5	88.5	85.1	17	9	8	134.9	150.0	121.2	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	2	1	1	12.5	8.8	21.3	3	2	1	23.8	33.3	15.2	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	2	1	1	12.5	8.8	21.3	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	36	22	14	225.0	194.7	297.9	26	9	17	206.3	150.0	257.6	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	65	49	16	406.2	433.6	340.4	36	22	14	285.7	366.7	212.1	41
42 Hypertension without mention of heart (444-447)	2	2	-	12.5	17.7	0	1	1	-	7.9	16.7	0	42
43 Influenza and pneumonia (480-483, 490-493)	5	3	2	31.2	26.5	42.6	5	3	2	39.7	50.0	30.3	43
44 Bronchitis (500-502)	1	1	-	6.2	8.8	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	6.2	8.8	0	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	1	1	12.5	8.8	21.3	1	1	-	7.9	16.7	0	48
49 Cirrhosis of liver (581)	1	1	-	6.2	8.8	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	1	1	-	6.2	8.8	0	7	3	4	55.6	50.0	60.6	50
51 Hyperplasia of prostate (610)	1	-	1	6.2	0	21.3	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	1	-	1	7.9	0	15.2	52
53 Congenital malformations (750-759)	1	1	-	6.2	8.8	0	2	-	2	15.9	0	30.3	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	6	4	2	37.5	35.4	42.6	2	1	1	15.9	16.7	15.2	54
55 Infection of the newborn (763-768)	2	2	-	12.5	17.7	0	1	1	-	7.9	16.7	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	2	1	18.8	17.7	21.3	5	-	5	39.7	0	75.8	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	2	1	1	12.5	8.8	21.3	2	-	2	15.9	0	30.3	58
59 Motor vehicle accidents (E810-E835)	7	4	3	43.8	35.4	63.8	4	3	1	31.7	50.0	15.2	59
60 All other accidents (E800-E802, E840-E962)	6	5	1	37.5	44.2	21.3	11	6	5	87.3	100.0	75.8	60
61 Suicide (E963, E970-E979)	1	1	-	6.2	8.8	0	-	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	2	1	1	12.5	8.8	21.3	2	-	2	15.9	0	30.3	62
63 All other diseases (residual)	12	7	5	75.0	61.9	106.4	8	4	4	63.5	66.7	60.6	63

COUNTY, BY RACE, GEORGIA, 1957

	Dougherty						Douglas						Early						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	2,250	1,389	861	39.2	39.8	38.3	384	305	79	27.8	26.1	37.6	401	121	280	23.9	15.9	30.4	1
2	1,817	1,380	437	80.8%	99.4%	50.8%	372	303	69	96.9%	99.3%	87.3%	178	111	67	44.4%	91.7%	23.9%	2
3	307	4	303	13.6%	0.3%	35.2%	6	2	4	1.6%	0.7%	5.1%	13	6	7	3.2%	5.0%	2.5%	3
4	122	3	119	5.4%	0.2%	13.8%	6	-	6	1.6%	0%	7.6%	210	4	206	52.4%	3.3%	73.6%	4
5	4	2	2	0.2%	0.1%	0.2%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	185	88	97	82.2	63.4	112.7	32	23	9	83.3	75.4	113.9	41	9	32	102.2	74.4	114.3	6
7	76	44	32	33.8	31.7	37.2	6	6	-	15.6	19.7	0	18	4	14	44.9	33.1	50.0	7
8	24	17	7	10.7	12.2	8.1	-	-	-	0	0	0	1	-	1	2.5	0	3.6	8
9	19	9	10	8.4	6.5	11.6	3	3	-	7.8	9.8	0	5	3	2	12.5	24.8	7.1	9
	24	13	11	10.7	9.4	12.8	3	3	-	7.8	9.8	0	11	11	11	27.4	0	39.3	
	9	5	4	4.0	3.6	4.6	-	-	-	0	0	0	1	1	-	2.5	8.3	0	
10	487	224	263	848.4	641.8	1168.9	109	95	14	789.9	812.0	666.7	151	76	75	898.8	1000.0	815.2	10
11	70	27	43	31.1	19.4	49.9	7	6	1	18.2	19.7	12.7	16	5	11	39.9	41.3	39.3	11
12	50	22	28	22.2	15.8	32.5	6	5	1	15.6	16.4	12.7	7	3	4	17.5	24.8	14.3	12
13	14	8	6	6.2	5.8	7.0	2	2	-	5.2	6.6	0	2	2	2	5.0	0	7.1	13
14	14	2	12	-	-	-	2	1	1	-	-	-	5	1	4	-	-	-	14
15	1	-	1	4.4	0	11.6	-	-	-	0	0	0	-	-	-	0	0	0	15
16	4	2	2	7.0	5.7	8.9	1	1	-	7.2	8.5	0	3	-	3	17.9	0	32.6	16
17	4	-	4	7.0	0	17.8	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	2	1	1	3.5	2.9	4.4	-	-	-	0	0	0	1	-	1	6.0	0	10.9	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	1	-	1	1.7	0	4.4	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	6.0	0	10.9	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	1	-	1	7.2	0	47.6	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	2	-	2	3.5	0	8.9	-	-	-	0	0	0	-	-	-	0	0	0	32
33	68	35	33	118.5	100.3	146.7	13	12	1	94.2	102.6	47.6	17	13	4	101.2	171.1	43.5	33
34	-	-	-	0	0	0	2	1	1	14.5	8.5	47.6	-	-	-	0	0	0	34
35	5	3	2	8.7	8.6	8.9	3	3	-	21.7	25.6	0	2	1	1	11.9	13.2	10.9	35
36	1	-	1	1.7	0	4.4	-	-	-	0	0	0	-	-	-	0	0	0	36
37	1	1	-	1.7	2.9	0	1	-	1	7.2	0	47.6	-	-	-	0	0	0	37
38	65	22	43	113.2	63.0	191.1	24	23	1	173.9	196.6	47.6	19	9	10	113.1	118.4	108.7	38
39	3	-	3	5.2	0	13.3	1	1	-	7.2	8.5	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	147	74	73	256.1	212.0	324.4	30	25	5	217.4	213.7	238.1	48	25	23	285.7	328.9	250.0	41
42	5	1	4	8.7	2.9	17.8	2	1	1	14.5	8.5	47.6	1	1	-	6.0	13.2	0	42
43	34	13	21	59.2	37.2	93.3	2	1	1	14.5	8.5	47.6	17	5	12	101.2	65.8	130.4	43
44	1	-	1	1.7	0	4.4	-	-	-	0	0	0	-	-	-	0	0	0	44
45	1	1	-	1.7	2.9	0	-	-	-	0	0	0	2	1	1	11.9	13.2	10.9	45
46	1	1	-	1.7	2.9	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	1	-	1	1.7	0	4.4	-	-	-	0	0	0	2	1	1	11.9	13.2	10.9	47
48	4	1	3	7.0	2.9	13.3	-	-	-	0	0	0	-	-	-	0	0	0	48
49	2	2	-	3.5	5.7	0	1	1	-	7.2	8.5	0	1	1	-	6.0	13.2	0	49
50	11	2	9	19.2	5.7	40.0	-	-	-	0	0	0	4	3	1	23.8	39.5	10.9	50
51	3	-	3	5.2	0	13.3	-	-	-	0	0	0	-	-	-	0	0	0	51
52	1	-	1	1.7	0	4.4	-	-	-	0	0	0	-	-	-	0	0	0	52
53	7	5	2	12.2	14.3	8.9	3	3	-	21.7	25.6	0	2	2	-	11.9	26.3	0	53
54	11	6	5	19.2	17.2	22.2	2	1	1	14.5	8.5	47.6	2	2	-	11.9	26.3	0	54
55	7	-	7	12.2	0	31.1	-	-	-	0	0	0	-	-	-	0	0	0	55
56	21	11	10	36.6	31.5	44.4	3	3	-	21.7	25.6	0	3	-	3	17.9	0	32.6	56
57	-	-	-	0	0	0	-	-	-	0	0	0	3	3	3	17.9	0	32.6	57
58	3	-	3	5.2	0	13.3	1	1	-	7.2	8.5	0	1	-	1	6.0	0	10.9	58
59	11	10	1	19.2	28.7	4.4	2	2	-	14.5	17.1	0	5	4	1	29.8	52.6	10.9	59
60	13	4	9	22.6	11.5	40.0	4	4	-	29.0	34.2	0	8	6	6	47.6	26.3	65.2	60
61	5	4	1	8.7	11.5	4.4	4	4	-	29.0	34.2	0	3	2	1	17.9	26.3	10.9	61
62	8	4	4	13.9	11.5	17.8	-	-	-	0	0	0	-	-	-	0	0	0	62
63	34	21	13	59.2	60.2	57.8	9	8	1	65.2	68.4	47.6	6	4	2	35.7	52.6	21.7	63

ITEM	Echoles						Effingham						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	57	30	27	25.9	17.6	54.0	220	100	120	24.7	17.5	37.5	1
2 Delivered in hospital	34	28	6	59.6%	93.3%	22.2%	128	94	34	58.2%	94.0%	28.3%	2
3 Delivered in home by physician	-	-	-	0%	0%	0%	2	1	1	0.9%	1.0%	0.8%	3
4 Delivered in home by midwife	23	2	21	40.4%	6.7%	77.8%	90	5	85	40.9%	5.0%	70.8%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	2	2	-	35.1	66.7	0	18	6	12	81.8	60.0	100.0	6
FETAL DEATHS													
7 Total	3	2	1	52.6	66.7	37.0	14	5	9	63.6	50.0	75.0	
8 Under 20 weeks gestation	1	1	-	17.5	33.3	0	6	4	2	27.3	40.0	16.7	7
9 20-27 weeks gestation	1	-	1	17.5	0	37.0	2	-	2	9.1	0	16.7	8
28 weeks and more	1	1	-	17.5	33.3	0	6	1	5	27.3	10.0	41.7	9
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0	
DEATHS													
10 Total, all ages	18	12	6	818.2	705.9	1200.0	96	58	38	1078.7	1017.5	1187.5	10
11 Under 1 year	1	1	-	17.5	33.3	0	11	8	3	50.0	80.0	25.0	11
12 Under 28 days	1	1	-	17.5	33.3	0	8	7	1	36.4	70.0	8.3	12
13 Deaths from immaturity	-	-	-	0	0	0	1	1	-	4.5	10.0	0	13
14 1-4 years **	1	-	1	-	-	-	3	-	3	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	1	-	1	45.5	0	200.0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	2	2	-	90.9	117.6	0	14	11	3	157.3	193.0	93.8	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	1	1	-	11.2	17.5	0	34
35 Diabetes mellitus (260)	-	-	-	0	0	0	3	2	1	33.7	35.1	31.2	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	2	1	1	90.9	58.8	200.0	22	10	12	247.2	175.4	375.0	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	5	3	2	227.3	176.5	400.0	25	18	7	280.9	315.8	218.8	41
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	1	-	1	11.2	0	31.2	42
43 Influenza and pneumonia (480-483, 490-493)	2	2	-	90.9	117.6	0	6	1	5	67.4	17.5	156.2	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	-	-	-	0	0	0	1	-	1	11.2	0	31.2	50
51 Hyperplasia of prostate (610)	1	1	-	45.5	58.8	0	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	-	-	-	0	0	0	1	1	-	11.2	17.5	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	5	4	1	56.2	70.2	31.2	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	1	1	-	11.2	17.5	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	1	-	45.5	58.8	0	1	1	-	11.2	17.5	0	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	1	-	1	45.5	0	200.0	4	2	2	44.9	35.1	62.5	58
59 Motor vehicle accidents (E810-E835)	-	-	-	0	0	0	5	3	2	56.2	52.6	62.5	59
60 All other accidents (E800-E802, E840-E962)	2	2	-	90.9	117.6	0	2	1	1	22.5	17.5	31.2	60
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	-	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	1	-	1	45.5	0	200.0	-	-	-	0	0	0	62
63 All other diseases (residual)	-	-	-	0	0	0	4	2	2	44.9	35.1	62.5	63

COUNTY, BY RACE, GEORGIA, 1957

	Elbert						Emanuel						Evans						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	371	192	179	20.4	15.2	32.0	437	248	189	24.7	21.8	30.0	178	106	72	28.3	28.6	27.7	1
2	271	189	82	73.0%	98.4%	45.8%	340	239	101	77.8%	96.4%	53.4%	136	104	32	76.4%	98.1%	44.4%	2
3	8	2	6	2.2%	1.0%	3.4%	16	7	9	3.7%	2.8%	4.8%	7	1	6	3.9%	0.9%	8.3%	3
4	92	1	91	24.8%	0.5%	50.8%	81	2	79	18.5%	0.8%	41.8%	35	1	34	19.7%	0.9%	47.2%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	39	10	29	105.1	52.1	162.0	37	11	26	84.7	44.4	137.6	16	7	9	89.9	66.0	125.0	6
7	18	12	6	48.5	62.5	33.5	18	10	8	41.2	40.3	42.3	4	3	1	22.5	28.3	13.9	7
8	10	9	1	27.0	46.9	5.6	2	2	-	4.6	8.1	0	-	-	-	0	0	0	8
9	2	-	2	5.4	0	11.2	1	-	1	2.3	0	5.3	-	-	-	0	0	0	9
	6	3	3	16.2	15.6	16.8	13	6	7	29.7	24.2	37.0	3	2	1	16.9	18.9	13.9	
	-	-	-	0	0	0	2	2	-	4.6	8.1	0	1	1	-	5.6	9.4	0	
10	180	110	70	989.0	873.0	1250.0	206	131	75	1163.8	1149.1	1190.5	67	41	26	1063.5	1108.1	1000.0	10
11	11	5	6	29.6	26.0	33.5	10	2	8	22.9	8.1	42.3	4	-	4	22.5	0	55.6	11
12	7	4	3	18.9	20.8	16.8	4	1	3	9.2	4.0	15.9	3	3	3	16.9	0	41.7	12
13	1	-	1	2.7	0	5.6	1	1	-	2.3	4.0	0	2	-	2	11.2	0	27.8	13
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
15	-	-	-	0	0	0	1	-	1	22.9	0	52.9	-	-	-	0	0	0	15
16	5	2	3	27.5	15.9	53.6	2	2	-	11.3	17.5	0	1	-	1	15.9	0	38.5	16
17	1	-	1	5.5	0	17.9	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	1	-	5.5	7.9	0	3	1	2	16.9	8.8	31.7	-	-	-	0	0	0	32
33	22	16	6	120.9	127.0	107.1	18	12	6	101.7	105.3	95.2	6	3	3	95.2	81.1	115.4	33
34	1	1	-	5.5	7.9	0	1	1	-	5.6	8.8	0	-	-	-	0	0	0	34
35	1	1	-	5.5	7.9	0	1	1	-	5.6	8.8	0	1	1	-	15.9	27.0	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	24	18	6	131.9	142.9	107.1	46	28	18	259.9	245.6	285.7	11	4	7	174.6	108.1	269.2	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	1	-	1	5.5	0	17.9	-	-	-	0	0	0	-	-	-	0	0	0	40
41	63	42	21	346.2	333.3	375.0	59	36	23	333.3	315.8	365.1	23	20	3	365.1	540.5	115.4	41
42	1	1	-	5.5	0	17.9	3	3	-	16.9	26.3	0	1	1	-	15.9	27.0	0	42
43	2	2	-	11.0	15.9	0	11	6	5	62.1	52.6	79.4	2	1	1	31.7	27.0	38.5	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	1	1	-	5.5	7.9	0	-	-	-	0	0	0	-	-	-	0	0	0	45
46	1	-	1	5.5	0	17.9	1	1	-	5.6	8.8	0	-	-	-	0	0	0	46
47	4	1	3	22.0	7.9	53.6	1	1	-	5.6	8.8	0	-	-	-	0	0	0	47
48	-	-	-	0	0	0	1	-	1	5.6	0	15.9	-	-	-	0	0	0	48
49	-	-	-	0	0	0	2	2	-	11.3	17.5	0	2	2	-	31.7	54.1	0	49
50	7	2	5	38.5	15.9	89.3	6	4	2	33.9	35.1	31.7	2	1	1	31.7	27.0	38.5	50
51	1	1	-	5.5	7.9	0	2	-	2	11.3	0	31.7	-	-	-	0	0	0	51
52	-	-	-	0	0	0	1	-	1	5.6	0	15.9	-	-	-	0	0	0	52
53	2	2	-	11.0	15.9	0	1	-	1	5.6	0	15.9	-	-	-	0	0	0	53
54	3	1	2	16.5	7.9	35.7	2	-	2	11.3	0	31.7	-	-	-	0	0	0	54
55	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	15.9	0	38.5	55
56	2	-	2	11.0	0	35.7	1	1	-	5.6	8.8	0	2	-	2	31.7	0	76.9	56
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
58	3	2	1	16.5	15.9	17.9	1	1	-	5.6	8.8	0	-	-	-	0	0	0	58
59	2	-	2	11.0	0	35.7	13	10	3	73.4	87.7	47.6	4	2	2	63.5	54.1	76.9	59
60	9	2	7	49.4	15.9	125.0	7	6	1	39.5	52.6	15.9	3	1	2	47.6	27.0	76.9	60
61	1	1	-	5.5	7.9	0	-	-	-	0	0	0	-	-	-	0	0	0	61
62	2	2	-	11.0	15.9	0	3	2	1	16.9	17.5	15.9	-	-	-	0	0	0	62
63	20	12	8	109.9	95.2	142.9	20	13	7	113.0	114.0	111.1	8	5	3	127.0	135.1	115.4	63

ITEM	Fannin						Fayette					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	304	303	1	19.5	19.7	5.0	193	102	91	24.4	19.2	35.0
2 Delivered in hospital	275	274	1	90.5%	90.4%	100.0%	123	93	30	63.7%	91.2%	33.0%
3 Delivered in home by physician	24	24	-	7.9%	7.9%	0%	5	3	2	2.6%	2.9%	2.2%
4 Delivered in home by midwife	4	4	-	1.3%	1.3%	0%	65	6	59	33.7%	5.9%	64.8%
5 Other deliveries	1	1	-	0.3%	0.3%	0%	-	-	-	0%	0%	0%
6 Immature births	20	20	-	65.8	66.0	0	23	7	16	119.2	68.6	175.8
FETAL DEATHS												
7 Total	3	3	-	9.9	9.9	0	5	-	5	25.9	0	54.9
8 Under 20 weeks gestation	-	-	-	0	0	0	-	-	-	0	0	0
9 20-27 weeks gestation	1	1	-	3.3	3.3	0	2	-	2	10.4	0	22.0
28 weeks and more	2	2	-	6.6	6.6	0	3	-	3	15.5	0	33.0
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	112	111	1	717.9	720.8	500.0	68	41	27	860.8	773.6	1038.5
11 Under 1 year	11	11	-	36.2	36.3	0	4	-	4	20.7	0	44.0
12 Under 28 days	9	9	-	29.6	29.7	0	-	-	-	0	0	0
13 Deaths from immaturity	3	3	-	9.9	9.9	0	-	-	-	0	0	0
14 1-4 years **	2	2	-	-	-	-	-	-	-	-	-	-
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	1	1	-	6.4	6.5	0	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	1	1	-	6.4	6.5	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	1	1	-	12.7	18.9	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	14	14	-	89.7	90.9	0	7	4	3	88.6	75.5	115.4
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	-	-	-	0	0	0	-	-	-	0	0	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	20	20	-	128.2	129.9	0	12	6	6	151.9	113.2	230.8
39 Nonmeningococcal meningitis (340)	1	1	-	6.4	6.5	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	31	31	-	198.7	201.3	0	21	15	6	265.8	283.0	230.8
42 Hypertension without mention of heart (444-447)	1	1	-	6.4	6.5	0	2	1	1	25.3	18.9	38.5
43 Influenza and pneumonia (480-483, 490-493)	8	8	-	51.3	51.9	0	5	4	1	63.3	75.5	38.5
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	1	1	-	6.4	6.5	0	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	2	1	1	12.8	6.5	500.0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	-	-	-	0	0	0
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	-	-	-	0	0	0	1	-	1	12.7	0	38.5
51 Hyperplasia of prostate (610)	1	1	-	6.4	6.5	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	1	1	-	6.4	6.5	0	1	1	-	12.7	18.9	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	5	5	-	32.1	32.5	0	-	-	-	0	0	0
55 Infection of the newborn (763-768)	1	1	-	6.4	6.5	0	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	3	-	19.2	19.5	0	-	-	-	0	0	0
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	4	4	-	25.6	26.0	0	1	-	1	12.7	0	38.5
59 Motor vehicle accidents (E810-E835)	2	2	-	12.8	13.0	0	4	4	-	50.6	75.5	0
60 All other accidents (E800-E802, E840-E962)	6	6	-	38.5	39.0	0	1	-	1	12.7	0	38.5
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	1	1	-	12.7	18.9	0
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	-	-	-	0	0	0
63 All other diseases (residual)	9	9	-	57.7	58.4	0	11	4	7	139.2	75.5	269.2

COUNTY, BY RACE, GEORGIA, 1957

	Floyd						Forsyth						Franklin						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	1,717	1,422	295	25.7	24.9	30.4	284	284	-	26.1	26.3	0	262	216	46	19.0	17.9	27.1	1
2	1,673	1,414	259	97.4%	99.4%	87.8%	282	282	-	99.3%	99.3%	0%	241	210	31	92.0%	97.2%	67.4%	2
3	3	1	2	0.2%	0.1%	0.7%	1	1	-	0.4%	0.4%	0%	12	3	9	4.6%	1.4%	19.6%	3
4	40	6	34	2.3%	0.4%	11.5%	1	1	-	0.4%	0.4%	0%	8	2	6	3.1%	0.9%	13.0%	4
5	1	1	-	0.1%	0.1%	0%	-	-	-	0%	0%	0%	1	1	-	0.4%	0.5%	0%	5
6	148	103	45	86.2	72.4	152.5	12	12	-	42.3	42.3	0	15	11	4	57.3	50.9	87.0	6
7	27	19	8	15.7	13.4	27.1	4	4	-	14.1	14.1	0	4	2	2	15.3	9.3	43.5	7
8	2	-	2	1.2	0	6.8	1	1	-	3.5	3.5	0	-	-	-	0	0	0	7
9	4	3	1	2.3	2.1	3.4	-	-	-	0	0	0	-	-	-	0	0	0	8
9	17	14	3	9.9	9.8	10.2	3	3	-	10.6	10.6	0	3	2	1	11.4	9.3	21.7	9
	4	2	2	2.3	1.4	6.8	-	-	-	0	0	0	1	-	1	3.8	0	21.7	9
10	510	399	111	764.6	700.0	1144.3	80	80	-	733.9	740.7	0	128	111	17	927.5	917.4	1000.0	10
11	44	32	12	25.6	22.5	40.7	5	5	-	17.6	17.6	0	10	7	3	38.2	32.4	65.2	11
12	27	23	4	15.7	16.2	13.6	3	3	-	10.6	10.6	0	7	5	2	26.7	23.1	43.5	12
13	6	4	2	3.5	2.8	6.8	2	2	-	7.0	7.0	0	2	2	-	7.6	9.3	0	13
14	7	6	1	-	-	-	1	1	-	-	-	0	1	-	1	-	-	-	14
15	1	1	-	5.8	7.0	0	-	-	-	0	0	0	-	-	-	0	0	0	15
16	6	4	2	9.0	7.0	20.6	-	-	-	0	0	0	1	1	-	7.2	8.3	0	16
17	1	-	1	1.5	0	10.3	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	1	1	-	1.5	1.8	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	1	1	-	1.5	1.8	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	1	-	1.5	1.8	0	-	-	-	0	0	0	1	1	-	7.2	8.3	0	32
33	71	59	12	106.4	103.5	123.7	10	10	-	91.7	92.6	0	13	13	-	94.2	107.4	0	33
34	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	7.2	8.3	0	34
35	4	2	2	6.0	3.5	20.6	1	1	-	9.2	9.3	0	3	3	-	21.7	24.8	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	70	49	21	104.9	86.0	216.5	12	12	-	110.1	111.1	0	20	18	2	144.9	148.8	117.6	38
39	2	1	1	3.0	1.8	10.3	-	-	-	0	0	0	-	-	-	0	0	0	39
40	1	1	-	1.5	1.8	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	180	149	31	269.9	261.4	319.6	31	31	-	284.4	287.0	0	50	45	5	362.3	371.9	294.1	41
42	4	3	1	6.0	5.3	10.3	-	-	-	0	0	0	1	1	-	7.2	8.3	0	42
43	15	12	3	22.5	21.1	30.9	1	1	-	9.2	9.3	0	2	2	-	14.5	16.5	0	43
44	1	-	1	1.5	0	10.3	-	-	-	0	0	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	1	1	-	9.2	9.3	0	-	-	-	0	0	0	45
46	2	2	-	3.0	3.5	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	1	1	-	1.5	1.8	0	1	1	-	9.2	9.3	0	1	1	-	7.2	8.3	0	47
48	3	2	1	4.5	3.5	10.3	-	-	-	0	0	0	1	1	-	7.2	8.3	0	48
49	4	4	-	6.0	7.0	0	-	-	-	0	0	0	-	-	-	0	0	0	49
50	5	3	2	7.5	5.3	20.6	-	-	-	0	0	0	5	-	5	36.2	0	294.1	50
51	8	6	2	12.0	10.5	20.6	-	-	-	0	0	0	-	-	-	0	0	0	51
52	1	1	-	1.5	1.8	0	-	-	-	0	0	0	-	-	-	0	0	0	52
53	11	7	4	16.5	12.3	41.2	2	2	-	18.3	18.5	0	2	2	-	14.5	16.5	0	53
54	13	11	2	19.5	19.3	20.6	-	-	-	0	0	0	1	1	-	7.2	8.3	0	54
55	1	1	-	1.5	1.8	0	-	-	-	0	0	0	1	-	1	7.2	0	58.8	55
56	13	11	2	19.5	19.3	20.6	3	3	-	27.5	27.8	0	2	2	-	14.5	16.5	0	56
57	2	1	1	3.0	1.8	10.3	5	5	-	45.9	46.3	0	1	1	-	7.2	8.3	0	57
58	3	3	-	4.5	5.3	0	-	-	-	0	0	0	-	-	-	0	0	0	58
59	18	16	2	27.0	28.1	20.6	7	7	-	64.2	64.8	0	6	5	1	43.5	41.3	58.8	59
60	20	16	4	30.0	28.1	41.2	1	1	-	9.2	9.3	0	3	3	-	21.7	0	176.5	60
61	4	4	-	6.0	7.0	0	-	-	-	0	0	0	1	1	-	7.2	8.3	0	61
62	7	2	5	10.5	3.5	51.5	1	1	-	9.2	9.3	0	-	-	-	0	0	0	62
63	36	25	11	54.0	43.9	113.4	4	4	-	36.7	37.0	0	12	12	-	87.0	99.2	0	63

ITEM	Fulton						Gilmer						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	14,410	8,297	6,113	25.7	21.4	35.1	171	171	-	16.1	16.4	0	1
2 Delivered in hospital	14,081	8,259	5,822	97.7%	99.5%	95.2%	164	164	-	95.9%	95.9%	0%	2
3 Delivered in home by physician	305	35	270	2.1%	0.4%	4.4%	1	1	-	0.6%	0.6%	0%	3
4 Delivered in home by midwife	15	3	12	0.1%	0.0%	0.2%	6	6	-	3.5%	3.5%	0%	4
5 Other deliveries	9	-	9	0.1%	0%	0.1%	-	-	-	0%	0%	0%	5
6 Immature births	1,580	676	904	109.6	81.5	147.9	3	3	-	17.5	17.5	0	6
FETAL DEATHS													
7 Total	596	279	317	41.4	33.6	51.9	2	2	-	11.7	11.7	0	7
8 Under 20 weeks gestation	291	152	139	20.2	18.3	22.7	-	-	-	0	0	0	8
9 20-27 weeks gestation	81	30	51	5.6	3.6	8.3	1	1	-	5.8	5.8	0	9
28 weeks and more	210	94	116	14.6	11.3	19.0	1	1	-	5.8	5.8	0	0
Unknown length of gestation	14	3	11	1.0	0.4	1.8	-	-	-	0	0	0	0
DEATHS													
10 Total, all ages	5,335	3,121	2,214	951.0	806.5	1272.4	73	72	1	688.7	692.3	500.0	10
11 Under 1 year	423	213	210	29.4	25.7	34.4	6	6	-	35.1	35.1	0	11
12 Under 28 days	323	185	138	22.4	22.3	22.6	4	4	-	23.4	23.4	0	12
13 Deaths from immaturity	85	52	33	5.9	6.3	5.4	-	-	-	0	0	0	13
14 1-4 years **	62	23	39	-	-	-	1	1	-	-	-	-	14
15 Maternal deaths	7	2	5	4.9	2.4	8.2	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	61	26	35	10.9	6.7	20.1	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	21	8	13	3.7	2.1	7.5	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	2	-	2	0.4	0	1.1	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	7	4	3	1.2	1.0	1.7	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	1	1	-	9.4	9.6	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	3	-	3	0.5	0	1.7	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	18	11	7	3.2	2.8	4.0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	751	505	246	133.9	130.5	141.4	7	6	1	66.0	57.7	500.0	33
34 Benign and unspecified neoplasms (210-239)	10	7	3	1.8	1.8	1.7	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	79	48	31	14.1	12.4	17.8	1	1	-	9.4	9.6	0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	11	3	8	2.0	0.8	4.6	1	1	-	9.4	9.6	0	37
38 Vascular lesions affecting central nervous system (330-334)	762	415	347	135.8	107.2	199.4	17	17	-	160.4	163.5	0	38
39 Nonmeningococcal meningitis (340)	10	2	8	1.8	0.5	4.6	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	1	-	1	0.2	0	0.6	-	-	-	0	0	0	40
41 Heart diseases (410-443)	1,636	1,056	580	291.6	272.9	333.3	17	17	-	160.4	163.5	0	41
42 Hypertension without mention of heart (444-447)	50	16	34	8.9	4.1	19.5	1	1	-	9.4	9.6	0	42
43 Influenza and pneumonia (480-483, 490-493)	278	93	185	49.7	24.0	106.3	5	5	-	47.2	48.1	0	43
44 Bronchitis (500-502)	11	6	5	2.0	1.6	2.9	1	1	-	9.4	9.6	0	44
45 Ulcer of stomach and duodenum (540-541)	40	29	11	7.1	7.5	6.3	-	-	-	0	0	0	45
46 Appendicitis (550-553)	5	2	3	0.9	0.5	1.7	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	28	10	18	5.0	2.6	10.3	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	19	11	8	3.4	2.8	4.6	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	68	46	22	12.1	11.9	12.6	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	82	31	51	14.6	8.0	29.3	-	-	-	0	0	0	50
51 Hyperplasia of prostate (610)	25	14	11	4.5	3.6	6.3	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	7	2	5	1.2	0.5	2.9	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	69	38	31	12.3	9.8	17.8	2	2	-	18.9	19.2	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	155	94	61	27.6	24.3	35.1	2	2	-	18.9	19.2	0	54
55 Infection of the newborn (763-768)	21	6	15	3.7	1.6	8.6	1	1	-	9.4	9.6	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	102	58	44	18.2	15.0	25.3	-	-	-	0	0	0	56
57 Senility, without mention of psychosis (794)	3	3	-	0.5	0.8	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	39	17	22	7.0	4.4	12.6	1	1	-	9.4	9.6	0	58
59 Motor vehicle accidents (E810-E835)	123	89	34	21.9	23.0	19.5	7	7	-	66.0	67.3	0	59
60 All other accidents (E800-E802, E840-E962)	166	100	66	29.6	25.8	37.9	3	3	-	28.3	28.8	0	60
61 Suicide (E963, E970-E979)	58	50	8	10.3	12.9	4.6	-	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	89	19	70	15.9	4.9	40.2	1	1	-	9.4	9.6	0	62
63 All other diseases (residual)	525	302	223	93.6	78.0	128.2	5	5	-	47.2	48.1	0	63

COUNTY, BY RACE, GEORGIA, 1957

	Glascock						Glynn						Gordon						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	63	32	31	21.0	14.5	38.8	1,140	819	321	32.9	34.3	29.7	373	341	32	19.2	18.7	26.7	1
2	39	32	7	61.9%	100.0%	22.6%	997	807	190	87.5%	98.5%	59.2%	369	340	29	98.9%	99.7%	90.6%	2
3	-	-	-	0%	0%	0%	8	2	6	0.7%	0.2%	1.9%	4	1	3	1.1%	0.3%	9.4%	3
4	24	-	24	38.1%	0%	77.4%	135	10	125	11.8%	1.2%	38.9%	-	-	-	0%	0%	0%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	3	-	3	47.6	0	96.8	98	51	47	86.0	62.3	146.4	27	25	2	72.4	73.3	62.5	6
7	3	2	1	47.6	62.5	32.3	40	19	21	35.1	23.2	65.4	2	2	-	5.4	5.9	0	7
8	2	2	-	31.7	62.5	0	12	8	4	10.5	9.8	12.5	1	1	-	2.7	2.9	0	8
9	-	-	-	0	0	0	9	3	6	7.9	3.7	18.7	-	-	-	0	0	0	9
	1	-	1	15.9	0	32.3	19	8	11	16.7	9.8	34.3	1	1	-	2.7	2.9	0	
	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	
10	37	26	11	1233.3	1181.8	1375.0	318	187	131	916.4	782.4	1213.0	171	157	14	881.4	862.6	1166.7	10
11	1	-	1	15.9	0	32.3	35	18	17	30.7	22.0	53.0	6	5	1	16.1	14.7	31.2	11
12	-	-	-	0	0	0	26	14	12	22.8	17.1	37.4	3	3	-	8.0	8.8	0	12
13	-	-	-	0	0	0	-	3	1	3.5	3.7	3.1	-	-	-	0	0	0	13
14	-	-	-	0	0	0	6	3	3	-	-	-	3	1	2	-	-	-	14
15	1	-	1	158.7	0	322.6	1	1	-	8.8	12.2	0	-	-	-	0	0	0	15
16	-	-	-	0	0	0	2	2	-	5.8	8.4	0	1	1	-	5.2	5.5	0	16
17	-	-	-	0	0	0	3	-	3	8.6	0	27.8	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	1	-	1	2.9	0	9.3	1	-	1	5.2	0	83.3	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	5.2	0	83.3	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	1	-	33.3	45.5	0	4	2	2	11.5	8.4	18.5	2	2	-	10.3	11.0	0	32
33	3	3	-	100.0	136.4	0	46	33	13	132.6	138.1	120.4	20	19	1	103.1	104.4	83.3	33
34	-	-	-	0	0	0	2	-	2	5.8	0	18.5	1	1	-	5.2	5.5	0	34
35	-	-	-	0	0	0	6	5	1	17.3	20.9	9.3	3	2	1	15.5	11.0	83.3	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	2	2	-	5.8	8.4	0	-	-	-	0	0	0	37
38	8	7	1	266.7	318.2	125.0	44	23	21	126.8	96.2	194.4	27	27	-	139.2	148.4	0	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	11	8	3	366.7	363.6	375.0	85	54	31	245.0	225.9	287.0	68	65	3	350.5	357.1	250.0	41
42	-	-	-	0	0	0	2	1	1	5.8	4.2	9.3	4	4	-	20.6	22.0	0	42
43	2	-	2	66.7	0	250.0	25	13	12	72.0	54.4	111.1	6	3	3	30.9	16.5	250.0	43
44	-	-	-	0	0	0	1	1	-	2.9	4.2	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	4	2	2	11.5	8.4	18.5	2	1	1	10.3	5.5	83.3	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	2	1	1	5.8	4.2	9.3	-	-	-	0	0	0	47
48	-	-	-	0	0	0	7	-	7	20.2	0	64.8	-	-	-	0	0	0	48
49	-	-	-	0	0	0	1	-	1	2.9	0	9.3	-	-	-	0	0	0	49
50	1	1	-	33.3	45.5	0	7	4	3	20.2	16.7	27.8	-	-	-	0	0	0	50
51	1	-	1	33.3	0	125.0	-	-	-	0	0	0	4	4	-	20.6	22.0	0	51
52	1	-	1	33.3	0	125.0	1	1	-	2.9	4.2	0	-	-	-	0	0	0	52
53	-	-	-	0	0	0	5	4	1	14.4	16.7	9.3	1	1	-	5.2	5.5	0	53
54	-	-	-	0	0	0	6	3	3	17.3	12.6	27.8	2	2	-	10.3	11.0	0	54
55	-	-	-	0	0	0	2	1	1	5.8	4.2	9.3	-	-	-	0	0	0	55
56	-	-	-	0	0	0	7	3	4	20.2	12.6	37.0	-	-	-	0	0	0	56
57	-	-	-	0	0	0	-	-	-	0	0	0	3	3	-	15.5	16.5	0	57
58	1	1	-	33.3	45.5	0	4	1	3	11.5	4.2	27.8	2	2	-	10.3	11.0	0	58
59	3	2	1	100.0	90.9	125.0	9	7	2	25.9	29.3	18.5	4	4	-	20.6	22.0	0	59
60	-	-	-	0	0	0	12	5	7	34.6	20.9	64.8	5	4	1	25.8	22.0	83.3	60
61	1	1	-	33.3	45.5	0	2	2	-	5.8	8.4	0	0	1	1	10.3	5.5	83.3	61
62	2	-	2	66.7	0	250.0	1	1	-	2.9	4.2	0	3	2	1	15.5	11.0	83.3	62
63	2	2	-	66.7	90.9	0	25	16	9	72.0	66.9	83.3	9	9	-	46.4	49.4	0	63

ITEM	Grady						Greene						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	467	221	246	25.0	18.1	37.8	290	90	200	23.4	14.8	31.7	1
2 Delivered in hospital	305	216	89	65.3%	97.7%	36.2%	203	90	113	70.0%	100.0%	56.5%	2
3 Delivered in home by physician	96	5	91	20.6%	2.3%	37.0%	5	-	5	1.7%	0%	2.5%	3
4 Delivered in home by midwife	65	-	65	13.9%	0%	26.4%	82	-	82	28.3%	0%	41.0%	4
5 Other deliveries	1	-	1	0.2%	0%	0.4%	-	-	-	0%	0%	0%	5
6 Immature births	39	12	27	83.5	54.3	109.8	22	9	13	75.9	100.0	65.0	6
FETAL DEATHS													
7 Total	7	4	3	15.0	18.1	12.2	9	1	8	31.0	11.1	40.0	7
8 Under 20 weeks gestation	-	-	-	0	0	0	4	1	3	13.8	11.1	15.0	8
9 20-27 weeks gestation	2	1	1	4.3	4.5	4.1	1	-	1	3.4	0	5.0	9
28 weeks and more	4	2	2	8.6	9.0	8.1	4	-	4	13.8	0	20.0	9
Unknown length of gestation	1	1	-	2.1	4.5	0	-	-	-	0	0	0	
DEATHS													
10 Total, all ages	177	114	63	946.5	934.4	969.2	138	61	77	1112.9	1000.0	1222.2	10
11 Under 1 year	25	8	17	53.5	36.2	69.1	10	-	10	34.5	0	50.0	11
12 Under 28 days	16	7	9	34.3	31.7	36.6	4	-	4	13.8	0	20.0	12
13 Deaths from immaturity	9	3	6	19.3	13.6	24.4	1	-	1	3.4	0	5.0	13
14 1-4 years **	4	2	2	-	-	-	2	-	2	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	1	1	-	5.3	8.2	0	2	-	2	16.1	0	31.7	16
17 Syphilis and its sequelae (020-029)	1	-	1	5.3	0	15.4	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	1	-	1	5.3	0	15.4	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	1	-	5.3	8.2	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	15	11	4	80.2	90.2	61.5	16	11	5	129.0	180.3	79.4	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	1	-	1	8.1	0	15.9	34
35 Diabetes mellitus (260)	3	3	-	16.0	24.6	0	1	1	8.1	16.4	0	35	
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	20	13	7	107.0	106.6	107.7	31	13	18	250.0	213.1	285.7	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	65	45	20	347.6	368.9	307.7	51	25	26	411.3	409.8	412.7	41
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	3	1	2	24.2	16.4	31.7	42
43 Influenza and pneumonia (480-483, 490-493)	9	2	7	48.1	16.4	107.7	8	2	6	64.5	32.8	95.2	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	1	-	1	5.3	0	15.4	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	2	1	1	10.7	8.2	15.4	1	-	1	8.1	0	15.9	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	5.3	0	15.4	1	-	1	8.1	0	15.9	48
49 Cirrhosis of liver (581)	1	1	-	5.3	8.2	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	5	5	-	26.7	41.0	0	-	-	-	0	0	0	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	1	-	1	5.3	0	15.4	-	-	-	0	0	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	4	3	1	21.4	24.6	15.4	1	-	1	8.1	0	15.9	54
55 Infection of the newborn (763-768)	1	-	1	5.3	0	15.4	1	-	1	8.1	0	15.9	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	10	4	6	53.5	32.8	92.3	1	-	1	8.1	0	15.9	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	3	1	2	16.0	8.2	30.8	3	-	3	24.2	0	47.6	58
59 Motor vehicle accidents (E810-E835)	8	6	2	42.8	49.2	30.8	1	-	1	8.1	0	15.9	59
60 All other accidents (E800-E802, E840-E962)	11	6	5	58.8	49.2	76.9	2	-	2	16.1	0	31.7	60
61 Suicide (E963, E970-E979)	2	2	-	10.7	16.4	0	2	1	1	16.1	16.4	15.9	61
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	1	-	1	8.1	0	15.9	62
63 All other diseases (residual)	11	9	2	58.8	73.8	30.8	11	7	4	88.7	114.8	63.5	63

COUNTY, BY RACE, GEORGIA, 1957

	Gwinnett						Habersham						Hall						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	1,065	943	122	30.5	29.8	37.0	465	450	15	26.0	26.3	18.8	1,266	1,091	175	28.6	27.7	36.5	1
2	1,038	927	111	97.5%	98.3%	91.0%	462	448	14	99.4%	99.6%	93.3%	1,252	1,086	166	98.9%	99.5%	94.9%	2
3	19	14	5	1.8%	1.5%	4.1%	2	1	1	0.4%	0.2%	6.7%	10	4	6	0.8%	0.4%	3.4%	3
4	8	2	6	0.8%	0.2%	4.9%	-	-	-	0%	0%	0%	3	-	3	0.2%	0%	1.7%	4
5	-	-	-	0%	0%	0%	1	1	-	0.2%	0.2%	0%	1	1	-	0.1%	0.1%	0%	5
6	66	45	21	62.0	47.7	172.1	35	30	5	75.3	66.7	333.3	100	72	28	79.0	66.0	160.0	6
7	49	44	5	46.0	46.7	41.0	34	34	-	73.1	75.6	0	19	14	5	15.0	12.8	28.6	7
8	28	27	1	26.3	28.6	8.2	25	25	-	53.8	55.6	0	3	2	1	2.4	1.8	5.7	8
9	5	4	1	4.7	4.2	8.2	3	3	-	6.5	6.7	0	7	5	2	5.5	4.6	11.4	9
10	16	13	3	15.0	13.8	24.6	6	6	-	12.9	13.3	0	9	7	2	7.1	6.4	11.4	9
11	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	0
12	283	244	39	810.9	772.2	1181.8	125	120	5	698.3	701.8	625.0	305	262	43	690.0	665.0	895.8	10
13	31	24	7	29.1	25.5	57.4	9	7	2	19.4	15.6	133.3	25	19	6	19.7	17.4	34.3	11
14	20	18	2	18.8	19.1	16.4	5	3	2	10.8	6.7	133.3	15	14	1	11.8	12.8	5.7	12
15	5	5	0	4.7	5.3	0	2	1	1	4.3	2.2	66.7	6	6	-	4.7	5.5	0	13
16	5	4	1	-	-	-	-	-	-	-	-	-	11	8	3	-	-	-	14
17	1	1	-	9.4	10.6	0	-	-	-	0	0	0	-	-	-	0	0	0	15
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	1	1	-	2.9	3.2	0	-	-	-	0	0	0	2	1	1	4.5	2.5	20.8	16
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
28	1	1	-	2.9	3.2	0	-	-	-	0	0	0	-	-	-	0	0	0	25
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
32	-	-	-	0	0	0	1	1	-	5.6	5.8	0	2	1	1	4.5	2.5	20.8	29
33	32	30	2	91.7	94.9	60.6	17	17	-	95.0	99.4	0	45	42	3	101.8	106.6	62.5	30
34	1	-	1	2.9	0	30.3	-	-	-	0	0	0	1	-	1	2.3	0	20.8	31
35	6	6	-	17.2	19.0	0	4	3	1	22.3	17.5	125.0	4	4	-	9.0	10.2	0	32
36	1	1	1	2.9	0	30.3	-	-	-	0	0	0	-	-	-	0	0	0	33
37	-	-	-	0	0	0	-	-	-	0	0	0	2	2	-	4.5	5.1	0	34
38	40	35	5	114.6	110.8	151.5	21	20	1	117.3	117.0	125.0	35	30	5	79.2	76.1	104.2	35
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
41	94	84	10	269.3	265.8	303.0	41	41	-	229.0	239.8	0	114	96	18	257.9	243.7	375.0	38
42	4	3	1	11.5	9.5	30.3	-	-	-	0	0	0	-	-	-	0	0	0	39
43	15	10	5	43.0	31.6	151.5	6	6	-	33.5	35.1	0	14	9	5	31.7	22.8	104.2	40
44	-	-	-	0	0	0	1	1	-	5.6	5.8	0	-	-	-	0	0	0	41
45	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	2.3	2.5	0	42
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	43
47	2	2	-	5.7	6.3	0	-	-	-	0	0	0	-	-	-	0	0	0	44
48	-	-	-	0	0	0	-	-	-	0	0	0	3	2	1	6.8	5.1	20.8	45
49	1	1	-	2.9	3.2	0	1	1	-	5.6	5.8	0	2	2	-	4.5	5.1	0	46
50	4	4	-	11.5	12.7	0	-	-	-	0	0	0	3	3	-	6.8	7.6	0	47
51	2	2	-	5.7	6.3	0	-	-	-	0	0	0	3	3	-	6.8	7.6	0	48
52	1	1	-	2.9	3.2	0	-	-	-	0	0	0	-	-	-	0	0	0	49
53	1	1	-	2.9	3.2	0	1	1	-	5.6	5.8	0	7	5	2	15.8	12.7	41.7	50
54	10	9	1	28.7	28.5	30.3	1	-	1	5.6	0	125.0	5	4	1	11.3	10.2	20.8	51
55	2	1	1	5.7	3.2	30.3	-	-	-	0	0	0	2	2	-	4.5	5.1	0	52
56	5	5	-	14.3	15.8	0	4	3	1	22.3	17.5	125.0	6	6	-	13.6	15.2	0	53
57	-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	4.5	2.5	20.8	54
58	4	3	1	11.5	9.5	30.3	-	-	-	0	0	0	-	-	-	0	0	0	55
59	20	18	2	57.3	57.0	60.6	7	7	-	39.1	40.9	0	11	11	-	24.9	27.9	0	56
60	7	5	2	20.1	15.8	60.6	4	4	-	22.3	23.4	0	8	5	3	18.1	12.7	62.5	57
61	2	2	-	5.7	6.3	0	1	1	-	5.6	5.8	0	5	5	-	11.3	12.7	0	58
62	4	2	2	11.5	6.3	60.6	3	3	-	16.8	17.5	0	-	-	-	0	0	0	59
63	22	17	5	63.0	53.8	151.5	12	11	1	67.0	64.3	125.0	28	27	1	63.3	68.5	20.8	60

ITEM	Hancock						Haralson						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	255	42	213	25.2	16.2	28.4	290	260	30	19.3	19.0	23.1	1
2 Delivered in hospital	102	41	61	40.0%	97.6%	28.6%	259	243	16	89.3%	93.5%	53.3%	2
3 Delivered in home by physician	11	-	11	4.3%	0%	5.2%	14	12	2	4.8%	4.6%	6.7%	3
4 Delivered in home by midwife	141	1	140	55.3%	2.4%	65.7%	16	4	12	5.5%	1.5%	40.0%	4
5 Other deliveries	1	-	1	0.4%	0%	0.5%	1	1	-	0.3%	0.4%	0%	5
6 Immature births	22	2	20	86.3	47.6	93.9	22	16	6	75.9	61.5	200.0	6
FETAL DEATHS													
7 Total	15	2	13	58.8	47.6	61.0	8	5	3	27.6	19.2	100.0	
8 Under 20 weeks gestation	3	1	2	11.8	23.8	9.4	-	-	-	0	0	0	7
9 20-27 weeks gestation	1	-	1	3.9	0	4.7	4	3	1	13.8	11.5	33.3	8
28 weeks and more	8	-	8	31.4	0	37.6	3	2	1	10.3	7.7	33.3	9
Unknown length of gestation	3	1	2	11.8	23.8	9.4	1	-	1	3.4	0	33.3	
DEATHS													
10 Total, all ages	103	43	60	1019.8	1653.8	800.0	132	121	11	880.0	883.2	846.2	10
11 Under 1 year	8	1	7	31.4	23.8	32.9	8	6	2	27.6	23.1	66.7	11
12 Under 28 days	5	1	4	19.6	23.8	18.8	5	4	1	17.2	15.4	33.3	12
13 Deaths from immaturity	-	-	-	0	0	0	2	2	-	6.9	7.7	0	13
14 1-4 years **	2	-	2	-	-	-	1	1	-	-	-	-	14
15 Maternal deaths	1	-	1	39.2	0	46.9	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	1	-	1	9.9	0	13.3	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	1	-	1	9.9	0	13.3	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	10	5	5	99.0	192.3	66.7	17	14	3	113.3	102.2	230.8	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	-	-	-	0	0	0	-	-	-	0	0	0	35
36 Pellagra (281)	1	1	-	9.9	38.5	0	-	-	-	0	0	0	36
37 Anemias (290-293)	1	1	-	9.9	38.5	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	13	6	7	128.7	230.8	93.3	15	15	-	100.0	109.5	0	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	38	18	20	376.2	692.3	266.7	51	47	4	340.0	343.1	307.7	41
42 Hypertension without mention of heart (444-447)	1	-	1	9.9	0	13.3	3	3	-	20.0	21.9	0	42
43 Influenza and pneumonia (480-483, 490-493)	8	2	6	79.2	76.9	80.0	1	1	-	6.7	7.3	0	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	1	1	-	6.7	7.3	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	1	1	-	6.7	7.3	0	48
49 Cirrhosis of liver (581)	1	-	1	9.9	0	13.3	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	1	1	-	9.9	38.5	0	3	3	-	20.0	21.9	0	50
51 Hyperplasia of prostate (610)	1	-	1	9.9	0	13.3	1	1	-	6.7	7.3	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	9.9	0	13.3	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	2	-	2	19.8	0	26.7	1	1	-	6.7	7.3	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	1	1	19.8	38.5	13.3	3	2	1	20.0	14.6	76.9	54
55 Infection of the newborn (763-768)	1	-	1	9.9	0	13.3	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	-	1	9.9	0	13.3	2	2	-	13.3	14.6	0	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	1	1	-	6.7	7.3	0	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	3	2	1	20.0	14.6	76.9	58
59 Motor vehicle accidents (E810-E835)	-	-	-	0	0	0	7	7	-	46.7	51.1	0	59
60 All other accidents (E800-E802, E840-E962)	5	3	2	49.5	115.4	26.7	8	8	-	53.3	58.4	0	60
61 Suicide (E963, E970-E979)	3	3	-	29.7	115.4	0	1	1	-	6.7	7.3	0	61
62 Homicide (E964, E980-E985)	2	-	2	19.8	0	26.7	1	1	1	13.3	7.3	76.9	62
63 All other diseases (residual)	9	2	7	89.1	76.9	93.3	11	10	1	73.3	73.0	76.9	63

COUNTY, BY RACE, GEORGIA, 1957

	Harris						Hart						Heard						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	267	80	187	23.6	16.0	29.7	310	208	102	22.1	19.8	29.1	118	73	45	19.7	15.9	32.1	1
2	98	55	43	36.7%	68.8%	23.0%	225	199	26	72.6%	95.7%	25.5%	108	72	36	91.5%	98.6%	80.0%	2
3	104	25	79	39.0%	31.2%	42.2%	31	6	25	10.0%	2.9%	24.5%	-	-	-	0%	0%	0%	3
4	65	-	65	24.3%	0%	34.8%	54	3	51	17.4%	1.4%	50.0%	10	1	9	8.5%	1.4%	20.0%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	19	-	19	71.2	0	101.6	14	3	11	45.2	14.4	107.8	11	4	7	93.2	54.8	155.6	6
7	3	1	2	11.2	12.5	10.7	3	2	1	9.7	9.6	9.8	7	3	4	59.3	41.1	88.9	7
8	1	1	-	3.7	12.5	0	-	-	-	0	0	0	3	2	1	25.4	27.4	22.2	8
9	1	-	1	3.7	0	5.3	-	-	-	0	0	0	-	-	-	0	0	0	9
	1	-	1	3.7	0	5.3	1	1	1	3.2	4.8	0	3	1	2	25.4	13.7	44.4	
	-	-	-	0	0	0	2	1	1	6.5	4.8	9.8	1	-	1	8.5	0	22.2	
10	112	49	63	991.2	980.0	1000.0	105	76	29	750.0	723.8	828.6	60	47	13	1000.0	1021.7	928.6	10
11	12	1	11	44.9	12.5	58.8	10	4	6	32.3	19.2	58.8	5	4	1	42.4	54.8	22.2	11
12	6	1	5	22.5	12.5	26.7	8	2	6	25.8	9.6	58.8	3	2	1	25.4	27.4	22.2	12
13	1	-	1	3.7	0	5.3	1	1	1	3.2	4.8	0	1	1	-	8.5	13.7	0	13
14	2	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	14
15	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	15
16	1	-	1	8.8	0	15.9	1	-	1	7.1	0	28.6	-	-	-	0	0	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	1	-	1	8.8	0	15.9	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	-	1	8.8	0	15.9	-	-	-	0	0	0	-	-	-	0	0	0	32
33	10	8	2	88.5	160.0	31.7	14	12	2	100.0	114.3	57.1	7	6	1	116.7	130.4	71.4	33
34	1	1	-	8.8	20.0	0	1	-	1	7.1	0	28.6	-	-	-	0	0	0	34
35	1	1	-	8.8	20.0	0	2	2	-	14.3	19.0	0	1	1	-	16.7	21.7	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	27	8	19	238.9	160.0	301.6	18	15	3	128.6	142.9	85.7	10	7	3	166.7	152.2	214.3	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	31	18	13	274.3	360.0	206.3	30	27	3	214.3	257.1	85.7	20	16	4	333.3	347.8	285.7	41
42	2	-	2	17.7	0	31.7	-	-	-	0	0	0	1	1	-	16.7	21.7	0	42
43	6	1	5	53.1	20.0	79.4	2	2	-	14.3	19.0	0	3	2	1	50.0	43.5	71.4	43
44	1	1	-	8.8	20.0	0	1	1	-	7.1	9.5	0	-	-	-	0	0	0	44
45	1	-	1	8.8	0	15.9	1	-	1	7.1	0	28.6	-	-	-	0	0	0	45
46	-	-	-	0	0	0	1	-	1	7.1	0	28.6	-	-	-	0	0	0	46
47	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	47
48	-	-	-	0	0	0	1	1	-	7.1	9.5	0	-	-	-	0	0	0	48
49	1	1	-	8.8	20.0	0	-	-	-	0	0	0	-	-	-	0	0	0	49
50	3	2	1	26.5	40.0	15.9	7	-	7	50.0	0	200.0	-	-	-	0	0	0	50
51	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	52
53	-	-	-	0	0	0	-	-	-	0	0	0	2	2	-	33.3	43.5	0	53
54	3	1	2	26.5	20.0	31.7	4	1	3	28.6	9.5	85.7	1	-	1	16.7	0	71.4	54
55	1	-	1	8.8	0	15.9	3	-	3	21.4	0	85.7	-	-	-	0	0	0	55
56	2	-	2	17.7	0	31.9	1	1	-	7.1	9.5	0	1	1	-	16.7	21.7	0	56
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
58	1	-	1	8.8	0	15.9	2	1	1	14.3	9.5	28.6	1	1	-	16.7	21.7	0	58
59	5	2	3	44.2	40.0	47.6	1	1	-	7.1	9.5	0	2	2	-	33.3	43.5	0	59
60	1	-	1	8.8	0	15.9	4	4	-	28.6	38.1	0	5	3	2	83.3	65.2	142.9	60
61	-	-	-	0	0	0	1	-	1	7.1	0	28.6	-	-	-	0	0	0	61
62	1	-	1	8.8	0	15.9	1	-	1	7.1	0	28.6	1	-	1	16.7	0	71.4	62
63	11	5	6	97.3	100.0	95.2	9	8	1	64.3	76.2	28.6	5	5	-	83.3	108.7	0	63

TABLE XIII VITAL STATISTICS, BY

ITEM	Henry						Houston					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	429	179	250	25.8	19.2	34.2	1,089	754	335	39.2	37.9	42.4
2 Delivered in hospital	228	172	56	53.1%	96.1%	22.4%	1,025	752	273	94.1%	99.7%	81.5%
3 Delivered in home by physician	17	5	12	4.0%	2.8%	4.8%	9	1	8	0.8%	0.1%	2.4%
4 Delivered in home by midwife	184	2	182	42.9%	1.1%	72.8%	55	1	54	5.1%	0.1%	16.1%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	46	17	29	107.2	95.0	116.0	93	55	38	85.4	72.9	113.4
FETAL DEATHS												
7 Total	19	7	12	44.3	39.1	48.0	22	14	8	20.2	18.6	23.9
8 Under 20 weeks gestation	6	2	4	14.0	11.2	16.0	3	3	-	2.8	4.0	0
9 20-27 weeks gestation	-	-	-	0	0	0	6	4	2	5.5	5.3	6.0
28 weeks and more	13	5	8	30.3	27.9	32.0	12	7	5	11.0	9.3	14.9
Unknown length of gestation	-	-	-	0	0	0	1	-	1	0.9	0	3.0
DEATHS												
10 Total, all ages	154	86	68	927.7	924.7	931.5	181	110	71	651.1	552.8	898.7
11 Under 1 year	16	5	11	37.3	27.9	44.0	30	16	14	27.5	21.2	41.8
12 Under 28 days	10	5	5	23.3	27.9	20.0	22	11	11	20.2	14.6	32.8
13 Deaths from immaturity	4	1	3	9.3	5.6	12.0	8	3	5	7.3	4.0	14.9
14 1-4 years **	2	1	1	-	-	-	3	2	1	-	-	-
15 Maternal deaths	1	-	1	23.3	0	40.0	1	-	1	9.2	0	29.9
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	1	1	-	3.6	5.0	0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 085-096, 120-138)	1	-	1	6.0	0	13.7	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	13	8	5	78.3	86.0	68.5	27	22	5	97.1	110.6	63.3
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	1	-	1	3.6	0	12.7
35 Diabetes mellitus (260)	4	3	1	24.1	32.3	13.7	1	-	1	3.6	0	12.7
36 Pellagra (281)	1	-	1	6.0	0	13.7	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	30	20	10	180.7	215.1	137.0	36	13	23	129.5	65.3	291.1
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	1	-	1	6.0	0	13.7	-	-	-	0	0	0
41 Heart diseases (410-443)	44	30	14	265.1	322.6	191.8	43	31	12	154.7	155.8	151.9
42 Hypertension without mention of heart (444-447)	1	1	-	6.0	10.8	0	2	2	-	7.2	10.0	0
43 Influenza and pneumonia (480-483, 490-493)	5	3	2	30.1	32.3	27.4	5	-	5	18.0	0	63.3
44 Bronchitis (500-502)	1	-	1	6.0	0	13.7	1	1	-	3.6	5.0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	2	2	-	7.2	10.0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	6.0	10.8	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	3	-	3	18.1	0	41.1	-	-	-	0	0	0
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	4	2	2	24.1	21.5	27.4	2	1	1	7.2	5.0	12.7
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	6.0	0	13.7	1	-	1	3.6	0	12.7
53 Congenital malformations (750-759)	-	-	-	0	0	0	4	3	1	14.4	15.1	12.7
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	4	3	1	24.1	32.3	13.7	8	5	3	28.8	25.1	38.0
55 Infection of the newborn (763-768)	1	-	1	6.0	0	13.7	1	-	1	3.6	0	12.7
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	4	1	3	24.1	10.8	41.1	10	4	6	36.0	20.1	75.9
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	1	-	1	6.0	0	13.7	-	-	-	0	0	0
59 Motor vehicle accidents (E810-E835)	5	3	2	30.1	32.3	27.4	8	7	1	28.8	35.2	12.7
60 All other accidents (E800-E802, E840-E962)	9	4	5	54.2	43.0	68.5	13	8	5	46.8	40.2	63.3
61 Suicide (E963, E970-E979)	2	1	1	12.0	10.8	13.7	2	2	-	7.2	10.0	0
62 Homicide (E964, E980-E985)	6	1	5	36.1	0	82.2	2	2	2	7.2	0	25.3
63 All other diseases (residual)	12	6	6	72.3	64.5	82.2	11	8	3	39.6	40.2	38.0

COUNTY, BY RACE, GEORGIA, 1957

	Irvin						Jackson						Jasper						
	Number			Rate or Ratio*			Number			Rate or Ratio*			Number			Rate or Ratio*			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	235	90	145	20.4	12.3	34.5	452	378	74	24.3	23.9	26.4	166	56	110	24.8	19.3	28.9	1
2	131	89	42	55.7%	98.9%	29.0%	428	373	55	94.7%	98.7%	74.3%	88	56	32	53.0%	100.0%	29.1%	2
3	-	-	-	0%	0%	0%	3	1	2	0.7%	0.3%	2.7%	4	-	4	2.4%	0%	3.6%	3
4	104	1	103	44.3%	1.1%	71.0%	21	4	17	4.6%	1.1%	23.0%	74	-	74	44.6%	0%	67.3%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	22	11	11	93.6	122.2	75.9	46	29	17	101.8	76.7	229.7	14	2	12	84.3	35.7	109.1	6
7	8	3	5	34.0	33.3	34.5	15	9	6	33.2	23.8	81.1	4	-	4	24.1	0	36.4	7
8	1	-	1	4.3	0	6.9	4	3	1	8.8	7.9	13.5	1	-	1	6.0	0	9.1	8
9	2	-	2	8.5	0	13.8	4	1	3	8.8	2.6	40.5	-	-	-	0	0	0	9
	5	3	2	21.3	33.3	13.8	3	2	1	6.6	5.3	13.5	3	-	3	18.1	0	27.3	
	-	-	-	0	0	0	4	3	1	8.8	7.9	13.5	-	-	-	0	0	0	
10	81	43	38	704.3	589.0	094.8	194	158	36	1043.0	1000.0	1285.7	82	33	49	1223.9	1137.9	1289.5	10
11	11	5	6	46.8	55.6	41.4	14	11	3	31.0	29.1	40.5	11	1	10	66.3	17.9	90.9	11
12	6	4	2	25.5	44.4	13.8	12	10	2	26.5	26.5	27.0	4	1	3	24.1	17.9	27.3	12
13	2	2	-	8.5	22.2	0	2	2	-	4.4	5.3	0	-	-	-	0	0	0	13
14	2	-	2	-	-	-	5	4	1	-	-	-	-	-	-	-	-	-	14
15	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	60.2	0	90.9	15
16	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	1	-	1	5.4	0	35.7	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	14.9	34.5	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
33	4	3	1	34.8	41.1	23.8	21	19	2	112.9	120.3	71.4	6	4	2	89.6	137.9	52.6	33
34	-	-	-	0	0	0	1	1	-	5.4	6.3	0	-	-	-	0	0	0	34
35	-	-	-	0	0	0	3	3	-	16.1	19.0	0	-	-	-	0	0	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	15	8	7	130.4	109.6	166.7	32	24	8	172.0	151.9	285.7	14	5	9	209.0	172.4	236.8	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	36	18	18	313.0	246.6	428.6	58	49	9	311.8	310.1	321.4	25	11	14	373.1	379.3	368.4	41
42	1	-	1	8.7	0	23.8	1	-	1	5.4	0	35.7	1	1	-	14.9	34.5	0	42
43	4	1	3	34.8	13.7	71.4	6	4	2	32.3	25.3	71.4	9	-	9	134.3	0	236.8	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	1	1	-	5.4	6.3	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	47
48	-	-	-	0	0	0	1	1	-	5.4	6.3	0	1	-	1	14.9	0	26.3	48
49	-	-	-	0	0	0	1	1	-	5.4	6.3	0	-	-	-	0	0	0	49
50	1	-	1	8.7	0	23.8	3	3	-	16.1	19.0	0	1	-	1	14.9	0	26.3	50
51	-	-	-	0	0	0	2	1	1	10.8	6.3	35.7	-	-	-	0	0	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	14.9	0	26.3	52
53	2	2	-	17.4	27.4	0	4	3	1	21.5	19.0	35.7	-	-	-	0	0	0	53
54	1	1	-	8.7	13.7	0	5	4	1	26.9	25.3	35.7	2	1	1	29.8	34.5	26.3	54
55	1	-	1	8.7	0	23.8	1	1	-	5.4	6.3	0	1	-	1	14.9	0	26.3	55
56	2	2	-	17.4	27.4	0	4	4	-	21.5	25.3	0	1	-	1	14.9	0	26.3	56
57	1	1	-	8.7	13.7	0	-	-	-	0	0	0	-	-	-	0	0	0	57
58	2	1	1	17.4	13.7	23.8	2	1	1	10.8	6.3	35.7	-	-	-	0	0	0	58
59	-	-	-	0	0	0	16	12	4	86.0	75.9	142.9	1	1	-	14.9	34.5	0	59
60	3	1	2	26.1	13.7	47.6	5	5	-	26.9	31.6	0	5	3	2	74.6	103.4	52.6	60
61	2	2	-	17.4	27.4	0	3	3	-	16.1	19.0	0	-	-	-	0	0	0	61
62	1	-	1	8.7	0	23.8	3	1	2	16.1	6.3	71.4	1	-	1	14.9	0	26.3	62
63	5	3	2	43.5	41.1	47.6	20	17	3	107.5	107.6	107.1	12	6	6	179.1	206.9	157.9	63

TABLE XIII VITAL STATISTICS, BY

ITEM	Jeff Davis						Jefferson						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	234	175	59	24.1	23.3	26.8	430	137	293	23.4	18.0	27.1	1
2 Delivered in hospital	139	138	1	59.4%	78.9%	1.7%	172	130	42	40.0%	94.9%	14.3%	2
3 Delivered in home by physician	34	27	7	14.5%	15.4%	11.9%	23	4	19	5.3%	2.9%	6.5%	3
4 Delivered in home by midwife	60	9	51	25.6%	5.1%	86.4%	234	3	231	54.4%	2.2%	78.8%	4
5 Other deliveries	1	1	-	0.4%	0.6%	0%	1	-	1	0.2%	0%	0.3%	5
6 Immature births	19	11	8	81.2	62.9	135.6	36	10	26	83.7	73.0	88.7	6
FETAL DEATHS													
Total	7	1	6	29.9	5.7	101.7	17	4	13	39.5	29.2	44.4	
7 Under 20 weeks gestation	1	1	-	4.3	5.7	0	3	1	2	7.0	7.3	6.8	7
8 20-27 weeks gestation	1	-	1	4.3	0	16.9	2	-	2	4.7	0	6.8	8
9 28 weeks and more	4	-	4	17.1	0	67.8	11	3	8	25.6	21.9	27.3	9
Unknown length of gestation	1	-	1	4.3	0	16.9	1	-	1	2.3	0	3.4	
DEATHS													
10 Total, all ages	87	63	24	896.9	840.0	1090.9	193	88	105	1148.9	1157.9	972.2	10
11 Under 1 year	9	5	4	38.5	28.6	67.8	17	3	14	39.5	21.9	47.8	11
12 Under 28 days	4	2	2	17.1	11.4	33.9	11	2	9	25.6	14.6	30.7	12
13 Deaths from immaturity	1	-	1	4.3	0	16.9	3	1	2	7.0	7.3	6.8	13
14 1-4 years	-	-	-	-	-	-	3	1	2	-	-	-	14
15 Maternal deaths	1	-	1	42.7	0	169.5	2	-	2	46.5	0	68.3	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	1	1	-	10.3	13.3	0	2	1	1	10.9	13.2	9.3	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	1	-	1	5.4	0	9.3	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	1	1	-	10.3	13.3	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	10	10	-	103.1	133.3	0	26	16	10	141.3	210.5	92.6	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	1	-	1	5.4	0	9.3	34
35 Diabetes mellitus (260)	-	-	-	0	0	0	1	1	-	5.4	13.2	0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	1	1	-	5.4	13.2	0	37
38 Vascular lesions affecting central nervous system (330-334)	19	11	8	195.9	146.7	363.6	35	17	18	190.2	223.7	166.7	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	1	-	1	5.4	0	9.3	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	26	22	4	268.0	293.3	181.8	69	36	33	375.0	473.7	305.6	41
42 Hypertension without mention of heart (444-447)	1	-	1	10.3	0	45.5	1	-	1	5.4	0	9.3	42
43 Influenza and pneumonia (480-483, 490-493)	6	2	4	61.9	26.7	181.8	11	2	9	59.8	26.3	83.3	43
44 Bronchitis (500-502)	1	1	-	10.3	13.3	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	1	1	-	10.3	13.3	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	1	-	1	5.4	0	9.3	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	1	-	1	5.4	0	9.3	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	3	-	3	16.3	0	27.8	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	1	-	1	5.4	0	9.3	49
50 Nephritis and nephrosis (590-594)	4	4	-	41.2	53.3	0	2	1	1	10.9	13.2	9.3	50
51 Hyperplasia of prostate (610)	1	-	1	10.3	0	45.5	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	10.3	0	45.5	2	-	2	10.9	0	18.5	52
53 Congenital malformations (750-759)	-	-	-	0	0	0	2	1	1	10.9	13.2	9.3	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	2	-	20.6	26.7	0	1	1	-	5.4	13.2	0	54
55 Infection of the newborn (763-768)	1	-	1	10.3	0	0	1	-	1	5.4	0	9.3	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	-	1	10.3	0	45.5	4	1	3	21.7	13.2	27.8	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	2	-	2	20.6	0	90.9	5	1	4	27.2	13.2	37.0	58
59 Motor vehicle accidents (E810-E835)	-	-	-	0	0	0	5	1	4	27.2	13.2	37.0	59
60 All other accidents (E800-E802, E840-E962)	3	3	-	30.9	40.0	0	4	2	2	21.7	26.3	18.5	60
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	2	2	-	10.9	26.3	0	61
62 Homicide (E964, E980-E985)	1	-	1	10.3	0	45.5	1	-	1	5.4	0	9.3	62
63 All other diseases (residual)	6	6	-	61.9	80.0	0	9	4	5	48.9	52.6	46.3	63

COUNTY, BY RACE, GEORGIA, 1957

	Jenkins						Johnson						Jones						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	237	92	145	25.2	20.9	29.0	209	113	96	25.8	20.2	38.4	197	75	122	27.4	21.4	33.0	1
2	93	77	16	39.2%	83.7%	11.0%	121	110	11	57.9%	97.3%	11.5%	107	74	33	54.3%	98.7%	27.0%	2
3	36	11	25	15.2%	12.0%	17.2%	5	2	3	2.4%	1.8%	3.1%	2	-	2	1.0%	0%	1.6%	3
4	107	4	103	45.1%	4.3%	71.0%	83	1	82	39.7%	0.9%	85.4%	88	1	87	44.7%	1.3%	71.3%	4
5	1	-	1	0.4%	0%	0.7%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	27	9	18	113.9	97.8	124.1	14	7	7	67.0	61.9	72.9	14	2	12	71.1	26.7	98.4	6
7	4	1	3	16.9	10.9	20.7	7	2	5	33.5	17.7	52.1	6	-	6	30.5	0	49.2	7
8	-	-	-	0	0	0	-	-	-	0	0	0	3	-	3	15.2	0	24.6	8
9	1	1	1	4.2	0	6.9	-	-	-	0	0	0	1	-	1	5.1	0	8.2	9
	2	1	1	8.4	10.9	6.9	6	2	4	28.7	17.7	41.7	2	-	2	10.2	0	16.4	
	1	-	1	4.2	0	6.9	1	-	1	4.8	0	10.4	-	-	-	0	0	0	
10	102	39	63	1085.1	886.4	1260.0	81	57	24	1000.0	1017.9	960.0	62	26	36	861.1	742.9	973.0	10
11	9	3	6	38.0	32.6	41.4	7	4	3	33.5	35.4	31.2	6	-	6	30.5	0	49.2	11
12	8	3	5	33.8	32.6	34.5	7	4	3	33.5	35.4	31.2	5	-	5	25.4	0	41.0	12
13	4	1	3	16.9	10.9	20.7	3	3	-	14.4	26.5	0	2	-	2	0	0	0	13
14	3	1	2	-	-	-	-	-	-	-	-	-	2	-	2	0	0	0	14
15	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	50.8	0	82.0	15
16	1	-	1	10.6	0	20.0	-	-	-	0	0	0	1	-	1	13.9	0	27.0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
33	8	5	3	85.1	113.6	60.0	5	4	1	61.7	71.4	40.0	5	3	2	69.4	85.7	54.1	33
34	1	-	1	10.6	0	20.0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	1	-	1	10.6	0	20.0	-	-	-	0	0	0	-	-	-	0	0	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	28	8	20	297.9	181.8	400.0	26	17	9	321.0	303.6	360.0	11	5	6	152.8	142.9	162.2	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	25	13	12	266.0	295.5	240.0	25	19	6	308.6	339.3	240.0	16	10	6	222.2	285.7	162.2	41
42	1	1	-	10.6	22.7	0	-	-	-	0	0	0	-	-	-	0	0	0	42
43	6	3	3	63.8	68.2	60.0	4	3	1	49.4	53.6	40.0	3	-	3	41.7	0	81.1	43
44	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	13.9	0	27.0	44
45	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	13.9	0	27.0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	1	1	-	12.3	17.9	0	-	-	-	0	0	0	47
48	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	48
49	2	-	2	21.3	0	40.0	-	-	-	0	0	0	-	-	-	0	0	0	49
50	2	2	-	21.3	45.5	0	1	-	1	24.7	17.9	40.0	-	-	-	0	0	0	50
51	-	-	-	0	0	0	-	-	-	12.3	0	40.0	-	-	-	0	0	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	13.9	0	27.0	52
53	2	1	1	21.3	22.7	20.0	1	-	1	12.3	0	40.0	-	-	-	0	0	0	53
54	-	-	-	0	0	0	1	1	-	12.3	17.9	0	3	-	3	41.7	0	81.1	54
55	2	1	1	21.3	22.7	20.0	1	-	1	12.3	0	40.0	-	-	-	0	0	0	55
56	4	1	3	42.6	22.7	60.0	3	3	-	37.0	53.6	0	-	-	-	0	0	0	56
57	1	-	1	10.6	0	20.0	-	-	-	0	0	0	1	1	-	13.9	28.6	0	57
58	2	1	1	21.3	22.7	20.0	1	-	1	12.3	0	40.0	1	-	1	13.9	0	27.0	58
59	2	-	2	21.3	0	40.0	1	2	-	12.3	17.9	0	6	2	4	83.3	57.1	108.1	59
60	3	2	1	31.9	45.5	20.0	2	1	-	24.7	35.7	0	4	3	3	55.6	28.6	81.1	60
61	-	-	-	0	0	0	1	1	-	12.3	17.9	0	-	-	-	0	0	0	61
62	2	-	2	21.3	0	40.0	-	-	-	0	0	0	2	-	2	27.8	0	54.1	62
63	9	1	8	95.7	22.7	160.0	6	4	2	74.1	71.4	80.0	6	4	2	83.3	114.3	54.1	63

ITEM	Lamar						Ianier						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	242	108	134	23.0	17.1	31.9	173	99	74	34.6	30.0	43.5	1
2 Delivered in hospital	231	108	123	95.5%	100.0%	91.8%	133	92	41	76.9%	92.9%	55.4%	2
3 Delivered in home by physician	1	-	1	0.4%	0%	0.7%	5	3	2	2.9%	3.0%	2.7%	3
4 Delivered in home by midwife	10	-	10	4.1%	0%	7.5%	33	3	30	19.1%	3.0%	40.5%	4
5 Other deliveries	-	-	-	0%	0%	0%	2	1	1	1.2%	1.0%	1.4%	5
6 Immature births	26	7	19	107.4	64.8	141.8	12	3	9	69.4	30.3	121.6	6
FETAL DEATHS													
7 Total	4	2	2	16.5	18.5	14.9	4	3	1	23.1	30.3	13.5	
8 Under 20 weeks gestation	-	-	-	0	0	0	3	2	1	17.3	20.2	13.5	7
9 20-27 weeks gestation	-	-	-	0	0	0	-	-	-	0	0	0	8
28 weeks and more	4	2	2	16.5	18.5	14.9	1	1	-	5.8	10.1	0	9
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0	
DEATHS													
10 Total, all ages	108	57	51	1028.6	904.8	1214.3	54	35	19	1080.0	1060.6	1117.6	10
11 Under 1 year	5	1	4	20.7	9.3	29.9	4	2	2	23.1	20.2	27.0	11
12 Under 28 days	5	1	4	20.7	9.3	29.9	2	2	-	11.6	20.2	0	12
13 Deaths from immaturity	4	1	3	12.4	9.3	14.9	-	-	-	0	0	0	13
14 1-4 years **	3	-	3	-	-	-	-	-	-	0	0	0	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	1	-	1	9.5	0	23.8	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	1	1	-	9.5	15.9	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	15	8	7	142.9	127.0	166.7	2	-	2	40.0	0	117.6	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	1	1	-	20.0	30.3	0	34
35 Diabetes mellitus (260)	1	1	-	9.5	15.9	0	1	-	1	20.0	0	58.8	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	2	-	2	40.0	0	117.6	37
38 Vascular lesions affecting central nervous system (330-334)	15	8	7	142.9	127.0	166.7	6	2	4	120.0	60.6	235.3	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	33	18	15	314.3	285.7	357.1	19	17	2	380.0	515.2	117.6	41
42 Hypertension without mention of heart (444-447)	1	1	-	9.5	15.9	0	-	-	-	0	0	0	42
43 Influenza and pneumonia (480-483, 490-493)	7	1	6	66.7	15.9	142.9	2	1	1	40.0	30.3	58.8	43
44 Bronchitis (500-502)	1	1	-	9.5	15.9	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	1	-	1	9.5	0	23.8	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	2	1	1	40.0	30.3	58.8	48
49 Cirrhosis of liver (581)	1	1	-	9.5	15.9	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	11	7	4	104.8	111.1	95.2	1	-	1	20.0	0	58.8	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	1	-	20.0	30.3	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	-	-	-	0	0	0	-	-	-	0	0	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	-	1	9.5	0	23.8	2	2	-	40.0	60.6	0	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	4	1	3	38.1	15.9	71.4	-	-	-	0	0	0	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	2	1	1	40.0	30.3	58.8	58
59 Motor vehicle accidents (E810-E835)	2	2	-	19.0	31.7	0	1	1	-	20.0	30.3	0	59
60 All other accidents (E800-E802, E840-E962)	3	2	1	28.6	31.7	23.8	5	2	3	100.0	60.6	176.5	60
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	1	1	-	20.0	30.3	0	61
62 Homicide (E964, E980-E985)	1	-	1	9.5	0	23.8	1	1	-	20.0	30.3	0	62
63 All other diseases (residual)	9	5	4	85.7	79.4	95.2	5	4	1	100.0	121.2	58.8	63

COUNTY, BY RACE, GEORGIA, 1957

	Laurens						Lee						Liberty						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	802	415	387	24.2	21.1	28.7	190	40	150	31.1	21.1	35.7	435	227	208	44.4	56.8	35.9	1
2	588	409	179	73.3%	98.6%	46.3%	63	39	24	33.2%	97.5%	16.0%	313	227	86	72.0%	100.0%	41.3%	2
3	22	5	17	2.7%	1.2%	4.4%	4	-	4	2.1%	0%	2.7%	10	-	10	2.3%	0%	4.8%	3
4	192	1	191	23.9%	0.2%	49.4%	123	1	122	64.7%	2.5%	81.3%	112	-	112	25.7%	0%	53.8%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	59	26	33	73.6	62.6	85.3	11	4	7	57.9	100.0	46.7	31	16	15	71.3	70.5	72.1	6
7	23	11	12	28.7	26.5	31.0	9	1	8	47.4	25.0	53.3	19	13	6	43.7	57.3	28.8	7
8	-	-	-	0	0	0	1	1	-	5.3	25.0	0	9	8	1	20.7	35.2	4.8	8
9	3	-	3	3.7	0	7.8	1	-	1	5.3	0	6.7	3	1	2	6.9	4.4	9.6	9
	20	11	9	24.9	26.5	23.3	7	-	7	36.8	0	46.7	5	3	2	11.5	13.2	9.6	
	-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	4.6	4.4	4.8	
10	324	185	139	975.9	939.1	1029.6	70	24	46	1147.5	1263.2	1095.2	97	27	70	989.8	675.0	1206.9	10
11	32	7	25	39.9	16.9	64.6	4	1	3	21.1	25.0	20.0	16	3	13	36.8	13.2	62.5	11
12	17	5	12	21.2	12.0	31.0	4	1	3	21.1	25.0	20.0	9	2	7	20.7	8.8	33.7	12
13	5	-	5	6.2	0	12.9	1	-	1	5.3	0	6.7	-	-	-	0	0	0	13
14	9	2	7	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	14
15	2	1	1	24.9	24.1	25.8	-	-	-	0	0	0	1	-	1	23.0	0	48.1	15
16	2	1	1	6.0	5.1	7.4	-	-	-	0	0	0	-	-	-	0	0	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	1	-	1	3.0	0	7.4	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	1	1	-	3.0	5.1	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	1	-	3.0	5.1	0	-	-	-	0	0	0	3	2	1	30.6	50.0	17.2	32
33	26	17	9	76.3	86.3	66.7	9	6	3	147.5	315.8	71.4	6	2	4	61.2	50.0	69.0	33
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	5	5	-	15.1	25.4	0	1	-	1	16.4	0	23.8	3	1	2	30.6	25.0	34.5	35
36	1	1	-	3.0	5.1	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	1	1	-	3.0	5.1	0	-	-	-	0	0	0	1	-	1	10.2	0	17.2	37
38	54	24	30	162.6	121.8	222.2	15	3	12	245.9	157.9	285.7	10	3	7	102.0	75.0	120.7	38
39	1	1	-	3.0	5.1	0	-	-	-	0	0	0	1	1	-	10.2	25.0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	117	81	36	352.4	411.2	266.7	17	8	9	278.7	421.1	214.3	31	8	23	316.3	200.0	396.6	41
42	4	4	-	12.0	20.3	0	2	-	2	32.8	0	47.6	-	-	-	0	0	0	42
43	15	4	11	45.2	20.3	81.5	1	-	1	16.4	0	23.8	11	1	10	112.2	25.0	172.4	43
44	1	-	1	3.0	0	7.4	-	-	-	0	0	0	-	-	-	0	0	0	44
45	2	1	1	6.0	5.1	7.4	-	-	-	0	0	0	1	-	1	10.2	0	17.2	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	2	1	1	6.0	5.1	7.4	1	1	-	16.4	52.6	0	-	-	-	0	0	0	47
48	1	-	1	3.0	0	7.4	1	-	1	16.4	0	23.8	1	-	1	10.2	0	17.2	48
49	3	2	1	9.0	10.2	7.4	-	-	-	0	0	0	1	1	-	10.2	25.0	0	49
50	7	3	4	21.1	15.2	29.6	2	-	2	32.8	0	47.6	3	1	2	30.6	25.0	34.5	50
51	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	2	1	1	6.0	5.1	7.4	-	-	-	0	0	0	1	-	1	10.2	0	17.2	52
53	6	3	3	18.1	15.2	22.2	1	1	-	16.4	52.6	0	4	-	4	40.8	0	69.0	53
54	8	4	4	24.1	20.3	29.6	1	-	1	16.4	0	23.8	2	1	1	20.4	25.0	17.2	54
55	1	-	1	3.0	0	7.4	-	-	-	0	0	0	2	1	1	20.4	25.0	17.2	55
56	6	1	5	18.1	5.1	37.0	1	-	1	16.4	0	23.8	1	-	1	10.2	0	17.2	56
57	2	1	1	6.0	5.1	7.4	3	-	3	49.2	0	71.4	-	-	-	0	0	0	57
58	5	3	2	15.1	15.2	14.8	2	-	2	32.8	0	47.6	2	-	2	20.4	0	34.5	58
59	8	3	5	24.1	15.2	37.0	4	-	4	65.6	0	95.2	2	1	1	20.4	25.0	17.2	59
60	14	3	11	42.2	15.2	81.5	5	3	2	82.0	157.9	47.6	6	2	4	61.2	50.0	69.0	60
61	3	2	1	9.0	10.2	7.4	-	-	-	0	0	0	-	-	-	0	0	0	61
62	4	1	3	12.0	5.1	22.2	1	-	1	16.4	0	23.8	1	-	1	10.2	0	17.2	62
63	20	15	5	60.2	76.1	37.0	3	2	1	49.2	105.3	23.8	4	2	2	40.8	50.0	34.5	63

ITEM	Lincoln						Long						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	156	50	106	25.2	15.6	35.3	104	60	44	30.6	27.3	36.7	1
2 Delivered in hospital	126	48	78	80.8%	96.0%	73.6%	81	59	22	77.9%	98.3%	50.0%	2
3 Delivered in home by physician	26	2	24	16.7%	4.0%	22.6%	7	-	7	6.7%	0%	15.9%	3
4 Delivered in home by midwife	3	-	3	1.9%	0%	2.8%	16	1	15	15.4%	1.7%	34.1%	4
5 Other deliveries	1	-	1	0.6%	0%	0.9%	-	-	-	0%	0%	0%	5
6 Immature births	24	3	21	153.8	60.0	198.1	20	6	14	192.3	100.0	318.2	6
FETAL DEATHS													
7 Total	3	1	2	19.2	20.0	18.9	5	4	1	48.1	66.7	22.7	7
8 Under 20 weeks gestation	1	-	1	6.4	0	9.4	2	2	-	19.2	33.3	0	8
9 20-27 weeks gestation	1	1	-	6.4	20.0	0	-	-	-	0	0	0	8
28 weeks and more	1	-	1	6.4	0	9.4	3	2	1	28.8	33.3	22.7	9
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0	0
DEATHS													
10 Total, all ages	59	26	33	951.6	812.5	1100.0	46	24	22	1352.9	1090.9	1833.3	10
11 Under 1 year	9	-	9	57.7	0	84.9	8	3	5	76.9	50.0	113.6	11
12 Under 28 days	4	-	4	25.6	0	37.7	5	3	2	48.1	50.0	45.5	12
13 Deaths from immaturity	1	-	1	6.4	0	9.4	1	-	1	9.6	0	22.7	13
14 1-4 years **	1	-	1	-	-	-	-	-	-	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	1	-	1	29.4	0	83.3	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	1	-	1	29.4	0	83.3	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as Infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	4	2	2	64.5	62.5	66.7	5	1	4	147.1	45.5	333.3	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	1	1	-	16.1	31.2	0	1	-	1	29.4	0	83.3	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	-	-	-	0	0	0	-	-	-	0	0	0	38
39 Nonmeningococcal meningitis (340)	11	5	6	177.4	156.2	200.0	6	2	4	176.5	90.9	333.3	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	17	8	9	274.2	250.0	300.0	17	11	6	500.0	500.0	500.0	41
42 Hypertension without mention of heart (444-447)	1	-	1	16.1	0	33.3	-	-	-	0	0	0	42
43 Influenza and pneumonia (480-483, 490-493)	1	-	1	16.1	0	33.3	4	2	2	117.6	90.9	166.7	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	1	1	-	16.1	31.2	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	16.1	0	33.3	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	1	-	1	16.1	0	33.3	2	1	1	58.8	45.5	83.3	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	-	-	-	0	0	0	1	-	1	29.4	0	83.3	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	-	1	16.1	0	33.3	2	2	-	58.8	90.9	0	54
55 Infection of the newborn (763-768)	1	-	1	16.1	0	33.3	1	1	-	29.4	45.5	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	0	0	0	-	-	-	0	0	0	56
57 Senility, without mention of psychosis (794)	2	-	2	32.3	0	66.7	1	-	1	29.4	0	83.3	57
58 Ill-defined and unknown causes (780-793, 795)	4	1	3	64.5	31.2	100.0	-	-	-	0	0	0	58
59 Motor vehicle accidents (E810-E835)	3	1	2	48.4	31.2	66.7	-	-	-	0	0	0	59
60 All other accidents (E800-E802, E840-E962)	2	1	1	32.3	32.2	33.3	2	2	-	58.8	90.9	0	60
61 Suicide (E963, E970-E979)	1	1	-	16.1	31.2	0	1	1	-	29.4	45.5	0	61
62 Homicide (E964, E980-E985)	1	-	1	16.1	0	33.3	-	-	-	0	0	0	62
63 All other diseases (residual)	6	5	1	96.8	156.2	33.3	1	1	-	29.4	45.5	0	63

COUNTY, BY RACE, GEORGIA, 1957

	Lowndes						Lumpkin						Macon						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	1,559	1,014	545	36.8	38.7	33.6	172	170	2	24.9	25.4	10.0	407	108	299	30.6	23.0	34.8	1
2	1,215	998	217	77.9%	98.4%	39.8%	161	159	2	93.6%	93.5%	100.0%	241	106	135	59.2%	98.1%	45.2%	2
3	15	8	7	1.0%	0.8%	1.3%	-	-	-	0%	0%	0%	2	-	2	0.5%	0%	0.7%	3
4	328	7	321	21.0%	0.7%	58.9%	11	11	-	6.4%	6.5%	0%	164	2	162	40.3%	1.9%	54.2%	4
5	1	1	-	0.1%	0.1%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	116	60	56	74.4	59.2	102.8	12	12	-	69.8	70.6	0	50	9	41	122.8	83.3	137.1	6
7	55	35	20	35.3	34.5	36.7	5	5	-	29.1	29.4	0	4	-	4	9.8	0	13.4	7
8	29	24	5	18.6	23.7	9.2	-	-	-	0	0	0	-	-	-	0	0	0	8
9	10	5	5	6.4	4.9	9.2	1	1	-	5.8	5.9	0	4	-	4	0	0	0	9
	15	6	9	9.6	5.9	16.5	4	4	-	23.3	23.5	0	4	-	4	9.8	0	13.4	
	1	-	1	0.6	0	1.8	-	-	-	0	0	0	-	-	-	0	0	0	
10	375	234	141	884.4	893.1	870.4	52	50	2	753.6	746.3	1000.0	140	39	101	1052.6	829.8	1174.4	10
11	33	17	16	21.2	16.8	29.4	1	1	-	5.8	5.9	0	12	1	11	29.5	9.3	36.8	11
12	22	13	9	14.1	12.8	16.5	1	1	-	5.8	5.9	0	9	1	8	22.1	9.3	26.8	12
13	6	5	1	3.8	4.9	1.8	-	-	-	0	0	0	5	-	5	12.3	0	16.7	13
14	5	2	3	0	0	0	1	1	-	0	0	0	2	1	1	0	0	0	14
15	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	15
16	1	-	1	2.4	0	6.2	1	1	-	14.5	14.9	0	-	-	-	0	0	0	16
17	3	3	-	7.1	11.4	0	1	1	-	14.5	14.9	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	7.5	0	11.6	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	1	-	1	2.4	0	6.2	-	-	-	0	0	0	-	-	-	0	0	0	23
24	1	1	-	2.4	3.8	0	1	1	-	14.5	14.9	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	7.5	0	11.6	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	2	1	1	4.7	3.8	6.2	-	-	-	0	0	0	1	-	1	7.5	0	11.6	32
33	36	20	16	84.9	76.3	98.8	6	6	-	87.0	89.6	0	13	7	6	97.7	148.9	69.8	33
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	5	3	2	11.8	11.4	12.3	-	-	-	0	0	0	1	-	1	7.5	0	11.6	35
36	1	-	1	2.4	0	6.2	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	73	36	37	172.2	137.4	228.4	11	10	1	159.4	149.3	500.0	22	6	16	165.4	127.7	186.0	38
39	1	1	-	2.4	3.8	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	106	82	24	250.0	313.0	148.1	16	16	-	231.9	238.8	0	50	12	38	375.9	255.3	441.9	41
42	10	5	5	23.6	19.1	30.9	-	-	-	0	0	0	3	1	2	22.6	21.3	23.3	42
43	15	8	7	35.4	30.5	43.2	5	5	-	72.5	74.6	0	11	3	8	82.7	63.8	93.0	43
44	1	1	-	2.4	3.8	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	1	-	1	2.4	0	6.2	-	-	-	0	0	0	-	-	-	0	0	0	45
46	1	-	1	2.4	0	6.2	-	-	-	0	0	0	-	-	-	0	0	0	46
47	1	-	1	2.4	0	6.2	-	-	-	0	0	0	2	-	2	15.0	0	23.3	47
48	1	-	1	2.4	0	6.2	-	-	-	0	0	0	-	-	-	0	0	0	48
49	1	1	-	2.4	3.8	0	-	-	-	0	0	0	-	-	-	0	0	0	49
50	6	4	2	14.2	15.3	12.3	-	-	-	0	0	0	-	-	-	0	0	0	50
51	1	1	-	2.4	3.8	0	-	-	-	0	0	0	1	-	1	7.5	0	11.6	51
52	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	52
53	3	1	2	7.1	3.8	12.3	-	-	-	0	0	0	2	1	1	15.0	21.3	11.6	53
54	10	4	6	23.6	15.3	37.0	-	-	-	0	0	0	-	-	-	0	0	0	54
55	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	55
56	9	7	2	21.2	26.7	12.3	-	-	-	0	0	0	7	-	7	52.6	0	81.4	56
57	1	-	1	2.4	0	6.2	-	-	-	0	0	0	-	-	-	0	0	0	57
58	4	-	4	9.4	0	24.7	-	-	-	0	0	0	2	-	2	15.0	0	23.3	58
59	14	10	4	33.0	38.2	24.7	2	2	-	29.0	29.8	0	3	1	2	22.6	21.3	23.3	59
60	22	15	7	51.9	57.3	43.2	2	2	-	29.0	29.8	0	5	3	2	37.6	63.8	23.3	60
61	6	5	1	14.2	19.1	6.2	1	1	-	14.5	14.9	0	1	1	-	7.5	21.3	0	61
62	3	1	2	7.1	3.8	12.3	-	-	-	0	0	0	2	-	2	15.0	0	23.3	62
63	35	24	11	82.5	91.6	67.9	6	5	1	87.0	74.6	500.0	12	4	8	90.2	85.1	93.0	63

ITEM	Madison						Marion					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	238	158	80	20.5	17.0	34.8	157	34	123	24.9	14.8	30.8
2 Delivered in hospital	197	154	43	82.8%	97.5%	53.8%	76	33	43	48.4%	97.1%	35.0%
3 Delivered in home by physician	-	-	-	0%	0%	0%	10	1	9	6.4%	2.9%	7.3%
4 Delivered in home by midwife	40	4	36	16.8%	2.5%	45.0%	71	-	71	45.2%	0%	57.7%
5 Other deliveries	1	-	1	0.4%	0%	1.2%	-	-	-	0%	0%	0%
6 Immature births	21	10	11	88.2	63.3	137.5	13	3	10	82.8	88.2	81.3
FETAL DEATHS												
7 Total	8	7	1	33.6	44.3	12.5	7	4	3	44.6	117.6	24.4
8 Under 20 weeks gestation	1	1	-	4.2	6.3	0	1	1	-	6.4	29.4	0
9 20-27 weeks gestation	2	2	-	8.4	12.7	0	1	1	-	6.4	29.4	0
28 weeks and more	3	2	1	12.6	12.7	12.5	5	2	3	31.8	58.8	24.4
Unknown length of gestation	2	2	-	8.4	12.7	0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	106	92	14	913.8	989.2	608.7	74	34	40	1174.6	1478.3	1000.0
11 Under 1 year	6	3	3	25.2	19.0	37.5	8	-	8	51.0	0	65.0
12 Under 28 days	5	2	3	21.0	12.7	37.5	4	-	4	25.5	0	32.5
13 Deaths from immaturity	1	1	-	4.2	6.3	0	1	-	1	6.4	0	8.1
14 1-4 years **	-	-	-	-	-	-	1	-	1	-	-	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	15
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	1	1	-	8.6	10.8	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	1	-	1	15.9	0	25.0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	20	17	3	172.4	182.8	130.4	9	5	4	142.9	217.4	100.0
34 Benign and unspecified neoplasms (210-239)	1	1	-	8.6	10.8	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	-	-	-	0	0	0	-	-	-	0	0	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anamias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	15	12	3	129.3	129.0	130.4	12	4	8	190.5	173.9	200.0
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	37	34	3	319.0	365.6	130.4	24	15	9	381.0	652.2	225.0
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	3	2	1	47.6	87.0	25.0
43 Influenza and pneumonia (480-483, 490-493)	3	3	-	25.9	32.3	0	3	-	3	47.6	0	75.0
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	1	1	-	8.6	10.8	0	1	-	1	15.9	0	25.0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	8.6	10.8	0	1	1	-	15.9	43.5	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	1	-	1	15.9	0	25.0
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	2	2	-	17.2	21.5	0	3	2	1	47.6	87.0	25.0
51 Hyperplasia of prostate (610)	1	1	-	8.6	10.8	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	2	2	-	17.2	21.5	0	1	1	-	15.9	43.5	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	1	-	8.6	10.8	0	1	-	1	15.9	0	25.0
55 Infection of the newborn (763-768)	-	-	-	0	0	0	1	-	1	15.9	0	25.0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	2	1	1	17.2	10.8	43.5	1	-	1	15.9	0	25.0
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	2	-	2	17.2	0	87.0	1	-	1	15.9	0	25.0
59 Motor vehicle accidents (E810-E835)	5	4	1	43.1	43.0	43.5	1	1	-	15.9	43.5	0
60 All other accidents (E800-E802, E840-E962)	1	1	-	8.6	10.8	0	5	-	5	79.4	0	125.0
61 Suicide (E963, E970-E979)	1	1	-	8.6	10.8	0	1	1	-	15.9	43.5	0
62 Homicide (E964, E980-E985)	1	1	-	8.6	10.8	0	-	-	-	0	0	0
63 All other diseases (residual)	9	8	1	77.6	86.0	43.5	4	2	2	63.5	87.0	50.0

COUNTY, BY RACE, GEORGIA, 1957

	McDuffie						McIntosh						Meriwether						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	362	150	212	30.2	22.4	40.0	165	61	104	25.4	25.4	25.4	496	188	308	24.0	18.3	29.6	1
2	260	147	113	71.8%	98.0%	53.3%	93	54	39	56.4%	88.5%	37.5%	226	167	59	45.6%	88.8%	19.2%	2
3	3	2	1	0.8%	1.3%	0.5%	1	-	1	0.6%	0%	1.0%	112	19	93	22.6%	10.1%	30.2%	3
4	99	1	98	27.3%	0.7%	46.2%	71	7	64	43.0%	11.5%	61.5%	157	2	155	31.7%	1.1%	50.3%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	1	1	0	0.2%	0%	0.3%	5
6	38	15	23	105.0	100.0	108.5	14	7	7	84.8	114.8	67.3	31	7	24	62.5	37.2	77.9	6
7	22	5	17	60.8	33.3	80.2	3	1	2	18.2	16.4	19.2	11	4	7	22.2	21.3	22.7	7
8	5	-	5	13.8	0	23.6	2	1	1	12.1	16.4	9.6	6	3	3	12.1	16.0	9.7	8
9	6	2	4	16.6	13.3	18.9	1	1	1	6.1	0	9.6	-	-	-	0	0	0	9
	11	3	8	30.4	20.0	37.7	-	-	-	0	0	0	4	4	4	8.1	0	13.0	
	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	2.0	5.3	0	
10	139	66	73	1158.3	985.1	1377.4	70	19	51	1076.9	791.7	1243.9	209	104	105	1009.7	1009.7	1009.6	10
11	17	3	14	47.0	20.0	66.0	9	3	6	54.6	49.2	57.7	9	1	8	18.1	5.3	26.0	11
12	11	3	8	30.4	20.0	37.7	5	3	2	30.3	49.2	19.2	4	1	3	8.1	5.3	9.7	12
13	4	-	4	11.0	0	18.9	1	-	-	0	0	0	3	1	2	6.0	5.3	6.5	13
14	3	-	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	14
15	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	20.2	0	32.5	15
16	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	4.6	9.7	0	16
17	1	-	1	8.3	0	18.9	1	-	1	15.4	0	24.4	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
33	13	11	2	108.3	164.2	37.7	2	-	2	30.8	0	48.8	29	18	11	140.1	174.8	105.8	33
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	-	-	-	0	0	0	1	-	1	15.4	0	24.4	1	1	-	4.8	9.7	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.8	0	9.6	37
38	20	9	11	166.7	134.3	207.5	12	2	10	184.6	83.3	243.9	61	27	34	294.7	262.1	326.9	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	36	18	18	300.0	268.7	339.6	23	6	17	353.8	250.0	414.6	64	33	31	309.2	320.4	298.1	41
42	1	-	1	8.3	0	18.9	1	-	1	15.4	0	24.4	3	1	2	14.5	9.7	19.2	42
43	13	2	11	108.3	29.8	207.5	4	1	3	61.5	41.7	73.2	9	5	4	43.5	48.5	38.5	43
44	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.8	0	9.6	44
45	1	1	-	8.3	14.9	0	-	-	-	0	0	0	1	-	1	4.8	0	9.6	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.8	0	9.6	47
48	2	-	2	16.7	0	37.7	1	-	1	15.4	0	24.4	-	-	-	0	0	0	48
49	5	4	1	41.7	59.7	18.9	-	-	-	0	0	0	-	-	-	0	0	0	49
50	1	1	-	8.3	14.9	0	3	1	2	46.2	41.7	48.8	4	1	3	19.3	9.7	28.8	50
51	1	-	1	8.3	0	18.9	-	-	-	0	0	0	-	-	-	0	0	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.8	0	9.6	52
53	2	1	1	16.7	14.9	18.9	-	-	-	0	0	0	2	-	2	9.7	0	19.2	53
54	1	1	-	8.3	14.9	0	4	3	1	61.5	125.0	24.4	-	-	-	0	0	0	54
55	3	-	3	25.0	0	56.6	1	-	1	15.4	0	24.4	-	-	-	0	0	0	55
56	4	-	4	33.3	0	75.5	-	-	-	0	0	0	3	1	2	14.5	9.7	19.2	56
57	-	-	-	0	0	0	1	-	1	15.4	0	24.4	-	-	-	0	0	0	57
58	4	1	3	33.3	14.9	56.6	-	-	-	0	0	0	-	-	-	0	0	0	58
59	2	1	1	16.7	14.9	18.9	8	2	6	123.1	83.3	146.3	3	1	2	14.5	9.7	19.2	59
60	7	5	2	58.3	74.6	37.7	3	2	1	46.2	83.3	24.4	9	4	5	43.5	38.8	48.1	60
61	2	2	-	16.7	29.8	0	-	-	-	0	0	0	2	2	-	9.7	19.4	0	61
62	1	-	1	8.3	0	18.9	1	1	1	15.4	0	24.4	1	1	-	4.8	9.7	0	62
63	19	9	10	158.3	134.3	188.7	4	2	2	61.5	83.3	48.8	12	8	4	58.0	77.7	38.5	63

TABLE XIII VITAL STATISTICS, BY

ITEM	Miller						Mitchell						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	210	127	83	24.7	20.8	34.6	620	217	403	27.7	19.2	36.3	1
2 Delivered in hospital	170	126	44	81.0%	99.2%	53.0%	468	215	253	75.5%	99.1%	62.8%	2
3 Delivered in home by physician	2	1	1	1.0%	0.8%	1.2%	6	1	5	1.0%	0.5%	1.2%	3
4 Delivered in home by midwife	38	-	38	18.1%	0%	45.8%	145	1	144	23.4%	0.5%	35.7%	4
5 Other deliveries	-	-	-	0%	0%	0%	1	-	1	0.2%	0%	0.2%	5
6 Immature births	13	3	10	61.9	23.6	120.5	45	12	33	72.6	55.3	81.9	6
FETAL DEATHS													
7 Total	7	4	3	33.3	31.5	36.1	23	12	11	37.1	55.3	27.3	
8 Under 20 weeks gestation	-	-	-	0	0	0	4	1	3	6.5	4.6	7.4	7
9 20-27 weeks gestation	-	-	-	0	0	0	8	5	3	12.9	23.0	7.4	8
28 weeks and more	7	4	3	33.3	31.5	36.1	11	6	5	17.7	27.6	12.4	9
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0	
DEATHS													
10 Total, all ages	57	32	25	670.6	524.6	1041.7	205	84	121	915.2	743.4	1090.1	10
11 Under 1 year	5	-	5	23.8	0	60.2	31	6	25	50.0	27.6	62.0	11
12 Under 28 days	3	-	3	14.3	0	36.1	17	3	14	27.4	13.8	34.7	12
13 Deaths from immaturity	3	-	3	14.3	0	36.1	10	1	9	16.1	4.6	22.3	13
14 1-4 years **	-	-	-	-	-	-	5	1	4	-	-	-	14
15 Maternal deaths	1	-	1	47.6	0	120.5	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	1	-	1	4.5	0	9.0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	1	-	1	4.5	0	9.0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	8	7	1	94.1	114.8	41.7	24	10	14	107.1	88.5	126.1	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	1	1	-	11.8	16.4	0	1	-	1	4.5	0	9.0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	6	3	3	70.6	49.2	125.0	37	15	22	165.2	132.7	198.2	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	16	9	7	188.2	147.5	291.7	59	30	29	263.4	265.5	261.3	41
42 Hypertension without mention of heart (444-447)	2	1	1	23.5	16.4	41.7	2	-	2	8.9	0	18.0	42
43 Influenza and pneumonia (480-483, 490-493)	1	-	1	11.8	0	41.7	18	7	11	80.4	61.9	99.1	43
44 Bronchitis (500-502)	-	-	-	0	0	0	1	1	-	4.5	8.8	0	44
45 Ulcer of stomach and duodenum (540-541)	1	1	-	11.8	16.4	0	2	-	2	8.9	0	18.0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	11.8	16.4	0	1	-	1	4.5	0	9.0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	4	-	4	17.9	0	36.0	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	2	1	1	8.9	8.8	9.0	49
50 Nephritis and nephrosis (590-594)	1	-	1	11.8	0	41.7	2	-	2	8.9	0	18.0	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	11.8	0	41.7	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	-	-	-	0	0	0	5	3	2	22.3	26.5	18.0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	2	-	2	8.9	0	18.0	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	1	-	1	4.5	0	9.0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	-	3	35.3	0	125.0	11	2	9	49.1	17.7	81.1	56
57 Senility, without mention of psychosis (794)	1	-	1	11.8	0	41.7	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	3	-	3	23.5	16.4	41.7	5	3	2	22.3	26.5	18.0	58
59 Motor vehicle accidents (E810-E835)	3	1	2	35.3	16.4	83.3	5	3	2	22.3	26.5	18.0	59
60 All other accidents (E800-E802, E840-E962)	5	3	2	58.8	49.2	83.3	6	4	2	26.8	35.4	18.0	60
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	-	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	2	1	1	23.5	16.4	41.7	2	-	2	8.9	0	18.0	62
63 All other diseases (residual)	5	4	1	58.8	65.6	41.7	13	5	8	58.0	44.2	72.1	63

COUNTY, BY RACE, GEORGIA, 1957

	Monroe						Montgomery						Morgan						
	Number			Rate or Ratio*			Number			Rate or Ratio*			Number			Rate or Ratio*			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	251	88	163	23.9	16.0	32.6	157	62	95	22.8	15.5	32.8	255	110	145	22.2	20.0	24.2	1
2	171	88	83	68.1%	100.0%	50.9%	59	49	10	37.6%	79.0%	10.5%	130	105	25	51.0%	95.5%	17.2%	2
3	1	-	1	0.4%	0%	0.6%	17	11	6	10.8%	17.7%	6.3%	9	2	7	3.6%	1.8%	4.8%	3
4	79	-	79	31.5%	0%	48.5%	81	2	79	51.6%	3.2%	83.2%	116	3	113	45.5%	2.7%	77.9%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	30	4	26	119.5	45.5	159.5	9	6	3	57.3	96.8	31.6	17	4	13	66.7	36.4	89.7	6
7	10	2	8	39.8	22.7	49.1	9	4	5	57.3	64.5	52.6	7	4	3	27.4	36.4	20.7	7
8	5	1	4	19.9	11.4	24.5	-	-	-	0	0	0	2	1	1	7.8	9.1	6.9	8
9	2	1	1	8.0	11.4	6.1	1	-	1	6.4	0	10.5	1	-	1	3.9	0	6.9	9
	2	-	2	8.0	0	12.3	8	4	4	51.0	64.5	42.1	4	3	1	15.7	27.3	6.9	
	1	-	1	4.0	0	6.1	-	-	-	0	0	0	-	-	-	0	0	0	
10	103	49	54	981.0	890.9	1080.0	82	38	44	1188.4	950.0	1517.2	104	62	42	904.3	1127.3	700.0	10
11	10	-	10	39.8	0	61.3	9	3	6	57.3	48.4	63.2	6	1	5	23.5	9.1	34.5	11
12	3	-	3	12.0	0	18.4	4	2	2	25.5	32.3	21.1	-	-	-	0	0	0	12
13	2	-	2	8.0	0	12.3	2	1	1	12.7	16.1	10.5	-	-	-	0	0	0	13
14	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	0	0	0	14
15	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	15
16	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	8.7	18.2	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	1	1	-	14.5	25.0	0	-	-	-	0	0	0	32
33	16	10	6	152.4	181.8	120.0	17	8	9	246.4	200.0	310.3	7	6	1	60.9	109.1	16.7	33
34	1	1	-	9.5	18.2	0	1	-	1	14.5	0	34.5	1	-	1	8.7	0	16.7	34
35	2	-	2	19.0	0	40.0	2	1	1	29.0	25.0	34.5	3	3	-	26.1	54.5	0	35
36	-	-	-	0	0	0	1	-	1	14.5	0	34.5	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	16	6	10	152.4	109.1	200.0	21	8	13	304.3	200.0	448.3	13	6	7	113.0	109.1	116.7	38
39	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	8.7	18.2	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	37	22	15	352.4	400.0	300.0	17	9	8	246.4	225.0	275.9	38	24	14	330.4	436.4	233.3	41
42	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	8.7	18.2	0	42
43	9	1	8	85.7	18.2	160.0	3	2	1	43.5	50.0	34.5	6	5	1	52.2	90.9	16.7	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	1	1	-	9.5	18.2	0	-	-	-	0	0	0	2	1	1	17.4	18.2	16.7	47
48	3	-	3	28.6	0	60.0	1	-	1	14.5	0	34.5	2	1	1	17.4	18.2	16.7	48
49	2	2	-	19.0	36.4	0	1	1	-	14.5	25.0	0	1	1	-	8.7	18.2	0	49
50	1	1	-	9.5	18.2	0	3	1	2	43.5	25.0	69.0	4	-	4	34.8	0	66.7	50
51	2	-	2	19.0	0	40.0	-	-	-	0	0	0	1	1	-	8.7	18.2	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	52
53	-	-	-	0	0	0	2	1	1	29.0	25.0	34.5	1	-	1	8.7	0	16.7	53
54	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	54
55	-	-	-	0	0	0	1	-	1	14.5	0	34.5	-	-	-	0	0	0	55
56	2	-	2	19.0	0	40.0	2	1	1	29.0	25.0	34.5	1	-	1	8.7	0	16.7	56
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
58	1	-	1	9.5	0	20.0	2	-	2	29.0	0	69.0	2	-	2	17.4	0	33.3	58
59	1	1	-	9.5	18.2	0	1	1	-	14.5	25.0	0	2	2	-	17.4	36.4	0	59
60	2	1	1	19.0	18.2	20.0	-	-	-	0	0	0	7	2	5	60.9	36.4	83.3	60
61	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	61
62	1	-	1	9.5	0	20.0	1	-	1	14.5	0	34.5	1	-	1	8.7	0	16.7	62
63	6	3	3	57.1	54.5	60.0	5	4	1	72.5	100.0	34.5	9	7	2	78.3	127.3	33.3	63

ITEM	Murray						Muscokee						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	195	194	1	18.6	18.7	10.0	4,782	3,530	1,252	34.4	33.3	37.8	1
2 Delivered in hospital	191	190	1	97.9%	97.9%	100.0%	4,685	3,521	1,164	98.0%	99.7%	93.0%	2
3 Delivered in home by physician	2	2	-	1.0%	1.1%	0%	41	8	33	0.9%	0.2%	2.6%	3
4 Delivered in home by midwife	2	2	-	1.0%	1.1%	0%	55	-	55	1.2%	0%	4.4%	4
5 Other deliveries	-	-	-	0%	0%	0%	1	1	-	0.0%	0.0%	0%	5
6 Immature births	12	12	-	61.5	61.9	0	497	316	181	103.9	89.5	144.6	6
FETAL DEATHS													
7 Total	2	2	-	10.3	10.3	0	118	78	40	24.7	22.1	31.9	
8 Under 20 weeks gestation	2	2	-	10.3	10.3	0	29	22	7	6.1	6.2	5.6	7
9 20-27 weeks gestation	-	-	-	0	0	0	22	15	7	4.6	4.2	5.6	8
28 weeks and more	-	-	-	0	0	0	64	40	24	13.4	11.3	19.2	9
Unknown length of gestation	-	-	-	0	0	0	3	1	2	0.6	0.3	1.6	
DEATHS													
10 Total, all ages	70	67	3	666.7	644.2	3000.0	1,029	688	341	739.2	648.4	1030.2	10
11 Under 1 year	5	5	-	25.6	25.8	0	131	91	40	27.4	25.8	31.9	11
12 Under 28 days	3	3	-	15.4	15.5	0	96	71	25	20.1	20.1	20.0	12
13 Deaths from immaturity	1	1	-	5.1	5.2	0	26	16	10	5.4	4.5	8.0	13
14 1-4 years **	2	2	-	-	-	-	10	7	3	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	2	1	1	4.2	2.8	8.0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	1	1	-	9.5	9.6	0	6	4	2	4.3	3.8	6.0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	7	4	3	5.0	3.8	9.1	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	2	2	-	1.4	1.9	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	2	1	1	1.4	0.9	3.0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	9	9	-	85.7	86.5	0	131	93	38	94.1	87.7	114.8	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	4	2	2	2.9	1.9	6.0	34
35 Diabetes mellitus (260)	-	-	-	0	0	0	11	6	5	7.9	5.7	15.1	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	2	-	2	1.4	0	6.0	37
38 Vascular lesions affecting central nervous system (330-334)	16	15	1	152.4	144.2	1000.0	149	82	67	107.0	77.3	202.4	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	1	1	-	0.7	0.9	0	39
40 Rheumatic fever (400-402)	1	-	1	9.5	0	1000.0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	13	13	-	123.8	125.0	0	353	250	103	253.6	235.6	311.2	41
42 Hypertension without mention of heart (444-447)	5	5	-	47.6	48.1	0	5	2	3	3.6	1.9	9.1	42
43 Influenza and pneumonia (480-483, 490-493)	5	5	-	47.6	48.1	0	43	24	19	30.9	22.6	57.4	43
44 Bronchitis (500-502)	-	-	-	0	0	0	5	5	-	3.6	4.7	0	44
45 Ulcer of stomach and duodenum (540-541)	1	1	-	9.5	9.6	0	8	8	-	5.7	7.5	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	8	3	5	5.7	2.8	15.1	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	4	3	1	2.9	2.8	3.0	48
49 Cirrhosis of liver (581)	1	-	1	9.5	0	1000.0	4	3	1	2.9	2.8	3.0	49
50 Nephritis and nephrosis (590-594)	-	-	-	0	0	0	13	8	5	9.3	7.5	15.1	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	2	1	1	1.4	0.9	3.0	52
53 Congenital malformations (750-759)	3	3	-	28.6	28.8	0	23	20	3	16.5	18.8	9.1	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	51	39	12	36.6	36.8	36.3	54
55 Infection of the newborn (763-768)	1	1	-	9.5	9.6	0	4	3	1	2.9	2.8	3.0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	1	-	9.5	9.6	0	36	23	13	25.9	21.7	39.3	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	4	2	2	2.9	1.9	6.0	57
58 Ill-defined and unknown causes (780-793, 795)	1	1	-	9.5	9.6	0	3	1	2	2.2	0.9	6.0	58
59 Motor vehicle accidents (E810-E835)	1	1	-	9.5	9.6	0	24	13	11	17.2	12.3	33.2	59
60 All other accidents (E800-E802, E840-E962)	4	4	-	38.1	38.5	0	42	33	9	30.2	31.1	27.2	60
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	10	9	1	7.2	8.5	3.0	61
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	8	4	4	5.7	3.8	12.1	62
63 All other diseases (residual)	7	7	-	66.7	67.3	0	64	39	25	46.0	36.8	75.5	63

COUNTY, BY RACE, GEORGIA, 1957

	Newton						Oconee						Oglethorpe						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	483	271	212	22.6	19.0	29.9	135	83	52	20.1	16.3	32.5	180	76	104	21.2	15.8	28.1	1
2	401	269	132	83.0%	99.3%	62.3%	116	77	39	85.9%	92.8%	75.0%	106	75	31	58.9%	98.7%	29.8%	2
3	3	2	1	0.6%	0.7%	0.4%	4	3	1	3.0%	3.6%	1.9%	2	-	2	1.1%	0%	1.9%	3
4	78	-	78	16.1%	0%	36.8%	14	3	11	10.4%	3.6%	21.2%	72	1	71	40.0%	1.3%	68.3%	4
5	1	-	1	0.2%	0%	0.5%	1	-	1	0.7%	0%	1.9%	-	-	-	0%	0%	0%	5
6	32	21	11	66.3	77.5	51.9	18	12	6	133.3	144.6	115.4	11	5	6	61.1	65.8	57.7	6
7	18	8	10	37.3	29.5	47.2	4	1	3	29.6	12.0	57.7	10	5	5	55.6	65.8	48.1	7
8	7	3	4	14.5	11.1	18.9	-	-	-	0	0	0	3	2	1	16.7	26.3	9.6	8
9	5	2	3	10.4	7.4	14.2	1	-	1	7.4	0	19.2	-	-	-	0	0	0	9
	6	3	3	12.4	11.1	14.2	3	1	2	22.2	12.0	38.5	6	3	3	33.3	39.5	28.8	
	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	5.6	0	9.6	
10	191	122	69	892.5	853.1	971.8	57	33	24	850.7	647.1	1500.0	86	53	33	1011.8	1104.2	891.9	10
11	17	5	12	35.2	18.4	56.6	4	1	3	29.6	12.0	57.7	8	4	4	44.4	52.6	38.5	11
12	11	5	6	22.8	18.4	28.3	1	1	-	7.4	12.0	0	6	4	2	33.3	52.6	19.2	12
13	6	3	3	12.4	11.1	14.2	1	1	-	7.4	12.0	0	4	2	2	22.2	26.3	19.2	13
14	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
15	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	15
16	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	11.8	20.8	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	1	-	1	4.7	0	14.1	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	1	-	1	4.7	0	14.1	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	1	-	4.7	7.0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
33	21	18	3	98.1	125.9	42.3	6	5	1	89.6	98.0	62.5	13	10	3	152.9	208.3	81.1	33
34	1	1	-	4.7	7.0	0	1	-	1	14.9	0	62.5	-	-	-	0	0	0	34
35	-	-	-	0	0	0	1	1	-	14.9	19.6	0	-	-	-	0	0	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	49	26	23	229.0	181.8	323.9	5	3	2	74.6	58.8	125.0	11	5	6	129.4	104.2	162.2	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	54	40	14	252.3	279.7	197.2	25	16	9	373.1	313.7	562.5	28	21	7	329.4	437.5	189.2	41
42	1	1	-	4.7	7.0	0	-	-	-	0	0	0	-	-	-	0	0	0	42
43	10	4	6	46.7	28.0	84.5	5	-	5	74.6	0	312.5	2	1	1	23.5	20.8	27.0	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	1	1	-	4.7	7.0	0	-	-	-	0	0	0	1	1	-	11.8	20.8	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	1	-	1	4.7	0	14.1	-	-	-	0	0	0	-	-	-	0	0	0	47
48	2	1	1	9.3	7.0	14.1	1	-	1	14.9	0	62.5	-	-	-	0	0	0	48
49	-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	23.5	20.8	27.0	49
50	3	3	-	14.0	21.0	0	2	-	2	29.8	0	125.0	3	1	2	35.3	20.8	54.1	50
51	1	1	-	4.7	7.0	0	-	-	-	0	0	0	1	1	-	11.8	20.8	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	52
53	2	2	-	9.3	14.0	0	-	-	-	0	0	0	1	-	1	11.8	0	27.0	53
54	2	1	1	9.3	7.0	14.1	-	-	-	0	0	0	1	1	-	11.8	20.8	0	54
55	1	-	1	4.7	0	14.1	-	-	-	0	0	0	-	-	-	0	0	0	55
56	7	3	4	32.7	21.0	56.3	1	1	-	14.9	19.6	0	5	3	2	58.8	62.5	54.1	56
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
58	2	1	1	9.3	7.0	14.1	1	-	1	14.9	0	62.5	7	1	6	82.4	20.8	162.2	58
59	6	5	1	28.0	35.0	14.1	1	1	-	14.9	19.6	0	-	-	-	0	0	0	59
60	8	3	5	37.4	21.0	70.4	2	1	1	29.8	19.6	62.5	2	2	-	23.5	41.7	0	60
61	2	2	-	9.3	14.0	0	2	2	-	29.8	39.2	0	2	2	-	23.5	41.7	0	61
62	2	-	2	9.3	0	28.2	-	-	-	0	0	0	1	-	1	11.8	0	27.0	62
63	12	8	4	56.1	55.9	56.3	4	3	1	59.7	58.8	62.5	5	2	3	58.8	41.7	81.1	63

TABLE XIII
VITAL STATISTICS, BY

ITEM	Paulding						Peach						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	306	271	35	27.3	27.4	26.9	313	101	212	24.5	20.6	26.8	1
2 Delivered in hospital	304	271	33	99.3%	100.0%	94.3%	212	99	113	67.7%	98.0%	53.3%	2
3 Delivered in home by physician	-	-	-	0%	0%	0%	5	-	5	1.6%	0%	2.4%	3
4 Delivered in home by midwife	1	-	1	0.3%	0%	2.9%	96	2	94	30.7%	2.0%	44.3%	4
5 Other deliveries	1	-	1	0.3%	0%	2.9%	-	-	-	0%	0%	0%	5
6 Immature births	17	15	2	55.6	55.4	57.1	18	5	13	57.5	49.5	61.3	6
FETAL DEATHS													
7 Total	4	4	-	13.1	14.8	0	2	-	2	6.4	0	9.4	
8 Under 20 weeks gestation	-	-	-	0	0	0	-	-	-	0	0	0	7
9 20-27 weeks gestation	-	-	-	0	0	0	1	-	1	3.2	0	4.7	8
28 weeks and more	4	4	-	13.1	14.8	0	1	-	1	3.2	0	4.7	9
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0	
DEATHS													
10 Total, all ages	98	92	6	875.0	929.3	461.5	106	36	70	828.1	734.7	886.1	10
11 Under 1 year	7	7	-	22.9	25.8	0	14	2	12	44.7	19.8	56.6	11
12 Under 28 days	5	5	-	16.3	18.4	0	5	1	4	16.0	9.9	18.9	12
13 Deaths from immaturity	2	2	-	6.5	7.4	0	1	-	1	3.2	0	4.7	13
14 1-4 years **	-	-	-	-	-	-	6	3	3	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	1	1	-	8.9	10.1	0	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	12	11	1	107.1	111.1	76.9	11	5	6	85.9	102.0	75.9	33
34 Benign and unspecified neoplasms (210-239)	2	2	-	17.9	20.2	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	3	3	-	26.8	30.3	0	2	-	2	15.6	0	25.3	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	1	1	-	8.9	10.1	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	31	29	2	276.8	292.9	153.8	18	8	10	140.6	163.3	126.6	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	21	21	-	187.5	212.1	0	40	12	28	312.5	244.9	354.4	41
42 Hypertension without mention of heart (444-447)	1	1	-	8.9	10.1	0	1	-	1	7.8	0	12.7	42
43 Influenza and pneumonia (480-483, 490-493)	2	2	-	17.9	20.2	0	4	1	3	31.2	20.4	38.0	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	1	-	1	7.8	0	12.7	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhoea of the newborn) (543, 571, 572)	-	-	-	0	0	0	5	1	4	39.1	20.4	50.6	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	1	1	-	7.8	20.4	0	49
50 Nephritis and nephrosis (590-594)	3	2	1	26.8	20.2	76.9	-	-	-	0	0	0	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	2	2	-	17.9	20.2	0	3	1	2	23.4	20.4	25.3	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	2	-	17.9	20.2	0	3	-	3	23.4	0	38.0	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	3	-	26.8	30.3	0	1	-	1	7.8	0	12.7	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	2	-	2	15.6	0	25.3	58
59 Motor vehicle accidents (E810-E835)	-	-	-	0	0	0	3	1	2	23.4	20.4	25.3	59
60 All other accidents (E800-E802, E840-E962)	2	2	-	17.9	20.2	0	6	2	4	46.9	40.8	50.6	60
61 Suicide (E963, E970-E979)	3	2	1	26.8	20.2	76.9	-	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	2	2	-	17.9	20.2	0	1	1	-	7.8	20.4	0	62
63 All other diseases (residual)	7	6	1	62.5	60.6	76.9	4	3	1	31.2	61.2	12.7	63

COUNTY, BY RACE, GEORGIA, 1957

	Pickens						Pierce						Pike						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	240	224	16	27.3	27.0	32.0	230	159	71	21.3	19.2	28.4	171	71	100	23.1	17.3	30.3	1
2	238	222	16	99.2%	99.1%	100.0%	184	152	32	80.0%	95.6%	45.1%	91	61	30	53.2%	65.9%	30.0%	2
3	2	2	-	0.8%	0.9%	0%	6	5	1	2.6%	3.1%	1.4%	8	5	3	4.7%	7.0%	3.0%	3
4	-	-	-	0%	0%	0%	40	2	33	17.4%	1.3%	53.5%	71	4	67	41.5%	5.6%	67.0%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	1	1	-	0.6%	1.4%	0%	5
6	21	16	5	87.5	71.4	312.5	10	5	5	43.5	31.4	70.4	15	4	11	87.7	56.3	110.0	6
7	5	4	1	20.8	17.9	62.5	7	4	3	30.4	25.2	42.3	5	1	4	29.2	14.1	40.0	7
8	2	1	1	8.3	4.5	62.5	1	1	-	4.3	6.3	0	2	1	1	11.7	14.1	10.0	8
9	2	2	-	8.3	8.9	0	4	1	3	0	0	0	1	-	1	5.8	0	10.0	9
	1	1	-	4.2	4.5	0	4	1	3	17.4	6.3	42.3	1	-	1	5.8	0	10.0	
	-	-	-	0	0	0	2	2	-	8.7	12.6	0	1	-	1	5.0	0	10.0	
10	100	95	5	1136.4	1144.6	1000.0	86	53	33	796.3	638.6	1320.0	81	42	39	1094.6	1024.4	1111.1	10
11	5	4	1	20.8	17.9	62.5	6	3	3	26.1	18.9	42.3	6	1	5	35.1	14.1	50.0	11
12	3	2	1	12.5	8.9	62.5	3	-	2	13.0	0	42.3	3	1	1	17.5	14.1	20.0	12
13	-	-	-	0	0	0	2	-	3	8.7	0	28.2	1	-	1	5.0	0	10.0	13
14	3	3	-	-	-	-	3	1	2	-	-	-	2	1	1	-	-	-	14
15	-	-	-	0	0	0	-	-	-	-	-	-	-	-	-	0	0	0	15
16	2	2	-	22.7	24.1	0	-	-	-	0	0	0	-	-	-	0	0	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	1	1	-	11.4	12.0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	27.0	0	60.6	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	1	-	11.4	12.0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
33	18	16	2	204.5	192.8	400.0	4	3	1	37.0	36.1	40.0	10	6	4	135.1	146.3	121.2	33
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	1	1	-	11.4	12.0	0	1	-	1	9.3	0	40.0	2	2	-	27.0	48.8	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	17	17	-	193.2	204.8	0	17	9	8	157.4	108.4	320.0	14	6	8	189.2	146.3	242.4	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	24	23	1	272.7	277.1	200.0	25	20	5	231.5	241.0	200.0	29	16	13	391.9	390.2	393.9	41
42	1	1	-	11.4	12.0	0	-	-	-	0	0	0	2	2	-	27.0	48.8	0	42
43	9	8	1	102.3	96.4	200.0	4	3	1	37.0	36.1	40.0	2	1	1	27.0	24.4	30.3	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	13.5	24.4	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	47
48	-	-	-	0	0	0	3	3	-	27.8	36.1	0	1	-	1	13.5	0	30.3	48
49	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	49
50	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	13.5	0	30.3	50
51	1	1	-	11.4	12.0	0	1	1	-	9.3	12.0	0	1	1	-	13.5	24.4	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	52
53	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	53
54	3	2	1	34.1	24.1	200.0	-	-	-	0	0	0	-	-	-	0	0	0	54
55	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	55
56	-	-	-	0	0	0	3	-	3	27.8	0	120.0	1	-	1	13.5	0	30.3	56
57	-	-	-	0	0	0	1	1	-	9.3	12.0	0	-	-	-	0	0	0	57
58	1	1	-	11.4	12.0	0	3	-	3	27.8	0	120.0	1	-	1	13.5	0	30.3	58
59	7	7	-	79.5	84.3	0	4	3	1	37.0	36.1	40.0	2	-	2	27.0	0	60.6	59
60	3	3	-	34.1	36.1	0	9	3	6	83.3	36.1	240.0	6	4	2	81.1	97.6	60.6	60
61	2	2	-	22.7	24.1	0	1	1	-	9.3	12.0	0	1	1	-	13.5	24.4	0	61
62	-	-	-	0	0	0	2	-	2	18.5	0	80.0	1	1	-	13.5	24.4	0	62
63	9	9	-	102.3	108.4	0	8	6	2	74.1	72.3	80.0	4	1	3	54.1	24.4	90.9	63

ITEM	Polk						Pulaski						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	697	566	131	21.2	20.6	24.3	229	101	128	27.6	23.0	32.8	1
2 Delivered in hospital	666	559	107	95.6%	98.8%	81.7%	128	98	30	55.9%	97.0%	23.4%	2
3 Delivered in home by physician	5	3	2	0.7%	0.5%	1.5%	-	-	-	0%	0%	0%	3
4 Delivered in home by midwife	26	4	22	3.7%	0.7%	16.8%	101	3	98	44.1%	3.0%	76.6%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	65	46	19	93.3	81.3	145.0	15	6	9	65.5	59.4	70.3	6
FETAL DEATHS													
7 Total	18	13	5	25.8	23.0	38.2	6	2	4	26.2	19.8	31.2	7
8 Under 20 weeks gestation	2	-	2	2.9	0	15.3	-	-	-	0	0	0	8
9 20-27 weeks gestation	5	3	2	7.2	5.3	15.3	2	2	-	8.7	19.8	0	7
28 weeks and more	7	6	1	10.0	10.6	7.6	3	-	3	13.1	0	23.4	9
Unknown length of gestation	4	4	-	5.7	7.1	0	1	-	1	4.4	0	7.8	
DEATHS													
10 Total, all ages	240	189	51	729.5	687.3	944.4	76	37	39	915.7	840.9	1000.0	10
11 Under 1 year	17	9	8	24.4	15.9	61.1	9	2	7	39.3	19.8	54.7	11
12 Under 28 days	11	8	3	15.8	14.1	22.9	5	1	4	21.8	9.9	31.2	12
13 Deaths from immaturity	2	-	2	2.9	0	15.3	-	-	-	0	0	0	13
14 1-4 years **	1	1	-	-	-	-	-	-	-	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	2	-	2	87.3	0	156.2	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	1	-	1	12.0	0	25.6	32
33 Malignant neoplasms, including neoplasms of lymphatic and haemopoietic tissues (140-205)	29	26	3	88.1	94.5	55.6	13	6	7	156.6	136.4	179.5	33
34 Benign and unspecified neoplasms (210-239)	1	1	-	3.0	3.6	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	2	1	1	6.1	3.6	18.5	2	2	-	24.1	45.5	0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	30	25	5	91.2	90.9	92.6	9	3	6	108.4	68.2	153.8	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	97	77	20	294.8	280.0	370.4	19	12	7	228.9	272.7	179.5	41
42 Hypertension without mention of heart (444-447)	3	2	1	9.1	7.3	18.5	3	-	3	36.1	0	76.9	42
43 Influenza and pneumonia (480-483, 490-493)	9	6	3	27.4	21.8	55.6	2	-	2	24.1	0	51.3	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	3	3	-	9.1	10.9	0	1	1	-	12.0	22.7	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	2	1	1	6.1	3.6	18.5	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	3.0	0	18.5	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	5	5	-	15.2	18.2	0	1	1	-	12.0	22.7	0	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	2	-	2	24.1	0	51.3	52
53 Congenital malformations (750-759)	4	3	1	12.2	10.9	18.5	2	1	1	24.1	22.7	25.6	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	7	7	-	21.3	25.5	0	2	1	1	24.1	22.7	25.6	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	2	-	2	6.1	0	37.0	1	-	1	12.0	0	25.6	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	2	-	2	6.1	0	37.0	6	2	4	72.3	45.5	102.6	58
59 Motor vehicle accidents (E810-E835)	14	12	2	42.6	43.6	37.0	1	-	1	12.0	0	25.6	59
60 All other accidents (E800-E802, E840-E962)	9	7	2	27.4	25.5	37.0	5	3	2	60.2	68.2	51.3	60
61 Suicide (E963, E970-E979)	1	1	-	3.0	3.6	0	-	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	5	1	4	15.2	3.6	74.1	1	1	-	12.0	22.7	0	62
63 All other diseases (residual)	14	11	3	42.6	40.0	55.6	5	4	1	60.2	90.9	25.6	63

COUNTY, BY RACE, GEORGIA, 1957

	Putnam						Quitman						Rabun					
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1	206	69	137	27.8	20.3	34.2	59	7	52	21.1	7.0	28.9	217	217	-	29.7	30.6	0
2	94	66	28	45.6%	95.7%	20.4%	10	5	5	16.9%	71.4%	9.6%	216	216	-	99.5%	99.5%	0
3	3	1	2	1.5%	1.4%	1.5%	-	-	-	0%	0%	0%	1	1	-	0.5%	0.5%	0
4	109	2	107	52.9%	2.9%	78.1%	49	2	47	83.1%	28.6%	90.4%	-	-	-	0%	0%	0
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0
6	13	5	8	63.1	72.5	58.4	7	1	6	118.6	142.9	115.4	18	18	-	62.9	62.9	0
7	6	1	5	29.1	14.5	36.5	1	-	1	16.9	0	19.2	5	5	-	23.0	23.0	0
8	2	1	1	9.7	14.5	7.3	-	-	-	0	0	0	4	4	-	13.4	13.4	0
9	1	-	1	4.9	0	7.3	-	-	-	0	0	0	-	-	-	0	0	0
	3	-	3	14.6	0	21.9	-	-	-	0	0	0	1	1	-	4.6	4.6	0
	-	-	-	0	0	0	1	-	1	16.9	0	19.2	-	-	-	0	0	0
10	71	30	41	959.5	882.4	1025.0	22	8	14	785.7	800.0	777.8	75	74	1	1027.4	1042.3	500.0
11	9	4	5	43.7	58.0	36.5	4	-	4	67.8	0	76.9	10	10	-	46.1	46.1	0
12	7	3	4	34.0	43.5	29.2	2	-	2	33.9	0	38.5	8	8	-	36.9	36.9	0
13	1	-	1	4.9	0	7.3	-	-	-	0	0	0	-	-	-	0	0	0
14	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	0	0	0
15	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
16	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
32	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
33	12	9	3	162.2	264.7	75.0	5	3	2	178.6	300.0	111.1	11	11	-	150.7	154.9	0
34	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	13.7	14.1	0
35	1	-	1	13.5	0	25.0	-	-	-	0	0	0	3	3	-	41.1	42.3	0
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
38	13	3	10	175.7	88.2	250.0	4	2	2	142.9	200.0	111.1	7	6	1	95.9	84.5	500.0
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
41	16	8	8	216.2	235.3	200.0	7	2	5	250.0	200.0	277.8	26	26	-	356.2	366.2	0
42	1	-	1	13.5	0	25.0	-	-	-	0	0	0	-	-	-	0	0	0
43	3	-	3	40.5	0	75.0	1	1	-	35.7	100.0	0	5	5	-	68.5	70.4	0
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
45	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
47	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	13.7	14.1	0
48	1	-	1	13.5	0	25.0	1	-	1	35.7	0	55.6	-	-	-	0	0	0
49	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
50	4	1	3	54.1	29.4	75.0	-	-	-	0	0	0	-	-	-	0	0	0
51	2	-	2	27.0	0	50.0	-	-	-	0	0	0	-	-	-	0	0	0
52	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
53	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
54	1	1	-	13.5	29.4	0	1	-	1	35.7	0	55.6	5	5	-	68.5	70.4	0
55	1	1	-	13.5	29.4	0	-	-	-	0	0	0	-	-	-	0	0	0
56	4	1	3	54.1	29.4	75.0	2	-	2	71.4	0	111.1	2	2	-	27.4	28.2	0
57	2	-	2	27.0	0	50.0	-	-	-	0	0	0	-	-	-	0	0	0
58	2	-	2	27.0	0	50.0	-	-	-	0	0	0	-	-	-	0	0	0
59	1	1	-	13.5	29.4	0	-	-	-	0	0	0	1	1	-	13.7	14.1	0
60	-	-	-	0	0	0	-	-	-	0	0	0	4	4	-	54.8	56.3	0
61	1	1	-	13.5	29.4	0	-	-	-	0	0	0	-	-	-	0	0	0
62	-	-	-	0	0	0	1	-	1	35.7	0	55.6	-	-	-	0	0	0
63	6	4	2	81.1	117.6	50.0	-	-	-	0	0	0	9	9	-	123.3	126.8	0

ITEM	Randolph						Richmond						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	290	71	219	23.8	16.1	28.1	3,636	2,322	1,314	23.7	22.0	27.4	1
2 Delivered in hospital	97	66	31	33.4%	93.0%	14.2%	3,580	2,318	1,262	98.5%	99.8%	96.0%	2
3 Delivered in home by physician	1	-	1	0.3%	0%	0.5%	28	3	25	0.8%	0.1%	1.9%	3
4 Delivered in home by midwife	192	5	187	66.2%	7.0%	85.4%	25	-	25	0.7%	0%	1.9%	4
5 Other deliveries	-	-	-	0%	0%	0%	3	1	2	0.1%	0.0%	0.2%	5
6 Immature births	18	4	14	62.1	56.3	63.9	339	163	176	93.2	70.2	133.9	6
FETAL DEATHS													
7 Total	10	-	10	34.5	0	45.7	205	144	61	56.4	62.0	46.4	
8 Under 20 weeks gestation	-	-	-	0	0	0	116	95	21	31.9	40.9	16.0	7
9 20-27 weeks gestation	3	-	3	10.3	0	13.7	21	11	10	5.8	4.7	7.6	8
28 weeks and more	7	-	7	24.1	0	32.0	50	32	18	13.8	13.8	13.7	9
Unknown length of gestation	-	-	-	0	0	0	18	6	12	5.0	2.6	9.1	
DEATHS													
10 Total, all ages	135	58	77	1106.6	1318.2	987.2	1,140	613	527	743.2	581.6	1097.9	10
11 Under 1 year	13	4	9	44.8	56.3	41.1	96	43	53	26.4	18.5	40.3	11
12 Under 28 days	9	3	6	31.0	42.3	27.4	63	30	33	17.3	12.9	25.1	12
13 Deaths from immaturity	4	2	2	13.8	28.2	9.1	12	6	6	3.3	2.6	4.6	13
14 1-4 years **	2	1	1	-	-	-	11	3	8	-	-	-	14
15 Maternal deaths	1	-	1	34.5	0	45.7	2	2	-	5.5	8.6	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	13	8	5	8.5	7.6	10.4	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	4	1	3	2.6	0.9	6.2	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	1	-	1	0.7	0	2.1	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	2	-	2	16.4	0	25.6	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	2	1	1	16.4	22.7	12.8	5	-	5	3.3	0	10.4	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	21	8	13	172.1	181.8	166.7	137	97	40	89.3	92.0	83.3	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	1	-	1	0.7	0	2.1	34
35 Diabetes mellitus (260)	3	2	1	24.6	45.5	12.8	21	13	8	13.7	12.3	16.7	35
36 Pellagra (281)	-	-	-	0	0	0	2	1	1	1.3	0.9	2.1	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	13	3	10	106.6	68.2	128.2	179	74	105	116.7	70.2	218.7	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	2	1	1	1.3	0.9	2.1	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	1	-	1	0.7	0	2.1	40
41 Heart diseases (410-443)	49	22	27	401.6	500.0	346.2	410	240	170	267.3	227.7	354.2	41
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	10	3	7	6.5	2.8	14.6	42
43 Influenza and pneumonia (480-483, 490-493)	5	4	1	41.0	90.9	12.8	58	18	40	37.8	17.1	83.3	43
44 Bronchitis (500-502)	-	-	-	0	0	0	1	-	1	0.7	0	2.1	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	9	7	2	5.9	6.6	4.2	45
46 Appendicitis (550-553)	-	-	-	0	0	0	2	-	2	1.3	0	4.2	46
47 Intestinal obstruction and hernia (560, 561, 570)	1	-	1	8.2	0	12.8	4	2	2	2.6	1.9	4.2	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	3	2	1	2.0	1.9	2.1	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	10	7	3	6.5	6.6	6.2	49
50 Nephritis and nephrosis (590-594)	1	1	-	8.2	22.7	0	12	5	7	7.8	4.7	14.6	50
51 Hyperplasia of prostate (610)	3	2	1	24.6	45.5	12.8	6	1	5	3.9	0.9	10.4	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	8.2	0	12.8	2	2	-	1.3	1.9	0	52
53 Congenital malformations (750-759)	5	2	3	41.0	45.5	38.5	19	12	7	12.4	11.4	14.6	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	1	-	8.2	22.7	0	28	14	14	18.3	13.3	29.2	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	5	2	3	3.3	1.9	6.2	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	5	2	3	41.0	45.5	38.5	18	8	10	11.7	7.6	20.8	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	1	-	1	0.7	0	2.1	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	2	-	2	1.3	0	4.2	58
59 Motor vehicle accidents (E810-E835)	3	2	1	24.6	45.5	12.8	27	25	2	17.6	23.7	4.2	59
60 All other accidents (E800-E802, E840-E962)	5	2	3	41.0	45.5	38.5	40	21	19	26.1	19.9	39.6	60
61 Suicide (E963, E970-E979)	2	1	1	16.4	22.7	12.8	4	3	1	2.6	2.8	2.1	61
62 Homicide (E964, E980-E985)	2	1	1	16.4	22.7	12.8	11	2	9	7.2	1.9	18.7	62
63 All other diseases (residual)	11	4	7	90.2	90.9	89.7	92	44	48	60.0	41.7	100.0	63

COUNTY, BY RACE, GEORGIA, 1957

	Rockdale						Schley						Screven						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	242	164	78	26.6	25.6	28.9	76	17	59	21.7	12.1	28.1	405	126	279	24.3	17.3	29.7	1
2	209	145	64	86.4%	88.4%	82.1%	27	16	11	35.5%	94.1%	18.6%	171	117	54	42.2%	92.9%	19.4%	2
3	26	18	8	10.7%	11.0%	10.3%	3	1	2	3.9%	5.9%	3.4%	5	3	2	1.2%	2.4%	0.7%	3
4	7	1	6	2.9%	0.6%	7.7%	46	-	46	60.5%	0%	78.0%	229	6	223	56.5%	4.8%	80.0%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	19	9	10	78.5	54.9	128.2	11	2	9	144.7	117.6	152.5	24	3	21	59.3	23.8	75.3	6
7	13	9	4	53.7	54.9	51.3	6	1	5	78.9	58.8	84.7	18	4	14	44.4	31.7	50.2	7
8	9	7	2	37.2	42.7	25.6	1	1	1	13.2	58.8	0	4	2	2	9.9	15.9	7.2	8
9	1	1	-	4.1	6.1	0	1	-	1	13.2	0	16.9	4	-	4	9.9	0	14.3	9
	2	-	2	8.3	0	25.6	4	-	4	52.6	0	67.8	10	2	8	24.7	15.9	28.7	
	1	1	-	4.1	6.1	0	-	-	-	0	0	0	-	-	-	0	0	0	
10	97	61	36	1065.9	953.1	1333.3	29	13	16	828.6	928.6	761.9	180	76	104	1077.8	1041.1	1106.4	10
11	10	7	3	41.3	42.7	38.5	-	-	-	0	0	0	17	1	16	42.0	7.9	57.3	11
12	4	4	-	16.5	24.4	0	-	-	-	0	0	0	9	1	8	22.2	7.9	28.7	12
13	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	2.5	0	3.6	13
14	2	2	-	0	0	0	2	-	2	0	0	0	7	2	5	0	0	0	14
15	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	24.7	0	35.8	15
16	3	2	1	33.0	31.2	37.0	-	-	-	0	0	0	2	1	1	12.0	13.7	10.6	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	1	-	11.0	15.6	0	-	-	-	0	0	0	2	-	2	12.0	0	21.3	32
33	11	6	5	120.9	93.8	185.2	3	2	1	85.7	142.9	47.6	14	9	5	83.8	123.3	53.2	33
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	1	1	-	11.0	15.6	0	-	-	-	0	0	0	2	1	1	12.0	13.7	10.6	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	6.0	0	10.6	37
38	23	12	11	252.7	187.5	407.4	8	2	6	228.6	142.9	285.7	34	14	20	203.6	191.8	212.8	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	27	18	9	296.7	281.2	333.3	8	3	5	228.6	214.3	238.1	50	29	21	299.4	397.3	223.4	41
42	1	1	1	11.0	0	37.0	-	-	-	0	0	0	6	1	5	35.9	13.7	53.2	42
43	4	2	2	44.0	31.2	74.1	1	1	-	28.6	71.4	0	6	1	5	35.9	13.7	53.2	43
44	1	1	-	11.0	15.6	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	1	1	-	11.0	15.6	0	-	-	-	0	0	0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	47
48	-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	12.0	0	21.3	48
49	1	1	-	11.0	15.6	0	1	1	-	28.6	71.4	0	2	2	-	12.0	27.4	0	49
50	2	1	1	22.0	15.6	37.0	-	-	-	0	0	0	1	-	1	6.0	0	10.6	50
51	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	6.0	0	10.6	52
53	1	1	-	11.0	15.6	0	-	-	-	0	0	0	5	2	3	29.9	27.4	31.9	53
54	3	3	-	33.0	46.9	0	-	-	-	0	0	0	2	1	1	12.0	13.7	10.6	54
55	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	6.0	0	10.6	55
56	1	1	-	11.0	15.6	0	-	-	-	0	0	0	2	-	2	12.0	0	21.3	56
57	1	-	1	11.0	0	37.0	1	-	1	28.6	0	47.6	1	-	1	6.0	0	10.6	57
58	1	1	-	11.0	15.6	0	-	-	-	0	0	0	9	1	8	53.9	13.7	85.1	58
59	6	4	2	65.9	62.5	74.1	-	-	-	0	0	0	6	3	3	35.9	41.1	31.9	59
60	4	3	1	44.0	46.9	37.0	2	-	2	57.1	0	95.2	11	4	7	65.9	54.8	74.5	60
61	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	6.0	13.7	0	61
62	1	-	1	11.0	0	37.0	-	-	-	0	0	0	5	-	5	29.9	0	53.2	62
63	3	2	1	33.0	31.2	37.0	5	4	1	142.9	285.7	47.6	14	6	8	83.8	82.2	85.1	63

TABLE XIII VITAL STATISTICS, BY

ITEM	Seminole						Spalding						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	204	98	106	26.8	20.9	36.6	848	533	315	25.6	21.9	35.8	1
2 Delivered in hospital	160	98	62	78.4%	100.0%	58.5%	707	529	178	83.4%	99.2%	56.5%	2
3 Delivered in home by physician	2	-	2	1.0%	0%	1.9%	11	1	10	1.3%	0.2%	3.2%	3
4 Delivered in home by midwife	42	-	42	20.6%	0%	39.6%	129	3	126	15.2%	0.6%	40.0%	4
5 Other deliveries	-	-	-	0%	0%	0%	1	-	1	0.1%	0%	0.3%	5
6 Immature births	18	10	8	88.2	102.0	75.5	77	32	45	90.8	60.0	142.9	6
FETAL DEATHS													
7 Total	2	1	1	9.8	10.2	9.4	14	3	11	16.5	5.6	34.9	
8 Under 20 weeks gestation	-	-	-	0	0	0	4	1	3	4.7	1.9	9.5	7
9 20-27 weeks gestation	-	-	-	0	0	0	3	1	2	3.5	1.9	6.3	8
28 weeks and more	1	-	1	4.9	0	9.4	7	1	6	8.3	1.9	19.0	9
Unknown length of gestation	1	1	-	4.9	10.2	0	-	-	-	0	0	0	
DEATHS													
10 Total, all ages	73	41	32	960.5	872.3	1103.4	326	218	108	984.9	897.1	1227.3	10
11 Under 1 year	3	2	1	14.7	20.4	9.4	33	15	18	38.9	28.1	57.1	11
12 Under 28 days	1	-	1	4.9	0	9.4	26	14	12	30.7	26.3	38.1	12
13 Deaths from immaturity	-	-	-	0	0	0	5	3	2	5.9	5.6	6.3	13
14 1-4 years **	3	2	1	-	-	-	6	2	4	-	-	-	14
15 Maternal deaths	1	1	-	49.0	102.0	0	1	1	-	11.8	18.8	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	5	5	-	15.1	20.6	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	1	-	1	3.0	0	11.4	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	4	2	2	52.6	42.6	69.0	44	34	10	132.9	139.9	113.6	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	1	-	1	13.2	0	34.5	4	3	1	12.1	12.3	11.4	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	2	1	1	6.0	4.1	11.4	37
38 Vascular lesions affecting central nervous system (330-334)	13	3	10	171.1	63.8	344.8	58	33	25	175.2	135.8	284.1	38
39 Nonmeningococcal meningitis (340)	1	1	-	13.2	21.3	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	28	21	7	368.4	446.8	241.4	104	76	28	314.2	312.8	318.2	41
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	-	-	-	0	0	0	42
43 Influenza and pneumonia (480-483, 490-493)	4	-	4	52.6	0	137.9	17	7	10	51.4	28.8	113.6	43
44 Bronchitis (500-502)	-	-	-	0	0	0	1	1	-	3.0	4.1	0	44
45 Ulcer of stomach and duodenum (540-541)	2	1	1	26.3	21.3	34.5	4	2	2	12.1	8.2	22.7	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	4	2	2	12.1	8.2	22.7	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	2	2	-	6.0	8.2	0	49
50 Nephritis and nephrosis (590-594)	1	1	-	13.2	21.3	0	7	5	2	21.1	20.6	22.7	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	2	1	1	6.0	4.1	11.4	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	1	-	13.2	21.3	0	1	1	-	3.0	4.1	0	52
53 Congenital malformations (750-759)	2	2	-	26.3	42.6	0	8	7	1	24.2	28.8	11.4	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	11	5	6	33.2	20.6	68.2	54
55 Infection of the newborn (763-768)	1	-	1	13.2	0	34.5	2	-	2	6.0	0	22.7	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	0	0	0	-	-	-	0	0	0	
57 Senility, without mention of psychosis (794)	1	1	-	13.2	21.3	0	5	3	2	15.1	12.3	22.7	56
	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	2	1	1	6.0	4.1	11.4	58
59 Motor vehicle accidents (E810-E835)	2	1	1	26.3	21.3	34.5	4	4	-	12.1	16.5	0	59
60 All other accidents (E800-E802, E840-E962)	6	4	2	78.9	85.1	69.0	10	6	4	30.2	24.7	45.5	60
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	1	1	-	3.0	4.1	0	61
62 Homicide (E964, E980-E985)	2	-	2	26.3	0	69.0	4	2	2	12.1	8.2	22.7	62
63 All other diseases (residual)	4	3	1	52.6	63.8	34.5	22	16	6	66.5	65.8	68.2	63

COUNTY, BY RACE, GEORGIA, 1957

	Stephens						Stewart						Sumter						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	464	385	79	24.2	23.2	30.4	233	38	195	27.7	16.5	32.0	637	203	434	26.2	17.4	34.4	1
2	455	384	71	98.1%	99.7%	89.9%	93	38	55	39.9%	100.0%	28.2%	358	200	158	56.2%	98.5%	36.4%	2
3	-	-	-	0%	0%	0%	4	-	4	1.7%	0%	2.1%	6	1	5	0.9%	0.5%	1.2%	3
4	8	-	8	1.7%	0%	10.1%	136	-	136	58.4%	0%	69.7%	273	2	271	42.9%	1.0%	62.4%	4
5	1	1	-	0.2%	0.3%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	19	13	6	40.9	33.8	75.9	24	1	23	103.0	26.3	117.9	43	22	21	67.5	108.4	46.4	6
7	3	3	-	6.5	7.8	0	1	-	1	4.3	0	5.1	36	15	21	56.5	73.9	48.4	7
8	1	1	-	2.2	2.6	0	-	-	-	0	0	0	20	11	9	31.4	54.2	20.7	8
9	-	-	-	0	0	0	-	-	-	0	0	0	6	1	5	9.4	4.9	11.5	9
10	-	-	-	4.3	5.2	0	1	-	1	4.3	0	5.1	10	3	7	15.7	14.8	16.1	10
11	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	11
12	122	92	30	635.4	554.2	1153.8	65	23	42	773.8	1000.0	688.5	243	94	149	1000.0	803.4	1162.5	12
13	17	10	7	36.6	26.0	88.6	3	3	3	12.9	0	15.4	24	5	19	37.7	24.6	43.0	13
14	12	7	5	25.9	18.2	63.3	3	3	3	12.9	0	15.4	13	5	8	20.4	24.6	18.4	14
15	3	1	2	6.5	2.6	25.3	2	-	2	8.6	0	10.3	2	-	2	3.1	0	4.6	15
16	4	3	1	-	0	0	-	-	-	0	0	0	4	-	4	-	0	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	2	2	16.5	17.1	15.9	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	3	1	2	12.3	8.5	15.9	32
33	14	9	5	72.9	54.2	192.3	5	3	2	59.5	130.4	32.8	20	9	11	82.3	76.9	87.3	33
34	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.1	0	7.9	34
35	2	2	-	10.4	12.0	0	-	-	-	0	0	0	3	1	2	12.3	8.5	15.9	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	15	15	-	78.1	90.4	0	10	4	6	119.0	173.9	98.4	49	14	35	201.6	119.7	277.8	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	48	36	12	250.0	216.9	461.5	21	10	11	250.0	434.8	180.3	71	34	37	292.2	290.6	293.6	41
42	1	1	-	5.2	6.0	0	1	1	-	11.9	43.5	0	6	1	5	24.7	8.5	39.7	42
43	5	3	2	26.0	18.1	76.9	4	-	4	47.6	0	65.6	12	2	10	49.4	17.1	79.4	43
44	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.1	0	7.9	44
45	1	1	-	5.2	6.0	0	-	-	-	0	0	0	1	-	1	4.1	0	7.9	45
46	1	1	1	5.2	0	38.5	-	-	-	0	0	0	-	-	-	0	0	0	46
47	2	1	1	10.4	6.0	38.5	-	-	-	0	0	0	3	2	1	12.3	17.1	7.9	47
48	-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	8.2	0	15.9	48
49	-	-	-	0	0	0	1	1	-	11.9	43.5	0	3	3	-	12.3	25.6	0	49
50	1	-	1	5.2	0	38.5	4	-	4	47.6	0	65.6	3	1	2	12.3	8.5	15.9	50
51	-	-	-	0	0	0	1	-	1	11.9	0	16.4	4	3	1	16.5	25.6	7.9	51
52	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	52
53	5	4	1	26.0	24.1	38.5	-	-	-	0	0	0	3	-	3	12.3	0	23.8	53
54	1	1	-	5.2	6.0	0	-	-	-	0	0	0	5	4	1	20.6	34.2	7.9	54
55	1	1	-	5.2	6.0	0	-	-	-	0	0	0	2	1	1	8.2	8.5	7.9	55
56	7	3	4	36.5	18.1	153.8	3	-	3	35.7	0	49.2	4	-	4	16.5	0	31.7	56
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
58	1	1	-	5.2	6.0	0	-	-	-	0	0	0	3	-	3	12.3	0	23.8	58
59	2	2	-	10.4	12.0	0	1	1	-	11.9	43.5	0	7	1	6	28.8	8.5	47.6	59
60	2	2	-	10.4	12.0	0	7	-	7	83.3	0	114.8	10	5	5	41.2	42.7	39.7	60
61	2	2	-	10.4	12.0	0	-	-	-	0	0	0	3	3	1	12.3	25.6	0	61
62	-	-	-	0	0	0	-	-	-	0	0	0	4	1	3	16.5	8.5	23.8	62
63	11	8	3	57.3	48.2	115.4	7	3	4	83.3	130.4	65.6	16	6	10	65.8	51.3	79.4	63

ITEM	Talbot						Taliaferro						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	162	27	135	21.6	12.3	25.5	89	8	81	25.4	6.7	35.2	1
2 Delivered in hospital	71	26	45	43.8%	96.3%	33.3%	24	8	16	27.0%	100.0%	19.8%	2
3 Delivered in home by physician	6	1	5	3.7%	3.7%	3.7%	1	-	1	1.1%	0%	1.2%	3
4 Delivered in home by midwife	85	-	85	52.5%	0%	63.0%	64	-	64	71.9%	0%	79.0%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	18	3	15	111.1	111.1	111.1	12	1	11	134.8	125.0	135.8	6
FETAL DEATHS													
7 Total	1	-	1	6.2	0	7.4	2	-	2	22.5	0	24.7	7
8 Under 20 weeks gestation	-	-	-	0	0	0	-	-	-	0	0	0	8
9 20-27 weeks gestation	-	-	-	0	0	0	2	-	2	22.5	0	24.7	8
9 28 weeks and more	1	-	1	6.2	0	7.4	-	-	-	0	0	0	9
9 Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0	9
DEATHS													
10 Total, all ages	82	22	60	1093.3	1000.0	1132.1	46	15	31	1314.3	1250.0	1347.8	10
11 Under 1 year	10	4	6	61.7	148.1	44.4	3	-	3	33.7	0	37.0	11
12 Under 28 days	8	3	5	49.4	111.1	37.0	-	-	-	0	0	0	12
13 Deaths from immaturity	5	1	4	30.9	37.0	29.6	-	-	-	0	0	0	13
14 1-4 years **	3	1	2	-	-	-	3	-	3	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	1	-	1	112.4	0	123.5	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	2	1	1	26.7	45.5	18.9	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	12	4	8	160.0	181.8	150.9	6	3	3	171.4	250.0	130.4	33
34 Benign and unspecified neoplasms (210-239)	1	-	1	13.3	0	18.9	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	-	-	-	0	0	0	2	1	1	57.1	83.3	43.5	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	1	-	1	13.3	0	18.9	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	10	2	8	133.3	90.9	150.9	5	3	2	142.9	250.0	87.0	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	24	7	17	320.0	318.2	320.8	17	3	14	485.7	250.0	608.7	41
42 Hypertension without mention of heart (444-447)	2	1	1	26.7	45.5	18.9	2	1	1	57.1	83.3	43.5	42
43 Influenza and pneumonia (480-483, 490-493)	6	-	6	80.0	0	113.2	2	1	1	57.1	83.3	43.5	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	1	-	1	13.3	0	18.9	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	1	-	1	13.3	0	18.9	3	1	2	85.7	83.3	87.0	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	1	-	1	28.6	0	43.5	52
53 Congenital malformations (750-759)	1	1	-	13.3	45.5	0	-	-	-	0	0	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	-	-	-	0	0	0	54
55 Infection of the newborn (763-768)	2	1	1	26.7	45.5	18.9	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	6	2	4	80.0	90.9	75.5	-	-	-	0	0	0	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	1	-	1	13.3	0	18.9	2	-	2	57.1	0	87.0	58
59 Motor vehicle accidents (E810-E835)	1	-	1	13.3	0	18.9	-	-	-	0	0	0	59
60 All other accidents (E800-E802, E840-E962)	5	1	4	66.7	45.5	75.5	1	-	1	28.6	0	43.5	60
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	-	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	1	1	-	28.6	83.3	0	62
63 All other diseases (residual)	6	2	4	80.0	90.9	75.5	4	1	3	114.3	83.3	130.4	63

COUNTY, BY RACE, GEORGIA, 1957

	Tattnall						Taylor						Telfair						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	298	180	118	21.8	17.1	36.9	251	94	157	30.6	22.4	39.2	334	180	154	27.4	22.2	37.6	1
2	223	165	58	74.8%	91.7%	49.2%	110	91	19	43.8%	96.8%	12.1%	203	160	43	60.8%	83.9%	27.9%	2
3	34	13	21	11.4%	7.2%	17.8%	4	4	0	1.6%	0%	2.5%	18	12	6	5.4%	6.7%	3.9%	3
4	41	2	39	13.8%	1.1%	33.0%	137	3	134	54.6%	3.2%	85.4%	113	8	105	33.8%	4.4%	62.2%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	21	14	7	70.5	77.8	59.3	19	8	11	75.7	85.1	70.1	26	12	14	77.8	66.7	90.9	6
7	14	3	11	47.0	16.7	93.2	7	-	7	27.9	0	44.6	9	5	4	26.9	27.8	26.0	7
8	2	1	1	6.7	5.6	8.5	1	1	1	4.0	0	6.4	1	1	-	3.0	5.6	0	8
9	1	-	1	3.4	0	8.5	4	-	4	15.9	0	25.5	3	1	2	9.0	5.6	13.0	9
10	10	2	8	33.6	11.1	67.8	2	-	2	8.0	0	12.7	3	3	-	9.0	16.7	0	10
11	1	-	1	3.4	0	8.5	-	-	-	0	0	0	2	-	2	6.0	0	13.0	11
12	130	92	38	948.9	876.2	1187.5	92	38	54	1122.0	904.8	1350.0	120	84	36	983.6	1037.0	875.0	12
13	13	3	10	43.6	16.7	84.7	5	1	4	19.9	10.6	25.5	13	4	9	55.6	22.2	58.4	13
14	5	1	4	16.8	5.6	33.9	1	1	-	4.0	10.6	0	10	4	6	29.9	22.2	39.0	14
15	3	1	2	10.1	5.6	16.9	1	1	-	4.0	10.6	0	6	3	3	18.0	16.7	19.5	15
16	2	1	1	14.6	9.5	31.2	-	-	-	0	0	0	-	-	-	0	0	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
33	14	12	2	102.2	114.3	62.5	11	6	5	134.1	142.9	125.0	17	15	2	139.3	185.2	48.8	33
34	2	2	-	14.6	19.0	0	-	-	-	0	0	0	2	1	1	16.4	12.3	24.4	34
35	1	-	1	7.3	0	31.2	-	-	-	0	0	0	-	-	-	0	0	0	35
36	1	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	1	1	-	7.3	9.5	0	-	-	-	0	0	0	1	1	-	8.2	12.3	0	37
38	17	12	5	124.1	114.3	156.2	26	11	15	317.1	261.9	375.0	22	13	9	180.3	160.5	219.5	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	42	35	7	306.6	333.3	218.8	20	6	14	243.9	142.9	350.0	29	23	6	237.7	284.0	146.3	41
42	1	1	0	7.3	0	31.2	3	1	2	36.6	23.8	50.0	6	4	2	49.2	49.4	48.8	42
43	11	6	5	80.3	57.1	156.2	8	2	6	97.6	47.6	150.0	6	4	2	49.2	49.4	48.8	43
44	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	8.2	12.3	0	44
45	2	1	1	14.6	9.5	31.2	1	1	1	12.2	0	25.0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	1	1	-	7.3	9.5	0	-	-	-	0	0	0	-	-	-	0	0	0	47
48	2	-	2	14.6	0	62.5	2	-	2	24.4	0	50.0	1	-	1	8.2	0	24.4	48
49	2	2	-	14.6	19.0	0	-	-	-	0	0	0	1	1	-	8.2	12.3	0	49
50	-	-	-	0	0	0	1	1	1	12.2	23.8	0	-	-	-	0	0	0	50
51	-	-	-	0	0	0	1	1	1	12.2	23.8	0	1	1	-	8.2	12.3	0	51
52	-	-	-	0	0	0	1	-	1	12.2	0	25.0	-	-	-	0	0	0	52
53	2	1	1	14.6	9.5	31.2	-	-	-	0	0	0	1	-	1	8.2	0	24.4	53
54	1	-	1	7.3	0	31.2	-	-	-	0	0	0	2	1	1	16.4	12.3	24.4	54
55	1	1	-	7.3	0	31.2	-	-	-	0	0	0	1	1	-	8.2	0	24.4	55
56	3	1	2	21.9	9.5	62.5	1	1	1	12.2	23.8	0	6	3	3	49.2	37.0	73.2	56
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
58	1	-	1	7.3	0	31.2	1	-	1	12.2	0	25.0	1	1	-	8.2	12.3	0	58
59	9	7	2	65.7	66.7	62.5	4	4	4	48.8	95.2	0	4	3	1	32.8	37.0	24.4	59
60	2	1	1	14.6	9.5	31.2	7	2	5	85.4	47.6	125.0	7	5	2	57.4	61.7	48.8	60
61	1	1	-	7.3	9.5	0	-	-	-	0	0	0	1	1	-	8.2	12.3	0	61
62	3	1	2	21.9	9.5	62.5	1	1	1	12.2	0	25.0	3	2	1	24.6	24.7	24.4	62
63	9	7	2	65.7	66.7	62.5	4	3	1	48.8	71.4	25.0	6	4	2	49.2	49.4	46.8	63

TABLE XIII
VITAL STATISTICS, BY

ITEM	Terrell						Thomas						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	400	62	338	30.8	13.5	40.2	900	430	470	24.9	19.7	32.9	1
2 Delivered in hospital	177	62	115	44.2%	100.0%	34.0%	565	411	154	62.8%	95.6%	32.8%	2
3 Delivered in home by physician	14	-	14	3.5%	0%	4.1%	46	13	33	5.1%	3.0%	7.0%	3
4 Delivered in home by midwife	209	-	209	52.3%	0%	61.8%	225	1	224	25.0%	0.2%	47.7%	4
5 Other deliveries	-	-	-	0%	0%	0%	64	5	59	7.1%	1.2%	12.6%	5
6 Immature births	38	3	35	95.0	48.4	103.6	65	31	34	72.2	72.1	72.3	6
FETAL DEATHS													
7 Total	19	2	17	47.5	32.3	50.3	31	12	19	34.4	27.9	40.4	7
8 Under 20 weeks gestation	4	2	2	10.0	32.3	5.9	4	2	2	4.4	4.7	4.3	8
9 20-27 weeks gestation	3	-	3	7.5	0	8.9	5	-	5	5.6	0	10.6	8
28 weeks and more	12	-	12	30.0	0	35.5	19	9	10	21.1	20.9	21.3	9
Unknown length of gestation	-	-	-	0	0	0	3	1	2	3.3	2.3	4.3	
DEATHS													
10 Total, all ages	182	64	118	1400.0	1391.3	1404.8	333	185	148	922.4	848.6	1035.0	10
11 Under 1 year	17	2	15	42.5	32.3	44.4	25	11	14	27.8	25.6	29.8	11
12 Under 28 days	10	1	9	25.0	16.1	26.6	12	6	6	13.3	14.0	12.8	12
13 Deaths from immaturity	2	-	2	5.0	0	5.9	3	-	3	3.3	0	6.4	13
14 1-4 years **	1	-	1	-	-	-	7	1	6	-	-	-	14
15 Maternal deaths	1	-	1	25.0	0	29.6	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	1	-	1	7.7	0	11.9	1	1	-	2.8	4.6	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	2	1	1	15.4	21.7	11.9	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	19	9	10	146.2	195.7	119.0	41	30	11	113.6	137.6	76.9	33
34 Benign and unspecified neoplasms (210-239)	2	-	2	15.4	0	23.8	1	-	1	2.8	0	7.0	34
35 Diabetes mellitus (260)	1	-	1	7.7	0	11.9	5	-	5	13.8	0	35.0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	1	1	-	7.7	21.7	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	38	12	26	292.3	260.9	309.5	77	37	40	213.3	169.7	279.7	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	45	23	22	346.2	500.0	261.9	86	53	33	238.2	243.1	230.8	41
42 Hypertension without mention of heart (444-447)	6	2	4	46.2	43.5	47.6	5	4	1	13.8	18.3	7.0	42
43 Influenza and pneumonia (480-483, 490-493)	8	-	8	61.5	0	95.2	29	9	20	80.3	41.3	139.9	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	1	1	-	7.7	21.7	0	1	1	-	2.8	4.6	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	1	-	1	7.7	0	11.9	1	1	-	2.8	4.6	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	7.7	0	11.9	3	-	3	8.3	0	21.0	48
49 Cirrhosis of liver (581)	2	2	-	15.4	43.5	0	1	1	-	2.8	4.6	0	49
50 Nephritis and nephrosis (590-594)	10	1	9	76.9	21.7	107.1	5	2	3	13.8	9.2	21.0	50
51 Hyperplasia of prostate (610)	1	-	1	7.7	0	11.9	2	-	2	5.5	0	14.0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	7.7	0	11.9	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	2	1	1	15.4	21.7	11.9	4	2	2	11.1	9.2	14.0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	5	1	4	38.5	21.7	47.6	4	3	1	11.1	13.8	7.0	54
55 Infection of the newborn (763-768)	1	-	1	7.7	0	11.9	1	-	1	2.8	0	7.0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	-	3	23.1	0	35.7	6	3	3	16.6	13.8	21.0	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	2	1	1	15.4	21.7	11.9	2	-	2	5.5	0	14.0	58
59 Motor vehicle accidents (E810-E835)	4	1	3	30.8	21.7	35.7	8	7	1	22.2	32.1	7.0	59
60 All other accidents (E800-E802, E840-E962)	8	1	7	61.5	21.7	83.3	22	11	11	60.9	50.5	76.9	60
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	2	-	2	5.5	9.2	0	61
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	3	-	3	8.3	0	21.0	62
63 All other diseases (residual)	17	7	10	130.8	152.2	119.0	23	18	5	63.7	82.6	35.0	63

COUNTY, BY RACE, GEORGIA, 1957

	Tift						Toombs						Towns						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	674	407	267	26.3	22.4	36.1	430	272	158	24.0	21.4	30.4	81	81	-	16.9	17.2	0	1
2	484	402	82	71.8%	98.8%	30.7%	282	254	28	65.6%	93.4%	17.7%	81	81	-	100.0%	100.0%	0	2
3	2	1	1	0.3%	0.2%	0.4%	40	14	26	9.3%	5.1%	16.5%	-	-	-	0%	0%	0%	3
4	188	4	184	27.9%	1.0%	68.9%	108	4	104	25.1%	1.5%	65.8%	-	-	-	0%	0%	0%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	45	24	21	66.8	59.0	78.7	24	15	9	55.8	55.1	57.0	4	4	-	49.4	49.4	0	6
7	11	6	5	16.3	14.7	18.7	11	5	6	25.6	18.4	38.0	-	-	-	0	0	0	7
8	-	-	-	0	0	0	1	1	1	2.3	3.7	0	-	-	-	0	0	0	8
9	10	6	4	14.8	14.7	15.0	5	2	3	11.6	7.4	19.0	-	-	-	0	0	0	9
	1	-	1	1.5	0	3.7	3	1	2	7.0	3.7	12.7	-	-	-	0	0	0	
10	225	132	93	878.9	725.3	1256.8	152	102	50	849.2	803.1	961.5	29	29	-	604.2	617.0	0	10
11	25	10	15	37.1	24.6	56.2	5	-	5	11.6	0	31.6	1	1	-	12.3	12.3	0	11
12	12	7	5	17.8	17.2	18.7	2	-	2	4.7	0	12.7	1	1	-	12.3	12.3	0	12
13	4	1	3	5.9	2.5	11.2	2	-	2	4.7	0	12.7	-	-	-	0	0	0	13
14	6	4	2	-	-	-	9	1	8	-	-	-	1	1	-	-	-	0	14
15	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	15
16	1	1	-	3.9	5.5	0	1	1	-	5.6	7.9	0	1	1	-	20.8	21.3	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	1	1	-	3.9	5.5	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	1	1	-	5.6	7.9	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
33	25	18	7	97.7	98.9	94.6	18	16	2	100.6	126.0	38.5	4	4	-	83.3	85.1	0	33
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	2	1	1	7.8	5.5	13.5	4	1	3	22.3	7.9	57.7	1	1	-	20.8	21.3	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	35	19	16	136.7	104.4	216.2	20	14	6	111.7	110.2	115.4	5	5	-	104.2	106.4	0	38
39	-	-	-	0	0	0	1	-	1	5.6	0	19.2	-	-	-	0	0	0	39
40	-	-	-	0	0	0	2	-	2	11.2	0	38.5	-	-	-	0	0	0	40
41	74	42	32	289.1	230.8	432.4	53	44	9	296.1	346.5	173.1	10	10	-	208.3	212.8	0	41
42	6	3	3	23.4	16.5	40.5	4	1	3	22.3	7.9	57.7	3	3	-	62.5	63.8	0	42
43	14	11	3	54.7	60.4	40.5	12	3	9	67.0	23.6	173.1	1	1	-	20.8	21.3	0	43
44	1	-	1	3.9	0	13.5	-	-	-	0	0	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	1	1	-	5.6	7.9	0	-	-	-	0	0	0	45
46	1	1	-	3.9	5.5	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	3	1	2	11.7	5.5	27.0	1	-	1	5.6	0	19.2	-	-	-	0	0	0	47
48	4	1	3	15.6	5.5	40.5	3	-	3	16.8	0	57.7	-	-	-	0	0	0	48
49	1	1	-	3.9	5.5	0	2	2	-	11.2	15.7	0	-	-	-	0	0	0	49
50	4	2	2	15.6	11.0	27.0	1	-	1	5.6	0	19.2	-	-	-	0	0	0	50
51	1	-	1	3.9	0	13.5	-	-	-	0	0	0	-	-	-	0	0	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	52
53	2	-	2	7.8	0	27.0	1	-	1	5.6	0	19.2	-	-	-	0	0	0	53
54	5	5	-	19.5	27.5	0	-	-	-	0	0	0	-	-	-	0	0	0	54
55	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	55
56	4	1	3	15.6	5.5	40.5	2	-	2	11.2	0	38.5	1	1	-	20.8	21.3	0	56
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
58	3	-	3	11.7	0	40.5	-	-	-	0	0	0	-	-	-	0	0	0	58
59	8	7	1	31.2	38.5	13.5	9	8	1	50.3	63.0	19.2	2	2	-	41.7	42.6	0	59
60	11	6	5	43.0	33.0	67.6	6	4	2	33.5	31.5	38.5	-	-	-	0	0	0	60
61	2	2	-	7.8	11.0	0	3	3	-	16.8	23.6	0	-	-	-	0	0	0	61
62	1	-	1	3.9	0	13.5	1	-	1	5.6	0	19.2	-	-	-	0	0	0	62
63	16	9	7	62.5	49.4	94.6	6	3	3	33.5	23.6	57.7	1	1	-	20.8	21.3	0	63

ITEM	Trenton						Troup						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	132	78	54	22.4	19.0	30.0	1,180	683	497	21.8	18.2	29.9	1
2 Delivered in hospital	94	70	24	71.2%	89.7%	44.4%	962	676	286	81.5%	99.0%	57.5%	2
3 Delivered in home by physician	5	2	3	3.8%	2.6%	5.6%	14	4	10	1.2%	0.6%	2.0%	3
4 Delivered in home by midwife	33	6	27	25.0%	7.7%	50.0%	201	3	198	17.0%	0.4%	39.8%	4
5 Other deliveries	-	-	-	0%	0%	0%	3	-	3	0.3%	0%	0.6%	5
6 Immature births	18	6	12	13.6.4	76.9	222.2	110	56	54	93.2	82.0	108.7	6
FETAL DEATHS													
7 Total	6	1	5	45.5	12.8	92.6	86	53	33	72.9	77.6	66.4	7
8 Under 20 weeks gestation	-	-	-	0	0	0	62	39	23	52.5	57.1	46.3	6
9 20-27 weeks gestation	-	-	-	0	0	0	9	8	1	7.6	11.7	2.0	8
28 weeks and more	3	-	3	22.7	0	55.6	11	3	8	9.3	4.4	16.1	9
Unknown length of gestation	3	1	2	22.7	12.8	37.0	4	3	1	3.4	4.4	2.0	
DEATHS													
10 Total, all ages	64	46	18	1084.7	1122.0	1000.0	502	301	201	926.2	800.5	1210.8	10
11 Under 1 year	5	3	2	37.9	38.5	37.0	36	11	25	30.5	16.1	50.3	11
12 Under 28 days	4	2	2	30.3	25.6	37.0	25	7	18	21.2	10.2	36.2	12
13 Deaths from immaturity	-	-	-	0	0	0	9	2	7	7.6	2.9	14.1	13
14 1-4 years **	-	-	-	0	0	0	7	2	5	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	1	1	-	8.5	14.6	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	2	-	2	3.7	0	12.0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	2	1	1	3.7	2.7	6.0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	1	1	-	1.8	2.7	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	1	1	-	1.8	2.7	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	7	4	3	118.6	97.6	166.7	54	39	15	99.6	103.7	90.4	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	-	-	-	0	0	0	3	3	-	5.5	8.0	0	35
36 Pellagra (281)	-	-	-	0	0	0	1	1	-	1.8	2.7	0	36
37 Anemias (290-293)	-	-	-	0	0	0	1	-	1	1.8	0	6.0	37
38 Vascular lesions affecting central nervous system (330-334)	10	6	4	169.5	146.3	222.2	120	72	48	221.4	191.5	289.2	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	2	1	1	3.7	2.7	6.0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	19	16	3	322.0	390.2	166.7	161	104	57	297.0	276.6	343.4	41
42 Hypertension without mention of heart (444-447)	3	3	-	50.8	73.2	0	5	1	4	9.2	2.7	24.1	42
43 Influenza and pneumonia (480-483, 490-493)	3	2	1	50.8	48.8	55.6	28	11	17	51.7	29.3	102.4	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	3	3	-	5.5	8.0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	1	-	1	1.8	0	6.0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	1	-	16.9	24.4	0	2	-	2	3.7	0	12.0	48
49 Cirrhosis of liver (581)	1	1	-	16.9	24.4	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	1	1	-	16.9	24.4	0	8	4	4	14.8	10.6	24.1	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	2	2	-	3.7	5.3	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	1	1	-	1.8	2.7	0	52
53 Congenital malformations (750-759)	1	-	1	16.9	0	55.6	3	2	1	5.5	5.3	6.0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	1	-	16.9	24.4	0	9	2	7	16.6	5.3	42.2	54
55 Infection of the newborn (763-768)	2	1	1	33.9	24.4	55.6	2	1	1	3.7	2.7	6.0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	0	0	0	12	2	10	22.1	5.3	60.2	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	2	1	1	3.7	2.7	6.0	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	5	3	2	9.2	8.0	12.0	58
59 Motor vehicle accidents (E810-E835)	3	3	-	50.8	73.2	0	15	10	5	27.7	26.6	30.1	59
60 All other accidents (E800-E802, E840-E962)	5	2	3	84.7	48.8	166.7	12	9	3	22.1	23.9	18.1	60
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	4	4	-	7.4	10.6	0	61
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	7	1	6	12.9	2.7	36.1	62
63 All other diseases (residual)	7	5	2	118.6	122.0	111.1	33	21	12	60.9	55.9	72.3	63

COUNTY, BY RACE, GEORGIA, 1957

	Turner						Twiggs						Union						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	227	105	122	21.8	16.7	29.8	199	52	147	25.2	16.8	30.6	130	130	-	18.1	18.1	0	1
2	184	104	80	81.1%	99.0%	65.6%	129	51	78	64.8%	98.1%	53.1%	125	125	-	96.2%	96.2%	0	2
3	5	-	5	2.2%	0%	4.1%	5	1	4	2.5%	1.9%	2.7%	3	3	-	2.3%	2.3%	0	3
4	38	1	37	16.7%	1.0%	30.3%	65	-	65	32.7%	0%	44.2%	-	-	-	0%	0%	0	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	2	2	-	1.5%	1.5%	0	5
6	25	7	18	110.1	66.7	147.5	10	-	10	50.3	0	68.0	6	6	-	46.2	46.2	0	6
7	4	1	3	17.6	9.5	24.6	3	-	3	15.1	0	20.4	2	2	-	15.4	15.4	0	7
8	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	8
9	2	1	2	8.8	0	16.4	1	-	1	5.0	0	6.8	-	-	-	0	0	0	9
	2	1	1	8.8	9.5	8.2	1	-	1	5.0	0	6.8	2	2	-	15.4	15.4	0	9
	-	-	-	0	0	0	1	-	1	5.0	0	6.8	-	-	-	0	0	0	9
10	80	52	28	769.2	825.4	682.9	76	36	40	962.0	1161.3	833.3	57	57	-	791.7	791.7	0	10
11	10	4	6	44.1	38.1	49.2	7	3	4	35.2	57.7	27.2	5	5	-	38.5	38.5	0	11
12	7	3	4	30.8	28.6	32.8	4	2	2	20.1	33.5	13.6	4	4	-	30.8	30.8	0	12
13	3	3	3	13.2	0	24.6	2	1	1	10.0	19.2	6.8	1	1	-	7.7	7.7	0	13
14	1	1	-	-	-	-	3	-	3	-	-	-	-	-	-	-	-	0	14
15	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	15
16	1	-	1	9.6	0	24.4	1	1	-	12.7	32.3	0	-	-	-	0	0	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	1	1	-	9.6	15.9	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	-	1	9.6	0	24.4	2	-	2	25.3	0	41.7	-	-	-	0	0	0	32
33	3	3	-	28.8	47.6	0	6	2	4	75.9	64.5	83.3	9	9	-	125.0	125.0	0	33
34	-	-	-	0	0	0	1	-	1	12.7	0	20.8	-	-	-	0	0	0	34
35	-	-	-	0	0	0	1	1	-	12.7	32.3	0	-	-	-	0	0	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	17	10	7	163.5	158.7	170.7	8	4	4	101.3	129.0	83.3	10	10	-	138.9	138.9	0	38
39	-	-	-	0	0	0	1	1	-	12.7	32.3	0	1	1	-	13.9	13.9	0	39
40	1	-	1	9.6	0	24.4	-	-	-	0	0	0	-	-	-	0	0	0	40
41	28	21	7	269.2	333.3	170.7	32	20	12	405.1	645.2	250.0	15	15	-	208.3	208.3	0	41
42	2	1	1	19.2	15.9	24.4	1	-	1	12.7	0	20.8	4	4	-	55.6	55.6	0	42
43	4	3	1	38.5	47.6	24.4	4	3	1	50.6	96.8	20.8	2	2	-	27.8	27.8	0	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	1	1	-	9.6	15.9	0	-	-	-	0	0	0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	13.9	13.9	0	47
48	1	-	1	9.6	0	24.4	-	-	-	0	0	0	-	-	-	0	0	0	48
49	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	49
50	1	1	-	9.6	15.9	0	1	-	1	12.7	0	20.8	1	1	-	13.9	13.9	0	50
51	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	52
53	1	1	-	9.6	15.9	0	-	-	-	0	0	0	3	3	-	41.7	41.7	0	53
54	2	1	1	19.2	15.9	24.4	-	-	-	0	0	0	-	-	-	0	0	0	54
55	1	1	-	9.6	15.9	0	-	-	-	0	0	0	1	1	-	13.9	13.9	0	55
56	4	1	3	38.5	15.9	73.2	2	1	1	25.3	32.3	20.8	1	1	-	13.9	13.9	0	56
57	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	13.9	13.9	0	57
58	-	-	-	0	0	0	2	-	2	25.3	0	41.7	1	1	-	13.9	13.9	0	58
59	1	1	-	9.6	15.9	0	2	-	2	25.3	0	41.7	1	1	-	13.9	13.9	0	59
60	3	1	2	28.8	15.9	48.8	8	-	8	101.3	0	166.7	2	2	-	27.8	27.8	0	60
61	1	1	-	9.6	15.9	0	-	-	-	0	0	0	1	1	-	13.9	13.9	0	61
62	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	62
63	6	4	2	57.7	63.5	48.8	4	3	1	50.6	96.8	20.8	3	3	-	41.7	41.7	0	63

TABLE XIII VITAL STATISTICS, BY

ITEM	Upson						Walker						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	526	317	209	21.0	16.6	35.4	1,040	980	60	24.0	24.3	20.7	1
2 Delivered in hospital	460	314	146	87.5%	99.1%	69.9%	1,030	972	58	99.0%	99.2%	96.7%	2
3 Delivered in home by physician	10	3	7	1.9%	0.9%	3.3%	6	4	2	0.6%	0.4%	3.3%	3
4 Delivered in home by midwife	55	-	55	10.5%	0%	26.3%	3	3	-	0.3%	0.3%	0%	4
5 Other deliveries	1	-	1	0.2%	0%	0.5%	1	1	-	0.1%	0.1%	0%	5
6 Immature births	72	30	42	136.9	94.6	201.0	64	60	4	61.5	61.2	66.7	6
FETAL DEATHS													
7 Total	23	9	14	43.7	28.4	67.0	46	43	3	44.2	43.9	50.0	7
8 Under 20 weeks gestation	3	1	2	5.7	3.2	9.6	18	18	-	17.3	18.4	0	8
9 20-27 weeks gestation	7	3	4	13.3	9.5	19.1	6	6	-	5.8	6.1	0	9
28 weeks and more	11	4	7	20.9	12.6	33.5	17	14	3	16.3	14.3	50.0	0
Unknown length of gestation	2	1	1	3.8	3.2	4.8	5	5	-	4.8	5.1	0	0
DEATHS													
10 Total, all ages	212	134	78	848.0	701.6	1322.0	322	294	28	743.6	727.7	965.5	10
11 Under 1 year	23	9	14	43.7	28.4	67.0	29	25	4	27.9	25.5	66.7	11
12 Under 28 days	18	9	9	34.2	28.4	43.1	21	19	2	20.2	19.4	33.3	12
13 Deaths from immaturity	6	4	2	11.4	12.6	9.6	5	5	-	4.8	5.1	0	13
14 1-4 years **	2	-	2	-	-	-	6	6	-	-	-	-	14
15 Maternal deaths	1	-	1	19.0	0	47.8	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	2	1	1	8.0	5.2	16.9	2	1	1	4.6	2.5	34.5	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	1	-	1	4.0	0	16.9	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	2	-	2	8.0	0	33.9	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	25	22	3	100.0	115.2	50.8	49	45	4	113.2	111.4	137.9	33
34 Benign and unspecified neoplasms (210-239)	2	2	-	8.0	10.5	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	4	3	1	16.0	15.7	16.9	6	5	1	13.9	12.4	34.5	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	1	1	-	4.0	5.2	0	2	2	-	4.6	5.0	0	37
38 Vascular lesions affecting central nervous system (330-334)	28	18	10	112.0	94.2	169.5	39	36	3	90.1	89.1	103.4	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	2	2	-	4.6	5.0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	72	48	24	288.0	251.3	406.8	104	97	7	240.2	240.1	241.4	41
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	4	3	1	9.2	7.4	34.5	42
43 Influenza and pneumonia (480-483, 490-493)	8	3	5	32.0	15.7	84.7	17	14	3	39.3	34.7	103.4	43
44 Bronchitis (500-502)	-	-	-	0	0	0	1	1	-	2.3	2.5	0	44
45 Ulcer of stomach and duodenum (540-541)	2	1	1	8.0	5.2	16.9	-	-	-	0	0	0	45
46 Appendicitis (550-553)	1	1	-	4.0	5.2	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	4.0	5.2	0	3	3	-	6.9	7.4	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	5	-	5	20.0	0	84.7	1	1	-	2.3	2.5	0	48
49 Cirrhosis of liver (581)	1	-	1	4.0	0	16.9	3	3	-	6.9	7.4	0	49
50 Nephritis and nephrosis (590-594)	4	2	2	16.0	10.5	33.9	5	4	1	11.5	9.9	34.5	50
51 Hyperplasia of prostate (610)	3	2	1	12.0	10.5	16.9	1	1	-	2.3	2.5	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	4.0	0	16.9	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	2	1	1	8.0	5.2	16.9	4	3	1	9.2	7.4	34.5	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	9	4	5	36.0	20.9	84.7	3	3	-	6.9	7.4	0	54
55 Infection of the newborn (763-768)	2	-	2	8.0	0	33.9	4	2	2	9.2	5.0	69.0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	6	4	2	24.0	20.9	33.9	7	7	-	16.2	17.3	0	56
57 Senility, without mention of psychosis (794)	1	-	1	4.0	0	16.9	3	3	-	6.9	7.4	0	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	17	16	1	39.3	39.6	34.5	58
59 Motor vehicle accidents (E810-E835)	4	3	1	16.0	15.7	16.9	11	10	1	25.4	24.8	34.5	59
60 All other accidents (E800-E802, E840-E962)	4	1	3	16.0	5.2	50.8	9	9	-	20.8	22.3	0	60
61 Suicide (E963, E970-E979)	3	3	-	12.0	15.7	0	3	3	-	6.9	7.4	0	61
62 Homicide (E964, E980-E985)	2	-	2	8.0	0	33.9	2	2	-	4.6	5.0	0	62
63 All other diseases (residual)	16	13	3	64.0	68.1	50.8	20	18	2	46.2	44.6	69.0	63

COUNTY, BY RACE, GEORGIA, 1957

	Walton						Ware						Warren						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	452	260	192	22.4	18.8	30.0	927	678	249	28.7	28.7	28.6	201	50	151	25.1	17.2	29.6	1
2	407	259	148	90.0%	99.6%	77.1%	744	630	114	80.3%	92.9%	45.8%	102	50	52	50.7%	100.0%	34.4%	2
3	1	1	-	0.2%	0.4%	0%	107	45	62	11.5%	6.6%	24.9%	2	-	2	1.0%	0%	1.3%	3
4	44	-	44	9.7%	0%	22.9%	75	3	72	8.1%	0.4%	28.9%	97	-	97	48.3%	0%	64.2%	4
5	-	-	-	0%	0%	0%	1	1	1	0.1%	0%	0.4%	-	-	-	0%	0%	0%	5
6	44	21	23	97.3	80.8	119.8	62	32	30	66.9	47.2	120.5	18	2	16	89.6	40.0	106.0	6
7	26	13	13	57.5	50.0	67.7	69	47	22	74.4	69.3	88.4	7	-	7	34.8	0	46.4	7
8	11	4	7	24.3	15.4	36.5	48	37	11	51.8	54.6	44.2	-	-	-	0	0	0	8
9	2	2	-	4.4	7.7	0	2	2	-	2.2	2.9	0	3	-	3	14.9	0	19.9	9
	13	7	6	28.8	26.9	31.2	15	5	10	16.2	7.4	40.2	3	-	3	14.9	0	19.9	
	-	-	-	0	0	0	4	3	1	4.3	4.4	4.0	1	-	1	5.0	0	6.6	
10	220	129	91	1089.1	934.8	1421.9	287	198	89	888.5	839.0	1023.0	85	33	52	1062.5	1137.9	1019.6	10
11	19	3	16	42.0	11.5	83.3	19	11	8	20.5	16.2	32.1	6	-	6	29.9	0	39.7	11
12	6	1	5	13.3	3.8	26.0	17	11	6	18.3	16.2	24.1	3	-	3	14.9	0	19.9	12
13	2	-	2	4.4	0	10.4	-	-	-	0	0	0	-	-	-	0	0	0	13
14	8	1	7	-	-	-	6	5	1	-	-	-	2	-	2	0	0	0	14
15	-	-	-	0	0	0	2	2	-	21.6	29.5	0	-	-	-	0	0	0	15
16	2	2	-	9.9	14.5	0	2	1	1	6.2	4.2	11.5	-	-	-	0	0	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	-	1	5.0	0	15.6	1	-	1	3.1	0	11.5	-	-	-	0	0	0	32
33	28	20	8	138.6	144.9	125.0	35	21	14	108.4	89.0	160.9	8	6	2	100.0	206.9	39.2	33
34	1	-	1	5.0	0	15.6	1	1	-	3.1	4.2	0	-	-	-	0	0	0	34
35	2	1	1	9.9	7.2	15.6	2	1	1	6.2	4.2	11.5	-	-	-	0	0	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	42	27	15	207.9	195.7	234.4	51	35	16	157.9	148.3	183.9	14	3	11	175.0	103.4	215.7	38
39	-	-	-	0	0	0	2	1	1	6.2	4.2	11.5	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	49	29	20	242.6	210.1	312.5	91	67	24	281.7	283.9	275.9	24	15	9	300.0	517.2	176.5	41
42	4	2	2	19.8	14.5	31.2	5	2	3	15.5	8.5	34.5	2	2	2	25.0	0	39.2	42
43	18	8	10	89.1	58.0	156.2	6	3	3	18.6	12.7	34.5	4	1	3	50.0	34.5	58.8	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	2	1	1	9.9	7.2	15.6	1	1	-	3.1	4.2	0	-	-	-	0	0	0	45
46	1	1	-	5.0	7.2	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	2	1	1	9.9	7.2	15.6	2	1	1	6.2	4.2	11.5	-	-	-	0	0	0	47
48	2	-	2	9.9	0	31.2	2	1	1	6.2	4.2	11.5	1	-	1	12.5	0	19.6	48
49	1	1	-	5.0	7.2	0	1	1	-	3.1	4.2	0	-	-	-	0	0	0	49
50	6	3	3	29.7	21.7	46.9	5	2	3	15.5	8.5	34.5	14	3	11	175.0	103.4	215.7	50
51	1	-	1	5.0	0	15.6	2	2	-	6.2	8.5	0	-	-	-	0	0	0	51
52	-	-	-	0	0	0	2	2	-	6.2	8.5	0	-	-	-	0	0	0	52
53	4	3	1	19.8	21.7	15.6	4	4	-	12.4	16.9	0	1	-	1	12.5	0	19.6	53
54	2	1	1	9.9	7.2	15.6	10	7	3	31.0	29.7	34.5	1	-	1	12.5	0	19.6	54
55	1	-	1	5.0	0	15.6	1	-	1	3.1	0	11.5	1	-	1	12.5	0	19.6	55
56	2	-	2	9.9	0	31.2	3	3	-	9.3	12.7	0	1	-	1	12.5	0	19.6	56
57	1	1	-	5.0	7.2	0	2	2	-	6.2	8.5	0	-	-	-	0	0	0	57
58	9	1	8	44.6	7.2	125.0	4	2	2	12.4	8.5	23.0	-	-	-	0	0	0	58
59	5	4	1	24.8	29.0	15.6	9	7	2	27.9	29.7	23.0	3	1	2	37.5	34.5	39.2	59
60	10	5	5	49.5	36.2	78.1	16	9	7	49.5	38.1	80.5	1	-	1	12.5	0	19.6	60
61	3	3	-	14.9	21.7	0	4	4	-	12.4	16.9	0	-	-	-	0	0	0	61
62	2	-	2	9.9	0	31.2	1	1	-	3.1	4.2	0	2	-	2	25.0	0	39.2	62
63	19	15	4	94.1	108.7	62.5	22	17	5	68.1	72.0	57.5	8	4	4	100.0	137.9	78.4	63

ITEM	Washington						Wayne						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	558	152	406	28.9	18.3	36.9	521	367	154	34.1	29.8	51.3	1
2 Delivered in hospital	202	144	58	36.2%	94.7%	14.3%	488	352	136	93.7%	95.9%	88.3%	2
3 Delivered in home by physician	9	1	8	1.6%	0.7%	2.0%	28	15	13	5.4%	4.1%	8.4%	3
4 Delivered in home by midwife	347	7	340	62.2%	4.6%	83.7%	5	-	5	1.0%	0%	3.2%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	48	1	47	86.0	6.6	115.8	44	30	14	84.5	81.7	90.9	6
FETAL DEATHS													
7 Total	26	6	20	46.6	39.5	49.3	53	37	16	101.7	100.8	103.9	7
8 Under 20 weeks gestation	9	4	5	16.1	26.3	12.3	41	32	9	78.7	87.2	58.4	8
9 20-27 weeks gestation	4	1	3	7.2	6.6	7.4	2	-	2	3.8	0	13.0	7
28 weeks and more	11	-	11	19.7	0	27.1	10	5	5	19.2	13.6	32.5	9
Unknown length of gestation	2	1	1	3.6	6.6	2.5	-	-	-	0	0	0	0
DEATHS													
10 Total, all ages	228	74	154	1181.3	891.6	1400.0	141	105	36	921.6	853.7	1200.0	10
11 Under 1 year	33	-	33	59.1	0	81.3	23	15	8	44.1	40.9	51.9	11
12 Under 28 days	16	-	16	28.7	0	39.4	14	10	4	26.9	27.2	26.0	12
13 Deaths from immaturity	4	-	4	7.2	0	9.9	4	3	1	7.7	8.2	6.5	13
14 1-4 years **	3	1	2	-	-	-	4	2	2	-	-	-	14
15 Maternal deaths	3	-	3	53.8	0	73.9	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	2	1	1	10.4	12.0	9.1	1	-	1	6.5	0	33.3	16
17 Syphilis and its sequelae (020-029)	1	-	1	5.2	0	9.1	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	1	-	5.2	12.0	0	2	1	1	13.1	8.1	33.3	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	22	5	17	114.0	60.2	154.5	21	17	4	137.3	138.2	133.3	33
34 Benign and unspecified neoplasms (210-239)	1	1	-	5.2	12.0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	3	2	1	15.5	24.1	9.1	4	3	1	26.1	24.4	33.3	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	1	1	-	5.2	12.0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	32	7	25	165.8	84.3	227.3	19	14	5	124.2	113.8	166.7	38
39 Nonmeningococcal meningitis (340)	1	-	1	5.2	0	9.1	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	67	32	35	347.2	385.5	318.2	35	30	5	228.8	243.9	166.7	41
42 Hypertension without mention of heart (444-447)	8	2	6	41.4	24.1	54.5	2	2	-	13.1	16.3	0	42
43 Influenza and pneumonia (480-483, 490-493)	15	2	13	77.7	24.1	118.2	10	5	5	65.4	40.6	166.7	43
44 Bronchitis (500-502)	1	1	-	5.2	12.0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	1	1	-	6.5	8.1	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	1	-	1	5.2	0	9.1	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	8	-	8	41.4	0	72.7	1	-	1	6.5	0	33.3	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	5	1	4	25.9	12.0	36.4	1	-	1	6.5	0	33.3	50
51 Hyperplasia of prostate (610)	2	-	2	10.4	0	18.2	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	3	-	3	15.5	0	27.3	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	-	-	-	0	0	0	2	2	-	13.1	16.3	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	-	1	5.2	0	9.1	7	6	1	45.8	48.8	33.3	54
55 Infection of the newborn (763-768)	4	-	4	20.7	0	36.4	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	8	-	8	41.4	0	72.7	5	3	2	32.7	24.4	66.7	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	3	2	1	15.5	24.1	9.1	-	-	-	0	0	0	58
59 Motor vehicle accidents (E810-E835)	1	-	1	5.2	0	9.1	5	3	2	32.7	24.4	66.7	59
60 All other accidents (E800-E802, E840-E962)	14	3	11	72.5	36.1	100.0	12	7	5	78.4	56.9	166.7	60
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	2	2	-	13.1	16.3	0	61
62 Homicide (E964, E980-E985)	1	-	1	5.2	0	9.1	-	-	-	0	0	0	62
63 All other diseases (residual)	22	13	9	114.0	156.6	81.8	11	9	2	71.9	73.2	66.7	63

COUNTY, BY RACE, GEORGIA, 1957

	Webster						Wheeler						White						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	93	22	71	25.1	18.3	28.4	117	68	49	20.9	18.4	25.8	161	149	12	28.2	28.1	30.0	1
2	49	22	27	52.7%	100.0%	38.0%	79	63	16	67.5%	92.6%	32.7%	153	147	6	95.0%	98.7%	50.0%	2
3	-	-	-	0%	0%	0%	13	5	8	11.1%	7.4%	16.3%	3	2	1	1.9%	1.3%	8.3%	3
4	43	-	43	46.2%	0%	60.6%	25	-	25	21.4%	0%	51.0%	5	-	5	3.1%	0%	41.7%	4
5	1	-	1	1.1%	0%	1.4%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	6	1	5	64.5	45.5	70.4	10	7	3	85.5	102.9	61.2	10	10	-	62.1	67.1	0	6
7	2	1	1	21.5	45.5	14.1	7	3	4	59.8	44.1	81.6	6	5	1	37.3	33.6	83.3	7
8	2	1	1	0	0	0	2	2	2	17.1	0	40.8	1	1	-	6.2	6.7	0	8
9	2	1	1	21.5	45.5	14.1	2	2	2	17.1	29.4	0	2	2	-	12.4	13.4	0	9
	-	-	-	0	0	0	2	2	2	17.1	0	40.8	3	2	1	18.6	13.4	83.3	
	-	-	-	0	0	0	1	1	-	8.5	14.7	0	-	-	-	0	0	0	
10	31	15	16	837.8	1250.0	640.0	57	37	20	1017.9	1000.0	1052.6	67	66	1	1175.4	1245.3	250.0	10
11	3	1	2	32.3	45.5	28.2	6	5	1	51.3	73.5	20.4	3	3	-	18.6	20.1	0	11
12	2	1	1	21.5	45.5	14.1	4	3	1	34.2	44.1	20.4	2	2	-	12.4	13.4	0	12
13	1	-	1	10.8	0	14.1	1	1	3	8.5	14.7	0	-	-	-	0	0	0	13
14	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	14
15	1	-	1	107.5	0	140.8	-	-	-	0	0	0	-	-	-	0	0	0	15
16	-	-	-	0	0	0	1	-	1	17.9	0	52.6	-	-	-	0	0	0	16
17	-	-	-	0	0	0	1	1	-	17.9	27.0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
33	4	3	1	108.1	250.0	40.0	5	3	2	89.3	81.1	105.3	7	7	-	122.8	132.1	0	33
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	-	-	-	0	0	0	2	2	-	35.7	54.1	0	1	1	-	17.5	18.9	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	5	1	4	135.1	83.3	160.0	13	7	6	232.1	189.2	315.8	15	15	-	263.2	283.0	0	38
39	-	-	-	0	0	0	1	1	-	17.9	27.0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	10	7	3	270.3	583.3	120.0	15	9	6	267.9	243.2	315.8	16	16	-	280.7	301.9	0	41
42	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	17.5	18.9	0	42
43	4	2	2	108.1	166.7	80.0	2	1	1	35.7	27.0	52.6	4	4	-	70.2	75.5	0	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	35.1	18.9	250.0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	1	1	-	17.9	27.0	0	2	2	-	35.1	37.7	0	47
48	-	-	-	0	0	0	1	1	-	17.9	27.0	0	1	1	-	17.5	18.9	0	48
49	-	-	-	0	0	0	1	1	-	17.9	27.0	0	-	-	-	0	0	0	49
50	1	-	1	27.0	0	40.0	-	-	-	0	0	0	4	4	-	70.2	75.5	0	50
51	-	-	-	0	0	0	1	1	-	17.9	27.0	0	-	-	-	0	0	0	51
52	1	-	1	27.0	0	40.0	-	-	-	0	0	0	-	-	-	0	0	0	52
53	-	-	-	0	0	0	2	1	1	35.7	27.0	52.6	-	-	-	0	0	0	53
54	1	1	-	27.0	83.3	0	-	-	-	0	0	0	1	1	-	17.5	18.9	0	54
55	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	55
56	1	-	1	27.0	0	40.0	2	2	-	35.7	54.1	0	-	-	-	0	0	0	56
57	1	-	1	27.0	0	40.0	-	-	-	0	0	0	-	-	-	0	0	0	57
58	-	-	-	0	0	0	1	-	1	17.9	0	52.6	1	1	-	17.5	18.9	0	58
59	1	-	1	27.0	0	40.0	1	1	-	17.9	27.0	0	5	5	-	87.7	94.3	0	59
60	1	1	-	27.0	83.3	0	2	1	1	35.7	27.0	52.6	4	4	-	70.2	75.5	0	60
61	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	61
62	-	-	-	0	0	0	2	2	-	35.7	54.1	0	-	-	-	0	0	0	62
63	1	-	1	27.0	0	40.0	3	2	1	53.6	54.1	52.6	3	3	-	52.6	56.6	0	63

TABLE XIII

VITAL STATISTICS, BY

ITEM	Whitfield						Willcox						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	1,051	994	57	26.1	26.0	30.0	170	88	82	19.8	15.2	29.3	1
2 Delivered in hospital	994	950	44	94.6%	95.6%	77.2%	89	75	14	52.4%	85.2%	17.1%	2
3 Delivered in home by physician	18	5	13	1.7%	0.5%	22.8%	31	12	19	18.2%	13.6%	23.2%	3
4 Delivered in home by midwife	36	36	-	3.4%	3.6%	0%	46	1	45	27.1%	1.1%	54.9%	4
5 Other deliveries	3	3	-	0.3%	0.3%	0%	4	-	4	2.4%	0%	4.9%	5
6 Immature births	76	72	4	72.3	72.4	70.2	19	6	13	111.8	68.2	158.5	6
FETAL DEATHS													
7 Total	21	18	3	20.0	18.1	52.6	2	1	1	11.8	11.4	12.2	7
8 Under 20 weeks gestation	7	6	1	6.7	6.0	17.5	-	-	-	0	0	0	8
9 20-27 weeks gestation	4	4	-	3.8	4.0	0	-	-	-	0	0	0	7
28 weeks and more	10	8	2	9.5	8.0	35.1	2	1	1	11.8	11.4	12.2	9
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0	0
DEATHS													
10 Total, all ages	314	297	17	781.1	775.5	894.7	80	49	31	930.2	844.8	1107.1	10
11 Under 1 year	24	22	2	22.8	22.1	35.1	8	2	6	47.1	22.7	73.2	11
12 Under 28 days	17	16	1	16.2	16.1	17.5	6	1	5	35.3	11.4	61.0	12
13 Deaths from immaturity	3	3	-	2.9	3.0	0	2	-	2	11.8	0	24.4	13
14 1-4 years **	8	7	1	-	-	-	-	-	-	-	-	-	14
15 Maternal deaths	1	1	-	9.5	10.1	0	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	6	5	1	14.9	13.1	52.6	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	2	2	-	5.0	5.2	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	2	2	-	5.0	5.2	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	1	-	2.5	2.6	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	43	43	-	107.0	112.3	0	7	5	2	81.4	86.2	71.4	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	5	5	-	12.4	13.1	0	1	-	1	11.6	0	35.7	35
36 Pellagra (281)	1	1	-	2.5	2.6	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	56	54	2	139.3	141.0	105.3	17	9	8	197.7	155.2	285.7	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	1	1	-	11.6	17.2	0	40
41 Heart diseases (410-443)	109	103	6	271.1	268.9	315.8	25	15	10	290.7	258.6	357.1	41
42 Hypertension without mention of heart (444-447)	4	4	-	10.0	10.4	0	1	1	-	11.6	17.2	0	42
43 Influenza and pneumonia (480-483, 490-493)	13	12	1	32.3	31.3	52.6	5	4	1	58.1	69.0	35.7	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	1	1	-	2.5	2.6	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	4	4	-	10.0	10.4	0	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	3	2	1	7.5	5.2	52.6	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	4	4	-	10.0	10.4	0	1	1	-	11.6	17.2	0	49
50 Nephritis and nephrosis (590-594)	3	3	-	7.5	7.8	0	1	-	1	11.6	0	35.7	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	1	-	11.6	17.2	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	1	-	2.5	2.6	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	3	3	-	7.5	7.8	0	1	1	-	11.6	17.2	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	9	8	1	22.4	20.9	52.6	2	-	2	23.3	0	71.4	54
55 Infection of the newborn (763-768)	1	1	-	2.5	2.6	0	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	4	4	-	10.0	10.4	0	2	-	2	23.3	0	71.4	56
57 Senility, without mention of psychosis (794)	1	-	1	2.5	0	52.6	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	1	1	-	2.5	2.6	0	1	1	-	11.6	17.2	0	58
59 Motor vehicle accidents (E810-E835)	8	8	-	19.9	20.9	0	4	4	-	46.5	69.0	0	59
60 All other accidents (E800-E802, E840-E962)	12	10	2	29.8	26.1	105.3	3	1	2	34.9	17.2	71.4	60
61 Suicide (E963, E970-E979)	3	3	-	7.5	7.8	0	1	1	-	11.6	17.2	0	61
62 Homicide (E964, E980-E985)	1	-	1	2.5	0	52.6	1	-	1	11.6	0	35.7	62
63 All other diseases (residual)	13	12	1	32.3	31.3	52.6	5	4	1	58.1	69.0	35.7	63

COUNTY, BY RACE, GEORGIA, 1957

	Wilkes						Wilkinson						North						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	237	77	160	21.9	15.1	28.1	225	74	151	24.7	15.7	34.3	512	172	340	27.8	18.9	36.6	1
2	175	77	98	73.8%	100.0%	61.2%	126	64	62	56.0%	86.5%	41.1%	313	171	142	61.1%	99.4%	41.8%	2
3	23	-	23	9.7%	0%	14.4%	13	10	3	5.8%	13.5%	2.0%	9	-	9	1.8%	0%	2.6%	3
4	39	-	39	16.5%	0%	24.4%	86	-	86	38.2%	0%	57.0%	189	1	188	36.9%	0.6%	55.3%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	1	-	1	0.2%	0%	0.3%	5
6	29	4	25	122.4	51.9	156.2	10	-	10	44.4	0	66.2	50	10	40	97.7	58.1	117.6	6
7	6	1	5	25.3	13.0	31.2	8	3	5	35.6	40.5	33.1	6	2	4	11.7	11.6	11.8	7
8	-	-	-	0	0	0	4	3	1	17.8	40.5	6.6	-	-	-	0	0	0	8
9	1	-	1	4.2	0	6.2	3	-	3	13.3	0	19.9	1	-	1	2.0	0	2.9	9
	4	1	3	16.9	13.0	18.8	1	-	1	4.4	0	6.6	5	2	3	9.8	11.6	8.8	
	1	-	1	4.2	0	6.2	-	-	-	0	0	0	-	-	-	0	0	0	
10	131	64	67	1213.0	1254.9	1175.4	89	54	35	978.0	1148.9	795.5	174	78	96	945.7	857.1	1032.3	10
11	13	-	13	54.9	0	81.2	10	1	9	44.4	13.5	59.6	33	4	29	64.5	23.3	85.3	11
12	4	-	4	16.9	0	25.0	3	-	3	13.3	0	19.9	16	3	13	31.2	17.4	36.2	12
13	2	-	2	8.4	0	12.5	-	-	-	0	0	0	3	1	2	5.9	5.6	5.9	13
14	-	-	-	0	0	0	2	2	-	0	0	0	1	-	1	-	-	-	14
15	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	19.5	58.1	0	15
16	-	-	-	0	0	0	1	-	1	11.0	0	22.7	1	1	-	5.4	11.0	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	10.9	0	21.5	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	1	-	9.3	19.6	0	-	-	-	0	0	0	-	-	-	0	0	0	32
33	15	10	5	138.9	196.1	87.7	11	6	5	120.9	127.7	113.6	14	8	6	76.1	87.9	64.5	33
34	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	5.4	11.0	0	34
35	1	-	1	9.3	0	17.5	1	1	-	11.0	21.3	0	-	-	-	0	0	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	30	12	18	277.8	235.3	315.8	18	13	5	197.8	276.6	113.6	32	17	15	173.9	186.8	161.3	38
39	-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	10.9	0	21.5	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	36	27	9	333.3	529.4	157.9	29	21	8	318.7	446.8	181.8	43	22	21	233.7	241.8	225.8	41
42	2	1	1	18.5	19.6	17.5	1	1	-	11.0	21.3	0	3	2	1	16.3	22.0	10.8	42
43	9	3	6	83.3	58.8	105.3	2	1	1	22.0	21.3	22.7	14	3	11	76.1	33.0	118.3	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	1	-	1	9.3	0	17.5	-	-	-	0	0	0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	5.4	11.0	0	46
47	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	47
48	3	-	3	27.8	0	52.6	1	1	-	11.0	21.3	0	2	-	2	10.9	0	21.5	48
49	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	5.4	0	10.8	49
50	5	1	4	46.3	19.6	70.2	1	-	1	11.0	0	22.7	4	1	3	21.7	11.0	32.3	50
51	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	5.4	11.0	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	5.4	11.0	0	52
53	-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	10.9	0	21.5	53
54	1	-	1	9.3	0	17.5	1	-	1	11.0	0	22.7	4	2	2	21.7	22.0	21.5	54
55	-	-	-	0	0	0	1	-	1	11.0	0	22.7	1	-	1	5.4	0	10.8	55
56	2	-	2	18.5	0	35.1	-	-	-	0	0	0	3	1	2	16.3	11.0	21.5	56
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
58	6	1	5	55.6	19.6	87.7	2	-	2	22.0	0	45.5	9	1	8	48.9	11.0	86.0	58
59	2	2	-	18.5	39.2	0	3	3	-	33.0	63.8	0	7	3	4	38.0	33.0	43.0	59
60	3	2	1	27.8	39.2	17.5	9	3	6	98.9	63.8	136.4	9	4	5	48.9	44.0	53.8	60
61	1	-	1	9.3	0	17.5	1	1	-	11.0	21.3	0	1	1	-	5.4	11.0	0	61
62	1	-	1	9.3	0	17.5	3	1	2	33.0	21.3	45.5	2	-	2	10.9	0	21.5	62
63	12	4	8	111.1	78.4	140.4	4	2	2	44.0	42.6	45.5	14	8	6	76.1	87.9	64.5	63

TABLE XIV VITAL STATISTICS

ITEM	Atlanta						Augusta						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	12,606	6,825	5,781	25.8	20.5	37.1	2,069	1,034	1,035	21.4	18.3	25.9	1
2 Delivered in hospital	12,309	6,792	5,517	97.6%	99.5%	95.4%	2,041	1,034	1,007	98.6%	100.0%	97.3%	2
3 Delivered in home by physician	275	31	244	2.2%	0.5%	4.2%	18	-	18	0.9%	0%	1.7%	3
4 Delivered in home by midwife	15	2	13	0.1%	0.0%	0.2%	8	-	8	0.4%	0%	0.8%	4
5 Other deliveries	7	-	7	0.1%	0%	0.1%	2	-	2	0.1%	0%	0.2%	5
6 Immature births	1,423	564	859	112.9	82.6	148.6	213	73	140	102.9	70.6	135.3	6
FETAL DEATHS													
Total	510	221	289	40.5	32.4	50.0	106	61	45	51.2	59.0	43.5	7
Under 20 weeks gestation	248	120	128	19.7	17.6	22.1	53	37	16	25.6	35.8	15.5	8
20-27 weeks gestation	78	27	51	6.2	4.0	8.8	14	6	8	6.8	5.8	7.7	8
28 weeks and more	174	73	101	13.8	10.7	17.5	28	17	11	13.5	16.4	10.6	9
Unknown length of gestation	10	1	9	0.8	0.1	1.6	11	1	10	5.3	1.0	9.7	9
DEATHS													
10 Total, all ages	4,991	2,829	2,162	1021.9	850.6	1387.7	885	432	453	916.1	763.2	1132.5	10
11 Under 1 year	386	184	202	30.6	27.0	34.9	61	19	42	29.5	18.4	40.6	11
12 Under 28 days	292	157	135	23.2	23.0	23.4	41	14	27	19.8	13.5	26.1	12
13 Deaths from immaturity	76	44	32	6.0	6.4	5.5	7	2	5	3.4	1.9	4.8	13
14 1-4 years **	58	21	37	-	-	-	4	1	3	-	-	-	14
15 Maternal deaths	6	1	5	4.8	1.5	8.6	1	1	-	4.8	9.7	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	60	26	34	12.3	7.8	21.8	12	7	5	12.4	12.4	12.5	16
17 Syphilis and its sequelae (020-029)	20	7	13	4.1	2.1	8.3	3	1	2	3.1	1.8	5.0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	2	-	2	0.4	0	1.3	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	1	-	1	0.2	0	0.6	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	7	4	3	1.4	1.2	1.9	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	3	-	3	0.6	0	1.9	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	18	11	7	3.7	3.3	4.5	2	-	2	2.1	0	5.0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	703	476	227	143.9	143.1	145.7	115	78	37	119.0	137.8	92.5	33
34 Benign and unspecified neoplasms (210-239)	11	8	3	2.3	2.4	1.9	1	-	1	1.0	0	2.5	34
35 Diabetes mellitus (260)	70	41	29	14.3	12.3	18.6	18	11	7	18.6	19.4	17.5	35
36 Pellagra (281)	-	-	-	0	0	0	2	1	1	2.1	1.8	2.5	36
37 Anemias (290-293)	11	5	6	2.3	1.5	3.9	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	704	362	342	144.1	108.8	219.5	144	48	96	149.1	84.8	240.0	38
39 Nonmeningococcal meningitis (340)	9	2	7	1.8	0.6	4.5	1	1	-	1.0	1.8	0	39
40 Rheumatic fever (400-402)	1	-	1	0.2	0	0.6	-	-	-	0	0	0	40
41 Heart diseases (410-443)	1,547	968	579	316.7	291.0	371.6	324	176	148	335.4	311.0	370.0	41
42 Hypertension without mention of heart (444-447)	46	11	35	9.4	3.3	22.5	9	3	6	9.3	5.3	15.0	42
43 Influenza and pneumonia (480-483, 490-493)	253	78	175	51.8	23.5	112.3	43	9	34	44.5	15.9	85.0	43
44 Bronchitis (500-502)	13	8	5	2.7	2.4	3.2	1	-	1	1.0	0	2.5	44
45 Ulcer of stomach and duodenum (540-541)	40	28	12	8.2	8.4	7.7	7	5	2	7.2	8.8	5.0	45
46 Appendicitis (550-553)	4	2	2	0.8	0.6	1.3	1	-	1	1.0	0	2.5	46
47 Intestinal obstruction and hernia (560, 561, 570)	25	8	17	5.1	2.4	10.9	4	2	2	4.1	3.5	5.0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	17	13	4	3.5	3.9	2.6	3	2	1	3.1	3.5	2.5	48
49 Cirrhosis of liver (581)	64	41	23	13.1	12.3	14.8	6	4	2	6.2	7.1	5.0	49
50 Nephritis and nephrosis (590-594)	80	29	51	16.4	8.7	32.7	12	5	7	12.4	8.8	17.5	50
51 Hyperplasia of prostate (610)	19	10	9	3.9	3.0	5.8	5	1	4	5.2	1.8	10.0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	6	1	5	1.2	0.3	3.2	1	1	-	1.0	1.8	0	52
53 Congenital malformations (750-759)	66	36	30	13.5	10.8	19.3	14	7	7	14.5	12.4	17.5	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	143	80	63	29.3	24.1	40.4	20	8	12	20.7	14.1	30.0	54
55 Infection of the newborn (763-768)	19	6	13	3.9	1.8	8.3	2	1	1	2.1	1.8	2.5	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	93	51	42	19.0	15.3	27.0	13	4	9	13.5	7.1	22.5	56
57 Senility, without mention of psychosis (794)	1	-	1	0.2	0	0.6	1	-	1	1.0	0	2.5	57
58 Ill-defined and unknown causes (780-793, 795)	37	14	23	7.6	4.2	14.8	2	-	2	2.1	0	5.0	58
59 Motor vehicle accidents (E810-E835)	106	74	32	21.7	22.2	20.5	16	14	2	16.6	24.7	5.0	59
60 All other accidents (E800-E802, E840-E962)	150	86	64	30.7	25.9	41.1	20	9	11	20.7	15.9	27.5	60
61 Suicide (E963, E970-E979)	56	48	8	11.5	14.4	5.1	4	3	1	4.1	5.3	2.5	61
62 Homicide (E964, E980-E985)	91	20	71	18.6	6.0	45.6	9	2	7	9.3	3.5	17.5	62
63 All other diseases (residual)	495	275	220	101.4	82.7	141.2	70	29	41	72.5	51.2	102.5	63

BY CITIES WITH POPULATION OF 75,000 OR MORE, GEORGIA, 1957

	Columbus						Macon						Savannah						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	3,230	2,198	1,032	32.7	32.4	33.5	1,956	874	1,082	24.7	19.0	32.5	4,025	2,307	1,718	29.4	28.3	31.0	1
2	3,159	2,192	967	97.8%	99.7%	93.7%	1,932	869	1,063	98.8%	99.4%	98.2%	3,864	2,303	1,561	96.0%	99.8%	90.9%	2
3	37	5	32	1.1%	0.2%	3.1%	15	5	10	0.8%	0.6%	0.9%	155	3	152	3.8%	0.1%	8.8%	3
4	33	-	33	1.0%	0%	3.2%	7	-	7	0.4%	0%	0.6%	5	1	4	0.1%	0.0%	0.2%	4
5	1	1	-	0.0%	0.1%	0%	2	-	2	0.1%	0%	0.2%	1	-	1	0.0%	0%	0.1%	5
6	376	223	153	116.4	101.5	148.3	195	57	138	99.7	65.2	127.5	350	158	192	87.0	68.5	111.8	6
7	80	47	33	24.8	21.4	32.0	57	19	38	29.1	21.7	35.1	235	150	85	58.4	65.0	49.5	7
8	19	12	7	5.9	5.5	6.8	16	8	8	8.2	9.2	7.4	127	96	31	31.6	41.6	18.0	8
9	19	13	6	5.9	5.9	5.8	15	4	11	7.7	4.6	10.2	29	15	14	7.2	6.5	8.1	9
	40	21	19	12.4	9.6	18.4	26	7	19	13.3	8.0	17.6	70	34	36	17.4	14.7	21.0	
	2	1	1	0.6	0.5	1.0	-	-	-	0	0	0	9	5	4	2.2	2.2	2.3	
10	799	524	275	809.5	771.7	892.9	1,321	747	574	1667.9	1627.4	1723.7	1,712	892	820	1249.6	1094.5	1477.5	10
11	90	60	30	27.9	27.3	29.1	66	26	40	33.7	29.7	37.0	142	54	88	35.3	23.4	51.2	11
12	69	50	19	21.4	22.7	18.4	42	20	22	21.5	22.9	20.3	105	47	58	26.1	20.4	33.8	12
13	16	8	8	5.0	3.6	7.8	14	4	10	7.2	4.6	9.2	38	10	28	9.4	4.3	16.3	13
14	8	5	3	-	-	-	11	2	9	-	-	-	20	3	17	-	-	-	14
15	2	1	1	6.2	4.5	9.7	1	-	1	5.1	0	9.2	3	-	3	7.5	0	17.5	15
16	6	4	2	6.1	5.9	6.5	10	4	6	12.6	8.7	18.0	16	5	11	11.7	6.1	19.8	16
17	7	4	3	7.1	5.9	9.7	4	-	4	5.0	0	12.0	4	1	3	2.9	1.2	5.4	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	0.7	0	1.8	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	0.7	0	1.8	23
24	1	1	-	1.0	1.5	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	1	1	-	1.3	2.2	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	-	1	1.0	0	3.2	7	4	3	8.8	8.7	9.0	7	1	6	5.1	1.2	10.8	32
33	104	74	30	105.4	109.0	97.4	115	63	52	145.2	137.3	156.2	169	106	63	123.4	130.1	113.5	33
34	3	1	2	3.0	1.5	6.5	4	4	5	5.0	0	12.0	3	1	2	2.2	1.2	3.6	34
35	7	4	3	7.1	5.9	9.7	9	-	4	11.4	8.7	15.0	18	11	7	13.1	13.5	12.6	35
36	-	-	-	0	0	0	1	-	1	1.3	0	3.0	2	-	-	0	0	0	36
37	1	-	1	1.0	0	3.2	1	-	1	1.3	0	3.0	-	-	-	1.5	0	3.6	37
38	115	59	56	116.5	86.9	181.8	144	79	65	181.8	172.1	195.2	260	95	165	189.8	116.6	297.3	38
39	-	-	-	0	0	0	1	-	1	1.3	0	3.0	1	-	1	0.7	0	1.8	39
40	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	0.7	0	1.8	40
41	280	201	79	283.7	296.0	256.5	298	165	133	376.3	359.5	399.4	453	257	196	330.7	315.3	353.2	41
42	4	1	3	4.1	1.5	9.7	9	1	8	11.4	2.2	24.0	11	4	7	8.0	4.9	12.6	42
43	35	21	14	35.5	30.9	45.5	28	18	10	35.4	39.2	30.0	75	21	54	54.7	25.8	97.3	43
44	3	3	-	3.0	4.4	0	1	1	-	1.3	2.2	0	2	1	1	1.5	1.2	1.8	44
45	7	7	-	7.1	10.3	0	4	1	3	5.0	2.2	9.0	11	4	7	8.0	4.9	12.6	45
46	-	-	-	0	0	0	1	1	-	1.3	2.2	0	1	-	1	0.7	0	1.8	46
47	8	3	5	8.1	4.4	16.2	4	1	3	5.0	2.2	9.0	10	5	5	7.3	6.1	9.0	47
48	3	2	1	3.0	2.9	3.2	7	2	5	8.8	4.4	15.0	6	4	2	4.4	4.9	3.6	48
49	2	1	1	2.0	1.5	3.2	5	4	1	6.3	8.7	3.0	21	15	6	15.3	18.4	10.8	49
50	9	4	5	9.1	5.9	16.2	19	5	14	24.0	10.9	42.0	19	5	14	13.9	6.1	25.2	50
51	-	-	-	0	0	0	2	-	2	2.5	0	6.0	1	-	1	0.7	0	1.8	51
52	2	1	1	2.0	1.5	3.2	1	-	1	1.3	0	3.0	3	-	3	2.2	0	5.4	52
53	16	13	3	16.2	19.1	9.7	14	7	7	17.7	15.2	21.0	19	12	7	13.9	14.7	12.6	53
54	35	27	8	35.5	39.8	26.0	13	9	4	16.4	19.6	12.0	36	19	17	26.3	23.3	30.6	54
55	4	3	1	4.1	4.4	3.2	2	1	1	2.5	2.2	3.0	9	2	7	6.6	2.5	12.6	55
56	24	14	10	24.3	20.6	32.5	25	8	17	31.6	17.4	51.1	48	17	31	35.0	20.9	55.9	56
57	4	2	2	4.1	2.9	6.5	1	1	-	1.3	2.2	0	-	-	-	0	0	0	57
58	2	1	1	2.0	1.5	3.2	9	2	7	11.4	4.4	21.0	4	2	2	2.9	2.5	3.6	58
59	17	10	7	17.2	14.7	22.7	22	11	11	27.8	24.0	33.0	36	22	14	26.3	27.0	25.2	59
60	33	24	9	33.4	35.3	29.2	30	12	18	37.9	26.1	54.1	44	17	27	32.1	20.9	48.6	60
61	9	8	1	9.1	11.8	3.2	7	6	1	8.8	13.1	3.0	6	6	-	4.4	7.4	0	61
62	6	3	3	6.1	4.4	9.7	26	3	23	32.8	6.5	69.1	21	5	16	15.3	6.1	28.8	62
63	51	28	23	51.7	41.2	74.7	69	44	25	87.1	95.9	75.1	93	51	42	67.9	62.6	75.7	63

TABLE XIV-B VITAL STATISTICS,

ITEM	Albany						Americus					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	1,778	1,053	725	44.2	45.8	42.2	335	126	209	26.0	19.4	32.7
2 Delivered in hospital	1,426	1,046	380	80.2%	99.3%	52.4%	244	126	118	72.8%	100.0%	56.5%
3 Delivered in home by physician	260	2	258	14.6%	0.2%	35.6%	1	-	1	0.4%	0%	0.5%
4 Delivered in home by midwife	88	3	85	4.9%	0.3%	11.7%	90	-	90	26.9%	0%	43.1%
5 Other deliveries	4	2	2	0.2%	0.2%	0.3%	-	-	-	0%	0%	0%
6 Immature births	145	66	79	81.6	62.7	109.0	25	14	11	74.6	111.1	52.6
FETAL DEATHS												
7 Total	60	33	27	33.7	31.3	37.2	24	13	11	71.6	103.2	52.6
8 Under 20 weeks gestation	20	14	6	11.2	13.3	8.3	16	9	7	47.8	71.4	33.5
9 20-27 weeks gestation	13	6	7	7.3	5.7	9.7	2	1	1	6.0	7.9	4.8
28 weeks and more	20	9	11	11.2	8.5	15.2	6	3	3	17.9	23.8	14.4
Unknown length of gestation	7	4	3	3.9	3.8	4.1	-	-	-	0	0	0
DEATHS												
10 Total, all ages	399	181	218	992.5	787.0	1267.4	144	51	93	1116.3	784.6	1453.1
11 Under 1 year	50	18	32	28.1	17.1	44.1	10	2	8	29.8	15.9	38.3
12 Under 28 days	36	14	22	20.2	13.3	30.3	5	2	3	14.9	15.9	14.4
13 Deaths from immaturity	9	5	4	5.1	4.7	5.5	-	-	-	0	0	0
14 1-4 years **	12	2	10	-	-	-	3	-	3	-	-	-
15 Maternal deaths	1	-	1	5.6	0	13.8	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	4	2	2	10.0	8.7	11.6	2	1	1	15.5	15.4	15.6
17 Syphilis and its sequelae (020-029)	3	-	3	7.5	0	17.4	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	0	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	2	1	1	5.0	4.3	5.8	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	0	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	0	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	1	-	1	2.5	0	5.8	-	-	-	0	0	0
23 Whooping cough (056)	-	-	0	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	0	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	0	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	0	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	0	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	0	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	0	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	0	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	0	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	2	-	2	5.0	0	11.6	2	-	2	15.5	0	31.2
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	56	29	27	139.3	126.1	157.0	12	5	7	93.0	76.9	109.4
34 Benign and unspecified neoplasms (210-239)	-	-	0	0	0	0	1	1	1	7.8	0	15.6
35 Diabetes mellitus (260)	5	3	2	12.4	13.0	11.6	2	1	1	15.5	15.4	15.6
36 Pellagra (281)	1	1	0	2.5	0	5.8	-	-	-	0	0	0
37 Anemias (290-293)	1	1	-	2.5	4.3	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	54	17	37	134.3	73.9	215.1	29	3	26	224.8	46.2	406.2
39 Nonmeningococcal meningitis (340)	2	-	2	5.0	0	11.6	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	0	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	118	58	60	293.5	252.2	348.8	49	22	27	379.8	338.5	421.9
42 Hypertension without mention of heart (444-447)	5	1	4	12.4	4.3	23.3	3	1	2	23.3	15.4	31.2
43 Influenza and pneumonia (480-483, 490-493)	25	11	14	62.2	47.8	81.4	9	2	7	69.8	30.8	109.4
44 Bronchitis (500-502)	1	-	1	2.5	0	5.8	1	-	1	7.8	0	15.6
45 Ulcer of stomach and duodenum (540-541)	1	1	-	2.5	4.3	0	-	-	-	0	0	0
46 Appendicitis (550-553)	1	1	-	2.5	4.3	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	0	0	0	0	2	2	-	15.5	30.8	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	3	1	2	7.5	4.3	11.6	1	-	1	7.8	0	15.6
49 Cirrhosis of liver (581)	2	2	-	5.0	8.7	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	11	2	9	27.4	8.7	52.3	2	1	1	15.5	15.4	15.6
51 Hyperplasia of prostate (610)	3	-	3	7.5	0	17.4	1	1	-	7.8	15.4	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	2.5	0	5.8	-	-	-	0	0	0
53 Congenital malformations (750-759)	6	5	1	14.9	21.7	5.8	1	-	1	7.8	0	15.6
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	8	3	5	19.9	13.0	29.1	1	1	-	7.8	15.4	0
55 Infection of the newborn (763-768)	6	-	6	14.9	0	34.9	2	1	1	15.5	15.4	15.6
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	12	6	6	29.8	26.1	34.9	1	-	1	7.8	0	15.6
57 Senility, without mention of psychosis (794)	-	-	0	0	0	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	3	-	3	7.5	0	17.4	1	-	1	7.8	0	15.6
59 Motor vehicle accidents (E810-E835)	11	10	1	27.4	43.5	5.8	2	-	2	15.5	0	31.2
60 All other accidents (E800-E802, E840-E962)	10	3	7	24.9	13.0	40.7	6	4	2	46.5	61.5	31.2
61 Suicide (E963, E970-E979)	5	4	1	12.4	17.4	5.8	2	2	-	15.5	30.8	0
62 Homicide (E964, E980-E985)	7	3	4	17.4	13.0	23.3	4	1	3	31.0	15.4	46.9
63 All other diseases (residual)	29	17	12	72.1	73.9	69.8	8	3	5	62.0	46.4	78.1

BY CITIES WITH POPULATION OF 10,000-74,999, GEORGIA, 1957

	Athens						Brunswick						Cedartown						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	763	510	253	22.7	20.8	27.8	706	457	249	35.0	36.9	31.9	224	179	45	21.7	20.3	30.0	1
2	759	510	249	99.5%	100.0%	98.4%	596	450	146	84.4%	98.5%	58.6%	220	178	42	98.2%	99.4%	93.3%	2
3	-	-	3	0.4%	0%	1.2%	2	1	1	0.3%	0.2%	0.4%	-	-	-	0%	0%	0%	3
4	1	-	1	0.1%	0%	0.4%	108	6	102	15.3%	1.3%	41.0%	4	1	3	1.8%	0.6%	6.7%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	60	26	34	78.6	51.0	134.4	68	29	39	96.3	63.5	156.6	16	8	8	71.4	44.7	177.8	6
7	27	12	15	35.4	23.5	59.3	26	11	15	36.8	24.1	60.2	3	2	1	13.4	11.2	22.2	7
8	10	5	5	13.1	9.8	19.8	9	6	3	12.7	13.1	12.0	-	-	-	0	0	0	8
9	3	-	3	3.9	0	11.9	4	4	4	5.7	0	16.1	1	-	1	4.5	0	22.2	9
	14	7	7	18.3	13.7	27.7	13	5	8	18.4	10.9	32.1	1	1	-	4.5	5.6	0	
	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	4.5	5.6	0	
10	285	151	134	848.2	616.3	1472.5	217	115	102	1074.3	927.4	1307.7	91	72	19	883.5	818.2	1266.7	10
11	24	12	12	31.5	23.5	47.4	25	9	16	35.4	19.7	64.3	5	3	2	22.3	16.8	44.4	11
12	15	9	6	19.7	17.6	23.7	18	7	11	25.5	15.3	44.2	3	3	-	13.4	16.8	0	12
13	5	2	3	6.6	3.9	11.9	3	2	1	4.2	4.4	4.0	-	-	-	0	0	0	13
14	3	1	2	-	-	-	3	1	2	-	-	-	-	-	-	-	-	-	14
15	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	15
16	1	1	-	3.0	4.1	0	2	2	-	9.9	16.1	0	-	-	-	0	0	0	16
17	1	-	1	3.0	0	11.0	2	2	2	9.9	0	25.6	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	1	1	1	5.0	0	12.8	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	3	1	2	14.9	8.1	25.6	-	-	-	0	0	0	32
33	33	24	9	98.2	98.0	98.9	27	16	11	133.7	129.0	141.0	15	13	2	145.6	147.7	133.3	33
34	1	-	1	3.0	0	11.0	2	-	2	9.9	0	25.6	-	-	-	0	0	0	34
35	2	1	1	6.0	4.1	11.0	3	3	-	14.9	24.2	0	1	1	-	9.7	11.4	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	1	-	1	3.0	0	11.0	2	2	-	9.9	16.1	0	-	-	-	0	0	0	37
38	39	20	19	116.1	81.6	208.8	32	15	17	158.4	121.0	217.9	10	8	2	97.1	90.9	133.3	38
39	1	-	1	3.0	0	11.0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	80	53	27	238.1	216.3	296.7	61	39	22	302.0	314.5	282.1	42	31	11	407.8	352.3	733.3	41
42	9	2	7	26.8	8.2	76.9	2	1	1	9.9	8.1	12.8	1	1	-	9.7	11.4	0	42
43	22	3	19	65.5	12.2	208.8	19	9	10	94.1	72.6	128.2	2	1	1	19.4	11.4	66.7	43
44	2	2	-	6.0	8.2	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	4	3	1	11.9	12.2	11.0	1	-	1	5.0	0	12.8	1	1	-	9.7	11.4	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	3	2	1	8.9	8.2	11.0	1	-	1	5.0	0	12.8	-	-	-	0	0	0	47
48	2	-	2	6.0	0	22.0	7	-	7	34.7	0	89.7	-	-	-	0	0	0	48
49	3	2	1	8.9	8.2	11.0	1	-	1	5.0	0	12.8	-	-	-	0	0	0	49
50	19	3	16	56.5	12.2	175.8	5	4	1	24.8	32.3	12.8	1	1	-	9.7	11.4	0	50
51	2	1	1	6.0	4.1	11.0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	52
53	1	1	-	3.0	4.1	0	1	1	-	5.0	8.1	0	-	-	-	0	0	0	53
54	8	5	3	23.8	20.4	33.0	5	2	3	24.8	16.1	38.5	3	3	-	29.1	34.1	0	54
55	-	-	-	0	0	0	2	1	1	9.9	8.1	12.8	-	-	-	0	0	0	55
56	5	2	3	14.9	8.2	33.0	6	2	4	29.7	16.1	51.3	-	-	-	0	0	0	56
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
58	6	3	3	17.9	12.2	33.0	4	1	3	19.8	8.1	38.5	1	-	1	9.7	0	66.7	58
59	3	2	1	8.9	8.2	11.0	6	5	1	29.7	40.3	12.8	3	3	-	29.1	34.1	0	59
60	11	3	8	32.7	12.2	87.9	7	2	5	34.7	16.1	64.1	4	4	-	38.8	45.5	0	60
61	3	3	-	8.9	12.2	0	2	2	-	9.9	16.1	0	-	-	-	0	0	0	61
62	3	1	2	8.9	4.1	22.0	1	1	-	5.0	8.1	0	2	1	1	19.4	11.4	66.7	62
63	20	14	6	59.5	57.1	65.9	12	6	6	59.4	48.4	76.9	5	4	1	48.5	45.5	66.7	63

TABLE XIV-B VITAL STATISTICS,

ITEM	College Park						Cordale						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	686	513	173	35.9	33.1	48.1	274	101	173	25.8	18.0	34.6	1
2 Delivered in hospital	680	512	168	99.1%	99.8%	97.1%	152	98	54	55.5%	97.0%	31.2%	2
3 Delivered in home by physician	6	1	5	0.9%	0.2%	2.9%	2	-	2	0.7%	0%	1.2%	3
4 Delivered in home by midwife	-	-	-	0%	0%	0%	120	3	117	43.8%	3.0%	67.6%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	62	37	25	90.4	72.1	144.5	22	5	17	80.3	49.5	98.3	6
FETAL DEATHS													
7 Total	22	15	7	32.1	29.2	40.5	32	20	12	116.8	198.0	69.4	
8 Under 20 weeks gestation	7	4	3	10.2	7.8	17.3	16	11	5	58.4	108.9	28.9	7
9 20-27 weeks gestation	-	-	-	0	0	0	5	5	-	18.2	49.5	0	8
28 weeks and more	14	10	4	20.4	19.5	23.1	9	2	7	32.8	19.8	40.5	9
Unknown length of gestation	1	1	-	1.5	1.9	0	2	2	-	7.3	19.8	0	
DEATHS													
10 Total, all ages	132	101	31	691.1	651.6	861.1	118	57	61	1113.2	1017.9	1220.0	10
11 Under 1 year	12	6	6	17.5	11.7	34.7	13	7	6	47.4	69.3	34.7	11
12 Under 28 days	7	5	2	10.2	9.7	11.6	6	3	3	21.9	29.7	17.3	12
13 Deaths from immaturity	1	1	-	1.5	1.9	0	1	-	1	3.6	0	5.8	13
14 1-4 years **	1	-	1	-	-	-	2	2	-	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	1	-	1	9.4	0	20.0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	1	-	1	9.4	0	20.0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	1	-	1	9.4	0	20.0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	24	19	5	125.7	122.6	138.9	14	7	7	132.1	125.0	140.0	32
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	4	2	2	20.9	12.9	55.6	3	3	-	28.3	53.6	0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	20	18	2	104.7	116.1	55.6	13	3	10	122.6	53.6	200.0	38
39 Nonmeningococcal meningitis (340)	2	1	1	10.5	6.5	27.8	1	1	-	9.4	17.9	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	37	31	6	193.7	200.0	166.7	45	22	23	424.5	392.9	460.0	41
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	2	1	1	18.9	17.9	20.0	42
43 Influenza and pneumonia (480-483, 490-493)	6	3	3	31.4	19.4	83.3	3	-	3	28.3	0	60.0	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	1	-	1	9.4	0	20.0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	2	2	-	10.5	12.9	0	2	2	-	18.9	35.7	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	3	-	3	15.7	0	83.3	1	1	-	9.4	17.9	0	48
49 Cirrhosis of liver (581)	6	5	1	31.4	32.3	27.8	1	-	1	9.4	0	20.0	49
50 Nephritis and nephrosis (590-594)	-	-	-	0	0	0	1	-	1	9.4	0	20.0	50
51 Hyperplasia of prostate (610)	3	2	1	15.7	12.9	27.8	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	3	2	1	15.7	12.9	27.8	-	-	-	0	0	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	1	1	10.5	6.5	27.8	4	4	-	37.7	71.4	0	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	1	-	1	9.4	0	20.0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	1	-	5.2	6.5	0	1	-	1	9.4	0	20.0	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	1	1	-	9.4	17.9	0	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	1	1	-	9.4	17.9	0	58
59 Motor vehicle accidents (E810-E835)	6	6	-	31.4	38.7	0	3	2	1	28.3	35.7	20.0	59
60 All other accidents (E800-E802, E840-E962)	4	2	2	20.9	12.9	55.6	4	1	3	37.7	17.9	60.0	60
61 Suicide (E963, E970-E979)	1	1	-	5.2	6.5	0	3	3	-	28.3	53.6	0	61
62 Homicide (E964, E980-E985)	3	1	2	15.7	6.5	55.6	2	-	2	18.9	0	40.0	62
63 All other diseases (residual)	5	4	1	26.2	25.8	27.8	7	5	2	66.0	89.3	40.0	63

BY CITIES WITH POPULATION OF 10,000- 74,000, GEORGIA, 1957

	Dalton						Decatur						Dublin						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	510	458	52	26.6	25.7	37.1	944	849	95	37.2	39.7	23.8	346	194	152	28.8	26.9	31.7	1
2	486	446	40	95.3%	97.4%	76.9%	930	843	87	98.5%	99.3%	91.6%	291	194	97	84.1%	100.0%	63.8%	2
3	15	3	12	2.9%	0.7%	23.1%	14	6	8	1.5%	0.7%	8.4%	5	-	5	1.4%	0%	3.3%	3
4	9	9	-	1.8%	2.0%	0%	-	-	-	0%	0%	0%	50	-	50	14.4%	0%	32.9%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	42	38	4	82.4	83.0	76.9	53	41	12	56.1	48.3	126.3	27	8	19	78.0	41.2	125.0	6
7	11	8	3	21.6	17.5	57.7	57	50	7	60.4	58.9	73.7	6	4	2	17.3	20.6	13.2	
8	5	4	1	9.8	8.7	19.2	30	28	2	31.8	33.0	21.1	-	-	-	0	0	0	7
9	1	1	-	2.0	2.2	0	7	7	1	7.4	8.2	0	-	-	-	0	0	0	8
	5	3	2	9.8	6.6	38.5	20	15	5	21.2	17.7	52.6	6	4	2	17.3	20.6	13.2	9
	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	
10	154	139	15	802.1	780.9	1071.4	352	317	35	1385.8	1481.3	875.0	142	74	68	1183.3	1027.8	1416.7	10
11	12	10	2	23.5	21.8	38.5	32	27	5	33.9	31.8	52.6	12	2	10	34.7	10.3	65.8	11
12	9	8	1	17.6	17.5	19.2	27	23	4	28.6	27.1	42.1	9	2	7	26.0	10.3	46.1	12
13	-	-	-	0	0	0	6	6	-	6.4	7.1	0	2	2	2	5.8	0	13.2	13
14	5	4	1	-	-	-	7	7	-	-	-	-	4	1	3	-	-	-	14
15	-	-	-	0	0	0	1	-	1	10.6	0	105.3	1	1	-	28.9	51.5	0	15
16	3	2	1	15.6	11.2	71.4	2	2	-	7.9	9.3	0	2	1	1	16.7	13.9	20.8	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	1	1	-	3.9	4.7	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	8.3	13.9	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	1	-	5.2	5.6	0	-	-	-	0	0	0	-	-	-	0	0	0	32
33	24	24	-	125.0	134.8	0	64	56	8	252.0	261.7	200.0	11	7	4	91.7	97.2	83.3	33
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	3	3	-	15.6	16.9	0	5	5	-	19.7	23.4	0	2	2	-	16.7	27.8	0	35
36	1	1	-	5.2	5.6	0	-	-	-	0	0	0	1	1	-	8.3	13.9	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	27	25	2	140.6	140.4	142.9	43	39	4	169.3	182.2	100.0	25	9	16	208.3	125.0	333.3	38
39	-	-	-	0	0	0	2	1	1	7.9	4.7	25.0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	51	46	5	265.6	258.4	357.1	107	100	7	421.3	467.3	175.0	52	31	21	433.3	430.5	437.5	41
42	1	1	-	5.2	5.6	0	2	2	-	7.9	9.3	0	-	-	-	0	0	0	42
43	3	2	1	15.6	11.2	71.4	8	5	3	31.5	23.4	75.0	6	2	4	50.0	27.8	83.3	43
44	-	-	-	0	0	0	2	2	-	7.9	9.3	0	-	-	-	0	0	0	44
45	1	1	-	5.2	5.6	0	3	3	-	11.8	14.0	0	1	1	-	8.3	13.9	0	45
46	-	-	-	0	0	0	1	1	-	3.9	4.7	0	-	-	-	0	0	0	46
47	3	3	-	15.6	16.9	0	-	-	-	0	0	0	-	-	-	0	0	0	47
48	1	-	1	5.2	0	71.4	-	-	-	0	0	0	-	-	-	0	0	0	48
49	1	1	-	5.2	5.6	0	5	5	-	19.7	23.4	0	-	-	-	0	0	0	49
50	2	2	-	10.4	11.2	0	4	3	1	15.7	14.0	25.0	4	-	4	33.3	0	83.3	50
51	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	-	-	-	0	0	0	1	-	1	3.9	0	25.0	1	1	-	8.3	13.9	0	52
53	3	3	-	15.6	16.9	0	11	8	3	43.3	37.4	75.0	2	1	1	16.7	13.9	20.8	53
54	6	5	1	31.2	28.1	71.4	15	12	3	59.1	56.1	75.0	5	2	3	41.7	27.8	62.5	54
55	1	1	-	5.2	5.6	0	-	-	-	0	0	0	1	-	1	8.3	0	20.8	55
56	1	1	-	5.2	5.6	0	8	8	-	31.5	37.4	0	2	-	2	16.7	0	41.7	56
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
58	-	-	-	0	0	0	-	-	-	0	0	0	2	2	-	16.7	27.8	0	58
59	5	5	-	26.0	28.1	0	15	14	1	59.1	65.4	25.0	4	2	2	33.3	27.8	41.7	59
60	5	3	2	26.0	16.9	142.9	11	10	1	43.3	46.7	25.0	6	2	4	50.0	27.8	83.3	60
61	2	2	-	10.4	11.2	0	3	3	-	11.8	14.0	0	2	2	-	16.7	27.8	0	61
62	1	-	1	5.2	0	71.4	2	2	-	7.9	9.3	0	2	1	1	16.7	13.9	20.8	62
63	8	7	1	41.7	39.3	71.4	37	35	2	145.7	163.6	50.0	10	6	4	83.3	83.3	83.3	63

TABLE XIV-B VITAL STATISTICS,

ITEM	East Point						Gainesville						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	920	753	167	33.6	31.6	46.4	422	335	87	30.4	32.5	24.2	1
2 Delivered in hospital	912	753	159	99.1%	100.0%	95.2%	416	334	82	98.6%	99.7%	94.3%	2
3 Delivered in home by physician	8	-	8	0.9%	0%	4.8%	5	1	4	1.2%	0.3%	4.6%	3
4 Delivered in home by midwife	-	-	-	0%	0%	0%	1	-	1	0.2%	0%	1.1%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	76	50	26	82.6	66.4	155.7	29	15	14	68.7	44.8	160.9	6
FETAL DEATHS													
7 Total	41	27	14	44.6	35.9	83.8	8	5	3	19.0	14.9	34.5	
8 Under 20 weeks gestation	25	16	9	27.2	21.2	53.9	2	2	-	4.7	6.0	0	7
9 20-27 weeks gestation	3	2	1	3.3	2.7	6.0	4	3	1	9.5	9.0	11.5	8
28 weeks and more	13	9	4	14.1	12.0	24.0	2	-	2	4.7	0	23.0	9
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0	
DEATHS													
10 Total, all ages	186	156	30	678.8	655.5	833.3	126	93	33	906.5	902.9	916.7	10
11 Under 1 year	20	16	4	21.7	21.2	24.0	9	4	5	21.3	11.9	57.5	11
12 Under 28 days	17	14	3	18.5	18.6	18.0	4	3	1	9.5	9.0	11.5	12
13 Deaths from immaturity	5	4	1	5.4	5.3	6.0	1	1	-	2.4	3.0	0	13
14 1-4 years **	2	1	1	-	-	-	3	2	1	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	1	1	-	3.6	4.2	0	1	1	-	7.2	9.7	0	16
17 Syphilis and its sequelae (020-029)	1	-	1	3.6	0	27.8	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	24	19	5	87.6	79.8	138.9	15	13	2	107.9	126.2	55.6	32
34 Benign and unspecified neoplasms (210-239)	1	1	-	3.6	4.2	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	1	-	1	3.6	0	27.8	1	1	-	7.2	9.7	0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	27	24	3	98.5	100.8	83.3	12	8	4	86.3	77.7	111.1	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	61	54	7	222.6	226.9	194.4	58	41	17	417.3	398.1	472.2	41
42 Hypertension without mention of heart (444-447)	2	2	-	7.3	8.4	0	-	-	-	0	0	0	42
43 Influenza and pneumonia (480-483, 490-493)	13	8	5	47.4	33.6	138.9	6	2	4	43.2	19.4	111.1	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	1	1	-	3.6	4.2	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	1	-	3.6	4.2	0	2	2	-	14.4	19.4	0	48
49 Cirrhosis of liver (581)	2	2	-	7.3	8.4	0	1	1	-	7.2	9.7	0	49
50 Nephritis and nephrosis (590-594)	2	2	-	7.3	8.4	0	1	1	-	7.2	9.7	0	50
51 Hyperplasia of prostate (610)	2	1	1	7.3	4.2	27.8	1	1	-	7.2	9.7	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	2	2	-	7.3	8.4	0	3	1	2	21.6	9.7	55.6	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	9	7	2	32.8	29.4	55.6	2	1	1	14.4	9.7	27.8	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	5	4	1	18.2	16.8	27.8	1	1	-	7.2	9.7	0	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	1	1	-	3.6	4.2	0	-	-	-	0	0	0	58
59 Motor vehicle accidents (E810-E835)	3	3	-	10.9	12.6	0	6	6	-	43.2	58.3	0	59
60 All other accidents (E800-E802, E840-E962)	8	7	1	29.2	29.4	27.8	3	2	1	21.6	19.4	27.8	60
61 Suicide (E963, E970-E979)	1	1	-	3.6	4.2	0	-	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	1	-	1	3.6	0	27.8	-	-	-	0	0	0	62
63 All other diseases (residual)	17	15	2	62.0	63.0	55.6	11	10	1	79.1	97.1	27.8	63

BY CITIES WITH POPULATION OF 10,000-74,999, GEORGIA, 1957

	Griffin						Hapeville						LaGrange						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	570	340	230	26.5	24.1	31.1	261	250	11	23.9	23.1	110.0	597	349	248	21.2	17.8	28.8	1
2	470	339	131	82.5%	99.7%	57.0%	259	249	10	99.2%	99.6%	90.9%	505	343	162	84.6%	98.3%	65.3%	2
3	9	1	8	1.6%	0.3%	3.5%	2	1	1	0.8%	0.4%	9.1%	6	3	3	1.0%	0.9%	1.2%	3
4	90	-	90	15.8%	0%	39.1%	-	-	-	0%	0%	0%	84	3	81	14.1%	0.9%	32.7%	4
5	1	-	1	0.2%	0%	0.4%	-	-	-	0%	0%	0%	2	-	2	0.3%	0%	0.8%	5
6	57	25	32	100.0	73.5	139.1	14	13	1	53.6	52.0	90.9	47	23	24	78.7	65.9	96.8	6
7	10	3	7	17.5	8.8	30.4	9	7	2	34.5	28.0	181.8	56	31	25	93.8	88.8	100.0	7
8	3	1	2	5.3	2.9	8.7	6	5	1	23.0	20.0	90.9	41	23	18	65.7	65.9	72.6	8
9	3	1	2	5.3	2.9	8.7	-	-	-	0	0	0	5	5	6	6.4	14.3	0	9
	4	1	3	7.0	2.9	13.0	3	2	1	11.5	8.0	90.9	7	1	6	11.7	2.9	24.2	
	-	-	-	0	0	0	-	-	-	0	0	0	3	2	1	5.0	5.7	4.0	
10	223	144	79	1037.2	1021.3	1067.6	84	74	10	770.6	684.2	10000.0	255	159	96	904.3	811.2	1116.3	10
11	23	9	14	40.4	26.5	60.9	6	5	1	23.0	20.0	90.9	20	7	13	33.5	20.1	52.4	11
12	18	9	9	31.6	26.5	39.1	4	4	-	15.3	16.0	0	16	6	10	26.8	17.2	40.3	12
13	2	1	1	3.5	2.9	4.3	1	1	-	3.8	4.0	0	4	1	3	6.7	2.9	12.1	13
14	4	1	3	-	-	-	1	1	1	-	-	-	4	1	3	-	-	-	14
15	1	1	-	17.5	29.4	0	-	-	-	0	0	0	-	-	-	0	0	0	15
16	4	4	-	18.6	28.4	0	-	-	-	0	0	0	2	-	2	7.1	0	23.3	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	3.5	5.1	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	1	-	1	4.7	0	13.5	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
33	31	25	6	144.2	177.3	81.1	18	14	4	165.1	129.6	4000.0	31	22	9	109.9	112.2	104.7	33
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	4	3	1	18.6	21.3	13.5	1	1	-	9.2	9.3	0	1	1	-	3.5	5.1	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	3.5	5.1	0	36
37	2	1	1	9.3	7.1	13.5	1	-	1	9.2	0	1000.0	-	-	-	0	0	0	37
38	44	23	21	204.7	163.1	283.8	16	13	3	146.8	120.4	3000.0	63	39	24	223.4	199.0	279.1	38
39	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	3.5	0	11.6	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	63	44	19	293.0	312.1	256.8	27	26	1	247.7	240.7	1000.0	77	50	27	273.0	255.1	314.0	41
42	1	-	1	4.7	0	13.5	2	2	-	18.3	18.5	0	2	2	-	7.1	0	23.3	42
43	11	5	6	51.2	35.5	81.1	2	1	1	18.3	9.3	1000.0	16	9	7	56.7	45.9	81.4	43
44	1	1	-	4.7	7.1	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	4	2	2	18.6	14.2	27.0	-	-	-	0	0	0	1	1	-	3.5	5.1	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	47
48	4	2	2	18.6	14.2	27.0	-	-	-	0	0	0	1	-	1	3.5	0	11.6	48
49	2	2	-	9.3	14.2	0	-	-	-	0	0	0	-	-	-	0	0	0	49
50	4	2	2	18.6	14.2	27.0	-	-	-	0	0	0	3	3	-	10.6	15.3	0	50
51	-	-	-	0	0	0	1	1	-	9.2	9.3	0	1	1	-	3.5	5.1	0	51
52	1	1	-	4.7	7.1	0	-	-	-	0	0	0	-	-	-	0	0	0	52
53	5	4	1	23.3	28.4	13.5	1	1	-	9.2	9.3	0	3	2	1	10.6	10.2	11.6	53
54	9	4	5	41.9	28.4	67.5	3	3	-	27.5	27.8	0	6	2	4	21.3	10.2	46.5	54
55	1	-	1	4.7	0	13.5	1	1	-	9.2	9.3	0	1	1	-	3.5	5.1	0	55
56	2	1	1	9.3	7.1	13.5	1	1	-	9.2	9.3	0	6	1	5	21.3	5.1	58.1	56
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
58	1	-	1	4.7	0	13.5	-	-	-	0	0	0	3	2	1	10.6	10.2	11.6	58
59	2	2	-	9.3	14.2	0	2	2	-	18.3	18.5	0	6	6	-	21.3	30.6	0	59
60	7	5	2	32.6	35.5	27.0	1	1	-	9.2	9.3	0	6	5	1	21.3	25.5	11.6	60
61	1	1	-	4.7	7.1	0	-	-	-	0	0	0	1	1	-	3.5	5.1	0	61
62	2	1	1	9.3	7.1	13.5	-	-	-	0	0	0	2	-	2	7.1	0	23.3	62
63	16	11	5	74.4	78.0	67.5	7	7	-	64.2	64.8	0	20	11	9	70.9	56.1	104.7	63

TABLE XIV-B VITAL STATISTICS,

ITEM	Marietta						Milledgeville						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	1,051	928	123	34.3	35.6	27.3	257	118	139	25.0	21.1	29.6	1
2 Delivered in hospital	1,047	928	119	99.6%	100.0%	96.7%	174	117	57	67.7%	99.2%	41.0%	2
3 Delivered in home by physician	2	-	2	0.2%	0%	1.6%	11	-	11	4.3%	0%	7.9%	3
4 Delivered in home by midwife	2	-	2	0.2%	0%	1.6%	72	1	71	28.0%	0.8%	51.1%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	76	62	14	72.3	66.8	113.8	19	6	13	73.9	50.8	93.5	6
FETAL DEATHS													
7 Total	23	14	9	21.9	15.1	73.2	10	2	8	38.9	16.9	57.6	
8 Under 20 weeks gestation	4	2	2	3.8	2.2	16.3	5	1	4	19.5	8.5	28.8	7
9 20-27 weeks gestation	6	3	3	5.7	3.2	24.4	2	-	2	7.8	0	14.4	8
28 weeks and more	11	7	4	10.5	7.5	32.5	3	1	2	11.7	8.5	14.4	9
Unknown length of gestation	2	2	-	1.9	2.2	0	-	-	-	0	0	0	
DEATHS													
10 Total, all ages	182	144	38	594.8	551.7	844.4	93	53	40	902.9	946.4	851.1	10
11 Under 1 year	14	13	1	13.3	14.0	8.1	10	5	5	38.9	42.4	36.0	11
12 Under 28 days	12	11	1	11.4	11.9	8.1	6	3	3	23.3	25.4	21.6	12
13 Deaths from immaturity	2	2	-	1.9	2.2	0	1	-	1	3.9	0	7.2	13
14 1-4 years **	1	1	-	-	-	-	3	3	-	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	1	1	-	3.3	3.8	0	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	1	1	-	9.7	17.9	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	22	20	2	71.9	76.6	44.4	10	6	4	97.1	107.1	85.1	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	4	3	1	13.1	11.5	22.2	1	-	1	9.7	0	21.3	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	24	17	7	78.4	65.1	155.6	17	7	10	165.0	125.0	212.8	38
39 Nonmeningococcal meningitis (340)	1	1	-	3.3	3.8	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	67	53	14	219.0	203.1	311.1	29	20	9	281.6	357.1	191.5	41
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	-	-	-	0	0	0	42
43 Influenza and pneumonia (480-483, 490-493)	5	4	1	16.3	15.3	22.2	5	2	3	48.5	35.7	63.8	43
44 Bronchitis (500-502)	-	-	-	0	0	0	1	-	1	9.7	0	21.3	44
45 Ulcer of stomach and duodenum (540-541)	3	2	1	9.8	7.7	22.2	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	1	-	1	3.3	0	22.2	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	2	2	-	19.4	35.7	0	48
49 Cirrhosis of liver (581)	1	1	-	3.3	3.8	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	-	-	-	0	0	0	3	-	3	29.1	0	63.8	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	2	2	-	6.5	7.7	0	3	3	-	29.1	53.6	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	6	5	1	19.6	19.2	22.2	3	2	1	29.1	35.7	21.3	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	1	-	1	9.7	0	21.3	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	4	4	-	13.1	15.3	0	1	-	1	9.7	0	21.3	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	2	-	2	6.5	0	44.4	-	-	-	0	0	0	58
59 Motor vehicle accidents (E810-E835)	8	8	-	26.1	30.7	0	1	1	-	9.7	17.9	0	59
60 All other accidents (E800-E802, E840-E962)	8	7	1	26.1	26.8	22.2	1	1	-	9.7	17.9	0	60
61 Suicide (E963, E970-E979)	1	1	-	3.3	3.8	0	1	1	-	9.7	17.9	0	61
62 Homicide (E964, E980-E985)	6	2	4	19.6	7.7	88.9	2	2	2	19.4	0	42.6	62
63 All other diseases (residual)	16	13	3	52.3	49.8	66.7	11	7	4	106.8	125.0	85.1	63

BY CITIES WITH POPULATION OF 10,000 - 74,999, GEORGIA, 1957

	Moultrie						Rome						Thomaston ***						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	430	255	175	31.9	29.0	37.2	932	695	237	28.1	26.4	34.3	240	180	60	21.8	21.2	24.0	1
2	343	254	89	79.8%	99.6%	50.9%	903	694	209	96.9%	99.9%	88.2%	220	179	41	91.7%	99.4%	68.3%	2
3	5	1	-	1.2%	0.4%	2.3%	2	-	2	0.2%	0%	0.8%	4	1	3	1.7%	0.6%	5.0%	3
4	82	-	82	19.1%	0%	46.9%	26	-	26	2.8%	0%	11.0%	16	-	16	6.7%	0%	26.7%	4
5	-	-	-	0%	0%	0%	1	1	-	0.1%	0.1%	0%	-	-	-	0%	0%	0%	5
6	35	12	23	81.4	47.1	131.4	85	47	38	91.2	67.6	160.3	36	18	18	150.0	100.0	300.0	6
7	14	7	7	32.6	27.4	40.0	15	9	6	16.1	12.9	25.3	12	5	7	50.0	28.8	116.7	7
8	6	3	3	14.0	11.8	17.1	2	-	2	2.1	0	8.4	-	-	-	0	0	0	8
9	2	1	1	4.7	3.9	5.7	1	-	1	1.1	0	4.2	3	2	1	12.5	11.1	16.7	9
	6	3	3	14.0	11.8	17.1	10	8	2	10.7	11.5	8.4	7	2	5	29.2	11.1	83.3	
	-	-	-	0	0	0	2	1	1	2.1	1.4	4.2	2	1	1	8.3	5.6	16.7	
10	131	73	58	970.4	829.5	1234.0	307	224	83	924.7	851.7	1202.9	106	74	32	963.6	870.6	1280.0	10
11	12	3	9	27.9	11.8	51.4	23	16	7	24.7	23.0	29.5	9	4	5	37.5	22.2	83.3	11
12	4	-	4	9.3	0	22.9	15	12	3	16.1	17.3	12.7	7	4	3	29.2	22.2	50.0	12
13	1	-	1	2.3	0	5.7	2	1	1	2.1	1.4	4.2	4	2	2	16.7	11.1	33.3	13
14	-	-	-	-	-	-	5	4	1	-	-	-	1	-	1	-	-	-	14
15	2	-	2	46.5	0	114.3	1	1	-	10.7	14.4	0	1	-	1	41.7	0	166.7	15
16	1	-	1	7.4	0	21.3	4	3	1	12.0	11.4	14.5	2	1	1	18.2	11.8	40.0	16
17	-	-	-	0	0	0	1	-	1	3.0	0	14.5	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	9.1	0	40.0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
33	11	7	4	81.5	79.5	85.1	47	35	12	141.6	133.1	173.9	17	16	1	154.5	188.2	40.0	33
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	2	1	1	14.8	11.4	21.3	3	1	2	9.0	3.8	29.0	2	1	1	18.2	11.8	40.0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	2	-	2	14.8	0	42.6	-	-	-	0	0	0	1	1	-	9.1	11.8	0	37
38	29	15	14	214.8	170.5	297.9	44	29	15	132.5	110.3	217.4	12	9	3	109.1	105.9	120.0	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	4	-	-	0	0	0	40
41	38	30	8	281.5	340.9	170.2	108	86	22	325.3	327.0	318.8	34	26	8	309.1	305.9	320.0	41
42	2	1	1	14.8	11.4	21.3	2	2	-	6.0	7.6	0	-	-	-	0	0	0	42
43	5	2	3	37.0	22.7	63.8	9	6	3	27.1	22.8	43.5	4	1	3	36.4	11.8	120.0	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	1	1	-	7.4	11.4	0	-	-	-	0	0	0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	1	1	-	3.0	3.8	0	1	1	-	9.1	11.8	0	47
48	1	-	1	7.4	0	21.3	2	2	-	6.0	7.6	0	3	-	3	27.3	0	120.0	48
49	1	1	-	7.4	11.4	0	3	3	-	9.0	11.4	0	-	-	-	0	0	0	49
50	1	1	-	7.4	11.4	0	4	2	2	12.0	7.6	29.0	4	2	2	36.4	23.5	80.0	50
51	-	-	-	0	0	0	6	4	2	18.1	15.2	29.0	2	2	-	18.2	23.5	0	51
52	2	-	2	14.8	0	42.6	1	1	-	3.0	3.8	0	1	-	1	9.1	0	40.0	52
53	-	-	-	0	0	0	9	5	4	27.1	19.0	58.0	-	-	-	0	0	0	53
54	3	1	2	22.2	11.4	42.6	10	8	2	30.1	30.4	29.0	3	2	1	27.3	23.5	40.0	54
55	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	55
56	2	-	2	14.8	0	42.6	5	4	1	15.1	15.2	14.5	4	2	2	36.4	23.5	80.0	56
57	1	-	1	7.4	0	21.3	2	1	1	6.0	3.8	14.5	1	-	1	9.1	0	40.0	57
58	2	1	1	14.8	11.4	21.3	1	1	-	3.0	3.8	0	-	-	-	0	0	0	58
59	3	2	1	22.2	22.7	21.3	8	7	1	24.1	26.6	14.5	1	1	-	9.1	11.8	0	59
60	5	4	1	37.0	45.5	21.3	7	6	1	21.1	22.8	14.5	3	1	2	27.3	11.8	80.0	60
61	2	2	-	14.8	22.7	0	3	3	-	9.0	11.4	0	1	1	-	9.1	11.8	0	61
62	1	-	1	7.4	0	21.3	6	1	5	18.1	3.8	72.5	1	-	1	9.1	0	40.0	62
63	16	4	12	118.5	45.5	255.3	21	13	8	63.3	49.4	115.9	8	7	1	72.7	82.4	40.0	63

TABLE XIV-B VITAL STATISTICS,

ITEM	Thomasville						Valdosta						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	489	259	230	29.8	28.8	31.1	1,047	589	358	38.2	45.0	29.6	1
2 Delivered in hospital	353	254	99	72.2%	98.1%	43.0%	822	689	142	78.5%	98.7%	39.7%	2
3 Delivered in home by physician	8	5	3	1.6%	1.9%	1.3%	7	5	2	0.7%	0.7%	0.6%	3
4 Delivered in home by midwife	109	-	109	22.3%	0%	47.4%	218	4	214	20.8%	0.6%	59.8%	4
5 Other deliveries	19	-	19	3.9%	0%	8.3%	-	-	-	0%	0%	0%	5
6 Immature births	44	23	21	90.0	88.8	91.3	81	40	41	77.4	58.1	114.5	6
FETAL DEATHS													
7 Total	14	7	7	28.6	27.0	30.4	33	20	13	31.5	29.0	36.3	
8 Under 20 weeks gestation	1	1	-	2.0	3.9	0	17	16	1	16.2	23.2	2.8	7
9 20-27 weeks gestation	2	-	2	4.1	0	8.7	6	2	4	5.7	2.9	11.2	8
28 weeks and more	8	5	3	16.4	19.3	13.0	9	2	7	8.6	2.9	19.6	9
Unknown length of gestation	3	1	2	6.1	3.9	8.7	1	-	1	1.0	0	2.8	
DEATHS													
10 Total, all ages	188	100	88	1146.3	1111.1	1189.2	253	143	110	923.4	934.6	909.1	10
11 Under 1 year	10	6	4	20.4	23.2	17.4	20	10	10	19.1	14.5	27.9	11
12 Under 28 days	6	4	2	12.3	15.4	8.7	14	9	5	13.4	13.1	14.0	12
13 Deaths from immaturity	2	-	2	4.1	0	8.7	3	3	-	2.9	4.4	0	13
14 1-4 years	2	-	2	-	-	-	4	1	3	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	1	-	1	3.6	0	8.3	16
17 Syphilis and its sequelae (020-029)	1	1	-	6.1	11.1	0	2	2	-	7.3	13.1	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	1	-	1	3.6	0	8.3	23
24 Meningococcal infections (057)	-	-	-	0	0	0	1	1	-	3.6	6.5	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	1	-	1	3.6	0	8.3	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	22	16	6	134.1	177.8	81.1	24	12	12	87.6	78.4	99.2	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	2	-	2	12.2	0	27.0	4	2	2	14.6	13.1	16.5	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	46	18	28	280.5	200.0	378.4	50	22	28	182.5	143.8	231.4	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	1	1	-	3.6	6.5	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	52	32	20	317.1	355.6	270.3	65	46	19	237.2	300.7	157.0	41
42 Hypertension without mention of heart (444-447)	2	1	1	12.2	11.1	13.5	6	2	4	21.9	13.1	33.1	42
43 Influenza and pneumonia (480-483, 490-493)	10	-	10	61.0	0	135.1	12	6	6	43.8	39.2	49.6	43
44 Bronchitis (500-502)	-	-	-	0	0	0	1	1	-	3.6	6.5	0	44
45 Ulcer of stomach and duodenum (540-541)	1	1	-	6.1	11.1	0	1	-	1	3.6	0	8.3	45
46 Appendicitis (550-553)	-	-	-	0	0	0	1	-	1	3.6	0	8.3	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	1	-	1	3.6	0	8.3	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	-	2	12.2	0	27.0	1	-	1	3.6	0	8.3	48
49 Cirrhosis of liver (581)	1	1	-	6.1	11.1	0	1	1	-	3.6	6.5	0	49
50 Nephritis and nephrosis (590-594)	4	2	2	24.4	22.2	27.0	5	3	2	18.2	19.6	16.5	50
51 Hyperplasia of prostate (610)	2	-	2	12.2	0	27.0	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	2	1	1	12.2	11.1	13.5	2	1	1	7.3	6.5	8.3	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	2	-	12.2	22.2	0	8	4	4	29.2	26.1	33.1	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	4	2	2	24.4	22.2	27.0	5	4	1	18.2	26.1	8.3	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	1	-	1	3.6	0	8.3	57
58 Ill-defined and unknown causes (780-793, 795)	2	-	2	12.2	0	27.0	2	-	2	7.3	0	16.5	58
59 Motor vehicle accidents (E810-E835)	6	5	1	36.6	55.6	13.5	9	5	4	32.8	32.7	33.1	59
60 All other accidents (E800-E802, E840-E962)	14	9	5	85.4	100.0	67.6	17	11	6	62.0	71.9	49.6	60
61 Suicide (E963, E970-E979)	2	2	-	12.2	22.2	0	4	3	1	14.6	19.6	8.3	61
62 Homicide (E964, E980-E985)	1	-	1	6.1	0	13.5	1	-	1	3.6	0	8.3	62
63 All other diseases (residual)	10	7	3	61.0	77.8	40.5	25	16	9	91.2	104.6	74.4	63

BY CITIES WITH POPULATION OF 10,000- 74,999, GEORGIA, 1957

	Warner Robins						Waycross					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1	587	560	27	53.9	54.4	45.0	638	427	211	28.6	29.4	27.1
2	576	560	16	98.1%	100.0%	59.3%	506	404	102	79.3%	94.6%	48.3%
3	-	-	-	0%	0%	0%	81	21	60	12.7%	4.9%	28.4%
4	11	-	11	1.9%	0%	40.7%	50	2	48	7.8%	0.5%	22.7%
5	-	-	-	0%	0%	0%	1	-	1	0.2%	0%	0.5%
6	46	45	1	78.4	80.4	37.0	40	18	22	62.7	42.2	104.3
7	14	12	2	23.8	21.4	74.1	52	31	21	81.5	72.6	99.5
8	3	3	-	5.1	5.4	0	35	24	11	54.9	56.2	52.1
9	4	3	1	6.8	5.4	37.0	2	2	-	3.1	4.7	0
	7	6	1	11.9	10.7	37.0	12	3	9	18.8	7.0	42.7
	-	-	-	0	0	0	3	2	1	4.7	4.7	4.7
10	66	63	3	605.5	611.6	500.0	216	132	84	968.6	910.3	1076.9
11	14	14	-	23.8	25.0	0	15	8	7	23.5	18.7	33.2
12	9	9	-	15.3	16.1	0	13	8	5	20.4	18.7	23.7
13	3	3	-	5.1	5.4	0	-	-	-	0	0	0
14	2	2	-	-	-	-	4	3	1	-	-	-
15	-	-	-	0	0	0	1	1	-	15.7	23.4	0
16	1	1	-	9.2	9.7	0	1	1	-	4.5	6.9	0
17	-	-	-	0	0	0	-	-	-	0	0	0
18	-	-	-	0	0	0	-	-	-	0	0	0
19	-	-	-	0	0	0	-	-	-	0	0	0
20	-	-	-	0	0	0	-	-	-	0	0	0
21	-	-	-	0	0	0	-	-	-	0	0	0
22	-	-	-	0	0	0	-	-	-	0	0	0
23	-	-	-	0	0	0	-	-	-	0	0	0
24	-	-	-	0	0	0	-	-	-	0	0	0
25	-	-	-	0	0	0	-	-	-	0	0	0
26	-	-	-	0	0	0	-	-	-	0	0	0
27	-	-	-	0	0	0	-	-	-	0	0	0
28	-	-	-	0	0	0	-	-	-	0	0	0
29	-	-	-	0	0	0	-	-	-	0	0	0
30	-	-	-	0	0	0	-	-	-	0	0	0
31	-	-	-	0	0	0	-	-	-	0	0	0
32	-	-	-	0	0	0	1	-	1	4.5	0	12.8
33	10	10	-	91.7	97.1	0	28	14	14	125.6	96.6	179.5
34	-	-	-	0	0	0	1	1	-	4.5	6.9	0
35	-	-	-	0	0	0	1	-	1	4.5	0	12.8
36	-	-	-	0	0	0	-	-	-	0	0	0
37	-	-	-	0	0	0	-	-	-	0	0	0
38	9	7	2	82.6	68.0	333.3	37	21	16	165.9	144.8	205.1
39	-	-	-	0	0	0	1	1	-	4.5	6.9	0
40	-	-	-	0	0	0	-	-	-	0	0	0
41	17	16	1	156.0	155.3	166.7	68	46	22	304.9	317.2	282.1
42	-	-	-	0	0	0	4	2	2	17.9	13.8	25.6
43	-	-	-	0	0	0	4	1	3	17.9	6.9	38.5
44	1	1	-	9.2	9.7	0	-	-	-	0	0	0
45	-	-	-	0	0	0	1	1	-	4.5	6.9	0
46	-	-	-	0	0	0	-	-	-	0	0	0
47	-	-	-	0	0	0	1	-	1	4.5	0	12.8
48	-	-	-	0	0	0	2	1	1	9.0	6.9	12.8
49	-	-	-	0	0	0	1	1	-	4.5	6.9	0
50	-	-	-	0	0	0	4	1	3	17.9	6.9	38.5
51	-	-	-	0	0	0	2	2	-	9.0	13.8	0
52	-	-	-	0	0	0	1	1	-	4.5	6.9	0
53	3	3	-	27.5	29.1	0	3	3	-	13.5	20.7	0
54	4	4	-	36.7	38.8	0	9	6	3	40.4	41.4	38.5
55	-	-	-	0	0	0	1	-	1	4.5	0	12.8
56	3	3	-	27.5	29.1	0	1	1	-	4.5	6.9	0
57	-	-	-	0	0	0	1	1	-	4.5	6.9	0
58	-	-	-	0	0	0	3	1	2	13.5	6.9	25.6
59	5	5	-	45.9	48.5	0	6	4	2	26.9	27.6	25.6
60	7	7	-	64.2	68.0	0	13	6	7	58.3	41.4	89.7
61	1	1	-	9.2	9.7	0	2	2	-	9.0	13.8	0
62	-	-	-	0	0	0	1	1	-	4.5	6.9	0
63	5	5	-	45.9	48.5	0	18	13	5	80.7	89.7	64.1

* Rates and ratios: live births are per 1,000 estimated population; immature births, stillbirths, infant deaths, neonatal deaths and deaths from immaturity are per 1,000 live births; maternal deaths are per 10,000 live births; deaths all ages and deaths by cause of death are per 100,000 estimated population.

** No rate can be computed on deaths in 1 - 4 years age group by county or city because 1957 estimated population is not available for that age group.

*** These figures include events occurring in Silvertown.

TABLE XV - LIVE BIRTHS TO UNWED MOTHERS, NUMBER AND RATE PER 1,000 LIVE BIRTHS, BY RACE, GEORGIA, 1957

County	Number			Rate		
	Total	White	Nonwhite	Total	White	Nonwhite
Total	10,061	1,042	9,019	98.8	15.9	247.3
Appling	19	7	12	54.6	28.5	117.6
Atkinson	15	4	11	83.3	36.7	154.9
Bacon	11	4	7	47.4	20.1	212.1
Baker	20	1	19	152.7	28.6	197.9
Baldwin	62	2	60	117.0	8.0	214.3
Banks	7	5	2	53.8	42.0	181.8
Barrow	16	3	13	49.7	12.0	178.1
Bartow	35	9	26	52.2	16.9	187.0
Ben Hill	55	2	53	160.3	10.6	341.9
Berrien	7	4	3	24.8	16.9	65.2
Bibb	390	29	361	105.4	13.3	236.6
Bleckley	37	2	35	168.9	16.9	346.5
Brantley	3	2	1	23.8	20.2	37.0
Brooks	60	1	59	144.9	5.4	257.6
Bryan	37	2	35	186.9	21.7	330.2
Bulloch	68	4	64	126.4	15.3	231.0
Burke	132	4	128	246.7	30.3	317.6
Butts	27	-	27	152.5	0	226.9
Calhoun	46	2	44	191.7	43.5	226.8
Camden	20	1	19	64.9	5.4	154.5
Candler	19	2	17	136.7	28.2	250.0
Carroll	49	9	40	59.9	15.2	177.8
Catoosa	7	5	2	15.5	11.3	250.0
Charlton	21	-	21	124.3	0	265.8
Chatham	578	88	490	105.2	25.1	246.2
Chattahoochee	2	-	2	48.8	0	111.1
Chattooga	14	6	8	26.5	12.4	181.8
Cherokee	11	6	5	21.1	12.1	192.3
Clarke	96	9	87	94.3	13.1	261.3
Clay	19	-	19	161.0	0	206.5
Clayton	31	4	27	28.5	4.2	204.5
Clinch	21	4	17	100.0	34.5	180.9
Cobb	75	27	48	25.0	9.9	186.0
Coffee	58	8	50	96.2	21.6	214.6
Colquitt	72	9	63	79.2	14.8	210.7
Columbia	39	-	39	109.2	0	272.7
Cook	31	4	27	100.0	21.3	221.3
Coweta	57	3	54	83.1	7.7	181.2
Crawford	20	-	20	125.0	0	180.2
Crisp	84	4	80	177.6	20.4	288.8
Dade	4	4	-	18.5	18.7	0
Dawson	1	1	-	13.7	13.7	0
Decatur	79	6	73	117.2	17.8	217.3
DeKalb	327	156	171	50.2	27.2	221.8
Dodge	37	3	34	93.4	11.9	236.1
Dooly	48	3	45	143.7	26.3	204.5
Dougherty	220	15	205	97.8	10.8	238.1
Douglas	8	2	6	20.8	6.6	75.9
Early	73	3	70	182.0	24.8	250.0
Echols	6	-	6	105.3	0	222.2
Effingham	26	1	25	118.2	10.0	208.3
Elbert	54	6	48	145.6	31.2	268.2
Emanuel	53	5	48	121.3	20.2	254.0
Evans	19	-	19	106.7	0	263.9
Fannin	4	4	-	13.2	13.2	0
Fayette	24	1	23	124.4	9.8	252.7
Floyd	98	23	75	57.1	16.2	254.2
Forsyth	7	7	-	24.6	24.6	0
Franklin	14	3	11	53.4	13.9	239.1
Fulton	1,983	158	1,825	137.6	19.0	298.5
Gilmer	3	3	-	17.5	17.5	0
Glascok	11	1	10	174.6	31.2	322.6
Glynn	82	8	74	71.9	9.8	230.5
Gordon	9	4	5	24.1	11.7	156.2
Grady	68	3	65	145.6	13.6	264.2
Greene	48	3	45	165.5	33.3	225.0
Gwinnett	28	8	20	26.3	8.5	163.9
Habersham	9	5	4	19.4	11.1	266.7
Hall	58	16	42	45.8	14.7	240.0
Hancock	42	1	41	164.7	23.8	192.5
Haralson	14	4	10	48.3	15.4	333.3
Harris	36	3	33	134.8	37.5	176.5
Hart	17	3	14	54.8	14.4	137.3
Heard	13	-	13	110.2	0	288.9
Henry	53	-	53	123.5	0	212.0
Houston	75	4	71	68.9	5.3	211.9
Irwin	26	3	23	110.6	33.3	158.6
Jackson	24	10	14	53.1	26.5	189.2
Jasper	27	1	26	162.6	17.9	236.4

TABLE XV - LIVE BIRTHS TO UNWED MOTHERS, NUMBER AND RATE PER 1,000 LIVE BIRTHS, BY RACE, GEORGIA, 1957
(CONT'D)

County	Number			Rate		
	Total	White	Nonwhite	Total	White	Nonwhite
Jeff Davis	14	3	11	59.8	17.1	186.4
Jefferson	93	1	92	216.3	7.3	314.0
Jenkins	38	2	36	160.3	21.7	248.3
Johnson	32	1	31	153.1	8.8	322.9
Jones	29	-	29	147.2	0	237.7
Lamar	37	2	35	152.9	18.5	261.2
Lanier	12	-	12	69.4	0	162.2
Laurens	87	3	84	108.5	7.2	217.1
Lee	38	-	38	200.0	0	253.3
Liberty	51	4	47	117.2	17.6	226.0
Lincoln	16	2	14	102.6	40.0	132.1
Long	10	1	9	96.2	16.7	204.5
Lowndes	132	10	122	84.7	9.9	223.9
Lumpkin	1	1	-	5.8	5.9	0
Macon	73	1	72	179.4	9.3	240.8
Madison	28	3	25	117.6	19.0	312.5
Marion	22	-	22	140.1	0	178.9
McDuffie	66	2	64	182.3	13.3	301.9
McIntosh	24	1	23	145.5	16.4	221.2
Meriwether	80	2	78	161.3	10.6	253.2
Miller	25	3	22	119.0	23.6	265.1
Mitchell	99	3	96	159.7	13.8	238.2
Monroe	32	-	32	127.5	0	196.3
Montgomery	27	2	25	172.0	32.3	263.2
Morgan	60	1	59	235.3	9.1	406.9
Murray	5	4	1	25.6	20.6	1000.0
Muscogee	301	40	261	62.9	11.3	208.5
Newton	48	3	45	99.4	11.1	212.3
Oconee	19	4	15	140.7	48.2	288.5
Oglethorpe	40	2	38	222.2	26.3	365.4
Paulding	8	4	4	26.1	14.8	114.3
Peach	46	1	45	147.0	9.9	212.3
Pickens	6	3	3	25.0	13.4	187.5
Pierce	16	3	13	69.6	18.9	183.1
Pike	21	-	21	122.8	0	210.0
Polk	38	10	28	54.5	17.7	213.7
Pulaski	49	2	47	214.0	19.8	367.2
Putnam	35	1	34	169.9	14.5	248.2
Quitman	19	1	18	322.0	142.9	346.2
Rabun	7	7	-	32.3	32.3	0
Randolph	82	1	81	282.8	14.1	369.9
Richmond	298	31	267	82.0	13.4	203.2
Rockdale	19	1	18	78.5	6.1	230.8
Schley	10	-	10	131.6	0	169.5
Screven	74	2	72	182.7	15.9	258.1
Seminole	26	-	26	127.4	0	245.3
Spalding	103	7	96	121.5	13.1	304.8
Stephens	22	2	20	47.4	5.2	253.2
Stewart	39	-	39	167.4	0	200.0
Sumter	124	1	123	194.7	4.9	283.4
Talbot	20	-	20	123.5	0	148.1
Taliaferro	25	-	25	280.9	0	308.6
Tattnell	21	4	17	70.5	22.2	144.1
Taylor	38	-	38	151.4	0	242.0
Telfair	35	1	34	104.8	5.6	220.8
Terrell	89	1	88	222.5	16.1	260.4
Thomas	125	8	117	138.9	18.6	248.9
Tift	88	10	78	130.6	24.6	292.1
Toombs	53	8	45	123.3	29.4	284.8
Towns	1	1	-	12.3	12.3	0
Treutlen	6	2	4	45.5	25.6	74.1
Troup	148	13	135	125.4	19.0	271.6
Turner	35	2	33	154.2	19.0	270.5
Twiggs	25	-	25	125.6	0	170.1
Union	1	1	-	7.7	7.7	0
Upson	65	3	62	123.6	9.5	296.6
Walker	27	12	15	26.0	12.2	250.0
Walton	67	5	62	148.2	19.2	322.9
Ware	79	13	66	85.2	19.2	265.1
Warren	38	-	38	189.1	0	251.7
Washington	121	1	120	216.8	6.6	295.6
Wayne	30	2	28	57.6	5.4	181.8
Webster	15	-	15	161.3	0	211.3
Wheeler	11	1	10	94.0	14.7	204.1
White	3	-	3	18.6	0	250.0
Whitfield	31	13	18	29.5	13.1	315.8
Wilcox	15	2	13	88.2	22.7	158.5
Wilkes	49	-	49	206.8	0	306.2
Wilkinson	39	-	39	173.3	0	258.3
Worth	78	1	77	152.3	5.8	226.5
Military	3	3	-	8.0	9.2	0

TABLE XVI - NUMBER OF PHYSICIANS IN PRIVATE PRACTICE AND AVERAGE NUMBER OF PERSONS PER PHYSICIAN, BY COUNTY, GEORGIA, JANUARY 1, 1958

County	Number Physicians	Average Number Persons Per Physician *	County	Number Physicians	Average Number Persons Per Physician *
State Total	2,529	1,500	Jeff Davis	4	2,425
Appling	8	1,738	Jefferson	9	2,044
Atkinson	2	3,800	Jenkins	3	3,133
Bacon	4	2,400	Johnson	3	2,700
Baker	-	...	Jones	1	7,200
Baldwin	10	2,140	Lamar	5	2,100
Banks	-	...	Lanier	2	2,500
Barrow	9	1,489	Laurens	10	3,320
Bartow	11	2,645	Lee	-	...
Ben Hill	6	2,550	Liberty	2	4,900
Berrien	4	3,325	Lincoln	2	3,100
Bibb	129	1,079	Long	1	3,400
Bleckley	3	3,033	Lowndes	37	1,146
Brentley	1	6,200	Lumpkin	4	1,725
Brooks	7	2,429	Macon	5	2,660
Bryan	3	1,967	Madison	3	3,867
Bulloch	16	1,519	Marion	1	6,300
Burke	7	3,129	McDuffie	6	2,000
Butts	3	3,033	McIntosh	1	6,500
Calhoun	2	3,750	Meriwether	8	2,588
Camden	5	1,740	Miller	3	2,833
Candler	2	3,750	Mitchell	8	2,800
Carroll	21	1,648	Monroe	3	3,500
Catoosa	6	2,883	Montgomery	4	1,725
Charlton	4	1,175	Morgan	7	1,643
Chatham	159	1,174	Murray	4	2,625
Chattahoochee	-	...	Miscogee	97	1,435
Chattooga	5	4,620	Newton	7	3,057
Cherokee	9	2,389	Oconee	1	6,700
Clarke	44	959	Oglethorpe	2	4,250
Clay	4	1,300	Paulding	3	3,733
Clayton	7	4,657	Peach	5	2,560
Clinch	2	3,250	Pickens	4	2,200
Cobb	65	1,255	Pierce	4	2,700
Coffee	11	2,345	Pike	3	2,467
Colquitt	19	1,853	Polk	15	2,193
Columbia	3	3,567	Pulaski	5	1,660
Cook	4	3,150	Putnam	2	3,700
Coweta	19	1,505	Quitman	-	...
Crawford	1	5,500	Rabun	4	1,825
Crisp	9	2,000	Randolph	4	3,050
Dade	1	8,400	Richmond	150	1,023
Dawson	-	...	Rockdale	3	3,033
Decatur	12	2,075	Schley	1	3,500
DeKalb	90	2,161	Screven	5	3,340
Dodge	7	2,286	Seminole	4	1,900
Dooly	5	2,520	Spalding	28	1,182
Dougherty	49	1,171	Stephens	11	1,745
Douglas	7	1,971	Stewart	3	2,800
Early	6	2,800	Sumter	14	1,736
Echols	1	2,200	Talbot	1	7,500
Effingham	3	2,967	Taliaferro	-	...
Elbert	17	1,071	Tattnall	7	1,957
Emanuel	7	2,529	Taylor	5	1,640
Evans	4	1,575	Telfair	8	1,525
Fannin	8	1,950	Terrell	5	2,600
Fayette	3	2,633	Thomas	28	1,289
Floyd	42	1,588	Tift	15	1,707
Forsyth	5	2,180	Toombs	12	1,492
Franklin	9	1,533	Towns	3	1,600
Fulton	702	799	Treutlen	3	1,967
Gilmer	3	3,533	Troup	36	1,506
Glascock	1	3,000	Turner	4	2,600
Glynn	35	991	Twiggs	1	7,900
Gordon	9	2,156	Union	1	7,200
Grady	9	2,078	Upson	14	1,786
Greene	7	1,771	Walker	15	2,887
Gwinnett	13	2,685	Walton	10	2,020
Habersham	11	1,627	Ware	30	1,077
Hall	31	1,426	Warren	4	2,000
Hancock	3	3,367	Washington	9	2,144
Haralson	6	2,500	Wayne	8	1,912
Harris	4	2,825	Webster	-	...
Hart	3	4,667	Wheeler	1	5,600
Heard	4	1,500	White	4	1,425
Henry	4	4,150	Whitfield	23	1,748
Houston	10	2,780	Wilcox	2	4,300
Irwin	4	2,875	Wilkes	9	1,200
Jackson	6	3,100	Wilkinson	2	4,550
Jasper	5	1,340	Worth	4	4,600

* Based on estimated population of Georgia as of July 1, 1957

... Not applicable

SOURCE: Medical Directory of Georgia, Georgia Department of Public Health, January 1, 1958

TABLE XVII-A

ESTIMATED POPULATION, BY RACE, SEX AND AGE, GEORGIA, JULY 1, 1957
(State Totals Include Military Population)

Age Group	Total	White			Nonwhite		
		Total	Male	Female	Total	Male	Female
Total, all ages	3,866,000	2,733,000	1,353,700	1,379,300	1,133,000	540,500	592,500
Under 1 year	97,600	65,100	33,400	31,700	32,500	16,200	16,300
1 - 4 years	376,600	248,700	127,600	121,100	127,900	64,200	63,700
5 - 9 years	436,100	294,100	150,500	143,600	142,000	70,900	71,100
10 - 14 years	363,400	245,000	124,300	120,700	118,400	59,100	59,300
15 - 24 years	609,300	408,700	208,300	200,400	200,600	99,300	101,300
25 - 34 years	552,000	401,600	198,100	203,500	150,400	68,000	82,400
35 - 44 years	507,900	379,200	188,000	191,200	128,700	58,000	70,700
45 - 54 years	396,000	294,900	144,000	150,900	101,100	45,900	55,200
55 - 64 years	270,700	205,700	97,400	108,300	65,000	29,500	35,500
65 - 74 years	169,300	128,700	57,300	71,400	40,600	17,700	22,900
75 - 84 years	74,600	54,200	22,200	32,000	20,400	9,200	11,200
85 years and over	12,500	7,100	2,600	4,500	5,400	2,500	2,900

TABLE XVII-B

ESTIMATED TOTAL POPULATION BY RACE, BY URBAN AND RURAL, AND CIVILIAN POPULATION BY COUNTY
AND INCORPORATED PLACES OF 2,500 OR MORE PERSONS, GEORGIA, JULY 1, 1957

Area	Total	White	Nonwhite	Area	Total	White	Nonwhite
STATE TOTAL ^{1/}	3,866,000	2,733,000	1,133,000	Cherokee	21,500	20,500	1,000
URBAN ^{2/}	1,788,000	1,222,000	566,000	Canton	2,800	2,600	200
RURAL	2,078,000	1,511,000	567,000	Clarke	42,200	31,900	10,300
STATE TOTAL CIVILIAN	3,794,000	2,670,000	1,124,000	Athens	33,600	24,500	9,100
Appling	13,900	11,100	2,800	Clay	5,200	1,600	3,600
Baxley	3,800	2,800	1,000	Clayton*	32,600	27,700	4,900
Atkinson	7,600	5,900	1,700	College Park (Total in Fulton and Clayton)	19,100	15,500	3,600
Bacon	9,600	8,400	1,200	(Part in Clayton)	5,500	5,500	0
Alma	3,100	2,700	400	Forest Park	7,300	6,600	700
Baker	5,200	1,900	3,300	Clinch*	6,500	4,400	2,100
Baldwin ^{3/}	21,400	13,500	7,900	Cobb*	81,600	74,400	7,200
State Hospital	11,900	7,300	4,600	Marietta	30,600	26,100	4,500
Milledgeville	10,300	5,600	4,700	Coffee	25,800	19,400	6,400
Banks	5,900	5,600	300	Douglas	9,100	6,400	2,700
Barrow	13,400	10,900	2,500	Colquitt	35,200	26,700	8,500
Winder	5,100	4,300	800	Moultrie	13,500	8,800	4,700
Bartow	29,100	24,800	4,300	Columbia*	10,700	5,900	4,800
Cartersville	8,100	6,100	2,000	Cook	12,600	8,900	3,700
Ben Hill	15,300	10,300	5,000	Adel	3,300	2,000	1,300
Fitzgerald	8,700	5,700	3,000	Coweta	28,600	18,000	10,600
Berrien	13,300	11,400	1,900	Newnan	9,000	5,600	3,400
Nashville	4,100	3,300	800	Crawford	5,500	2,200	3,300
Bibb*	139,200	92,400	46,800	Crisp	18,000	10,200	7,800
Macon	79,200	45,900	33,300	Cordele	10,600	5,600	5,000
Bleckley	9,100	6,400	2,700	Dade	8,400	8,300	100
Cochran	4,000	2,800	1,200	Dawson	3,300	3,300	0
Brantley	6,200	5,500	700	Decatur	24,900	13,500	11,400
Brooks	17,000	8,800	8,200	Bainbridge	8,500	5,300	3,200
Quitman	5,100	2,800	2,300	Dekalb*	194,500	176,000	18,500
Bryan	5,900	3,500	2,400	Atlanta (Part in Dekalb)	44,100	40,900	3,200
Bulloch	24,300	15,300	9,000	(Total in Fulton and Dekalb)	488,400	332,600	155,800
Statesboro	6,900	4,700	2,200	Chamblee	5,800	5,600	200
Burke	21,900	6,800	15,100	Decatur	25,400	21,400	4,000
Waynesboro	5,000	2,300	2,700	Dodge	16,000	11,300	4,700
Butts	9,100	4,900	4,200	Eastman	3,800	2,500	1,300
Calhoun	7,500	2,400	5,100	Dooley	12,600	6,000	6,600
Camden*	8,700	4,600	4,100	Dougherty*	57,400	34,900	22,500
Candler	7,500	4,800	2,700	Albany	40,200	23,000	17,200
Carroll	34,600	27,800	6,800	Douglas	13,800	11,700	2,100
Carrollton	8,900	7,100	1,800	Douglasville	4,000	3,200	800
Catoosa	17,300	16,800	500	Early	16,800	7,600	9,200
Charlton	4,700	3,300	1,400	Blakely	3,600	2,500	1,100
Chatham*	186,700	118,200	68,500	Echols	2,200	1,700	500
Savannah	137,000	81,500	55,500	Effingham	8,900	5,700	3,200
Chattahoochee	1,200	600	600	Elbert	18,200	12,600	5,600
Chattooga	23,100	20,800	2,300	Elberton	7,300	5,100	2,200
Summerville	5,100	4,600	500	Emanuel	17,700	11,400	6,300
Trion	3,400	3,300	100	Swainsboro	4,800	3,000	1,800

See notes on last page

ESTIMATED TOTAL POPULATION BY RACE, BY URBAN AND RURAL, AND CIVILIAN POPULATION BY COUNTY
AND INCORPORATED PLACES OF 2,500 OR MORE PERSONS, GEORGIA, JULY 1, 1957
(CONT'D)

Area	Total	White	Nonwhite	Area	Total	White	Nonwhite
Evans	6,300	3,700	2,600	Mitchell	22,400	11,300	11,100
Fannin	15,600	15,400	200	Camilla	4,600	2,000	2,600
Fayette	7,900	5,300	2,600	Pelham	5,300	3,000	2,300
Floyd 3/	66,700	57,000	9,700	Monroe	10,500	5,500	5,000
Batley State Hospital	1,300	600	700	Forsyth	3,700	2,100	1,600
Rome	33,200	26,300	6,900	Montgomery	6,900	4,000	2,900
Forsyth	10,900	10,800	100	Morgan	11,500	5,500	6,000
Franklin	13,800	12,100	1,700	Murray	10,500	10,400	100
Fulton*	561,000	387,000	174,000	Muscogee*	139,200	106,100	33,100
Atlanta (Total in				Columbus	98,700	67,900	30,800
Fulton and Dekalb)	488,400	332,600	155,800	Newton	21,400	14,300	7,100
(Part in Fulton)	444,300	291,700	152,600	Covington	6,100	3,500	2,600
College Park (Total in				Porterdale	3,400	3,300	100
Clayton and Fulton)	19,100	15,500	3,600	Oconee	6,700	5,100	1,600
(Part in Fulton)	13,600	10,000	3,600	Oglethorpe	8,500	4,800	3,700
East Point	27,400	23,800	3,600	Paulding	11,200	9,900	1,300
Hapeville	10,900	10,800	100	Peach	12,800	4,900	7,900
Gilmer	10,600	10,400	200	Fort Valley	8,200	3,200	5,000
Glascocok	3,000	2,200	800	Pickens	8,800	8,300	500
Glynn	34,700	23,900	10,800	Pierce	10,800	8,300	2,500
Brunswick	20,200	12,400	7,800	Pike	7,400	4,100	3,300
Gordon	19,400	18,200	1,200	Polk	32,900	27,500	5,400
Calhoun	3,500	2,900	600	Cedartown	10,300	8,800	1,500
Grady	18,700	12,200	6,500	Rockmart	4,100	3,500	600
Cairo	6,300	3,800	2,500	Pulaski	8,300	4,400	3,900
Greene	12,400	6,100	6,300	Hawkinsville	3,600	2,300	1,300
Greensboro	2,900	1,700	1,200	Putnam	7,400	3,400	4,000
Gwinnett	34,900	31,600	3,300	Eatonton	3,000	1,600	1,400
Buford	3,600	2,800	800	Quitman	2,800	1,000	1,800
Lawrenceville	3,400	2,900	500	Rabun	7,300	7,100	200
Habersham	17,900	17,100	800	Randolph	12,200	4,400	7,800
Hall	44,200	39,400	4,800	Cuthbert	4,400	1,600	2,800
Gainesville	13,900	10,300	3,600	Richmond*	153,400	105,400	48,000
Hancock	10,100	2,600	7,500	Augusta	96,600	56,600	40,000
Haralson	15,000	13,700	1,300	Rockdale	9,100	6,400	2,700
Tallapoosa	3,200	2,900	300	Schley	3,500	1,400	2,100
Harris	11,300	5,000	6,300	Screven	16,700	7,300	9,400
Hart	14,000	10,500	3,500	Sylvania	3,200	1,800	1,400
Hartwell	3,400	2,700	700	Seminole	7,600	4,700	2,900
Heard	6,000	4,600	1,400	Donaldsonville	3,200	1,900	1,300
Henry	16,600	9,300	7,300	Spalding	33,100	24,300	8,800
Houston	27,800	19,900	7,900	Griffin	21,500	14,100	7,400
Perry	5,500	2,600	2,900	Stephens	19,200	16,600	2,600
Warner Robins	10,900	10,300	600	Toocoa	7,700	6,200	1,500
Irwin	11,500	7,300	4,200	Stewart	8,400	2,300	6,100
Ocilla	3,100	1,700	1,400	Sumter	24,300	11,700	12,600
Jackson	18,600	15,800	2,800	Americus	12,900	6,500	6,400
Commerce	3,400	1,500	1,900	Talbot	7,500	2,200	5,300
Jasper	6,700	2,900	3,800	Manchester (Total	4,500	3,300	1,200
Jeff Davis	9,700	7,500	2,200	in Talbot and Merri-			
Hazlehurst	3,400	2,600	800	wether)			
Jefferson	18,400	7,600	10,800	(Part in Talbot)	100	0	100
Jenkins	9,400	4,400	5,000	Taliaferro	3,500	1,200	2,300
Millen	3,900	2,200	1,700	Tattnal 3/	13,700	10,500	3,200
Johnson	8,100	5,600	2,500	Tattnal State Prison	2,200	1,200	1,000
Jones	7,200	3,500	3,700	Taylor	8,200	4,200	4,000
Lamar	10,500	6,300	4,200	Telfair	12,200	8,100	4,100
Barnesville	4,700	2,900	1,800	Terrell	13,000	4,600	8,400
Lanier	5,000	3,300	1,700	Dawson	4,900	2,100	2,800
Laurens	33,200	19,700	13,500	Thomas	36,100	21,800	14,300
Dublin	12,000	7,200	4,800	Thomasville	16,400	9,000	7,400
Lee	6,100	1,900	4,200	Tift	25,600	18,200	7,400
Liberty*	9,800	4,000	5,800	Tifton	8,000	6,900	1,100
Lincoln	6,200	3,200	3,000	Toombs	17,900	12,700	5,200
Long	3,400	2,200	1,200	Lyons	3,500	2,300	1,200
Lowndes*	42,400	26,200	16,200	Vidalia	7,100	4,700	2,400
Valdosta	27,400	15,300	12,100	Towns	4,800	4,700	100
Lumpkin	6,900	6,700	200	Treutlen	5,900	4,100	1,800
Macon	13,300	4,700	8,600	Troup	54,200	37,600	16,600
Montezuma	3,300	1,300	2,000	Hogansville	3,800	2,500	1,300
Madison	11,600	9,300	2,300	LaGrange	28,200	19,600	8,600
Marion	6,300	2,300	4,000	West Point	4,600	1,800	2,800
Mc Duffie	12,000	6,700	5,300	Turner	10,400	6,300	4,100
Thomson	3,800	2,500	1,300	Ashburn	3,400	2,100	1,300
McIntosh	6,500	2,400	4,100	Twiggs	7,900	3,100	4,800
Merriwether	20,700	10,300	10,400	Union	7,200	7,200	0
Manchester (Total in				Upton	25,000	19,100	5,900
Talbot and Merriwether)	4,500	3,300	1,200	East Thomaston	3,000	3,000	0
(Part in Merriwether)	4,400	3,300	1,100	Silvertown	3,400	3,400	0
Miller	8,500	6,100	2,400	Thomaston	7,600	5,100	2,500

See notes on last page

TABLE XVII-B

ESTIMATED POPULATION BY RACE, BY URBAN AND RURAL, AND CIVILIAN POPULATION BY RACE, BY COUNTY
AND INCORPORATED PLACES OF 2,500 OR MORE PERSONS, GEORGIA, JULY 1, 1957
(CONT'D)

97

Area	Total	White	Nonwhite	Area	Total	White	Nonwhite
Walker	43,300	40,400	2,900	Webster	3,700	1,200	2,500
Lafayette	5,900	5,400	500	Wheeler	5,600	3,700	1,900
Rossville	4,500	4,500	0	White	5,700	5,300	400
Walton	20,200	13,800	6,400	Whitfield	40,200	38,300	1,900
Monroe	5,600	4,000	1,600	Dalton	19,200	17,800	1,400
Ware	32,300	23,600	8,700	Wilcox	8,600	5,800	2,800
Waycross	22,300	14,500	7,800	Wilkes	10,800	5,100	5,700
Warren	8,000	2,900	5,100	Washington	4,000	1,800	2,200
Washington	19,300	8,300	11,000	Wilkinson	9,100	4,700	4,400
Sandersville	5,100	2,100	3,000	Worth	18,400	9,100	9,300
Wayne	15,300	12,300	3,000	Sylvester	3,000	1,700	1,300
Jesup	5,800	4,000	1,800				

* Because of problems peculiar to these counties a method other than straight line projection and natural increase was used.

- 1/ Military population is excluded from the county totals but included in the state total.
- 2/ The Urban population is the total of the estimates for all incorporated places shown above plus the military population of the state.
- 3/ Population of state institutions is excluded from the county totals but is included in the state totals.

Source: Georgia Department of Public Health, Statistics.

TABLE XVIII - TOTAL POPULATION BY CENSUS YEARS BY AGE AND RACE, GEORGIA, 1920-1950

Age	Number				Per Cent Distribution			
	1950	1940	1930	1920	1950	1940	1930	1920
<u>Total</u>								
Total all ages	3,444,578	3,123,723	2,908,506	2,895,832	100.0	100.0	100.0	100.0
Under 5 years	422,486	313,122	316,404	363,229	12.3	10.0	10.9	12.5
5-14 years	666,501	644,065	692,770	747,685	19.3	20.6	23.8	25.8
15-24 years	567,999	633,048	622,962	580,363	16.5	20.3	21.4	20.0
25-44 years	1,005,559	897,303	744,444	737,099	29.2	28.7	25.6	25.5
45-64 years	562,378	477,471	416,804	362,405	16.3	15.3	14.3	12.5
65 years & over	219,655	158,714	113,278	102,111	6.4	5.1	3.9	3.5
Not reported	-	-	1,844	2,940	0	0	0.1	0.1
<u>White</u>								
Total all ages	2,380,577	2,038,278	1,837,021	1,689,114	100.0	100.0	100.0	100.0
Under 5 years	276,321	193,741	200,353	217,864	11.6	9.5	10.9	12.9
5-14 years	431,958	401,814	427,296	423,031	18.1	19.8	23.3	25.0
15-24 years	385,584	403,636	376,348	323,636	16.2	19.8	20.5	19.2
25-44 years	722,534	597,165	482,449	443,295	30.4	29.3	26.3	26.2
45-64 years	409,754	336,232	271,590	214,251	17.2	16.5	14.8	12.7
65 years & over	154,426	105,690	78,022	65,896	6.5	5.1	4.2	3.9
Not reported	-	-	963	1,141	0	0	0.1	0.1
<u>Nonwhite</u>								
Total all ages	1,064,001	1,085,445	1,071,485	1,206,718	100.0	100.0	100.0	100.0
Under 5 years	146,165	119,381	116,051	145,365	13.7	11.0	10.8	12.0
5-14 years	234,543	242,251	265,474	324,654	22.0	22.3	24.8	26.9
15-24 years	182,415	229,412	246,614	256,727	17.1	21.1	23.0	21.3
25-44 years	283,025	300,138	261,995	293,804	26.6	27.7	24.5	24.3
45-64 years	152,624	141,239	145,214	148,154	14.3	13.0	13.6	12.3
65 years & over	65,229	53,024	35,256	36,215	6.1	4.9	3.3	3.0
Not reported	-	-	881	1,799	0	0	0.1	0.1

Source: U. S. Census 1920, 1930, 1940, 1950

TABLE XIX - MARRIAGES, DIVORCES, AND ANNULMENTS, BY COUNTY OF APPLICATION, BY RACE, GEORGIA, 1957
(Recorded Data)

County	Marriages				Divorces	Annulments
	Total	White	Non-white	Unknown	Total	Total
TOTAL	51,235	41,090	10,080	65	8,751	47
Appling	149	112	34	3	16	-
Atkinson	85	63	22	-	7	-
Bacon	101	87	14	-	21	-
Baker	41	28	13	-	3	-
Baldwin	180	96	84	-	57	-
Banks	48	47	-	1	5	-
Barrow	83	69	14	-	1	-
Bartow	238	200	38	-	64	-
Ben Hill	154	106	48	-	38	-
Berrien	105	91	14	-	23	-
Bibb	968	675	293	-	469	1
Bleckley	88	66	22	-	13	-
Brantley	616	592	24	-	13	-
Brooks	221	128	93	-	17	1
Bryan	73	57	15	1	13	-
Bulloch	175	108	67	-	44	-
Burke	95	26	69	-	20	-
Butts	86	51	35	-	-	-
Calhoun	69	16	53	-	-	-
Camden	3,219	2,921	297	1	23	2
Candler	61	38	22	1	7	-
Carroll	278	220	58	-	57	-
Catoosa	3,746	3,423	312	11	28	2
Charlton	3,796	3,342	449	5	18	1
Chatham	995	665	330	-	642	6
Chattahoochee	490	443	47	-	2	-
Chattooga	137	122	15	-	58	-
Cherokee	238	223	15	-	34	-
Clarke	378	263	115	-	79	1
Clay	95	43	52	-	-	-
Clayton	588	534	51	3	41	-
Clinch	97	78	19	-	3	-
Cobb	593	532	61	-	202	-
Coffee	220	173	43	4	57	-
Colquitt	299	244	55	-	44	-
Columbia	33	15	18	-	-	-
Cook	140	109	31	-	21	-
Coweta	335	200	135	-	42	-
Crawford	73	43	30	-	5	-
Crisp	143	92	51	-	10	-
Dade	1,639	1,609	30	-	7	-
Dawson	76	76	-	-	1	-
Decatur	800	594	206	-	33	-
DeKalb	1,194	1,088	106	-	416	4
Dodge	104	84	20	-	30	-
Dooly	91	49	42	-	4	-
Dougherty	636	416	220	-	160	-
Douglas	262	233	29	-	10	-
Early	102	46	56	-	8	-
Echols	174	163	11	-	3	-
Effingham	54	32	22	-	7	-
Elbert	44	31	10	3	24	1
Emanuel	166	125	41	-	19	-
Evans	91	59	31	1	13	-
Fannin	356	352	2	2	23	-
Fayette	106	77	28	1	6	-
Floyd	614	504	109	1	177	-
Forsyth	122	122	-	-	-	-
Franklin	86	84	2	-	18	-
Fulton	5,004	3,337	1,667	-	1,746	8
Gilmer	102	102	-	-	14	-
Glascok	34	22	12	-	1	-
Glynn	471	370	101	-	129	-
Gordon	205	193	11	1	40	-
Grady	276	188	86	2	18	-
Greene	61	29	32	-	9	-
Gwinnett	370	346	24	-	34	-
Habersham	111	107	4	-	16	-
Hall	321	294	27	-	102	-
Hancock	41	11	30	-	4	-
Haralson	638	612	26	-	-	-
Harris	93	52	41	-	7	-
Hart	456	429	27	-	11	-
Heard	102	90	12	-	-	-
Henry	157	102	55	-	16	-
Houston	268	190	78	-	63	1
Irwin	62	34	28	-	2	-
Jackson	152	130	20	2	18	-
Jasper	40	17	23	-	3	-
Jeff Davis	59	47	12	-	18	-

TABLE XIX - MARRIAGES, DIVORCES, AND ANNULMENTS, BY COUNTY OF APPLICATION, BY RACE, GEORGIA, 1957
(Recorded Data)

County	Marriages				Divorces	Annulments
	Total	White	Non-white	Unknown	Total	Total
Jefferson	85	36	46	3	16	-
Jenkins	70	34	36	-	5	-
Johnson	68	46	22	-	18	-
Jones	56	25	31	-	7	-
Lamar	105	61	44	-	4	-
Lanier	60	49	11	-	16	-
Laurens	362	258	98	6	62	1
Lee	43	20	23	-	-	-
Liberty	92	45	47	-	12	-
Lincoln	14	14	-	-	2	-
Long	50	42	8	-	8	-
Lowndes	1,077	893	183	1	110	-
Lumpkin	59	57	2	-	4	-
Macon	96	44	50	2	5	-
Madison	72	63	9	-	22	-
Marion	39	17	22	-	-	-
McDuffie	69	46	23	-	15	-
McIntosh	70	40	30	-	9	-
Meriwether	126	58	68	-	19	-
Miller	109	83	26	-	12	-
Mitchell	146	105	41	-	41	1
Monroe	61	29	32	-	5	-
Montgomery	58	37	21	-	13	-
Morgan	61	34	27	-	9	-
Murray	283	283	-	-	7	1
Miscogee	1,259	928	331	-	642	7
Newton	158	106	52	-	7	-
Oconee	57	50	7	-	1	-
Oglethorpe	60	45	15	-	2	-
Paulding	590	570	20	-	24	-
Peach	149	62	87	-	-	-
Pickens	96	94	2	-	15	-
Pierce	298	277	19	2	6	-
Pike	71	52	19	-	1	-
Polk	287	234	53	-	75	-
Pulaski	96	48	48	-	11	-
Putnam	62	37	25	-	20	-
Quitman	60	23	37	-	2	-
Rabun	65	63	2	-	8	-
Randolph	60	20	40	-	10	-
Richmond	579	476	103	-	1,070	3
Rockdale	349	291	58	-	17	-
Schley	31	9	22	-	3	-
Screven	83	39	44	-	45	-
Seminole	656	545	111	-	8	-
Spalding	395	301	94	-	93	1
Stephens	206	197	9	-	2	-
Stewart	54	17	37	-	3	-
Sumter	177	74	102	1	28	-
Talbot	66	24	42	-	5	-
Taliaferro	17	8	9	-	6	-
Tattnall	79	50	29	-	26	-
Taylor	60	28	31	1	-	-
Telfair	129	86	43	-	14	-
Terrell	135	38	97	-	14	-
Thomas	720	523	194	3	90	-
Tift	319	251	68	-	10	-
Toombs	167	118	49	-	41	-
Towns	95	95	-	-	-	-
Treutlen	52	34	18	-	8	-
Troup	525	365	160	-	96	2
Turner	85	50	35	-	11	1
Twiggs	289	188	101	-	5	-
Union	54	54	-	-	12	-
Upson	208	163	45	-	57	-
Walker	1,522	1,426	96	-	80	-
Walton	182	129	52	1	18	-
Ware	683	602	80	1	141	-
Warren	32	12	20	-	4	-
Washington	86	39	47	-	17	-
Wayne	264	226	38	-	27	-
Webster	15	8	7	-	1	-
Wheeler	29	21	8	-	4	-
White	60	56	4	-	-	-
Whitfield	500	485	15	-	111	2
Wilcox	71	45	26	-	8	-
Wilkes	48	25	23	-	10	-
Wilkinson	50	35	15	-	9	-
Worth	195	142	52	1	5	-

