

GEORGIA

1950

Natality and Mortality Statistics



Division of Vital Statistics

Department of Public Health

State of Georgia

Atlanta

674.1
G

G E O R G I A

1950

NATALITY AND MORTALITY STATISTICS

GEORGIA DEPARTMENT OF PUBLIC HEALTH

Division of Vital Statistics

Central Statistical Unit

Atlanta, Georgia

January, 1951






TABLE OF CONTENTS

	<u>Page Number</u>
Introduction	7
Definitions of terms and explanations	8-10
Summary of Selected Vital Statistics - Georgia: 1950	11-13

- Live Births
- Deaths
- Stillbirths
- Maternal Deaths
- Infant Deaths
- Immature Births
- Deaths from Immaturity
- Illegitimate Births

TABLES

Table I	Death Rates and Percent Difference - Specified Causes, Georgia: 1949 and 1950	14-15
Table II	Selected Vital Events - Number and Rate, and Percent Occurring in Hospitals, by Race, Urban and Rural, Georgia: 1950.	16-17
Table III	Summary of Selected Vital Events Affecting Georgia Residents: 1940-1950.	18-19
Table IV	Important Causes of Death, Number and Percent of Total in Specified Age Groups, by Race, Georgia: 1950	20-25
Table V	Deaths and Death Rates (per 100,000 population) from Specified Causes, by Race, Georgia: 1950	26-27
Table VI	Deaths and Death Rates (per 1,000 Live Births) from Diseases of Pregnancy, Childbirth, and the Puerperium, by Race, Georgia: 1950	28
Table VII	Deaths from Accidents by Specified Age Groups, Georgia: 1950	29
Table VIII	Number and Percent of Live Births, by place of occurrence, and attendant, by Region, County and Race, Georgia: 1950	30-52
Table IX	Summary of Natality Statistics, Number and Rate, by Region, County, and Race, Georgia: 1950	53-75
Table X	Total Deaths from All Causes, and Deaths from Georgia's Ten Leading Causes, by Region, County, and Race: 1950.. .	76-101

TABLE OF CONTENTS: Continued.....

Page Number

Table XI	Estimated Population of Georgia, July 1, 1950	102-104
Table XII	1950 Census of Population: Georgia (Final Count). . .	105-107
Table XIII	Number of Physicians in Private Practice, and Average Number of Persons per Physician, by County, Georgia: 1951	108-109
Table XIV	Number of Nurses by Type of Duty, Race, and County, Georgia: 1951	110-114

I N T R O D U C T I O N

-7-

This report, prepared annually by the Central Statistical Unit since 1947, is a supplement to the Annual Report of the Division of Vital Statistics, and the Central Statistical Unit of the Georgia Department of Public Health. In previous supplements, no analysis of statistics was made because a brief analysis of State figures was given in the Annual Report of the State Health Department, but in 1950 the form of the Annual Report was changed. For the 1950 Annual Report, each division of the Department prepared a limited number of mimeographed copies of its respective Annual Report. These were assembled into an "unabridged" Annual Report of the Department and distributed to libraries and local health departments where they are available for reference, and to a small number of other sources. An abbreviated publication "Report of Progress" has been prepared for general distribution. Due to these changes in presentation of the Annual Report of the Department, a brief analysis of the State figures will be made in this report.

These statistics are measures of the health status of the population and are used in planning certain phases of public health programs in Georgia.

All births, deaths, and stillbirths which occurred to residents of Georgia during 1950, and which were recorded with the Division of Vital Statistics, are included in this report. All data are allocated to place of residence.

In 1950 there were six health regions in Georgia as follows: Northeastern, Northwestern, East Central, West Central, Southeastern and Southwestern. County data, except population, are arranged alphabetically by regions as shown above. Population data are presented alphabetically for the State.

Most of the summary data will not be repeated in the same form in future supplements, and since only a limited number of copies have been prepared, it is suggested that this copy be filed for ready reference.

Additional copies of most of the individual tables and more detailed tabulations on these and other public health statistics, are available upon request.

Suggestions concerning content and presentation of future supplements will be welcomed.

GEORGIA DEPARTMENT OF PUBLIC HEALTH
DIVISION OF VITAL STATISTICS
CENTRAL STATISTICAL UNIT

DEFINITIONS OF TERMS AND EXPLANATIONS

A LIVE BIRTH is the birth of a child who shows evidence of life after the child is entirely outside the mother.

A STILLBIRTH is a birth after twenty weeks of gestation which is not a live birth.

An IMMATURE (Premature) BIRTH is the birth of a liveborn infant with a birth weight of 5½ pounds (2500 grams) or less, or one specified as immature. If weight is not specified, a liveborn infant with a period of gestation less than 9 months (length of gestation is given in months on medical report of live birth) or specified as "premature" is considered immature.

A DEATH FROM IMMATUREITY (Prematurity) is a death classified as "Immaturity" with mention of other subsidiary causes or "Immaturity Unqualified", International List numbers 774 and 776 respectively.

An INFANT DEATH is any death occurring during the first year of life.

A MATERNAL DEATH is a death from complication(s) of pregnancy, childbirth or the puerperium (International List numbers 640-652 and 670-689).

ILLEGITIMATE BIRTH - On the confidential medical report of birth this question is asked: "Is mother married to father of child?" Yes No For statistical purposes, the answer "no" indicates an illegitimate birth.

A NEONATAL DEATH is any death under 1 month (30 days) of age.

URBAN - All incorporated places with 2500 or more population as determined by the 1950 Census, are classified as "urban", except that the estimated State population is based on the 1950 Census definition of urban population.

NON-WHITE as used in this report, refers to that segment of the population consisting of Negroes, Indians, Japanese, Chinese, and other non-white races. Persons of Mexican birth or ancestry who are not definitely Indian or other non-white race, are classified as white. In 1940, 99.95% of the "non-white" population of Georgia was Negro. This percentage probably has not changed appreciably in the 1950 Census, so for most purposes, in Georgia, the terms "non-white" and Negro refer to essentially the same segment of the population.

INCOMPLETE REGISTRATION is probably the greatest source of error in the registration of vital events.

In the birth registration test made in 1940*, birth registration was only 81.3% complete for Georgia, i.e., only 81.3% of the live births enumerated in the Census during the period covered by the test, were recorded with the Division of Vital Statistics. However, it has been estimated that birth registration was about 95% complete in a similar test conducted in conjunction with the 1950 Census. (At the time this report was issued, results of this test had not yet been published by the National Office of Vital Statistics.)

The system of dual registration used in Georgia was started in 1945. Under this system, the birth certificate is filed by the parents and a confidential medical report of birth (for statistical purposes only), is filed by the attendant at birth. This system no doubts accounts for a large part of the improvement in completeness of registration over 1940.

*"Studies in Completeness of Birth Registration", Vital Statistics Special Reports, Vol. 17, No. 18, U.S. Dept. of Commerce, Bureau of the Census

There are no similar tests for determining completeness of death registration. However, it is believed that in Georgia, death registration probably is no more complete than birth registration.

CHANGES IN CLASSIFYING AND CODING CAUSES OF DEATH

Beginning January 1, 1950, all causes of death on certificates recorded with the Division of Vital Statistics, were classified and coded by the Sixth Revision of the International List of Diseases and Causes of Death. To provide a means of comparing certain categories under the Sixth Revision with those under the Fifth Revision which was used for classifying and coding causes of death during the decade 1940-1949, a "trial run" was made in 1949 and comparability ratios computed for Georgia.

During the period March-August of 1949, 12,283 death certificates were filed with the Division of Vital Statistics. This was about 42% of the final total for the year. Causes of death on these certificates were classified and coded by both the Fifth and Sixth Revisions of the International List of Diseases and Causes of Death. The comparability ratio is the ratio of those classified under the Sixth Revision to those classified under the Fifth Revision for specified causes, and is a measure of the net change in a particular cause or group of causes of death resulting solely from changes in classification. Table I shows comparability ratios and a comparison of 1949 and 1950 rates for certain selected causes of death.

A ratio of 1.000 indicates no net change but does not measure compensating changes. A ratio greater than 1.000 indicates an increase, and one less than 1.000 indicates a decrease in the number of deaths classified to that cause.

The differences in coding and classification resulted in great changes in the number of deaths assigned to some causes. For example, the ratio 1.636 for rheumatic fever, implies a net increase of 64% in the number of deaths assigned to this cause, while the ratio 0.380 for nephritis implies a net decrease of 62%, resulting from the changes in classification.

These ratios can be applied to mortality rates for 1940-1949 for comparison with mortality rates under the Sixth Revision.

RATES - Crude birth and death rates are based on the 1950 population estimates shown in Table XI. Rates for natality statistics are per 1,000 live births.

Due to incompleteness of registration of vital events and population data, all vital statistics rates are, in effect, based on samples and therefore subject to sampling errors. Chance variation is always larger for rates based on smaller populations or samples. This, in addition to the fact that errors, changes, or differences, introduce wide variations in rates based on small figures, should be recognized in the interpretation of rates.

In this report, crude live birth and death rates for the years 1940-1946 are based on the 1940 Census Counts of Population. Since 1946 these rates, including 1950 rates, are based on the estimated mid-year population. These figures for the years 1946-1949 were probably underestimated to a certain extent. No adjustment of rates for "low" population estimates is attempted in this report. Live birth and death rates for "rural" areas of the State are low, since the classification of vital events as "rural" is not based on the same definition of rural used in estimating population. For the same reason, rates for "urban" births and deaths are high. Rates for natality statistics are based on the number of live births, unless otherwise indicated.

POPULATION - The population estimates shown in Table XI are based on Preliminary Census Counts for Georgia as published in "1950 Census of Population - Preliminary Counts", Series PC-2, No. 34 and Series PC-3, No. 10, U. S. Department of Commerce, Bureau of the Census, with adjustments for those persons enumerated elsewhere and for natural increase from April 1, 1950, to July 1, 1950. Racial breakdowns were estimated from changes during the past decade in the ratio of white births to total births registered for each County and the State. All estimated population figures have been adjusted to add to State and County totals.

Final 1950 Census Counts with percent change from 1949 to 1950 are shown in Table XII.

MILITARY RESERVATIONS - From 1940 through 1949, vital events occurring in military reservations were shown separately from County figures. For 1950, those events occurring in military reservations, if the reservation was listed as the usual residence, are included in the County in which the reservation was located.

SUMMARY OF SELECTED VITAL STATISTICS
GEORGIA: 1950

LIVE BIRTHS: The 92,099 resident births for 1950 was the third highest number ever recorded for one year. For the years 1947 and 1949, 94,311 and 93,557 respectively, were recorded. The 1950 rate, 26.7 per 1,000 population, appears to be about 29% higher than the 1940 rate. However, if adjustments are made for incomplete registration, the 1950 rate is only about 10% higher. (See "Incomplete Registration", page 8 of this report).

The birth rate for non-whites is considerably higher than the rate for whites and rates for the "rural" population of both races is higher than the "urban" population. However, a much larger percentage of urban than rural babies, and white than non-white babies are delivered in hospitals.

DEATHS: In Georgia, the death rate has decreased about 15% since 1940. If the 1940 rate had prevailed in 1950, about 5,000 more persons would have died in Georgia that year. The 1950 rate is higher for the non-white than the white race, but the rural death rates for both races are lower than the urban rates. About one out of four non-white deaths and one out of three white deaths occurred in hospitals during 1950. A larger percentage of "urban" than "rural" deaths occurred in hospitals.

The leading causes of death in 1950 were the same as in 1949, but their relative positions changed somewhat, due to changes in classification. (See "~~Factors Affecting Statistics~~", page 9 of this report).

Nephritis dropped from its place as fourth leading cause in 1949 to seventh in 1950 and immaturity (prematurity) dropped from seventh in 1949 to ninth in 1950. Deaths from motor vehicle accidents jumped from tenth place as a leading cause in 1949 to sixth place in 1950. If both types of accidental deaths, motor vehicle, and non-motor vehicle, were added together, accidents would rank as fourth leading cause of death for 1950.

The three leading causes of death in 1950, Heart Diseases, Vascular Lesions Affecting the Central Nervous System, and Cancer, accounted for more than half (55%) of all deaths. Three out of every ten deaths were attributed to heart diseases.

The age specific death rate is higher for the under one year age group than for any other, except the sixty-five years and over age group, as shown in the following table:

TABLE II

SELECTED VITAL EVENTS - NUMBER AND RATE*, AND PERCENT OCCURRING IN HOSPITALS BY RACE, URBAN** AND RURAL, GEORGIA: 1950
(By place of residence)

	STATE			URBAN**			RURAL		
	Total Both Races	White	Non-White	Total Both Races	White	Non-White	Total Both Races	White	Non-White
<u>LIVE BIRTHS:</u>									
Number	92,099	57,003	35,096	38,614	23,980	14,634	53,485	33,023	20,462
Rate	26.7	24.3	31.6	24.7	23.9	26.1	28.3	24.6	37.3
% Occurring in Hospitals	69.5	91.0	34.7	82.9	97.4	59.1	59.9	86.3	17.2
<u>DEATHS:</u>									
Number	30,416	18,005	12,411	14,631	8,119	6,512	15,785	9,886	5,899
Rate	8.8	7.7	11.2	9.3	8.1	11.6	8.4	7.4	10.7
% Occurring in Hospitals	36.1	42.7	26.5	42.7	49.8	33.8	30.0	36.9	18.4
<u>STILLBIRTHS:</u>									
Number	2,026	885	1,141	862	378	484	1,164	507	657
Rate	22.0	15.5	32.5	22.3	15.8	33.1	21.8	15.4	32.1
% Occurring in Hospitals	58.2	84.6	37.7	69.1	89.9	52.9	50.1	80.7	26.5
<u>MATERNAL DEATHS:</u>									
Number	150	55	95	48	14	34	102	41	61
Rate	1.6	1.0	2.7	1.2	0.6	2.3	1.9	1.2	3.0
% Occurring in Hospitals	66.7	80.0	58.9	79.2	92.9	73.5	60.8	75.6	50.8
<u>INFANT DEATHS:</u>									
Number	3,081	1,518	1,563	1,400	698	702	1,681	820	861
Rate	33.5	26.6	44.5	36.3	29.1	48.0	31.4	24.8	42.1
% Occurring in Hospitals	54.7	77.4	32.6	68.9	87.8	50.1	42.8	68.5	18.2
<u>IMMATURE BIRTHS:</u>									
Number	6,645	3,697	2,948	3,206	1,677	1,529	3,439	2,020	1,419
Rate	72.2	64.9	84.0	83.0	69.9	104.5	64.3	61.2	69.3
% Occurring in Hospitals	76.2	92.9	55.3	86.4	97.7	74.0	66.6	88.9	35.0

SELECTED VITAL EVENTS - NUMBER AND RATE*, AND PERCENT OCCURRING IN HOSPITALS BY RACE, URBAN**, AND RURAL,
 GEORGIA: 1950

(By place of residence)

	STATE			URBAN**			RURAL		
	Total Both Races	White	Non-White	Total Both Races	White	Non-White	Total Both Races	White	Non-White
<u>DEATHS FROM IMMATURETY:</u>									
Number	719	343	376	357	165	192	362	178	184
Rate	7.8	6.0	10.7	9.2	6.9	13.1	6.8	5.4	9.0
% Occurring in Hospitals	62.9	86.0	41.8	76.8	91.5	64.1	49.2	80.9	18.5

* Live birth and death rates are per 1,000 estimated mid-year population - all other rates are per 1,000 live births.

** Includes vital events occurring to residents of military bases in Georgia.

TABLE III (p. 1 of 2) SUMMARY OF SELECTED VITAL EVENTS AFFECTING GEORGIA RESIDENTS:
1940-1950

YEAR	NUMBER							
	LIVE BIRTHS	DEATHS	MATERNAL DEATHS	INFANT DEATHS	STILLBIRTHS	IMMATURE BIRTHS	DEATHS FROM IMMATUREITY	ILLEGITIMATE BIRTHS
1940	64,695	32,285	342	3,737	3,078	NA	1,017	5,046
1941	67,785	31,570	315	3,955	2,903	NA	1,103	5,134
1942	72,189	28,807	299	3,559	2,786	NA	1,094	5,038
1943	78,327	29,488	303	3,661	2,664	NA	1,124	4,911
1944	77,018	28,803	276	3,398	2,523	NA	1,056	4,885
1945	74,994	28,456	250	3,181	2,208	NA	960	5,385
1946	85,699	27,405	229	3,068	2,421	NA	1,035	5,289
1947	94,311	28,780	247	3,239	2,459	5,738	1,060	6,056
1948	91,604	29,309	208	3,150	2,408	6,508	1,052	6,237
1949	93,557	29,537	185	3,093	2,178	6,557	1,032	6,847
1950	92,099	30,416	150*	3,081	2,026	6,645	719*	7,633

See notes at end of table.

TABLE III (p.2 of 2) SUMMARY OF SELECTED VITAL EVENTS AFFECTING GEORGIA RESIDENTS:
1940-1950

YEAR	RATE							
	(Per 1,000 Population)		(Per 1,000 Live Births)			IMMATURE BIRTHS	DEATHS FROM IMMATUREITY	ILLEGITIMATE BIRTHS
	LIVE BIRTHS	DEATHS	MATERNAL DEATHS	INFANT DEATHS	STILLBIRTHS			
1940	20.7	10.3	5.3	57.8	47.6	NA	15.7	78.0
1941	21.6	10.0	4.6	58.3	42.8	NA	16.3	75.7
1942	23.1	9.2	4.1	49.3	38.6	NA	15.2	69.8
1943	25.1	9.4	3.9	46.7	34.0	NA	14.4	62.7
1944	24.7	9.2	3.6	44.1	32.8	NA	13.7	63.4
1945	24.0	9.1	3.3	42.4	29.4	NA	12.8	71.8
1946	27.4	8.8	2.7	35.8	28.3	NA	12.1	61.7
1947	29.2	8.9	2.6	34.3	26.1	60.8	11.2	64.2
1948	28.6	9.2	2.3	34.4	26.3	71.0	11.5	68.1
1949	29.0	9.2	2.0	33.1	23.3	70.1	11.0	73.2
1950	26.7	8.8	1.6*	33.5	22.0	72.2	7.8*	82.9
% Change in rate 1940 to 1950	+29.0	-14.6	-69.8	-42.0	-53.8	-	-50.3	+6.3

NA: Not Available

* Part of the decrease from 1949 to 1950 is directly attributable to changes in classification of causes of death under the 6th Revision of the International List of Diseases and Causes of Death.

TABLE IV

IMPORTANT CAUSES OF DEATH, NUMBER AND PERCENT OF TOTAL IN SPECIFIED AGE GROUPS, BY RACE, GEORGIA; 1950

RANK	ALL AGES	NUMBER			PERCENT OF TOTAL ALL CAUSES		
		TOTAL BOTH RACES	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
	TOTAL, ALL CAUSES	30,416	18,005	12,411	100.0	100.0	100.0
1.	Heart Diseases (410-443)	9,241	5,988	3,253	30.4	33.3	26.2
	Chronic rheumatic heart disease (410-416)	249	149	100	-	-	-
	Arteriosclerotic and degenerative heart disease (420-422)	5,552	4,010	1,542	-	-	-
	Hypertension with heart disease (440-443)	2,504	1,356	1,148	-	-	-
2.	Vascular lesions affecting central nervous system (330-334)	4,098	2,215	1,883	13.5	12.3	15.2
3.	Malignant neoplasms, incl. neoplasms of lymphatic and haematopoietic tissues (140-205)	3,339	2,433	906	11.0	13.5	7.3
4.	Influenza & pneumonia (except pneumonia of newborn) (480-483,490-493)	1,458	764	794	4.8	4.2	6.4
5.	Accidents, excl. motor vehicle accidents (E800-E802, E840-E962)	1,221	725	496	4.0	4.0	4.0
6.	Motor Vehicle accidents (E810-E835)	902	642	260	3.0	3.6	2.1
7.	Nephritis & Nephrosis (590-594)	851	411	440	2.8	2.3	3.5
8.	Tuberculosis, all forms (001-019)	824	323	501	2.7	1.8	4.0
9.	Immaturity Unqualified (774-776)	719	343	376	2.4	1.9	3.0
10.	Ill-defined and unknown causes (780-793,795)	615	206	409	2.0	1.1	3.3
	All Other Causes	7,148	3,955	3,093	23.5	22.0	24.9
	<u>UNDER ONE YEAR</u>						
	TOTAL, ALL CAUSES	3,081	1,518	1,563	100.0	100.0	100.0
1.	Immaturity Unqualified (774-776)	719	343	376	23.3	22.6	24.1
2.	Influenza & Pneumonia, incl. pneumonia of newborn (480-483,490-493,763)	437	149	288	14.2	9.8	18.4
	Pneumonia of newborn (763)	112	50	62	-	-	-
3.	Postnatal asphyxia & atelectasis (762)	324	236	88	10.5	15.5	5.6
4.	Congenital malformations (750-759)	284	207	77	9.2	13.6	4.9
4.	Birth Injuries (760-761)	284	183	101	9.2	12.1	6.5

TABLE IV (Continued)

IMPORTANT CAUSES OF DEATH, NUMBER AND PERCENT OF TOTAL IN SPECIFIED AGE GROUPS, BY RACE, GEORGIA: 1950

RANK	NUMBER			PERCENT OF TOTAL ALL CAUSES		
	TOTAL BOTH RACES	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>UNDER ONE YEAR</u>						
5. Ill-defined and Unknown Causes (780-793,795)	222	51	171	7.2	3.4	10.9
6. Gastro-enteritis, colitis and diarrhea of newborn (571,764)	165	55	110	5.4	3.6	7.0
Diarrhea of newborn (764)	24	10	14	-	-	-
7. Other and ill-defined diseases peculiar to early infancy (766-769,771,773)	152	65	87	4.9	4.3	5.6
8. Accidents (excl. mtr. vehicle accidents (E800-E802, E840-E962)	126	51	75	4.1	3.4	4.8
9. Nutritional maladjustment (772)	72	15	57	2.3	1.0	3.6
10. Haemolytic disease of newborn (Erythroblastosis) (770)	50	36	14	1.6	2.4	0.9
11. Whooping Cough (056)	33	17	16	1.1	1.1	1.0
All Other Causes	213	110	103	6.9	7.2	6.6
<u>ONE - FOUR YEARS</u>						
TOTAL, ALL CAUSES	566	289	277	100.0	100.0	100.0
1. Influenza & Pneumonia (480-483,490-493)	111	36	75	19.6	12.4	27.1
2. Accidents, excl. motor vehicle accidents (E800-E802, E840-E962)	93	49	44	16.4	17.0	15.9
3. Malignant neoplasms, including neoplasms of lymphatic & haematopoietic tissues (140-205)	47	38	9	8.3	13.1	3.2
4. Congenital Malformations (750-759)	45	27	18	7.9	9.3	6.5
5. Gastro-enteritis, colitis & ulcerative colitis (571,572)	33	12	21	5.8	4.2	7.6
6. Motor Vehicle Accidents (E810-E835)	31	24	7	5.5	8.3	2.5
7. Ill-defined and Unknown Causes (780-793,795)	24	10	14	4.2	3.5	5.1
8. Meningococcal Infections (057)	16	12	4	2.8	4.2	1.4
9. Meningitis, except meningococcal and tuberculous (340)	13	4	9	2.3	1.4	3.2
10. Tuberculosis, all forms (001-019)	12	5	7	2.1	1.7	2.5
11. Diphtheria (055)	10	5	5	1.8	1.7	1.8
11. Whooping Cough (056)	10	4	6	1.8	1.4	2.2
All Other Causes	121	63	58	21.4	21.8	20.9

TABLE IV (Continued)

IMPORTANT CAUSES OF DEATH, NUMBER AND PERCENT OF TOTAL IN SPECIFIED AGE GROUPS, BY RACE, GEORGIA: 1950

RANK	NUMBER			PERCENT OF TOTAL ALL CAUSES		
	TOTAL BOTH RACES	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>FIVE - FOURTEEN YEARS</u>						
TOTAL, ALL CAUSES	418	231	187	100.0	100.0	100.0
1. Accidents, excluding motor vehicle accidents (E800-E802, E840-E962)	88	41	47	21.1	17.7	25.1
2. Motor vehicle accidents (E810-E835)	77	55	22	18.4	23.8	11.8
3. Malignant neoplasms, incl. neoplasms of lymphatic and haematopoietic tissues (140-205)	37	25	12	8.9	10.8	6.4
4. Influenza and Pneumonia (480-483, 490-493)	32	11	21	7.7	4.8	11.2
5. Nephritis and Nephrosis (590-594)	24	15	9	5.7	6.5	4.8
6. Rheumatic fever (400-402)	15	3	12	3.6	1.3	6.4
7. Congenital malformations (750-759)	13	11	2	3.1	4.8	1.1
8. Tuberculosis, all forms (001-019)	10	2	8	2.4	0.9	4.3
9. Heart Diseases (410-443)	8	5	3	1.9	2.2	1.6
9. Appendicitis (550-553)	8	4	4	1.9	1.7	2.1
9. Cerebral spastic infantile paralysis (351)	8	4	4	1.9	1.7	2.1
10. Homicide (E964, E980-E985)	7	1	6	1.7	0.4	3.2
All Other Causes	91	54	37	21.8	23.4	19.8
<u>FIFTEEN - TWENTY-FOUR YEARS</u>						
TOTAL, ALL CAUSES	928	449	479	100.0	100.0	100.0
1. Motor Vehicle Accidents (E810-E835)	198	142	56	21.3	31.6	11.7
2. Accidents, excluding motor vehicle accidents (E800-E802, E840-E962)	158	99	59	17.0	22.0	12.3
3. Homicide (E964, E980-E985)	98	12	86	10.6	2.7	18.0
4. Tuberculosis, all forms (001-019)	81	9	72	8.7	2.0	15.0
5. Complications of pregnancy, childbirth and the puerperium (640-689)	48	18	30	5.2	4.0	6.3
6. Malignant neoplasms, incl. neoplasms of lymphatic & haematopoietic tissues (140-205)	47	33	14	5.1	7.3	2.9
7. Heart Diseases (410-443) Chronic rheumatic heart disease (410-416)	44	17	27	4.7	3.8	5.6
	13	9	4	-	-	-

TABLE IV (Continued)

IMPORTANT CAUSES OF DEATH, NUMBER AND PERCENT OF TOTAL IN SPECIFIED AGE GROUPS, BY RACE, GEORGIA: 1950

RANK	NUMBER			PERCENT OF TOTAL ALL CAUSES		
	TOTAL BOTH RACES	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>FIFTEEN - TWENTY-FOUR YEARS</u>						
8. Influenza and Pneumonia (480-483,490-493)	30	10	20	3.2	2.2	4.2
9. Suicide (E963,E970-E979)	22	19	3	2.4	4.2	0.6
10. Epilepsy (353)	21	9	12	2.3	2.0	2.5
11. Ill-defined and unknown causes (780-793,795)	18	5	13	1.9	1.1	2.7
12. Nephritis and Nephrosis (590-594)	14	7	7	1.5	1.6	1.5
All Other Causes	149	69	80	16.1	15.4	16.7
<u>TWENTY-FIVE - FORTY-FOUR YEARS</u>						
TOTAL, ALL CAUSES	3951	1694	2257	100.0	100.0	100.0
1. Heart Diseases (410-443)	791	311	480	20.0	18.4	21.3
Chronic rheumatic heart disease (410-416)	60	32	28	-	-	-
Arteriosclerotic and degenerative heart disease (420-422)	404	200	204	-	-	-
Hypertension with heart disease (440-443)	195	39	156	-	-	-
2. Malignant neoplasms, incl. neoplasms of lymphatic and haematopoietic tissues (140-205)	400	251	149	10.1	14.8	6.6
3. Tuberculosis, all forms (001-019)	334	83	251	8.5	4.9	11.1
4. Motor vehicle accidents (E810-E835)	332	229	103	8.4	13.5	4.6
5. Homicide (E964,E980-E985)	310	76	234	7.8	4.5	10.4
6. Accidents, excl. motor vehicle accidents (E800-E802,E840-E962)	263	145	118	6.7	8.6	5.2
7. Vascular lesions affecting central nervous system (330-334)	262	68	194	6.6	4.0	8.6
8. Influenza and Pneumonia (480-483,490-493)	143	34	109	3.6	2.0	4.8
9. Suicide (E963,E970-E979)	116	98	18	2.9	5.8	0.8
10. Nephritis and Nephrosis (590-594)	115	36	79	2.9	2.1	3.5
11. Complications of pregnancy, childbirth, and the puerperium (640-689)	102	37	65	2.6	2.2	2.9
All Other Causes	783	326	457	19.8	19.2	20.2

TABLE IV (Continued)

IMPORTANT CAUSES OF DEATH, NUMBER AND PERCENT OF TOTAL IN SPECIFIED AGE GROUPS, BY RACE, GEORGIA: 1950

FORTY-FIVE - SIXTY-FOUR YEARS		NUMBER			PERCENTAGE OF TOTAL ALL CAUSES		
RANK	TOTAL BOTH RACES	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	
TOTAL, ALL CAUSES	9140	4697	4443	100.0	100.0	100.0	
1. Heart Diseases (410-443)	3437	1844	1593	37.6	39.3	35.9	
Chronic rheumatic heart disease (410-416)	83	48	35	-	-	-	
Arteriosclerotic and degenerative heart disease (420-422)	2093	1335	758	-	-	-	
Hypertension with heart disease (440-443)	879	298	581	-	-	-	
2. Vascular lesions affecting central nervous system (330-334)	1498	561	937	16.4	11.9	21.1	
3. Malignant neoplasm, incl. neoplasms of lymphatic and haematopoietic tissue (140-205)	1398	929	469	15.3	19.8	10.6	
4. Influenza and Pneumonia (480-483, 490-493)	294	84	210	3.2	1.8	4.7	
5. Nephritis and Nephrosis (590-594)	268	76	192	2.9	1.6	4.3	
6. Tuberculosis, all forms (001-019)	259	129	130	2.8	2.7	2.9	
7. Accidents, excl. motor vehicle accidents (E800-E802, E840-E962)	192	98	94	2.1	2.1	2.1	
8. Motor vehicle accidents (E810-E835)	165	118	47	1.8	2.5	1.1	
9. Diabetes Mellitus (260)	160	73	87	1.8	1.6	2.0	
10. Ill-defined and unknown causes (780-793, 795)	120	46	74	1.3	1.0	1.7	
11. Hypertension without mention of heart (444-447)	106	40	66	1.2	0.9	1.5	
All Other Causes	1243	699	544	13.6	14.9	12.2	
<u>SIXTY-FIVE YEARS AND OVER</u>							
TOTAL, ALL CAUSES	12,298	9117	3181	100.0	100.0	100.0	
1. Heart Diseases (410-443)	4943	3805	1138	40.2	41.7	35.8	
Chronic rheumatic heart disease (410-416)	90	57	33	-	-	-	
Arteriosclerotic and degenerative heart disease (420-422)	3032	2470	562	-	-	-	
Hypertension with heart disease (440-443)	1421	1018	403	-	-	-	

TABLE IV (Continued)

IMPORTANT CAUSES OF DEATH, NUMBER AND PERCENT OF TOTAL IN SPECIFIED AGE GROUPS, BY RACE, GEORGIA: 1950

<u>SIXTY-FIVE YEARS AND OVER</u>	NUMBER			PERCENT OF TOTAL ALL CAUSES		
	<u>RANK</u> TOTAL BOTH RACES	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
2. Vascular lesions affecting central nervous system (330-334)	2303	1571	732	18.7	17.2	23.0
3. Malignant neoplasms, incl. neoplasms of lymphatic and haematopoietic tissues (140-205)	1398	1147	251	11.4	12.6	7.9
4. Influenza and Pneumonia (480-483,490-493)	521	390	131	4.2	4.3	4.1
5. Nephritis and Nephrosis (590-594)	420	272	148	3.4	3.0	4.7
6. General arteriosclerosis (450)	343	252	91	2.8	2.8	2.9
7. accidents, excl. motor vehicle accidents (E800-E802, E840-E962)	299	242	57	2.4	2.7	1.8
8. Hypertension without mention of heart (444-447)	229	163	66	1.9	1.8	2.1
9. Senility (794)	213	81	132	1.7	0.9	4.1
10. Diabetes Mellitus (260)	206	168	38	1.7	1.8	1.2
All Other Causes	1423	1026	397	11.6	11.3	12.5
<u>UNKNOWN AGE</u>	34	10	24	-	-	-

NOTE: The figures in parentheses are the 1948 (Sixth Revision) International List of Diseases and Causes of Death code numbers. No percentages are computed for subdivisions of important causes.

TABLE V

DEATHS AND DEATH RATES (PER 100,000 POPULATION) FROM SPECIFIED CAUSES, BY RACE,
 GEORGIA: 1950

CAUSE OF DEATH (INTERNATIONAL LIST NUMBER - 6th REVISION)	NUMBER			RATE		
	T	W	N-W	T	W	N-W
TOTAL DEATHS, ALL CAUSES	30,416	18,005	12,411	880.6	767.8	1119.1
Tuberculosis, all forms (001-019)	824	323	501	23.9	13.8	45.2
Syphilis & its sequelae (020-029)	201	59	142	5.8	2.5	12.8
Typhoid Fever (040)	3	0	3	0.1	-	0.3
Dysentery, all forms (045-048)	47	25	22	1.4	1.1	2.0
Scarlet Fever (050)	2	1	1	0.1	-	0.1
Streptococcal Sore Throat (051)	13	8	5	0.4	0.3	0.5
Diphtheria (055)	17	10	7	0.5	0.4	0.6
Whooping Cough (056)	44	21	23	1.3	0.9	2.1
Meningococcal Infections (057)	34	26	8	1.0	1.1	0.7
Acute Poliomyelitis (080)	16	13	3	0.5	0.6	0.3
Acute Infectious Encephalitis (082)	7	4	3	0.2	0.2	0.3
Smallpox (084)	0	0	0	-	-	-
Measles (085)	10	1	9	0.3	-	0.8
Typhus & other rickettsial diseases (100-103,105-108)	4	1	3	0.1	-	0.3
Rocky Mountain Spotted Fever (104)	1	1	0	-	-	-
Malaria (110-117)	6	1	5	0.2	-	0.5
All other diseases classified as infective & parasitic (030-039, 041-042,043,049,052-054,059-074, 081,083,086-096,120-138)	100	50	50	2.9	2.1	4.5
Malignant Neoplasms, inc. Neo- plasms of Lymphatic & Haemato- poietic tissues (140-205)	3,339	2,433	906	96.7	103.8	81.7
Benign & Unspecified Neoplasms (210-239)	105	64	41	3.0	2.7	3.7
Diabetes Mellitus (260)	440	268	172	12.7	11.4	15.5
Pellagra (281)	38	23	15	1.1	1.0	1.4
Anaemias (290-293)	69	44	25	2.0	1.9	2.3
Vascular lesions affecting central nervous system (330-334)	4,098	2,215	1,883	118.6	94.5	169.8
Non-meningococcal Meningitis (340)	56	23	33	1.6	1.0	3.0
Rheumatic Fever (400-402)	38	11	27	1.1	0.5	2.4
Heart Diseases (410-443)	9,241	5,988	3,253	267.5	255.4	293.3
Hypertension without mention of heart (444-447)	383	217	166	11.1	9.3	15.0
Influenza (480-483)	346	159	187	10.0	6.8	16.9
Pneumonia (490-493)	1,112	505	607	32.2	21.5	54.7
Bronchitis (500-502)	69	44	25	2.0	1.9	2.3
Ulcer of Stomach & Duodenum (540,541)	130	80	50	3.8	3.4	4.5
Appendicitis (550-553)	73	41	32	2.1	1.7	2.9
Intestinal Obstruction & Hernia (560,561,570)	218	122	96	6.3	5.2	8.7
Gastritis, Duodenitis, Enteritis & Colitis (except diarrhea of the newborn) (543,571,572)	230	94	136	6.7	4.0	12.3

TABLE V (Continued).....

CAUSE OF DEATH	NUMBER			RATE		
	T	W	N-W	T	W	N-W
Cirrhosis of Liver (581)	197	144	53	5.7	6.1	4.8
Nephritis & Nephrosis (590-594)	851	411	440	24.6	17.5	39.7
Hyperplasia of Prostate (610)	134	62	72	3.9	2.6	6.5
Complications of Pregnancy, Child- birth and the Puerperium (640-652,670-689)	150	55	95	4.3	2.3	8.6
Congenital Malformations (750-759)	393	287	106	11.4	12.2	9.6
Birth Injuries, Postnatal Asphyxia & Atelectasis (760-762)	608	419	189	17.6	17.9	17.0
Infection of the Newborn (763-768)	151	63	88	4.4	2.7	7.9
Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	978	456	522	28.3	19.4	47.1
Senility, without mention of Psychosis (794)	217	81	136	6.3	3.5	12.3
Ill-defined & Unknown Causes (780-793,795)	615	206	409	17.8	8.8	36.9
Motor Vehicle Accidents (E810-E835)	902	642	260	26.1	27.4	23.4
All Other Accidents (E800-E802, E840-E962)	1,221	725	496	35.4	30.9	44.7
Suicide (E963,E970-E979)	285	249	36	8.3	10.6	3.2
Homicide (E964,E980-E985)	508	131	377	14.7	5.6	34.0
All Other Diseases (Residual)	1,892	1,199	693	54.8	51.1	62.5

NOTE: Dash (-) indicates rate
of less than 0.5

TABLE VI

DEATHS AND DEATH RATES PER 1,000 LIVE BIRTHS FROM DISEASES OF PREGNANCY, CHILD BIRTH AND THE PUERPERIUM, BY RACE, GEORGIA: 1950

	NUMBER			RATE		
	Total	White	N-White	Total	White	N-White
TOTAL	150	55	95	1.6	1.0	2.7
Abortion, all causes (650-652)	16	5	11	0.2	0.1	0.3
Ectopic Pregnancy (645)	3	0	3	-	-	0.1
Hemorrhage of pregnancy (643,644)	11	5	6	0.1	0.1	0.2
Toxemias of pregnancy (642)	48	18	30	0.5	0.3	0.9
Other complications arising during pregnancy (640,641, 646-649)	6	2	4	0.1	-	0.1
Hemorrhage of childbirth and puerperium (670-672)	21	11	10	0.2	0.2	0.3
Infection during childbirth and puerperium (680-684)	26	7	19	0.3	0.1	0.5
Puerperal toxemias (685,686)	5	3	2	0.1	0.1	0.1
Other accidents and specified conditions of childbirth (673-678,687)	8	1	7	0.1	-	0.2
Other and unspecified con- ditions of childbirth and the puerperium (688)	6	3	3	0.1	0.1	0.1

NOTE: (-) indicates rate less than 0.05.

The figures in parentheses are the Sixth Revision of the International List of Diseases and Causes of Death Code Numbers.

TABLE VII

DEATHS FROM ACCIDENTS BY SPECIFIED AGE GROUPS, GEORGIA: 1950

TYPE OF ACCIDENT	TOTAL ALL AGES	UNDER 1 YR	1-4	5-9	10-14	15-19	20 & OVER
TOTAL DEATHS (ALL CAUSES)	30,416	3,080	567	235	183	375	25,976
TOTAL ACCIDENTAL DEATHS	2,123	132	124	86	79	151	1,551
Railway Accidents (E800-E802)	45	-	-	1	1	1	42
Motor Vehicle Traffic Accidents (E810-E825)	874	5	25	41	31	78	694
Motor Vehicle Non-Traffic Accidents (E830-E835)	28	1	6	3	2	1	15
Other Road Vehicle Accidents (E840-E845)	12	-	-	-	2	-	10
Water Transport Accidents (except submersion of occupant of small boats) (E851-E858)	4	-	-	1	-	-	3
Submersion of Occupant of small boat (E850)	27	-	1	1	-	4	21
Accidental drowning and sub- mersion, except by small boat (E929)	92	3	8	8	11	21	41
Aircraft Accidents (E860-E866)	18	-	-	-	-	1	17
Accidental Poisoning by solid & liquid substances (E870-E888)	43	2	12	2	1	2	24
Accidental Poisoning by Gases and Vapours (E890-E895)	15	-	-	1	1	3	10
Accidental Falls (E900-E904)	297	2	5	1	3	2	284
Blow from falling object (E910)	53	1	3	1	1	3	44
Accident caused by Machinery (E912)	35	-	1	-	1	5	28
Accident caused by cutting and piercing instruments (E913)	18	-	3	3	2	2	8
Accident caused by electric current, except lightning (E914)	21	-	-	-	1	1	19
Accidental Burns (E915-E917)	245	10	42	17	10	7	159
Accident caused by firearms (E919)	91	-	3	4	7	16	61
Obstruction, Suffocation, or puncture by ingested objects (E920-E923)	39	23	10	-	-	-	6
Mechanical Suffocation (E924-E925)	93	77	3	1	-	-	12
Accident caused by animals (except venomous animals.) (E928)	7	-	-	-	2	2	3
Cataclysm (E934)	-	-	-	-	-	-	-
Lightning (E935)	5	-	-	-	1	1	3
all other accidents (E911, 918, 926, 927, 930-933, 936, 940-962)	61	8	2	1	2	1	47

NOTE: Figures in parentheses are the 1948 (Sixth Revision) International List of Diseases and Causes of Death Code Numbers.

NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE

GEORGIA: 1950

NUMBER

TABLE VIII

PERCENT

AREA & RACE	NUMBER					PERCENT				
	Total Births	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified	Total Percent	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified
STATE *										
T	92,099	63,639	8,292	19,871	297	100.0	69.1	9.0	21.6	0.3
W	57,003	51,794	3,893	1,256	60	100.0	90.9	6.8	2.2	0.1
N-W	35,096	11,845	4,399	18,615	237	100.0	33.8	12.5	53.0	0.7
NORTHWESTERN REGION *										
T	28,170	25,665	1,601	901	3	100.0	91.1	5.7	3.2	-
W	21,850	20,493	1,055	299	3	100.0	93.8	4.8	1.4	-
N-W	6,320	5,172	546	602	0	100.0	81.8	8.6	9.5	-
Bartow										
T	699	592	68	39		100.0	84.7	9.7	5.6	
W	582	525	47	10		100.0	90.2	8.1	1.7	
N-W	117	67	21	29		100.0	57.3	17.9	24.8	
Carroll										
T	764	531	157	76		100.0	69.5	20.5	9.9	
W	605	493	101	11		100.0	81.5	16.7	1.8	
N-W	159	38	56	65		100.0	23.9	35.2	40.9	
Catoosa										
T	403	384	18	1		100.0	95.3	4.5	0.2	
W	396	384	11	1		100.0	97.0	2.8	0.3	
N-W	7	0	7	0		100.0	-	100.0	-	
Chattooga										
T	506	439	41	26		100.0	86.8	8.1	5.1	
W	446	411	33	2		100.0	92.2	7.4	0.4	
N-W	60	28	8	24		100.0	46.7	13.3	40.0	
Cherokee										
T	522	406	99	17		100.0	77.8	19.0	3.3	
W	501	394	96	11		100.0	78.6	19.2	2.2	
N-W	21	12	3	6		100.0	57.1	14.3	28.6	
Cobb										
T	1,635	1,475	116	44		100.0	90.2	7.1	2.7	
W	1,462	1,392	62	8		100.0	95.2	4.2	0.5	
N-W	173	83	54	36		100.0	48.0	31.2	20.8	

NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE
 GEORGIA: 1950

NUMBER

TABLE VIII (Cont.)

PERCENT

AREA & RACE		Total Births	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified	Total Percent	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified
Dade	T	240	169	62	9		100.0	70.4	25.8	3.8	
	W	238	169	61	8		100.0	71.0	25.6	3.4	
	N-W	2	0	1	1		100.0	-	50.0	50.0	
Dawson	T	91	69	8	14		100.0	75.8	8.8	15.4	
	W	90	68	8	14		100.0	75.6	8.9	15.6	
	N-W	1	1	0	0		100.0	100.0	-	-	
DeKalb	T	3,699	3,544	29	126		100.0	95.8	0.8	3.4	
	W	3,149	3,134	11	4		100.0	99.5	0.3	0.1	
	N-W	550	410	18	122		100.0	74.5	3.3	22.2	
Douglas	T	310	229	31	50		100.0	73.9	10.0	16.1	
	W	243	224	15	4		100.0	92.2	6.2	1.6	
	N-W	67	5	16	46		100.0	7.5	23.9	68.7	
Fannin	T	387	242	135	10		100.0	62.5	34.9	2.6	
	W	385	240	135	10		100.0	62.3	35.1	2.6	
	N-W	2	2	0	0		100.0	100.0	-	-	
Floyd	T	1,447	1,286	56	105		100.0	88.9	3.9	7.3	
	W	1,194	1,129	49	16		100.0	94.6	4.1	1.3	
	N-W	253	157	7	89		100.0	62.0	2.8	35.2	
Forsyth	T	238	217	17	4		100.0	91.2	7.1	1.7	
	W	237	216	17	4		100.0	91.1	7.2	1.7	
	N-W	1	1	0	0		100.0	100.0	-	-	
Fulton*	T	12,398	12,065	294	39		100.0	97.3	2.4	0.3	
	W	7,886	7,819	67	0		100.0	99.2	0.8	-	
	N-W	4,512	4,246	227	39		100.0	94.1	5.0	0.9	

AREA & RACE		NUMBER					PERCENT				
		Total Births	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified	Total Percent	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified
Gilmer	T	265	232	6	27		100.0	87.5	2.3	10.2	
	W	265	232	6	27		100.0	87.5	2.3	10.2	
	N-W	0	0	0	0		-	-	-	-	
Gordon	T	439	398	35	6		100.0	90.7	8.0	1.4	
	W	418	396	18	4		100.0	94.7	4.3	1.0	
	N-W	21	2	17	2		100.0	9.5	81.0	9.5	
Haralson	T	325	212	76	37		100.0	65.2	23.4	11.4	
	W	286	208	65	13		100.0	72.7	22.7	4.5	
	N-W	39	4	11	24		100.0	10.3	28.2	61.5	
Lumpkin	T	156	111	13	32		100.0	71.2	8.3	20.5	
	W	153	111	12	30		100.0	72.5	7.8	19.6	
	N-W	3	0	1	2		100.0	-	33.3	66.7	
Murray	T	248	177	42	29		100.0	71.4	16.9	11.7	
	W	239	175	36	28		100.0	73.2	15.1	11.7	
	N-W	9	2	6	1		100.0	22.2	66.7	11.1	
Paulding	T	283	207	60	15	1	100.0	73.1	21.2	5.3	0.4
	W	230	197	29	3	1	100.0	85.7	12.6	1.3	0.4
	N-W	53	10	31	12	0	100.0	18.9	58.5	22.6	-
Pickens	T	227	208	13	6		100.0	91.6	5.7	2.6	
	W	214	195	13	6		100.0	91.1	6.1	2.8	
	N-W	13	13	0	0		100.0	100.0	-	-	
Polk	T	743	562	65	115	1	100.0	75.6	8.7	15.5	0.1
	W	589	518	52	18	1	100.0	87.9	8.8	3.1	0.2
	N-W	154	44	13	97	0	100.0	28.6	8.4	63.0	-
Towns	T	94	72	21	1		100.0	76.6	22.3	1.1	
	W	94	72	21	1		100.0	76.6	22.3	1.1	
	N-W	0	0	0	0		-	-	-	-	

NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE
 GEORGIA: 1950
 TABLE VIII (Cont.)

AREA & RACE		NUMBER					PERCENT				
		Total Births	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified	Total Percent	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified
Union											
	T	203	111	57	35		100.0	54.7	28.1	17.2	
	W	203	111	57	35		100.0	54.7	28.1	17.2	
	N-W	0	0	0	0		-	-	-	-	
Walker											
	T	952	906	38	8		100.0	95.2	4.0	0.8	
	W	899	882	15	2		100.0	98.1	1.7	0.2	
	N-W	53	24	23	6		100.0	45.3	43.4	11.3	
Whitfield											
	T	896	821	44	30	1	100.0	91.6	4.9	3.3	0.1
	W	846	798	18	29	1	100.0	94.3	2.1	3.4	0.1
	N-W	50	23	26	1	0	100.0	46.0	52.0	2.0	-

* Includes births in military reservations.

NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE

NUMBER

GEORGIA: 1950

TABLE VIII (Cont.)

PERCENT

AREA & RACE	Total Births	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified	Total Percent	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified
STATE *										
T	92,099	63,639	8,292	19,871	297	100.0	69.1	9.0	21.6	0.3
W	57,003	51,794	3,893	1,256	60	100.0	90.9	6.8	2.2	0.1
N-W	35,096	11,845	4,399	18,615	237	100.0	33.8	12.5	53.0	0.7
NORTHEASTERN REGION										
T	10,292	6,423	1,144	2,574	151	100.0	62.4	11.1	25.0	1.5
W	6,627	5,878	494	224	31	100.0	88.7	7.5	3.4	0.5
N-W	3,665	545	650	2,350	120	100.0	14.9	17.7	64.1	3.3
Banks										
T	147	107	16	23	1	100.0	72.8	10.9	15.6	0.7
W	131	102	13	15	1	100.0	77.9	9.9	11.4	0.8
N-W	16	5	3	8	0	100.0	31.2	18.8	50.0	-
Barrow										
T	289	214	35	40		100.0	74.0	12.1	13.8	
W	229	206	19	4		100.0	90.0	8.3	1.7	
N-W	60	8	16	36		100.0	13.3	26.7	60.0	
Clarke										
T	835	650	65	120		100.0	77.8	7.8	14.4	
W	587	579	4	4		100.0	98.6	0.7	0.7	
N-W	248	71	61	116		100.0	28.6	24.6	46.8	
Elbert										
T	495	314	20	161		100.0	63.4	4.0	32.5	
W	267	260	4	3		100.0	97.4	1.5	1.1	
N-W	228	54	16	158		100.0	23.7	7.0	69.3	
Franklin										
T	311	199	86	26		100.0	64.0	27.7	8.4	
W	259	192	63	4		100.0	74.1	24.3	1.5	
N-W	52	7	23	22		100.0	13.5	44.2	42.3	
Greene										
T	343	146	28	169		100.0	42.6	8.2	49.3	
W	130	113	12	5		100.0	86.9	9.2	3.8	
N-W	213	33	16	164		100.0	15.5	7.5	77.0	

NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE
 GEORGIA: 1950

NUMBER

TABLE VIII (Cont.)

PERCENT

AREA & RACE	Total Births	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified	Total Percent	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified
Gwinnett										
T	785	696	62	27		100.0	88.7	7.9	3.4	
W	692	634	53	5		100.0	91.6	7.7	0.7	
N-W	93	62	9	22		100.0	66.7	9.7	23.7	
Habersham										
T	417	401	8	8		100.0	96.2	1.9	1.9	
W	404	392	4	8		100.0	97.0	1.0	2.0	
N-W	13	9	4	0		100.0	69.2	30.8	-	
Hall										
T	983	757	154	70	2	100.0	77.0	15.7	7.1	0.2
W	836	745	52	37	2	100.0	89.1	6.2	4.4	0.2
N-W	147	12	102	33	0	100.0	8.2	69.4	22.4	-
Hancock										
T	325	78	16	231		100.0	24.0	4.9	71.1	
W	47	40	1	6		100.0	85.1	2.1	12.8	
N-W	278	38	15	225		100.0	13.7	5.4	80.9	
Hart										
T	299	189	40	69	1	100.0	63.2	13.4	23.1	0.3
W	212	184	18	9	1	100.0	86.8	8.5	4.2	0.5
N-W	87	5	22	60	0	100.0	5.7	25.3	69.0	-
Jackson										
T	473	290	149	34		100.0	61.3	31.5	7.2	
W	391	280	104	7		100.0	71.6	26.6	1.8	
N-W	82	10	45	27		100.0	12.2	54.9	32.9	
Jasper										
T	223	51	59	113		100.0	22.9	26.5	50.7	
W	73	49	19	5		100.0	67.1	26.0	6.8	
N-W	150	2	40	108		100.0	1.3	26.7	72.0	
Lincoln										
T	166	66	76	24		100.0	39.8	45.8	14.5	
W	59	44	14	1		100.0	74.6	23.7	1.7	
N-W	107	22	62	23		100.0	20.6	57.9	21.5	

TABLE VIII (Cont.)

AREA & RACE	NUMBER					PERCENT				
	Total Births	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified	Total Percent	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified
Madison										
T	278	184	24	70		100.0	66.2	8.6	25.2	
W	195	171	5	19		100.0	87.7	2.6	9.7	
N-W	83	13	19	51		100.0	15.7	22.9	61.4	
McDuffie										
T	314	144	16	154		100.0	45.9	5.1	49.0	
W	141	133	4	4		100.0	94.3	2.8	2.8	
N-W	173	11	12	150		100.0	6.4	6.9	86.7	
Morgan										
T	260	82	27	151		100.0	31.5	10.4	58.1	
W	96	77	9	10		100.0	80.2	9.4	10.4	
N-W	164	5	18	141		100.0	3.0	11.0	86.0	
Newton										
T	547	295	42	210		100.0	53.9	7.7	38.4	
W	311	288	16	7		100.0	92.6	5.1	2.3	
N-W	236	7	26	203		100.0	3.0	11.0	86.0	
Oconee										
T	157	77	40	40		100.0	49.0	25.5	25.5	
W	97	73	18	6		100.0	75.3	18.6	6.2	
N-W	60	4	22	34		100.0	6.7	36.7	56.7	
Oglethorpe										
T	248	99	12	137		100.0	39.9	4.8	55.2	
W	105	89	5	11		100.0	84.8	4.8	10.5	
N-W	143	10	7	126		100.0	7.0	4.9	88.1	
Putnam										
T	238	81	24	133		100.0	34.0	10.1	55.9	
W	86	75	10	1		100.0	87.2	11.6	1.2	
N-W	152	6	14	132		100.0	3.9	9.2	86.8	
Rabun										
T	182	151	5	25	1	100.0	83.0	2.7	13.7	0.5
W	180	150	4	25	1	100.0	83.3	2.2	13.9	0.6
N-W	2	1	1	0	0	100.0	50.0	50.0	-	-
Rockdale										
T	218	112	35	71		100.0	51.4	16.1	32.6	
W	123	102	18	3		100.0	82.9	14.6	2.4	
N-W	95	10	17	68		100.0	10.5	17.9	71.6	

NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE,
 GEORGIA: 1950

NUMBER

TABLE VIII (Cont.)

PERCENT

AREA & RACE		Total Births	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified	Total Percent	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified
Stephens	T	425	371	13	39	2	100.0	87.3	3.1	9.2	0.5
	W	349	330	7	12	0	100.0	94.6	2.0	3.4	-
	N-W	76	41	6	27	2	100.0	53.9	7.9	35.5	2.6
Taliaferro	T	101	36	5	60		100.0	35.6	5.0	59.4	
	W	25	24	0	1		100.0	96.0	-	4.0	
	N-W	76	12	5	59		100.0	15.8	6.6	77.6	
Walton	T	535	308	13	71	143	100.0	57.6	2.4	13.3	26.7
	W	303	264	8	5	26	100.0	87.1	2.6	1.6	8.6
	N-W	232	44	5	66	117	100.0	19.0	2.2	28.4	50.4
Warren	T	259	66	19	174		100.0	25.5	7.3	67.2	
	W	63	55	5	3		100.0	87.3	7.9	4.8	
	N-W	196	11	14	171		100.0	5.6	7.1	87.2	
White	T	135	126	4	5		100.0	93.3	3.0	3.7	
	W	130	125	2	3		100.0	96.2	1.5	2.3	
	N-W	5	1	2	2		100.0	20.0	40.0	40.0	
Wilkes	T	304	133	51	119	1	100.0	43.8	16.8	39.1	0.3
	W	106	102	3	1	0	100.0	96.2	2.8	0.9	-
	N-W	198	31	48	118	1	100.0	15.7	24.2	59.6	0.5

* Includes births occurring in military reservations.

NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE

GEORGIA: 1950
TABLE VIII (Cont.)

AREA & RACE	NUMBER					PERCENT				
	Total Births	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified	Total Percent	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified
STATE *										
T	92,099	63,639	8,292	19,871	297	100.0	69.1	9.0	21.6	0.3
W	57,003	51,794	3,893	1,256	60	100.0	90.9	6.8	2.2	0.1
N-W	35,096	11,845	4,399	18,615	237	100.0	33.8	12.5	53.0	0.7
WEST CENTRAL REGION *										
T	16,231	11,170	1,304	3,748	9	100.0	68.8	8.0	23.1	0.1
W	9,168	8,543	531	91	3	100.0	93.2	5.8	1.0	0.0
N-W	7,063	2,627	773	3,657	6	100.0	37.2	10.9	51.8	0.1
Bibb										
T	3,111	2,981	43	87		100.0	95.8	1.4	2.8	
W	1,795	1,784	9	2		100.0	99.4	0.5	0.1	
N-W	1,316	1,197	34	85		100.0	91.0	2.6	6.5	
Butts										
T	221	103	65	53		100.0	46.6	29.4	24.0	
W	112	97	15	0		100.0	86.6	13.4	-	
N-W	109	6	50	53		100.0	5.5	45.9	48.6	
Chattahoochee*										
T	196	168	12	16		100.0	85.7	6.1	8.2	
W	158	156	2	0		100.0	98.7	1.3	-	
N-W	38	12	10	16		100.0	31.6	26.3	42.1	
Clayton										
T	615	491	41	83		100.0	79.8	6.7	13.5	
W	497	469	20	8		100.0	94.4	4.0	1.6	
N-W	118	22	21	75		100.0	18.6	17.8	63.6	
Coweta										
T	665	405	71	189		100.0	60.9	10.7	28.4	
W	355	313	33	9		100.0	88.2	9.3	2.5	
N-W	310	92	38	180		100.0	29.7	12.3	58.1	
Crawford										
T	191	76	6	109		100.0	39.8	3.1	57.1	
W	52	48	1	3		100.0	92.3	1.9	5.8	
N-W	139	28	5	106		100.0	20.1	3.6	76.3	

WEST CENTRAL REGION

NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY AND RACE
 GEORGIA: 1950

NUMBER

TABLE VIII (Cont.)

PERCENT

AREA & RACE		Total Births	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified	Total Percent	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified
Fayette	T	192	93	20	79		100.0	48.4	10.4	41.1	
	W	106	88	13	5		100.0	83.0	12.3	4.7	
	N-W	86	5	7	74		100.0	5.8	8.1	86.0	
Harris	T	305	93	33	179		100.0	30.5	10.8	58.7	
	W	76	69	6	1		100.0	90.8	7.9	1.3	
	N-W	229	24	27	178		100.0	10.5	11.8	77.7	
Heard	T	162	85	32	45		100.0	52.5	19.8	27.8	
	W	109	82	23	4		100.0	75.2	21.1	3.7	
	N-W	53	3	9	41		100.0	5.7	17.0	77.4	
Henry	T	440	143	52	245		100.0	32.5	11.8	55.7	
	W	186	135	34	17		100.0	72.6	18.3	9.1	
	N-W	254	8	18	228		100.0	3.1	7.1	89.8	
Houston	T	704	518	35	151		100.0	73.6	5.0	21.4	
	W	401	378	21	2		100.0	94.3	5.2	0.5	
	N-W	303	140	14	149		100.0	46.2	4.6	49.2	
Jones	T	188	34	36	118		100.0	18.1	19.1	62.8	
	W	53	31	19	3		100.0	58.5	35.8	5.7	
	N-W	135	3	17	115		100.0	2.2	12.6	85.2	
Lamar	T	271	90	74	107		100.0	33.2	27.3	39.5	
	W	122	87	35	0		100.0	71.3	28.7	-	
	N-W	149	3	39	107		100.0	2.0	26.2	71.8	
Macon	T	374	115	51	208		100.0	30.7	13.6	55.6	
	W	95	85	10	0		100.0	89.5	10.5	-	
	N-W	279	30	41	208		100.0	10.8	14.7	74.6	

NUMBER

TABLE VIII (Cont.)

PERCENT

AREA & RACE		Total Births	Phys. in Hosp	Phys. Not in Hosp.	Mid-Wife	Other Not Specified	Total Percent	Phys. in Hosp.	Phys. Not in Hosp.	Mid-Wife	Other Not Specified
Marion	T	195	32	10	153		100.0	16.4	5.1	78.5	
	W	39	25	8	6		100.0	64.1	20.5	15.4	
	N-W	156	7	2	147		100.0	4.5	1.3	94.2	
Meriwether	T	506	150	119	236	1	100.0	29.6	23.5	46.6	0.2
	W	171	139	28	4	0	100.0	81.3	16.4	2.3	-
	N-W	335	11	91	232	1	100.0	3.3	27.2	69.3	0.3
Monroe	T	294	120	7	167		100.0	40.8	2.4	56.8	
	W	111	106	4	1		100.0	95.5	3.6	0.9	
	N-W	183	14	3	166		100.0	7.7	1.6	90.7	
Muscogee	T	3,531	3,181	122	227	1	100.0	90.1	3.5	6.4	-
	W	2,562	2,543	14	5	0	100.0	99.3	0.5	0.2	-
	N-W	969	638	108	222	1	100.0	65.8	11.1	22.9	0.1
Peach	T	321	144	8	169		100.0	44.9	2.5	52.6	
	W	99	99	0	0		100.0	100.0	-	-	
	N-W	222	45	8	169		100.0	20.3	3.6	76.1	
Pike	T	224	68	55	98	3	100.0	30.4	24.6	43.8	1.3
	W	98	64	30	3	1	100.0	65.3	30.6	3.1	1.0
	N-W	126	4	25	95	2	100.0	3.2	19.8	75.4	1.6
Schley	T	105	26	21	58		100.0	24.8	20.0	55.2	
	W	29	20	7	2		100.0	69.0	24.1	6.9	
	N-W	76	6	14	56		100.0	7.9	18.4	73.7	
Spalding	T	831	564	79	187	1	100.0	67.9	9.5	22.5	0.1
	W	551	521	25	4	1	100.0	94.6	4.5	0.7	0.2
	N-W	280	43	54	183	0	100.0	15.4	19.3	65.4	-
Talbot	T	229	61	13	155		100.0	26.6	5.7	67.7	
	W	43	40	1	2		100.0	93.0	2.3	4.7	
	N-W	186	21	12	153		100.0	11.3	6.5	82.3	

NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE
 GEORGIA: 1950

TABLE VIII (Cont.)

AREA & RACE	NUMBER					PERCENT				
	Total Births	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified	Total Percent	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified
Taylor										
T	250	115	15	118	2	100.0	46.0	6.0	47.2	0.8
W	96	88	3	5	0	100.0	91.7	3.1	5.2	-
N-W	154	27	12	113	2	100.0	17.5	7.3	73.4	1.3
Troup										
T	1,458	1,074	43	340	1	100.0	73.7	2.9	23.3	0.1
W	851	839	8	3	1	100.0	98.6	0.9	0.4	0.1
N-W	607	235	35	337	0	100.0	38.7	5.8	55.5	-
Upson										
T	652	240	241	171		100.0	36.8	37.0	26.2	
W	401	237	162	2		100.0	59.1	40.4	0.5	
N-W	251	3	79	169		100.0	1.2	31.5	67.3	

*Includes births in military reservations.

NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE

GEORGIA: 1950
TABLE VIII (Cont.)

AREA & RACE	NUMBER					PERCENT				
	Total Births	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified	Total Percent	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified
STATE *										
T	92,099	63,639	8,292	19,871	297	100.0	69.1	9.0	21.6	0.3
W	57,003	51,794	3,893	1,256	60	100.0	90.9	6.8	2.2	0.1
N-W	35,096	11,845	4,399	18,615	237	100.0	33.8	12.5	53.0	0.7
EAST CENTRAL REGION *										
T	12,785	6,944	1,192	4,637	12	100.0	54.3	9.3	36.3	0.1
W	6,379	5,496	643	233	7	100.0	86.2	10.1	3.7	0.1
N-W	6,406	1,448	549	4,404	5	100.0	22.6	8.6	68.7	0.1
Baldwin										
T	451	198	20	233		100.0	43.9	4.4	51.7	
W	195	186	2	7		100.0	95.4	1.0	3.6	
N-W	256	12	18	226		100.0	4.7	7.0	88.3	
Bleckley										
T	240	85	45	110		100.0	35.4	18.8	45.8	
W	129	83	41	5		100.0	64.3	31.8	3.9	
N-W	111	2	4	105		100.0	1.8	3.6	94.6	
Bryan										
T	161	69	35	57		100.0	42.9	21.7	35.4	
W	90	67	18	5		100.0	74.4	20.0	5.6	
N-W	71	2	17	52		100.0	2.8	23.9	73.2	
Bulloch										
T	625	327	60	238		100.0	52.3	9.6	38.1	
W	314	284	19	11		100.0	90.4	6.1	3.5	
N-W	311	43	41	227		100.0	13.8	13.2	73.0	
Burke										
T	757	114	80	563		100.0	15.1	10.6	74.4	
W	146	97	32	17		100.0	66.4	21.9	11.6	
N-W	611	17	48	546		100.0	2.8	7.8	89.4	
Candler										
T	192	88	48	56		100.0	45.8	25.0	29.2	
W	111	77	32	2		100.0	69.4	28.8	1.8	
N-W	81	11	16	54		100.0	13.6	19.8	66.7	

EAST CENTRAL REGION

NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE
 GEORGIA: 1950

NUMBER

TABLE VIII (Cont.)

PERCENT

AREA & RACE		Total Births	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified	Total Percent	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified
Columbia											
	T	233	99	12	122		100.0	42.5	5.2	52.4	
	W	92	87	2	3		100.0	94.6	2.2	3.3	
	N-W	141	12	10	119		100.0	8.5	7.1	84.4	
Dodge											
	T	470	223	76	171		100.0	47.4	16.2	36.4	
	W	288	214	47	27		100.0	74.3	16.3	9.4	
	N-W	182	9	29	144		100.0	4.9	15.9	79.1	
Effingham											
	T	250	137	8	105		100.0	54.8	3.2	42.0	
	W	122	112	3	7		100.0	91.8	2.5	5.7	
	N-W	128	25	5	98		100.0	19.5	3.9	76.6	
Emanuel											
	T	536	317	44	174	1	100.0	59.1	8.2	32.5	0.2
	W	319	271	29	18	1	100.0	85.0	9.1	5.6	0.3
	N-W	217	46	15	156	0	100.0	21.2	6.9	71.9	-
Evans											
	T	170	84	31	55		100.0	49.4	18.2	32.4	
	W	93	84	8	1		100.0	90.3	8.6	1.1	
	N-W	77	0	23	54		100.0	-	29.9	70.1	
Glascocock											
	T	87	40	19	28		100.0	46.0	21.8	32.2	
	W	60	38	19	3		100.0	63.3	31.7	5.0	
	N-W	27	2	0	25		100.0	7.4	-	92.6	
Jefferson											
	T	609	193	36	379	1	100.0	31.7	5.9	62.2	0.2
	W	188	153	20	14	1	100.0	81.4	10.6	7.4	0.5
	N-W	421	40	16	365	0	100.0	9.5	3.8	86.7	-
Jenkins											
	T	323	143	16	164		100.0	44.3	5.0	50.8	
	W	117	106	5	6		100.0	90.6	4.3	5.1	
	N-W	206	37	11	158		100.0	18.0	5.3	76.7	

NUMBER

TABLE VIII (Cont.)

PERCENT

177

AREA & RACE		Total Births	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified	Total Percent	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified
Johnson	T	239	74	56	109		100.0	31.0	23.4	45.6	
	W	122	71	45	6		100.0	58.2	36.9	4.9	
	N-W	117	3	11	103		100.0	2.6	9.4	88.0	
Laurens	T	944	506	82	356		100.0	53.6	8.7	37.7	
	W	493	436	37	20		100.0	88.4	7.5	4.1	
	N-W	451	70	45	336		100.0	15.5	10.0	74.5	
Montgomery	T	158	59	34	63	2	100.0	37.3	21.5	39.9	1.3
	W	81	55	20	5	1	100.0	67.9	24.7	6.2	1.2
	N-W	77	4	14	58	1	100.0	5.2	18.2	75.3	1.3
Pulaski	T	251	101	9	141		100.0	40.2	3.6	56.2	
	W	100	89	3	8		100.0	89.0	3.0	8.0	
	N-W	151	12	6	133		100.0	7.9	4.0	88.1	
Richmond *	T	2,887	2,778	47	60	2	100.0	96.2	1.6	2.1	0.1
	W	1,797	1,790	5	2	0	100.0	99.6	0.3	0.1	-
	N-W	1,090	988	42	58	2	100.0	90.6	3.9	5.3	0.2
Screven	T	548	156	43	349		100.0	28.5	7.8	63.7	
	W	157	136	12	9		100.0	86.6	7.6	5.7	
	N-W	391	20	31	340		100.0	5.1	7.9	87.0	
Tattnall	T	416	256	108	51	1	100.0	61.5	26.0	12.3	0.2
	W	280	234	43	2	1	100.0	83.6	15.4	0.7	0.4
	N-W	136	22	65	49	0	100.0	16.2	47.8	36.0	-
Telfair	T	365	167	78	120		100.0	45.8	21.4	32.9	
	W	236	159	63	14		100.0	67.4	26.7	5.9	
	N-W	129	8	15	106		100.0	6.2	11.6	82.2	
Toombs	T	450	227	110	110	3	100.0	50.4	24.4	24.4	0.7
	W	299	221	74	1	3	100.0	73.9	24.7	0.3	1.0
	N-W	151	6	36	109	0	100.0	4.0	23.8	72.2	-

NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE

GEORGIA: 1950

NUMBER

TABLE VIII (Cont.)

PERCENT

AREA & RACE		Total Births	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified	Total Percent	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified
Trentlen							100.0	37.4	21.6	40.9	
	T	171	64	37	70		100.0	54.1	31.5	14.4	
	W	111	60	35	16		100.0	6.7	3.3	90.0	
	N-W	60	4	2	54						
Twiggs							100.0	22.7	0.4	76.9	
	T	229	52	1	176		100.0	88.6	2.3	9.1	
	W	44	39	1	4		100.0	7.0	-	93.0	
	N-W	185	13	0	172						
Washington							100.0	32.7	3.1	63.8	0.3
	T	605	198	19	386	2	100.0	89.9	5.8	4.3	-
	W	188	169	11	8	0	100.0	7.0	1.9	90.6	0.5
	N-W	417	29	8	378	2					
Wheeler							100.0	48.0	16.9	35.1	
	T	148	71	25	52		100.0	78.8	12.9	8.2	
	W	85	67	11	7		100.0	6.3	22.2	71.4	
	N-W	63	4	14	45						
Wilkinson							100.0	43.7	4.8	51.5	
	T	270	118	13	139		100.0	91.0	4.9	4.1	
	W	122	111	6	5		100.0	4.7	4.7	90.5	
	N-W	148	7	7	134						

* Includes births in military reservations.

NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE

GEORGIA: 1950
TABLE VIII (Cont.)

NUMBER

PERCENT

AREA & RACE		Total Births	Phys. in Hosp.	Phys. Not in Hosp.	Mid-Wife	Other Not Specified	Total Percent	Phys. in Hosp.	Phys. Not in Hosp.	Mid-Wife	Other Not Specified
STATE *											
	T	92,099	63,639	8,292	19,871	297	100.0	69.1	9.0	21.6	0.3
	W	57,003	51,794	3,893	1,256	60	100.0	90.9	6.8	2.2	0.1
	N-W	35,096	11,845	4,399	18,615	237	100.0	33.8	12.5	53.0	0.7
SOUTHWESTERN REGION *											
	T	13,450	6,322	1,200	5,813	115	100.0	47.0	8.9	43.2	0.9
	W	5,981	5,413	355	199	14	100.0	90.5	5.9	3.3	0.2
	N-W	7,469	909	845	5,614	101	100.0	12.2	11.3	75.2	1.4
Baker											
	T	182	61	1	120		100.0	33.5	0.5	65.9	
	W	49	48	0	1		100.0	98.0	-	2.0	
	N-W	133	13	1	119		100.0	9.8	0.8	89.5	
Ben Hill											
	T	430	259	4	167		100.0	60.2	0.9	38.8	
	W	238	235	0	3		100.0	98.7	-	1.3	
	N-W	192	24	4	164		100.0	12.5	2.1	85.4	
Brooks											
	T	539	231	12	296		100.0	42.9	2.2	54.9	
	W	195	184	5	6		100.0	94.4	2.6	3.1	
	N-W	344	47	7	290		100.0	13.7	2.0	84.3	
Calhoun											
	T	301	105	4	192		100.0	34.9	1.3	63.8	
	W	72	63	1	8		100.0	87.5	1.4	11.1	
	N-W	229	42	3	184		100.0	18.3	1.3	80.3	
Clay											
	T	188	45	4	139		100.0	23.9	2.1	73.9	
	W	34	32	1	1		100.0	94.1	2.9	2.9	
	N-W	154	13	3	138		100.0	8.4	1.9	89.6	
Colquitt											
	T	1,024	686	62	276		100.0	67.0	6.0	27.0	
	W	680	634	38	8		100.0	93.2	5.6	1.2	
	N-W	344	52	24	268		100.0	15.1	7.0	77.9	

NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE

GEORGIA: 1950

PERCENT

TABLE VIII (Cont.)

AREA & RACE		NUMBER					Total Percent	PERCENT				
		Total Births	Phys. in Hosp.	Phys. Not in Hosp.	Mid- Wife	Other Not Specified		Phys. in Hosp.	Phys. Not in Hosp.	Mid- Wife	Other Not Specified	
Crisp	T	562	241	13	308		100.0	42.9	2.3	54.8		
	W	257	218	8	31		100.0	84.8	3.1	12.1		
	N-W	305	23	5	277		100.0	7.5	1.6	90.8		
Decatur	T	678	401	51	226		100.0	59.1	7.5	33.3		
	W	340	321	11	8		100.0	94.4	3.2	2.4		
	N-W	338	80	40	218		100.0	23.7	11.8	64.5		
Dooly	T	379	110	76	193		100.0	29.0	20.1	50.9		
	W	128	101	22	5		100.0	78.9	17.2	3.9		
	N-W	251	9	54	188		100.0	3.6	21.5	74.9		
Dougherty*	T	1,401	900	293	207	1	100.0	64.2	20.9	14.8	0.1	
	W	746	738	5	2	1	100.0	98.9	0.7	0.3	0.1	
	N-W	655	162	288	205	0	100.0	24.7	44.0	31.3	-	
Early	T	568	236	6	326		100.0	41.5	1.1	57.4		
	W	199	187	0	12		100.0	94.0	-	6.0		
	N-W	369	49	6	314		100.0	13.3	1.6	85.1		
Grady	T	480	215	175	90		100.0	44.8	36.5	18.7		
	W	266	203	60	3		100.0	76.3	22.6	1.1		
	N-W	214	12	115	87		100.0	5.6	53.7	40.7		
Irwin	T	315	164	3	148		100.0	52.1	1.0	47.0		
	W	155	150	2	3		100.0	96.8	1.3	1.9		
	N-W	160	14	1	145		100.0	8.8	0.6	90.6		
Lee	T	252	53	4	195		100.0	21.0	1.6	77.4		
	W	51	42	3	6		100.0	82.4	5.9	11.8		
	N-W	201	11	1	189		100.0	5.5	0.5	94.0		

NUMBER

TABLE VIII (Cont.)

PERCENT

AREA & RACE		Total Births	Phys. in Hosp.	Phys. Not in Hosp.	Mid-Wife	Other Not Specified	Total Percent	Phys. in Hosp	Phys. Not in Hosp.	Mid-Wife	Other Not Specified
Miller	T	279	204	1	74		100.0	73.1	0.4	26.5	
	W	175	167	0	8		100.0	95.4	-	4.6	
	N-W	104	37	1	66		100.0	35.6	1.0	63.5	
Mitchell	T	702	254	66	380	2	100.0	36.2	9.4	54.1	0.3
	W	247	222	21	3	1	100.0	89.9	8.5	1.2	0.4
	N-W	455	32	45	377	1	100.0	7.0	9.9	82.9	0.2
Quitman	T	85	21	1	63		100.0	24.7	1.2	74.1	
	W	20	20	0	0		100.0	100.0	-	-	
	N-W	65	1	1	63		100.0	1.5	1.5	96.9	
Randolph	T	423	106	8	309		100.0	25.1	1.9	73.0	
	W	107	97	2	8		100.0	90.7	1.9	7.5	
	N-W	316	9	6	301		100.0	2.8	1.9	95.3	
Seminole	T	268	201	1	66		100.0	75.0	0.4	24.6	
	W	147	145	1	1		100.0	98.6	0.7	0.7	
	N-W	121	56	0	65		100.0	46.3	-	53.7	
Stewart	T	233	61	3	169		100.0	26.2	1.3	72.5	
	W	53	51	1	1		100.0	96.2	1.9	1.9	
	N-W	180	10	2	168		100.0	5.6	1.1	93.3	
Sumter	T	736	305	55	375	1	100.0	41.4	7.5	51.0	0.1
	W	237	228	5	4	0	100.0	96.2	2.1	1.7	-
	N-W	499	77	50	371	1	100.0	15.4	10.0	74.3	0.2
Terrell	T	442	83	44	315		100.0	18.8	10.0	71.3	
	W	88	79	4	5		100.0	89.8	4.5	5.7	
	N-W	354	4	40	310		100.0	1.1	11.3	87.6	
Thomas	T	873	441	48	275	109	100.0	50.5	5.5	31.5	12.5
	W	442	391	18	21	12	100.0	88.5	4.1	4.8	2.7
	N-W	431	50	30	254	97	100.0	11.6	7.0	58.9	22.5

NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE
 GEORGIA: 1950
 TABLE VIII (Cont.)

AREA & RACE	NUMBER						PERCENT				
	Total Births	Phys. in Hosp.	Phys. Not in Hosp.	Mid-Wife	Other Not Specified	Total Percent	Phys. in Hosp.	Phys. Not in Hosp.	Mid-Wife	Other Not Specified	
Tift											
T	733	433	41	257	2	100.0	59.1	5.6	35.1	0.3	
W	460	408	30	22	0	100.0	88.7	6.5	4.8	-	
N-W	273	25	11	235	2	100.0	9.2	4.0	86.1	0.7	
Turner											
T	307	127	57	123		100.0	41.4	18.6	40.1		
W	156	121	29	6		100.0	77.6	18.6	3.8		
N-W	151	6	28	117		100.0	4.0	18.5	77.5		
Webster											
T	138	28	11	99		100.0	20.3	8.0	71.7		
W	29	25	2	2		100.0	86.2	6.9	6.9		
N-W	109	3	9	97		100.0	2.8	8.3	89.0		
Wilcox											
T	263	81	95	87		100.0	30.8	36.1	33.1		
W	151	80	67	4		100.0	53.0	44.4	2.6		
N-W	112	1	28	83		100.0	0.9	25.0	74.1		
Worth											
T	669	270	61	338		100.0	40.4	9.1	50.5		
W	259	223	19	17		100.0	86.1	7.3	6.6		
N-W	410	47	42	321		100.0	11.5	10.2	78.3		

* Includes births in military reservations.

NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE

GEORGIA: 1950
TABLE VIII (Cont.)

AREA & RACE	NUMBER					PERCENT				
	Total Births	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified	Total Percent	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified
STATE *										
T	92,099	63,639	8,292	19,871	297	100.0	69.1	9.0	21.6	0.3
W	57,003	51,794	3,893	1,256	60	100.0	90.9	6.8	2.2	0.1
N-W	35,096	11,845	4,399	18,615	237	100.0	33.8	12.5	53.0	0.7
SOUTHEASTERN REGION										
T	11,171	7,115	1,851	2,198	7	100.0	63.7	16.6	19.7	0.1
W	6,998	5,971	815	210	2	100.0	85.3	11.6	3.0	0.0
N-W	4,173	1,144	1,036	1,988	5	100.0	27.4	24.8	47.6	0.1
Appling										
T	399	153	149	96	1	100.0	38.3	37.3	24.1	0.2
W	289	149	120	19	1	100.0	51.6	41.5	6.6	0.3
N-W	110	4	29	77	0	100.0	3.6	26.4	70.0	-
Atkinson										
T	255	121	52	82		100.0	47.4	20.4	32.2	
W	181	120	42	19		100.0	66.3	23.2	10.5	
N-W	74	1	10	63		100.0	1.4	13.5	85.1	
Bacon										
T	251	185	40	26		100.0	73.7	15.9	10.4	
W	221	185	29	7		100.0	83.7	13.1	3.2	
N-W	30	0	11	19		100.0	-	36.7	63.3	
Berrien										
T	351	225	70	56		100.0	64.1	19.9	16.0	
W	288	214	63	11		100.0	74.3	21.9	3.8	
N-W	63	11	7	45		100.0	17.5	11.1	71.4	
Brantley										
T	177	68	89	20		100.0	38.4	50.3	11.3	
W	146	66	72	8		100.0	45.2	49.3	5.5	
N-W	31	2	17	12		100.0	6.5	54.8	38.7	
Camden										
T	197	74	4	119		100.0	37.6	2.0	60.4	
W	72	66	0	6		100.0	91.7	-	8.3	
N-W	125	8	4	113		100.0	6.4	3.2	90.4	

SOUTHEASTERN REGION

NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE
 GEORGIA: 1950

TABLE VIII (Cont.)

AREA & RACE	NUMBER					PERCENT				
	Total Births	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified	Total Percent	Phys. in Hosp.	Phys. not in Hosp.	Mid-Wife	Other Not Specified
Charlton										
T	164	99	10	55		100.0	60.4	6.1	33.5	
W	114	97	9	8		100.0	85.1	7.9	7.0	
N-W	50	2	1	47		100.0	4.0	2.0	94.0	
Chatham										
T	3,844	3,023	714	106	1	100.0	78.6	18.6	2.8	0.0
W	2,257	2,225	32	0	0	100.0	98.6	1.4	-	-
N-W	1,587	798	682	106	1	100.0	50.3	43.0	6.7	0.1
Clinch										
T	201	130	9	62		100.0	64.7	4.5	30.8	
W	122	117	1	4		100.0	95.9	0.8	3.3	
N-W	79	13	8	58		100.0	16.5	10.1	73.4	
Coffee										
T	739	461	76	202		100.0	62.4	10.3	27.3	
W	504	432	50	22		100.0	85.7	9.9	4.4	
N-W	235	29	26	180		100.0	12.3	11.1	76.6	
Cook										
T	344	230	51	62	1	100.0	66.9	14.8	18.0	0.3
W	234	207	25	2	0	100.0	88.5	10.7	0.9	-
N-W	110	23	26	60	1	100.0	20.9	23.6	54.5	0.9
Echols										
T	71	27	9	35		100.0	38.0	12.7	49.3	
W	41	25	9	7		100.0	61.0	22.0	17.1	
N-W	30	2	0	28		100.0	6.7	-	93.3	
Glynn										
T	742	468	40	234		100.0	63.1	5.4	31.5	
W	442	415	4	23		100.0	93.9	0.9	5.2	
N-W	300	53	36	211		100.0	17.7	12.0	70.3	
Jeff Davis										
T	249	83	113	53		100.0	33.3	45.4	21.3	
W	190	83	104	3		100.0	43.7	54.7	1.6	
N-W	59	0	9	50		100.0	-	15.3	84.7	

NUMBER

TABLE VIII (Cont.)

PERCENT

AREA & RACE		Total Births	Phys. in Hosp	Phys. not in Hosp.	Mid-Wife	Other Not Specified	Total Percent	Phys. in Hosp.	Phys. Not in Hosp.	Mid-Wife	Other Not Specified
Lanier	T	154	78	44	32		100.0	50.6	28.6	20.8	
	W	97	71	21	5		100.0	73.2	21.6	5.2	
	N-W	57	7	23	27		100.0	12.3	40.4	47.4	
Liberty	T	274	87	44	143		100.0	31.8	16.1	52.2	
	W	80	59	20	1		100.0	73.8	25.0	1.3	
	N-W	194	28	24	142		100.0	14.4	12.4	73.2	
Long	T	114	24	55	35		100.0	21.1	48.2	30.7	
	W	66	23	40	3		100.0	34.8	60.6	4.5	
	N-W	48	1	15	32		100.0	2.1	31.3	66.7	
Lowndes	T	1,009	519	57	431	2	100.0	51.4	5.6	42.7	0.2
	W	528	486	27	15	0	100.0	92.0	5.1	2.8	-
	N-W	481	33	30	416	2	100.0	6.9	6.2	86.5	0.4
McIntosh	T	176	38	5	133		100.0	21.6	2.8	75.6	
	W	52	33	4	15		100.0	63.5	7.7	28.8	
	N-W	124	5	1	118		100.0	4.0	0.8	95.2	
Pierce	T	301	193	49	59		100.0	64.1	16.3	19.6	
	W	227	172	44	11		100.0	75.8	19.4	5.8	
	N-W	74	21	5	48		100.0	28.4	6.8	64.9	
Ware	T	759	511	144	103	1	100.0	67.3	19.0	13.6	0.1
	W	546	456	80	10	0	100.0	83.5	14.7	1.8	-
	N-W	213	55	64	93	1	100.0	25.8	30.0	43.7	0.5
Wayne	T	400	318	27	54	1	100.0	79.5	6.8	13.5	0.2
	W	301	270	19	11	1	100.0	89.7	6.3	3.7	0.3
	N-W	99	48	8	43	0	100.0	48.5	8.1	43.4	-

*Includes births occurring in military reservations.

TABLE IX

SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1950

AREA & RACE	LIVE BIRTHS		STILLBIRTHS		MATERNAL DEATHS		INFANT DEATHS		IMMATURE BIRTHS		DEATHS FROM IMMATUREITY	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
STATE **												
T	92,099	26.7	2,026	22.0	150	1.6	3,081	33.5	6,645	72.2	719	7.8
W	57,003	24.3	885	15.5	55	1.0	1,518	26.6	3,697	64.9	343	6.0
N-W	35,096	31.6	1,141	32.5	95	2.7	1,563	44.5	2,948	84.0	376	10.7
NORTHWESTERN REGION ***												
T	28,170	25.6	476	16.9	30	1.1	833	29.6	2,334	82.9	188	6.7
W	21,850	24.8	286	13.1	16	0.7	546	25.0	1,478	67.6	110	5.0
N-W	6,320	28.9	190	30.1	14	2.2	287	45.4	856	135.4	78	12.3
Bartow												
T	699	25.3	15	21.5	0	-	29	41.5	47	67.2	14	20.0
W	582	25.1	10	17.2	0	-	18	30.9	38	65.3	9	15.5
N-W	117	26.6	5	42.7	0	-	11	94.0	9	76.9	5	42.7
Carroll												
T	764	22.4	19	24.9	3	3.9	20	26.2	50	65.4	10	13.1
W	605	21.7	15	24.8	1	1.7	12	19.8	39	64.5	8	13.2
N-W	159	25.6	4	25.2	2	12.6	8	50.3	11	69.2	2	12.6
Catoosa												
T	403	26.5	5	12.4	0	-	8	19.9	22	54.6	3	7.4
W	396	26.4	5	12.6	0	-	8	20.2	21	53.0	3	7.6
N-W	7	35.0	0	-	0	-	0	-	1	142.9	0	-
Chattooga												
T	506	23.6	9	17.8	2	4.0	24	47.4	34	67.2	1	2.0
W	446	23.4	7	15.7	2	4.5	20	44.8	28	62.8	1	2.2
N-W	60	26.1	2	33.3	0	-	4	66.7	6	100.0	0	-
Cherokee												
T	522	24.9	9	17.2	2	3.8	9	17.2	26	49.8	1	1.9
W	501	24.6	9	18.0	2	4.0	9	18.0	24	47.9	1	2.0
N-W	21	35.0	0	-	0	-	0	-	2	95.2	0	-
Cobb												
T	1,635	26.3	21	12.8	1	0.6	42	25.7	105	64.2	4	2.4
W	1,462	27.0	18	12.3	1	0.7	31	21.2	92	62.9	3	2.1
N-W	173	21.4	3	17.3	0	-	11	63.6	13	75.1	1	5.8
Dade												
T	240	32.4	3	12.5	0	-	5	20.8	9	37.5	1	4.2
W	238	34.0	3	12.6	0	-	5	21.0	9	37.8	1	4.2
N-W	2	5.0	0	-	0	-	0	-	0	-	0	-

NORTHWESTERN REGION

SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1950
 TABLE IX (Cont.)

AREA & RACE		LIVE BIRTHS		STILLBIRTHS		MATERNAL DEATHS		INFANT DEATHS		IMMATURE BIRTHS		DEATHS FROM IMMATUREITY	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Dawson													
	T	91	24.6	0	-	0	-	2	22.0	4	44.0	0	-
	W	90	25.0	0	-	0	-	2	22.2	4	44.4	0	-
	N-W	1	10.0	0	-	0	-	0	-	0	-	0	-
DeKalb													
	T	3,699	27.2	46	12.4	2	0.5	84	22.7	288	77.9	20	5.4
	W	3,149	26.0	34	10.8	1	0.3	49	15.6	197	62.6	9	2.9
	N-W	550	36.4	12	21.8	1	1.8	35	63.6	91	165.5	11	20.0
Douglas													
	T	310	25.4	2	6.5	1	3.2	6	19.4	20	64.5	1	3.2
	W	243	23.8	0	-	1	4.1	1	4.1	17	70.0	0	-
	N-W	67	33.5	2	29.8	0	-	5	74.6	3	44.8	1	14.9
Fannin													
	T	387	25.3	9	23.3	1	2.6	12	31.0	12	31.0	1	2.6
	W	385	25.3	9	23.4	1	2.6	11	28.6	12	31.2	1	2.6
	N-W	2	20.0	0	-	0	-	1	500.0	0	-	0	-
Floyd													
	T	1,447	23.3	24	16.6	1	0.7	56	38.7	133	91.9	19	13.1
	W	1,194	23.7	11	9.2	0	-	43	36.0	95	79.6	15	12.6
	N-W	253	21.3	13	51.4	1	4.0	13	51.4	38	150.2	4	15.8
Forsyth													
	T	238	21.6	2	8.4	0	-	6	25.2	14	58.8	0	-
	W	237	21.5	2	8.4	0	-	6	25.3	13	54.9	0	-
	N-W	1	***	0	-	0	-	0	-	1	1000.0	0	-
Fulton**													
	T	12,398	26.3	252	20.3	12	1.0	375	30.2	1293	104.3	80	6.5
	W	7,886	24.6	112	14.2	3	0.4	190	24.1	637	80.8	30	3.8
	N-W	4,512	29.9	140	31.0	9	2.0	185	41.0	656	145.4	50	11.1
Gilmer													
	T	265	26.5	2	7.5	0	-	9	34.0	19	71.7	1	3.8
	W	265	26.6	2	7.5	0	-	9	34.0	19	71.7	1	3.8
	N-W	0	-	0	-	0	-	0	-	0	-	0	-
Gordon													
	T	439	23.0	5	11.4	1	2.3	10	22.8	23	52.4	1	2.3
	W	418	23.4	5	12.0	1	2.4	10	23.9	23	55.0	1	2.4
	N-W	21	17.5	0	-	0	-	0	-	0	-	0	-

TABLE IX (Cont.)

AREA & RACE		LIVE BIRTHS		STILLBIRTHS		MATERNAL DEATHS		INFANT DEATHS		IMMATURE BIRTHS		DEATHS FROM IMMATUREITY	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Haralson	T	325	22.0	5	15.4	0	-	8	24.6	13	40.0	0	-
	W	286	22.3	5	17.5	0	-	7	24.5	12	42.0	0	-
	N-W	39	19.5	0	-	0	-	1	25.6	1	25.6	0	-
Lumpkin	T	156	23.6	1	6.4	0	-	6	38.5	10	64.1	0	-
	W	153	23.9	1	6.5	0	-	6	39.2	10	65.4	0	-
	N-W	3	15.0	0	-	0	-	0	-	0	-	0	-
Murray	T	248	23.2	4	16.1	0	-	14	56.5	14	56.5	4	16.1
	W	239	23.2	4	16.7	0	-	14	58.6	14	58.6	4	16.7
	N-W	9	22.5	0	-	0	-	0	-	0	-	0	-
Paulding	T	283	24.0	3	10.6	1	3.5	9	31.8	15	53.0	2	7.1
	W	230	22.5	1	4.3	0	-	6	26.1	12	52.2	2	8.7
	N-W	53	33.1	2	37.7	1	18.9	3	56.6	3	56.6	0	-
Pickens	T	227	25.5	0	-	0	-	3	13.2	14	61.7	0	-
	W	214	25.8	0	-	0	-	3	14.0	10	46.7	0	-
	N-W	13	21.7	0	-	0	-	0	-	4	307.7	0	-
Polk	T	743	24.0	18	24.2	1	1.3	30	40.4	60	80.8	4	5.4
	W	589	24.3	12	20.4	1	1.7	26	44.1	48	81.5	4	6.8
	N-W	154	23.0	6	39.0	0	-	4	26.0	12	77.9	0	-
Townes	T	94	19.6	0	-	0	-	0	-	2	21.3	0	-
	W	94	19.6	0	-	0	-	0	-	2	21.3	0	-
	N-W	0	-	0	-	0	-	0	-	0	-	0	-
Union	T	203	27.8	1	4.9	2	9.9	5	24.6	15	73.9	2	9.9
	W	203	27.8	1	4.9	2	9.9	5	24.6	15	73.9	2	9.9
	N-W	0	-	0	-	0	-	0	-	0	-	0	-

TABLE IX (Cont)

SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1950

-56-

AREA & RACE		LIVE BIRTHS		STILLBIRTHS		MATERNAL DEATHS		INFANT DEATHS		IMMATURE BIRTHS		DEATHS FROM IMMATUREITY	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Walker	T	952	24.7	13	13.7	0	-	24	25.2	25	26.3	4	4.2
	W	899	24.2	12	13.3	0	-	22	24.5	24	26.7	3	3.3
	N-W	53	40.8	1	18.9	0	-	2	37.7	1	18.9	1	18.9
Whitfield	T	896	25.8	8	8.9	0	-	37	41.3	67	74.8	15	16.7
	W	846	25.8	8	9.5	0	-	33	39.0	63	74.5	12	14.2
	N-W	50	26.3	0	-	0	-	4	80.0	4	80.0	3	60.0

* Live birth rates per 1,000 estimated mid-year population. All other rates per 1,000 live births.

** Includes events occurring in military reservations.

*** No rate calculated where estimated population is less than 50.

SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1950

TABLE IX (Cont.)

AREA & RACE		LIVE BIRTHS		STILLBIRTHS		MATERNAL DEATHS		INFANT DEATHS		IMMATURE BIRTHS		DEATHS FROM IMMATUREITY	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
STATE **													
	T	92,099	26.7	2,026	22.0	150	1.6	3,081	33.5	6,645	72.2	719	7.8
	W	57,003	24.3	885	15.5	55	1.0	1,518	26.6	3,697	64.9	343	6.0
	N-W	35,096	31.6	1,141	32.5	95	2.7	1,563	44.5	2,948	84.0	376	10.7
NORTHEASTERN REGION													
	T	10,292	24.7	240	23.3	25	2.4	347	33.7	687	66.8	67	6.5
	W	6,627	22.1	102	15.4	8	1.2	179	27.0	411	62.0	31	4.7
	N-W	3,665	31.2	138	37.7	17	4.6	168	45.8	276	75.3	36	9.8
Banks													
	T	147	21.0	3	20.4	0	-	2	13.6	10	68.0	1	6.8
	W	131	20.5	3	22.9	0	-	2	15.3	9	68.7	1	7.6
	N-W	16	26.7	0	-	0	-	0	-	1	62.5	0	-
Barrow													
	T	289	21.7	6	20.8	0	-	9	31.1	26	90.0	2	6.9
	W	229	20.8	1	4.4	0	-	5	21.8	18	78.6	0	-
	N-W	60	26.1	5	83.3	0	-	4	66.7	8	133.3	2	33.3
Clarke													
	T	835	22.7	25	29.9	0	-	29	34.7	72	86.2	5	6.0
	W	587	21.1	5	8.5	0	-	13	22.1	43	73.3	3	5.1
	N-W	248	27.6	20	80.6	0	-	16	64.5	29	116.9	2	8.1
Elbert													
	T	495	26.6	7	14.1	1	2.0	16	32.3	37	74.7	4	8.1
	W	267	22.6	1	3.7	0	-	9	33.7	25	93.6	4	15.0
	N-W	228	33.5	6	26.3	1	4.4	7	30.7	12	52.6	0	-
Franklin													
	T	311	21.4	5	16.1	0	-	10	32.2	9	28.9	2	6.4
	W	259	21.6	5	19.3	0	-	8	30.9	6	23.2	2	7.7
	N-W	52	20.8	0	-	0	-	2	38.5	3	57.7	0	-
Greene													
	T	343	26.6	13	37.9	1	2.9	11	32.1	32	93.3	3	8.7
	W	130	20.3	2	15.4	1	7.7	4	30.8	17	130.8	2	15.4
	N-W	213	32.8	11	51.6	0	-	7	32.9	15	70.4	1	4.7

NORTHEASTERN REGION

SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1950
 TABLE IX (Cont.)

AREA & RACE		LIVE BIRTHS		STILLBIRTHS		MATERNAL DEATHS		INFANT DEATHS		IMMATURE BIRTHS		DEATHS FROM IMMATUREITY	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Gwinnett	T	785	24.1	10	12.7	1	1.3	24	30.6	53	67.5	7	8.9
	W	692	23.3	10	14.4	1	1.4	19	27.5	43	62.1	4	5.8
	N-W	93	32.1	0	-	0	-	5	53.8	10	107.5	3	32.3
Habersham	T	417	25.0	5	12.0	1	2.4	17	40.8	28	67.1	2	4.8
	W	404	25.1	5	12.4	1	2.5	17	42.1	27	66.8	2	5.0
	N-W	13	21.7	0	-	0	-	0	-	1	76.9	0	-
Hall	T	983	24.4	19	19.3	4	4.1	29	29.5	59	60.0	2	2.0
	W	836	23.4	13	15.6	2	2.4	22	26.3	54	64.6	1	1.2
	N-W	147	32.0	6	40.8	2	13.6	7	47.6	5	34.0	1	6.8
Hancock	T	325	29.3	5	15.4	1	3.1	6	18.5	22	67.7	0	-
	W	47	15.2	0	-	0	-	1	21.3	7	148.9	0	-
	N-W	278	34.8	5	18.0	1	3.6	5	18.0	15	54.0	0	-
Hart	T	299	20.5	3	10.0	0	-	5	16.7	11	36.8	0	-
	W	212	20.0	1	4.7	0	-	1	4.7	7	33.0	0	-
	N-W	87	21.8	2	23.0	0	-	4	46.0	4	46.0	0	-
Jackson	T	473	24.8	13	27.5	0	-	12	25.4	18	38.1	2	4.2
	W	391	25.1	8	20.5	0	-	9	23.0	17	43.5	1	2.6
	N-W	82	23.4	5	61.0	0	-	3	36.6	1	12.2	1	12.2
Jasper	T	223	29.7	6	26.9	1	4.5	7	31.4	13	58.3	2	9.0
	W	73	19.7	2	27.4	0	-	3	41.1	8	9.6	1	13.7
	N-W	150	39.5	4	26.7	1	6.7	4	26.7	5	33.3	1	6.7
Lincoln	T	166	25.5	6	36.1	0	-	4	24.1	10	60.2	1	6.0
	W	59	16.9	1	16.9	0	-	0	-	3	50.8	0	-
	N-W	107	35.7	5	46.7	0	-	4	37.4	7	65.4	1	9.3
Madison	T	278	22.6	7	25.2	2	7.2	15	54.0	17	61.2	1	3.6
	W	195	20.7	4	20.5	1	5.1	6	30.8	10	51.3	1	5.1
	N-W	83	28.6	3	36.1	1	12.0	9	108.4	7	84.3	0	-

TABLE IX (Cont.)

AREA & RACE	LIVE BIRTHS		STILLBIRTHS		MATERNAL DEATHS		INFANT DEATHS		IMMATURE BIRTHS		DEATHS FROM IMMATUREITY		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
McDuffie	T	314	27.3	11	35.0	0	-	14	44.6	25	79.6	5	15.9
	W	141	21.7	1	7.1	0	-	3	21.3	11	78.0	1	7.1
	N-W	173	34.6	10	57.8	0	-	11	63.6	14	80.9	4	23.1
Morgan	T	260	21.7	10	38.5	2	7.7	8	30.8	13	50.0	2	7.7
	W	96	16.6	3	31.2	0	-	1	10.4	2	20.8	0	-
	N-W	164	26.5	7	42.7	2	12.2	7	42.7	11	67.1	2	12.2
Newton	T	547	26.8	18	32.9	0	-	20	36.6	39	71.3	1	1.8
	W	311	25.1	8	25.7	0	-	13	41.8	19	61.1	1	3.2
	N-W	236	29.5	10	42.4	0	-	7	30.0	20	84.7	0	-
Oconee	T	157	22.4	2	12.7	1	6.4	6	38.2	15	95.5	1	6.4
	W	97	17.6	1	10.3	0	-	2	20.6	7	72.2	0	-
	N-W	60	40.0	1	16.7	1	16.7	4	66.7	8	133.3	1	16.7
Oglethorpe	T	248	24.8	6	24.2	3	12.1	9	36.3	15	60.5	3	12.1
	W	105	18.8	1	9.5	1	9.5	3	28.6	3	28.6	0	-
	N-W	143	32.5	5	35.0	2	14.0	6	42.0	12	83.9	3	21.0
Putnam	T	238	30.9	7	29.4	1	4.2	12	50.4	14	58.8	3	12.6
	W	86	22.6	1	11.6	0	-	2	23.3	4	46.5	0	-
	N-W	152	39.0	6	39.5	1	6.6	10	65.8	10	65.8	3	19.7
Rabun	T	182	24.6	5	27.5	0	-	3	16.5	7	38.5	0	-
	W	180	24.7	5	27.8	0	-	3	16.7	7	38.9	0	-
	N-W	2	20.0	0	-	0	-	0	-	0	-	0	-
Rockdale	T	218	25.3	5	22.9	0	-	12	55.0	14	64.2	3	13.8
	W	123	18.9	3	24.4	0	-	7	56.9	7	56.9	0	-
	N-W	95	45.2	2	21.1	0	-	5	52.6	7	73.7	3	31.6
Stephens	T	425	25.4	8	18.8	1	2.4	18	42.4	24	56.5	6	14.1
	W	349	25.9	5	14.3	0	-	12	34.4	15	43.0	5	14.3
	N-W	76	23.8	3	39.5	1	13.2	6	78.9	9	118.4	1	13.2

TABLE IX (Cont.) SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1950.

AREA & RACE	Live Births		STILLBIRTHS		MATERNAL DEATHS		INFANT DEATHS		IMMATURE BIRTHS		DEATHS FROM IMMATUREITY	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Taliaferro												
T	101	22.4	3	29.7	1	9.9	5	49.5	10	99.0	0	-
W	25	13.9	0	-	1	40.0	0	-	3	120.0	0	-
N-W	76	28.1	3	39.5	0	-	5	65.8	7	92.1	0	-
Walton												
T	535	26.4	13	24.3	1	1.9	16	29.9	51	95.3	1	1.9
W	303	22.8	6	19.8	0	-	7	23.1	18	59.4	0	-
N-W	232	33.1	7	30.2	1	4.3	9	38.8	33	142.2	1	4.3
Warren												
T	259	29.4	6	23.2	1	3.9	13	50.2	17	65.6	1	3.9
W	63	20.3	1	15.9	0	-	3	47.6	9	142.9	0	-
N-W	196	34.4	5	25.5	1	5.1	10	51.0	8	40.8	1	5.1
White												
T	135	22.5	2	14.8	0	-	3	22.2	6	44.4	2	14.8
W	130	22.8	2	15.4	0	-	2	15.4	6	46.2	1	7.7
N-W	5	16.7	0	-	0	-	1	200.0	0	-	1	200.0
Wilkes												
T	304	24.5	11	36.2	2	6.6	12	39.5	20	65.8	5	16.4
W	106	17.1	4	37.7	0	-	2	18.9	6	56.6	1	9.4
N-W	198	31.9	7	35.4	2	10.1	10	50.5	14	70.7	4	20.2

* Live birth rates per 1,000 estimated mid-year population. All other rates per 1,000 live births

** Includes events occurring in military reservations.

SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1950

TABLE IX (Cont.)

AREA & RACE	LIVE BIRTHS		STILLBIRTHS		MATERNAL DEATHS		INFANT DEATHS		IMMATURE BIRTHS		DEATHS FROM IMMATUREITY	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
STATE **												
T	92,099	26.7	2,026	22.0	150	1.6	3,081	33.5	6,645	72.2	719	7.8
W	57,003	24.3	885	15.5	55	1.0	1,518	26.6	3,697	64.9	343	6.0
N-W	35,096	31.6	1,141	32.5	95	2.7	1,563	44.5	2,948	84.0	376	10.7
WEST CENTRAL REGION **												
T	16,231	27.4	363	22.4	21	1.3	557	34.3	1,181	72.8	134	8.3
W	9,168	25.1	152	16.6	5	0.5	259	28.2	636	69.4	73	8.0
N-W	7,063	31.3	211	29.9	16	2.3	298	42.2	545	77.2	61	8.6
Bibb												
T	3,111	27.2	58	18.6	4	1.3	102	32.8	248	79.7	19	6.1
W	1,795	27.8	30	16.7	1	0.6	60	33.4	124	69.1	10	5.6
N-W	1,316	26.3	28	21.3	3	2.3	42	31.9	124	94.2	9	6.8
Butts												
T	221	24.0	4	18.1	0	-	12	54.3	20	90.5	6	27.1
W	112	18.7	2	17.9	0	-	9	80.4	12	107.1	5	44.6
N-W	109	34.1	2	18.3	0	-	3	27.5	8	73.4	1	9.2
Chattahoochee **												
T	196	16.1	4	20.4	0	-	10	51.0	9	45.9	3	15.3
W	158	15.5	3	19.0	0	-	7	44.3	8	50.6	2	12.7
N-W	38	19.0	1	26.3	0	-	3	78.9	1	26.3	1	26.3
Clayton												
T	615	27.6	4	6.5	0	-	15	24.4	39	63.4	1	1.6
W	497	26.0	2	4.0	0	-	5	10.1	30	60.4	1	2.0
N-W	118	36.9	2	16.9	0	-	10	84.7	9	76.3	0	-
Coweta												
T	665	23.8	9	13.5	1	1.5	17	25.6	47	70.7	1	1.5
W	355	19.5	2	5.6	1	2.8	8	22.5	28	78.9	1	2.8
N-W	310	32.0	7	22.6	0	-	9	29.0	19	61.3	0	-
Crawford												
T	191	31.3	9	47.1	0	-	7	36.6	16	83.8	4	20.9
W	52	20.8	1	19.2	0	-	1	19.2	6	115.4	1	19.2
N-W	139	38.6	8	57.6	0	-	6	43.2	10	71.9	3	21.6

WEST CENTRAL REGION

TABLE IX (Cont.) SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1950

AREA & RACE	LIVE BIRTHS		STILLBIRTHS		MATERNAL DEATHS		INFANT DEATHS		IMMATURE BIRTHS		DEATHS FROM IMMATUREITY	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Fayette												
T	192	24.0	9	46.9	2	10.4	2	10.4	11	57.3	1	5.2
W	106	18.0	4	37.7	0	-	1	9.4	7	66.0	0	-
N-W	86	41.0	5	58.1	2	23.3	1	11.6	4	46.5	1	11.6
Harris												
T	305	27.0	12	39.3	1	3.3	10	32.8	13	42.6	3	9.8
W	76	14.3	1	13.2	0	-	2	26.3	6	78.9	0	-
N-W	229	38.2	11	48.0	1	4.4	8	34.9	7	30.6	3	13.1
Heard												
T	162	22.8	6	37.0	0	-	5	30.9	18	111.1	0	-
W	109	20.2	4	36.7	0	-	4	36.7	14	128.4	0	-
N-W	53	31.2	2	37.7	0	-	1	18.9	4	75.5	0	-
Henry												
T	440	27.7	9	20.5	0	-	25	56.8	38	86.4	5	11.4
W	186	16.8	3	16.1	0	-	7	37.6	16	86.0	3	16.1
N-W	254	52.9	6	23.6	0	-	18	70.9	22	86.6	2	7.9
Houston												
T	704	33.4	11	15.6	1	1.4	27	38.4	57	81.0	5	7.1
W	401	27.1	6	15.0	0	-	11	27.4	32	79.8	1	2.5
N-W	303	48.1	5	16.5	1	3.3	16	52.8	25	82.5	4	13.2
Jones												
T	188	25.1	1	5.3	0	-	10	53.2	14	74.5	1	5.3
W	53	15.1	1	18.9	0	-	3	56.6	3	56.6	0	-
N-W	135	33.8	0	-	0	-	7	51.9	11	81.5	1	7.4
Lamar												
T	271	27.4	6	22.1	0	-	6	22.1	14	51.7	2	7.4
W	122	18.5	1	8.2	0	-	3	24.6	4	32.8	1	8.2
N-W	149	45.2	5	33.6	0	-	3	20.1	10	67.1	1	6.7
Macon												
T	374	26.3	11	29.4	4	10.7	17	45.5	21	56.1	3	8.0
W	95	19.8	0	-	0	-	2	21.1	8	84.2	0	-
N-W	279	29.7	11	39.4	4	14.3	15	53.8	13	46.6	3	10.8

TABLE IX (Cont.)

AREA & RACE		LIVE BIRTHS		STILLBIRTHS		MATERNAL DEATHS		INFANT DEATHS		IMMATURE BIRTHS		DEATHS FROM IMMATUREITY	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Marion	T	195	30.0	5	25.6	1	5.1	5	25.6	5	25.6	0	-
	W	39	19.5	2	51.3	0	-	3	76.9	1	25.6	0	-
	N-W	156	34.7	3	19.2	1	6.4	2	12.8	4	25.6	0	-
Meriwether	T	506	24.4	13	25.7	2	4.0	19	37.5	35	69.2	4	7.9
	W	171	18.4	2	11.7	0	-	5	29.2	9	52.6	3	17.5
	N-W	335	29.4	11	32.8	2	6.0	14	41.8	26	77.6	1	3.0
Monroe	T	294	27.7	9	30.6	0	-	9	30.6	18	61.2	3	10.2
	W	111	21.3	0	-	0	-	4	36.0	9	81.1	3	27.0
	N-W	183	33.9	9	49.2	0	-	5	27.3	9	49.2	0	-
Muscogee	T	3,531	29.8	85	24.1	1	0.3	110	31.2	274	77.6	33	9.3
	W	2,562	31.7	54	21.1	0	-	69	26.9	176	68.7	24	9.4
	N-W	969	25.6	31	32.0	1	1.0	41	42.3	98	101.1	9	9.3
Peach	T	321	27.2	13	40.5	0	-	9	28.0	17	53.0	0	-
	W	99	18.3	6	60.6	0	-	2	20.2	2	20.2	0	-
	N-W	222	34.7	7	31.5	0	-	7	31.5	15	67.6	0	-
Pike	T	224	26.4	6	26.8	1	4.5	9	40.2	21	93.8	2	8.9
	W	98	20.0	1	10.2	1	10.2	3	30.6	7	71.4	1	10.2
	N-W	126	35.0	5	39.7	0	-	6	47.6	14	111.1	1	7.9
Schley	T	105	25.6	1	9.5	0	-	3	28.6	3	28.6	0	-
	W	29	15.3	0	-	0	-	1	34.5	0	-	0	-
	N-W	76	34.5	1	13.2	0	-	2	26.3	3	39.5	0	-
Spalding	T	831	26.5	16	19.3	1	1.2	33	39.7	57	68.6	11	13.2
	W	551	24.9	8	14.5	1	1.8	20	36.3	45	81.7	9	16.3
	N-W	280	30.4	8	28.6	0	-	13	46.4	12	42.9	2	7.1
Talbot	T	229	30.1	7	30.6	0	-	17	74.2	33	144.1	4	17.5
	W	43	15.9	0	-	0	-	0	-	5	116.3	0	-
	N-W	186	38.0	7	37.6	0	-	17	91.4	28	150.5	4	21.5

SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1950

TABLE IX (Cont.)

AREA & RACE	LIVE BIRTHS		STILLBIRTHS		MATERNAL DEATHS		INFANT DEATHS		IMMATURE BIRTHS		DEATHS FROM IMMATUREITY	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Taylor												
T	250	27.2	9	36.0	0	-	8	32.0	14	56.0	2	8.0
W	96	18.5	3	31.2	0	-	2	20.8	3	31.2	0	-
N-W	154	38.5	6	39.0	0	-	6	39.0	11	71.4	2	13.0
Troup												
T	1,458	29.1	29	19.9	0	-	49	33.6	103	70.6	15	10.3
W	851	27.4	12	14.1	0	-	21	24.7	62	72.9	6	7.0
N-W	607	31.9	17	28.0	0	-	28	46.1	41	67.5	9	14.8
Upson												
T	652	25.8	17	26.1	2	3.1	21	32.2	36	55.2	6	9.2
W	401	22.9	4	10.0	1	2.5	6	15.0	19	47.4	2	5.0
N-W	251	32.2	13	51.8	1	4.0	15	59.8	17	67.7	4	15.9

* Live birth rates per 1,000 estimated mid-year population. All other rates per 1,000 live births.

** Includes events occurring in military reservations.

SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1950

TABLE IX (Cont.)

AREA & RACE	LIVE BIRTHS		STILLBIRTHS		MATERNAL DEATHS		INFANT DEATHS		IMMATURE BIRTHS		DEATHS FROM IMMATUREITY	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
STATE**												
T	92,099	26.7	2,026	22.0	150	1.6	3,081	33.5	6,645	72.2	719	7.8
W	57,003	24.3	885	15.5	55	1.0	1,518	26.6	3,697	64.9	343	6.0
N-W	35,096	31.6	1,141	32.5	95	2.7	1,563	44.5	2,948	84.0	376	10.7
EAST CENTRAL REGION**												
T	12,785	26.4	355	27.8	24	1.9	425	33.2	847	66.2	101	7.9
W	6,379	22.5	116	18.2	9	1.4	158	24.8	383	60.0	49	7.7
N-W	6,406	31.9	239	37.3	15	2.3	267	41.7	464	72.4	52	8.1
Baldwin												
T	451	25.3	15	33.3	0	-	25	55.4	36	79.8	1	2.2
W	195	21.4	5	25.6	0	-	8	41.0	12	61.5	1	5.1
N-W	256	29.4	10	39.1	0	-	17	66.4	24	93.8	0	-
Bleckley												
T	240	25.8	7	29.2	1	4.2	11	45.8	23	95.8	3	12.5
W	129	21.5	4	31.0	0	-	4	31.0	10	77.5	1	7.8
N-W	111	33.6	3	27.0	1	9.0	7	63.1	13	117.1	2	18.0
Bryan												
T	161	27.3	7	43.5	0	-	8	49.7	23	142.9	1	6.2
W	90	22.5	4	44.4	0	-	2	22.2	13	144.4	1	11.1
N-W	71	37.4	3	42.3	0	-	6	84.5	10	140.8	0	-
Bulloch												
T	625	25.1	18	28.8	1	1.6	11	17.6	26	41.6	5	8.0
W	314	20.5	6	19.1	0	-	4	12.7	10	31.8	1	3.2
N-W	311	32.4	12	38.6	1	3.2	7	22.5	16	51.4	4	12.9
Burke												
T	757	32.2	23	30.4	1	1.3	25	33.0	45	59.4	7	9.2
W	146	18.1	2	13.7	0	-	2	13.7	8	54.8	1	6.8
N-W	611	39.5	21	34.4	1	1.6	23	37.6	37	60.6	6	9.8
Candler												
T	192	24.0	2	10.4	1	5.2	8	41.7	9	46.9	0	-
W	111	25.8	0	-	1	9.0	4	36.0	4	36.0	0	-
N-W	81	21.9	2	24.7	0	-	4	49.4	5	61.7	0	-

EAST CENTRAL REGION

TABLE IX (Cont.) SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1950

AREA & RACE	LIVE BIRTHS		STILLBIRTHS		MATERNAL DEATHS		INFANT DEATHS		IMMATURE BIRTHS		DEATHS FROM IMMATUREITY	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Columbia												
T	233	24.3	7	30.0	0	-	10	42.9	14	60.1	3	12.9
W	92	19.6	1	10.9	0	-	2	21.7	6	65.2	2	21.7
N-W	141	28.8	6	42.6	0	-	8	56.7	8	56.7	1	7.1
Dodge												
T	470	26.4	23	48.9	2	4.3	11	23.4	25	53.2	1	2.1
W	288	22.7	12	41.7	1	3.5	8	27.8	10	34.7	1	3.5
N-W	182	35.7	11	60.4	1	5.5	3	16.5	15	82.4	0	-
Effingham												
T	250	27.5	11	44.0	1	4.0	8	32.0	26	104.0	1	4.0
W	122	22.6	2	16.4	1	8.2	3	24.6	12	98.4	1	8.2
N-W	128	34.6	9	70.3	0	-	5	39.1	14	109.4	0	-
Emanuel												
T	536	27.1	15	28.0	0	-	22	41.0	27	50.4	4	7.5
W	319	25.9	4	12.5	0	-	11	34.5	15	47.0	2	6.3
N-W	217	28.9	11	50.7	0	-	11	50.7	12	55.3	2	9.2
Evans												
T	170	25.4	7	41.2	0	-	11	64.7	10	58.8	3	17.6
W	93	23.2	0	-	0	-	5	53.7	4	43.0	2	21.5
N-W	77	28.5	7	90.9	0	-	6	77.9	6	77.9	1	13.0
Glascocock												
T	87	24.2	1	11.5	0	-	3	34.5	7	80.5	0	-
W	60	23.1	1	16.7	0	-	0	-	5	83.3	0	-
N-W	27	27.0	0	-	0	-	3	111.1	2	74.1	0	-
Jefferson												
T	609	32.4	9	14.8	2	3.3	17	27.9	26	42.7	6	9.9
W	188	20.9	0	-	0	-	5	26.6	8	42.6	2	10.6
N-W	421	43.0	9	21.4	2	4.8	12	28.5	18	42.8	4	9.5
Jenkins												
T	323	31.4	14	43.3	0	-	13	40.3	22	68.1	0	-
W	117	28.5	1	8.5	0	-	5	42.7	6	51.3	0	-
N-W	206	33.2	13	63.1	0	-	8	38.8	16	77.7	0	-

TABLE IX (Cont.)

AREA & RACE		LIVE BIRTHS		STILLBIRTHS		MATERNAL DEATHS		INFANT DEATHS		IMMATURE BIRTHS		DEATHS FROM IMMATURITY	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Johnson	T	239	24.1	11	46.0	1	4.2	8	33.5	22	92.0	2	8.4
	W	122	22.2	4	32.8	0	-	4	32.8	9	73.8	1	8.2
	N-W	117	26.6	7	59.8	1	8.5	4	34.2	13	111.1	1	8.5
Laurens	T	944	28.4	25	26.5	6	6.4	47	49.8	47	49.8	18	19.1
	W	493	25.9	9	18.3	1	2.0	23	46.7	26	52.7	11	22.3
	N-W	451	31.8	16	35.5	5	11.1	24	53.2	21	46.6	7	15.5
Montgomery	T	158	20.0	4	25.3	0	-	4	25.3	6	38.0	1	6.3
	W	81	15.6	3	37.0	0	-	2	24.7	3	37.0	0	-
	N-W	77	28.5	1	13.0	0	-	2	26.0	3	39.0	1	13.0
Pulaski	T	251	28.5	10	39.8	1	4.0	4	15.9	24	95.6	1	4.0
	W	100	25.6	2	20.0	0	-	3	30.0	7	70.0	1	10.0
	N-W	151	30.8	8	53.0	1	6.6	1	6.6	17	112.6	0	-
Richmond**	T	2,887	26.3	63	21.8	1	0.3	72	24.9	249	86.2	25	8.7
	W	1,797	25.2	32	17.8	1	0.6	35	19.5	132	73.5	17	9.5
	N-W	1,090	28.5	31	28.4	0	-	37	33.9	117	107.3	8	7.3
Screven	T	548	30.8	13	23.7	2	3.6	12	21.9	18	32.8	2	3.6
	W	157	22.4	1	6.4	1	6.4	3	19.1	8	51.0	1	6.4
	N-W	391	36.2	12	30.7	1	2.6	9	23.0	10	25.6	1	2.6
Tattnall	T	416	28.5	8	19.2	1	2.4	21	50.5	31	74.5	1	2.4
	W	280	25.7	3	10.7	0	-	5	17.9	15	53.6	0	-
	N-W	136	36.8	5	36.8	1	7.4	16	117.6	16	117.6	1	7.4
Telfair	T	365	27.4	7	19.2	1	2.7	7	19.2	19	52.1	2	5.5
	W	236	25.9	6	25.4	1	4.2	1	4.2	13	55.1	0	-
	N-W	129	30.7	1	7.8	0	-	6	46.5	6	46.5	2	15.5
Toombs	T	450	25.6	17	37.8	0	-	13	28.9	21	46.7	1	2.2
	W	299	23.0	7	23.4	0	-	5	16.7	19	63.5	0	-
	N-W	151	32.8	10	66.2	0	-	8	53.0	2	13.2	1	6.6

SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1950
 TABLE IX (Cont.)

AREA & RACE		LIVE BIRTHS		STILLBIRTHS		MATERNAL DEATHS		INFANT DEATHS		IMMATURE BIRTHS		DEATHS FROM IMMATUREITY	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Treutlen													
	T	171	26.3	5	29.2	0	-	3	17.5	13	76.0	0	-
	W	111	26.4	4	36.0	0	-	3	27.0	8	72.1	0	-
	N-W	60	26.1	1	16.7	0	-	0	-	5	83.3	0	-
Twiggs													
	T	229	27.3	4	17.5	0	-	7	30.6	6	26.2	0	-
	W	44	13.8	0	-	0	-	1	22.7	2	45.5	0	-
	N-W	185	35.6	4	21.6	0	-	6	32.4	4	21.6	0	-
Washington													
	T	605	28.7	19	31.4	1	1.7	29	47.9	43	71.1	11	18.2
	W	188	18.3	2	10.6	1	5.3	4	21.3	8	42.6	2	10.6
	N-W	417	38.6	17	40.8	0	-	25	60.0	35	83.9	9	21.6
Wheeler													
	T	148	22.1	5	33.8	1	6.8	5	33.8	7	47.3	1	6.8
	W	85	15.7	1	11.8	1	11.8	4	47.1	3	35.3	1	11.8
	N-W	63	48.5	4	63.5	0	-	1	15.9	4	63.5	0	-
Wilkinson													
	T	270	27.6	5	18.5	0	-	10	37.0	22	81.5	1	3.7
	W	122	26.5	0	-	0	-	2	16.4	7	57.4	0	-
	N-W	148	28.5	5	33.8	0	-	8	54.1	15	101.4	1	6.8

* Live birth rates per 1,000 estimated mid-year population. All other rates per 1,000 live births.

** Includes events occurring in military reservations.

SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1950

TABLE IX (Cont.)

AREA & RACE		LIVE BIRTHS		STILLBIRTHS		MATERNAL DEATHS		INFANT DEATHS		IMMATURE BIRTHS		DEATHS FROM IMMATUREITY	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
STATE**													
	T	92,099	26.7	2,026	22.0	150	1.6	3,081	33.5	6,645	72.2	719	7.8
	W	57,003	24.3	885	15.5	55	1.0	1,518	26.6	3,697	64.9	343	6.0
	N-W	35,096	31.6	1,141	32.5	95	2.7	1,563	44.5	2,948	84.0	376	10.7
SOUTHWESTERN REGION**													
	T	13,450	30.0	300	22.3	31	2.3	492	36.6	878	65.3	111	8.3
	W	5,981	24.5	89	14.9	9	1.5	158	26.4	357	59.7	29	4.8
	N-W	7,469	36.6	211	28.2	22	2.9	334	44.7	521	69.8	82	11.0
Baker													
	T	182	30.3	2	11.0	0	-	4	22.0	7	38.5	1	5.5
	W	49	20.4	0	-	0	-	0	-	1	20.4	0	-
	N-W	133	36.9	2	15.0	0	-	4	30.1	6	45.1	1	7.5
Ben Hill													
	T	430	28.7	4	9.3	3	7.0	18	41.9	39	90.7	2	4.7
	W	238	23.1	1	4.2	1	4.2	13	54.6	25	105.0	1	4.2
	N-W	192	40.9	3	15.6	2	10.4	5	26.0	14	72.9	1	5.2
Brooks													
	T	539	29.6	19	35.2	0	-	19	35.2	43	79.8	3	5.6
	W	195	21.4	7	35.9	0	-	5	25.6	15	76.9	0	-
	N-W	344	37.8	12	34.9	0	-	14	40.7	28	81.4	3	8.7
Calhoun													
	T	301	33.4	9	29.9	1	3.3	16	53.2	20	66.4	1	3.3
	W	72	20.6	2	27.8	0	-	1	13.9	1	13.9	0	-
	N-W	229	41.6	7	30.6	1	4.4	15	65.5	19	83.0	1	4.4
Clay													
	T	188	33.0	3	16.0	0	-	5	26.6	13	69.1	1	5.3
	W	34	13.6	1	29.4	0	-	0	-	0	-	0	-
	N-W	154	48.1	2	13.0	0	-	5	32.5	13	84.4	1	6.5
Colquitt													
	T	1,024	29.9	32	31.2	4	3.9	28	27.3	60	58.6	6	5.9
	W	680	26.5	15	22.1	1	1.5	22	32.4	31	45.6	2	2.9
	N-W	344	40.0	17	49.4	3	8.7	6	17.4	29	84.3	4	11.6

SOUTHWESTERN REGION

SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1950

TABLE IX (Cont.)

AREA & RACE		LIVE BIRTHS		STILLBIRTHS		MATERNAL DEATHS		INFANT DEATHS		IMMATURE BIRTHS		DEATHS FROM IMMATURITY	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Crisp	T	562	31.6	10	17.8	4	7.1	14	24.9	36	64.1	4	7.1
	W	257	27.1	4	15.6	1	3.9	3	11.7	15	58.4	1	3.9
	N-W	305	36.7	6	19.7	3	9.8	11	36.1	21	68.9	3	9.8
Decatur	T	678	28.5	15	22.1	1	1.5	24	35.4	52	76.7	3	4.4
	W	340	27.9	1	2.9	1	2.9	7	20.6	23	67.6	1	2.9
	N-W	338	29.1	14	41.4	0	-	17	50.3	29	85.8	2	5.9
Dooly	T	379	26.7	6	15.8	0	-	12	31.7	26	68.6	0	-
	W	128	19.4	3	23.4	0	-	2	15.6	6	46.9	0	-
	N-W	251	33.0	3	12.0	0	-	10	39.8	20	79.7	0	-
Dougherty **	T	1,401	31.9	28	20.0	1	0.7	44	31.4	115	82.1	3	2.1
	W	746	32.9	9	12.1	0	-	21	28.2	55	73.7	3	4.0
	N-W	655	30.9	19	29.0	1	1.5	23	35.1	60	91.6	0	-
Early	T	568	32.6	15	26.4	1	1.8	16	28.2	41	72.2	4	7.0
	W	199	21.4	4	20.1	1	5.0	2	10.0	13	65.3	1	5.0
	N-W	369	45.6	11	29.8	0	-	14	37.9	28	75.9	3	8.1
Grady	T	480	25.3	14	29.2	1	2.1	20	41.7	32	66.7	5	10.4
	W	266	23.1	7	26.3	1	3.8	6	22.6	16	60.2	1	3.8
	N-W	214	28.5	7	32.7	0	-	14	65.4	16	74.8	4	18.7
Irwin	T	315	26.5	9	28.6	0	-	11	34.9	14	44.4	3	9.5
	W	155	19.9	1	6.5	0	-	8	51.6	9	58.1	1	6.5
	N-W	160	39.0	8	50.0	0	-	3	18.8	5	31.2	2	12.5
Lee	T	252	37.6	6	23.8	0	-	4	15.9	12	47.6	2	7.9
	W	51	30.0	1	19.6	0	-	0	-	2	39.2	0	-
	N-W	201	40.2	5	24.9	0	-	4	19.9	10	49.8	2	10.0

TABLE IX (Cont.)

AREA & RACE		LIVE BIRTHS		STILLBIRTHS		MATERNAL DEATHS		INFANT DEATHS		IMMATURE BIRTHS		DEATHS FROM IMMATURITY	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Miller	T	279	31.0	5	17.9	2	7.2	7	25.1	12	43.0	2	7.2
	W	175	26.1	4	22.9	1	5.7	3	17.1	8	45.7	1	5.7
	N-W	104	45.2	1	9.6	1	9.6	4	38.5	4	38.5	1	9.6
Mitchell	T	702	31.3	15	21.4	2	2.8	25	35.6	58	82.6	5	7.1
	W	247	22.3	4	16.2	0	-	5	20.2	12	48.6	2	8.1
	N-W	455	40.3	11	24.2	2	4.4	20	44.0	46	101.1	3	6.6
Quitman	T	85	28.3	2	23.5	0	-	6	70.6	4	47.1	2	23.5
	W	20	18.2	0	-	0	-	0	-	0	-	0	-
	N-W	65	34.2	2	30.8	0	-	6	92.3	4	61.5	2	30.8
Randolph	T	423	30.4	10	23.6	2	4.7	18	42.6	29	68.6	8	18.9
	W	107	20.6	1	9.3	0	-	1	9.3	5	46.7	0	-
	N-W	316	36.3	9	28.5	2	6.3	17	53.8	24	75.9	8	25.3
Seminole	T	268	33.9	2	7.5	0	-	7	26.1	13	48.5	2	7.5
	W	147	34.2	0	-	0	-	6	40.8	11	74.8	2	13.6
	N-W	121	33.6	2	16.5	0	-	1	8.3	2	16.5	0	-
Stewart	T	233	25.3	3	12.9	1	4.3	15	64.4	17	73.0	3	12.9
	W	53	23.0	0	-	0	-	0	-	3	56.6	0	-
	N-W	180	26.1	3	16.7	1	5.6	15	83.3	14	77.8	3	16.7
Sumter	T	736	30.4	28	38.0	1	1.4	40	54.3	43	58.4	10	13.6
	W	237	18.5	4	16.9	0	-	10	42.2	15	63.3	3	12.7
	N-W	499	43.8	24	48.1	1	2.0	30	60.1	28	56.1	7	14.0
Terrell	T	442	30.9	17	38.5	1	2.3	37	83.7	19	43.0	9	20.4
	W	88	16.6	3	34.1	0	-	6	68.2	5	56.8	1	11.4
	N-W	354	39.3	14	39.5	1	2.8	31	87.6	14	39.5	8	22.6
Thomas	T	873	25.6	13	14.9	1	1.1	36	41.2	57	65.3	18	20.6
	W	442	21.4	3	6.8	0	-	12	27.1	18	40.7	5	11.3
	N-W	431	32.2	10	23.2	1	2.3	24	55.7	39	90.5	13	30.2

SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* BY REGION, COUNTY, AND RACE, GEORGIA: 1950
 TABLE IX (Cont).

AREA & RACE		LIVE BIRTHS		STILLBIRTHS		MATERNAL DEATHS		INFANT DEATHS		IMMATURE BIRTHS		DEATHS FROM IMMATUREITY	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Tift	T	733	32.1	8	10.9	1	1.4	19	25.9	47	64.1	5	6.8
	W	460	29.9	5	10.9	0	-	11	23.9	29	63.0	2	4.3
	N-W	273	36.9	3	11.0	1	3.7	8	29.3	18	65.9	3	11.0
Turner	T	307	29.2	7	22.8	2	6.5	11	35.8	14	45.6	0	-
	W	156	22.0	3	19.2	1	6.4	1	6.4	7	44.9	0	-
	N-W	151	44.4	4	26.5	1	6.6	10	66.2	7	46.4	0	-
Webster	T	138	33.7	4	29.0	0	-	4	29.0	9	65.2	2	14.5
	W	29	22.3	0	-	0	-	1	34.5	5	172.4	0	-
	N-W	109	38.9	4	36.7	0	-	3	27.5	4	36.7	2	18.3
Wilcox	T	263	25.8	3	11.4	1	3.8	4	15.2	14	53.2	0	-
	W	151	25.2	3	19.9	1	6.6	3	19.9	10	66.2	0	-
	N-W	112	26.7	0	-	0	-	1	8.9	4	35.7	0	-
Worth	T	669	34.3	11	16.4	1	1.5	28	41.9	32	47.8	7	10.5
	W	259	26.7	3	11.6	0	-	9	34.7	17	65.6	2	7.7
	N-W	410	41.8	8	19.5	1	2.4	19	46.3	15	36.6	5	12.2

* Live birth rates per 1,000 estimated mid-year population. All other rates per 1,000 live births.

** Includes events occurring in military reservations.

SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1950

TABLE IX (Cont.)

AREA & RACE		LIVE BIRTHS		STILLBIRTHS		MATERNAL DEATHS		INFANT DEATHS		IMMATURE BIRTHS		DEATHS FROM IMMATUREITY	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
STATE **													
	T	92,099	26.7	2,026	22.0	150	1.6	3,081	33.5	6,645	72.2	719	7.8
	W	57,003	24.3	885	15.5	55	1.0	1,518	26.6	3,697	64.9	343	6.0
	N-W	35,096	31.6	1,141	32.5	95	2.7	1,563	44.5	2,948	84.0	376	10.7
SOUTHEASTERN REGION													
	T	11,171	27.0	292	26.1	19	1.7	427	38.2	718	64.3	118	10.6
	W	6,998	25.8	140	20.0	8	1.1	218	31.2	432	61.7	51	7.3
	N-W	4,173	29.2	152	36.4	11	2.6	209	50.1	286	68.5	67	16.1
Appling													
	T	399	28.5	8	20.0	0	-	15	37.6	22	55.1	4	10.0
	W	289	24.5	5	17.3	0	-	11	38.1	18	62.3	4	13.8
	N-W	110	50.0	3	27.3	0	-	4	36.4	4	36.4	0	-
Atkinson													
	T	255	34.0	6	23.5	0	-	8	31.4	17	66.7	2	7.8
	W	181	33.5	3	16.6	0	-	5	27.6	11	60.8	2	11.0
	N-W	74	35.2	3	40.5	0	-	3	40.5	6	81.1	0	-
Bacon													
	T	251	27.6	2	8.0	0	-	6	23.9	18	71.7	2	8.0
	W	221	28.3	1	4.5	0	-	5	22.6	15	67.9	2	9.0
	N-W	30	23.1	1	33.3	0	-	1	33.3	3	100.0	0	-
Berrien													
	T	351	25.1	7	19.9	1	2.8	7	19.9	17	48.4	0	-
	W	288	25.5	7	24.3	1	3.5	5	17.4	16	55.6	0	-
	N-W	63	23.3	0	-	0	-	2	31.7	1	15.9	0	-
Brantley													
	T	177	27.7	9	50.8	1	5.6	7	39.5	9	50.8	2	11.3
	W	146	30.4	7	47.9	1	6.8	5	34.2	6	41.1	2	13.7
	N-W	31	19.4	2	64.5	0	-	2	64.5	3	96.8	0	-
Camden													
	T	197	26.6	15	76.1	1	5.1	8	40.6	11	55.8	1	5.1
	W	72	20.6	6	83.3	0	-	0	-	3	41.7	0	-
	N-W	125	32.1	9	72.0	1	8.0	8	64.0	8	64.0	1	8.0

SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1950
 TABLE 1A (Cont.)

AREA & RACE		LIVE BIRTHS		STILLBIRTHS		MATERNAL DEATHS		INFANT DEATHS		IMMATURE BIRTHS		DEATHS FROM IMMATUREITY	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Charlton	T	164	34.9	3	18.3	1	6.1	6	36.6	10	61.0	6	36.6
	W	114	28.5	2	17.5	1	8.8	4	35.1	6	52.6	4	35.1
	N-W	50	71.4	1	20.0	0	-	2	40.0	4	80.0	2	40.0
Chatham	T	3,844	25.3	105	27.3	5	1.3	150	39.0	259	67.4	43	11.2
	W	2,257	24.9	40	17.7	0	-	64	28.4	148	65.6	11	4.9
	N-W	1,587	25.8	65	41.0	5	3.2	86	54.2	111	69.9	32	20.2
Clinch	T	201	33.5	6	29.9	0	-	10	49.8	7	34.8	0	-
	W	122	27.7	5	41.0	0	-	7	57.4	4	32.8	0	-
	N-W	79	49.4	1	12.7	0	-	3	38.0	3	38.0	0	-
Coffee	T	739	30.5	12	16.2	2	2.7	42	56.8	34	46.0	16	21.6
	W	504	29.0	6	11.9	1	2.0	27	53.6	23	45.6	7	13.9
	N-W	235	34.6	6	25.5	1	4.3	15	63.8	11	46.8	9	38.3
Cook	T	344	28.0	12	34.9	0	-	15	43.6	30	87.2	2	5.8
	W	234	28.2	6	25.6	0	-	5	21.4	21	89.7	0	-
	N-W	110	27.5	6	54.5	0	-	10	90.9	9	81.8	2	18.2
Echols	T	71	28.4	1	14.1	0	-	1	14.1	4	56.3	0	-
	W	41	31.5	0	-	0	-	0	-	2	48.8	0	-
	N-W	30	25.0	1	33.3	0	-	1	33.3	2	66.7	0	-
Glynn	T	742	25.2	13	17.5	0	-	37	49.9	51	68.7	11	14.8
	W	442	23.0	4	9.0	0	-	14	31.7	34	76.9	4	9.0
	N-W	300	29.4	9	30.0	0	-	23	76.7	17	56.7	7	23.3
Jeff Davis	T	249	26.5	8	32.1	1	4.0	7	28.1	16	64.3	2	8.0
	W	190	30.6	4	21.1	1	5.3	4	21.1	12	63.2	1	5.3
	N-W	59	18.4	4	67.8	0	-	3	50.8	4	67.8	1	16.9

SOUTHEASTERN REGION

TABLE IX (Cont.)

AREA & RACE		LIVE BIRTHS		STILLBIRTHS		MATERNAL DEATHS		INFANT DEATHS		IMMATURE BIRTHS		DEATHS FROM IMMATUREITY	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Lanier	T	154	29.6	2	13.0	0	-	5	32.5	15	97.4	1	6.5
	W	97	29.4	1	10.3	0	-	2	20.6	10	103.1	0	-
	N-W	57	30.0	1	17.5	0	-	3	52.6	5	87.7	1	17.5
Liberty	T	274	32.2	8	29.2	0	-	14	51.1	18	65.7	1	3.6
	W	80	26.7	0	-	0	-	4	50.0	4	50.0	0	-
	N-W	194	35.3	8	41.2	0	-	10	51.5	14	72.2	1	5.2
Long	T	114	31.7	2	17.5	1	8.8	1	8.8	7	61.4	0	-
	W	66	30.0	1	15.2	1	15.2	1	15.2	4	60.6	0	-
	N-W	48	34.3	1	20.8	0	-	0	-	3	62.5	0	-
Lowndes	T	1,009	28.4	28	27.8	1	1.0	23	22.8	56	55.5	7	6.9
	W	528	25.4	11	20.8	0	-	16	30.3	27	51.1	6	11.4
	N-W	481	32.7	17	35.3	1	2.1	7	14.6	29	60.3	1	2.1
McIntosh	T	176	28.9	2	11.4	0	-	8	45.5	14	79.5	3	17.0
	W	52	20.8	1	19.2	0	-	0	-	1	19.2	0	-
	N-W	124	34.4	1	8.1	0	-	8	64.5	13	4.8	3	24.2
Pierce	T	301	27.1	6	19.9	1	3.3	7	23.3	25	83.1	2	6.6
	W	227	27.3	3	13.2	0	-	6	26.4	18	79.3	1	4.4
	N-W	74	26.4	3	40.5	1	13.5	1	13.5	7	94.6	1	13.5
Ware	T	759	24.9	26	34.3	3	4.0	30	39.5	57	75.1	7	9.2
	W	546	22.9	19	34.8	1	1.8	20	36.6	35	64.1	4	7.3
	N-W	213	31.8	7	32.9	2	9.4	10	46.9	22	103.3	3	14.1
Wayne	T	400	27.8	11	27.5	1	2.5	20	50.0	21	52.5	6	15.0
	W	301	26.4	8	26.6	1	3.3	13	43.2	14	46.5	3	10.0
	N-W	99	33.0	3	30.3	0	-	7	70.7	7	70.7	3	30.3

* Live birth rates per 1,000 estimated mid-year population. All other rates per 1,000 live births.

** Includes events occurring in military reservations.

TABLE X
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

AREA & RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEU-MONIA & IN-FLUENZA	ACCI-DENTS EXCL. MOTOR VEHICLE	MOTOR VEH. ACCI-DENTS	NEPH-RITIS & NEPH-ROSIS	TUBERCU-LOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED & UNKNOWN
	NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
STATE *												
T	30,416	8.8	9,241	4,098	3,339	1,458	1,221	902	851	824	719	615
W	18,005	7.7	5,988	2,215	2,433	664	725	642	411	323	343	206
N-W	12,411	11.2	3,253	1,883	906	794	496	260	440	501	376	409
NORTHWESTERN REGION *												
T	9,016	8.2	2,834	1,113	1,150	335	364	242	217	314	188	102
W	6,423	7.3	2,153	734	921	227	251	200	131	159	110	77
N-W	2,593	11.9	681	379	229	108	113	42	86	155	78	25
Bartow												
T	224	8.1	55	24	14	8	11	12	11	2	14	8
W	172	7.4	45	17	12	7	8	9	9	2	9	4
N-W	52	11.8	10	7	2	1	3	3	2	0	5	4
Carroll												
T	277	8.1	87	29	40	15	8	5	15	7	10	5
W	218	7.8	72	24	33	10	6	5	10	4	8	4
N-W	59	9.5	15	5	7	5	2	0	5	3	2	1
Catoosa												
T	86	5.7	23	18	19	2	0	1	0	1	3	1
W	86	5.7	23	18	19	2	0	1	0	1	3	1
N-W	0	-	0	0	0	0	0	0	0	0	0	0
Chattooga												
T	164	7.7	44	8	17	11	10	7	14	8	1	6
W	142	7.4	41	5	16	9	9	7	11	6	1	4
N-W	22	9.6	3	3	1	2	1	0	3	2	0	2
Cherokee												
T	160	7.6	39	20	29	12	6	8	3	2	1	7
W	158	7.7	38	19	29	12	6	8	3	2	1	7
N-W	2	3.3	1	1	0	0	0	0	0	0	0	0

TABLE X (Cont.) TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

AREA & RACE		DEATHS ALL CAUSES		HEART DIS-EASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEU-MONIA & IN-FLUENZA	ACCI-DENTS EXCL. MOTOR VEHICLE	MOTOR VEH. ACCI-DENTS	NEPH-RITIS & NEPH-ROSIS	TUBERCU-LOSIS (ALL FORMS)	IM-MATURITY	ILL-DE-FINED & UNKNOWN
		NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Cobb	T	430	6.9	145	55	54	25	22	14	7	12	4	5
	W	343	6.3	113	44	46	18	18	13	5	7	3	4
	N-W	87	10.7	32	11	8	7	4	1	2	5	1	1
Dade	T	49	6.6	12	4	8	5	2	4	1	1	1	0
	W	48	6.9	11	4	8	5	2	4	1	1	1	0
	N-W	1	2.5	1	0	0	0	0	0	0	0	0	0
Dawson	T	29	7.8	13	1	2	1	0	3	1	0	0	0
	W	29	8.1	13	1	2	1	0	3	1	0	0	0
	N-W	0	-	0	0	0	0	0	0	0	0	0	0
DeKalb	T	897	6.6	327	115	127	28	33	19	10	16	20	6
	W	705	5.8	282	81	116	21	22	16	7	7	9	5
	N-W	192	12.7	45	34	11	7	11	3	3	9	11	1
Douglas	T	80	6.6	24	17	8	1	3	4	1	4	1	1
	W	66	6.5	23	13	8	1	3	3	1	4	0	1
	N-W	14	7.0	1	4	0	0	0	1	0	0	1	0
Fannin	T	91	5.9	32	13	10	4	5	2	5	1	1	1
	W	90	5.9	32	13	10	4	5	2	4	1	1	1
	N-W	1	10.0	0	0	0	0	0	0	1	0	0	0
Floyd	T	492	7.9	141	55	88	12	19	9	13	24	19	5
	W	398	7.9	123	44	76	9	15	8	6	16	15	5
	N-W	94	7.9	18	11	12	3	4	1	7	8	4	0

TABLE X (Cont.)

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

AREA & RACE	DEATHS ALL CAUSES		HEART DIS-EASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEU-MONIA & IN-FLUENZA	ACCI-DENTS EXCL. MOTOR VEHICLE	MOTOR VEH. ACCI-DENTS	NEPH-RITIS & NEPH-ROSIS	TUBERCU-LOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED & UNKNOWN
	NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Paulding												
T	88	7.5	20	15	11	2	4	3	6	2	2	1
W	74	7.3	18	14	10	1	3	2	4	2	2	1
N-W	14	8.8	2	1	1	1	1	1	2	0	0	0
Pickens												
T	73	8.2	21	11	11	7	0	3	2	0	0	1
W	70	8.4	19	10	11	7	0	3	2	0	0	1
N-W	3	5.0	2	1	0	0	0	0	0	0	0	0
Polk												
T	239	7.7	59	34	27	10	7	6	9	11	4	7
W	185	7.6	44	26	24	7	5	5	7	7	4	5
N-W	54	8.1	15	8	3	3	2	1	2	4	0	2
Towns												
T	28	5.8	7	7	3	4	0	0	0	0	0	0
W	28	5.8	7	7	3	4	0	0	0	0	0	0
N-W	0	-	0	0	0	0	0	0	0	0	0	0
Union												
T	46	6.3	10	7	8	2	0	1	0	1	2	2
W	46	6.3	10	7	8	2	0	1	0	1	2	2
N-W	0	-	0	0	0	0	0	0	0	0	0	0
Walker												
T	251	6.5	77	34	26	14	17	6	8	9	4	4
W	230	6.2	71	29	26	12	17	5	8	9	3	4
N-W	21	16.2	6	5	0	2	0	1	0	0	1	0
Whitfield												
T	296	8.5	91	28	35	20	14	3	6	16	15	3
W	267	8.1	85	24	33	17	13	3	5	12	12	3
N-W	29	15.3	6	4	2	3	1	0	1	4	3	0

* Includes deaths occurring in military reservations.

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

TABLE X (Cont.)

AREA & RACE	DEATHS ALL CAUSES		HEART DIS-EASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEU-MONIA & IN-FLUENZA	ACCI-DENTS EXCL. MOTOR VEHICLE	MOTOR VEH. ACCI-DENTS	NEPH-RITIS & NEPH-ROSIS	TUBERCU-LOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED & UNKNOWN
	NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
STATE *												
T	30,416	8.8	9,241	4,098	3,339	1,458	1,221	902	851	824	719	615
W	18,005	7.7	5,988	2,215	2,433	664	725	642	411	323	343	206
N-W	12,411	11.2	3,253	1,883	906	794	496	260	440	501	376	409
NORTHEASTERN REGION												
T	3,447	8.3	1,048	487	356	218	118	105	118	68	67	71
W	2,242	7.5	691	336	281	113	78	82	77	39	31	35
N-W	1,205	10.3	357	151	75	105	40	23	41	29	36	36
Banks												
T	46	6.6	19	11	3	1	1	2	0	0	1	0
W	43	6.7	19	10	3	1	1	1	0	0	1	0
N-W	3	5.0	0	1	0	0	0	1	0	0	0	0
Barrow												
T	92	6.9	24	8	9	8	5	2	4	5	2	0
W	77	7.0	19	8	9	6	5	2	4	5	0	0
N-W	15	6.5	5	0	0	2	0	0	0	0	2	0
Clarke												
T	341	9.3	124	51	35	9	4	12	17	7	5	4
W	195	7.0	74	33	21	5	2	7	6	3	3	4
N-W	146	16.2	50	18	14	4	2	5	11	4	2	0
Elbert												
T	172	9.2	52	26	16	9	6	3	7	7	4	8
W	101	8.6	30	11	12	4	1	3	4	5	4	3
N-W	71	10.4	22	15	4	5	5	0	3	2	0	5

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

TABLE X (Cont.)

AREA & RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA & INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEH. ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED & UNKNOWN
	NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Franklin												
T	104	7.2	34	16	13	3	7	5	1	0	2	0
W	83	6.9	28	12	11	1	6	3	1	0	2	0
N-W	21	8.4	6	4	2	2	1	2	0	0	0	0
Greene												
T	143	11.1	60	18	14	11	2	1	2	0	3	3
W	80	12.5	35	11	13	3	2	0	1	0	2	1
N-W	63	9.7	25	7	1	8	0	1	1	0	1	2
Gwinnett												
T	243	7.5	68	33	33	15	11	8	3	3	7	4
W	206	6.9	55	27	29	14	10	7	3	3	4	3
N-W	37	12.8	13	6	4	1	1	1	0	0	3	1
Habersham												
T	127	7.6	32	21	15	8	5	6	1	6	2	2
W	123	7.6	32	20	14	8	5	6	1	5	2	2
N-W	4	6.7	0	1	1	0	0	0	0	1	0	0
Hall												
T	280	6.9	74	37	30	12	11	9	10	3	2	10
W	224	6.3	58	31	28	8	10	9	7	3	1	6
N-W	56	12.2	16	6	2	4	1	0	3	0	1	4
Hancock												
T	99	8.9	24	22	5	7	5	6	4	3	0	1
W	28	9.0	7	9	3	0	0	2	2	0	0	0
N-W	71	8.9	17	13	2	7	5	4	2	3	0	1
Hart												
T	92	6.3	29	9	8	14	2	5	2	1	0	2
W	62	5.8	26	7	6	1	1	3	1	1	0	0
N-W	30	7.5	3	2	2	13	1	2	1	0	0	2

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

TABLE X (Cont.)

AREA & RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA & INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IMMATURITY	ILL-DEFINED & UNKNOWN
	NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Jackson												
T	150	7.9	35	23	19	16	4	5	8	4	2	5
W	122	7.8	29	18	16	12	3	4	7	2	1	4
N-W	28	8.0	6	5	3	4	1	1	1	2	1	1
Jasper												
T	69	9.2	21	3	3	5	4	1	0	0	2	4
W	20	5.4	4	1	1	1	2	0	0	0	1	1
N-W	49	12.9	17	2	2	4	2	1	0	0	1	3
Lincoln												
T	49	7.5	19	4	7	3	0	1	1	2	1	2
W	24	6.9	11	3	5	0	0	1	0	0	0	2
N-W	25	8.3	8	1	2	3	0	0	1	2	1	0
Madison												
T	96	7.8	26	24	10	5	1	2	3	1	1	1
W	76	8.1	22	21	10	4	1	2	2	0	1	0
N-W	20	6.9	4	3	0	1	0	0	1	1	0	1
McDuffie												
T	100	8.7	17	17	11	8	5	5	2	3	5	3
W	54	8.3	11	11	8	3	3	5	1	1	1	1
N-W	46	9.2	6	6	3	5	2	0	1	2	4	2
Morgan												
T	133	11.1	38	16	13	10	6	4	2	5	2	4
W	53	9.1	16	5	7	2	2	4	1	3	0	2
N-W	80	12.9	22	11	6	8	4	0	1	2	2	2
Newton												
T	160	7.8	46	28	15	12	6	1	6	1	1	4
W	99	8.0	28	22	10	7	2	1	1	1	1	1
N-W	61	7.6	18	6	5	5	4	0	5	0	0	3

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

TABLE X (Cont.)

AREA & RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA & INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IMMATUREITY	ILL-DEFINED & UNKNOWN
	NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Oconee												
T	63	9.0	21	13	6	2	0	1	5	1	1	0
W	47	8.5	16	9	5	1	0	1	5	1	0	0
N-W	16	10.7	5	4	1	1	0	0	0	0	1	0
Oglethorpe												
T	79	7.9	22	13	7	6	2	1	4	2	3	3
W	38	6.8	8	9	4	3	1	1	3	0	0	1
N-W	41	9.3	14	4	3	3	1	0	1	2	3	2
Putnam												
T	91	11.8	29	5	9	6	5	5	4	0	3	3
W	36	9.5	12	2	7	2	2	2	2	0	0	1
N-W	55	14.1	17	3	2	4	3	3	2	0	3	2
Rabun												
T	52	7.0	15	7	9	4	6	2	3	1	0	0
W	51	7.0	15	7	9	4	5	2	3	1	0	0
N-W	1	10.0	0	0	0	0	1	0	0	0	0	0
Rockdale												
T	68	7.9	26	6	8	3	1	2	1	3	3	0
W	53	8.2	19	5	7	2	1	2	1	3	0	0
N-W	15	7.1	7	1	1	1	0	0	0	0	3	0
Stephens												
T	115	6.9	44	14	10	11	6	2	3	0	6	0
W	85	6.3	31	11	9	9	5	2	2	0	5	0
N-W	30	9.4	13	3	1	2	1	0	1	0	1	0
Taliaferro												
T	50	11.1	14	6	6	7	2	0	2	0	0	1
W	22	12.2	6	3	4	1	0	0	2	0	0	0
N-W	28	10.4	8	3	2	6	2	0	0	0	0	1

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

TABLE X (Cont.)

AREA & RACE	DEATHS ALL CAUSES		HEART DIS-EASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA & IN-FLUENZA	ACCI-DENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCI-DENTS	NEPH-RITIS & NEPH-ROSIS	TUBERCU-LOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED & UNKNOWN
	NO.	Rate	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Walton												
T	170	8.4	58	21	18	6	3	5	3	4	1	3
W	105	7.9	38	12	15	3	3	5	3	1	0	1
N-W	65	9.3	20	9	3	3	0	0	0	3	1	2
Warren												
T	98	11.1	20	16	13	7	1	3	10	3	1	2
W	44	14.2	8	7	10	3	1	2	6	0	0	1
N-W	54	9.5	12	9	3	4	0	1	4	3	1	1
White												
T	47	7.8	14	4	1	4	1	2	6	2	2	0
W	40	7.0	13	4	0	4	0	1	6	1	1	0
N-W	7	23.3	1	0	1	0	1	1	0	1	1	0
Wilkes												
T	118	9.5	43	15	10	6	6	4	4	1	5	2
W	51	8.2	21	7	5	1	4	4	2	0	1	1
N-W	67	10.8	22	8	5	5	2	0	2	1	4	1

* Includes deaths occurring in military reservations.

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

TABLE X(Cont.)

AREA & RACE	DEATHS ALL CAUSES		HEART DIS-EASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEU-MONIA & IN-FLUENZA	ACCI-DENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCI-DENTS	NEPH-RITIS & NEPH-ROSIS	TUBERCU-LOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED & UNKNOWN
	NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
STATE*												
T	30,416	8.8	9,241	4,098	3,339	1,458	1,221	902	851	824	719	615
W	18,005	7.7	5,988	2,215	2,433	664	725	642	411	323	343	206
N-W	12,411	11.2	3,253	1,883	906	794	496	260	440	501	376	409
WEST CENTRAL REGION*												
T	5,078	8.6	1,488	695	594	233	226	164	121	129	134	127
W	2,763	7.6	876	348	418	84	132	106	44	43	73	32
N-W	2,315	10.3	612	347	176	149	94	58	77	86	61	95
Bibb												
T	1,047	9.1	337	127	113	46	44	27	24	35	19	27
W	583	9.0	211	63	83	15	27	19	3	12	10	6
N-W	464	9.3	126	64	30	31	17	8	21	23	9	21
Butts												
T	100	10.9	28	13	12	6	2	1	1	2	6	2
W	59	9.8	19	6	9	1	0	1	0	1	5	1
N-W	41	12.8	9	7	3	5	2	0	1	1	1	1
Chatta-hoochee*												
T	29	2.4	6	2	2	2	1	3	0	1	3	2
W	19	1.9	3	2	2	2	1	3	0	0	2	0
N-W	10	5.0	3	0	0	0	0	0	0	1	1	2
Clayton												
T	144	6.5	34	10	18	11	9	8	2	4	1	2
W	101	5.3	30	6	16	3	8	7	1	2	1	1
N-W	43	13.4	4	4	2	8	1	1	1	2	0	1
Coweta												
T	255	9.1	68	35	36	10	11	11	6	5	1	9
W	156	8.6	43	21	29	7	8	4	4	3	1	2
N-W	99	10.2	25	14	7	3	3	7	2	2	0	7

WEST CENTRAL REGION

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

TABLE X (Cont.)

AREA & RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEU-MONIA & IN-FLUENZA	ACCI-DENTS EXCL. MOTOR VEHICLE	MOTOR VEHIC. ACCI-DENTS	NEPH-RITIS & NEPH-ROSIS	TUBERCU-LOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED & UNKNOWN
	NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Crawford												
T	64	10.5	17	8	6	7	1	4	1	3	4	3
W	24	9.6	9	3	3	2	0	0	0	0	1	0
N-W	40	11.1	8	5	3	5	1	4	1	3	3	3
Fayette												
T	62	7.8	13	6	13	3	2	2	1	0	1	3
W	34	5.8	8	4	10	1	1	0	1	0	0	0
N-W	28	13.3	5	2	3	2	1	2	0	0	1	3
Harris												
T	111	9.8	34	23	11	7	3	6	1	0	3	1
W	37	7.0	17	6	3	2	0	0	0	0	0	0
N-W	74	12.3	17	17	8	5	3	6	1	0	3	1
Heard												
T	64	9.0	15	10	11	4	3	2	0	1	0	2
W	38	7.0	9	6	8	3	1	1	0	0	0	1
N-W	26	15.3	6	4	3	1	2	1	0	1	0	1
Henry												
T	153	9.6	41	18	12	12	9	4	9	8	5	7
W	76	6.8	27	11	8	4	1	3	4	2	3	1
N-W	77	16.0	14	7	4	8	8	1	5	6	2	6
Houston*												
T	152	7.2	56	17	16	7	6	6	2	1	5	1
W	63	4.3	20	9	11	0	5	2	1	0	1	1
N-W	89	14.1	36	8	5	7	1	4	1	1	4	0
Jones												
T	76	10.1	17	13	8	7	2	0	7	1	1	1
W	29	8.3	9	3	3	3	1	0	2	0	0	0
N-W	47	11.8	8	10	5	4	1	0	5	1	1	1

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950
 TABLE X (Cont.)

AREA & RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEU-MONIA & IN-FLUENZA	ACCI-DENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCI-DENTS	NEPH-RITIS & NEPH-ROSIS	TUBERCU-LOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED & UNKNOWN
	NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Lamar												
T	88	8.9	27	17	13	2	2	2	6	1	2	0
W	52	7.9	13	12	11	1	1	2	2	0	1	0
N-W	36	10.9	14	5	2	1	1	0	4	1	1	0
Macon												
T	167	11.8	57	15	16	10	6	8	1	5	3	9
W	44	9.2	18	3	7	0	3	3	1	0	0	0
N-W	123	13.1	39	12	9	10	3	5	0	5	3	9
Marion												
T	75	11.5	22	12	4	5	1	3	13	0	0	3
W	41	20.5	12	8	2	4	0	0	6	0	0	3
N-W	34	7.6	10	4	2	1	1	3	7	0	0	0
Meriwether												
T	185	8.9	58	33	25	7	8	2	3	3	4	6
W	65	7.0	25	12	11	1	2	1	1	1	3	1
N-W	120	10.5	33	21	14	6	6	1	2	2	1	5
Monroe												
T	93	8.8	25	10	10	7	6	4	1	5	3	5
W	53	10.2	19	2	7	2	4	4	1	2	3	1
N-W	40	7.4	6	8	3	5	2	0	0	3	0	4
Muscogee												
T	888	7.5	253	111	109	27	50	31	9	25	33	11
W	550	6.8	159	57	80	13	34	28	4	9	24	5
N-W	338	8.9	94	54	29	14	16	3	5	16	9	6
Peach												
T	115	9.7	45	12	15	6	7	2	0	4	0	1
W	41	7.6	18	3	7	1	4	1	0	0	0	0
N-W	74	11.6	27	9	8	5	3	1	0	4	0	1

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

-88-

TABLE X (Cont.)

AREA & RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA & INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IMMATURE	ILL-DEFINED & UNKNOWN
	NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Pike												
T	94	11.1	26	18	11	3	6	1	2	1	2	1
W	49	10.0	19	8	8	0	3	0	0	0	1	0
N-W	45	12.5	7	10	3	3	3	1	2	1	1	1
Schley												
T	36	8.8	11	5	7	2	0	1	1	1	0	4
W	17	8.9	5	3	5	1	0	1	0	0	0	1
N-W	19	8.6	6	2	2	1	0	0	1	1	0	3
Spalding												
T	307	9.8	91	58	37	9	15	13	9	8	11	8
W	201	9.1	58	38	32	4	11	10	2	6	9	4
N-W	106	11.5	33	20	5	5	4	3	7	2	2	4
Talbot												
T	80	10.5	22	15	8	2	4	1	1	1	4	4
W	25	9.3	10	1	4	1	1	0	1	0	0	0
N-W	55	11.2	12	14	4	1	3	1	0	1	4	4
Taylor												
T	80	8.7	15	18	10	3	5	2	1	1	2	4
W	39	7.5	10	9	7	1	2	0	1	1	0	1
N-W	41	10.2	5	9	3	2	3	2	0	0	2	3
Troup												
T	406	8.1	122	56	45	15	17	15	19	8	15	4
W	236	7.6	71	35	31	7	10	12	8	2	6	1
N-W	170	8.9	51	21	14	8	7	3	11	6	9	3
Upton												
T	207	8.2	48	33	26	13	6	5	1	5	6	7
W	131	7.5	34	17	21	5	4	4	1	2	2	2
N-W	76	9.7	14	16	5	8	2	1	0	3	4	5

*Includes deaths occurring in military reservations.

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

TABLE X (Cont.)

AREA & RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA & INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IMMATUREITY	ILL-DEFINED & UNKNOWN
	NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
STATE [≠]												
T	30,416	8.8	9,241	4,098	3,339	1,458	1,221	902	851	824	719	615
W	18,005	7.7	5,988	2,215	2,433	664	725	642	411	323	343	206
N-W	12,411	11.2	3,253	1,883	906	794	496	260	440	501	376	409
EAST CENTRAL REGION*												
T	4,507	9.3	1,354	676	406	247	166	137	130	117	101	114
W	2,272	8.0	826	294	262	85	81	84	46	25	49	19
N-W	2,235	11.1	528	382	144	162	85	53	84	92	52	95
Baldwin												
T	207	11.6	48	40	18	13	7	7	12	6	1	1
W	81	8.9	23	17	11	3	3	3	2	0	1	1
N-W	126	14.5	25	23	7	10	4	4	10	6	0	0
Bleckley												
T	80	8.6	16	14	9	6	3	2	3	1	3	0
W	53	8.8	13	11	9	3	1	2	1	0	1	0
N-W	27	8.2	3	3	0	3	2	0	2	1	2	0
Bryan												
T	64	10.8	15	16	9	3	3	2	2	1	1	1
W	31	7.8	9	7	6	1	1	2	1	1	1	0
N-W	33	17.4	6	9	3	2	2	0	1	0	0	1
Bulloch												
T	183	7.3	60	40	20	6	5	12	1	1	5	1
W	106	6.9	41	17	15	3	2	9	0	0	1	1
N-W	77	8.0	19	23	5	3	3	3	1	1	4	0
Burke												
T	256	10.9	58	37	11	19	8	10	6	16	7	15
W	48	6.0	16	7	2	4	2	5	0	1	1	1
N-W	208	13.5	42	30	9	15	6	5	6	15	6	14

EAST CENTRAL REGION

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

TABLE X (Cont.)

AREA & RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA & INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IMMATUREITY	ILL-DEFINED & UNKNOWN	
	NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number	
Candler	T	72	9.0	20	18	7	3	3	1	0	1	0	1
	W	42	9.8	17	4	5	1	3	0	0	1	0	1
	N-W	30	8.1	3	14	2	2	0	1	0	0	0	0
Columbia	T	85	8.9	23	8	9	14	5	3	5	3	3	3
	W	32	6.8	12	2	6	4	3	1	1	0	2	0
	N-W	53	10.8	11	6	3	10	2	2	4	3	1	3
Dodge	T	149	8.4	54	20	12	5	2	6	1	2	1	7
	W	102	8.0	40	10	10	2	2	4	1	0	1	3
	N-W	47	9.2	14	10	2	3	0	2	0	2	0	4
Effingham	T	100	11.0	31	19	10	5	3	1	2	2	1	5
	W	55	10.2	19	11	7	1	1	1	0	0	1	0
	N-W	45	12.2	12	8	3	4	2	0	2	2	0	5
Emanuel	T	218	11.0	58	33	15	15	12	9	12	1	4	4
	W	128	10.4	38	12	10	10	8	9	8	0	2	0
	N-W	90	12.0	20	21	5	5	4	0	4	1	2	4
Evans	T	69	10.3	18	11	7	2	3	2	2	0	3	2
	W	37	9.2	11	5	2	2	2	2	0	0	2	0
	N-W	32	11.9	7	6	5	0	1	0	2	0	1	2
Glascock	T	33	9.2	7	6	4	3	2	1	0	1	0	4
	W	19	7.3	3	4	4	1	1	1	0	1	0	0
	N-W	14	14.0	4	2	0	2	1	0	0	0	0	4

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

(TABLE X (Cont.))

AREA & RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA & INFLUENZA	ACCI-DENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCI-DENTS	NEPHRITIS & NEPHROSIS	TUBER-CULOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED & UNKNOWN
	NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Jefferson												
T	172	9.1	36	31	17	5	9	7	5	3	6	10
W	83	9.2	22	15	10	1	3	4	4	0	2	1
N-W	89	9.1	14	16	7	4	6	3	1	3	4	9
Jenkins												
T	111	10.8	34	12	8	10	1	2	7	4	0	5
W	52	12.7	22	3	4	3	0	1	2	1	0	1
N-W	59	9.5	12	9	4	7	1	1	5	3	0	4
Johnson												
T	97	9.8	32	15	11	12	3	1	0	3	2	0
W	64	11.6	25	4	10	7	1	1	0	2	1	0
N-W	33	7.5	7	11	1	5	2	0	0	1	1	0
Laurens												
T	345	10.4	113	32	24	26	10	9	17	4	18	9
W	173	9.1	69	16	14	8	6	2	7	0	11	1
N-W	172	12.1	44	16	10	18	4	7	10	4	7	8
Montgomery												
T	57	7.2	11	15	4	6	2	0	3	1	1	0
W	33	6.3	10	8	4	3	1	0	2	0	0	0
N-W	24	8.9	1	7	0	3	1	0	1	1	1	0
Pulaski												
T	84	9.5	33	11	11	4	1	4	1	1	1	1
W	43	11.0	16	3	8	2	0	2	1	1	1	0
N-W	41	8.4	17	8	3	2	1	2	0	0	0	1
Richmond*												
T	1078	9.8	413	153	107	43	36	22	16	37	25	4
W	595	8.3	254	77	67	10	20	15	6	10	17	1
N-W	483	12.6	159	76	40	33	16	7	10	27	8	3

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

TABLE X (Cont.)

AREA & RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA & INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEH. ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IMMATUREITY	ILL-DEFINED & UNKNOWN
	NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Screven												
T	145	8.1	40	22	9	10	3	3	3	4	2	10
W	56	8.0	22	7	3	4	2	1	0	0	1	1
N-W	89	8.2	18	15	6	6	1	2	3	4	1	9
Tattnall												
T	106	7.3	29	13	5	4	5	2	1	3	1	2
W	54	5.0	19	5	3	2	1	0	1	1	0	0
N-W	52	14.1	10	8	2	2	4	2	0	2	1	2
Telfair												
T	130	9.8	40	19	14	5	2	5	1	4	2	5
W	74	8.1	28	13	10	1	1	2	1	1	0	2
N-W	56	13.3	12	6	4	4	1	3	0	3	2	3
Toombs												
T	166	9.4	40	20	21	8	3	13	5	2	1	3
W	102	7.8	28	8	17	2	2	11	3	1	0	0
N-W	64	13.9	12	12	4	6	1	2	2	1	1	3
Treutlen												
T	51	7.8	11	5	7	3	6	1	4	1	0	1
W	32	7.6	7	4	5	1	3	0	3	0	0	1
N-W	19	8.3	4	1	2	2	3	1	1	1	0	0
Twiggs												
T	68	8.1	15	15	7	6	5	2	2	2	0	0
W	29	9.1	9	7	5	2	1	1	0	0	0	0
N-W	39	7.5	6	8	2	4	4	1	2	2	0	0
Washington												
T	237	11.2	57	35	16	7	16	4	15	7	11	11
W	77	7.5	26	11	5	2	6	1	2	3	2	1
N-W	160	14.8	31	24	11	5	10	3	13	4	9	10

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

TABLE X (Cont.)

AREA & RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA & INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEH. ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IMMATUREITY	ILL-DEFINED & UNKNOWN
	NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Wheeler												
T	51	7.6	11	7	9	0	2	2	1	2	1	2
W	34	6.3	8	5	6	0	2	2	0	0	1	2
N-W	17	13.1	3	2	3	0	0	0	1	2	0	0
Wilkinson												
T	93	9.5	31	9	5	4	6	4	3	4	1	7
W	37	8.0	19	1	4	2	3	2	0	1	0	1
N-W	56	10.8	12	8	1	2	3	2	3	3	1	6

* Includes deaths occurring in military reservations.

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

TABLE X (Cont.)

AREA & RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA & INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IMMATURITY	ILL-DEFINED & UNKNOWN
	NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
STATE *												
T	30,416	8.8	9,241	4,098	3,339	1,458	1,221	902	851	824	719	615
W	18,005	7.7	5,988	2,215	2,433	664	725	642	411	323	343	206
N-W	12,411	11.2	3,253	1,883	906	794	496	260	440	501	376	409
SOUTHWESTERN REGION												
T	4,254	9.5	1,220	573	448	185	179	127	151	87	111	136
W	2,028	8.3	686	238	281	61	91	82	64	25	29	22
N-W	2,226	10.9	534	335	167	124	88	45	87	62	82	114
Baker												
T	24	4.0	6	2	2	2	3	1	0	1	1	2
W	8	3.3	3	0	1	0	2	1	0	0	0	0
N-W	16	4.4	3	2	1	2	1	0	0	1	1	2
Ben Hill												
T	182	12.1	67	14	23	6	6	7	0	5	2	3
W	126	12.2	48	8	20	4	5	6	0	3	1	1
N-W	56	11.9	19	6	3	2	1	1	0	2	1	2
Brooks												
T	185	10.2	40	29	25	12	10	5	12	0	3	5
W	80	8.8	23	10	16	6	3	2	5	0	0	1
N-W	105	11.5	17	19	9	6	7	3	7	0	3	4
Calhoun												
T	103	11.4	28	10	13	7	7	2	2	3	1	3
W	26	7.4	7	0	6	2	1	1	0	1	0	0
N-W	77	14.0	21	10	7	5	6	1	2	2	1	3
Clay												
T	65	11.4	9	15	10	3	2	2	0	3	1	3
W	25	10.0	4	5	5	0	1	1	0	2	0	0
N-W	40	12.5	5	10	5	3	1	1	0	1	1	3

SOUTHWESTERN REGION

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

TABLE X (Cont.)

AREA & RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEU-MONIA & IN-FLUENZA	ACCI-DENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCI-DENTS	NEPH-RITIS & NEPH-ROSIS	TUBERCU-LOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED & UNKNOWN
	NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Colquitt												
T	280	8.2	105	37	22	12	9	11	6	7	6	6
W	211	8.2	81	26	21	9	9	10	5	1	2	3
N-W	69	8.0	24	11	1	3	0	1	1	6	4	3
Crisp												
T	171	9.6	53	22	15	4	6	4	5	8	4	9
W	81	8.5	27	10	11	2	4	2	4	3	1	1
N-W	90	10.8	26	12	4	2	2	2	1	5	3	8
Decatur												
T	248	10.4	66	37	22	10	6	11	11	4	3	6
W	119	9.8	38	13	12	4	2	10	4	2	1	3
N-W	129	11.1	28	24	10	6	4	1	7	2	2	3
Dooly												
T	154	10.8	42	23	12	11	7	7	12	2	0	5
W	66	10.0	24	5	11	0	4	4	5	0	0	1
N-W	88	11.6	18	18	1	11	3	3	7	2	0	4
Dougherty												
T	342	7.8	103	45	39	10	20	9	11	6	3	4
W	150	6.6	52	12	22	1	9	6	0	2	3	1
N-W	192	9.1	51	33	17	9	11	3	11	4	0	3
Early												
T	160	9.2	60	23	4	10	7	3	3	5	4	3
W	65	7.0	30	12	1	1	5	2	1	1	1	0
N-W	95	11.7	30	11	3	9	2	1	2	4	3	3
Grady												
T	187	9.8	46	20	24	7	10	6	11	3	5	2
W	102	8.9	30	10	19	4	6	3	5	1	1	0
N-W	85	11.3	16	10	5	3	4	3	6	2	4	2
Irwin												
T	79	6.6	22	10	4	4	11	0	5	0	3	1
W	49	6.3	12	5	4	3	6	0	3	0	1	1
N-W	30	7.3	10	5	0	1	5	0	2	0	2	0

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

TABLE X (Cont.)

AREA & RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA & INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IMMATUREITY	ILL-DEFINED & UNKNOWN
	NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Lee												
T	50	7.5	20	5	5	2	2	2	2	1	2	0
W	14	8.2	6	1	3	0	0	2	0	0	0	0
N-W	36	7.2	14	4	2	2	2	0	2	1	2	0
Miller												
T	65	7.2	22	7	8	4	1	1	0	2	2	5
W	43	6.4	20	3	6	3	1	0	0	0	1	2
N-W	22	9.6	2	4	2	1	0	1	0	2	1	3
Mitchell												
T	214	9.6	57	37	28	7	9	5	10	2	5	11
W	89	8.0	31	11	14	3	3	3	4	0	2	1
N-W	125	11.1	26	26	14	4	6	2	6	2	3	10
Quitman												
T	36	12.0	14	2	3	2	2	1	0	1	2	1
W	12	10.9	5	1	3	0	0	0	0	1	0	0
N-W	24	12.6	9	1	0	2	2	1	0	0	2	1
Randolph												
T	141	10.1	58	13	12	4	4	5	3	1	8	4
W	50	9.6	26	2	6	1	2	2	0	0	0	0
N-W	91	10.5	32	11	6	3	2	3	3	1	8	4
Seminole												
T	66	8.4	21	6	7	5	1	2	1	0	2	1
W	42	9.8	16	2	6	2	1	1	1	0	2	1
N-W	24	6.7	5	4	1	3	0	1	0	0	0	0
Stewart												
T	100	10.9	24	14	11	6	2	2	0	3	3	7
W	24	10.4	7	3	6	2	0	0	0	1	0	0
N-W	76	11.0	17	11	5	4	2	2	0	2	3	7

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

TABLE X (Cont.)

AREA & RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA & INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IMMATUREITY	ILL-DEFINED & UNKNOWN
	NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Sumter												
T	275	11.4	69	45	32	11	9	3	5	10	10	6
W	115	9.0	37	19	17	3	4	2	1	2	3	1
N-W	160	14.0	32	26	15	8	5	1	4	8	7	5
Terrell												
T	183	12.8	36	25	18	13	2	7	7	2	9	16
W	49	9.2	13	8	5	2	0	4	0	0	1	2
N-W	134	14.9	23	17	13	11	2	3	7	2	8	14
Thomas												
T	358	10.5	90	52	45	10	15	15	20	11	18	1
W	177	8.6	52	30	19	1	8	10	10	5	5	0
N-W	181	13.5	38	22	26	9	7	5	10	6	13	1
Tift												
T	199	8.7	39	33	22	7	15	6	9	3	5	6
W	104	6.8	24	16	16	1	9	4	3	0	2	0
N-W	95	12.8	15	17	6	6	6	2	6	3	3	6
Turner												
T	87	8.3	37	9	7	4	3	2	1	0	0	6
W	42	5.9	21	5	5	0	2	2	1	0	0	1
N-W	45	13.2	16	4	2	4	1	0	0	0	0	5
Webster												
T	38	9.3	15	4	3	1	1	1	0	0	2	3
W	15	11.5	8	2	1	1	0	0	0	0	0	0
N-W	23	8.2	7	2	2	0	1	1	0	0	2	3
Wilcox												
T	72	7.1	26	9	6	4	1	5	1	2	0	4
W	46	7.7	16	8	5	3	1	3	1	0	0	1
N-W	26	6.2	10	1	1	1	0	2	0	2	0	3
Worth												
T	190	9.7	45	25	26	7	8	2	14	2	7	13
W	98	10.1	25	11	20	3	3	1	11	0	2	1
N-W	92	9.4	20	14	6	4	5	1	3	2	5	12

* Includes deaths occurring in military reservations.

TOTAL DEATHS FROM ALL CAUSES AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

TABLE X (Cont).

AREA & RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA & INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IMMATUREITY	ILL-DEFINED & UNKNOWN
	NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
STATE *												
T	30,416	8.8	9,241	4,098	3,339	1,458	1,221	902	851	824	719	615
W	18,005	7.7	5,988	2,215	2,433	664	725	642	411	323	343	206
N-W	12,411	11.2	3,253	1,883	906	794	496	260	440	501	376	409
SOUTHEASTERN REGION*												
T	4,114	9.9	1,297	554	385	240	168	127	114	109	118	65
W	2,277	8.4	756	265	270	94	92	88	49	32	51	21
N-W	1,837	12.9	541	289	115	146	76	39	65	77	67	44
Appling												
T	117	8.4	23	20	8	21	1	5	1	1	4	1
W	76	6.4	18	17	6	8	1	4	1	0	4	0
N-W	41	18.6	5	3	2	13	0	1	0	1	0	1
Atkinson												
T	68	9.1	18	12	6	4	2	0	1	2	2	2
W	49	9.1	14	9	5	3	2	0	1	2	2	0
N-W	19	9.0	4	3	1	1	0	0	0	0	0	2
Bacon												
T	69	7.6	26	11	7	4	2	2	2	1	2	1
W	56	7.2	23	8	6	3	1	2	1	1	2	0
N-W	13	10.0	3	3	1	1	1	0	1	0	0	1
Berrien												
T	106	7.6	32	18	9	10	5	2	4	3	0	3
W	78	6.9	27	10	7	3	4	2	4	2	0	2
N-W	28	10.4	5	8	2	7	1	0	0	1	0	1
Brantley												
T	54	8.4	17	10	3	2	4	0	2	0	2	0
W	48	10.0	16	9	3	2	3	0	2	0	2	0
N-W	6	3.8	1	1	0	0	1	0	0	0	0	0

SOUTHEASTERN REGION

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

TABLE X (Cont.) AREA & RACE		DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEU- MONIA & IN- FLUENZA	ACCI- DENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCI- DENTS	NEPH- RITIS & NEPH- ROSIS	TUBERCU- LOSIS (ALL FORMS)	IM- MATURETY	ILL- DEFINED & UNKNOWN
		NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Camden	T	77	10.4	15	12	9	5	5	1	4	2	1	2
	W	32	9.1	3	4	8	0	4	1	1	0	0	0
	N-W	45	11.5	12	8	1	5	1	0	3	2	1	2
Charlton	T	55	11.7	11	4	10	5	3	4	0	1	6	0
	W	39	9.8	8	3	7	3	3	3	0	1	4	0
	N-W	16	22.9	3	1	3	2	0	1	0	0	2	0
Chatham*	T	1684	11.1	590	214	155	87	65	44	40	61	43	7
	W	778	8.6	282	74	106	27	27	31	13	17	11	2
	N-W	906	14.7	308	140	49	60	38	13	27	44	32	5
Clinch	T	52	8.7	17	7	2	4	2	2	0	1	0	3
	W	30	6.8	11	2	1	2	1	2	0	0	0	1
	N-W	22	13.8	6	5	1	2	1	0	0	1	0	2
Coffee	T	222	9.2	63	28	14	7	7	8	5	1	16	13
	W	145	8.3	49	15	11	3	6	6	1	0	7	2
	N-W	77	11.3	14	13	3	4	1	2	4	1	9	11
Cook	T	126	10.2	25	27	11	13	8	7	3	2	2	2
	W	79	9.5	18	12	11	6	4	6	2	0	0	1
	N-W	47	11.8	7	15	0	7	4	1	1	2	2	1
Echols	T	23	9.2	8	3	3	2	1	2	0	0	0	2
	W	12	9.2	6	0	1	1	0	2	0	0	0	1
	N-W	11	9.2	2	3	2	1	1	0	0	0	0	1

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

TABLE X (Cont.)

AREA & RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA & INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IMMATURITY	ILL-DEFINED & UNKNOWN	
	NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number	
Glynn	T	276	9.4	104	22	24	16	14	6	9	8	11	2
	W	141	7.3	57	9	12	5	8	3	6	2	4	1
	N-W	135	13.2	47	13	12	11	6	3	3	6	7	1
Jeff Davis	T	74	7.9	20	20	5	4	3	2	5	0	2	1
	W	51	8.2	14	14	5	1	2	1	4	0	1	0
	N-W	23	7.2	6	6	0	3	1	1	1	0	1	1
Lanier	T	61	11.7	17	7	5	2	4	2	1	1	1	1
	W	44	13.3	15	4	5	2	2	2	1	1	0	0
	N-W	17	8.9	2	3	0	0	2	0	0	0	1	1
Liberty	T	92	10.8	28	10	10	9	5	3	2	2	1	6
	W	29	9.7	10	3	6	1	1	1	0	0	0	1
	N-W	63	11.5	18	7	4	8	4	2	2	2	1	5
Long	T	39	10.8	13	5	2	1	2	3	2	2	0	0
	W	19	8.6	6	2	0	1	2	2	1	0	0	0
	N-W	20	14.3	7	3	2	0	0	1	1	2	0	0
Lowndes	T	329	9.3	88	52	42	16	15	7	17	8	7	6
	W	191	9.2	56	22	25	8	8	4	6	3	6	2
	N-W	138	9.4	32	30	17	8	7	3	11	5	1	4
McIntosh	T	75	12.3	24	8	9	2	5	6	1	2	3	0
	W	26	10.4	11	3	4	0	4	1	0	0	0	0
	N-W	49	13.6	13	5	5	2	1	5	1	2	3	0

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1950

TABLE X (Cont.)

AREA & RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA & INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IMMATUREITY	ILL-DEFINED & UNKNOWN
	NO.	RATE	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Pierce												
T	89	8.0	31	8	9	3	1	3	3	1	2	4
W	63	7.6	24	4	7	2	1	3	0	0	1	3
N-W	26	9.3	7	4	2	1	0	0	3	1	1	1
Ware												
T	301	9.9	102	36	30	15	11	12	8	9	7	5
W	189	7.9	67	25	23	6	6	7	3	2	4	2
N-W	112	16.7	35	11	7	9	5	5	5	7	3	3
Wayne												
T	125	8.7	25	20	12	8	3	6	4	1	6	4
W	102	8.9	21	16	11	7	2	5	2	1	3	3
N-W	23	7.7	4	4	1	1	1	1	2	0	3	1

* Includes deaths in military reservations.

TABLE XI
ESTIMATED POPULATION OF GEORGIA

July 1, 1950

(Number of people shown by race for each county and for cities with 2500 or more persons. These estimates include military personnel assigned in the State as of July 1, 1950.)

AREA	TOTAL	WHITE	NON-WHITE	AREA	TOTAL	WHITE	NON-WHITE
STATE	3,454,000	2,345,000	1,109,000				
URBAN	1,565,000	1,005,000	560,000				
RURAL	1,889,000	1,340,000	549,000				
Appling	14,000	11,800	2,200	Chatham	152,200	90,600	61,600
Baxley	3,500	2,600	900	Savannah	120,600	69,500	51,100
Atkinson	7,500	5,400	2,100	Chatta-			
Bacon	9,100	7,800	1,300	hoochee	12,200	10,200	2,000
Alma	2,600	2,200	400	Chattooga	21,400	19,100	2,300
Baker	6,000	2,400	3,600	Summer-			
Baldwin*	17,800	9,100	8,700	ville	4,100	3,200	900
St. Hosp.	12,100	8,000	4,100	Trion	3,000	2,800	200
M'ville	8,900	4,800	4,100	Cherokee	21,000	20,400	600
Banks	7,000	6,400	600	Canton	2,700	2,600	100
Barrow	13,300	11,000	2,300	Clarke	36,800	27,800	9,000
Winder	4,700	4,000	700	Athens	28,300	20,700	7,600
Bartow	27,600	23,200	4,400	Clay	5,700	2,500	3,200
Carters-				Clayton	22,300	19,100	3,200
ville	7,300	5,000	2,300	Col. Park			
Ben Hill	15,000	10,300	4,700	(Clayton)	3,300	2,400	900
Fitzgerald	8,200	5,500	2,700	(Clayton &			
Berrien	14,000	11,300	2,700	Fulton)	14,600	9,700	4,900
Nashville	3,500	2,700	800	Forest Pk	2,700	2,300	400
Bibb	114,500	64,500	50,000	Clinch	6,000	4,400	1,600
Macon	70,800	36,200	34,600	Cobb	62,200	54,100	8,100
Bleckley	9,300	6,000	3,300	Marietta	20,900	15,600	5,300
Cochran	3,400	2,100	1,300	Coffee	24,200	17,400	6,800
Brantley	6,400	4,800	1,600	Douglas	7,500	5,100	2,400
Brooks	18,200	9,100	9,100	Colquitt	34,300	25,700	8,600
Quitman	4,800	2,700	2,100	Moultrie	11,800	7,500	4,300
Bryan	5,900	4,000	1,900	Columbia	9,600	4,700	4,900
Bulloch	24,900	15,300	9,600	Cook	12,300	8,300	4,000
States-				Adel	2,800	1,700	1,100
boro	6,100	4,400	1,700	Coweta	27,900	18,200	9,700
Burke	23,500	8,050	15,450	Newman	8,300	4,300	4,000
Waynesbro	4,500	2,700	1,800	Crawford	6,100	2,500	3,600
Butts	9,200	6,000	3,200	Crisp	17,800	9,500	8,300
Calhoun	9,000	3,500	5,500	Cordele	9,500	4,500	5,000
Camden	7,400	3,500	3,900	Dade	7,400	7,000	400
Candler	8,000	4,300	3,700	Dawson	3,700	3,600	100
Carroll	34,100	27,900	6,200	Decatur	23,800	12,200	11,600
Carroll-				Bain-			
ton	7,800	5,400	2,400	bridge	7,600	4,200	3,400
Catoosa	15,200	15,000	200	DeKalb	136,200	121,100	15,100
Charlton	4,700	4,000	700	Atlanta			
				(DeKalb)	37,200	33,000	4,200

ESTIMATED POPULATION OF GEORGIA, cont... July 1, 1950

TABLE XI (Cont.)

AREA	TOTAL	WHITE	NON-WHITE	AREA	TOTAL	WHITE	N-W
DeKalb (Cont.)				Gwinnett (Cont.)			
Chamblee	3,500	3,400	100	L'ville	2,900	2,400	500
Decatur	21,900	18,900	3,000	Habersham	16,700	16,100	600
Dodge	17,800	12,700	5,100	Hall	40,300	35,700	4,600
Eastman	3,600	2,200	1,400	G'ville	12,000	8,200	3,800
Dooly	14,200	6,600	7,600	Hancock	11,100	3,100	8,000
Dougherty	43,900	22,700	21,200	Haralson	14,800	12,800	2,000
Albany	31,400	17,600	13,800	Tallapoosa	2,800	2,400	400
Douglas	12,200	10,200	2,000	Harris	11,300	5,300	6,000
Douglas-ville	3,400	3,100	300	Hart	14,600	10,600	4,000
Early	17,400	9,300	8,100	Hartwell	3,000	2,300	700
Blakely	3,300	2,400	900	Heard	7,100	5,400	1,700
Echols	2,500	1,300	1,200	Henry	15,900	11,100	4,800
Effingham	9,100	5,400	3,700	Houston	21,100	14,800	6,300
Elbert	18,600	11,800	6,800	Perry	3,900	2,300	1,600
Elberton	6,800	4,300	2,500	W. Robins	8,000	7,200	800
Emanuel	19,800	12,300	7,500	Irwin	11,900	7,800	4,100
Swainsboro	4,300	2,700	1,600	Ocilla	2,700	1,300	1,400
Evans	6,700	4,000	2,700	Jackson	19,100	15,600	3,500
Fannin	15,300	15,200	100	Commerce	3,400	2,800	600
Fayette	8,000	5,900	2,100	Jasper	7,500	3,700	3,800
Floyd*	62,200	50,300	11,900	Jeff Davis	9,400	6,200	3,200
Batley St. Hosp.	1,200	700	500	Hazlehurst	2,700	1,800	900
Rome	29,900	22,000	7,900	Jefferson	18,800	9,000	9,800
Forsyth	11,000	11,000	-	Jenkins	10,300	4,100	6,200
Franklin	14,500	12,000	2,500	Millen	3,500	2,400	1,100
Fulton	470,900	320,200	150,700	Johnson	9,900	5,500	4,400
Fulton (excl. of Atlanta)	178,700	149,800	28,900	Jones	7,500	3,500	4,000
ATLANTA (Fulton)	292,200	170,400	121,800	Lamar	9,900	6,600	3,300
Atlanta (Fulton & DeKalb)	329,400	197,800	131,600	B'ville	4,200	3,200	1,000
Col. Park (Fulton)	11,300	7,300	4,000	Lanier	5,200	3,300	1,900
(Fulton & Clayton)	14,600	9,700	4,900	Laurens	33,200	19,000	14,200
E. Point	21,800	17,900	3,900	Dublin	10,300	5,800	4,500
Hapeville	8,600	7,900	700	Lee	6,700	1,700	5,000
Gilmer	10,000	9,950	50	Liberty	8,500	3,000	5,500
Glascocock	3,600	2,600	1,000	Lincoln	6,500	3,500	3,000
Glynn	29,400	19,200	10,200	Long	3,600	2,200	1,400
B'wick	18,200	11,100	7,100	Lowndes	35,500	20,800	14,700
Gordon	19,100	17,900	1,200	Valdosta	20,200	11,300	8,900
Calhoun	3,200	2,600	600	Lumpkin	6,600	6,400	200
Grady	19,000	11,500	7,500	McDuffie	11,500	6,500	5,000
Cairo	5,600	3,400	2,200	Thomson	3,500	2,500	1,000
Greene	12,900	6,400	6,500	McIntosh	6,100	2,500	3,600
G'boro	2,700	1,600	1,100	Macon	14,200	4,800	9,400
Gwinnett	32,600	29,700	2,900	Montezuma	2,900	1,500	1,400
Buford	3,800	2,700	1,100	Madison	12,300	9,400	2,900
				Marion	6,500	2,000	4,500
				Meriwether	20,700	9,300	11,400
				Manchester (M'wether)	3,600	2,600	1,000
				" & Talbot)	3,700	2,700	1,000
				Miller	9,000	6,700	2,300
				Mitchell	22,400	11,100	11,300
				Camilla	3,800	1,700	2,100
				Pelham	4,400	3,500	900

AREA	TOTAL	WHITE	NON-WHITE	AREA	TOTAL	WHITE	N-W
Monroe	10,600	5,200	5,400	Taylor	9,200	5,200	4,000
Forsyth	3,200	1,900	1,300	Telfair	13,300	9,100	4,200
Montgomery	7,900	5,200	2,700	Terrell	14,300	5,300	9,000
Morgan	12,000	5,800	6,200	Dawson	4,400	1,900	2,500
Madison	2,500	1,300	1,200	Thomas	34,100	20,700	13,400
Murray	10,700	10,300	400	Thomas'vl	14,600	7,700	6,900
Muscogee	118,500	80,700	37,800	Tift	22,800	15,400	7,400
Columbus	80,200	53,300	26,900	Tifton	6,900	5,200	1,700
Newton	20,400	12,400	8,000	Toombs	17,600	13,000	4,600
Coving- ton	5,200	2,300	2,900	Lyons	2,800	1,900	900
Porter- dale	3,200	3,100	100	Vidalia	5,900	4,300	1,600
Oconee	7,000	5,500	1,500	Towns	4,800	4,800	-
Oglethorpe	10,000	5,600	4,400	Treutlen	6,500	4,200	2,300
Paulding	11,800	10,200	1,600	Troup	50,100	31,100	19,000
Peach	11,800	5,400	6,400	Hgns'ville	3,800	2,300	1,500
Ft. Val.	6,900	3,400	3,500	LaGrange	25,200	15,900	9,300
Pickens	8,900	8,300	600	W. Point	4,100	1,300	2,800
Pierce	11,100	8,300	2,800	Turner	10,500	7,100	3,400
Pike	8,500	4,900	3,600	Ashburn	3,000	1,800	1,200
Polk	30,900	24,200	6,700	Twiggs	8,400	3,200	5,200
C'town	9,500	7,200	2,300	Union	7,300	7,300	-
Rockmart	3,900	3,100	800	Upson	25,300	17,500	7,800
Pulaski	8,800	3,900	4,900	E. Thston	3,100	3,100	-
Hknsville	3,400	2,100	1,300	Silvertown	3,400	3,100	300
Putnam	7,700	3,800	3,900	Thomaston	6,700	4,200	2,500
Eatonton	2,800	1,600	1,200	Walker	38,500	37,200	1,300
Quitman	3,000	1,100	1,900	LaFayette	4,900	4,400	500
Rabun	7,400	7,300	100	Rossville	3,900	3,900	-
Randolph	13,900	5,200	8,700	Walton	20,300	13,300	7,000
Cuthbert	4,100	1,600	2,500	Monroe	4,600	2,800	1,800
Richmond	109,700	71,400	38,300	Ware	30,500	23,800	6,700
Augusta	72,100	44,000	28,100	Waycross	19,000	13,500	5,500
Rockdale	8,600	6,500	2,100	Warren	8,800	3,100	5,700
Schley	4,100	1,900	2,200	Washington	21,100	10,300	10,800
Screven	17,800	7,000	10,800	Sanders'vl	4,500	2,200	2,300
Sylvania	3,000	1,800	1,200	Wayne	14,400	11,400	3,000
Seminole	7,900	4,300	3,600	Jesup	4,700	3,100	1,600
Donalson- ville	2,600	1,500	1,100	Webster	4,100	1,300	2,800
Spalding	31,300	22,100	9,200	Wheeler	6,700	5,400	1,300
Griffin	14,100	8,800	5,300	White	6,000	5,700	300
Stephens	16,700	13,500	3,200	Whitfield	34,700	32,800	1,900
Toccoa	6,800	4,800	2,000	Dalton	16,100	14,300	1,800
Stewart	9,200	2,300	6,900	Wilcox	10,200	6,000	4,200
Sumter	24,200	12,800	11,400	Wilkes	12,400	6,200	6,200
Americus	11,500	6,400	5,100	Washington	3,800	1,700	2,100
Talbot	7,600	2,700	4,900	Wilkinson	9,800	4,600	5,200
Man'cstr (Talbot)	100	100	-	Worth	19,500	9,700	9,800
(" & M'wthr)	3,700	2,700	1,000	Sylvester	2,600	1,300	1,300
Taliaferro	4,500	1,800	2,700	* - - - - - Population of State Institutions is not included in county figures, but is included in State totals.			
Tattnall*	14,600	10,900	3,700	A dash (-) indicates a population less than 50.			
St.Prison	1,300	800	500	SOURCE: Georgia Department of Public Health Central Statistical Unit			

1950 CENSUS OF POPULATION: GEORGIA
(FINAL COUNT)

POPULATION BY COUNTIES AND INCORPORATED CITIES OF OVER 2500 POPULATION;
1940 AND 1950, AND PERCENT OF CHANGE

AREA	1950	1940	% CHANGE	AREA	1950	1940	% CHANGE
Appling	14,003	14,497	- 3.4	Clinch	6,007	6,437	- 6.7
Baxley	3,409	2,916	+16.9	Cobb	61,830	38,272	+61.6
Atkinson	7,362	7,093	+ 3.8	Marietta	20,687	8,667	+138.7
Bacon	8,940	8,096	+10.4	Coffee	23,961	21,541	+11.2
Alma	2,588	1,840	+40.7	Douglas	7,428	5,175	+43.5
Baker	5,952	7,344	-19.0	Colquitt	33,999	33,012	+ 3.0
Baldwin	29,706	24,190	+22.8	Moultrie	11,639	10,147	+14.7
Milledgeville	8,835	6,778	+30.3	Columbia	9,525	9,433	+ 1.0
Banks	6,935	8,733	-20.6	Cook	12,201	11,919	+ 2.4
Barrow	13,115	13,064	+ 0.4	Adel	2,776	2,134	+30.1
Winder	4,604	3,974	+15.9	Coweta	27,786	26,972	+ 3.0
Bartow	27,370	25,283	+ 8.3	Newnan	8,218	7,182	+14.4
Cartersville	7,270	6,141	+18.4	Crawford	6,080	7,128	-14.7
Ben Hill	14,879	14,523	+ 2.5	Crisp	17,663	17,540	+ 0.7
Fitzgerald	8,130	7,388	+10.0	Cordele	9,462	7,929	+19.3
Berrien	13,966	15,370	- 9.1	Dade	7,364	5,894	+24.9
Nashville	3,414	2,449	+39.4	Dawson	3,712	4,479	-17.1
Bibb	114,079	83,783	+36.2	Decatur	23,620	22,234	+ 6.2
Macon	70,252	57,865	+21.4	Bainbridge	7,562	6,352	+19.0
Bleckley	9,218	9,655	- 4.5	DeKalb	136,395	86,942	+56.9
Cochran	3,357	2,464	+36.2	Chamblee	3,445	1,081	+218.7
Brantley	6,387	6,871	- 7.0	Decatur	21,635	16,561	+30.6
Brooks	18,169	20,497	-11.4	N. Atlanta	5,930	1,365	+334.4
Quitman	4,769	4,450	+ 7.2	Dodge	17,865	21,022	-15.0
Bryan	5,965	6,288	- 5.1	Eastman	3,597	3,311	+ 8.6
Bulloch	24,740	26,010	- 4.9	Dooly	14,159	16,886	-16.1
Statesboro	6,097	5,028	+21.3	Dougherty	43,617	28,565	+52.7
Burke	23,458	26,520	-11.5	Albany	31,155	19,055	+63.5
Waynesboro	4,461	3,793	+17.6	Douglas	12,173	10,053	+21.1
Butts	9,079	9,182	- 1.1	Douglasville	3,400	2,555	+33.1
Calhoun	8,578	10,438	-17.8	Early	17,413	18,679	- 6.8
Camden	7,322	5,910	+23.9	Blakely	3,234	2,774	+16.6
Candler	8,063	9,103	-11.4	Echols	2,494	2,964	-15.9
Carroll	34,112	34,156	- 0.1	Effingham	9,133	9,646	- 5.3
Carrollton	7,753	6,214	+24.8	Elbert	18,585	19,618	- 5.3
Catoosa	15,146	12,199	+24.2	Elberton	6,772	6,188	+ 9.4
Charlton	4,821	5,256	- 8.3	Emanuel	19,789	23,517	-15.9
Chatham	151,481	117,970	+28.4	Swainsboro	4,300	3,575	+20.3
Savannah	119,638	95,996	+24.6	Evans	6,653	7,401	-10.1
Chattahoochee	12,149	15,138	-19.7	Fannin	15,192	14,752	+ 3.0
Chattooga	21,197	18,532	+14.4	Fayette	7,978	8,170	- 2.4
Summerville	3,973	1,358	+192.6	Floyd	62,899	56,141	+12.0
Trion	3,028	3,800	-20.3	Rome	29,615	26,282	+12.7
Cherokee	20,750	20,126	+ 3.1	Forsyth	11,005	11,322	- 2.8
Canton	2,716	2,651	+ 2.5	Franklin	14,446	15,612	- 7.5
Clarke	36,550	28,398	+28.7	Fulton	473,572	392,886	+20.5
Athens	28,180	20,650	+36.5	Atlanta			
Clay	5,844	7,064	-17.3	(Fulton & DeK)	331,314	302,288	+ 9.6
Clayton	22,872	11,655	+96.2	College Pk	14,535	8,213	+77.0
Forest Park	2,653	577	+359.8	(Fulton & Clayton)			

1950 CENSUS OF POPULATION: GEORGIA
(FINAL COUNT)

TABLE XII (Cont.)

AREA	1950	1940	% Change	AREA	1950	1940	% CHANGE
Fulton (Cont..)				McIntosh	6,008	5,292	+13.5
East Point	21,080	12,403	+70.0	Macon	14,213	15,947	-10.9
Hapeville	8,560	5,059	+69.2	Montezuma	2,921	2,346	+24.5
Gilmer	9,963	9,001	+10.7	Madison	12,238	13,431	- 8.9
GlascocK	3,579	4,547	-21.3	Marion	6,521	6,954	- 6.2
Glynn	29,046	21,920	+32.5	Meriwether	21,055	22,055	- 4.5
Brunswick	17,954	15,035	+19.4	Manchester			
Gordon	18,922	18,445	+ 2.6	(Meriwether &			
Calhoun	3,231	2,955	+ 9.3	Talbot)	4,036	3,462	+16.6
Grady	18,928	19,654	- 3.7	Miller	9,023	9,998	- 9.8
Cairo	5,577	4,653	+19.9	Mitchell	22,528	23,261	- 3.2
Greene	12,843	13,709	- 6.3	Camilla	3,745	2,588	+44.7
Greensboro	2,688	2,459	+ 9.3	Pelham	4,365	2,579	+69.3
Gwinnett	32,320	29,087	+11.1	Monroe	10,523	10,749	- 2.1
Buford	3,812	4,191	- 9.0	Forsyth	3,125	2,372	+31.7
Lawrenceville	2,932	2,223	+31.9	Montgomery	7,901	9,668	-18.3
Habersham	16,553	14,771	+12.1	Morgan	11,899	12,713	- 6.4
Hall	40,113	34,822	+15.2	Murray	10,676	11,137	- 4.1
Gainesville	11,936	10,243	+16.5	Muscogee	118,028	75,494	+56.3
Hancock	11,052	12,764	-13.4	Columbus	79,611	53,280	+49.4
Haralson	14,663	14,377	+ 2.0	Newton	20,185	18,576	+ 8.7
Tallapoosa	2,826	2,338	+20.9	Covington	5,192	3,900	+33.1
Harris	11,265	11,428	- 1.4	Porterdale	3,207	3,116	+ 2.9
Hart	14,495	15,512	- 6.6	Oconee	7,009	7,576	- 7.5
Hartwell	2,964	2,372	+25.0	Oglethorpe	9,958	12,430	-19.9
Heard	6,975	8,610	-19.0	Paulding	11,752	12,832	- 8.4
Henry	15,857	15,119	+ 4.9	Peach	11,705	10,378	+12.8
Houston	20,964	11,303	+85.5	Ft. Valley	6,820	4,953	+37.7
Perry	3,849	1,542	+149.6	Pickens	8,855	9,136	- 3.1
*Warner Robbins	7,986			Pierce	11,112	11,800	- 5.8
Irwin	11,973	12,936	- 7.4	Pike	8,459	10,375	-18.5
Ocilla	2,697	2,124	+27.0	Polk	30,976	28,467	+ 8.8
Jackson	18,997	20,089	- 5.4	Cedartown	9,470	9,025	+ 4.9
Commerce	3,351	3,294	+ 1.7	Rockmart	3,821	3,764	+ 1.5
Jasper	7,473	8,772	-14.8	Pulaski	8,808	9,829	-10.4
Jeff Davis	9,299	8,841	+ 5.2	Hawkinsville	3,342	3,000	+11.4
Hazlehurst	2,687	1,732	+55.1	Putnam	7,731	8,514	- 9.2
Jefferson	18,855	20,040	- 5.9	Eatonton	2,749	2,399	+14.6
Jenkins	10,264	11,843	-13.3	Quitman	3,015	3,435	-12.2
Millen	3,449	2,820	+22.3	Rabun	7,424	7,821	- 5.1
Johnson	9,893	12,953	-23.6	Randolph	13,804	16,609	-16.9
Jones	7,538	8,331	- 9.5	Cuthbert	4,025	3,447	+16.8
Lamar	10,242	10,091	+ 1.5	Richmond	108,876	81,863	+33.0
Barnesville	4,185	3,535	+18.4	Augusta	71,508	65,919	+ 8.5
Lanier	5,151	5,632	- 8.5	Rockdale	8,464	7,724	+ 9.6
Laurens	33,123	33,606	- 1.4	Schley	4,036	5,033	-19.8
Dublin	10,232	7,814	+30.9	Screven	18,000	20,353	-11.6
Lee	6,674	7,837	-14.8	Sylvania	2,939	2,531	+16.1
Liberty	8,444	8,595	- 1.8	Seminole	7,904	8,492	- 6.9
Lincoln	6,462	7,042	- 8.2	Donalsonville	2,569	1,718	+49.5
Long	3,598	4,086	-11.9	Spalding	31,045	28,427	+ 9.2
Lowndes	35,211	31,860	+10.5	Griffin	13,982	13,222	+ 5.7
Valdosta	20,046	15,595	+28.5	Stephens	16,647	12,972	+28.3
Lumpkin	6,574	6,223	+ 5.6	Toccoa	6,781	5,494	+23.4
McDuffie	11,443	10,878	+ 5.2	Stewart	9,194	10,603	-13.3
Thomson	3,489	3,088	+13.0				

TABLE XIII

NUMBER OF PHYSICIANS IN PRIVATE PRACTICE AND AVERAGE NUMBER OF PERSONS PER PHYSICIAN, GEORGIA - APRIL 1951

NOTE: County average number of persons per physician is based on 1950 Census of Population Preliminary Counts, Dept. of Commerce, Bureau of the Census Series PC-2, No. 34, Sept. 6, 1950. State average is based on the final census count 1950 (3,444,578).

COUNTY	NUMBER PHYSI- CIANS	AVG. NO. PERSONS PER PHYSICIAN	COUNTY	NUMBER PHYSI- CIANS	AVG. NO. PERSONS PER PHYSICIAN
<u>STATE TOTAL</u>	2,317	1,487			
Appling	6	2,336	Decatur	11	2,148
Atkinson	3	2,456	DeKalb	51	2,646
Bacon	4	2,241	Dodge	7	2,553
Baker	0	-	Dooly	8	1,769
Baldwin	9	3,302	Dougherty	37	1,174
Banks	1	6,970	Douglas	5	2,439
Barrow	9	1,461	Early	8	2,174
Bartow	11	2,484	Echols	2	1,248
Ben Hill	9	1,654	Effingham	11	829
Berrien	7	2,001	Elbert	7	2,653
Bibb	92	1,234	Emanuel	3	6,566
Bleckley	5	1,851	Evans	3	2,215
Brantley	1	6,397	Fannin	5	3,032
Brooks	4	4,535	Fayette	3	2,663
Bryan	2	2,994	Floyd	38	1,656
Bulloch	17	1,462	Forsyth	6	1,832
Burke	9	2,608	Franklin	7	2,064
Butts	4	2,283	Fulton	655	714
Calhoun	8	1,131	Gilmer	4	2,480
Camden	2	3,670	Glascocock	2	1,798
Candler	4	2,011	Glynn	24	1,215
Carroll	22	1,549	Gordon	9	2,106
Catoosa	2	7,568	Grady	10	1,892
Charlton	4	1,206	Greene	8	1,606
Chatham	141	1,071	Gwinnett	11	2,943
Chattahoochee	0	-	Habersham	6	2,755
Chattooga	7	3,025	Hall	22	1,819
Cherokee	9	2,309	Hancock	4	2,759
Clarke	34	1,073	Haralson	8	1,835
Clay	3	1,943	Harris	1	11,258
Clayton	4	5,507	Hart	4	3,629
Clinch	3	2,008	Heard	5	1,411
Cobb	35	1,764	Henry	3	5,261
Coffee	13	1,846	Houston	4	5,226
Colquitt	21	1,616	Irwin	5	2,396
Columbia	3	3,166	Jackson	9	2,110
Cook	6	2,040	Jasper	4	1,871
Coweta	20	1,387	Jeff Davis	4	2,333
Crawford	0	-	Jefferson	7	2,690
Crisp	11	1,604	Jenkins	4	2,575
Dade	3	2,454	Johnson	3	3,300
Dawson	0	-	Jones	1	7,536

<u>COUNTY</u>	<u>NUMBER PHYSI- CIANS</u>	<u>AVG. NO. PERSONS PER PHYSICIAN</u>	<u>COUNTY</u>	<u>NUMBER PHYSI- CIANS</u>	<u>AVG. NO. PERSONS PER PHYSICIAN</u>
Lamar	6	1,644	Terrell	7	2,046
Lanier	2	2,584	Thomas	31	1,094
Laurens	15	2,207	Tift	17	1,331
Lee	1	6,680	Toombs	12	1,458
Liberty	2	4,234	Towns	2	2,395
Lincoln	4	1,623	Treutlen	3	2,171
Long	1	3,561	Troup	44	1,129
Lowndes	29	1,214	Turner	3	3,497
Lumpkin	3	2,194	Twiggs	1	8,323
McDuffie	3	3,815	Union	2	3,663
McIntosh	3	2,002	Upson	16	1,569
Macon	7	2,027	Walker	16	2,389
Madison	4	3,058	Walton	8	2,529
Marion	1	6,516	Ware	22	1,376
Meriwether	10	2,059	Warren	4	2,198
Miller	5	1,804	Washington	12	1,757
Mitchell	9	2,477	Wayne	6	2,384
Monroe	4	2,635	Webster	0	-
Montgomery	3	2,635	Wheeler	3	2,235
Morgan	7	1,703	White	4	1,488
Murray	5	2,140	Whitfield	16	2,154
Muscogee	84	1,398	Wilcox	5	2,032
Newton	10	2,024	Wilkes	9	1,378
Oconee	2	3,503	Wilkinson	4	2,446
Oglethorpe	3	3,315	Worth	5	3,884
Paulding	4	2,933			
Peach	6	1,949			
Pickens	4	2,206			
Pierce	5	2,219			
Pike	5	1,689			
Polk	14	2,190			
Pulaski	4	2,198			
Putnam	5	1,544			
Quitman	0	-			
Rabun	5	1,478			
Randolph	6	2,302			
Richmond	115	947			
Rockdale	3	2,829			
Schley	1	4,038			
Screven	10	1,774			
Seminole	3	2,632			
Spalding	24	1,294			
Stephens	8	2,075			
Stewart	3	3,063			
Sumter	17	1,423			
Talbot	2	3,777			
Taliaferro	1	4,512			
Tattnall	6	2,648			
Taylor	6	1,522			
Telfair	11	1,204			

SOURCE: Medical Directory of Georgia,
Georgia Department of
Public Health
April 15, 1951

NUMBER OF NURSES BY TYPE OF DUTY, RACE AND COUNTY, GEORGIA: 1951

Note: These figures are compiled by County according to address shown in the roster of nurses (see source). This does not necessarily indicate the County in which the nurse works.

TABLE XIV

AREA	TOTAL			PRIVATE DUTY		INSTITUTIONAL		PUBLIC HEALTH		OTHER*	
	T	W	N-W	W	N-W	W	N-W	W	N-W	W	N-W
STATE	4,608	4,342	266	1,015	29	1,164	94	396	62	1,767	81
Appling	4	4	-	-	-	-	-	1	-	3	-
Atkinson	2	2	-	-	-	1	-	1	-	-	-
Bacon	2	2	-	-	-	2	-	-	-	-	-
Baker	1	-	1	-	-	-	-	-	1	-	-
Baldwin	74	73	1	3	-	56	-	2	-	12	1
Banks	1	1	-	-	-	-	-	1	-	-	-
Barrow	7	7	-	-	-	-	-	1	-	6	-
Bartow	12	11	1	3	-	1	1	2	-	5	-
Ben Hill	12	12	-	6	-	5	-	1	-	-	-
Berrien	3	3	-	-	-	-	-	1	-	2	-
Bibb	262	250	12	81	1	60	5	18	3	91	3
Bleckley	2	2	-	-	-	-	-	1	-	1	-
Brantley	2	2	-	-	-	-	-	1	-	1	-
Brooks	11	10	1	3	-	1	1	3	-	3	-
Bryan	6	6	-	2	-	-	-	1	-	3	-
Bulloch	20	20	-	2	-	7	-	3	-	8	-
Burke	14	14	-	4	-	2	-	2	-	6	-
Butts	8	8	-	2	-	1	-	2	-	3	-
Calhoun	2	2	-	-	-	-	-	-	-	2	-
Camden	8	8	-	-	-	-	-	2	-	6	-
Candler	2	2	-	-	-	1	-	1	-	-	-
Carroll	18	18	-	2	-	7	-	2	-	7	-
Catoosa	3	3	-	-	-	1	-	1	-	1	-
Charlton	2	2	-	-	-	-	-	1	-	1	-
Chatham	413	377	36	99	10	95	7	31	12	152	7
Chattahoochee	4	4	-	-	-	-	-	-	-	4	-
Chattooga	5	5	-	-	-	3	-	1	-	1	-
Cherokee	16	16	-	2	-	6	-	1	-	7	-
Clarke	80	80	-	20	-	36	-	6	-	18	-
Clay	1	1	-	-	-	-	-	1	-	-	-
Clayton	11	11	-	4	-	3	-	1	-	3	-

TABLE XIV (Cont.)

NUMBER OF NURSES BY TYPE OF DUTY, RACE AND COUNTY, GEORGIA: 1951

AREA	TOTAL			PRIVATE DUTY		INSTITUTIONAL		PUBLIC HEALTH		OTHER*	
	T	W	N-W	W	N-W	W	N-W	W	N-W	W	N-W
Clinch	1	1	-	-	-	-	-	1	-	-	-
Cobb	71	70	1	18	-	15	1	8	-	29	-
Coffee	17	17	-	1	-	7	-	4	-	5	-
Colquitt	20	20	-	1	-	10	-	4	-	5	-
Columbia	5	5	-	-	-	-	-	2	-	3	-
Cook	7	7	-	-	-	2	-	1	-	4	-
Coweta	37	35	2	7	-	10	2	3	-	15	-
Crawford	3	3	-	-	-	-	-	1	-	2	-
Crisp	8	6	2	2	1	1	1	2	-	1	-
Dade	2	2	-	-	-	1	-	1	-	-	-
Dawson	-	-	-	-	-	-	-	-	-	-	-
Decatur	12	12	-	3	-	4	-	2	-	3	-
DeKalb	337	336	1	62	-	90	-	15	-	169	1
Dodge	4	4	-	-	-	2	-	2	-	-	-
Dooly	6	6	-	1	-	2	-	1	-	2	-
Dougherty	87	82	5	14	-	29	2	6	1	33	2
Douglas	7	7	-	1	-	3	-	1	-	2	-
Early	5	5	-	3	-	1	-	1	-	-	-
Echols	1	1	-	-	-	-	-	1	-	-	-
Effingham	2	2	-	1	-	-	-	1	-	-	-
Elbert	19	18	1	2	-	12	1	2	-	2	-
Emanuel	5	5	-	-	-	1	-	1	-	3	-
Evans	6	6	-	2	-	1	-	1	-	2	-
Fannin	4	4	-	-	-	1	-	-	-	3	-
Fayette	6	6	-	-	-	2	-	1	-	3	-
Floyd	105	103	2	12	-	56	2	8	-	27	-
Forsyth	3	3	-	-	-	2	-	-	-	1	-
Franklin	4	4	-	-	-	2	-	-	-	2	-
Fulton	1283	1173	110	365	13	254	25	78	35	476	37
Gilmer	-	-	-	-	-	-	-	-	-	-	-
Glascock	2	2	-	-	-	1	-	1	-	-	-
Glynn	51	45	6	14	-	12	4	6	-	13	2
Gordon	9	9	-	1	-	3	-	1	-	4	-
Grady	16	16	-	1	-	6	-	4	-	5	-
Greene	8	8	-	2	-	3	-	1	-	2	-

NUMBER OF NURSES BY TYPE OF DUTY, RACE AND COUNTY, GEORGIA: 1951

TABLE XIV (cont.)

AREA	TOTAL			PRIVATE DUTY		INSTITUTIONAL		PUBLIC HEALTH		OTHER*	
	T	W	N-W	W	N-W	W	N-W	W	N-W	W	N-W
Gwinnett	13	13	-	-	-	7	-	3	-	3	-
Habersham	18	16	2	-	-	-	-	6	-	10	2
Hall	37	35	2	12	-	8	-	2	1	13	1
Hancock	5	5	-	-	-	2	-	-	-	3	-
Haralson	4	4	-	-	-	3	-	-	-	1	-
Harris	16	16	-	4	-	3	-	1	-	8	-
Hart	-	-	-	-	-	-	-	-	-	-	-
Heard	3	3	-	-	-	2	-	-	-	1	-
Henry	5	5	-	1	-	1	-	1	-	2	-
Houston	11	11	-	1	-	2	-	1	-	7	-
Irwin	3	3	-	1	-	1	-	1	-	-	-
Jackson	4	4	-	1	-	-	-	-	-	3	-
Jasper	2	2	-	-	-	-	-	1	-	1	-
Jeff Davis	-	-	-	-	-	-	-	-	-	-	-
Jefferson	10	10	-	2	-	1	-	-	-	7	-
Jenkins	7	7	-	2	-	1	-	1	-	3	-
Johnson	3	3	-	2	-	-	-	1	-	-	-
Jones	6	6	-	1	-	2	-	2	-	1	-
Lamar	5	5	-	-	-	1	-	2	-	2	-
Lanier	1	1	-	-	-	-	-	-	-	1	-
Laurens	61	61	-	3	-	4	-	2	-	52	-
Lee	4	4	-	1	-	-	-	1	-	2	-
Liberty	9	8	1	-	-	1	-	2	-	5	1
Lincoln	6	6	-	1	-	3	-	-	-	2	-
Long	3	3	-	-	-	-	-	1	-	2	-
Lowndes	32	32	-	8	-	11	-	6	-	7	-
Lumpkin	4	4	-	1	-	-	-	-	-	3	-
McDuffie	9	9	-	2	-	-	-	1	-	6	-
McIntosh	4	3	1	1	1	-	-	-	-	2	-
Macon	11	11	-	6	-	2	-	1	-	2	-
Madison	6	6	-	1	-	1	-	1	-	3	-
Marion	3	3	-	-	-	-	-	-	-	3	-
Meriwether	16	16	-	-	-	10	-	1	-	5	-
Miller	2	2	-	1	-	-	-	-	-	1	-

TABLE XIV (cont.)

NUMBER OF NURSES BY TYPE OF DUTY, RACE AND COUNTY, GEORGIA: 1951

AREA	TOTAL			PRIVATE DUTY		INSTITUTIONAL		PUBLIC HEALTH		OTHER*	
	T	W	N-W	W	N-W	W	N-W	W	N-W	W	N-W
Mitchell	8	8	-	1	-	3	-	2	-	2	-
Monroe	6	6	-	1	-	-	-	1	-	4	-
Montgomery	2	2	-	-	-	1	-	1	-	-	-
Morgan	6	6	-	1	-	2	-	1	-	2	-
Murray	4	4	-	-	-	2	-	1	-	1	-
Muscogee	222	190	32	40	1	56	14	14	4	80	13
Newton	16	15	1	3	1	6	-	1	-	5	-
Oconee	2	2	-	-	-	-	-	1	-	1	-
Oglethorpe	4	4	-	1	-	1	-	-	-	2	-
Paulding	2	2	-	-	-	-	-	-	-	2	-
Peach	7	7	-	-	-	1	-	2	-	4	-
Pickens	6	6	-	-	-	4	-	-	-	2	-
Pierce	7	7	-	1	-	1	-	-	-	5	-
Pike	6	6	-	1	-	2	-	-	-	3	-
Polk	14	14	-	1	-	2	-	1	-	10	-
Pulaski	5	5	-	2	-	2	-	1	-	-	-
Putnam	4	3	1	-	-	1	1	-	-	2	-
Quitman	2	2	-	-	-	-	-	1	-	1	-
Rabun	5	5	-	1	-	1	-	2	-	1	-
Randolph	9	9	-	2	-	5	-	1	-	1	-
Richmond	308	278	30	64	1	50	17	18	4	146	8
Rockdale	6	5	1	1	-	-	-	-	1	4	-
Schley	2	2	-	-	-	-	-	-	-	2	-
Screven	7	7	-	-	-	1	-	2	-	4	-
Seminole	4	4	-	1	-	1	-	1	-	1	-
Spalding	35	34	1	5	-	10	1	9	-	10	-
Stephens	16	16	-	1	-	8	-	2	-	5	-
Stewart	3	3	-	-	-	2	-	-	-	1	-
Sumter	52	52	-	17	-	15	-	4	-	16	-
Talbot	1	1	-	-	-	-	-	1	-	-	-
Taliaferro	-	-	-	-	-	-	-	-	-	-	-
Tattnall	4	4	-	2	-	-	-	1	-	1	-
Taylor	4	4	-	1	-	2	-	-	-	1	-
Telfair	5	5	-	-	-	-	-	-	-	5	-
Terrell	7	7	-	2	-	1	-	1	-	3	-

TABLE XIV (cont.)

NUMBER OF NURSES BY TYPE OF DUTY, RACE AND COUNTY, GEORGIA: 1951

AREA	TOTAL			PRIVATE DUTY		INSTITUTIONAL		PUBLIC HEALTH		OTHER*	
	T	W	N-W	W	N-W	W	N-W	W	N-W	W	N-W
Thomas	67	66	1	19	-	26	1	5	-	16	-
Tift	19	19	-	6	-	2	-	4	-	7	-
Toombs	9	9	-	5	-	-	-	-	-	4	-
Towns	1	1	-	-	-	1	-	-	-	-	-
Treutlen	2	2	-	-	-	-	-	1	-	1	-
Troup	65	61	4	9	-	28	3	5	-	19	1
Turner	4	4	-	-	-	-	-	-	-	4	-
Twiggs	1	-	1	-	-	-	1	-	-	-	-
Union	2	2	-	1	-	-	-	-	-	1	-
Upson	14	14	-	2	-	5	-	2	-	5	-
Walker	8	8	-	1	-	-	-	4	-	3	-
Walton	9	9	-	-	-	2	-	2	-	5	-
Ware	50	46	4	12	-	14	2	6	-	14	2
Warren	6	6	-	-	-	-	-	1	-	5	-
Washington	15	15	-	5	-	5	-	1	-	4	-
Wayne	11	11	-	-	-	3	-	1	-	7	-
Webster	1	1	-	-	-	1	-	-	-	-	-
Wheeler	3	3	-	-	-	-	-	2	-	1	-
White	3	3	-	-	-	-	-	-	-	3	-
Whitfield	22	20	2	3	-	5	2	2	-	10	-
Wilcox	-	-	-	-	-	-	-	-	-	-	-
Wilkes	7	7	-	3	-	3	-	-	-	1	-
Wilkinson	5	5	-	-	-	1	-	1	-	3	-
Worth	9	9	-	2	-	1	-	2	-	4	-

SOURCE: Roster of Nurses issued by the State Board of Examiners of Nurses for Georgia, State Capitol, Atlanta, Ga. (1951)

Compiled by: Georgia Department of Public Health, Central Statistical Unit.

NOTE: Nurses classified as inactive and with out-of-state addresses are not included.

*Classification "Other" includes nurses in the following types of service: Educational, Government Service, Industrial, Office, Unemployed, Clinic and Other.