


VITAL STATISTICS

GEORGIA

1951

Property Of:
Georgia Department of Human
Resources
Division of Public Health
Health Assessment Services
Do Not Remove



Division of Vital Statistics

Department of Public Health
State of Georgia

Atlanta

614-1
C

VITAL STATISTICS

G E O R G I A

1951

GEORGIA DEPARTMENT OF PUBLIC HEALTH

Division of Vital Statistics

Central Statistical Unit

Atlanta, Georgia

December, 1952

STATE OF GEORGIA HEALTH REGIONS



HEAVY LINES INDICATE PRESENT HEALTH REGIONS
 --- INDICATE REGIONAL DIVISIONS PRIOR TO MAY, 1951

Note: East Central and West Central Regions were combined into the Central region in May 1951 and Columbia and Richmond Counties were added to the Northeastern region.




TABLE OF CONTENTS

	<u>Page Number</u>
Introduction	7
Definitions of terms and explanations.	8-9
Summary of Selected Vital Statistics - Georgia: 1951.	10-11
Population	
Live Births	
Deaths	
Stillbirths	
Maternal Deaths	
Infant Deaths	
Neonatal Deaths	
Deaths from Immaturity	
Immature Births	
Illegitimate Births	

TABLES

Table I	State Summary - Selected Vital Events, Number and Rate and Percent Occurring in Hospitals by Race, Urban and Rural, Georgia: 1951	12-13
Table II	Summary of Selected Vital Events Affecting Georgia Residents 1940-1951.	14-15
Table III	Important Causes of Death, Number and Percent of Total in Specified Age Groups, by Race, Georgia: 1951.	16-21
Table IV	Deaths and Death Rates (per 100,000 Population) from Specified Causes by Race, Georgia: 1951.	22-23
Table V	Deaths and Death Rates (per 1,000 Live Births) from Diseases of Pregnancy, Childbirth and the Puerperium, by Race, Georgia: 1951	24
Table VI	Infant Deaths by Detailed Age, Race and Sex, Georgia: 1951.	25
Table VII	Deaths from Accidents by Specified Age Group, Georgia: 1951	26
Table VIII	Number of Deaths from Immaturity and from Certain Diseases of Early Infancy with Mention of Immaturity, Georgia: 1951.	27
Table IX	Number and Percent of Live Births, by Place of Occurrence and Attendant, by Region, County and Race, Georgia: 1951. .	28-51
Table X	Summary of Natality Statistics, Number and Rate, by Region, County, and Race, Georgia: 1951	52-74
Table XI	Total Deaths from All Causes and Deaths from Georgia's Ten Leading Causes, by Region, County and Race: 1951	75-98

TABLE OF CONTENTS - Continued

	<u>Page Number</u>
Table XII Number of Physicians in Private Practice, and Average Number of Persons per Physician by County, Georgia: 1951	99-100
Table XIII Estimated Population of Georgia: July 1, 1951	101-104

I N T R O D U C T I O N

This report is prepared annually by the Central Statistical Unit to show more detailed tabulations of vital events recorded during the year with the Division of Vital Statistics of the Georgia Department of Public Health. Since 1947, the first year for which this report was made, the title has been Georgia Natality and Mortality Statistics, but since marriage and divorce statistics will be included in this and subsequent reports, the title has been changed to the more inclusive, Vital Statistics, Georgia.

These statistics are measures of the health status of the population and are used in planning certain phases of public health programs in the State.

All births, deaths, and stillbirths which were recorded with the Division of Vital Statistics as having occurred to residents of Georgia during 1951 are included in this report. The data on marriage and divorce were obtained in interviews of the county ordinaries and clerks of superior court by field men from the Division of Vital Statistics. Unless specified otherwise, all births, deaths, and stillbirths are allocated to place of residence; marriages are by place of issuance of license; and divorces, by place in which divorce was granted.

In May, 1951, the organization of counties into health regions was changed as shown on the preceding map to five regions. However, in this report for purposes of comparison with previous reports, all statistics by region are shown according to the former arrangement. County data not shown by region are arranged alphabetically by county for the state.

Most of the summary data will not be repeated in the same form in future reports, and since only a limited number of copies has been prepared, it is suggested that this copy be filed for future reference. Additional copies of most of the individual tables and more detailed tabulations of these and other public health statistics, are available upon request. Suggestions concerning content and arrangement of future reports will be welcomed. Address correspondence to:

Georgia Department of Public Health
Central Statistical Unit
12 Capitol Square
Atlanta, Georgia

DEFINITIONS OF TERMS AND EXPLANATION OF SOME FACTORS AFFECTING
THE ACCURACY OF STATISTICS IN THIS REPORT

A LIVE BIRTH is the birth of a child who shows evidence of life after the child is entirely outside the mother.

A STILLBIRTH is a birth after twenty weeks of gestation which is not a live birth.

An IMMATURE (Premature) BIRTH is the birth of a liveborn infant with a birth weight of $5\frac{1}{2}$ pounds (2500 grams) or less, or one specified as immature. If weight is not specified, a liveborn infant with a period of gestation less than 9 months (length of gestation is given in months on medical report of live birth) or specified as "premature" is considered immature.

A DEATH FROM IMMATUREITY (Prematurity) is a death classified as "Immaturity" with mention of other subsidiary causes or "Immaturity Unqualified," International List numbers 774 and 776 respectively.

An INFANT DEATH is any death occurring during the first year of life.

A MATERNAL DEATH is a death from complication(s) of pregnancy, childbirth or the puerperium (International List numbers 640-652 and 670-689).

ILLEGITIMATE BIRTH - On the confidential medical report of birth this question is asked: "Is mother married to father of child?" Yes No. For statistical purposes, the answer "no" indicates an illegitimate birth.

A NEONATAL DEATH is any death under 28 days of age.

URBAN AND RURAL - All incorporated places in the state with 2500 or more persons in the 1950 Census, except North Atlanta, are classed as "urban." All other places are "rural."

NONWHITE, abbreviated NW, as used in this report, refers to that segment of the population consisting of Negroes, Indians, Japanese, Chinese, and other nonwhite races. Persons of Mexican birth or ancestry who are not definitely Indian or other nonwhite race, are classified as white. In 1940, 99.95% of the "nonwhite" population of Georgia was Negro. This percentage probably has not changed appreciably in the 1950 Census, so for most purposes, in Georgia, the terms "nonwhite" and Negro refer to essentially the same segment of the population.

INCOMPLETE REGISTRATION is one of the main sources of error in the registration of vital events in Georgia. The completeness of registration varies from county to county and in some instances accounts for differences in rates. Birth registration tests were made in 1940 and 1950, but no similar tests on the completeness of death registration are made. The following table shows the results of the birth registration tests for the State:

BIRTH REGISTRATION COMPLETENESS IN 1950 AND PERCENTAGE
INCREASE SINCE 1940 BY RACE: GEORGIA
(Births occurring in Georgia)

	Total	White	Nonwhite
1950 (Preliminary)	94.4	96.7	90.8
1940 (Final)	81.3	83.6	77.6
Percentage Increase	16.1	15.7	17.0

SOURCE: Federal Security Agency - Public Health Service -
National Office of Vital Statistics.

None of the statistics in this report have been adjusted for incomplete registration.

CHANGES IN CLASSIFYING CAUSES OF DEATH

In some instances the changes in classification of causes of death under the Sixth revision of the International List have affected the comparability of rates for specific causes. Some of the mortality rates since 1949 are not comparable with rates under the fifth and previous revisions of the International List. See Georgia 1950 Natality and Mortality Statistics for more discussion of this change.

RATES - Crude birth and death rates are based on the 1951 population estimates shown in Table XIII. Rates for natality statistics are per 1,000 live births, unless indicated otherwise.

Due to incompleteness of registration of vital events and enumeration of population, all vital statistics rates are, in effect, based on samples and therefore subject to sampling errors. Chance variation is always larger for rates based on smaller populations or samples. This, in addition to the fact that errors, changes, or differences introduce wide variations in rates based on small figures, should be considered in the interpretation of rates.

In this report, crude live birth and death rates for the years 1940-1946 are based on the 1940 Census Counts of Population. Since 1946 these rates, including 1950 rates, are based on the estimated mid-year population. The populations for the years 1947-1949 were probably underestimated to a certain extent. No adjustment of rates for "low" population estimates is attempted in this report.

MILITARY RESERVATIONS - From 1940 through 1949, vital events occurring in military reservations were shown separately from county figures. In the 1950 report, those events occurring in military reservations, if the reservation was listed as the usual residence, were included in the county in which the reservation was located. In this report, events occurring to residents of military reservations are included in State totals, but are not included in county or regional figures.

SUMMARY OF SELECTED VITAL STATISTICS, GEORGIA: 1951

Population: An estimate of the population of Georgia is made each year by race, by county, for use in computing rates by county. The estimate for 1951 indicates that Georgia's population increased by 107,000 persons from July 1, 1950, to July 1, 1951. About 48,000 of this increase is the estimated increase in military personnel present in the state, which leaves an estimated increase of 59,000 in the civilian population during this period.

The estimates for 1951 are shown in Table XIII. The method used involved natural increase and available data from the 1950 Census. A detailed explanation of the method used is available on request.

Live Births: The 95,161 livebirths for 1951 is the highest number ever recorded for one year. This is about 1% higher than the previous high of 94,311 recorded in 1947 and is 3.3% higher than the 92,099 recorded for 1950. The rate for 1951, 26.7 per 1,000 population, is essentially the same as the rate for 1950. The percent of livebirths occurring in hospitals increased to 73.2% in 1951, with increases for the white and nonwhite populations, both urban and rural. Although most of the absolute increase in livebirths was classified as urban, the rates for 1950 and 1951 do not give the correct picture of the change in birth rates for rural and urban, since the populations which were used to compute rural and urban rates were quite different in 1951 as compared to 1950. See Table XIII of this report. Some of the differences between rural and urban rates might be due to differences in completeness of registration.

Deaths: The number of recorded deaths for 1951 is the highest since 1941, but the rate, 8.6 per 1,000 population, is the lowest ever recorded in the State. The death rate is lowest (6.8 per 1,000 population) among the rural white population, and is highest (14.3 per 1,000 population) among the urban nonwhite population. Some of this difference in death rates could be due to incomplete reporting of deaths from rural areas. Thirty-eight percent (38%) of all recorded deaths in 1951 occurred in hospitals. Percentage wise, fewer deaths (20.4%) among the rural nonwhite population occurred in hospitals than in any other group, while 52.0% of the urban white group died in hospitals.

Table III shows important causes of death by age group for 1951. The leading causes of death are the same as in 1950, except that tuberculosis dropped from eighth to ninth place and immaturity moved up from ninth to eighth place.

The following table shows age specific death rates for 1951.

AGE SPECIFIC DEATH RATES, GEORGIA: 1951
(Rates per 100,000 estimated mid-year population in age group)

<u>Age Group</u>	<u>Rate</u>
All Ages	865.0
Under 1 Year	3356.7
1-4 Years	171.6
5-14 Years	67.5
15-24 Years	161.7
25-44 Years	374.3
45-64 Years	1585.3
65 and Over	5429.4

Stillbirths (Fetal Deaths): The stillbirth rate for 1951, 22.0 per 1,000 livebirths, is practically the same as the rate for 1950. The rate for the rural population appears to be slightly higher than the rate for the urban population.

Maternal Deaths: The death rate from puerperal causes continues to drop. The 1951 rate, 15.0 per 10,000 livebirths, is the lowest ever recorded in Georgia. The lowest rate, 5.3 per 10,000 livebirths, is recorded for white urban population; the highest, 28.8 per 10,000 livebirths, which is almost 6 times as high as the white urban rate, is recorded for the nonwhite rural group. Note that maternal death rates are per 10,000 livebirths.

Table V shows causes of maternal deaths.

Infant Deaths (Deaths under 1 year): The infant death rate, 34.2 per 1,000 livebirths for 1951, is slightly higher than the rates for 1949 and 1950. The urban rates are higher than the rural, but here again is the possibility that incomplete registration might account for the differences in the rates. Almost 55% of the recorded infant deaths occurred in hospitals.

Neonatal Deaths (Deaths under 28 days) account for about two-thirds of all infant deaths. There were 2,058 neonatal deaths recorded during 1951, and the rate per 1,000 livebirths was 21.6, approximately the same as the stillbirth rate. About one-half of the neonatal deaths occur during the first day of life.

Death from Immaturity: This is the leading cause of infant deaths. About 25% of all infant deaths were attributed to immature birth in 1951. See Tables II and X.

Immature Births: It appears that one out of every 13 babies born in Georgia during 1951 was immature. This is the fifth year for which statistics are available and the rate of 77.3 per 1,000 livebirths in 1951 is the highest on record. The 1951 rate is 27% higher than the rate for 1947, 60.8 per 1,000 livebirths; but there are several factors to be considered in interpreting these figures, such as differences in reporting by attendant, classification differences during the 5 years, etc. Actually, what appears to be an increase in immaturity may just be an indication of a better knowledge and awareness of the problem.

Illegitimate Births: The 1951 rate for illegitimate births, 87.5 per 1,000 livebirths, is the highest ever recorded in Georgia. The previous high was 84.0 per 1,000 livebirths recorded in 1933.

TABLE I - STATE SUMMARY - SELECTED VITAL EVENTS, NUMBER AND RATE* AND PERCENT OCCURRING IN HOSPITALS BY RACE,
 URBAN** AND RURAL, GEORGIA: 1951
 (By place of residence)

Vital Event	STATE			URBAN**			RURAL		
	Total Both Races	White	Non-White	Total Both Races	White	Non-White	Total Both Races	White	Non-White
<u>LIVE BIRTHS:</u>									
Number	95,161	59,285	35,876	41,817	26,404	15,413	53,344	32,881	20,463
Rate	26.7	24.1	32.6	28.3	26.1	33.1	25.6	22.7	32.3
% Occurring in Hospitals	73.2	93.6	39.5	85.3	98.1	63.3	63.7	89.9	21.5
<u>DEATHS:</u>									
Number	30,802	18,161	12,641	14,953	8,309	6,644	15,849	9,852	5,997
Rate	8.6	7.4	11.5	10.1	8.2	14.3	7.6	6.8	9.5
% Occurring in Hospitals	38.0	45.1	27.9	44.3	52.0	34.7	32.1	39.2	20.4
<u>STILLBIRTHS:</u>									
Number	2,097	974	1,123	901	451	450	1,196	523	673
Rate	22.0	16.4	31.3	21.5	17.1	29.2	22.4	15.9	32.9
% Occurring in Hospitals	62.9	87.7	41.3	76.9	92.9	60.9	52.3	83.2	28.2
<u>MATERNAL DEATHS:</u>									
Number	143	46	97	52	14	38	91	32	59
Rate*	15.0	7.8	27.0	12.4	5.3	24.7	17.1	9.7	28.8
% Occurring in Hospitals	64.3	80.4	56.7	67.3	92.9	57.9	62.6	75.0	55.9
<u>INFANT DEATHS (Under 1 Year):</u>									
Number	3,256	1,548	1,708	1,582	768	814	1,674	780	894
Rate	34.2	26.1	47.6	37.8	29.0	52.8	31.4	23.7	43.7
% Occurring in Hospitals	54.6	77.2	34.4	68.9	86.7	52.1	41.3	67.8	18.2
<u>NEONATAL DEATHS (Under 28 Days):</u>									
Number	2,058	1,105	953	1,075	584	491	983	521	462
Rate	21.6	18.6	26.6	25.7	22.1	31.9	18.4	15.8	22.6
% Occurring in Hospitals	66.8	86.2	44.3	81.2	94.3	65.6	51.1	77.2	21.6

(Continued)

TABLE I - STATE SUMMARY - SELECTED VITAL EVENTS, NUMBER AND RATE* AND PERCENT OCCURRING IN HOSPITALS BY RACE,
URBAN** AND RURAL, GEORGIA: 1951
(By place of residence)

	STATE			URBAN**			RURAL		
	Total Both Races	White	Non-White	Total Both Races	White	Non-White	Total Both Races	White	Non-White
<u>IMMATURE BIRTHS:</u>									
Number	7,355	4,079	3,276	3,685	1,926	1,759	3,670	2,153	1,517
Rate	77.3	68.8	91.3	88.1	72.9	114.1	68.8	65.5	74.1
% Occurring in Hospitals	78.4	94.3	58.5	87.3	97.9	75.7	69.3	91.1	38.5
<u>DEATHS FROM IMMATURITY:</u>									
Number	707	340	367	388	173	215	319	167	152
Rate	7.4	5.7	10.2	9.3	6.6	13.9	6.0	5.1	7.4
% Occurring in Hospitals	64.8	82.4	48.5	78.1	92.5	66.5	48.6	71.9	23.0
<u>MARRIAGES:***</u>									
Number	48,938	NA	NA	NA	NA	NA	NA	NA	NA
Rate	14.2								
<u>DIVORCES:***</u>									
Number	11,020	NA	NA	NA	NA	NA	NA	NA	NA
Rate	3.2								

NA = Not Available

* Rates for live births, deaths, marriages and divorces are per 1,000 population; all other rates are per 1,000 live births except maternal death rates are per 10,000 live births.

** Includes events allocated to military reservations.

*** Percent occurring in hospital not applicable.

TABLE II - SUMMARY OF SELECTED VITAL EVENTS AFFECTING GEORGIA RESIDENTS: 1940-1951

YEAR	NUMBER								
	LIVE BIRTHS	DEATHS	MATERNAL DEATHS	INFANT DEATHS	STILLBIRTHS	IMMATURE BIRTHS	DEATHS FROM IMMATUREITY	ILLEGITIMATE BIRTHS	NEONATAL DEATHS
1940	64,695	32,285	342	3,737	3,078	NA	1,017	5,046	2,267
1941	67,785	31,570	315	3,955	2,903	NA	1,103	5,134	2,298
1942	72,189	28,807	299	3,559	2,786	NA	1,094	5,038	2,149
1943	78,327	29,488	303	3,661	2,664	NA	1,124	4,911	2,216
1944	77,018	28,803	276	3,398	2,523	NA	1,056	4,885	2,024
1945	74,994	28,456	250	3,181	2,208	NA	960	5,385	1,913
1946	85,699	27,405	229	3,068	2,421	NA	1,035	5,289	2,143
1947	94,311	28,780	247	3,239	2,459	5,738	1,060	6,056	2,220
1948	91,604	29,309	208	3,150	2,408	6,508	1,052	6,237	2,099
1949	93,557	29,537	185	3,093	2,178	6,557	1,032	6,847	2,048
1950	92,099	30,416	150*	3,081	2,026	6,645	719*	7,633	2,028
1951	95,161	30,802	143	3,255	2,097	7,355	707	8,326	2,058

See notes at end of table.

(Continued)
 TABLE II - SUMMARY OF SELECTED VITAL EVENTS AFFECTING GEORGIA RESIDENTS: 1940-1951

YEAR	RATE		(Per 10,000 Live Births) MATERNAL DEATHS	INFANT DEATHS	STILLBIRTHS	(Per 1,000 Live Births)			
	(Per 1,000 Population) LIVE BIRTHS	DEATHS				IMMATURE BIRTHS	DEATHS FROM IMMATUREITY	ILLEGITIMATE BIRTHS	NEONATAL DEATHS
1940	20.7	10.3	52.9	57.8	47.6	NA	15.7	78.0	35.0
1941	21.6	10.0	46.5	58.3	42.8	NA	16.3	75.7	33.9
1942	23.1	9.2	41.4	49.3	38.6	NA	15.2	69.8	29.8
1943	25.1	9.4	38.7	46.7	34.0	NA	14.4	62.7	28.3
1944	24.7	9.2	35.8	44.1	32.8	NA	13.7	63.4	26.3
1945	24.0	9.1	33.3	42.4	29.4	NA	12.8	71.8	25.5
1946	27.4	8.8	26.7	35.8	28.3	NA	12.1	61.7	25.0
1947	29.2	8.9	26.2	34.3	26.1	60.8	11.2	64.2	23.5
1948	28.6	9.2	22.7	34.4	26.3	71.0	11.5	68.1	22.9
1949	29.0	9.2	19.8	33.1	23.3	70.1	11.0	73.2	21.9
1950	26.7	8.8	16.3	33.5	22.0	72.2	7.8*	82.9	22.0
1951	26.7	8.9	15.0	34.2	22.0	77.3	7.4	87.5	21.6

NA = Not available

* Part of the decrease from 1949 to 1950 is directly attributable to changes in classification of causes of death under the 6th Revision of the International List of Diseases and Causes of Death.

Note: Live birth and death rates 1940-1946 based on 1940 Census population; 1947-1951, based on estimated mid-year population.

TABLE III - IMPORTANT CAUSES OF DEATH, NUMBER AND PERCENT OF TOTAL IN SPECIFIED AGE GROUPS, BY RACE, GEORGIA, 1951

RANK	AGE AND CAUSE OF DEATH	NUMBER			PERCENT OF TOTAL ALL CAUSES		
		TOTAL BOTH RACES	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>ALL AGES</u>							
	Total, all causes	30,802	18,161	12,641	100.0	100.0	100.0
1.	Heart Diseases (410-443)	9,011	5,783	3,228	29.3	31.8	25.5
	Chronic rheumatic heart disease (410-416)	231	131	100	--	--	--
	Arteriosclerotic degenerative heart disease (420-422)	5,524	3,991	1,533	--	--	--
	Hypertension with heart disease (440-443)	2,372	1,205	1,167	--	--	--
2.	Vascular lesions affecting central nervous system (330-334)	4,364	2,352	2,012	14.2	13.0	15.9
3.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	3,209	2,310	899	10.4	12.7	7.1
4.	Influenza and pneumonia (except pneumonia of newborn) (480-483, 490-493)	1,441	635	806	4.7	3.5	6.4
5.	Accidents, exclusive motor vehicle accidents (E800-E802, E840-E962)	1,404	833	571	4.6	4.6	4.5
6.	Motor vehicle accidents (E810-E835)	1,009	693	316	3.3	3.8	2.5
7.	Nephritis and Nephrosis (590-594)	877	433	444	2.8	2.4	3.5
8.	Immaturity unqualified (774-776)	707	340	367	2.3	1.9	2.9
9.	Tuberculosis, all forms (001-019)	686	294	392	2.2	1.6	3.1
10.	Ill-defined and unknown causes (780-793, 795)	642	220	422	2.1	1.2	3.3
	All other causes	7,452	4,268	3,184	24.2	23.5	25.2
<u>UNDER ONE YEAR</u>							
	Total, all causes	3,256	1,548	1,708	100.0	100.0	100.0
1.	Immaturity unqualified (774-776)	707	340	367	21.7	22.0	21.5
2.	Congenital malformations (750-759)	338	240	98	10.4	15.5	5.7
3.	Influenza and pneumonia, including pneumonia of newborn (480-483, 490-493, 763)	334	86	248	10.3	5.6	14.5
	Pneumonia of newborn (763)	125	60	65	--	--	--
4.	Postnatal asphyxia and atelectasis (762)	326	226	100	10.0	14.6	5.9

TABLE III - IMPORTANT CAUSES OF DEATH, NUMBER AND PERCENT OF TOTAL
IN SPECIFIED AGE GROUPS, BY RACE, GEORGIA, 1951

RANK	AGE AND CAUSE OF DEATH	NUMBER			PERCENT OF TOTAL ALL CAUSES		
		TOTAL BOTH RACES	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
5.	Birth injuries (760-761)	270	177	93	8.3	11.4	5.4
6.	Ill-defined and unknown causes (780-793, 795)	228	57	171	7.0	3.7	10.0
7.	Gastro-enteritis, colitis and diarrhea of newborn (571, 764)	176	57	119	5.4	3.7	7.0
	Diarrhea of newborn (764)	26	7	19	--	--	--
7.	Other and ill-defined diseases peculiar to early infancy (766-769, 771, 773)	176	77	99	5.4	5.0	5.8
8.	Accidents exclusive of motor vehicle accidents (E800-E802, E840-E962)	135	52	83	4.1	3.4	4.9
9.	Nutritional maladjustment (772)	76	20	56	2.3	1.3	3.3
10.	Whooping cough (056)	70	15	55	2.1	1.0	3.2
	All other causes	420	201	219	12.9	13.0	12.8
<u>ONE - FOUR YEARS</u>							
	Total, all causes	585	269	316	100.0	100.0	100.0
1.	Influenza and pneumonia (480-483, 490-493)	100	36	64	17.1	13.4	20.3
2.	Accidents, exclusive of motor vehicle accidents (E800-E802, E840-E962)	84	37	47	14.4	13.8	14.9
3.	Gastro-enteritis, colitis and ulcerative colitis (571, 572)	53	19	34	9.1	7.1	10.8
4.	Congenital malformations (750-759)	51	37	14	8.7	13.8	4.4
5.	Motor vehicle accidents (E810-E835)	45	27	18	7.7	10.0	5.7
6.	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues (140-205)	30	22	8	5.1	8.2	2.5
7.	Ill-defined and unknown causes (780-793, 795)	24	10	14	4.1	3.7	4.4
8.	Tuberculosis, all forms (001-019)	20	4	16	3.4	1.5	5.1
9.	Whooping cough (056)	15	2	13	2.6	0.7	4.1
10.	Bronchitis (500-502)	12	7	5	2.1	2.6	1.6
	All other causes	151	68	83	25.8	25.3	26.3
<u>FIVE - FOURTEEN YEARS</u>							
	Total, all causes	463	245	218	100.0	100.0	100.0
1.	Accidents, excluding motor vehicle accidents (E800-E802, E840-E962)	117	57	60	25.3	23.3	27.5

(Continued)
 TABLE III - IMPORTANT CAUSES OF DEATH, NUMBER AND PERCENT OF TOTAL
 IN SPECIFIED AGE GROUPS, BY RACE, GEORGIA, 1951

RANK	AGE AND CAUSE OF DEATH	NUMBER			PERCENT OF TOTAL ALL CAUSES		
		TOTAL BOTH RACES	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
2.	Motor vehicle accidents (E810- E835)	60	39	21	13.0	15.9	9.6
3.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140- 205)	50	37	13	10.8	15.1	6.0
4.	Influenza and pneumonia (480- 483, 490-493)	38	10	28	8.2	4.1	12.8
5.	Rheumatic fever (400-402)	22	6	16	4.8	2.4	7.3
6.	Nephritis and Nephrosis (590- 594)	21	13	8	4.5	5.3	3.7
7.	Congenital malformations (750- 759)	15	11	4	3.2	4.5	1.8
8.	Tuberculosis, all forms (001- 019)	13	2	11	2.8	0.8	5.0
9.	Ill-defined and unknown causes (780-793, 795)	11	3	8	2.4	1.2	3.7
10.	Polio (080)	9	9	0	1.9	3.7	--
	All other causes	107	58	49	23.1	23.7	22.5
<u>FIFTEEN - TWENTY-FOUR YEARS</u>							
	Total, all causes	949	449	500	100.0	100.0	100.0
1.	Motor vehicle accidents (E810- E835)	249	174	75	26.2	38.8	15.0
2.	Accidents, excluding motor vehicle accidents (E800-802, E840-E962)	141	81	60	14.9	18.0	12.0
3.	Homicide (E964, E980-E985)	96	11	85	10.1	2.4	17.0
4.	Tuberculosis, all forms (001- 019)	68	13	55	7.2	2.9	11.0
5.	Heart diseases (410-443) Chronic rheumatic heart disease (410-416)	51 13	14 4	37 9	5.4 --	3.1 --	7.4 --
6.	Complications of pregnancy, childbirth and the puerperium (640-689)	45	17	28	4.7	3.8	5.6
7.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140- 205)	43	31	12	4.5	6.9	2.4
8.	Influenza and pneumonia (480- 483, 490-493)	42	13	29	4.4	2.9	5.8
9.	Nephritis and nephrosis (590- 594)	27	7	20	2.8	1.6	4.0
10.	Suicide (E963, E970-E979)	26	20	6	2.7	4.5	1.2
	All other causes	161	68	93	17.0	15.1	18.6

TABLE III - IMPORTANT CAUSES OF DEATH, NUMBER AND PERCENT OF TOTAL
IN SPECIFIED AGE GROUPS, BY RACE, GEORGIA, 1951

RANK	AGE AND CAUSE OF DEATH	NUMBER			PERCENT OF TOTAL ALL CAUSES		
		TOTAL BOTH RACES	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TWENTY-FIVE - FORTY-FOUR YEARS</u>							
	Total, all causes	3,885	1,748	2,137	100.0	100.0	100.0
1.	Heart diseases (410-443)	689	281	408	17.7	16.1	19.1
	Chronic rheumatic heart dis- ease (410-416)	50	32	18	--	--	--
	Arteriosclerotic and degenera- tive heart disease (420-422)	374	188	186	--	--	--
	Hypertension with heart dis- ease (440-443)	155	24	131	--	--	--
2.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140- 205)	400	245	155	10.3	14.0	7.3
3.	Motor vehicle accidents (E810- E835)	371	251	120	9.5	14.4	5.6
4.	Accidents, exclusive of motor vehicle accidents (E800-E802, E840-E962)	338	208	130	8.7	11.9	6.1
5.	Vascular lesions affecting central nervous system (330- 334)	306	85	221	7.9	4.9	10.3
6.	Homicide (E964, E980-E985)	275	64	211	7.1	3.7	9.9
7.	Tuberculosis, all forms (001- 019)	235	67	168	6.0	3.8	7.9
8.	Influenza and pneumonia (480- 483, 490-493)	122	33	89	3.1	1.9	4.2
9.	Suicide (E963, E970-E979)	121	98	23	3.1	5.6	1.1
10.	Nephritis and nephrosis (590- 594)	118	34	84	3.0	1.9	3.9
	All other causes	910	382	528	23.4	21.9	24.7
<u>FORTY-FIVE - SIXTY-FOUR YEARS</u>							
	Total, all causes	9,258	4,718	4,540	100.0	100.0	100.0
1.	Heart diseases (410-443)	3,319	1,745	1,574	35.8	37.0	34.7
	Chronic rheumatic heart dis- ease (410-416)	95	49	46	--	--	--
	Arteriosclerotic and degenera- tive heart disease (420-422)	2,050	1,299	751	--	--	--
	Hypertension with heart dis- ease (440-443)	828	256	572	--	--	--
2.	Vascular lesions affecting central nervous system (330- 334)	1,574	584	990	17.0	12.4	21.8
3.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140- 205)	1,383	879	504	14.9	18.6	11.1

(Continued)

TABLE III - IMPORTANT CAUSES OF DEATH, NUMBER AND PERCENT OF TOTAL
IN SPECIFIED AGE GROUPS, BY RACE, GEORGIA, 1951

RANK	AGE AND CAUSE OF DEATH	NUMBER			PERCENT OF TOTAL ALL CAUSES		
		TOTAL BOTH RACES	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
4.	Influenza and pneumonia (480-483, 490-493)	289	86	203	3.1	1.8	4.5
5.	Accidents, exclusive of motor vehicle accidents (E800-E802, E840-E962)	281	156	125	3.0	3.3	2.8
6.	Nephritis and nephrosis (590-594)	245	93	152	2.6	2.0	3.3
7.	Tuberculosis, all forms (001-019)	234	114	120	2.5	2.4	2.6
8.	Motor vehicle accidents (E810-E835)	175	117	58	1.9	2.5	1.3
9.	Diabetes mellitus (260)	174	96	78	1.9	2.0	1.7
10.	Hypertension without mention of heart (444-447)	141	56	85	1.5	1.2	1.9
	All other causes	1,443	792	651	15.6	16.8	14.3
<u>SIXTY-FIVE YEARS AND OVER</u>							
	Total, all causes	12,379	9,178	3,201	100.0	100.0	100.0
1.	Heart diseases (410-443)	4,922	3,733	1,189	39.8	40.7	37.1
	Chronic rheumatic heart disease (410-416)	69	43	26	--	--	--
	Arteriosclerotic and degenerative heart disease (420-422)	3,071	2,495	576	--	--	--
	Hypertension with heart disease (440-443)	1,381	924	457	--	--	--
2.	Vascular lesions affecting central nervous system (330-334)	2,459	1,678	781	19.9	18.3	24.4
3.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	1,298	1,093	205	10.5	11.9	6.4
4.	Influenza and pneumonia (480-483, 490-493)	515	371	144	4.2	4.0	4.5
5.	Nephritis and nephrosis (590-594)	446	281	165	3.6	3.1	5.2
6.	General arteriosclerosis (450)	360	270	90	2.9	2.9	2.8
7.	Accidents excluding motor vehicle accidents (E800-E802, E840-E962)	307	242	65	2.5	2.6	2.0
8.	Hypertension without mention of heart (444-447)	261	183	78	2.1	2.0	2.4
9.	Diabetes mellitus (260)	207	167	40	1.7	1.8	1.2
10.	Senility (794)	203	86	117	1.6	0.9	3.7
	All other causes	1,401	1,074	327	11.3	11.7	10.2

TABLE III - IMPORTANT CAUSES OF DEATH, NUMBER AND PERCENT OF TOTAL
IN SPECIFIED AGE GROUPS, BY RACE, GEORGIA, 1951

RANK	AGE AND CAUSE OF DEATH	NUMBER			PERCENT OF TOTAL ALL CAUSES		
		TOTAL BOTH RACES	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
	<u>UNKNOWN AGE</u>	27	6	21	--	--	--

Note: Numbers in parentheses are the Sixth Revision International List of Diseases and Causes of Death Code Numbers.

No percentages are computed for subdivisions of important causes.

TABLE IV - DEATHS AND DEATH RATES (PER 100,000 POPULATION)
FROM SPECIFIED CAUSES, BY RACE, GEORGIA: 1951

CAUSE OF DEATH (INTERNATIONAL LIST NUMBER - 6th REVISION)	NUMBER			RATE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL DEATHS, ALL CAUSES	30,802	18,161	12,641	865.0	738.0	1,149.2
Tuberculosis, all forms (001-019)	686	294	392	19.3	11.9	35.6
Syphilis and its sequelae (020-029)	159	55	104	4.5	2.2	9.5
Typhoid fever (040)	2	1	1	0.1	--	0.1
Dysentery, all forms (045-048)	42	17	25	1.2	0.7	2.3
Scarlet fever (050)	0	0	0	--	--	--
Streptococcal sore throat (051)	11	6	5	0.3	0.2	0.5
Diphtheria (055)	11	8	3	0.3	0.3	0.3
Whooping cough (056)	86	17	69	2.4	0.7	6.3
Meningococcal infections (057)	37	21	16	1.0	0.9	1.5
Acute poliomyelitis (080)	23	19	4	0.6	0.8	0.4
Acute infectious encephalitis (082)	6	2	4	0.2	0.1	0.4
Smallpox (084)	0	0	0	--	--	--
Measles (085)	22	6	16	0.6	0.2	1.5
Typhus and other rickettsial diseases (100-103, 105-108)	5	4	1	0.1	0.2	0.1
Rocky mountain spotted fever (104)	3	3	0	0.1	0.1	--
Malaria (110-117)	3	2	1	0.1	0.1	0.1
All other diseases classified as infective and parasitic (030-039, 041-042, 043, 044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	116	51	65	3.3	2.1	5.9
Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	3,209	2,310	899	90.1	93.9	81.7
Benign and unspecified neoplasms (210-239)	95	51	44	2.7	2.1	4.0
Diabetes mellitus (260)	449	292	157	12.6	11.9	14.3
Pellagra (281)	56	42	14	1.6	1.7	1.3
Anaemias (290-293)	55	32	23	1.5	1.3	2.1
Vascular lesions affecting central nervous system (330-334)	4,364	2,352	2,012	122.5	95.6	182.9
Non-meningococcal meningitis (340)	47	15	32	1.3	0.6	2.9
Rheumatic fever (400-402)	54	25	29	1.5	1.0	2.6
Heart diseases (410-443)	9,011	5,783	3,228	253.0	235.0	293.5
Hypertension without mention of heart (444-447)	475	261	214	13.3	10.6	19.5
Influenza (480-483)	350	166	184	9.8	6.7	16.7
Pneumonia (490-493)	1,091	469	622	30.6	19.1	56.5
Bronchitis (500-502)	61	33	28	1.7	1.3	2.5
Ulcer of stomach and duodenum (540, 541)	150	97	53	4.2	3.9	4.8
Appendicitis (550-553)	66	35	31	1.9	1.4	2.8
Intestinal obstruction and hernia (560, 561, 570)	180	110	70	5.1	4.5	6.4
Gastritis, duodenitis, enteritis, and colitis (except diarrhea of the newborn) (543, 571, 572)	267	106	161	7.5	4.3	14.6
Cirrhosis of liver (581)	218	180	38	6.1	7.3	3.5
Nephritis and nephrosis (590-594)	877	433	444	24.6	17.6	40.4

TABLE IV - DEATHS AND DEATH RATES (PER 100,000 POPULATION)
FROM SPECIFIED CAUSES, BY RACE, GEORGIA: 1951

CAUSE OF DEATH (INTERNATIONAL LIST NUMBER - 6th REVISION)	NUMBER			RATE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
Hyperplasia of prostate (610)	130	69	61	3.6	2.8	5.5
Complications of pregnancy, childbirth, and the puerperium (640-652, 670-689)	143	46	97	4.0	1.9	8.8
Congenital malformations (750-759)	447	321	126	12.6	13.0	11.5
Birth injuries, postnatal asphyxia and atelectasis (760-762)	597	404	193	16.8	16.4	17.5
Infection of the newborn (763-768)	172	77	95	4.8	3.1	8.6
Other diseases peculiar to early infancy and immaturity unqualified (769-776)	994	464	530	27.9	18.9	48.2
Senility, without mention of psychosis (794)	211	87	124	5.9	3.5	11.3
Ill-defined and unknown causes (780- 793, 795)	642	220	422	18.0	8.9	38.4
Motor vehicle accidents (E810-E835)	1,009	693	316	28.3	28.2	28.7
All other accidents (E800-E802, E840- E962)	1,404	833	571	39.4	33.8	51.9
Suicide (E963, E970-E979)	288	251	37	8.1	10.2	3.4
Homicide (E964, E980-E985)	468	114	354	13.1	4.6	32.2
All other diseases (residual)	2,010	1,284	726	56.4	52.2	66.0

Note: A dash (--) indicates rate of less than 0.05.

Numbers in parentheses are the 1948 (Sixth Revision) International List of Diseases and Causes of Death Code Numbers.

TABLE V - DEATHS AND DEATH RATES (PER 10,000 LIVE BIRTHS)
FROM DISEASES OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM, BY RACE, GEORGIA: 1951

CAUSE AND INTERNATIONAL LIST NUMBER	NUMBER			RATE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
Total, all causes	143	46	97	15.0	7.8	27.0
Abortion, all causes (650-652)	9	2	7	0.9	0.3	2.0
Ectopic pregnancy (645)	3	0	3	0.3	--	0.8
Hemorrhage of pregnancy (643, 644)	6	1	5	0.6	0.2	1.4
Toxemias of pregnancy (642)	49	17	32	5.1	2.9	8.9
Other complications arising during pregnancy (640, 641, 646-649)	5	3	2	0.5	0.5	0.6
Hemorrhage of childbirth and puerperium (670-672)	25	9	16	2.6	1.5	4.5
Infection during childbirth and puerperium (680-684)	17	7	10	1.8	1.2	2.8
Puerperal toxemias (685-686)	13	3	10	1.4	0.5	2.8
Other accidents and specified conditions of childbirth (673-678, 687)	12	4	8	1.3	0.7	2.2
Other and unspecified conditions of childbirth and the puerperium (688)	4	0	4	0.4	--	1.1

Note: Numbers in parentheses are Code Numbers of the Sixth Revision International List of Diseases and Causes of Death.

TABLE VI - INFANT DEATHS BY DETAILED AGE, RACE AND SEX, GEORGIA: 1951

	TOTAL UNDER 1 YR.	UNDER 1 DA.	1 DA.	2 DA.	3 DA.	4 DA.	5 DA.	6 DA.	7-13 DA.	14-20 DA.	21-27 DA.	28-59 DA.	2 MO.	3 MO.	4 MO.	5 MO.	6 MO.	7 MO.	8 MO.	9 MO.	10 MO.	11 MO.
Total	3256	971	300	191	115	75	57	35	147	91	76	247	206	150	122	111	93	67	66	53	48	35
Male	1857	560	180	117	71	45	30	19	81	52	44	134	107	77	72	63	54	37	37	31	25	21
Female	1399	411	120	74	44	30	27	16	66	39	32	113	99	73	50	48	39	30	29	22	23	14
White	1548	531	183	108	73	37	32	14	66	34	27	89	75	49	51	43	35	24	24	18	22	13
Male	913	325	111	65	43	23	18	8	39	18	12	53	41	23	33	24	17	18	15	12	11	4
Female	635	206	72	43	30	14	14	6	27	16	15	36	34	26	18	19	18	6	9	6	11	9
Neg	1708	440	117	83	42	38	25	21	81	57	49	158	131	101	71	68	58	43	42	35	26	22
Male	944	235	69	52	28	22	12	11	42	34	32	81	66	54	39	39	37	19	22	19	14	17
Female	764	205	48	31	14	16	13	10	39	23	17	77	65	47	32	29	21	24	20	16	12	5

TABLE IX - NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE, GEORGIA: 1951

AREA AND RACE		NUMBER					PERCENT				
		TOTAL BIRTHS	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.	TOTAL PERCENT	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.
STATE	T	95,161	69,328	6,804	18,741	288	100.0	72.9	7.1	19.7	0.3
TOTAL*	W	59,285	55,428	2,802	999	56	100.0	93.5	4.7	1.7	0.1
	NW	35,876	13,900	4,002	17,742	232	100.0	38.7	11.2	49.5	0.6
STATE	T	197	197	0	0	0	100.0	100.0	—	—	—
TOTAL	W	188	188	0	0	0	100.0	100.0	—	—	—
MILITARY	NW	9	9	0	0	0	100.0	100.0	—	—	—
NORTHWESTERN	T	29,169	27,077	1,284	804	4	100.0	92.8	4.4	2.8	—
REGION	W	22,370	21,366	737	264	3	100.0	95.5	3.3	1.2	—
	NW	6,799	5,711	547	540	1	100.0	84.0	8.0	7.9	—
Bartow	T	710	611	49	50	0	100.0	86.1	6.9	7.0	—
	W	592	553	33	6	0	100.0	93.4	5.6	1.0	—
	NW	118	58	16	44	0	100.0	49.2	13.6	37.3	—
Carroll	T	780	580	151	49	0	100.0	74.4	19.4	6.3	—
	W	633	541	89	3	0	100.0	85.5	14.1	0.5	—
	NW	147	39	62	46	0	100.0	26.5	42.2	31.3	—
Catoosa	T	371	364	7	0	0	100.0	98.1	1.9	—	—
	W	365	362	3	0	0	100.0	99.2	0.8	—	—
	NW	6	2	4	0	0	100.0	33.3	66.7	—	—
Chattooga	T	516	455	33	28	0	100.0	88.2	6.4	5.4	—
	W	461	429	25	7	0	100.0	93.1	5.4	1.5	—
	NW	55	26	8	21	0	100.0	47.3	14.5	38.2	—
Cherokee	T	492	411	64	17	0	100.0	83.5	13.0	3.5	—
	W	469	398	63	8	0	100.0	84.9	13.4	1.7	—
	NW	23	13	1	9	0	100.0	56.5	4.3	39.1	—

(Continued)

TABLE IX - NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE, GEORGIA: 1951

AREA AND RACE		NUMBER					PERCENT				
		TOTAL BIRTHS	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.	TOTAL PERCENT	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.
Cobb	T	1,666	1,563	71	32	0	100.0	93.8	4.3	1.9	—
	W	1,490	1,454	31	5	0	100.0	97.6	2.1	0.3	—
	NW	176	109	40	27	0	100.0	61.9	22.7	15.3	—
Dade	T	214	162	47	5	0	100.0	75.7	22.0	2.3	—
	W	210	158	47	5	0	100.0	75.2	22.4	2.4	—
	NW	4	4	0	0	0	100.0	100.0	—	—	—
Dawson	T	82	63	8	11	0	100.0	76.8	9.8	13.4	—
	W	82	63	8	11	0	100.0	76.8	9.8	13.4	—
	NW	0	0	0	0	0	—	—	—	—	—
DeKalb	T	4,174	4,033	39	101	1	100.0	96.6	0.9	2.4	—
	W	3,579	3,559	18	2	0	100.0	99.4	0.5	0.1	—
	NW	595	474	21	99	1	100.0	79.7	3.5	16.6	0.2
Douglas	T	297	212	25	60	0	100.0	71.4	8.4	20.2	—
	W	225	208	11	6	0	100.0	92.4	4.9	2.7	—
	NW	72	4	14	54	0	100.0	5.6	19.4	75.0	—
Fannin	T	386	282	96	7	1	100.0	73.1	24.9	1.8	0.3
	W	383	279	96	7	1	100.0	72.8	25.1	1.8	0.3
	NW	3	3	0	0	0	100.0	100.0	—	—	—
Floyd	T	1,513	1,380	30	103	0	100.0	91.2	2.0	6.8	—
	W	1,257	1,220	21	16	0	100.0	97.1	1.7	1.3	—
	NW	256	160	9	87	0	100.0	62.5	3.5	34.0	—
Forsyth	T	259	243	15	1	0	100.0	93.8	5.8	0.4	—
	W	259	243	15	1	0	100.0	93.8	5.8	0.4	—
	NW	0	0	0	0	0	—	—	—	—	—

TABLE IX - NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE, GEORGIA: 1951

AREA AND RACE		NUMBER					PERCENT				
		TOTAL BIRTHS	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.	TOTAL PERCENT	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.
Fulton	T	12,996	12,614	346	35	1	100.0	97.1	2.7	0.3	--
	W	8,020	7,948	70	1	1	100.0	99.1	0.9	--	--
	NW	4,976	4,666	276	34	0	100.0	93.8	5.5	0.7	--
Gilmer	T	255	219	9	27	0	100.0	85.9	3.5	10.6	--
	W	255	219	9	27	0	100.0	85.9	3.5	10.6	--
	NW	0	0	0	0	0	--	--	--	--	--
Gordon	T	403	361	40	2	0	100.0	89.6	9.9	0.5	--
	W	376	359	16	1	0	100.0	95.5	4.3	0.3	--
	NW	27	2	24	1	0	100.0	7.4	88.9	3.7	--
Haralson	T	304	249	36	18	1	100.0	81.9	11.8	5.9	0.3
	W	281	242	29	9	1	100.0	86.1	10.3	3.2	0.4
	NW	23	7	7	9	0	100.0	30.4	30.4	39.1	--
Lumpkin	T	154	117	2	35	0	100.0	76.0	1.3	22.7	--
	W	153	117	2	34	0	100.0	76.5	1.3	22.2	--
	NW	1	0	0	1	0	100.0	--	--	100.0	--
Murray	T	240	197	26	17	0	100.0	82.1	10.8	7.1	--
	W	232	190	25	17	0	100.0	81.9	10.8	7.3	--
	NW	8	7	1	0	0	100.0	87.5	12.5	--	--
Paulding	T	244	197	26	21	0	100.0	80.7	10.7	8.6	--
	W	211	188	17	6	0	100.0	89.1	8.1	2.8	--
	NW	33	9	9	15	0	100.0	27.3	27.3	45.5	--
Pickens	T	216	205	7	4	0	100.0	94.9	3.2	1.9	--
	W	207	197	6	4	0	100.0	95.2	2.9	1.9	--
	NW	9	8	1	0	0	100.0	88.9	11.1	--	--

(Continued)
 TABLE IX - NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY, AND RACE, GEORGIA: 1951

AREA AND RACE		NUMBER					PERCENT				
		TOTAL BIRTHS	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.	TOTAL PERCENT	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.
Polk	T	794	651	26	117	0	100.0	82.0	3.3	14.7	--
	W	636	590	20	26	0	100.0	92.8	3.1	4.1	--
	NW	158	61	6	91	0	100.0	38.6	3.8	57.6	--
Towns	T	103	82	16	5	0	100.0	79.6	15.5	4.9	--
	W	103	82	16	5	0	100.0	79.6	15.5	4.9	--
	NW	0	0	0	0	0	--	--	--	--	--
Union	T	175	114	38	23	0	100.0	65.1	21.7	13.1	--
	W	175	114	38	23	0	100.0	65.1	21.7	13.1	--
	NW	0	0	0	0	0	--	--	--	--	--
Walker	T	906	863	40	3	0	100.0	95.3	4.4	0.3	--
	W	845	829	14	2	0	100.0	98.1	1.7	0.2	--
	NW	61	34	26	1	0	100.0	55.7	42.6	1.6	--
Whitfield	T	919	849	37	33	0	100.0	92.4	4.0	3.6	--
	W	871	824	15	32	0	100.0	94.6	1.7	3.7	--
	NW	48	25	22	1	0	100.0	52.1	45.8	2.1	--

* Births in military reservations are included in state totals but are excluded from county and regional totals.

(Continued)

TABLE IX - NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE, GEORGIA: 1951

32

AREA AND RACE		NUMBER					PERCENT				
		TOTAL BIRTHS	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.	TOTAL PERCENT	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.
STATE	T	95,161	69,328	6,804	18,741	288	100.0	72.9	7.1	19.7	0.3
TOTAL*	W	59,285	55,428	2,802	999	56	100.0	93.5	4.7	1.7	0.1
	NW	35,876	13,900	4,002	17,742	232	100.0	38.7	11.2	49.5	0.6
STATE	T	197	197	0	0	0	100.0	100.0	--	--	--
TOTAL	W	188	188	0	0	0	100.0	100.0	--	--	--
MILITARY	NW	9	9	0	0	0	100.0	100.0	--	--	--
NORTHEASTERN	T	10,366	6,813	930	2,479	144	100.0	65.7	9.0	23.9	1.4
REGION	W	6,702	6,144	348	172	38	100.0	91.7	5.2	2.6	0.6
	NW	3,664	669	582	2,307	106	100.0	18.3	15.9	63.0	2.9
Banks	T	147	126	10	11	0	100.0	85.7	6.8	7.5	--
	W	135	119	8	8	0	100.0	88.1	5.9	5.9	--
	NW	12	7	2	3	0	100.0	58.3	16.7	25.0	--
Barrow	T	306	220	32	54	0	100.0	71.9	10.5	17.6	--
	W	234	206	20	8	0	100.0	88.0	8.5	3.4	--
	NW	72	14	12	46	0	100.0	19.4	16.7	63.9	--
Clarke	T	842	639	86	117	0	100.0	75.9	10.2	13.9	--
	W	563	557	4	2	0	100.0	98.9	0.7	0.4	--
	NW	279	82	82	115	0	100.0	29.4	29.4	41.2	--
Elbert	T	454	295	19	140	0	100.0	65.0	4.2	30.8	--
	W	265	253	6	6	0	100.0	95.5	2.3	2.3	--
	NW	189	42	13	134	0	100.0	22.2	6.9	70.9	--
Franklin	T	297	204	72	21	0	100.0	68.7	24.2	7.1	--
	W	248	199	44	5	0	100.0	80.2	17.7	2.0	--
	NW	49	5	28	16	0	100.0	10.2	57.1	32.7	--

(Continued)

TABLE IX - NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE, GEORGIA: 1951

AREA AND RACE		NUMBER					PERCENT				
		TOTAL BIRTHS	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.	TOTAL PERCENT	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.
Greene	T	340	174	23	143	0	100.0	51.2	6.8	42.1	--
	W	124	120	3	1	0	100.0	96.8	2.4	0.8	--
	NW	216	54	20	142	0	100.0	25.0	9.3	65.7	--
Gwinnett	T	803	770	13	20	0	100.0	95.9	1.6	2.5	--
	W	723	708	12	3	0	100.0	97.9	1.7	0.4	--
	NW	80	62	1	17	0	100.0	77.5	1.2	21.2	--
Habersham	T	425	403	9	11	2	100.0	94.8	2.1	2.6	0.5
	W	409	394	3	10	2	100.0	96.3	0.7	2.4	0.5
	NW	16	9	6	1	0	100.0	56.2	37.5	6.2	--
Hall	T	1,042	823	150	65	4	100.0	79.0	14.4	6.2	0.4
	W	897	813	52	28	4	100.0	90.6	5.8	3.1	0.4
	NW	145	10	98	37	0	100.0	6.9	67.6	25.5	--
Hancock	T	320	89	11	220	0	100.0	27.8	3.4	68.8	--
	W	63	60	0	3	0	100.0	95.2	--	4.8	--
	NW	257	29	11	217	0	100.0	11.3	4.3	84.4	--
Hart	T	268	170	41	57	0	100.0	63.4	15.3	21.3	--
	W	182	167	13	2	0	100.0	91.8	7.1	1.1	--
	NW	86	3	28	55	0	100.0	3.5	32.6	64.0	--
Jackson	T	439	297	114	28	0	100.0	67.7	26.0	6.4	--
	W	351	267	78	6	0	100.0	76.1	22.2	1.7	--
	NW	88	30	36	22	0	100.0	34.1	40.9	25.0	--
Jasper	T	210	48	53	109	0	100.0	22.9	25.2	51.9	--
	W	62	44	15	3	0	100.0	71.0	24.2	4.8	--
	NW	148	4	38	106	0	100.0	2.7	25.7	71.6	--

TABLE IX - NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE, GEORGIA: 1951

AREA AND RACE		NUMBER					PERCENT				
		TOTAL BIRTHS	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.	TOTAL PERCENT	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.
STATE	T	95,161	69,328	6,804	18,741	288	100.0	72.9	7.1	19.7	0.3
TOTAL*	W	59,285	55,428	2,802	999	56	100.0	93.5	4.7	1.7	0.1
	NW	35,876	13,900	4,002	17,742	232	100.0	38.7	11.2	49.5	0.6
STATE	T	197	197	0	0	0	100.0	100.0	--	--	--
TOTAL	W	188	188	0	0	0	100.0	100.0	--	--	--
MILITARY	NW	9	9	0	0	0	100.0	100.0	--	--	--
WEST CENTRAL REGION	T	17,024	12,400	1,191	3,430	3	100.0	72.8	7.0	20.1	--
	W	9,852	9,341	440	70	1	100.0	94.8	4.5	0.7	--
	NW	7,172	3,059	751	3,360	2	100.0	42.7	10.5	46.8	--
Bibb	T	3,368	3,265	44	59	0	100.0	96.9	1.3	1.8	--
	W	1,956	1,948	5	3	0	100.0	99.6	0.3	0.2	--
	NW	1,412	1,317	39	56	0	100.0	93.3	2.8	4.0	--
Butts	T	229	104	67	58	0	100.0	45.4	29.3	25.3	--
	W	108	89	19	0	0	100.0	82.4	17.6	--	--
	NW	121	15	48	58	0	100.0	12.4	39.7	47.9	--
Chattahoochee	T	28	10	3	15	0	100.0	35.7	10.7	53.6	--
	W	9	6	2	1	0	100.0	66.7	22.2	11.1	--
	NW	19	4	1	14	0	100.0	21.1	5.3	73.7	--
Clayton	T	660	550	43	67	0	100.0	83.3	6.5	10.2	--
	W	536	517	14	5	0	100.0	96.5	2.6	0.9	--
	NW	124	33	29	62	0	100.0	26.6	23.4	50.0	--
Coweta	T	739	503	64	172	0	100.0	68.1	8.7	23.3	--
	W	407	379	24	4	0	100.0	93.1	5.9	1.0	--
	NW	332	124	40	168	0	100.0	37.3	12.0	50.6	--

(Continued)

TABLE IX - NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE, GEORGIA: 1951

AREA AND RACE		NUMBER					PERCENT				
		TOTAL BIRTHS	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.	TOTAL PERCENT	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.
Crawford	T	175	63	11	101	0	100.0	36.0	6.3	57.7	--
	W	49	40	6	3	0	100.0	81.6	12.2	6.1	--
	NW	126	23	5	98	0	100.0	18.3	4.0	77.8	--
Fayette	T	192	98	18	76	0	100.0	51.0	9.4	39.6	--
	W	110	93	10	7	0	100.0	84.5	9.1	6.4	--
	NW	82	5	8	69	0	100.0	6.1	9.8	84.1	--
Harris	T	318	110	42	165	1	100.0	34.6	13.2	51.9	0.3
	W	86	80	3	2	1	100.0	93.0	3.5	2.3	1.2
	NW	232	30	39	163	0	100.0	12.9	16.8	70.3	--
Heard	T	137	81	23	33	0	100.0	59.1	16.8	24.1	--
	W	94	76	12	6	0	100.0	80.9	12.8	6.4	--
	NW	43	5	11	27	0	100.0	11.6	25.6	62.8	--
Henry	T	451	156	54	241	0	100.0	34.6	12.0	53.4	--
	W	176	143	29	4	0	100.0	81.2	16.5	2.3	--
	NW	275	13	25	237	0	100.0	4.7	9.1	86.2	--
Houston	T	766	629	11	126	0	100.0	82.1	1.4	16.4	--
	W	480	474	4	2	0	100.0	98.8	0.8	0.4	--
	NW	286	155	7	124	0	100.0	54.2	2.4	43.4	--
Jones	T	170	47	28	95	0	100.0	27.6	16.5	55.9	--
	W	58	42	14	2	0	100.0	72.4	24.1	3.4	--
	NW	112	5	14	93	0	100.0	4.5	12.5	83.0	--
Lamar	T	278	92	82	104	0	100.0	33.1	29.5	37.4	--
	W	123	87	35	1	0	100.0	70.7	28.5	0.8	--
	NW	155	5	47	103	0	100.0	3.2	30.3	66.5	--

(Continued)

TABLE IX - NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE, GEORGIA: 1951

38

AREA AND RACE		NUMBER					PERCENT				
		TOTAL BIRTHS	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.	TOTAL PERCENT	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.
Macon	T	345	115	69	161	0	100.0	33.3	20.0	46.7	---
	W	88	74	13	1	0	100.0	84.1	14.8	1.1	---
	NW	257	41	56	160	0	100.0	16.0	21.8	62.3	---
Marion	T	172	40	16	116	0	100.0	23.3	9.3	67.4	---
	W	53	35	13	5	0	100.0	66.0	24.5	9.4	---
	NW	119	5	3	111	0	100.0	4.2	2.5	93.3	---
Meriwether	T	578	201	128	249	0	100.0	34.8	22.1	43.1	---
	W	224	182	40	2	0	100.0	81.2	17.9	0.9	---
	NW	354	19	88	247	0	100.0	5.4	24.9	69.8	---
Monroe	T	295	118	10	167	0	100.0	40.0	3.4	56.6	---
	W	115	109	3	3	0	100.0	94.8	2.6	2.6	---
	NW	180	9	7	164	0	100.0	5.0	3.9	91.1	---
Muscogee	T	3,998	3,747	66	184	1	100.0	93.7	1.6	4.6	---
	W	3,012	3,004	6	2	0	100.0	99.7	0.2	0.1	---
	NW	986	743	60	182	1	100.0	75.4	6.1	18.5	0.1
Peach	T	380	199	16	165	0	100.0	52.4	4.2	43.4	---
	W	120	118	1	1	0	100.0	98.3	0.8	0.8	---
	NW	260	81	15	164	0	100.0	31.2	5.8	63.1	---
Pike	T	206	63	50	93	0	100.0	30.6	24.3	45.1	---
	W	82	57	23	2	0	100.0	69.5	28.0	2.4	---
	NW	124	6	27	91	0	100.0	4.8	21.8	73.4	---
Schley	T	92	23	14	55	0	100.0	25.0	15.2	59.8	---
	W	21	18	3	0	0	100.0	85.7	14.3	---	---
	NW	71	5	11	55	0	100.0	7.0	15.5	77.5	---

(Continued)

TABLE IX - NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE, GEORGIA: 1951

AREA AND RACE		NUMBER					PERCENT				
		TOTAL BIRTHS	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.	TOTAL PERCENT	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.
Spalding	T	841	575	53	213	0	100.0	68.4	6.3	25.3	—
	W	528	510	16	2	0	100.0	96.6	3.0	0.4	—
	NW	313	65	37	211	0	100.0	20.8	11.8	67.4	—
Talbot	T	220	58	5	157	0	100.0	26.4	2.3	71.4	—
	W	37	35	1	1	0	100.0	94.6	2.7	2.7	—
	NW	183	23	4	156	0	100.0	12.6	2.2	85.2	—
Taylor	T	227	101	17	109	0	100.0	44.5	7.5	48.0	—
	W	96	87	4	5	0	100.0	90.6	4.2	5.2	—
	NW	131	14	13	104	0	100.0	10.7	9.9	79.4	—
Troup	T	1,499	1,150	28	320	1	100.0	76.7	1.9	21.3	0.1
	W	867	856	5	6	0	100.0	98.7	0.6	0.7	—
	NW	632	294	23	314	1	100.0	46.5	3.6	49.7	0.2
Upson	T	660	302	229	129	0	100.0	45.8	34.7	19.5	—
	W	417	282	135	0	0	100.0	67.6	32.4	—	—
	NW	243	20	94	129	0	100.0	8.2	38.7	53.1	—

* Births in military reservations are included in state total but are excluded from county and regional total.

Note: A dash (—) indicates percentage of less than 0.05.

(Continued)

TABLE IX - NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE, GEORGIA: 1951

07

AREA AND RACE		NUMBER					PERCENT				
		TOTAL BIRTHS	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.	TOTAL PERCENT	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.
STATE	T	95,161	69,328	6,804	18,741	288	100.0	72.9	7.1	19.7	0.3
TOTAL*	W	59,285	55,428	2,802	999	56	100.0	93.5	4.7	1.7	0.1
	NW	35,876	13,900	4,002	17,742	232	100.0	38.7	11.2	49.5	0.6
STATE	T	197	197	0	0	0	100.0	100.0	--	--	--
TOTAL	W	188	188	0	0	0	100.0	100.0	--	--	--
MILITARY	NW	9	9	0	0	0	100.0	100.0	--	--	--
EAST CENTRAL	T	12,941	7,527	964	4,439	11	100.0	58.2	7.4	34.3	0.1
REGION	W	6,460	5,849	444	165	2	100.0	90.5	6.9	2.6	--
	NW	6,481	1,678	520	4,274	9	100.0	25.9	8.0	65.9	0.1
Baldwin	T	457	196	24	237	0	100.0	42.9	5.3	51.9	--
	W	197	187	2	8	0	100.0	94.9	1.0	4.1	--
	NW	260	9	22	229	0	100.0	3.5	8.5	88.1	--
Bleckley	T	215	80	41	94	0	100.0	37.2	19.1	43.7	--
	W	117	76	36	5	0	100.0	65.0	30.8	4.3	--
	NW	98	4	5	89	0	100.0	4.1	5.1	90.8	--
Bryan	T	162	77	27	58	0	100.0	47.5	16.7	35.8	--
	W	89	74	11	4	0	100.0	83.1	12.4	4.5	--
	NW	73	3	16	54	0	100.0	4.1	21.9	74.0	--
Bulloch	T	643	395	62	186	0	100.0	61.4	9.6	28.9	--
	W	353	322	24	7	0	100.0	91.2	6.8	2.0	--
	NW	290	73	38	179	0	100.0	25.2	13.1	61.7	--
Burke	T	795	163	65	565	2	100.0	20.5	8.2	71.1	0.3
	W	161	140	13	8	0	100.0	87.0	8.1	5.0	--
	NW	634	23	52	557	2	100.0	3.6	8.2	87.9	0.3

(Continued)

TABLE IX - NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE, GEORGIA: 1951

AREA AND RACE		NUMBER					PERCENT				
		TOTAL BIRTHS	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.	TOTAL PERCENT	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.
Candler	T	186	100	47	38	1	100.0	53.8	25.3	20.4	0.5
	W	103	74	28	0	1	100.0	71.8	27.2	--	1.0
	NW	83	26	19	38	0	100.0	31.3	22.9	45.8	--
Columbia	T	276	141	13	122	0	100.0	51.1	4.7	44.2	--
	W	129	117	5	7	0	100.0	90.7	3.9	5.4	--
	NW	147	24	8	115	0	100.0	16.3	5.4	78.2	--
Dodge	T	471	225	75	171	0	100.0	47.8	15.9	36.3	--
	W	277	217	52	8	0	100.0	78.3	18.8	2.9	--
	NW	194	8	23	163	0	100.0	4.1	11.9	84.0	--
Effingham	T	229	123	17	89	0	100.0	53.7	7.4	38.9	--
	W	111	101	5	5	0	100.0	91.0	4.5	4.5	--
	NW	118	22	12	84	0	100.0	18.6	10.2	71.2	--
Emanuel	T	488	306	22	160	0	100.0	62.7	4.5	32.8	--
	W	273	251	13	9	0	100.0	91.9	4.8	3.3	--
	NW	215	55	9	151	0	100.0	25.6	4.2	70.2	--
Evans	T	188	97	23	68	0	100.0	51.6	12.2	36.2	--
	W	105	96	9	0	0	100.0	91.4	8.6	--	--
	NW	83	1	14	68	0	100.0	1.2	16.9	81.9	--
Glascock	T	74	34	9	31	0	100.0	45.9	12.2	41.9	--
	W	43	33	7	3	0	100.0	76.7	16.3	7.0	--
	NW	31	1	2	28	0	100.0	3.2	6.5	90.3	--
Jefferson	T	517	207	28	281	1	100.0	40.0	5.4	54.4	0.2
	W	179	161	8	10	0	100.0	89.9	4.5	5.6	--
	NW	338	46	20	271	1	100.0	13.6	5.9	80.2	0.3

TABLE IX - NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY, AND RACE, GEORGIA: 1951

AREA AND RACE		NUMBER					PERCENT				
		TOTAL BIRTHS	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.	TOTAL PERCENT	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.
Jenkins	T	302	143	8	151	0	100.0	47.4	2.6	50.0	--
	W	115	109	1	5	0	100.0	94.8	0.9	4.3	--
	NW	187	34	7	146	0	100.0	18.2	3.7	78.1	--
Johnson	T	260	110	29	120	1	100.0	42.3	11.2	46.2	0.4
	W	133	100	20	13	0	100.0	75.2	15.0	9.8	--
	NW	127	10	9	107	1	100.0	7.9	7.1	84.3	0.8
Laurens	T	883	499	65	319	0	100.0	56.5	7.4	36.1	--
	W	454	426	22	6	0	100.0	93.8	4.8	1.3	--
	NW	429	73	43	313	0	100.0	17.0	10.0	73.0	--
Montgomery	T	152	57	18	77	0	100.0	37.5	11.8	50.7	--
	W	60	53	6	1	0	100.0	88.3	10.0	1.7	--
	NW	92	4	12	76	0	100.0	4.3	13.0	82.6	--
Pulaski	T	270	97	7	166	0	100.0	35.9	2.6	61.5	--
	W	98	89	1	8	0	100.0	90.8	1.0	8.2	--
	NW	172	8	6	158	0	100.0	4.7	3.5	91.9	--
Richmond	T	3,158	3,060	37	61	0	100.0	96.9	1.2	1.9	--
	W	1,990	1,983	3	4	0	100.0	99.6	0.2	0.2	--
	NW	1,168	1,077	34	57	0	100.0	92.2	2.9	4.9	--
Screven	T	503	161	39	302	1	100.0	32.0	7.8	60.0	0.2
	W	153	138	12	3	0	100.0	90.2	7.8	2.0	--
	NW	350	23	27	299	1	100.0	6.6	7.7	85.4	0.3
Tattnall	T	374	234	90	50	0	100.0	62.6	24.1	13.4	--
	W	247	217	30	0	0	100.0	87.9	12.1	--	--
	NW	127	17	60	50	0	100.0	13.4	47.2	39.4	--

(Continued)

TABLE IX - NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE, GEORGIA: 1951

AREA AND RACE		NUMBER					PERCENT				
		TOTAL BIRTHS	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.	TOTAL PERCENT	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.
Telfair	T	346	174	46	126	0	100.0	50.3	13.3	36.4	--
	W	215	169	35	11	0	100.0	78.6	16.3	5.1	--
	NW	131	5	11	115	0	100.0	3.8	8.4	87.8	--
Toombs	T	461	251	93	117	0	100.0	54.4	20.2	25.4	--
	W	297	234	59	4	0	100.0	78.8	19.9	1.3	--
	NW	164	17	34	113	0	100.0	10.4	20.7	68.9	--
Treutlen	T	167	63	35	68	1	100.0	37.7	21.0	40.7	0.6
	W	103	63	30	10	0	100.0	61.2	29.1	9.7	--
	NW	64	0	5	58	1	100.0	--	7.8	90.6	1.6
Twiggs	T	262	102	4	156	0	100.0	38.9	1.5	59.5	--
	W	83	76	2	5	0	100.0	91.6	2.4	6.0	--
	NW	179	26	2	151	0	100.0	14.5	1.1	84.4	--
Washington	T	627	214	11	400	2	100.0	34.1	1.8	63.8	0.3
	W	176	166	0	10	0	100.0	94.3	--	5.7	--
	NW	451	48	11	390	2	100.0	10.6	2.4	86.5	0.4
Wheeler	T	191	97	21	72	1	100.0	50.8	11.0	37.7	0.5
	W	101	88	8	4	1	100.0	87.1	7.9	4.0	1.0
	NW	90	9	13	68	0	100.0	10.0	14.4	75.6	--
Wilkinson	T	284	121	8	154	1	100.0	42.6	2.8	54.2	0.4
	W	98	89	2	7	0	100.0	90.8	2.0	7.1	--
	NW	186	32	6	147	1	100.0	17.2	3.2	79.0	0.5

* Births in military reservations are included in state totals but are excluded from county and regional totals.

(Continued)

TABLE IX - NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE, GEORGIA: 1951

47

AREA AND RACE		NUMBER					PERCENT				
		TOTAL BIRTHS	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.	TOTAL PERCENT	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.
STATE	T	95,161	69,328	6,804	18,741	288	100.0	72.9	7.1	19.7	0.3
TOTAL*	W	59,285	55,428	2,802	999	56	100.0	93.5	4.7	1.7	0.1
	NW	35,876	13,900	4,002	17,742	232	100.0	38.7	11.2	49.5	0.6
STALL	T	197	197	0	0	0	100.0	100.0	--	--	--
TOTAL	W	188	188	0	0	0	100.0	100.0	--	--	--
MILITARY	NW	9	9	0	0	0	100.0	100.0	--	--	--
SOUTHWESTERN REGION	T	13,473	6,853	1,012	5,485	123	100.0	50.9	7.5	40.7	0.9
	W	5,999	5,592	257	140	10	100.0	93.2	4.3	2.3	0.2
	NW	7,474	1,261	755	5,345	113	100.0	16.9	10.1	71.5	1.5
Baker	T	200	68	0	132	0	100.0	34.0	--	66.0	--
	W	51	49	0	2	0	100.0	96.1	--	3.9	--
	NW	149	19	0	130	0	100.0	12.8	--	87.2	--
Ben Hill	T	397	251	6	140	0	100.0	63.2	1.5	35.3	--
	W	218	215	2	1	0	100.0	98.6	0.9	0.5	--
	NW	179	36	4	139	0	100.0	20.1	2.2	77.7	--
Brooks	T	557	232	13	310	2	100.0	41.7	2.3	55.7	0.4
	W	196	184	4	8	0	100.0	93.9	2.0	4.1	--
	NW	361	48	9	302	2	100.0	13.3	2.5	83.7	0.6
Calhoun	T	335	107	8	220	0	100.0	31.9	2.4	65.7	--
	W	71	68	2	1	0	100.0	95.8	2.8	1.4	--
	NW	264	39	6	219	0	100.0	14.8	2.3	83.0	--
Clay	T	190	37	3	150	0	100.0	19.5	1.6	78.9	--
	W	25	23	1	1	0	100.0	92.0	4.0	4.0	--
	NW	165	14	2	149	0	100.0	8.5	1.2	90.3	--

(Continued)

TABLE IX - NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE, GEORGIA: 1951

AREA AND RACE		NUMBER					PERCENT				
		TOTAL BIRTHS	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.	TOTAL PERCENT	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.
Colquitt	T	1,074	794	43	237	0	100.0	73.9	4.0	22.1	--
	W	721	691	19	11	0	100.0	95.8	2.6	1.5	--
	NW	353	103	24	226	0	100.0	29.2	6.8	64.0	--
Crisp	T	483	202	9	272	0	100.0	41.8	1.9	56.3	--
	W	214	182	5	27	0	100.0	85.0	2.3	12.6	--
	NW	269	20	4	245	0	100.0	7.4	1.5	91.1	--
Decatur	T	708	446	43	219	0	100.0	63.0	6.1	30.9	--
	W	357	342	10	5	0	100.0	95.8	2.8	1.4	--
	NW	351	104	33	214	0	100.0	29.6	9.4	61.0	--
Dooly	T	415	138	46	231	0	100.0	33.3	11.1	55.7	--
	W	139	120	7	12	0	100.0	86.3	5.0	8.6	--
	NW	276	18	39	219	0	100.0	6.5	14.1	79.3	--
Dougherty	T	1,489	1,030	262	197	0	100.0	69.2	17.6	13.2	--
	W	816	810	3	3	0	100.0	99.3	0.4	0.4	--
	NW	673	220	259	194	0	100.0	32.7	38.5	28.8	--
Early	T	545	242	8	295	0	100.0	44.4	1.5	54.1	--
	W	196	188	2	6	0	100.0	95.9	1.0	3.1	--
	NW	349	54	6	289	0	100.0	15.5	1.7	82.8	--
Grady	T	451	207	185	59	0	100.0	45.9	41.0	13.1	--
	W	238	196	41	1	0	100.0	82.4	17.2	0.4	--
	NW	213	11	144	58	0	100.0	5.2	67.6	27.2	--
Irwin	T	348	159	3	186	0	100.0	45.7	0.9	53.4	--
	W	150	143	3	4	0	100.0	95.3	2.0	2.7	--
	NW	198	16	0	182	0	100.0	8.1	--	91.9	--

(Continued)
 TABLE IX - NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION,
 COUNTY, AND RACE, GEORGIA: 1951

AREA AND RACE		NUMBER					PERCENT				
		TOTAL BIRTHS	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID- WIFE	OTHER ATT.	TOTAL PERCENT	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID- WIFE	OTHER ATT.
Lee	T	251	70	3	178	0	100.0	27.9	1.2	70.9	--
	W	53	49	2	2	0	100.0	92.5	3.8	3.8	--
	NW	198	21	1	176	0	100.0	10.6	0.5	88.9	--
Miller	T	220	166	2	52	0	100.0	75.5	0.9	23.6	--
	W	137	133	0	4	0	100.0	97.1	--	2.9	--
	NW	83	33	2	48	0	100.0	39.8	2.4	57.8	--
Mitchell	T	708	296	47	364	1	100.0	41.8	6.6	51.4	0.1
	W	278	251	21	6	0	100.0	90.3	7.6	2.2	--
	NW	430	45	26	358	1	100.0	10.5	6.0	83.3	0.2
Quitman	T	99	16	1	82	0	100.0	16.2	1.0	82.8	--
	W	16	13	1	2	0	100.0	81.2	6.2	12.5	--
	NW	83	3	0	80	0	100.0	3.6	--	96.4	--
Randolph	T	436	118	5	313	0	100.0	27.1	1.1	71.8	--
	W	108	103	1	4	0	100.0	95.4	0.9	3.7	--
	NW	328	15	4	309	0	100.0	4.6	1.2	94.2	--
Seminole	T	276	213	2	61	0	100.0	77.2	0.7	22.1	--
	W	150	149	0	1	0	100.0	99.3	--	0.7	--
	NW	126	64	2	60	0	100.0	50.8	1.6	47.6	--
Stewart	T	240	82	4	154	0	100.0	34.2	1.7	64.2	--
	W	55	49	3	3	0	100.0	89.1	5.5	5.5	--
	NW	185	33	1	151	0	100.0	17.8	0.5	81.6	--
Sumter	T	748	359	39	349	1	100.0	48.0	5.2	46.7	0.1
	W	264	259	4	1	0	100.0	98.1	1.5	0.4	--
	NW	484	100	35	348	1	100.0	20.7	7.2	71.9	0.2

(Continued)

TABLE IX - NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE, GEORGIA: 1951

AREA AND RACE		NUMBER					PERCENT				
		TOTAL BIRTHS	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.	TOTAL PERCENT	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.
Terrell	T	401	81	39	281	0	100.0	20.2	9.7	70.1	--
	W	73	66	3	4	0	100.0	90.4	4.1	5.5	--
	NW	328	15	36	277	0	100.0	4.6	11.0	84.5	--
Thomas	T	917	509	42	249	117	100.0	55.5	4.6	27.2	12.8
	W	464	426	19	10	9	100.0	91.8	4.1	2.2	1.9
	NW	453	83	23	239	108	100.0	18.3	5.1	52.8	23.8
Tift	T	699	442	39	217	1	100.0	63.2	5.6	31.0	0.1
	W	444	410	28	6	0	100.0	92.3	6.3	1.4	--
	NW	255	32	11	211	1	100.0	12.5	4.3	82.7	0.4
Turner	T	298	179	44	75	0	100.0	60.1	14.8	25.2	--
	W	166	146	18	2	0	100.0	88.0	10.8	1.2	--
	NW	132	33	26	73	0	100.0	25.0	19.7	55.3	--
Webster	T	110	23	9	78	0	100.0	20.9	8.2	70.9	--
	W	27	18	7	2	0	100.0	66.7	25.9	7.4	--
	NW	83	5	2	76	0	100.0	6.0	2.4	91.6	--
Wilcox	T	269	92	84	92	1	100.0	34.2	31.2	34.2	0.4
	W	145	91	48	5	1	100.0	62.8	33.1	3.4	0.7
	NW	124	1	36	87	0	100.0	0.8	29.0	70.2	--
Worth	T	609	294	23	292	0	100.0	48.3	3.8	47.9	--
	W	227	218	3	6	0	100.0	96.0	1.3	2.6	--
	NW	382	76	20	286	0	100.0	19.9	5.2	74.9	--

* Births in military reservations are included in state totals but are excluded from county and regional totals.

(Continued)

TABLE IX - NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE, GEORGIA: 1951

87

AREA AND RACE		NUMBER					PERCENT				
		TOTAL BIRTHS	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.	TOTAL PERCENT	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.
STATE TOTAL*	T	95,161	69,328	6,804	18,741	288	100.0	72.9	7.1	19.7	0.3
	W	59,285	55,428	2,802	999	56	100.0	93.5	4.7	1.7	0.1
	NW	35,876	13,900	4,002	17,742	232	100.0	38.7	11.2	49.5	0.6
STATE TOTAL MILITARY	T	197	197	0	0	0	100.0	100.0	--	--	--
	W	188	188	0	0	0	100.0	100.0	--	--	--
	NW	9	9	0	0	0	100.0	100.0	--	--	--
SOUTHEASTERN REGION	T	11,991	8,461	1,423	2,104	3	100.0	70.6	11.9	17.5	--
	W	7,714	6,948	576	188	2	100.0	90.1	7.5	2.4	--
	NW	4,277	1,513	847	1,916	1	100.0	35.4	19.8	44.8	--
Appling	T	442	227	124	91	0	100.0	51.4	28.1	20.6	--
	W	326	220	96	10	0	100.0	67.5	29.4	3.1	--
	NW	116	7	28	81	0	100.0	6.0	24.1	69.8	--
Atkinson	T	202	99	47	56	0	100.0	49.0	23.3	27.7	--
	W	136	94	31	11	0	100.0	69.1	22.8	8.1	--
	NW	66	5	16	45	0	100.0	7.6	24.2	68.2	--
Bacon	T	222	154	35	33	0	100.0	69.4	15.8	14.9	--
	W	189	154	27	8	0	100.0	81.5	14.3	4.2	--
	NW	33	0	8	25	0	100.0	--	24.2	75.8	--
Berrien	T	332	247	34	50	1	100.0	74.4	10.2	15.1	0.3
	W	273	232	29	11	1	100.0	85.0	10.6	4.0	0.4
	NW	59	15	5	39	0	100.0	25.4	8.5	66.1	--
Brantley	T	168	84	71	13	0	100.0	50.0	42.3	7.7	--
	W	147	81	61	5	0	100.0	55.1	41.5	3.4	--
	NW	21	3	10	8	0	100.0	14.3	47.6	38.1	--

(Continued)

TABLE IX - NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE, GEORGIA: 1951

AREA AND RACE		NUMBER					PERCENT				
		TOTAL BIRTHS	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.	TOTAL PERCENT	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.
Camden	T	220	89	3	128	0	100.0	40.5	1.4	58.2	--
	W	90	80	1	9	0	100.0	88.9	1.1	10.0	--
	NW	130	9	2	119	0	100.0	6.9	1.5	91.5	--
Charlton	T	167	94	5	68	0	100.0	56.3	3.0	40.7	--
	W	104	92	3	9	0	100.0	88.5	2.9	8.7	--
	NW	63	2	2	59	0	100.0	3.2	3.2	93.6	--
Chatham	T	4,334	3,704	567	63	0	100.0	85.5	13.1	1.5	--
	W	2,686	2,674	12	0	0	100.0	99.6	0.4	--	--
	NW	1,648	1,030	555	63	0	100.0	62.5	33.7	3.8	--
Clinch	T	227	154	6	67	0	100.0	67.8	2.6	29.5	--
	W	133	123	4	6	0	100.0	92.5	3.0	4.5	--
	NW	94	31	2	61	0	100.0	33.0	2.1	64.9	--
Coffee	T	736	496	40	200	0	100.0	67.4	5.4	27.2	--
	W	499	452	20	27	0	100.0	90.6	4.0	5.4	--
	NW	237	44	20	173	0	100.0	18.6	8.4	73.0	--
Cook	T	347	263	7	76	1	100.0	75.8	2.0	21.9	0.3
	W	230	220	4	6	0	100.0	95.7	1.7	2.6	--
	NW	117	43	3	70	1	100.0	36.8	2.6	59.8	0.9
Echols	T	53	29	6	18	0	100.0	54.7	11.3	34.0	--
	W	33	26	4	3	0	100.0	78.8	12.1	9.1	--
	NW	20	3	2	15	0	100.0	15.0	10.0	75.0	--
Glynn	T	803	547	46	210	0	100.0	68.1	5.7	26.2	--
	W	508	479	4	25	0	100.0	94.3	0.8	4.9	--
	NW	295	68	42	185	0	100.0	23.0	14.2	62.7	--

(Continued)

TABLE IX - NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE, GEORGIA: 1951

50

AREA AND RACE		NUMBER					PERCENT				
		TOTAL BIRTHS	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.	TOTAL PERCENT	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.
Jeff Davis	T	271	113	97	61	0	100.0	41.7	35.8	22.5	--
	W	201	111	89	1	0	100.0	55.2	44.3	0.5	--
	NW	70	2	8	60	0	100.0	2.9	11.4	85.7	--
Lanier	T	140	94	15	31	0	100.0	67.1	10.7	22.1	--
	W	82	75	4	3	0	100.0	91.5	4.9	3.7	--
	NW	58	19	11	28	0	100.0	32.8	19.0	48.3	--
Liberty	T	301	143	29	129	0	100.0	47.5	9.6	42.9	--
	W	123	110	13	0	0	100.0	89.4	10.6	--	--
	NW	178	33	16	129	0	100.0	18.5	9.0	72.5	--
Long	T	126	61	49	15	1	100.0	48.4	38.9	11.9	0.8
	W	91	57	31	2	1	100.0	62.6	34.1	2.2	1.1
	NW	35	4	18	13	0	100.0	11.4	51.4	37.1	--
Lowndes	T	1,096	619	31	446	0	100.0	56.5	2.8	40.7	--
	W	588	562	15	11	0	100.0	95.6	2.6	1.9	--
	NW	508	57	16	435	0	100.0	11.2	3.1	85.6	--
McIntosh	T	178	48	1	129	0	100.0	27.0	0.6	72.5	--
	W	60	43	0	17	0	100.0	71.7	--	28.3	--
	NW	118	5	1	112	0	100.0	4.2	0.8	94.9	--
Pierce	T	298	195	55	48	0	100.0	65.4	18.5	16.1	--
	W	232	177	48	7	0	100.0	76.3	20.7	3.0	--
	NW	66	18	7	41	0	100.0	27.3	10.6	62.1	--
Ware	T	857	624	129	104	0	100.0	72.8	15.1	12.1	--
	W	642	573	63	6	0	100.0	89.3	9.8	0.9	--
	NW	215	51	66	98	0	100.0	23.7	30.7	45.6	--

(Continued)

TABLE IX - NUMBER AND PERCENT OF LIVE BIRTHS, BY PLACE OF OCCURRENCE AND ATTENDANT, BY REGION, COUNTY, AND RACE, GEORGIA: 1951

AREA AND RACE		NUMBER					PERCENT				
		TOTAL BIRTHS	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.	TOTAL PERCENT	PHYS. IN HOSP.	PHYS. NOT IN HOSP.	MID-WIFE	OTHER ATT.
Wayne	T	471	377	26	68	0	100.0	80.0	5.5	14.4	--
	W	341	313	17	11	0	100.0	91.8	5.0	3.2	--
	NW	130	64	9	57	0	100.0	49.2	6.9	43.8	--

* Births in military reservations are included in state total but are excluded from county and regional totals.

TABLE X - SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1951

		LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATUREITY		MATERNAL DEATHS	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
STATE**	T	95,161	26.7	7,355	77.3	2,097	22.0	2,058	21.6	3,256	34.2	707	7.4	143	15.0
	W	59,285	24.1	4,079	68.8	974	16.4	1,105	18.6	1,548	26.1	340	5.7	46	7.8
	NW	35,876	32.6	3,276	91.3	1,123	31.3	953	26.6	1,708	47.6	367	10.2	97	27.0
STATE TOTAL	T	197		16		11		10		11		5		0	
MILITARY	W	188		15		10		9		10		5		0	
	NW	9		1		1		1		1		0		0	
NORTH-WESTERN REGION	T	29,169	26.0	2,536	86.9	538	18.4	629	21.6	918	31.5	168	5.8	19	6.5
	W	22,370	24.5	1,576	70.5	350	15.6	419	18.7	587	26.2	88	3.9	12	5.4
	NW	6,799	32.7	960	141.2	188	27.7	210	30.9	331	48.7	80	11.8	7	10.3
Bartow	T	710	25.4	49	69.0	19	26.8	14	19.7	24	33.8	4	5.6	0	—
	W	592	24.8	39	65.9	12	20.3	8	13.5	15	25.3	2	3.4	0	—
	NW	118	28.8	10	84.7	7	59.3	6	50.8	9	76.3	2	16.9	0	—
Carroll	T	780	22.9	50	64.1	14	17.9	11	14.1	23	29.5	0	—	0	—
	W	633	23.0	38	60.0	8	12.6	9	14.2	16	25.3	0	—	0	—
	NW	147	22.3	12	81.6	6	40.8	2	13.6	7	47.6	0	—	0	—
Catoosa	T	371	23.9	7	18.9	13	35.0	5	13.5	7	18.9	1	2.7	0	—
	W	365	24.0	7	19.2	13	35.6	5	13.7	7	19.2	1	2.7	0	—
	NW	6	20.0	0	—	0	—	0	—	0	—	0	—	0	—
Chattooga	T	516	23.9	24	46.5	11	21.3	15	29.1	30	58.1	3	5.8	0	—
	W	461	23.5	21	45.6	8	17.4	13	28.2	22	47.7	2	4.3	0	—
	NW	55	27.5	3	54.5	3	54.5	2	36.4	8	145.5	1	18.2	0	—
Cherokee	T	492	23.2	28	56.9	4	8.1	9	18.3	17	34.6	5	10.2	0	—
	W	469	23.0	27	57.6	4	8.5	9	19.2	16	34.1	5	10.7	0	—
	NW	23	28.8	1	43.5	0	—	0	—	1	43.5	0	—	0	—
Cobb	T	1,666	25.7	132	79.2	21	12.6	23	13.8	36	21.6	3	1.8	1	6.0
	W	1,490	25.6	107	71.8	19	12.8	18	12.1	27	18.1	2	1.3	1	6.7
	NW	176	27.1	25	142.0	2	11.4	5	28.4	9	51.1	1	5.7	0	—

(Continued)

TABLE X - SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1951

		LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Dade	T	214	28.2	6	28.0	4	18.7	3	14.0	5	23.4	0	---	0	---
	W	210	28.4	6	28.6	4	19.0	3	14.3	5	23.8	0	---	0	---
	NW	4	20.0	0	---	0	---	0	---	0	---	0	---	0	---
Dawson	T	82	22.8	9	109.8	1	12.2	2	24.4	3	36.6	1	12.2	0	---
	W	82	22.8	9	109.8	1	12.2	2	24.4	3	36.6	1	12.2	0	---
	NW	0	---	0	---	0	---	0	---	0	---	0	---	0	---
DeKalb	T	4,174	29.8	345	82.7	68	16.3	84	20.1	108	25.9	16	3.8	3	7.2
	W	3,579	28.6	250	69.9	52	14.5	68	19.0	81	22.6	8	2.2	2	5.6
	NW	595	40.2	95	159.7	16	26.9	16	26.9	27	45.4	8	13.4	1	16.8
Douglas	T	297	23.8	23	77.4	4	13.5	2	6.7	5	16.8	2	6.7	0	---
	W	225	21.4	18	80.0	1	4.4	1	4.4	2	8.9	1	4.4	0	---
	NW	72	36.0	5	69.4	3	41.7	1	13.9	3	41.7	1	13.9	0	---
Fannin	T	386	24.7	7	18.1	9	23.3	6	15.5	11	28.5	3	7.8	1	25.9
	W	383	24.7	7	18.3	9	23.5	6	15.7	11	28.7	3	7.8	1	26.1
	NW	3	30.0	0	---	0	---	0	---	0	---	0	---	0	---
Floyd	T	1,513	23.6	163	107.7	28	18.5	33	21.8	44	29.1	8	5.3	0	---
	W	1,257	23.0	126	100.2	24	19.1	31	24.7	40	31.8	8	6.4	0	---
	NW	256	26.9	37	144.5	4	15.6	2	7.8	4	15.6	0	---	0	---
Forsyth	T	259	23.5	14	54.1	5	19.3	7	27.0	10	38.6	0	---	0	---
	W	259	23.8	14	54.1	5	19.3	7	27.0	10	38.6	0	---	0	---
	NW	0	---	0	---	0	---	0	---	0	---	0	---	0	---
Fulton	T	12,996	27.1	1,363	104.9	246	18.9	323	24.9	444	34.2	93	7.2	6	4.6
	W	8,020	24.1	636	79.3	115	14.3	153	19.1	195	24.3	27	3.4	0	---
	NW	4,976	33.8	727	146.1	131	26.3	170	34.2	249	50.0	66	13.3	6	12.1
Gilmer	T	255	25.0	10	39.2	6	23.5	3	11.8	7	27.5	1	3.9	0	---
	W	255	25.0	10	39.2	6	23.5	3	11.8	7	27.5	1	3.9	0	---
	NW	0	---	0	---	0	---	0	---	0	---	0	---	0	---

(Continued)

TABLE X - SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1951

		LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATUREITY		MATERNAL DEATHS	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Walker	T	906	23.2	30	33.1	19	21.0	17	18.8	28	30.9	6	6.6	2	22.1
	W	845	23.0	27	32.0	16	18.9	15	17.8	26	30.8	6	7.1	2	23.7
	NW	61	25.4	3	49.2	3	49.2	2	32.8	2	32.8	0	--	0	--
Whitfield	T	919	26.1	64	69.6	15	16.3	22	23.9	34	37.0	9	9.8	2	21.8
	W	871	25.8	55	63.1	15	17.2	20	23.0	30	34.4	8	9.2	2	23.0
	NW	48	34.3	9	187.5	0	--	2	41.7	4	83.3	1	20.8	0	--

* Live birth rates per 1,000 estimated mid-year population. Maternal death rates per 10,000 live births. All other rates per 1,000 live births.

** Vital events occurring in military reservations are included only in state totals.

(Continued)

TABLE X - SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1951

56

		LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATUREITY		MATERNAL DEATHS	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
STATE**	T	95,161	26.7	7,355	77.3	2,097	22.0	2,058	21.6	3,256	34.2	707	7.4	143	15.0
	W	59,285	24.1	4,079	68.8	974	16.4	1,105	18.6	1,548	26.1	340	5.7	46	7.8
	NW	35,876	32.6	3,276	91.3	1,123	31.3	953	26.6	1,708	47.6	367	10.2	97	27.0
STATE	T	197		16		11		10		11		5		0	
TOTAL	W	188		15		10		9		10		5		0	
MILITARY	NW	9		1		1		1		1		0		0	
NORTH- EASTERN REGION	T	10,366	24.9	721	69.6	245	23.6	182	17.6	329	31.7	73	7.0	15	14.5
	W	6,702	22.1	436	65.1	109	16.3	94	14.0	147	21.9	37	5.5	5	7.5
	NW	3,664	32.2	285	77.8	136	37.1	88	24.0	182	49.7	36	9.8	10	27.3
Banks	T	147	21.6	13	88.4	3	20.4	0	--	2	13.6	0	--	0	--
	W	135	21.1	12	88.9	2	14.8	0	--	0	--	0	--	0	--
	NW	12	30.0	1	83.3	1	83.3	0	--	2	166.7	0	--	0	--
Barrow	T	306	22.8	34	111.1	4	13.1	8	26.1	12	39.2	4	13.1	0	--
	W	234	21.3	22	94.0	3	12.8	5	21.4	6	25.6	2	8.5	0	--
	NW	72	30.0	12	166.7	1	13.9	3	41.7	6	83.3	2	27.8	0	--
Clarke	T	842	22.6	60	71.3	23	27.3	12	14.3	21	24.9	7	8.3	1	11.9
	W	563	20.8	38	67.5	11	19.5	6	10.7	12	21.3	4	7.1	0	--
	NW	279	27.6	22	78.9	12	43.0	6	21.5	9	32.3	3	10.8	1	35.8
Elbert	T	454	24.5	34	74.9	9	19.8	10	22.0	22	48.5	2	4.4	2	44.1
	W	265	21.5	22	83.0	1	3.8	4	15.1	6	22.6	2	7.5	1	37.7
	NW	189	30.5	12	63.5	8	42.3	6	31.7	16	84.7	0	--	1	52.9
Franklin	T	297	20.8	25	84.2	3	10.1	7	23.6	12	40.4	4	13.5	2	67.3
	W	248	19.8	22	88.7	2	8.1	6	24.2	10	40.3	3	12.1	1	40.3
	NW	49	27.2	3	61.2	1	20.4	1	20.4	2	40.8	1	20.4	1	204.1
Greene	T	340	26.6	32	94.1	13	38.2	11	32.4	16	47.1	8	23.5	0	--
	W	124	19.7	10	80.6	6	48.4	4	32.3	5	40.3	2	16.1	0	--
	NW	216	33.2	22	101.9	7	32.4	7	32.4	11	50.9	6	27.8	0	--

(Continued)

TABLE X - SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1951

		LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Gwinnett	T	803	24.3	59	73.5	11	13.7	18	22.4	24	29.9	6	7.5	0	—
	W	723	24.2	46	63.6	9	12.4	13	18.0	17	23.5	2	2.8	0	—
	NW	80	25.8	13	162.5	2	25.0	5	62.5	7	87.5	4	50.0	0	—
Habersham	T	425	25.1	16	37.6	7	16.5	6	14.1	13	30.6	3	7.1	1	23.5
	W	409	25.1	15	36.7	7	17.1	6	14.7	12	29.3	3	7.3	1	24.4
	NW	16	26.7	1	62.5	0	—	0	—	1	62.5	0	—	0	—
Hall	T	1,042	25.4	70	67.2	21	20.2	9	8.6	15	14.4	2	1.9	1	9.6
	W	897	24.2	57	63.5	17	19.0	7	7.8	13	14.5	2	2.2	0	—
	NW	145	36.2	13	89.7	4	27.6	2	13.8	2	13.8	0	—	1	69.0
Hancock	T	320	29.4	23	71.9	4	12.5	6	18.8	20	62.5	3	9.4	1	31.2
	W	63	21.0	9	142.9	0	—	3	47.6	3	47.6	1	15.9	0	—
	NW	257	32.5	14	54.5	4	15.6	3	11.7	17	66.1	2	7.8	1	38.9
Hart	T	268	18.6	15	56.0	5	18.7	6	22.4	9	33.6	0	—	0	—
	W	182	16.7	11	60.4	3	16.5	4	22.0	6	33.0	0	—	0	—
	NW	86	24.6	4	46.5	2	23.3	2	23.3	3	34.9	0	—	0	—
Jackson	T	439	23.2	18	41.0	11	25.1	6	13.7	10	22.8	2	4.6	3	68.3
	W	351	21.9	14	39.9	7	19.9	5	14.2	6	17.1	2	5.7	1	28.5
	NW	88	30.3	4	45.5	4	45.5	1	11.4	4	45.5	0	—	2	227.3
Jasper	T	210	28.8	13	61.9	11	52.4	8	38.1	8	38.1	1	4.8	0	—
	W	62	19.4	2	32.3	0	—	1	16.1	1	16.1	0	—	0	—
	NW	148	36.1	11	74.3	11	74.3	7	47.3	7	47.3	1	6.8	0	—
Lincoln	T	176	27.5	16	90.9	3	17.0	1	5.7	1	5.7	0	—	0	—
	W	75	22.7	3	40.0	0	—	0	—	0	—	0	—	0	—
	NW	101	32.6	13	128.7	3	29.7	1	9.9	1	9.9	0	—	0	—
Madison	T	240	19.8	15	62.5	10	41.7	5	20.8	9	37.5	3	12.5	0	—
	W	181	18.5	13	71.8	6	33.1	3	16.6	5	27.6	3	16.6	0	—
	NW	59	25.7	2	33.9	4	67.8	2	33.9	4	67.8	0	—	0	—

(Continued)

TABLE X - SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1951

58

		LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATUREITY		MATERNAL DEATHS	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
McDuffie	T	352	30.1	28	79.5	7	19.9	2	5.7	9	25.6	1	2.8	1	28.4
	W	160	25.0	18	112.5	1	6.2	1	6.2	3	18.8	1	6.2	0	—
	NW	192	36.2	10	52.1	6	31.2	1	5.2	6	31.2	0	—	1	52.1
Morgan	T	329	27.9	19	57.8	6	18.2	5	15.2	11	33.4	0	—	0	—
	W	126	22.1	7	55.6	2	15.9	0	—	1	7.9	0	—	0	—
	NW	203	33.3	12	59.1	4	19.7	5	24.6	10	49.3	0	—	0	—
Newton	T	561	27.1	40	71.3	12	21.4	9	16.0	17	30.3	3	5.3	0	—
	W	328	23.8	21	64.0	3	9.1	2	6.1	5	15.2	1	3.0	0	—
	NW	233	33.8	19	81.5	9	38.6	7	30.0	12	51.5	2	8.6	0	—
Oconee	T	147	21.0	14	95.2	1	6.8	3	20.4	5	34.0	3	20.4	0	—
	W	98	18.8	8	81.6	0	—	2	20.4	3	30.6	2	20.4	0	—
	NW	49	27.2	6	122.4	1	20.4	1	20.4	2	40.8	1	20.4	0	—
Oglethorpe	T	230	23.7	16	69.6	9	39.1	3	13.0	9	39.1	1	4.3	0	—
	W	99	18.0	7	70.7	4	40.4	2	20.2	2	20.2	1	10.1	0	—
	NW	131	31.2	9	68.7	5	38.2	1	7.6	7	53.4	0	—	0	—
Putnam	T	254	33.0	13	51.2	8	31.5	6	23.6	11	43.3	2	7.9	0	—
	W	92	27.1	5	54.3	2	21.7	0	—	0	—	0	—	0	—
	NW	162	37.7	8	49.4	6	37.0	6	37.0	11	67.9	2	12.3	0	—
Rabun	T	185	25.0	5	27.0	4	21.6	2	10.8	3	16.2	0	—	0	—
	W	185	25.3	5	27.0	4	21.6	2	10.8	3	16.2	0	—	0	—
	NW	0	—	0	—	0	—	0	—	0	—	0	—	0	—
Rockdale	T	195	22.4	9	46.2	4	20.5	1	5.1	7	35.9	1	5.1	0	—
	W	121	19.5	6	49.6	3	24.8	1	8.3	6	49.6	1	8.3	0	—
	NW	74	29.6	3	40.5	1	13.5	0	—	1	13.5	0	—	0	—
Stephens	T	439	25.8	20	45.6	14	31.9	3	6.8	8	18.2	0	—	0	—
	W	377	25.5	12	31.8	7	18.6	1	2.7	3	8.0	0	—	0	—
	NW	62	28.2	8	129.0	7	112.9	2	32.3	5	80.6	0	—	0	—

(Continued)

TABLE X - SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1951

		LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Taliaferro	T	131	30.5	6	45.8	4	30.5	0	---	3	22.9	0	---	0	---
	W	28	18.7	2	71.4	0	---	0	---	0	---	0	---	0	---
	NW	103	36.8	4	38.8	4	38.8	0	---	3	29.1	0	---	0	---
Walton	T	487	24.1	54	110.9	15	30.8	20	41.1	28	57.5	9	18.5	0	---
	W	267	19.2	26	97.4	5	18.7	10	37.5	12	44.9	4	15.0	0	---
	NW	220	34.9	28	127.3	10	45.5	10	45.5	16	72.7	5	22.7	0	---
Warren	T	247	28.7	16	64.8	7	28.3	4	16.2	7	28.3	2	8.1	1	40.5
	W	43	13.9	3	69.8	0	---	0	---	0	---	0	---	0	---
	NW	204	37.1	13	63.7	7	34.3	4	19.6	7	34.3	2	9.8	1	49.0
White	T	173	29.3	11	63.6	2	11.6	1	5.8	1	5.8	0	---	1	57.8
	W	159	28.4	10	62.9	2	12.6	1	6.3	1	6.3	0	---	1	62.9
	NW	14	46.7	1	71.4	0	---	0	---	0	---	0	---	0	---
Wilkes	T	327	27.0	27	82.6	14	42.8	10	30.6	16	48.9	6	18.3	1	30.6
	W	107	19.8	10	93.5	2	18.7	5	46.7	6	56.1	1	9.3	0	---
	NW	220	32.8	17	77.3	12	54.5	5	22.7	10	45.5	5	22.7	1	45.5

* Live birth rates per 1,000 estimated mid-year population. Maternal death rates per 10,000 live births. All other rates per 1,000 live births.

** Vital events occurring in military reservations are included only in state totals.

(Continued)

TABLE X - SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1951

8

		LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATUREITY		MATERNAL DEATHS	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
STATE**	T	95,161	26.7	7,355	77.3	2,097	22.0	2,058	21.6	3,256	34.2	707	7.4	143	15.0
	W	59,285	24.1	4,079	68.8	974	16.4	1,105	18.6	1,548	26.1	340	5.7	46	7.8
	NW	35,876	32.6	3,276	91.3	1,123	31.3	953	26.6	1,708	47.6	367	10.2	97	27.0
STATE TOTAL	T	197		16		11		10		11		5		0	
MILITARY	W	188		15		10		9		10		5		0	
	NW	9		1		1		1		1		0		0	
WEST CENTRAL REGION	T	17,024	29.6	1,355	79.6	385	22.6	375	22.0	569	33.4	138	8.1	27	15.9
	W	9,852	27.1	747	75.8	173	17.6	184	18.7	247	25.1	69	7.0	8	8.1
	NW	7,172	34.0	608	84.8	212	29.6	191	26.6	322	44.9	69	9.6	19	26.5
Bibb	T	3,368	28.9	293	87.0	68	20.2	71	21.1	94	27.9	17	5.0	1	3.0
	W	1,956	26.1	153	78.2	33	16.9	47	24.0	53	27.1	13	6.6	1	5.1
	NW	1,412	33.8	140	99.2	35	24.8	24	17.0	41	29.0	4	2.8	0	—
Butts	T	229	25.2	15	65.5	3	13.1	5	21.8	8	34.9	0	—	1	43.7
	W	108	21.6	9	83.3	0	—	2	18.5	3	27.8	0	—	1	92.6
	NW	121	29.5	6	49.6	3	24.8	3	24.8	5	41.3	0	—	0	—
Chattahoochee	T	28	13.3	2	71.4	0	—	0	—	1	35.7	0	—	0	—
	W	9	12.9	0	—	0	—	0	—	0	—	0	—	0	—
	NW	19	13.6	2	105.3	0	—	0	—	1	52.6	0	—	0	—
Clayton	T	660	28.1	54	81.8	15	22.7	9	13.6	21	31.8	3	4.5	2	30.3
	W	536	27.3	42	78.4	10	18.7	6	11.2	12	22.4	3	5.6	0	—
	NW	124	31.8	12	96.8	5	40.3	3	24.2	9	72.6	0	—	2	161.3
Coweta	T	739	26.1	54	73.1	12	16.2	14	18.9	16	21.7	8	10.8	2	27.1
	W	407	23.0	26	63.9	6	14.7	3	7.4	4	9.8	2	4.9	0	—
	NW	332	31.3	28	84.3	6	18.1	11	33.1	12	36.1	6	18.1	2	60.2
Crawford	T	175	29.2	11	62.9	6	34.3	2	11.4	3	17.1	1	5.7	0	—
	W	49	19.6	5	102.0	0	—	0	—	0	—	0	—	0	—
	NW	126	36.0	6	47.6	6	47.6	2	15.9	3	23.8	1	7.9	0	—

(Continued)

TABLE X - SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1951

		LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Fayette	T	192	24.0	17	88.5	6	31.3	4	20.8	8	41.7	2	10.4	0	---
	W	110	20.4	11	100.0	3	27.3	2	18.2	4	36.4	2	18.2	0	---
	NW	82	31.5	6	73.2	3	36.6	2	24.4	4	48.8	0	---	0	---
Harris	T	318	28.4	24	75.5	8	25.2	4	12.6	9	28.3	1	3.1	1	31.4
	W	86	17.6	9	104.7	0	---	1	11.6	2	23.3	0	---	0	---
	NW	232	36.8	15	64.7	8	34.5	3	12.9	7	30.2	1	4.3	1	43.1
Heard	T	137	20.1	7	51.1	5	36.5	2	14.6	5	36.5	0	---	2	146.0
	W	94	18.8	5	53.2	4	42.6	2	21.3	4	42.6	0	---	1	106.4
	NW	43	23.9	2	46.5	1	23.3	0	---	1	23.3	0	---	1	232.6
Henry	T	451	27.8	28	62.1	16	35.5	16	35.5	27	59.9	4	8.9	0	---
	W	176	19.6	11	62.5	5	28.4	5	28.4	5	28.4	2	11.4	0	---
	NW	275	38.2	17	61.8	11	40.0	11	40.0	22	80.0	2	7.3	0	---
Houston	T	766	37.9	57	74.4	12	15.7	16	20.9	28	36.6	7	9.1	0	---
	W	420	36.6	36	75.0	7	14.6	6	12.5	10	20.8	2	4.2	0	---
	NW	286	40.3	21	73.4	5	17.5	10	35.0	18	62.9	5	17.5	0	---
Jones	T	170	22.7	13	76.5	8	47.1	6	35.3	8	47.1	1	5.9	0	---
	W	58	17.1	4	69.0	2	34.5	3	51.7	3	51.7	1	17.2	0	---
	NW	112	27.3	9	80.4	6	53.6	3	26.8	5	44.6	0	---	0	---
Lamar	T	278	26.5	19	68.3	6	21.6	4	14.4	8	28.8	2	7.2	0	---
	W	123	19.8	10	81.3	1	8.1	4	32.5	6	48.8	2	16.3	0	---
	NW	155	36.0	9	58.1	5	32.3	0	---	2	12.9	0	---	0	---
Macon	T	345	24.6	23	66.7	10	29.0	15	43.5	25	72.5	5	14.5	1	29.0
	W	88	18.7	4	45.6	2	22.7	1	11.4	2	22.7	1	11.4	0	---
	NW	257	27.6	19	73.9	8	31.1	14	54.5	23	89.5	4	15.6	1	38.9
Marion	T	172	26.5	8	46.5	7	40.7	5	29.1	9	52.3	3	17.4	1	58.1
	W	53	19.6	3	56.6	0	---	2	37.7	5	94.3	3	56.6	0	---
	NW	119	31.3	5	42.0	7	58.8	3	25.2	4	33.6	0	---	1	84.0

(Continued)

TABLE X - SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1951

62

	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATUREITY		MATERNAL DEATHS	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Meriwether T	578	27.5	32	55.4	9	15.6	6	10.4	17	29.4	3	5.2	2	34.6
	224	21.7	10	44.6	2	8.9	2	8.9	2	8.9	1	4.5	1	44.6
	NW 354	33.1	22	62.1	7	19.8	4	11.3	15	42.4	2	5.6	1	28.2
Monroe T	295	28.1	24	81.4	10	33.9	4	13.6	9	30.5	1	3.4	1	33.9
	W 115	22.1	11	95.7	2	17.4	2	17.4	3	26.1	0	--	1	87.0
	NW 180	34.0	13	72.2	8	44.4	2	11.1	6	33.3	1	5.6	0	--
Muscogee T	3,998	37.0	358	89.5	85	21.3	96	24.0	126	31.5	42	10.5	4	10.0
	W 3,012	37.7	245	81.3	60	19.9	56	18.6	76	25.2	23	7.6	1	3.3
	NW 986	35.0	113	114.6	25	25.4	40	40.6	50	50.7	19	19.3	3	30.4
Peach T	380	31.7	35	92.1	9	23.7	11	23.9	20	52.6	4	10.5	1	26.3
	W 120	26.1	9	75.0	0	--	2	16.7	2	16.7	0	--	0	--
	NW 260	35.1	26	100.0	9	34.6	9	34.6	18	69.2	4	15.4	1	38.5
Pike T	206	24.8	17	82.5	4	19.4	7	34.0	10	48.5	5	24.3	0	--
	W 82	18.2	3	36.6	0	--	0	--	0	--	0	--	0	--
	NW 124	32.6	14	112.9	4	32.3	7	56.5	10	80.6	5	40.3	0	--
Schley T	92	23.6	6	65.2	2	21.7	1	10.9	2	21.7	0	--	0	--
	W 21	13.1	0	--	1	47.6	0	--	0	--	0	--	0	--
	NW 71	30.9	6	84.5	1	14.1	1	14.1	2	28.2	0	--	0	--
Spalding T	841	26.5	68	80.9	15	17.8	13	15.5	21	25.0	2	2.4	2	23.8
	W 528	23.0	49	92.8	8	15.2	8	15.2	11	20.8	2	3.8	0	--
	NW 313	36.0	19	60.7	7	22.4	5	16.0	10	31.9	0	--	2	63.9
Talbot T	220	28.9	19	86.4	9	40.9	8	36.4	11	50.0	2	9.1	0	--
	W 37	16.1	1	27.0	0	--	1	27.0	1	27.0	0	--	0	--
	NW 183	34.5	18	98.4	9	49.2	7	38.3	10	54.6	2	10.9	0	--
Taylor T	227	25.5	12	52.9	7	30.8	7	30.8	9	39.6	3	13.2	0	--
	W 96	20.9	7	72.9	3	31.2	2	20.8	2	20.8	1	10.4	0	--
	NW 131	30.5	5	38.2	4	30.5	5	38.2	7	53.4	2	15.3	0	--

(Continued)

TABLE X - SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1951

		LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATUREITY		MATERNAL DEATHS	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Troup	T	1,499	29.3	114	76.1	32	21.3	35	23.3	54	36.0	17	11.3	4	26.7
	W	867	25.0	59	68.0	19	21.9	19	21.9	27	31.1	8	9.2	1	11.5
	NW	632	38.3	55	87.0	13	20.6	16	25.3	27	42.7	9	14.2	3	47.5
Upson	T	660	25.8	45	68.2	21	31.8	14	21.2	20	30.3	5	7.6	2	30.3
	W	417	22.2	25	60.0	5	12.0	8	19.2	10	24.0	3	7.2	1	24.0
	NW	243	35.7	20	82.3	16	65.8	6	24.7	10	41.2	2	8.2	1	41.2

* Live birth rates per 1,000 estimated mid-year population. Maternal death rates per 10,000 live births. All other rates per 1,000 live births.

** Vital events occurring in military reservations are included only in state totals.

(Continued)

TABLE X - SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1951

79

		LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
STATE**	T	95,161	26.7	7,355	77.3	2,097	22.0	2,058	21.6	3,256	34.2	707	7.4	143	15.0
	W	59,285	24.1	4,079	68.8	974	16.4	1,105	18.6	1,548	26.1	340	5.7	46	7.8
	NW	35,876	32.6	3,276	91.3	1,123	31.3	953	26.6	1,708	47.6	367	10.2	97	27.0
STATE TOTAL	T	197		16		11		10		11		5		0	
MILITARY	W	188		15		10		9		10		5		0	
	NW	9		1		1		1		1		0		0	
EAST CENTRAL REGION	T	12,941	26.1	896	69.2	286	22.1	270	20.9	474	36.6	88	6.8	31	24.0
	W	6,460	21.9	401	62.1	96	14.9	110	17.0	158	24.5	29	4.5	5	7.7
	NW	6,481	32.3	495	76.4	190	29.3	160	24.7	316	48.8	59	9.1	26	40.1
Baldwin	T	457	15.2	31	67.8	11	24.1	7	15.3	19	41.6	2	4.4	0	---
	W	197	10.9	18	91.4	6	30.5	5	25.4	6	30.5	2	10.2	0	---
	NW	260	21.7	13	50.0	5	19.2	2	7.7	13	50.0	0	---	0	---
Bleckley	T	215	23.4	18	83.7	9	41.9	3	14.0	7	32.6	1	4.7	3	139.5
	W	117	18.6	8	68.4	2	17.1	1	8.5	3	25.6	0	---	1	85.5
	NW	98	33.8	10	102.0	7	71.4	2	20.4	4	40.8	1	10.2	2	204.1
Bryan	T	162	27.5	9	55.6	5	30.9	8	49.4	13	80.2	1	6.2	0	---
	W	89	24.7	4	44.9	1	11.2	4	44.9	4	44.9	0	---	0	---
	NW	73	31.7	5	68.5	4	54.8	4	54.8	9	123.3	1	13.7	0	---
Bulloch	T	643	26.1	24	37.3	10	15.6	9	14.0	16	24.9	2	3.1	3	46.7
	W	353	22.8	13	36.8	5	14.2	4	11.3	7	19.8	1	2.8	0	---
	NW	290	31.9	11	37.9	5	17.2	5	17.2	9	31.0	1	3.4	3	103.4
Burke	T	795	34.3	59	74.2	26	32.7	20	25.2	44	55.3	12	15.1	4	50.3
	W	161	24.0	10	62.1	1	6.2	4	24.8	7	43.5	3	18.6	0	---
	NW	634	38.4	49	77.3	25	39.4	16	25.2	37	58.4	9	14.2	4	63.1
Candler	T	186	23.2	7	37.6	2	10.8	1	5.4	4	21.5	0	---	2	107.5
	W	103	19.8	3	29.1	0	---	0	---	1	9.7	0	---	0	---
	NW	83	29.6	4	48.2	2	24.1	1	12.0	3	36.1	0	---	2	241.0

(Continued)

TABLE X - SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1951

		LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Columbia	T	276	28.5	20	72.5	4	14.5	9	32.6	13	47.1	0	--	0	--
	W	129	25.3	9	69.8	1	7.8	2	15.5	5	38.8	0	--	0	--
	NW	147	32.0	11	74.8	3	20.4	7	47.6	8	54.4	0	--	0	--
Dodge	T	471	26.8	32	67.9	8	17.0	8	17.0	11	23.4	0	--	1	21.2
	W	277	22.5	13	46.9	4	14.4	6	21.7	7	25.3	0	--	1	36.1
	NW	194	36.6	19	97.9	4	20.6	2	10.3	4	20.6	0	--	0	--
Effingham	T	229	25.2	22	96.1	8	34.9	10	43.7	18	78.6	1	4.4	1	43.7
	W	111	19.5	5	45.0	2	18.0	4	36.0	5	45.0	0	--	0	--
	NW	118	34.7	17	144.1	6	50.8	6	50.8	13	110.2	1	8.5	1	84.7
Emanuel	T	488	25.2	23	47.1	9	18.4	13	26.6	18	36.9	3	6.1	0	--
	W	273	21.7	10	36.6	5	18.3	6	22.0	9	33.0	1	3.7	0	--
	NW	215	31.6	13	60.5	4	18.6	7	32.6	9	41.9	2	9.3	0	--
Evans	T	188	28.5	14	74.5	5	26.6	6	31.9	9	47.9	2	10.6	0	--
	W	105	25.0	9	85.7	1	9.5	2	19.0	4	38.1	0	--	0	--
	NW	83	34.6	5	60.2	4	48.2	4	48.2	5	60.2	2	24.1	0	--
Glascock	T	74	21.1	3	40.5	3	40.5	0	--	0	--	0	--	0	--
	W	43	16.5	2	46.5	0	--	0	--	0	--	0	--	0	--
	NW	31	34.4	1	32.3	3	96.8	0	--	0	--	0	--	0	--
Jefferson	T	517	27.6	25	48.4	6	11.6	9	17.4	17	32.9	4	7.7	0	--
	W	179	22.7	13	72.6	1	5.6	3	16.8	5	27.9	1	5.6	0	--
	NW	338	31.3	12	35.5	5	14.8	6	17.8	12	35.5	3	8.9	0	--
Jenkins	T	302	29.9	21	69.5	7	23.2	9	29.8	18	59.6	5	16.6	1	33.1
	W	115	24.5	4	34.8	0	--	2	17.4	3	26.1	2	17.4	0	--
	NW	187	34.6	17	90.9	7	37.4	7	37.4	15	80.2	3	16.0	1	53.5
Johnson	T	260	27.1	18	69.2	8	30.8	5	19.2	5	19.2	2	7.7	1	38.5
	W	133	20.8	8	60.2	5	37.6	2	15.0	2	15.0	0	--	0	--
	NW	127	39.7	10	78.7	3	23.6	3	23.6	3	23.6	2	15.7	1	78.7

(Continued)

TABLE X - SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1951

99

		LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Laurens	T	883	26.7	45	51.0	26	29.4	21	23.8	34	38.5	6	6.8	3	34.0
	W	454	22.9	19	41.8	10	22.0	4	8.8	4	8.8	2	4.4	0	—
	NW	429	32.3	26	60.6	16	37.3	17	39.6	30	69.9	4	9.3	3	69.9
Montgomery	T	152	19.7	11	72.4	4	26.3	4	26.3	6	39.5	4	26.3	0	—
	W	60	13.0	3	50.0	2	33.3	0	—	1	16.7	0	—	0	—
	NW	92	29.7	8	87.0	2	21.7	4	43.5	5	54.3	4	43.5	0	—
Pulaski	T	270	31.0	25	92.6	9	33.3	6	22.2	15	55.6	2	7.4	2	74.1
	W	98	22.3	9	91.8	4	40.8	4	40.8	6	61.2	0	—	0	—
	NW	172	40.0	16	93.0	5	29.1	2	11.6	9	52.3	2	11.6	2	116.3
Richmond	T	3,158	27.8	272	86.1	54	17.1	42	13.3	80	25.3	14	4.4	2	6.3
	W	1,990	26.5	141	70.9	29	14.6	33	16.6	47	23.6	11	5.5	0	—
	NW	1,168	30.4	131	112.2	25	21.4	9	7.7	33	28.3	3	2.6	2	17.1
Screven	T	503	28.3	26	51.7	15	29.8	9	17.9	11	21.9	1	2.0	2	39.8
	W	153	19.6	10	65.4	2	13.1	1	6.5	1	6.5	1	6.5	0	—
	NW	350	35.0	16	45.7	13	37.1	8	22.9	10	28.6	0	—	2	57.1
Tattnall	T	374	23.5	30	80.2	11	29.4	7	18.7	16	42.8	3	8.0	0	—
	W	247	20.9	21	85.0	5	20.2	6	24.3	7	28.3	2	8.1	0	—
	NW	127	31.0	9	70.9	6	47.2	1	7.9	9	70.9	1	7.9	0	—
Telfair	T	346	26.6	23	66.5	7	20.2	10	28.9	19	54.9	2	5.8	1	28.9
	W	215	24.4	13	60.5	1	4.7	7	32.6	10	46.5	1	4.7	0	—
	NW	131	31.2	10	76.3	6	45.8	3	22.9	9	68.7	1	7.6	1	76.3
Toombs	T	461	26.0	31	67.2	8	17.4	8	17.4	9	19.5	2	4.3	1	21.7
	W	297	23.2	18	60.6	2	6.7	1	3.4	1	3.4	0	—	1	33.7
	NW	164	33.5	13	79.3	6	36.6	7	42.7	8	48.8	2	12.2	0	—
Treutlen	T	167	26.1	10	59.9	6	35.9	5	29.9	5	29.9	3	18.0	1	59.9
	W	103	22.9	5	48.5	4	38.8	2	19.4	2	19.4	0	—	0	—
	NW	64	33.7	5	78.1	2	31.2	3	46.9	3	46.9	3	46.9	1	156.2

(Continued)

TABLE X - SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1951

		LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Twiggs	T	262	32.0	13	49.6	4	15.3	7	26.7	13	49.6	3	11.4	1	38.2
	W	83	26.8	6	72.3	1	12.0	2	24.1	2	24.1	1	12.0	0	—
	NW	179	35.1	7	39.1	3	16.8	5	27.9	11	61.5	2	11.2	1	55.9
Washington	T	627	30.3	57	90.9	18	28.7	24	38.3	37	59.0	10	15.9	0	—
	W	176	19.6	15	85.2	2	11.4	5	28.4	7	39.8	1	5.7	0	—
	NW	451	38.5	42	93.1	16	35.5	19	42.1	30	66.5	9	20.0	0	—
Wheeler	T	191	29.4	13	68.1	2	10.5	3	15.7	4	20.9	1	5.2	0	—
	W	101	23.0	8	79.2	0	—	0	—	1	9.9	0	—	0	—
	NW	90	42.9	5	55.6	2	22.2	3	33.3	3	33.3	1	11.1	0	—
Wilkinson	T	284	29.3	14	49.3	1	3.5	7	24.6	13	45.8	2	7.0	2	70.4
	W	98	19.6	4	40.8	0	—	0	—	1	10.2	0	—	2	204.1
	NW	186	39.6	10	53.8	1	5.4	7	37.6	12	64.5	2	10.8	0	—

* Live births rates per 1,000 estimated mid-year population. Maternal death rates per 10,000 live births. All other rates per 1,000 live births.

** Vital events occurring in military reservations are included only in state totals.

(Continued)

TABLE X - SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1951

89

		LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATUREITY		MATERNAL DEATHS	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
STATE**	T	95,161	26.7	7,355	77.3	2,097	22.0	2,058	21.6	3,256	34.2	707	7.4	143	15.0
	W	59,285	24.1	4,079	68.8	974	16.4	1,105	18.6	1,548	26.1	340	5.7	46	7.8
	NW	35,876	32.6	3,276	91.3	1,123	31.3	953	26.6	1,708	47.6	367	10.2	97	27.0
STATE TOTAL	T	197		16		11		10		11		5		0	
MILITARY	W	188		15		10		9		10		5		0	
	NW	9		1		1		1		1		0		0	
SOUTH-WESTERN REGION	T	13,473	30.2	957	71.0	326	24.2	302	22.4	536	39.8	121	9.0	27	20.0
	W	5,999	24.6	371	61.8	90	15.0	109	18.2	162	27.0	44	7.3	7	11.7
	NW	7,474	37.1	586	78.4	236	31.6	193	25.8	374	50.0	77	10.3	20	26.8
Baker	T	200	34.5	4	20.0	9	45.0	1	5.0	1	5.0	1	5.0	1	50.0
	W	51	22.2	2	39.2	2	39.2	0	—	0	—	0	—	0	—
	NW	149	42.6	2	13.4	7	47.0	1	6.7	1	6.7	1	6.7	1	67.1
Ben Hill	T	397	26.1	31	78.1	11	27.7	6	15.1	12	30.2	1	2.5	2	50.4
	W	218	21.2	11	50.5	9	41.3	4	18.3	7	32.1	0	—	1	45.9
	NW	179	36.5	20	111.7	2	11.2	2	11.2	5	27.9	1	5.6	1	55.9
Brooks	T	557	31.1	34	61.0	7	12.6	8	14.4	19	34.1	4	7.2	1	18.0
	W	196	21.5	6	30.6	1	5.1	1	5.1	4	20.4	1	5.1	0	—
	NW	361	41.0	28	77.6	6	16.6	7	19.4	15	41.6	3	8.3	1	27.7
Calhoun	T	335	39.9	14	41.8	8	23.9	4	11.9	8	23.9	1	3.0	1	29.8
	W	71	26.3	4	56.3	1	14.1	0	—	0	—	0	—	0	—
	NW	264	46.3	10	37.9	7	26.5	4	15.2	8	30.3	1	3.8	1	37.9
Clay	T	190	33.3	12	63.2	5	26.3	5	26.3	8	42.1	1	5.3	1	52.6
	W	25	14.7	1	40.0	0	—	0	—	0	—	0	—	0	—
	NW	165	41.2	11	66.7	5	30.3	5	30.3	8	48.5	1	6.1	1	60.6
Colquitt	T	1,074	30.8	75	69.8	23	21.4	11	10.2	22	20.5	3	2.8	4	37.2
	W	721	27.0	45	62.4	10	13.9	7	9.7	13	18.0	1	1.4	3	41.6
	NW	353	43.0	30	85.0	13	36.8	4	11.3	9	25.5	2	5.7	1	28.3

(Continued)

TABLE X - SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1951

		LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Crisp	T	483	26.5	27	55.9	8	16.6	14	29.0	19	39.3	6	12.4	0	--
	W	214	21.0	12	56.1	2	9.3	5	23.4	5	23.4	3	14.0	0	--
	NW	269	33.6	15	55.8	6	22.3	9	33.5	14	52.0	3	11.2	0	--
Decatur	T	708	29.3	57	80.5	18	25.4	17	24.0	29	41.0	8	11.3	2	28.2
	W	357	27.5	17	47.6	4	11.2	7	19.6	10	28.0	3	8.4	0	--
	NW	351	31.3	40	114.0	14	39.9	10	28.5	19	54.1	5	14.2	2	57.0
Dooly	T	415	29.9	27	65.1	11	26.5	11	26.5	20	48.2	4	9.6	1	24.1
	W	139	21.4	6	43.2	3	21.6	2	14.4	2	14.4	1	7.2	0	--
	NW	276	37.3	21	76.1	8	29.0	9	32.6	18	65.2	3	10.9	1	36.2
Lougherty	T	1,489	35.1	144	96.7	38	25.5	35	23.5	62	41.6	10	6.7	0	--
	W	816	33.7	78	95.6	12	14.7	17	20.8	25	30.6	6	7.4	0	--
	NW	673	37.0	66	98.1	26	38.6	18	26.7	37	55.0	4	5.9	0	--
Early	T	545	31.5	30	55.0	9	16.5	15	27.5	23	42.2	6	11.0	0	--
	W	196	24.2	9	45.9	1	5.1	4	20.4	4	20.4	3	15.3	0	--
	NW	349	37.9	21	60.2	8	22.9	11	31.5	19	54.4	3	8.6	0	--
Grady	T	451	23.9	19	42.1	10	22.2	10	22.2	18	39.9	3	6.7	0	--
	W	238	19.0	10	42.0	5	21.0	5	21.0	6	25.2	2	8.4	0	--
	NW	213	33.3	9	42.3	5	23.5	5	23.5	12	56.3	1	4.7	0	--
Irwin	T	348	29.2	16	46.0	6	17.2	6	17.2	12	34.5	3	8.6	1	28.7
	W	150	19.7	5	33.3	1	6.7	3	20.0	5	33.3	3	20.0	0	--
	NW	198	46.0	11	55.6	5	25.3	3	15.2	7	35.4	0	--	1	50.5
Lee	T	251	38.0	24	95.6	4	15.9	3	12.0	8	31.9	2	8.0	1	39.8
	W	53	27.9	2	37.7	0	--	1	18.9	1	18.9	0	--	0	--
	NW	198	42.1	22	111.1	4	20.2	2	10.1	7	35.4	2	10.1	1	50.5
Miller	T	220	24.7	19	86.4	4	18.2	5	22.7	10	45.5	2	9.1	1	45.5
	W	137	22.1	12	87.6	3	21.9	3	21.9	6	43.8	2	14.6	1	73.0
	NW	83	30.7	7	84.3	1	12.0	2	24.1	4	48.2	0	--	0	--

(Continued)

TABLE X - SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1951

70

		LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Mitchell	T	708	31.5	52	73.4	19	26.8	17	24.0	27	38.1	9	12.7	1	14.1
	W	278	24.8	16	57.6	7	25.2	2	7.2	3	10.8	1	3.6	0	—
	NW	430	38.1	36	83.7	12	27.9	15	34.9	24	55.8	8	18.6	1	23.3
Quitman	T	99	33.0	8	80.8	2	20.2	8	80.8	8	80.8	0	—	0	—
	W	16	16.0	0	—	0	—	0	—	0	—	0	—	0	—
	NW	83	41.5	8	96.4	2	24.1	8	96.4	8	96.4	0	—	0	—
Randolph	T	436	32.3	29	66.5	9	20.6	6	13.8	13	29.8	3	6.9	2	45.9
	W	108	23.0	6	55.6	0	—	1	9.3	3	27.8	0	—	0	—
	NW	328	37.3	23	70.1	9	27.4	5	15.2	10	30.5	3	9.1	2	61.0
Seminole	T	276	35.4	24	87.0	7	25.4	12	43.5	16	58.0	1	3.6	1	36.2
	W	150	31.2	6	40.0	4	26.7	11	73.3	14	93.3	1	6.7	1	66.7
	NW	126	42.0	18	142.9	3	23.8	1	7.9	2	15.9	0	—	0	—
Stewart	T	240	26.4	22	91.7	5	20.8	5	20.8	13	54.2	1	4.2	0	—
	W	55	22.0	8	145.5	1	18.2	1	18.2	2	36.4	0	—	0	—
	NW	185	28.0	14	75.7	4	21.6	4	21.6	11	59.5	1	5.4	0	—
Sumter	T	748	30.9	56	74.9	15	20.1	20	26.7	42	56.1	9	12.0	1	13.4
	W	264	24.2	22	83.3	3	11.4	7	26.5	12	45.5	3	11.4	0	—
	NW	484	36.4	34	70.2	12	24.8	13	26.9	30	62.0	6	12.4	1	20.7
Terrell	T	401	28.4	27	67.3	21	52.4	15	37.4	24	59.8	4	10.0	1	24.9
	W	73	15.9	6	82.2	2	27.4	2	27.4	2	27.4	0	—	0	—
	NW	328	34.5	21	64.0	19	57.9	13	39.6	22	67.1	4	12.2	1	30.5
Thomas	T	917	26.5	78	85.1	22	24.0	20	21.8	36	39.3	10	10.9	3	32.7
	W	464	22.7	27	58.2	9	19.4	5	10.8	10	21.6	2	4.3	1	21.6
	NW	453	31.9	51	112.6	13	28.7	15	33.1	26	57.4	8	17.7	2	44.2
Tift	T	699	30.0	50	71.5	15	21.5	12	17.2	24	34.3	8	11.4	1	14.3
	W	444	26.6	32	72.1	5	11.3	6	13.5	10	22.5	3	6.8	0	—
	NW	255	38.6	18	70.6	10	39.2	6	23.5	14	54.9	5	19.6	1	39.2

(Continued)

TABLE X - SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1951

		LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATUREITY		MATERNAL DEATHS	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Turner	T	298	28.7	25	83.9	10	33.6	8	26.8	14	47.0	2	6.7	0	—
	W	166	25.2	9	54.2	1	6.0	3	18.1	5	30.1	1	6.0	0	—
	NW	132	34.7	16	121.2	9	68.2	5	37.9	9	68.2	1	7.6	0	—
Webster	T	110	27.5	7	63.6	5	45.5	2	18.2	7	63.6	1	9.1	0	—
	W	27	19.3	2	74.1	0	—	0	—	0	—	0	—	0	—
	NW	83	31.9	5	60.2	5	60.2	2	24.1	7	84.3	1	12.0	0	—
Wilcox	T	269	27.2	14	52.0	3	11.2	5	18.6	5	18.6	3	11.2	0	—
	W	145	22.3	6	41.4	0	—	4	27.6	4	27.6	3	20.7	0	—
	NW	124	36.5	8	64.5	3	24.2	1	8.1	1	8.1	0	—	0	—
Worth	T	609	31.7	32	52.5	22	36.1	21	34.5	36	59.1	15	24.6	1	16.4
	W	227	22.9	11	48.5	4	17.6	8	35.2	9	39.6	5	22.0	0	—
	NW	382	41.1	21	55.0	18	47.1	13	34.0	27	70.7	10	26.2	1	26.2

* Live birth rates per 1,000 estimated mid-year population. Maternal death rates per 10,000 live births. All other rates per 1,000 live births.

** Vital events occurring in military reservations are included only in state totals.

(Continued)

TABLE X - SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1951

72

		LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
STATES**	T	95,161	26.7	7,355	77.3	2,097	22.0	2,058	21.6	3,256	34.2	707	7.4	143	15.0
	W	59,285	24.1	4,079	68.8	974	16.4	1,105	18.6	1,548	26.1	340	5.7	46	7.8
	NW	35,876	32.6	3,276	91.3	1,123	31.3	953	26.6	1,708	47.6	367	10.2	97	27.0
STATE TOTAL MILITARY	T	197		16		11		10		11		5		0	
	W	188		15		10		9		10		5		0	
	NW	9		1		1		1		1		0		0	
SOUTH-EASTERN REGION	T	11,991	28.6	874	72.9	306	25.5	290	24.2	419	34.9	114	9.5	24	20.0
	W	7,714	27.4	533	69.1	146	18.9	180	23.3	237	30.7	68	8.8	9	11.7
	NW	4,277	31.2	341	79.7	160	37.4	110	25.7	182	42.6	46	10.8	15	35.1
Appling	T	442	31.6	24	54.3	9	20.4	7	15.8	10	22.6	2	4.5	2	45.2
	W	326	28.6	20	61.3	4	12.3	4	12.3	5	15.3	2	6.1	2	61.3
	NW	116	44.6	4	34.5	5	43.1	3	25.9	5	43.1	0	--	0	--
Atkinson	T	202	26.6	13	64.4	7	34.7	5	24.8	8	39.6	1	5.0	0	--
	W	136	23.0	9	66.2	6	44.1	5	36.8	6	44.1	1	7.4	0	--
	NW	66	38.8	4	60.6	1	15.2	0	--	2	30.3	0	--	0	--
Bacon	T	222	24.1	16	72.1	1	4.5	8	36.0	12	54.1	2	9.0	1	45.0
	W	189	23.3	15	79.4	1	5.3	7	37.0	10	52.9	2	10.6	0	--
	NW	33	30.0	1	30.3	0	--	1	30.3	2	60.6	0	--	1	303.0
Berrien	T	332	24.1	26	78.3	8	24.1	5	15.1	7	21.1	3	9.0	0	--
	W	273	22.9	22	80.6	8	29.3	4	14.7	5	18.3	2	7.3	0	--
	NW	59	31.1	4	67.8	0	--	1	16.9	2	33.9	1	16.9	0	--
Brantley	T	168	26.7	8	47.6	4	23.8	1	6.0	1	6.0	1	6.0	2	119.0
	W	147	26.7	8	54.4	3	20.4	1	6.8	1	6.8	1	6.8	2	136.1
	NW	21	26.2	0	--	1	47.6	0	--	0	--	0	--	0	--
Camden	T	220	29.3	11	50.0	4	18.2	5	22.7	7	31.8	3	13.6	0	--
	W	90	24.3	4	44.4	0	--	1	11.1	1	11.1	1	11.1	0	--
	NW	130	34.2	7	53.8	4	30.8	4	30.8	6	46.2	2	15.4	0	--

(Continued)

TABLE X - SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1951

	LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS		
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
Charlton	T	167	34.8	9	53.9	3	18.0	2	12.0	5	29.9	1	6.0	0	—
	W	104	30.6	2	19.2	1	9.6	2	19.2	4	38.5	1	9.6	0	—
	NW	63	45.0	7	111.1	2	31.7	0	—	1	15.9	0	—	0	—
Chatham	T	4,334	28.1	312	72.0	120	27.7	122	28.1	160	36.9	48	11.1	5	11.5
	W	2,686	28.4	171	63.7	52	19.4	58	21.6	71	26.4	21	7.8	1	3.7
	NW	1,648	27.7	141	85.6	68	41.3	64	38.8	89	54.0	27	16.4	4	24.3
Clinch	T	227	37.8	16	70.5	4	17.6	3	13.2	7	30.8	1	4.4	1	44.1
	W	133	34.1	9	67.7	0	—	3	22.6	4	30.1	1	7.5	1	75.2
	NW	94	44.8	7	74.5	4	42.6	0	—	3	31.9	0	—	0	—
Coffee	T	736	29.9	48	65.2	16	21.7	15	20.4	30	40.8	5	6.8	2	27.2
	W	499	26.8	33	66.1	6	12.0	11	22.0	22	44.1	4	8.0	0	—
	NW	237	39.5	15	63.3	10	42.2	4	16.9	8	33.8	1	4.2	2	84.4
Cook	T	347	27.8	27	77.8	6	17.3	13	37.5	19	54.8	4	11.5	3	86.5
	W	230	25.6	17	73.9	5	21.7	6	26.1	9	39.1	0	—	1	43.5
	NW	117	33.4	10	85.5	1	8.5	7	59.8	10	85.5	4	34.2	2	170.9
Echols	T	53	22.1	4	75.5	2	37.7	4	75.5	5	94.3	1	18.9	0	—
	W	33	19.4	4	121.2	2	60.6	3	90.9	3	90.9	1	30.3	0	—
	NW	20	28.6	0	—	0	—	1	50.0	2	100.0	0	—	0	—
Glynn	T	803	27.1	69	85.9	29	36.1	29	36.1	41	51.1	19	23.7	3	37.4
	W	508	25.3	40	78.7	11	21.7	17	33.5	22	43.3	11	21.7	1	19.7
	NW	295	31.1	29	98.3	18	61.0	12	40.7	19	64.4	8	27.1	2	67.8
Jeff Davis	T	271	28.5	20	73.8	10	36.9	8	29.5	12	44.3	4	14.8	0	—
	W	201	26.8	13	64.7	6	29.9	8	39.8	10	49.8	4	19.9	0	—
	NW	70	35.0	7	100.0	4	57.1	0	—	2	28.6	0	—	0	—
Lanier	T	140	27.4	14	100.0	2	14.3	2	14.3	2	14.3	0	—	1	71.4
	W	82	23.4	8	97.6	2	24.4	1	12.2	1	12.2	0	—	0	—
	NW	58	36.2	6	103.4	0	—	1	17.2	1	17.2	0	—	1	172.4

(Continued)

TABLE X - SUMMARY OF NATALITY STATISTICS - NUMBER AND RATE* - BY REGION, COUNTY, AND RACE, GEORGIA: 1951

77

		LIVE BIRTHS		IMMATURE BIRTHS		STILLBIRTHS		NEONATAL DEATHS		INFANT DEATHS		DEATHS FROM IMMATURITY		MATERNAL DEATHS	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Liberty	T	301	31.0	29	96.3	7	23.3	5	16.6	12	39.9	2	6.6	2	66.4
	W	123	32.4	8	65.0	2	16.3	2	16.3	2	16.3	1	8.1	0	—
	NW	178	30.2	21	118.0	5	28.1	3	16.9	10	56.2	1	5.6	2	112.4
Long	T	126	36.0	10	79.4	4	31.7	2	15.9	4	31.7	1	7.9	0	—
	W	91	39.6	6	65.9	2	22.0	1	11.0	2	22.0	1	11.0	0	—
	NW	35	29.2	4	114.3	2	57.1	1	28.6	2	57.1	0	—	0	—
Lowndes	T	1,096	30.4	89	81.2	24	21.9	15	13.7	23	21.0	4	3.6	1	9.1
	W	588	27.5	55	93.5	10	17.0	14	23.8	19	32.3	4	6.8	1	17.0
	NW	508	34.6	34	66.9	14	27.6	1	2.0	4	7.9	0	—	0	—
McIntosh	T	178	29.2	11	61.8	12	67.4	1	5.6	2	11.2	0	—	0	—
	W	60	25.0	8	133.3	1	16.7	1	16.7	1	16.7	0	—	0	—
	NW	118	31.9	3	25.4	11	93.2	0	—	1	8.5	0	—	0	—
Pierce	T	298	27.1	30	100.7	5	16.8	5	16.8	5	16.8	2	6.7	0	—
	W	232	27.0	17	73.3	3	12.9	5	21.6	5	21.6	2	8.6	0	—
	NW	66	27.5	13	197.0	2	30.3	0	—	0	—	0	—	0	—
Ware	T	857	27.7	61	71.2	14	16.3	22	25.7	31	36.2	7	8.2	0	—
	W	642	28.3	42	65.4	9	14.0	17	26.5	22	34.3	5	7.8	0	—
	NW	215	26.2	19	88.4	5	23.3	5	23.3	9	41.9	2	9.3	0	—
Wayne	T	471	32.3	27	57.3	15	31.8	11	23.4	16	34.0	3	6.4	1	21.2
	W	341	29.1	22	64.5	12	35.2	9	26.4	12	35.2	3	8.8	0	—
	NW	130	44.8	5	38.5	3	23.1	2	15.4	4	30.8	0	—	1	76.9

* Live birth rates per 1,000 estimated mid-year population. Maternal death rates per 10,000 live births. All other rates per 1,000 live births.

** Vital events occurring in military reservations are included only in state totals.

TABLE XI
TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1951

AREA AND RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA AND INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED AND UNKNOWN	
	Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number	
STATE TOTAL	T	30,802	8.7	9,011	4,364	3,209	1,441	1,404	1,009	877	686	707	642
(including military)	W	18,161	7.4	5,783	2,352	2,310	635	833	693	433	294	340	220
	NW	12,641	11.5	3,228	2,012	899	809	571	316	444	392	367	422
STATE TOTAL MILITARY	T	19		3	0	0	0	0	4	0	0	5	0
	W	17		3	0	0	0	0	4	0	0	5	0
	NW	2		0	0	0	0	0	0	0	0	0	0
NORTHWESTERN REGION	T	9,230	8.2	2,787	1,196	1,120	336	443	261	205	257	168	127
	W	6,615	7.2	2,120	780	931	207	313	213	124	138	88	86
	NW	2,615	12.6	667	416	189	129	130	48	81	119	80	41
Bartow	T	221	7.9	51	34	36	15	5	7	14	5	4	8
	W	163	6.8	39	27	30	7	5	6	10	4	2	2
	NW	58	14.1	12	7	6	8	0	1	4	1	2	6
Carroll	T	251	7.4	98	19	35	10	10	6	8	5	0	3
	W	213	7.7	89	12	31	7	10	3	8	5	0	2
	NW	38	5.8	9	7	4	3	0	3	0	0	0	1
Catoosa	T	75	4.8	22	12	14	2	3	1	1	3	1	4
	W	74	4.9	22	11	14	2	3	1	1	3	1	4
	NW	1	3.3	0	1	0	0	0	0	0	0	0	0
Chatooga	T	153	7.1	35	14	12	16	8	9	3	7	3	7
	W	129	6.6	33	11	10	9	7	9	2	6	2	6
	NW	24	12.0	2	3	2	7	1	0	1	1	1	1
Cherokee	T	139	6.6	38	16	22	6	12	4	4	3	5	4
	W	130	6.4	35	14	21	6	12	4	4	2	5	3
	NW	9	11.2	3	2	1	0	0	0	0	1	0	15

TABLE XI - Continued
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1951

AREA AND RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA AND INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED AND UNKNOWN	
	Number	Rate*		Number									Number
Polk	T	219	6.9	63	27	25	15	6	5	10	6	5	6
	W	183	6.9	51	21	22	12	5	4	10	6	5	4
	NW	36	7.1	12	6	3	3	1	1	0	0	0	2
Towns	T	30	6.2	5	7	3	3	2	4	0	0	0	0
	W	30	6.2	5	7	3	3	2	4	0	0	0	0
	NW	0	--	0	0	0	0	0	0	0	0	0	0
Union	T	42	5.8	11	6	4	2	2	1	0	0	2	3
	W	42	5.8	11	6	4	2	2	1	0	0	2	3
	NW	0	--	0	0	0	0	0	0	0	0	0	0
Walker	T	271	6.9	75	39	35	13	17	7	8	14	6	8
	W	252	6.9	71	38	34	13	14	4	7	14	6	6
	NW	19	7.9	4	1	1	0	3	3	1	0	0	2
Whitfield	T	252	7.2	60	28	30	16	11	12	5	8	9	5
	W	232	6.9	55	27	28	14	10	12	4	8	8	5
	NW	20	14.3	5	1	2	2	1	0	1	0	1	0

* Rate per 1,000 population.

TABLE XI - Continued
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1951

AREA AND RACE		DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA AND INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED AND UNKNOWN
		Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
STATE TOTAL (including military)	T	30,802	8.7	9,011	4,364	3,209	1,441	1,404	1,009	877	686	707	642
	W	18,161	7.4	5,783	2,352	2,310	635	833	693	433	294	340	220
	NW	12,641	11.5	3,228	2,012	899	809	571	316	444	392	367	422
STATE TOTAL MILITARY	T	19		3	0	0	0	0	4	0	0	5	0
	W	17		3	0	0	0	0	4	0	0	5	0
	NW	2		0	0	0	0	0	0	0	0	0	0
NORTHEASTERN REGION	T	3,468	8.3	1,007	480	374	207	137	154	135	59	73	77
	W	2,186	7.2	679	282	279	97	93	118	72	28	37	28
	NW	1,282	11.3	328	198	95	110	44	36	63	31	36	49
Banks	T	36	5.3	9	6	6	2	1	3	3	1	0	1
	W	32	5.0	9	6	6	1	1	3	1	1	0	1
	NW	4	10.0	0	0	0	1	0	0	2	0	0	0
Barrow	T	118	8.8	26	20	14	7	4	8	6	2	4	0
	W	87	7.9	21	13	13	4	3	8	4	0	2	0
	NW	31	12.9	5	7	1	3	1	0	2	2	2	0
Clarke	T	314	8.4	114	44	32	17	11	7	24	3	7	0
	W	172	6.3	66	23	23	6	5	5	7	1	4	0
	NW	142	14.1	48	21	9	11	6	2	17	2	3	0
Elbert	T	194	10.5	59	22	13	13	4	4	10	7	2	9
	W	111	9.0	29	15	12	2	3	3	6	3	2	2
	NW	83	13.4	30	7	1	11	1	1	4	4	0	7
Franklin	T	101	7.1	31	15	13	5	6	3	2	0	4	3
	W	80	6.4	25	11	13	4	3	3	1	0	3	1
	NW	21	11.7	6	4	0	1	3	0	1	0	1	2

TABLE XI - Continued
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1951

AREA AND RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA AND INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED AND UNKNOWN	
	Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number	
Greene	T	143	11.2	57	14	14	10	5	8	1	0	8	2
	W	59	9.4	22	4	9	6	2	3	1	0	2	0
	NW	84	12.9	35	10	5	4	3	5	0	0	6	2
Gwinnett	T	241	7.3	56	37	33	17	17	15	4	6	6	4
	W	208	7.0	51	29	27	15	16	15	4	5	2	4
	NW	33	10.6	5	8	6	2	1	0	0	1	4	0
Habersham	T	110	6.5	29	21	14	3	6	4	2	0	3	0
	W	104	6.4	27	19	14	3	6	4	2	0	3	0
	NW	6	10.0	2	2	0	0	0	0	0	0	0	0
Hall	T	263	6.4	73	34	24	14	16	16	7	3	2	2
	W	220	5.9	63	27	21	9	13	14	5	2	2	1
	NW	43	10.8	10	7	3	5	3	2	2	1	0	1
Hancock	T	104	9.5	15	19	4	10	2	4	3	6	3	7
	W	26	8.7	7	5	1	3	1	1	0	1	1	1
	NW	78	9.9	8	14	3	7	1	3	3	5	2	6
Hart	T	119	8.3	30	13	18	12	4	2	10	3	0	3
	W	80	7.3	23	9	14	6	3	1	2	3	0	1
	NW	39	11.1	7	4	4	6	1	1	8	0	0	2
Jackson	T	143	7.6	38	28	17	5	3	7	5	4	2	4
	W	112	7.0	31	18	17	3	2	7	4	3	2	4
	NW	31	10.7	7	10	0	2	1	0	1	1	0	0
Jasper	T	78	10.7	21	8	9	2	4	0	2	2	1	3
	W	34	10.6	14	5	5	1	1	0	1	1	0	0
	NW	44	10.7	7	3	4	1	3	0	1	1	1	3

TABLE XI - Continued
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1951

AREA AND RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA AND INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED AND UNKNOWN
	Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
Lincoln	T	50	7.8	13	10	2	1	2	4	1	0	0
	W	32	9.7	10	4	9	0	1	2	0	0	0
	NW	18	5.8	3	6	1	2	0	2	1	0	0
Madison	T	106	8.8	30	23	8	6	5	2	5	2	3
	W	79	8.1	25	16	6	5	5	1	4	1	3
	NW	27	11.7	5	7	2	1	0	1	1	0	2
McDuffie	T	110	9.4	31	20	5	6	3	9	4	1	1
	W	62	9.7	16	7	3	4	2	9	4	0	1
	NW	48	9.1	15	13	2	2	1	0	0	1	0
Morgan	T	101	8.6	25	11	10	9	8	7	1	3	0
	W	36	6.3	11	6	2	4	1	4	0	0	0
	NW	65	10.7	14	5	8	5	7	3	1	3	0
Newton	T	181	8.7	52	20	19	16	2	2	5	4	3
	W	97	7.0	31	7	12	5	2	2	3	2	1
	NW	84	12.2	21	13	7	11	0	0	2	2	2
Oconee	T	66	9.4	17	6	9	1	3	3	8	0	3
	W	54	10.4	13	5	9	1	3	3	7	0	2
	NW	12	6.7	4	1	0	0	0	0	1	0	1
Oglethorpe	T	98	10.1	38	16	8	4	3	2	5	2	1
	W	39	7.1	17	6	4	0	2	1	3	1	1
	NW	59	14.0	21	10	4	4	1	1	2	1	0
Putnam	T	84	10.9	18	14	11	7	4	4	2	1	2
	W	26	7.6	4	6	4	1	1	4	0	1	0
	NW	58	13.5	14	8	7	6	3	0	2	0	2

TABLE KI - (Continued)
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1951

AREA AND RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA AND INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED AND UNKNOWN	
	Number	Rate*											Number
Rabun	T	57	7.7	21	2	9	6	4	3	1	0	0	1
	W	55	7.5	20	2	8	6	4	3	1	0	0	1
	NW	2	20.0	1	0	1	0	0	0	0	0	0	0
Rockdale	T	65	7.5	25	9	10	0	4	4	2	0	1	1
	W	43	6.9	20	5	4	0	4	2	0	0	1	0
	NW	22	8.8	5	4	6	0	0	2	2	0	0	1
Stephens	T	103	6.1	45	5	14	4	3	13	1	0	0	0
	W	72	4.9	34	4	14	1	1	6	1	0	0	0
	NW	31	14.1	11	1	0	3	2	7	0	0	0	0
Taliaferro	T	44	10.2	13	6	2	8	1	1	1	0	0	3
	W	19	12.7	8	0	1	3	0	0	1	0	0	1
	NW	25	8.9	5	6	1	5	1	1	0	0	0	2
Walton	T	181	9.0	45	17	20	7	6	11	3	1	9	2
	W	116	8.3	32	13	15	2	3	9	2	1	4	0
	NW	65	10.3	13	4	5	5	3	2	1	0	5	2
Warren	T	86	10.0	27	15	7	8	2	2	6	3	2	0
	W	34	11.0	14	6	4	0	1	1	3	1	0	0
	NW	52	9.5	13	9	3	8	1	1	3	2	2	0
White	T	44	7.5	20	4	4	1	2	1	1	0	0	1
	W	39	7.0	17	4	3	0	2	1	1	0	0	1
	NW	5	16.7	3	0	1	1	0	0	0	0	0	0
Wilkes	T	128	10.6	29	21	17	5	3	7	7	4	6	6
	W	58	10.7	19	7	6	2	2	3	2	1	1	4
	NW	70	10.4	10	14	11	3	1	4	5	3	5	2

*Rate per 1,000 population.

TABLE XI - Continued
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1951

AREA AND RACE		DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA AND INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IMMATURE	ILL-DEFINED AND UNKNOWN
		Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
STATE TOTAL (including military)	T	30,802	8.7	9,011	4,364	3,209	1,441	1,404	1,009	877	686	707	642
	W	18,161	7.4	5,783	2,352	2,310	635	833	693	433	294	340	220
	NW	12,641	11.5	3,228	2,012	899	809	571	316	444	392	367	422
STATE TOTAL MILITARY	T	19		3	0	0	0	0	4	0	0	5	0
	W	17		3	0	0	0	0	4	0	0	5	0
	NW	2		0	0	0	0	0	0	0	0	0	0
WEST CENTRAL REGION	T	5,089	8.8	1,457	737	471	222	225	190	142	124	138	149
	W	2,743	7.5	839	382	316	94	115	117	55	51	69	38
	NW	2,346	11.1	618	355	155	128	110	73	87	73	69	111
Bibb	T	1,112	9.5	339	152	94	52	53	21	30	39	17	41
	W	610	8.1	191	92	67	26	31	11	7	18	13	11
	NW	502	12.0	148	60	27	26	22	10	23	21	4	30
Butts	T	103	11.3	23	18	11	6	5	6	0	6	0	4
	W	59	11.8	15	9	5	3	2	1	0	5	0	1
	NW	44	10.7	8	9	6	3	3	5	0	1	0	3
Chattahoochee	T	14	6.7	2	1	1	2	1	0	2	1	0	1
	W	3	4.3	1	0	0	1	0	0	0	0	0	0
	NW	11	7.9	1	1	1	1	1	0	2	1	0	1
Clayton	T	147	6.3	47	17	11	7	4	6	2	2	3	3
	W	112	5.7	38	13	8	4	3	5	2	2	3	0
	NW	35	9.0	9	4	3	3	1	1	0	0	0	3
Coweta	T	240	8.5	72	38	28	10	10	9	11	3	8	11
	W	134	7.6	45	19	21	7	2	3	8	1	2	3
	NW	106	10.0	27	19	7	3	8	6	3	2	6	8

TABLE XI -- Continued
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1951

AREA AND RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA AND INFLUENZA	ACCIDENTS EXCLU. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED AND UNKNOWN	
	Number	Rate*											Number
Crawford	T	50	8.3	15	8	7	2	1	3	0	2	1	2
	W	22	8.8	5	3	5	1	1	0	0	1	0	1
	NW	28	8.0	10	5	2	1	0	3	0	1	1	1
Fayette	T	59	7.4	13	11	4	2	7	3	2	2	2	2
	W	40	7.4	11	7	2	2	3	2	1	1	2	2
	NW	19	7.3	2	4	2	0	4	1	1	1	0	0
Harris	T	109	9.7	27	23	14	3	6	8	6	3	1	3
	W	49	10.0	12	10	7	2	2	6	3	0	0	1
	NW	60	9.5	15	13	7	1	4	2	3	3	1	2
Heard	T	58	8.5	11	12	5	2	7	0	0	1	0	2
	W	41	8.2	8	11	4	2	4	0	0	0	0	1
	NW	17	9.4	3	1	1	0	3	0	0	1	0	1
Henry	T	146	9.0	34	10	15	5	5	7	8	5	4	11
	W	81	9.0	25	8	8	1	1	6	4	1	2	3
	NW	65	9.0	9	2	7	4	4	1	4	4	2	8
Houston	T	153	7.6	42	24	9	7	6	13	1	2	7	2
	W	81	6.2	24	10	7	2	3	9	0	1	2	2
	NW	72	10.1	18	14	2	5	3	4	1	1	5	0
Jones	T	71	9.5	12	15	7	3	3	4	5	3	1	0
	W	24	7.1	6	4	1	0	2	0	2	1	1	0
	NW	47	11.5	6	11	6	3	1	4	3	2	0	0
Lamar	T	106	10.1	42	13	7	1	3	3	6	0	2	5
	W	59	9.5	21	7	2	0	3	3	4	0	2	2
	NW	47	10.9	21	6	5	1	0	0	2	0	0	3

TABLE XI - Continued
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1951

AREA AND RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA AND INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IMMATUREITY	ILL-DEFINED AND UNKNOWN	
	Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number	
Macon	T	154	11.0	41	26	15	7	6	2	6	2	5	10
	W	38	8.1	11	8	9	0	1	0	2	0	1	0
	NW	116	12.5	30	18	6	7	5	2	4	2	4	10
Marion	T	66	10.2	20	14	2	4	2	1	7	0	3	5
	W	29	10.7	11	6	1	3	0	0	0	0	3	1
	NW	37	9.7	9	8	1	1	2	1	7	0	0	4
Meriwether	T	195	9.3	60	26	20	8	6	11	3	3	3	7
	W	86	8.3	31	8	12	3	2	8	1	2	1	0
	NW	109	10.2	29	18	8	5	4	3	2	1	2	7
Monroe	T	86	8.2	24	23	3	9	3	5	4	2	1	2
	W	40	7.7	12	11	3	1	0	3	2	2	0	0
	NW	46	8.7	12	12	0	8	3	2	2	0	1	2
Muscogee	T	858	7.9	242	109	68	36	40	33	17	24	42	10
	W	506	6.3	142	65	47	16	26	26	9	6	23	3
	NW	352	12.5	100	44	21	20	14	7	8	18	19	7
Peach	T	111	9.2	35	6	7	10	3	5	1	0	4	5
	W	35	7.6	13	1	4	2	0	0	0	0	0	0
	NW	76	10.3	22	5	3	8	3	5	1	0	4	5
Pike	T	98	11.8	35	13	9	8	5	1	1	1	5	3
	W	42	9.3	19	6	6	3	2	0	0	0	0	0
	NW	56	14.7	16	7	3	5	3	1	1	1	5	3
Schley	T	40	10.3	9	10	6	0	0	1	4	3	0	0
	W	11	6.9	2	2	4	0	0	0	1	1	0	0
	NW	29	12.6	7	8	2	0	0	1	3	2	0	0

TABLE XI - Continued
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1951

AREA AND RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA AND INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED AND UNKNOWN	
	Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number	
Spalding	T	307	9.7	84	57	45	9	10	13	8	6	2	5
	W	212	9.2	60	34	38	5	5	12	4	4	2	2
	NW	95	10.9	24	23	7	4	5	1	4	2	0	3
Talbot	T	95	12.5	24	14	11	6	9	2	3	1	2	4
	W	24	10.4	7	2	2	3	3	2	0	0	0	0
	NW	71	13.4	17	12	9	3	6	0	3	1	2	4
Taylor	T	89	10.0	20	20	8	3	5	3	0	1	3	6
	W	40	8.7	12	6	6	0	3	0	0	0	1	3
	NW	49	11.4	8	14	2	3	2	3	0	1	2	3
Troup	T	441	8.6	132	51	43	16	20	25	14	9	17	3
	W	248	7.1	78	27	29	5	12	17	4	2	8	2
	NW	193	11.7	54	24	14	11	8	8	10	7	9	1
Upson	T	181	7.1	52	26	21	4	5	5	1	3	5	2
	W	117	6.2	39	13	18	2	4	3	1	3	3	0
	NW	64	9.4	13	13	3	2	1	2	0	0	2	2

* Rate per 1,000 population.

TABLE XI - Continued
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1951

AREA AND RACE		DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA AND INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED AND UNKNOWN
		Number	Rate*										
STATE TOTAL (including military)	T	30,802	8.7	9,011	4,364	3,209	1,441	1,404	1,009	877	686	707	642
	W	18,161	7.4	5,783	2,352	2,310	635	833	693	433	294	340	220
	NW	12,641	11.5	3,228	2,012	899	806	571	316	444	392	367	422
STATE TOTAL MILITARY	T	19		3	0	0	0	0	4	0	0	5	0
	W	17		3	0	0	0	0	4	0	0	5	0
	NW	2		0	0	0	0	0	0	0	0	0	0
EAST CENTRAL REGION	T	4,502	9.1	1,288	656	395	243	191	136	165	100	88	112
	W	2,282	7.7	759	311	234	90	106	82	74	36	29	27
	NW	2,220	11.1	529	345	161	153	85	54	91	64	59	85
Baldwin	T	178	5.9	51	22	15	13	7	7	12	7	2	3
	W	82	4.6	28	12	8	1	2	5	3	1	2	1
	NW	96	8.0	23	10	7	12	5	2	9	6	0	2
Bleckley	T	76	8.3	15	17	8	3	0	2	1	2	1	2
	W	45	7.1	11	11	6	2	0	1	0	1	0	0
	NW	31	10.7	4	6	2	1	0	1	1	1	1	2
Bryan	T	66	11.2	20	12	3	6	5	0	1	3	1	0
	W	29	8.1	12	5	2	0	2	0	1	1	0	0
	NW	37	16.1	8	7	1	6	3	0	0	2	1	0
Bulloch	T	186	7.6	44	34	21	11	8	8	3	3	2	4
	W	119	7.7	34	18	17	8	5	6	1	1	1	0
	NW	67	7.4	10	16	4	3	3	2	2	2	1	4
Burke	T	293	12.6	70	53	29	15	6	8	2	6	12	8
	W	71	10.6	26	18	6	1	1	3	1	1	3	0
	NW	222	13.5	44	35	23	14	5	5	1	5	9	8

TABLE XI - Continued
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1951

AREA AND RACE	DEATHS FROM ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA AND INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED AND UNKNOWN	
	Number	Rate	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number	
Candler	T	61	7.6	17	10	3	7	1	2	1	2	0	1
	W	33	6.3	11	3	3	4	0	2	1	0	0	1
	NW	28	10.0	6	7	0	3	1	0	0	2	0	0
Columbia	T	89	9.2	23	9	9	6	2	3	8	2	0	1
	W	44	8.6	16	3	4	3	2	1	2	1	0	0
	NW	45	9.8	7	6	5	3	0	2	6	1	0	1
Dodge	T	151	8.6	55	22	14	5	8	1	3	2	0	1
	W	106	8.6	41	16	12	0	5	1	1	1	0	0
	NW	45	8.5	14	6	2	5	3	0	2	1	0	1
Effingham	T	110	12.1	38	15	12	5	3	2	3	2	1	2
	W	48	8.4	19	4	7	1	1	1	0	1	0	0
	NW	62	18.2	19	11	5	4	2	1	3	1	1	2
Emanuel	T	205	10.6	64	29	17	9	15	9	9	2	3	10
	W	130	10.3	45	18	10	7	14	6	3	1	1	5
	NW	75	11.0	19	11	7	2	1	3	6	1	2	5
Evans	T	59	8.9	19	8	5	4	1	2	0	1	2	0
	W	28	6.7	10	3	1	2	1	1	0	0	0	0
	NW	31	12.9	9	5	4	2	0	1	0	1	2	0
Glascock	T	23	6.6	5	5	3	1	1	0	0	0	0	0
	W	19	7.3	5	4	3	1	1	0	0	0	0	0
	NW	4	4.4	0	1	0	0	0	0	0	0	0	0
Jefferson	T	190	10.2	45	33	22	12	12	3	3	7	4	7
	W	76	9.6	20	12	12	7	4	2	1	4	1	0
	NW	114	10.6	25	21	10	5	8	1	2	3	3	7

TABLE XI - Continued
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1951

AREA AND RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA AND INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED AND UNKNOWN	
	Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number	
Jenkins	T	140	13.9	27	18	9	12	9	6	5	2	5	7
	W	56	11.9	16	10	5	5	3	3	0	1	2	1
	NW	84	15.6	11	8	4	7	6	3	5	1	3	6
Johnson	T	99	10.3	28	24	7	5	4	3	5	3	2	1
	W	58	9.1	18	14	6	1	0	2	4	2	0	1
	NW	41	12.8	10	10	1	4	4	1	1	1	2	0
Laurens	T	333	10.1	111	24	24	19	13	6	27	8	6	11
	W	165	8.3	68	8	18	3	10	3	15	2	2	2
	NW	168	12.6	43	16	6	16	3	3	12	6	4	9
Montgomery	T	53	6.9	18	9	6	3	3	1	0	0	4	1
	W	28	6.1	11	6	4	1	1	1	0	0	0	0
	NW	25	8.1	7	3	2	2	2	0	0	0	4	1
Pulaski	T	99	11.4	27	6	7	4	9	5	10	1	2	0
	W	44	10.0	10	3	4	1	3	2	4	0	0	0
	NW	55	12.8	17	3	3	3	6	3	6	1	2	0
Richmond	T	1,006	8.9	317	157	103	52	37	31	25	23	14	3
	W	532	7.1	174	69	62	24	21	23	11	7	11	2
	NW	474	12.3	143	88	41	28	16	8	14	16	3	1
Screven	T	142	8.0	43	28	9	5	4	5	4	2	1	8
	W	57	7.3	23	8	7	2	1	2	0	1	1	2
	NW	85	8.5	20	20	2	3	3	3	4	1	0	6
Tattnall	T	114	7.2	35	14	4	5	6	4	3	3	3	1
	W	76	6.4	23	9	4	0	6	4	3	2	2	0
	NW	38	9.3	12	5	0	5	0	0	0	1	1	1

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1951

AREA AND RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA AND INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED AND UNKNOWN	
	Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number	
Telfair	T	142	10.9	43	17	13	7	5	6	6	5	2	6
	W	102	11.6	36	11	10	5	5	5	4	1	4	
	NW	40	9.5	7	6	3	2	0	1	4	1	2	
Toombs	T	141	8.0	39	24	9	9	5	4	5	1	2	5
	W	81	6.3	29	10	5	2	2	2	4	0	0	2
	NW	60	12.2	10	14	4	7	3	2	1	1	2	3
Treutlen	T	71	11.1	19	9	3	2	7	1	12	1	3	4
	W	54	12.0	14	8	2	2	7	0	10	0	0	3
	NW	17	8.9	5	1	1	0	0	1	2	1	3	1
Twiggs	T	78	9.5	20	10	7	4	6	4	0	2	3	6
	W	22	7.1	8	4	2	1	1	0	0	0	1	0
	NW	56	11.0	12	6	5	3	5	4	0	2	2	6
Washington	T	248	12.0	63	24	21	8	8	9	14	7	10	12
	W	98	10.9	29	11	9	2	4	5	5	2	1	1
	NW	150	12.8	34	13	12	6	4	4	9	5	9	11
Wheeler	T	46	7.1	11	10	2	3	1	0	1	2	1	1
	W	34	7.7	10	6	1	2	1	0	1	2	0	1
	NW	12	5.7	1	4	1	1	0	0	0	0	1	0
Wilkinson	T	103	10.6	21	13	10	8	5	4	2	1	2	7
	W	45	9.0	12	7	4	2	3	1	1	0	0	1
	NW	58	12.3	9	6	6	6	2	3	1	1	2	6

* Rate per 1,000 population.

TABLE XI -- Continued
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1951

AREA AND RACE		DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA AND INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED AND UNKNOWN
		Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number
STATE TOTAL (including military)	T	30,802	8.7	9,011	4,364	3,209	1,441	1,404	1,009	877	686	707	642
	W	18,161	7.4	5,783	2,352	2,310	635	833	693	433	294	340	220
	NW	12,641	11.5	3,228	2,012	899	809	571	316	444	392	367	422
STATE TOTAL MILITARY	T	19		3	0	0	0	0	4	0	0	5	0
	W	17		3	0	0	0	0	4	0	0	5	0
	NW	2		0	0	0	0	0	0	0	0	0	0
SOUTHWESTERN REGION	T	4,353	9.8	1,201	677	414	211	208	141	113	70	121	132
	W	1,969	8.1	621	289	237	55	92	86	60	20	44	23
	NW	2,384	11.8	580	388	177	156	116	55	53	50	77	109
Baker	T	42	7.2	10	8	5	2	3	3	0	1	1	2
	W	14	6.1	3	2	3	1	2	1	0	0	0	0
	NW	28	8.0	7	6	2	1	1	2	0	1	1	2
Ben Hill	T	146	9.6	44	19	13	3	7	6	4	1	1	0
	W	91	8.8	34	8	9	1	2	3	3	0	0	0
	NW	55	11.2	10	11	4	2	5	3	1	1	1	0
Brooks	T	189	10.6	45	42	11	15	5	4	16	2	4	5
	W	69	7.6	22	9	6	6	4	2	5	1	1	0
	NW	120	13.6	23	33	5	9	1	2	11	1	3	5
Calhoun	T	95	11.3	37	13	11	2	3	2	3	0	1	2
	W	27	10.0	10	4	5	0	2	1	2	0	0	0
	NW	68	11.9	27	9	6	2	1	1	1	0	1	2
Clay	T	46	8.1	9	9	6	1	3	1	0	2	1	4
	W	14	8.2	3	4	5	0	0	1	0	0	0	0
	NW	32	8.0	6	5	1	1	3	0	0	2	1	4

TABLE XI - Continued
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1951

AREA AND RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA AND INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED AND UNKNOWN	
	Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number	
Colquitt	T	274	7.9	68	46	27	13	13	16	11	3	3	2
	W	193	7.2	48	34	21	4	10	15	8	2	1	2
	NW	81	9.9	20	12	6	9	3	1	3	1	2	0
Crisp	T	168	9.2	40	23	11	4	8	7	4	11	6	11
	W	82	8.0	26	13	8	1	2	3	3	3	3	1
	NW	86	10.8	14	10	3	3	6	4	1	8	3	10
Decatur	T	272	11.2	72	44	18	9	15	15	9	3	8	8
	W	110	8.5	36	12	10	3	7	6	4	0	3	0
	NW	162	14.5	36	32	8	6	8	9	5	3	5	8
Dooly	T	150	10.8	38	31	16	11	4	2	8	2	4	2
	W	62	9.5	19	13	9	0	2	2	5	1	1	0
	NW	88	11.9	19	18	7	11	2	0	3	1	3	2
Dougherty	T	409	9.6	107	57	47	21	23	14	8	9	10	8
	W	151	6.2	49	16	25	3	8	11	2	0	6	0
	NW	258	14.2	58	41	22	18	15	3	6	9	4	8
Early	T	176	10.2	68	20	11	5	10	4	3	1	6	6
	W	83	10.2	40	9	5	2	3	3	1	0	3	1
	NW	93	10.1	28	11	6	3	7	1	2	1	3	5
Grady	T	179	9.5	21	45	21	13	13	6	5	2	3	3
	W	108	8.6	15	26	13	3	7	4	4	2	2	2
	NW	71	11.1	6	19	8	10	6	2	1	0	1	1
Irwin	T	102	8.6	21	20	7	5	9	1	10	1	3	2
	W	47	6.2	11	11	3	2	3	0	6	0	3	2
	NW	55	12.8	10	9	4	3	6	1	4	1	0	0

TABLE XI - Continued
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1951

AREA AND RACE		DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA AND INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED AND UNKNOWN
		Number	Rate*										
Lee	T	72	10.9	17	10	9	3	2	3	3	0	2	3
	W	19	10.0	7	2	6	0	0	2	0	0	0	0
	NW	53	11.3	10	8	3	3	2	1	3	0	2	3
Miller	T	71	8.0	20	8	10	3	2	3	1	0	2	3
	W	43	6.9	11	4	6	1	2	3	1	0	2	2
	NW	28	10.4	9	4	4	2	0	0	0	0	0	1
Mitchell	T	195	8.7	57	28	19	11	10	7	3	2	9	2
	W	76	6.8	28	9	10	3	4	4	1	1	1	0
	NW	119	10.5	29	19	9	8	6	3	2	1	8	2
Quitman	T	35	11.7	13	3	2	1	2	1	0	0	0	8
	W	8	8.0	6	0	0	0	2	0	0	0	0	0
	NW	27	13.5	7	3	2	1	0	1	0	0	0	8
Randolph	T	141	10.4	62	16	13	0	9	0	1	2	3	4
	W	52	11.1	24	6	4	0	5	0	0	0	0	1
	NW	89	10.1	38	10	9	0	4	0	1	2	3	3
Seminole	T	87	11.2	30	12	4	6	4	2	1	0	1	1
	W	56	11.7	13	9	2	5	4	2	1	0	1	1
	NW	31	10.3	17	3	2	1	0	0	0	0	0	0
Stewart	T	88	9.7	25	16	6	10	1	2	0	2	1	3
	W	30	12.0	10	5	5	0	0	1	0	1	0	0
	NW	58	8.8	15	11	1	10	1	1	0	1	1	3
Sumter	T	286	11.8	71	54	37	8	14	3	4	10	9	5
	W	114	10.5	42	16	16	2	4	0	1	3	3	2
	NW	172	12.9	29	38	21	6	10	3	3	7	6	3

TABLE XI - Continued
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1951

AREA AND RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA AND INFLUENZA	ACCIDENTS		NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED AND UNKNOWN	
	Number	Rate*					Number	Number					Number
Terrell	T	153	10.9	37	20	14	11	6	4	1	2	4	14
	W	40	8.7	17	4	4	2	2	0	1	1	0	1
	NW	113	11.9	20	16	10	9	4	4	0	1	4	13
Thomas	T	363	10.5	124	58	30	27	17	13	5	2	10	1
	W	176	8.6	59	34	20	7	7	8	2	1	2	0
	NW	187	13.2	65	24	10	20	10	5	3	1	8	1
Tift	T	217	9.3	55	29	22	11	10	11	3	3	8	14
	W	113	6.8	28	17	17	3	4	8	2	2	3	2
	NW	104	15.8	27	12	5	8	6	3	1	1	5	12
Turner	T	79	7.6	19	9	12	4	2	2	2	2	2	2
	W	38	5.8	12	5	6	2	0	0	2	0	1	1
	NW	41	10.8	7	4	6	2	2	2	0	2	1	1
Webster	T	45	11.2	12	9	4	3	2	1	0	3	1	1
	W	17	12.1	5	5	2	0	0	1	0	1	0	0
	NW	28	10.8	7	4	2	3	2	0	0	2	1	1
Wilcox	T	69	7.0	29	4	8	2	2	2	1	1	3	0
	W	45	6.9	21	3	3	1	2	2	1	0	3	0
	NW	24	7.1	8	1	5	1	0	0	0	1	0	0
Worth	T	204	10.6	50	24	20	7	9	6	7	3	15	16
	W	91	9.2	22	9	14	3	4	3	5	1	5	5
	NW	113	12.2	28	15	6	4	5	3	2	2	10	11

* Rate per 1,000 population

TABLE XI - Continued
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1951

AREA AND RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA AND INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED AND UNKNOWN	
	Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number	
STATE TOTAL	T	30,802	8.6	9,011	4,364	3,209	1,441	1,404	1,009	877	686	707	642
(Including military)	W	18,161	7.4	5,783	2,352	2,310	635	833	693	433	294	340	220
	NW	12,641	11.5	3,228	2,012	899	806	571	316	444	392	367	422
STATE TOTAL MILITARY	T	19		3	0	0	0	0	4	0	0	5	0
	W	17		3	0	0	0	0	4	0	0	5	0
	NW	2		0	0	0	0	0	0	0	0	0	0
SOUTHEASTERN REGION	T	4,141	9.9	1,268	618	435	222	200	123	117	76	114	45
	W	2,349	8.3	762	308	313	92	114	73	48	21	68	18
	NW	1,792	13.1	506	310	122	130	86	50	69	55	46	27
Appling	T	92	6.6	26	11	9	12	5	4	3	2	2	1
	W	67	5.9	22	10	7	6	4	2	2	1	2	0
	NW	25	9.6	4	1	2	6	1	2	1	1	0	1
Atkinson	T	72	9.5	10	10	10	9	7	5	0	1	1	2
	W	47	8.0	5	8	10	6	5	2	0	0	1	0
	NW	25	14.7	5	2	0	3	2	3	0	1	0	2
Bacon	T	86	9.3	26	10	10	3	3	2	3	0	2	2
	W	72	8.9	22	9	10	2	2	2	3	0	2	2
	NW	14	12.7	4	1	0	1	1	0	0	0	0	0
Berrien	T	102	7.4	29	17	8	7	2	9	2	2	3	0
	W	84	7.1	26	13	8	6	2	8	2	2	2	0
	NW	18	9.5	3	4	0	1	0	1	0	0	1	0
Brantley	T	74	11.7	23	7	7	5	6	1	10	0	1	0
	W	67	12.2	22	7	6	3	6	0	8	0	1	0
	NW	7	8.8	1	0	1	2	0	1	2	0	0	0

TABLE XI - Continued
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1951

AREA AND RACE	DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA AND INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IMMATUREITY	ILL-DEFINED AND UNKNOWN	
	Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number	
Camden	T	83	11.1	26	10	13	3	5	6	1	1	3	3
	W	37	10.0	12	5	10	0	1	2	1	0	1	1
	NW	46	12.1	14	5	3	3	4	4	0	1	2	2
Charlton	T	44	9.2	10	8	4	2	6	0	2	0	1	0
	W	28	8.2	6	5	2	1	5	0	0	0	1	0
	NW	16	11.4	4	3	2	1	1	0	2	0	0	0
Chatham	T	1,691	11.0	554	265	178	81	64	34	40	50	48	9
	W	819	8.6	297	99	122	20	36	17	8	10	21	4
	NW	872	14.7	257	166	56	61	28	17	32	40	27	5
Clinch	T	55	9.2	11	8	6	8	2	3	2	0	1	3
	W	30	7.7	5	4	4	3	1	2	1	0	1	0
	NW	25	11.9	6	4	2	5	1	1	1	0	0	3
Coffee	T	203	8.3	54	39	23	19	5	3	4	0	5	5
	W	130	7.0	37	24	17	11	3	2	4	0	4	0
	NW	73	12.2	17	15	6	8	2	1	0	0	1	5
Cook	T	130	10.4	24	16	10	8	12	3	8	0	4	4
	W	83	9.2	21	7	9	5	5	3	5	0	0	2
	NW	47	13.4	3	9	1	3	7	0	3	0	4	2
Echols	T	22	9.2	5	3	2	1	2	0	0	0	1	1
	W	18	10.6	5	3	1	1	1	0	0	0	1	0
	NW	4	5.7	0	0	1	0	1	0	0	0	0	1
Glynn	T	288	9.7	88	32	34	8	13	13	6	3	19	5
	W	155	7.7	47	16	25	4	5	8	2	2	11	4
	NW	133	14.0	41	16	9	4	8	5	4	1	8	1

TABLE XI - Continued

TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1951

AREA AND RACE		DEATHS ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA AND INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED AND UNKNOWN
		Number	Rate*										
Jeff Davis	T	78	8.2	16	16	6	5	2	7	6	0	4	2
	W	52	6.9	12	8	5	2	2	6	5	0	4	0
	NW	26	13.0	4	8	1	3	0	1	1	0	0	2
Lanier	T	40	7.8	6	6	7	4	4	1	2	1	0	0
	W	28	8.0	5	4	6	2	2	1	2	0	0	0
	NW	12	7.5	1	2	1	2	2	0	0	1	0	0
Liberty	T	108	11.1	28	13	13	9	7	3	2	1	2	1
	W	37	9.7	9	2	7	3	4	0	1	0	1	0
	NW	71	12.0	19	11	6	6	3	3	1	1	1	1
Long	T	47	13.4	20	7	3	2	0	2	1	1	1	1
	W	28	12.2	12	3	2	1	0	2	1	1	1	0
	NW	19	15.8	8	4	1	1	0	0	0	0	0	1
Lowndes	T	333	9.2	104	63	33	8	22	8	12	5	4	2
	W	193	9.0	67	32	22	3	7	5	2	1	4	2
	NW	140	9.5	37	31	11	5	15	3	10	4	0	0
McIntosh	T	69	11.3	35	6	5	6	4	4	0	1	0	0
	W	25	10.4	11	4	2	1	2	2	0	0	0	0
	NW	44	11.9	24	2	3	5	2	2	0	1	0	0
Pierce	T	104	9.5	31	19	12	3	4	2	2	2	2	2
	W	71	8.3	19	13	8	2	3	2	0	0	2	2
	NW	33	13.8	12	6	4	1	1	0	2	2	0	0
Ware	T	287	9.3	99	35	35	14	18	2	8	5	7	2
	W	184	8.1	63	21	25	8	12	1	1	4	5	1
	NW	103	12.6	36	14	10	6	6	1	7	1	2	1

TABLE XI - Continued
 TOTAL DEATHS FROM ALL CAUSES, AND DEATHS FROM GEORGIA'S TEN LEADING CAUSES BY REGION, COUNTY, AND RACE: 1951

AREA AND RACE	DISEASES ALL CAUSES		HEART DISEASES	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM	CANCER	PNEUMONIA AND INFLUENZA	ACCIDENTS EXCL. MOTOR VEHICLE	MOTOR VEHICLE ACCIDENTS	NEPHRITIS & NEPHROSIS	TUBERCULOSIS (ALL FORMS)	IM-MATURITY	ILL-DEFINED AND UNKNOWN	
	Number	Rate*	Number	Number	Number	Number	Number	Number	Number	Number	Number	Number	
Wayne	T	133	9.1	43	17	7	5	7	11	3	1	3	0
	W	94	8.0	37	11	5	2	6	6	0	0	3	0
	NW	39	13.4	6	6	2	3	1	5	3	1	0	0

* Rate per 1,000 population.

TABLE XII - NUMBER OF PHYSICIANS IN PRIVATE PRACTICE AND AVERAGE NUMBER OF PERSONS PER PHYSICIAN BY COUNTY, GEORGIA: AUGUST, 1952

Note: County and state average number of persons per physician is based on Estimated Civilian Population of Georgia: July 1, 1951.

<u>COUNTY</u>	<u>NUMBER PHYSI- CIANS</u>	<u>AVG. NO. PERSONS PER PHYSICIAN</u>	<u>COUNTY</u>	<u>NUMBER PHYSI- CIANS</u>	<u>AVG. NO. PERSONS PER PHYSICIAN</u>
<u>STATE TOTAL</u>	2,292	1,516			
Appling	7	2,000	Echols	0	--
Atkinson	3	2,533	Effingham	2	4,550
Bacon	5	1,840	Elbert	10	1,850
Baker	0	--	Emanuel	7	2,771
Baldwin	7	4,286	Evans	2	3,300
Banks	1	6,800	Fannin	9	1,733
Barrow	9	1,489	Fayette	3	2,667
Bartow	11	2,545	Floyd	38	1,687
Ben Hill	8	1,900	Forsyth	5	2,200
Berrien	7	1,971	Franklin	7	2,043
Bibb	91	1,282	Fulton	674	712
Bleckley	5	1,840	Gilmer	2	5,100
Brantley	1	6,300	Glascock	1	3,500
Brooks	6	2,983	Glynn	21	1,410
Bryan	2	2,950	Gordon	7	2,757
Bulloch	17	1,447	Grady	10	1,890
Burke	8	2,900	Greene	8	1,600
Butts	3	3,033	Gwinnett	11	3,000
Calhoun	6	1,400	Habersham	7	2,414
Camden	4	1,875	Hall	23	1,783
Candler	6	1,333	Hancock	4	2,725
Carroll	22	1,550	Haralson	7	2,129
Catoosa	2	7,750	Harris	4	2,800
Charlton	4	1,200	Hart	5	2,880
Chatham	137	1,126	Heard	6	1,133
Chattahoochee	0	--	Henry	3	5,400
Chattooga	5	4,320	Houston	6	3,367
Cherokee	8	2,650	Irwin	4	2,975
Clarke	33	1,127	Jackson	8	2,363
Clay	3	1,900	Jasper	5	1,460
Clayton	5	4,700	Jeff Davis	4	2,375
Clinch	2	3,000	Jefferson	8	2,338
Cobb	35	1,851	Jenkins	3	3,367
Coffee	9	2,733	Johnson	4	2,400
Colquitt	21	1,662	Jones	1	7,500
Columbia	3	3,233	Lamar	6	1,750
Cook	5	2,500	Lanier	2	2,550
Coweta	20	1,415	Laurens	14	2,364
Crawford	0	--	Lee	1	6,600
Crisp	9	2,022	Liberty	2	4,850
Dade	2	3,800	Lincoln	2	3,200
Dawson	0	--	Long	1	3,500
Decatur	11	2,200	Lowndes	27	1,337
DeKalb	55	2,544	Lumpkin	4	1,675
Dodge	6	2,933	McDuffie	5	2,340
Dooly	6	2,317	McIntosh	3	2,033
Dougherty	36	1,178	Macon	7	2,000
Douglas	4	3,125	Madison	3	4,033
Dooly	6	2,883	Marion	1	6,500

(Continued)

TABLE XII - NUMBER OF PHYSICIANS IN PRIVATE PRACTICE AND AVERAGE NUMBER OF PERSONS PER PHYSICIAN BY COUNTY, GEORGIA: AUGUST, 1952

Note: County and state average number of persons per physician is based on Estimated Civilian Population of Georgia: July 1, 1951.

<u>COUNTY</u>	<u>NUMBER PHYSI- CIANS</u>	<u>AVG. NO. PERSONS PER PHYSICIAN</u>	<u>COUNTY</u>	<u>NUMBER PHYSI- CIANS</u>	<u>AVG. NO. PERSONS PER PHYSICIAN</u>
Meriwether	9	2,333	Talbot	1	7,600
Miller	4	2,225	Taliaferro	1	4,300
Mitchell	10	2,250	Tattnall	6	2,650
Monroe	3	3,500	Taylor	5	1,780
Montgomery	3	2,567	Telfair	9	1,444
Morgan	7	1,686	Terrell	5	2,820
Murray	4	2,650	Thomas	30	1,153
Muscogee	84	1,286	Tift	14	1,664
Newton	8	2,588	Toombs	10	1,770
Oconee	2	3,500	Towns	2	2,400
Oglethorpe	3	3,233	Treutlen	3	2,133
Paulding	3	3,867	Troup	40	1,280
Peach	5	2,400	Turner	4	2,600
Pickens	4	2,200	Twiggs	1	8,200
Pierce	5	2,200	Union	2	3,650
Pike	4	2,075	Upson	17	1,506
Polk	14	2,257	Walker	15	2,607
Pulaski	4	2,175	Walton	7	2,886
Putnam	4	1,925	Ware	24	1,288
Quitman	0	--	Warren	4	2,150
Rabun	4	1,850	Washington	12	1,725
Randolph	6	2,250	Wayne	12	1,217
Richmond	124	916	Webster	0	--
Rockdale	3	2,900	Wheeler	1	6,500
Schley	1	3,900	White	5	1,180
Screven	7	2,543	Whitfield	15	2,347
Seminole	5	1,560	Wilcox	6	1,650
Spalding	17	1,865	Wilkes	8	1,513
Stephens	8	2,125	Wilkinson	3	3,233
Stewart	3	3,033	Worth	5	3,340
Sumter	14	1,729			

Source: Medical Directory of Georgia
Georgia Department of Public Health
August, 1952

TABLE XIII

ESTIMATED POPULATION OF GEORGIA

July 1, 1951

Number of people shown by race for each county and for cities with 2,500 or more persons (except North Atlanta). County estimates do not include military personnel.

AREA	TOTAL	WHITE	NONWHITE	AREA	TOTAL	WHITE	NONWHITE
STATE TOTAL	3,561,000	2,461,000	1,100,000				
URBAN	1,479,000	1,013,000	466,000				
RURAL	2,082,000	1,448,000	634,000				
STATE TOTAL CIVILIAN	3,474,000	2,402,000	1,072,000				
Appling	14,000	11,400	2,600	Carroll	34,100	27,500	6,600
Baxley	3,500	2,600	900	Carrollton	8,000	6,300	1,700
Atkinson	7,600	5,900	1,700	Catoosa	15,500	15,200	300
Bacon	9,200	8,100	1,100	Charlton	4,800	3,400	1,400
Alma	2,700	2,300	400	Chatham	154,200	94,700	59,500
Baker	5,800	2,300	3,500	Savannah	121,700	72,500	49,200
Baldwin	30,000	18,000	12,000	Chattahoochee	2,100	700	1,400
State Hos- pital	10,300	6,500	3,800	Chattooga	21,600	19,600	2,000
Milledge- ville	8,900	4,900	4,000	Summerville	4,000	3,500	500
Banks	6,800	6,400	400	Trion	3,000	2,900	100
Barrow	13,400	11,000	2,400	Cherokee	21,200	20,400	800
Winder	4,700	4,000	700	Canton	2,800	2,600	200
Bartow	28,000	23,900	4,100	Clarke	37,200	27,100	10,100
Cartersville	7,400	5,600	1,800	Athens	28,600	20,800	7,800
Ben Hill	15,200	10,300	4,900	Clay	5,700	1,700	4,000
Fitzgerald	8,200	5,400	2,800	Clayton	23,500	19,600	3,900
Berrien	13,800	11,900	1,900	College Park	14,900	11,900	3,000
Nashville	3,500	2,800	700	(Part in Clayton)	3,400	*	*
Bibb	116,700	74,900	41,800	Forest Park	2,700	2,700	--
Macon	71,900	41,600	30,300	Glinch	6,000	3,900	2,100
Bleckley	9,200	6,300	2,900	Cobb	64,800	58,300	6,500
Cochran	3,400	2,300	1,100	Marietta	22,900	19,600	3,300
Brantley	6,300	5,500	800	Coffee	24,600	18,600	6,000
Brooks	17,900	9,100	8,800	Douglas	7,600	5,400	2,200
Quitman	4,900	2,700	2,200	Colquitt	34,900	26,700	8,200
Bryan	5,900	3,600	2,300	Moultrie	12,000	7,700	4,300
Bullock	24,600	15,500	9,100	Columbia	9,700	5,100	4,600
Statesboro	6,300	4,200	2,100	Cook	12,500	9,000	3,500
Burke	23,200	6,700	16,500	Adel	2,800	1,700	1,100
Waynesboro	4,600	2,200	2,400	Coweta	28,300	17,700	10,600
Butts	9,100	5,000	4,100	Newnan	8,400	5,200	3,200
Calhoun	8,400	2,700	5,700	Crawford	6,000	2,500	3,500
Camden	7,500	3,700	3,800	Crisp	18,200	10,200	8,000
Candler	8,000	5,200	2,800	Cordele	9,700	5,000	4,700
				Dade	7,600	7,400	200

TABLE XIII - Continued

ESTIMATED POPULATION OF GEORGIA - July 1, 1951

AREA	TOTAL	WHITE	NON-WHITE	AREA	TOTAL	WHITE	NON-WHITE
Dawson	3,600	3,600	---	Grady	18,900	12,500	6,400
Decatur	24,200	13,000	11,200	Cairo	5,600	3,300	2,300
Bainbridge	7,700	4,800	2,900	Greene	12,800	6,300	6,500
DeKalb	139,900	125,100	14,800	Greensboro	2,800	1,600	1,200
Atlanta (in DeKalb)	38,200	*	*	Gwinnett	33,000	29,900	3,100
Atlanta (Total)	337,100	213,700	123,400	Buford	3,800	3,000	800
Chamblee	3,800	3,700	100	Lawrenceville	3,000	2,500	500
Decatur	22,400	19,000	3,400	Habersham	16,900	16,300	600
Dodge	17,600	12,300	5,300	Hall	41,000	37,000	4,000
Eastman	3,700	2,500	1,200	Gainesville	12,300	9,200	3,100
Dooly	13,900	6,500	7,400	Hancock	10,900	3,000	7,900
Dougherty	42,400	24,200	18,200	Haralson	14,900	13,600	1,300
Albany	32,300	18,500	13,800	Tallapoosa	2,900	2,600	300
Douglas	12,500	10,500	2,000	Harris	11,200	4,900	6,300
Douglasville	3,500	2,800	700	Hart	14,400	10,900	3,500
Early	17,300	8,100	9,200	Hartwell	3,000	2,300	700
Blakely	3,300	2,200	1,100	Heard	6,800	5,000	1,800
Echols	2,400	1,700	700	Henry	16,200	9,000	7,200
Effingham	9,100	5,700	3,400	Houston	20,200	13,100	7,100
Elbert	18,500	12,300	6,200	Perry	3,900	1,900	2,000
Elberton	6,900	4,800	2,100	Warner			
Emanuel	19,400	12,600	6,800	Robbins	8,300	7,800	500
Swainsboro	4,300	2,500	1,800	Irwin	11,900	7,600	4,300
Evans	6,600	4,200	2,400	Ocilla	2,700	1,300	1,400
Fannin	15,600	15,500	100	Jackson	18,900	16,000	2,900
Fayette	8,000	5,400	2,600	Commerce	3,400	3,000	400
Floyd	64,100	54,600	9,500	Jasper	7,300	3,200	4,100
Batley State Hospital	1,700	1,100	600	Jeff Davis	9,500	7,500	2,000
Rome	30,300	24,100	6,200	Hazlehurst	2,800	2,100	700
Forsyth	11,000	10,900	100	Jefferson	18,700	7,900	10,800
Franklin	14,300	12,500	1,800	Jenkins	10,100	4,700	5,400
Fulton	479,700	332,700	147,000	Millen	3,500	1,900	1,600
Fulton (excluding Atlanta)	180,800	*	*	Johnson	9,600	6,400	3,200
Atlanta (Total) (Part in Fulton)	337,100	213,700	123,400	Jones	7,500	3,400	4,100
College Park (Total) (Part in Fulton)	14,900	11,900	3,000	Lamar	10,500	6,200	4,300
East Point	21,600	18,700	2,900	Barnesville	4,300	2,700	1,600
Hapeville	8,800	8,800	---	Lanier	5,100	3,500	1,600
Gilmer	10,200	10,200	---	Laurens	33,100	19,800	13,300
Glascock	3,500	2,600	900	Dublin	10,400	6,300	4,100
Glynn	29,600	20,100	9,500	Lee	6,600	1,900	4,700
Brunswick	18,400	11,200	7,200	Liberty	9,700	3,800	5,900
Gordon	19,300	18,200	1,100	Lincoln	6,400	3,300	3,100
Calhoun	3,300	2,700	600	Long	3,500	2,300	1,200
				Lowndes	36,100	21,400	14,700
				Valdosta	20,500	11,500	9,000
				Lumpkin	5,700	5,600	100
				Macon	14,000	4,700	9,300
				Montezuma	2,900	1,300	1,600
				Madison	12,100	9,800	2,300
				Marion	6,500	2,700	3,800
				McDuffie	11,700	6,400	5,300
				Thomson	3,600	2,300	1,300

TABLE XIII - Continued

ESTIMATED POPULATION OF GEORGIA - July 1, 1951

AREA	TOTAL	WHITE	NONWHITE	AREA	TOTAL	WHITE	NONWHITE
McIntosh	6,100	2,400	3,700	Sumter	24,200	10,900	13,300
Meriwether	21,000	10,300	10,700	Americus	11,700	5,900	5,800
Manchester				Talbot	7,600	2,300	5,300
(Total)	4,100	3,000	1,100	Manchester			
(Part in Meri-				(Total)	4,100	3,000	1,100
wether)	4,000	*	*	(Part in			
Miller	8,900	6,200	2,700	Talbot)	100	*	*
Mitchell	22,500	11,200	11,300	Taliaferro	4,300	1,500	2,800
Camilla	3,900	1,800	2,100	Tattnall	15,900	11,800	4,100
Pelham	4,500	2,600	1,900	State Prison	1,200	800	400
Monroe	10,500	5,200	5,300	Taylor	8,900	4,600	4,300
Forsyth	3,200	1,800	1,400	Telfair	13,000	8,800	4,200
Montgomery	7,700	4,600	3,100	Terrell	14,100	4,600	9,500
Morgan	11,800	5,700	6,100	Dawson	4,500	2,000	2,500
Murray	10,600	10,400	200	Thomas	34,600	20,400	14,200
Muscogee	108,000	79,800	28,200	Thomasville	14,700	8,000	6,700
Columbus	81,900	56,300	25,600	Tift	23,300	16,700	6,600
Newton	20,700	13,800	6,900	Tifton	7,000	6,000	1,000
Covington	5,300	3,000	2,300	Toombs	17,700	12,800	4,900
Porterdale	3,300	3,200	100	Lyons	2,900	1,900	1,000
Oconee	7,000	5,200	1,800	Vidalia	5,900	3,900	2,000
Oglethorpe	9,700	5,500	4,200	Towns	4,800	4,800	--
Paulding	11,600	10,400	1,200	Treutlen	6,400	4,500	1,900
Peach	12,000	4,600	7,400	Troup	51,200	34,700	16,500
Ft. Valley	7,000	2,700	4,300	Hogansville	3,800	2,500	1,300
Pickens	8,800	8,400	400	LaGrange	25,700	17,800	7,900
Pierce	11,000	8,600	2,400	West Point	4,200	1,700	2,500
Pike	8,300	4,500	3,800	Turner	10,400	6,600	3,800
Polk	31,600	26,500	5,100	Ashburn	3,000	1,700	1,300
Cedartown	9,600	8,100	1,500	Twiggs	8,200	3,100	5,100
Rockmart	3,900	3,400	500	Union	7,300	7,300	--
Pulaski	8,700	4,400	4,300	Upton	25,600	18,800	6,800
Hawkinsville	3,400	2,100	1,300	East Thomas-			
Putnam	7,700	3,400	4,300	ton	3,100	3,100	--
Eatonton	2,800	1,400	1,400	Silvertown	3,400	3,400	--
Quitman	3,000	1,000	2,000	Thomaston	6,900	4,700	2,200
Rabun	7,400	7,300	100	Walker	39,100	36,700	2,400
Randolph	13,500	4,700	8,800	LaFayette	5,000	4,500	500
Cuthbert	4,100	1,600	2,500	Rossville	4,000	4,000	--
Richmond	113,600	75,200	38,400	Walton	20,200	13,900	6,300
Augusta	80,000	47,000	33,000	Monroe	4,600	3,300	1,300
Rockdale	8,700	6,200	2,500	Ware	30,900	22,700	8,200
Schley	3,900	1,600	2,300	Waycross	19,300	12,400	6,900
Screven	17,800	7,800	10,000	Warren	8,600	3,100	5,500
Sylvania	3,000	1,700	1,300	Washington	20,700	9,000	11,700
Seminole	7,800	4,800	3,000	Sandersville	4,500	2,000	2,500
Donalsonville	2,700	1,500	1,200	Wayne	14,600	11,700	2,900
Spalding	31,700	23,000	8,700	Jesup	4,700	3,300	1,400
Griffin	14,300	9,300	5,000	Webster	4,000	1,400	2,600
Stephens	17,000	14,800	2,200	Wheeler	6,500	4,400	2,100
Toccoa	7,000	5,500	1,500	White	5,900	5,600	300
Stewart	9,100	2,500	6,600	Whitfield	35,200	33,800	1,400
				Dalton	16,400	15,100	1,300

TABLE XIII - Continued

ESTIMATED POPULATION OF GEORGIA - July 1, 1951

AREA	TOTAL	WHITE	NONWHITE	AREA	TOTAL	WHITE	NONWHITE
Wilcox	9,900	6,500	3,400	Wilkinson	9,700	5,000	4,700
Wilkes	12,100	5,400	6,700	Worth	19,200	9,900	9,300
Washington	3,900	1,800	2,100	Sylvester	2,700	1,500	1,200

* Racial breakdown of cities lying in two counties not available by separate counties at the time of printing.

Population of state institutions is included in state total but is excluded from county figures.

A dash (-) indicates a population of less than fifty.

County totals may not add back to state totals due to rounding.

Source: Georgia Department of Public Health
Central Statistical Unit