

VITAL STATISTICS

GEORGIA

1954

Property Of:
Georgia Department of Human
Resources
Division of Public Health
Health Assessment Services
Do Not Remove



Department of Public Health
State of Georgia

Atlanta

6147
G

VITAL STATISTICS

GEORGIA

1954

DEPARTMENT OF PUBLIC HEALTH


STATE OF GEORGIA

Atlanta

November 4, 1955

STATE OF
GEORGIA
HEALTH REGIONS

1954



STATE
DEPARTMENT
OF
PUBLIC HEALTH

COUNTY LISTING INDICATING REGION IN WHICH COUNTY IS LOCATED, 1954

County	Region	County	Region
Appling	Southeastern	Jenkins	Central
Atkinson	Southeastern	Johnson	Central
Bacon	Southeastern	Jones	Central
Baker	Southwestern	Lamar	Central
Baldwin	Central	Lanier	Southeastern
Banks	Northeastern	Laurens	Central
Barrow	Northeastern	Lee	Southwestern
Bartow	Northwestern	Liberty	Southeastern
Ben Hill	Southwestern	Lincoln	Northeastern
Berrien	Southeastern	Long	Southeastern
Bibb	Central	Lowndes	Southeastern
Bleckley	Central	Lumpkin	Northwestern
Brantley	Southeastern	Macon	Central
Brooks	Southwestern	Madison	Northeastern
Bryan	Central	Marion	Central
Bulloch	Central	McDuffie	Northeastern
Burke	Central	McIntosh	Southeastern
Butts	Central	Meriwether	Central
Calhoun	Southwestern	Miller	Southwestern
Camden	Southeastern	Mitchell	Southwestern
Candler	Central	Monroe	Central
Carrroll	Northwestern	Montgomery	Central
Catoosa	Northwestern	Morgan	Northeastern
Charlton	Southeastern	Murray	Northwestern
Chatham	Southeastern	Muscogee	Central
Chattoochee	Central	Newton	Northeastern
Chattooga	Northwestern	Oconee	Northeastern
Cherokee	Northwestern	Oglethorpe	Northeastern
Clarke	Northeastern	Paulding	Northwestern
Clay	Southwestern	Peach	Central
Clayton	Central	Pickens	Northwestern
Clinch	Southeastern	Pierce	Southeastern
Cobb	Northwestern	Pike	Central
Coffee	Southeastern	Polk	Northwestern
Colquitt	Southwestern	Pulaski	Central
Columbia	Northeastern	Putnam	Northeastern
Cook	Southeastern	Quitman	Southwestern
Coweta	Central	Rabun	Northeastern
Crawford	Central	Randolph	Southwestern
Crisp	Southwestern	Richmond	Northeastern
Dade	Northwestern	Rockdale	Northeastern
Dawson	Northwestern	Schley	Central
DeCATur	Southwestern	Screven	Central
DeKalb	Northwestern	Seminole	Southwestern
Dodge	Central	Spalding	Central
Dooley	Southwestern	Stephens	Northeastern
Dougherty	Southwestern	Stewart	Southwestern
Douglas	Northwestern	Sumter	Southwestern
Early	Southwestern	Talbot	Central
Echols	Southeastern	Taliaferro	Northeastern
Effingham	Central	Tattnall	Central
Elbert	Northeastern	Taylor	Central
Emanuel	Central	Telfair	Central
Evans	Central	Terrell	Southwestern
Fannin	Northwestern	Thomas	Southwestern
Fayette	Central	Tift	Southwestern
Floyd	Northwestern	Toombs	Central
Forsyth	Northwestern	Towns	Northwestern
Franklin	Northeastern	Treutlen	Central
Fulton	Northwestern	Troup	Central
Gilmer	Northwestern	Turner	Southwestern
Glascock	Central	Twiggs	Central
Glynn	Southeastern	Union	Northwestern
Gordon	Northwestern	Upson	Central
Grady	Southwestern	Walker	Northwestern
Greene	Northeastern	Walton	Northeastern
Gwinnett	Northeastern	Ware	Southeastern
Habersham	Northeastern	Warren	Northeastern
Hall	Northeastern	Washington	Central
Hancock	Northeastern	Wayne	Southeastern
Haralson	Northwestern	Webster	Southwestern
Harris	Central	Wheeler	Central
Hart	Northeastern	White	Northeastern
Heard	Central	Whitfield	Northwestern
Henry	Central	Wilcox	Southwestern
Houston	Central	Wilkes	Northeastern
Irwin	Southwestern	Wilkinson	Central
Jackson	Northeastern	Worth	Southwestern
Jasper	Northeastern		
Jeff Davis	Southeastern		
Jefferson	Central		

TABLE OF CONTENTS

	Page
INTRODUCTION.	ix
SOME FACTORS INFLUENCING VITAL STATISTICS	x-xiv
Completeness of registration.	x
Accuracy and completeness of reporting items on certificates.	xi
Changes in classification of causes of death.	xii
Socio-economic status	xiii
Population, race and age trends	xiii
Military events	xiv
DISCUSSION OF 1954 STATISTICS	xv-xxii
Population.	xv
Physicians.	xv
Marriages and divorces.	xv
Fetal deaths.	xvi
Live births	xvii
Immature births	xvii
Births to un-wed mothers.	xviii
Infant deaths	xviii
Deaths from immaturity.	xviii
Neonatal deaths	xix
Deaths all ages	xx
Maternal deaths	xxi

FIGURES

Figure

1. Live birth rates adjusted for underregistration, Georgia, 1940-1954	xi
2. Live birth and death rates, by race, Georgia, 1924-1954 .	xiv
3. Immature birth rate and death rate from immaturity, by race Georgia, 1924-1954.	xix
4. Infant and neonatal death rates by race, Georgia, 1924-1954	xx
5. Maternal death ratio by race, Georgia, 1924-1954.	xxii

TEXT TABLES

Table	Page
1. Estimates of birth registration completeness, by place of occurrence, Georgia, 1940-1954.	x
2. Deaths due to ill-defined and unknown causes, Georgia, 1945-1954	xiii
3. Population by race and residence, Georgia, April 1, 1950-July 1, 1954.	xv
4. Marriages by residence of bride and groom, Georgia, 1954.	xvi
5. Fetal deaths by race, place of occurrence, attendant and length of gestation, Georgia, 1954.	xvii
6. Live birth rates, Georgia, 1940-1954.	xviii
7. Death rates per 100,000 population for Georgia and United States - and Georgia, age, race, adjusted death rates, 1950-1954	xxi

GENERAL TABLES

I. Selected vital events, number and rate and per cent occurring in hospitals by race, urban and rural, Georgia, 1954	1
II. Deaths, all causes, number and rate per 100,000 population by race, age and sex, Georgia, 1954	1
III. Summary of selected vital statistics, Georgia, 1924-1954.	2,3
IV. Live births by age of parents, Georgia, 1954.	4
V. Live births to un-wed mothers, number and rate per 1,000 live births by age of mother, Georgia, 1954	4
VI. Important causes of death, number and per cent of total in specified age groups, by race, Georgia, 1954.	5-8
VII. Deaths from heart disease, by type, by age, Georgia, 1954	9
VIII. Deaths from cancer by site, race and sex, Georgia, 1954	9
IX. Deaths, number and ratio (per 10,000 live births) from diseases of pregnancy, childbirth, and the puerperium, by race, Georgia, 1954	10

GENERAL TABLES (CONT'D)

Table	Page
X. Infant deaths, number and rate per 1,000 live births by race, sex, and age, Georgia, 1954.	10
XI. Infant deaths, number and rate per 1,000 live births, by race, by cause, Georgia, 1954.	11
XII. Accidental deaths, number and rate, by type of accident, by age, Georgia, 1954.	12
XIII. Vital statistics, by county and race, Georgia, 1954. . . .	13-76
XIV. Vital statistics, cities of 10,000 and over population, Georgia, 1954.	77-86
XV. Live births to un-wed mothers, number and rate per 1,000 live births, by race, Georgia, 1954.	87-88
XVI. Number of physicians in private practice and average number of persons per physician, by county, Georgia, January 1, 1955	89
XVII-A. Estimated population by race, sex and age, Georgia, July 1, 1954	90
XVII-B. Estimated population by race, by urban and rural, and civilian population by race, by county, and incorporated places of 2,500 or more persons, Georgia, July 1, 1954 . .	90-92
XVIII. Total population, by census years, by age and race, Georgia, 1920-1950	92
XIX. Marriages, divorces, and annulments by county of occurrence Georgia, 1954.	93-94

SYMBOLS USED IN THIS REPORT

- Quantity is zero in frequency table
- Data not available
- ... Rate or per cent not applicable
- 0.0 Rate or per cent more than zero but less than 0.05
- 0 Quantity is zero in rate table

INTRODUCTION

This report has been prepared annually since 1948. The format has varied from year to year as efforts were made to present the material in the most useful and concise manner. In 1953, a format was introduced which should prove beneficial over a period of years. It is followed very closely in this report.

Most data for a county or city are together in one table. Counties and cities are in alphabetical sequence. No data are shown for health regions. However, certain data are tabulated by regions, and are available on request. Detailed state data are included for the current year as well as several historical series dating back to 1924.

Most tabulations are based on births, deaths, fetal deaths, marriages and divorces recorded in the Division of Vital Statistics and known births and deaths of Georgia residents which occurred in other states. Unless specifically stated otherwise, all data on births, deaths, and fetal deaths are allocated to place of residence. Marriages are tabulated by place of issuance of licenses and divorces by place in which the divorce was granted.

Population estimates and number of physicians by county are included in separate tables at the end of the report.

Additional copies of most of the tables and more detailed tabulations of these and other health statistics are available. Address correspondence to:

Georgia Department of Public Health
Central Statistical Unit
12 Capitol Square
Atlanta, Georgia

SOME FACTORS INFLUENCING VITAL STATISTICS

Completeness of Registration

Completeness of registration varies from county to county. In some instances this accounts for differences in rates which can readily result in misinterpretations of health statistics.

In 1940 and 1950 birth registration completeness tests were completed for each state in connection with the Census of Population Reports. Results from these tests indicated improvement in birth registration for virtually every state during the ten year period. The 1950 test showed Georgia's birth registration to be 94.6% complete. This was an increase of 13.3% over the 1940 figure of 81.3%. For details concerning birth registration completeness by race, place of delivery, and attendant in 1940 and 1950 the reader is referred to Vital Statistics, Georgia, 1953, pp. x, xi.

Estimates of completeness of birth registration are shown below for 1940-1954. Figures for 1941-1949 are interpolations of the results obtained from the birth registration tests of 1940 and 1950. Percentage completeness of registration by race and place of delivery in 1950 was applied to recorded births to obtain estimates for 1951-1954. The estimated increase since 1950 is due entirely to the increase in the proportion of births delivered in hospitals.


Table 1
ESTIMATES OF BIRTH REGISTRATION COMPLETENESS, BY PLACE
OF OCCURRENCE, GEORGIA, 1940-1954

<u>Year</u>	<u>Per Cent Completeness</u>
1940	81.3*
1941	82.6
1942	84.0
1943	85.3
1944	86.6
1945	88.0
1946	89.3
1947	90.6
1948	91.9
1949	93.3
1950	94.6*
1951	95.1
1952	95.5
1953	95.7
1954	96.0

* Results of birth registration completeness tests.

Figure 1 shows live birth rates before and after correction for underregistration.

FIGURE 1
LIVE BIRTH RATES ADJUSTED FOR
UNDERREGISTRATION, GEORGIA, 1940-1954



Completeness of registration for other vital events have not been given as much study as birth registration. However, our experiences in working with the statistics concerning these events do indicate characteristics about the quality of reporting.

It is felt that, in general, death registration is more complete than birth registration. Completeness of registration is probably poorest for infants who die soon after birth.

Stillbirths probably are grossly underreported in Georgia. More attention is being focused on the relationship of late fetal and early infant deaths, and adequate analysis requires good reporting.

All county ordinaries report marriages to the Division of Vital Statistics. Completeness of reporting is believed to be good.

Divorces are underreported in Georgia because several counties, including some of the most populous, never report any divorces to the Division of Vital Statistics.

Accuracy and Completeness of Reporting Items on Certificates

It is very important that all items on a certificate be answered accurately and completely.

However, answers to specific questions are sometimes omitted. This results in another "unknown" which cannot be interpreted in analysis of the data.

One of the most serious problems in birth and death registration is data on urban and rural residences. When a residence is outside the corporate limits of a city and the city is shown as the address, the residence is classified as urban unless the person completing the certificate indicates that the residence is outside of the city. This results in over-allocation of events to urban areas with an under-allocation to rural areas. This should be considered in analyzing rural and urban differences.

Changes in Classification of Causes of Death

A major change in classifying causes of death was made in 1950 with the adoption of the sixth revision of the International Statistical Classification of Diseases, Injuries and Causes of Death. Under the fifth revision an arbitrary method of selecting the primary cause of death was used when more than one cause of death was shown on the certificate. Now, the physician is asked to state the sequence of events which resulted in death, giving the underlying cause last and the other significant conditions in a separate section of the certificate. This medical certification, with few exceptions, determines the classification of the underlying cause under the sixth revision.

In order to compare specific death rates since 1949 with those in 1949 or prior years, it was necessary to determine comparability ratios for each disease to use in adjusting the rates for 1940-1949. The comparability ratio is the ratio of the number of deaths assigned to a cause under the "Sixth" revision to the number assigned to the same cause under the "Fifth" revision. Comparability ratios used in adjusting the rates for some of the leading causes of death, as well as adjusted rates for 1940-1949, can be found in Vital Statistics, Georgia, 1953, Tables 4 and 12, pages xiii and xxv. Comparability ratios and adjusted rates for other diseases are available on request.

Changes in the quality of medical certification have also resulted in improved mortality statistics. One indication of improvement is the decline in the per cent of deaths attributed to ill-defined and unknown causes. In 1954, only 1.4% of the total deaths were in this category as compared with 2.9% in 1945. This does not necessarily imply that the quality of information is any better, but that more certificates do have classifiable data on cause of death.

Table 2
DEATHS DUE TO ILL-DEFINED AND UNKNOWN CAUSES,
GEORGIA, 1945-1954

<u>Year</u>	<u>Number</u>	<u>Per Cent of Total Deaths</u>
1945	833	2.9
1946	750	2.7
1947	790	2.7
1948	740	2.5
1949	677	2.3
1950	615	2.0
1951	642	2.1
1952	581	1.9
1953	478	1.6
1954	433	1.4

Socio-economic Status

The socio-economic status of a population affects vital statistics rates in various ways.

Georgia's population is younger and includes a larger proportion of nonwhites than the United States as a whole. The average number of years of school completed and per capita incomes in Georgia have been lower than United States figures for many years.

Population, Race and Age Trends

From 1900-1950 Georgia's white population has increased 101.5% while the nonwhite population increase has amounted to only 2.8%. As this increase has taken place there has naturally been a change in white - nonwhite ratio of the states' population. In 1950 Georgia's population was 69.1% white, as compared to 53.2% in 1900.


Most of Georgia's growth in the 50 year span has been in the urban areas. In 1900 her population was only 15.6% urban, by 1950 the population was 45.3% urban.

The proportion of Georgia's population in the various age groups has varied in census counts since 1900. Percentage-wise, Georgia's 5-14 and 15-24 year age groups have been decreasing while all age groups over 25 years have been steadily increasing. The under 5 year age group had been decreasing also, until 1950 when the trend was reversed. The population 65 years and older increased from 3.1% of the total in 1900 to 6.4% in 1950. These general age trends have been characteristic of both the white and nonwhite population although the rate of change has been more rapid for the white population.

One of the factors in Georgia's population growth is natural increase. Natural increase is the number of births occurring to residents of an area less the number of deaths of residents of the area. In 1954 Georgia's natural increase was 69,636. Figure 2 shows live birth and death rates, by race, for Georgia since 1924. The difference between the birth and death rates is an estimate of the rate of natural increase.

Figure 2

LIVE BIRTH AND DEATH RATES, BY RACE,
 GEORGIA, 1924-1954



Military Events

From 1940-1949, vital events occurring on military reservations were not included in county figures. In 1950, those events occurring in military reservations, if the reservation was listed as the usual residence, were included in the county in which the reservation was located. Since 1950, events occurring in military reservations are included in state totals, but excluded from county totals. The counties affected most by this procedure are Chattahoochee, Liberty, Muscogee, and Richmond.

DISCUSSION OF 1954 STATISTICS

Population

It is estimated that the state population increased 6.6% from April 1, 1950, to July 1, 1954. As indicated in Table 3 most of the increase has taken place within the white population.

"Urban" as used here results in an estimate which is less than would be obtained by using the United States Census Bureau's 1950 definition.

Table 3
POPULATION BY RACE AND RESIDENCE, GEORGIA, APRIL 1, 1950 - JULY 1, 1954

Year	Total	White	Nonwhite	Urban		Rural	
				White	Nonwhite	White	Nonwhite
Estimate July 1, 1954	3,672,000	2,577,000	1,095,000	1,153,000*	541,000*	1,424,000	554,000
U. S. Census April 1, 1950	3,444,570	2,380,577	1,064,001	1,067,911	491,536	1,312,666	572,465
% change since April 1, 1950	6.6%	8.3%	2.9%	8.0%	10.1%	8.5%	-3.2%

* Urban as used here includes the population of incorporated places which had 2,500 or more persons in 1950 plus military personnel stationed in the state.

Source: U. S. Census figures from Census Bureau Reports.

Physicians

As of January 1, 1955, there were 2,940 physicians located in Georgia. Of this number, 2,436 were engaged in private practice, 272 were institutional physicians, 65 were public health physicians and 167 were retired. There were 1,469 civilian persons for each physician in private practice. County totals for physicians in private practice are shown in Table XVI, page 89.

Marriages and Divorces

In 1954, there were 51,698 marriages in Georgia, a decrease of 394 from the previous year. The rate in 1954 was 14.1 per 1,000 population as compared to 14.5 in 1953. About eighty per cent of the marriages were between white persons.

Table 4 shows 1954 Georgia marriages, by place of residence of the bride and groom. Approximately 38% of the persons married in Georgia were residents of other states.

Table 4
MARRIAGES BY RESIDENCE OF BRIDE AND GROOM, GEORGIA, 1954

Resident of Georgia	Number
Total marriages	52,698
Bride and Groom	29,093
Bride	2,805
Groom	1,628
Neither	17,904
Not stated	268

There were 7,001 divorces reported in the state during 1954, as compared to 6,809 for the previous year. The divorce rate of 1.9 per 1,000 population is essentially the same as reported last year.

Fetal Deaths

A fetal death is defined as a stillbirth of any length gestation. Prior to 1954, only fetal deaths of "20 or more" weeks gestation were recorded. They were classified as stillbirths.

In 1954, a new procedure was initiated whereby all fetal deaths were recorded and so classified. They were grouped according to length of gestation period. Under the 1954 procedure, the total of the two fetal death groupings, "20-27 weeks" and "28 weeks and over" corresponds to what has been classified as stillbirths in previous years.

Table 5 shows Georgia fetal deaths for 1954 by race, place of occurrence, attendant and length of gestation. Urban and nonwhite fetal death rates are higher than rural and white rates.

Table 5
FETAL DEATHS BY RACE, PLACE OF OCCURRENCE, ATTENDANT AND LENGTH OF GESTATION, GEORGIA, 1954

Race and Length Of Gestation	Total	Hospital			Non-hospital				
		Total	Physician	Midwife	Other	Total	Physician	Midwife	Other
Total	3,950	3,091	3,066	12	13	859	382	415	62
Under 20 weeks	1,660	1,433	1,422	3	8	227	133	84	10
20 - 27 weeks	607	439	435	3	1	168	75	81	12
28 weeks & over	1,558	1,127	1,117	6	4	431	157	240	34
Unknown	125	92	92	-	-	33	17	10	6
White	2,239	2,095	2,081	4	10	144	122	15	7
Under 20 weeks	1,192	1,115	1,107	2	6	77	76	1	-
20 - 27 weeks	262	249	248	-	1	13	8	4	1
28 weeks & over	717	666	661	2	3	51	36	10	5
Unknown	68	65	65	-	-	3	2	-	1
Nonwhite	1,711	996	985	8	3	715	260	400	55
Under 20 weeks	468	318	315	1	2	150	57	83	10
20 - 27 weeks	345	190	187	3	-	155	67	77	11
28 weeks & over	841	461	456	4	1	380	121	230	29
Unknown	57	27	27	-	-	30	15	10	5

Live Births

A liveborn child is one which shows evidence of life (breathing, heart beat, or movement of voluntary muscles) after complete birth.

There were 100,191 live births recorded for Georgia in 1954 giving a rate of 27.3 per 100,000 population. This was the largest number of births ever recorded in the state. Table 6 shows live birth rates since 1940, adjusted for incomplete registration. Figure 1, page xi, illustrates the table graphically.

Table 6
LIVE BIRTH RATES, GEORGIA, 1940 - 1954

Year	Rate per 1,000 Population	
	Crude	Adjusted for Incomplete Registration
1940	20.7	25.5
1941	21.6	26.2
1942	23.1	27.5
1943	25.1	29.4
1944	24.7	28.5
1945	24.0	27.3
1946	27.4	30.7
1947	29.2	32.2
1948	28.6	31.1
1949	29.0	31.1
1950	26.7	28.2
1951	26.7	28.1
1952	27.3	28.6
1953	27.0	28.2
1954	27.3	28.4

Birth rates for the white population are higher in urban than rural areas, but this trend is reversed for the nonwhite population (see Table I, page 1). Since 1930, nonwhite live birth rates have been consistently higher than white live birth rates. In recent years the rates appear to have leveled off, with nonwhite rates remaining higher than white rates.

Approximately 81% of all births occurred in hospitals in 1954 as compared to 79% in 1953.

Immature Births

An immature birth is defined as the birth of a liveborn infant with a weight of 5½ lbs. (2500 grams) or less. If weight is not specified, a liveborn infant whose period of gestation is less than nine months is considered immature.

There were 8,382 immature births reported in 1954, resulting in a rate of 83.7 per 1,000 live births. These figures were considerably higher than those reported for the previous year. Much of this increase can probably be attributed to more complete reporting of immature births rather than a decisive increase in the incidence of immaturity. Nonwhite and urban immature birth rates were reported higher than white and rural rates, respectively.

Births to Un-wed Mothers

On the confidential medical report of live births the question is asked: "Is mother married to father of the child?" For statistical purposes, the answer "no" indicates a birth to an unwed mother. In 1954, there were 8,967 of these births, resulting in a rate of 89.5 per 1,000 live births. These figures are the highest ever recorded for the state. The white and nonwhite rates were 14.9 and 223.7 per 1,000 live births, respectively.

This report lists births to un-wed mothers by county in Table XV. This is the first year that a table showing this information has been published in this report.


Infant Deaths

An infant death is any death occurring during the first year of life. Three thousand, one hundred fifty-five infant deaths were recorded in Georgia for 1954. The white rate was 24.3 per 1,000 live births, while the nonwhite rate was 44.5. Infant death rates were higher in urban areas than in rural areas.

Deaths from Immaturity

A death attributed to immaturity is one classified as "Immaturity with mention of other subsidiary causes" or "Immaturity Unqualified", sixth revision list numbers 774 and 776 respectively.

Immaturity is the leading cause of infant deaths in the state. In 1954, 618 infant deaths were classified as due to immaturity giving a rate 6.2 per 1,000 live births. Rates are higher for the nonwhite and urban populations than for the white and rural inhabitants respectively. Figure 3 shows immature birth and death rates by race for Georgia since 1924.




In addition to the deaths from immaturity discussed above, 691 of the remaining 2,537 infant deaths were assigned to other causes with mention of immaturity. Immaturity was associated with 41.5% of all infant deaths in 1954.

Neonatal Deaths

A neonatal death is any death occurring under 28 days of age. In 1954, 2,106 or 66.8% of the infant deaths occurred during the first 27 days of life. The neonatal deaths and death rates were slightly higher than those reported for last year.

A high proportion of all neonatal deaths occur to infants under one day of age. The rate of 10.0 per 1,000 live births was slightly higher than reported for last year. However, total neonatal deaths and deaths to infants under one day old have shown a marked decline since 1935. Figure 4 illustrates the decline in the infant and neonatal death rate.

FIGURE 4
 INFANT AND NEONATAL DEATH RATES BY RACE,
 GEORGIA, 1924-1954



Deaths all Ages

The crude death rate of 8.3 per 1,000 population in 1954 is the lowest ever recorded for the state. White and nonwhite rates were 7.3 and 10.7 per 1,000 population, respectively. Approximately 53% of all deaths occurred either during the first year of life or after age 65. Table II shows death rates by age, race and sex. Nonwhite rates are higher at all ages for both sexes except in the age group 65 years and older.

As in previous years, heart disease was the leading cause of death in 1954, with a rate of 254.4 per 100,000 population. This was slightly lower than the rate of 261.2 reported for the previous year.

Two of the ten leading causes of death in 1953 were replaced by other causes in 1954. Death due to homicides, International List Numbers E964, E980-E985, and Hypertension without Mention of Heart, International List Numbers 444-447, replaced deaths due to ill-defined and unknown causes and general arteriosclerosis in the ninth and tenth positions, respectively.

Some of the other leading causes of death exchanged positions, but all remained within the group making up the ten leading causes of death last year.

Table 7 shows death rates for Georgia adjusted for age and race. The direct method is used with the 1950 United States population as the standard.¹

Table 7
DEATH RATES PER 100,000 POPULATION FOR GEORGIA AND UNITED STATES - AND GEORGIA
AGE, RACE, ADJUSTED DEATH RATES, 1950-1954

Year	Death Rates						Georgia Rates Adjusted for:		
	United States			Georgia			Age & Race	Age Only	
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
1950	963.8	945.7	1119.4	880.6	767.8	1119.1	934.0	910.5	1144.0
1951	966.3	949.3	1110.9	865.0	738.0	1149.2	902.9	872.2	1162.7
1952	961.0	944.4	1101.5	862.1	740.7	1140.0	887.4	857.5	1144.0
1953	958.6	---	---	853.3	735.3	1127.5	884.5	855.8	1130.3
1954	---	---	---	832.1	732.0	1067.8	872.4	849.5	1068.0

--- Figures not available

Age adjusted rates by race for Georgia are higher for both races than unadjusted rates for the state. Nonwhite rates were increased very little by the adjustment, but white rates were increased considerably. This is a reflection of differences in the age structure of the population of Georgia as compared with the United States.

Georgia's age-race adjusted rate is somewhat lower than the United States total rate in 1950, and has decreased at a faster rate than the unadjusted total rate for the United States.


Georgia's adjusted rates are not necessarily comparable with any United States rates, except 1950, because of changes in the composition of the population of the United States since 1950. To be comparable year by year United States rates would also have to be adjusted to the basis of the 1950 population.

Maternal Deaths

A maternal death is a death from complications of pregnancy, childbirth, or the puerperium. There were 106 maternal deaths reported for Georgia in 1954. The rate has dropped steadily from 52.9 per 10,000 live births in 1940 to 10.6 in 1954. The rates for white and nonwhite maternal deaths were 4.8 and 21.0 respectively in 1954. Rural rates are greater than those for urban areas. Figure 5 shows maternal death rates for Georgia since 1924.

¹ This method is discussed in "Vital Statistics Rates in the United States, 1900 - 1940," pp. 66-69.

FIGURE 5
MATERNAL DEATH RATIO BY RACE,
GEORGIA, 1924- 1954



GENERAL TABLES

TABLE I - SELECTED VITAL EVENTS, NUMBER AND RATE AND PER CENT OCCURRING IN HOSPITALS BY RACE, URBAN AND RURAL, GEORGIA, 1954

Event	State			Urban*			Rural		
	Total Both Races	White	Non-white	Total Both Races	White	Non-white	Total Both Races	White	Non-white
LIVE BIRTHS									
Number	100,191	64,392	35,799	46,831	30,093	16,738	53,360	34,299	19,061
Rate per 1,000 population	27.3	25.0	32.7	27.6	26.1	30.9	27.0	24.1	34.4
% occurring in hospital	80.9	97.0	51.8	90.0	99.0	73.9	72.9	95.4	32.4
DEATHS									
Number	30,555	18,863	11,692	15,442	9,088	6,354	15,113	9,775	5,338
Rate per 1,000 population	8.3	7.3	10.7	9.1	7.9	11.7	7.6	6.9	9.6
% occurring in hospital	44.1	50.9	33.0	50.4	57.1	40.7	37.6	45.1	23.9
FETAL DEATHS									
Number	3,950	2,239	1,711	2,050	1,181	869	1,900	1,058	842
Ratio per 1,000 live births	39.4	34.8	47.8	43.8	39.2	51.9	35.6	30.8	44.2
% occurring in hospital	78.3	93.6	58.2	85.8	94.2	74.2	70.2	92.8	41.7
MATERNAL DEATHS									
Number	106	31	75	40	8	32	66	23	43
Rate per 10,000 live births	10.6	4.8	21.0	8.5	2.7	19.1	12.4	6.7	22.6
% occurring in hospital	65.1	93.5	53.3	75.0	100.0	68.8	59.1	91.3	41.9
INFANT DEATHS (Under 1 year)									
Number	3,155	1,562	1,593	1,558	792	766	1,597	770	827
Rate per 1,000 live births	31.5	24.3	44.5	33.3	26.3	45.8	29.9	22.4	43.4
% occurring in hospital	61.8	83.6	40.4	74.0	89.6	57.8	49.8	77.4	24.2
NEONATAL DEATHS									
Number	2,106	1,186	920	1,103	647	456	1,003	539	464
Rate per 1,000 live births	21.0	18.4	25.7	23.6	21.5	27.2	18.8	15.7	24.3
% occurring in hospital	73.5	92.4	49.0	86.2	95.5	73.0	59.4	88.7	25.4
IMMATURE BIRTHS									
Number	8,382	4,641	3,741	4,230	2,312	1,918	4,152	2,329	1,823
Rate per 1,000 live births	83.7	72.1	104.5	90.3	76.8	114.6	77.8	67.9	95.6
% occurring in hospital	80.4	96.4	60.6	89.7	98.5	79.0	71.0	94.2	41.2
DEATHS FROM IMMATUREITY									
Number	618	301	317	339	161	178	279	140	139
Rate per 1,000 live births	6.2	4.7	8.9	7.2	5.4	10.6	5.2	4.1	7.3
% occurring in hospital	71.7	91.7	52.7	83.8	92.5	75.8	57.0	90.7	23.0
LIVE BIRTHS TO UNWED MOTHERS									
Number	8,967	960	8,007	4,622	493	4,129	4,345	467	3,878
Ratio per 1,000 live births	89.5	14.9	223.7	98.7	16.4	246.7	81.4	13.6	203.5
% occurring in hospital	53.0	90.6	48.5	72.3	93.9	69.7	32.5	87.2	25.9
FETAL DEATHS TO UNWED MOTHERS									
Number	518	71	447	314	40	274	204	31	173
Ratio per 1,000 live births	5.2	1.1	12.5	6.7	1.3	16.4	3.8	0.9	9.1
% occurring in hospital	59.5	80.3	56.1	70.7	82.5	69.0	42.2	77.4	35.8
MARRIAGES ** (Place of occurrence)									
Number	51,698	41,149	10,495	---	---	---	---	---	---
Rate per 1,000 population	14.1	16.0	9.6	---	---	---	---	---	---
DIVORCES & ANNULMENTS (Place of occurrence)									
Number	7,041	---	---	---	---	---	---	---	---
Rate per 1,000 population	1.9	---	---	---	---	---	---	---	---

* Includes military

** The breakdown by race will not add to the total due to 54 of unknown races.

--- Not available

TABLE II - DEATHS, ALL CAUSES, NUMBER AND RATE PER 100,000 POPULATION BY RACE, AGE AND SEX, GEORGIA, 1954

Age Group	Total	Number				Total	Rate per 100,000 Population			
		White		Nonwhite			White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
All ages	30,555	11,083	7,780	6,211	5,481	832.1	867.2	598.9	1192.1	954.9
Under 1 year	3,155	914	648	865	728	3249.2	2977.2	2196.6	4435.9	4183.9
1 - 4 years	546	163	137	126	120	145.1	126.6	111.0	201.6	194.5
5 -14 years	441	147	102	106	86	63.1	63.0	45.3	88.3	71.3
15-24 years	815	294	117	254	150	142.1	146.3	60.0	304.9	159.2
25-34 years	1,219	398	190	351	280	218.7	194.9	90.4	543.3	357.1
35-44 years	2,178	640	341	610	587	421.3	343.9	182.1	917.3	761.3
45-54 years	3,939	1,328	630	1,050	931	1089.9	1048.1	470.9	2277.7	1698.9
55-64 years	5,207	1,984	994	1,185	1,044	2118.4	2219.2	1016.4	4340.7	3335.5
65-74 years	6,357	2,620	1,861	977	899	3674.6	4720.7	2757.0	4481.7	3187.9
75-84 years	4,886	2,015	1,968	483	420	7893.4	9975.2	7748.0	5963.0	5122.0
85 years & over*	1,812	580	792	204	236	18,875.0	25,217.4	20,307.7	15,692.3	11,238.1

* Includes 12 with age unknown.

TABLE III - SUMMARY OF SELECTED VITAL STATISTICS, GEORGIA, 1924-1954

Year	Livebirths						Deaths						Maternal Deaths *					
	Number			Rate			Number			Rate			Number			Ratio		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1924	63,386	41,379	22,007	21.8	23.6	19.2	34,797	17,750	17,047	12.0	10.1	14.9	708	362	346	111.7	87.5	157.2
1925	59,610	38,254	21,356	20.5	21.6	18.8	31,278	15,860	15,418	10.8	9.0	13.6	641	299	342	107.5	78.2	160.1
1926	50,493	32,226	18,267	17.4	18.1	16.3	29,905	15,136	14,769	10.3	8.5	13.2	485	222	263	96.1	68.9	144.0
1927	62,246	39,281	22,965	21.4	21.9	20.7	31,869	16,230	15,639	11.0	9.0	14.1	578	291	287	92.9	74.1	125.0
1928	60,259	38,135	22,124	20.7	21.0	20.2	36,085	18,642	17,443	12.4	10.3	15.9	622	312	310	103.2	81.8	140.1
1929	58,521	35,751	22,770	20.1	19.6	21.1	35,340	18,245	17,095	12.2	10.0	15.8	549	284	265	93.8	79.4	116.4
1930	60,318	37,064	23,254	20.7	20.1	21.7	35,188	18,036	17,152	12.1	9.8	16.0	658	361	297	109.1	97.4	127.7
1931	61,774	37,531	24,243	21.0	19.9	22.5	32,989	17,012	15,977	11.2	9.2	14.8	616	322	294	99.7	85.8	121.3
1932	63,690	38,209	25,481	21.5	20.4	23.5	32,122	16,813	15,309	10.8	9.0	14.1	620	310	310	97.3	81.1	121.7
1933	60,744	35,692	25,052	20.4	18.8	23.0	31,184	16,847	14,337	10.5	8.9	13.2	463	227	236	76.2	63.6	94.2
1934	64,615	38,333	26,282	21.5	20.1	24.0	35,590	19,157	16,433	11.8	10.0	15.0	505	262	243	78.2	68.3	92.5
1935	63,290	37,345	25,945	20.9	19.4	23.6	34,313	18,677	15,636	11.3	9.7	14.2	458	230	228	72.4	61.6	87.9
1936	61,617	36,320	25,297	20.2	18.7	22.9	37,293	20,156	17,137	12.2	10.4	15.5	491	251	240	79.7	69.1	94.9
1937	64,012	38,181	25,831	20.8	19.4	23.2	34,411	18,493	15,918	10.8	9.4	14.3	471	240	231	73.6	62.9	89.4
1938	64,307	38,613	25,694	20.7	19.5	23.0	33,617	18,109	15,508	10.8	9.1	13.9	421	198	223	65.5	51.3	86.8
1939	64,910	38,923	25,987	20.8	19.5	23.1	31,856	17,486	14,370	10.2	8.7	12.8	356	175	181	54.8	5.0	69.6
1940	64,695	38,911	25,784	20.7	19.1	23.8	32,298	17,324	14,972	10.3	8.5	13.8	342	146	196	52.9	37.5	76.0
1941	67,785	41,277	26,508	21.6	20.1	24.4	31,579	16,717	14,862	10.0	8.1	13.7	315	133	182	46.5	32.2	68.7
1942	72,189	45,192	26,997	23.1	22.2	24.9	28,807	15,820	12,987	9.2	7.8	12.0	299	146	153	41.4	32.3	56.7
1943	78,327	50,149	28,178	25.1	24.6	26.0	29,488	16,414	13,074	9.4	8.0	12.0	303	150	153	38.7	29.9	54.3
1944	77,018	49,464	27,554	24.7	24.3	25.4	28,803	16,118	12,685	9.2	7.9	11.7	276	122	154	35.8	24.7	55.9
1945	74,994	47,422	27,572	24.0	23.3	25.4	28,456	16,310	12,146	9.1	8.0	11.2	250	102	148	33.3	21.5	53.7
1946	85,699	56,354	29,345	27.4	27.6	27.0	27,405	16,160	11,245	8.8	7.9	10.4	229	85	144	26.7	15.1	49.1
1947	94,311	62,394	31,917	29.2	29.2	29.2	28,780	17,022	11,758	8.9	8.0	10.8	247	107	140	26.2	17.1	43.9
1948	91,604	58,601	33,003	28.6	27.7	30.5	29,309	17,083	12,226	9.2	8.1	11.3	208	78	130	22.7	13.3	39.4
1949	93,557	58,659	34,898	29.0	27.4	32.2	29,537	17,351	12,186	9.2	8.1	11.3	185	71	114	19.8	12.1	32.7
1950	92,099	57,003	35,096	26.7	24.3	31.6	30,416	18,005	12,411	8.8	7.7	11.2	150	55	95	16.3	9.6	27.1
1951	95,161	59,285	35,876	26.7	24.1	32.6	30,802	18,161	12,641	8.6	7.4	11.5	143	46	97	15.0	7.8	27.0
1952	97,130	61,439	35,691	27.3	24.9	33.0	30,622	18,310	12,312	8.6	7.4	11.4	128	36	92	13.2	5.9	25.8
1953	97,421	61,671	35,750	27.0	24.5	32.9	30,754	18,521	12,233	8.5	7.4	11.3	116	39	77	11.9	6.3	21.5
1954	100,191	64,392	35,799	27.3	25.0	32.7	30,555	18,863	11,692	8.3	7.3	10.7	106	31	75	10.6	4.8	21.0

Year	Infant Deaths						Stillbirths						Immature Births					
	Number			Rate			Number			Ratio			Number			Rate		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1924	5,674	2,989	2,685	89.5	72.2	122.0	3,864	1,675	2,189	61.0	40.5	99.5						
1925	4,704	2,486	2,218	78.9	65.0	103.9	3,455	1,435	2,020	58.0	37.5	94.6						
1926	4,405	2,299	2,106	87.2	71.3	115.3	2,972	1,246	1,726	58.9	38.7	94.5						
1927	4,578	2,334	2,244	73.5	59.4	97.7	3,836	1,604	2,232	61.6	40.8	97.2						
1928	4,875	2,574	2,301	80.9	67.5	104.0	3,478	1,335	2,143	57.7	35.0	96.9						
1929	4,464	2,343	2,121	76.3	65.5	93.1	3,541	1,374	2,167	60.5	38.4	95.2						
1930	4,713	2,468	2,245	78.1	66.6	96.5	3,796	1,454	2,342	62.9	39.2	100.7						
1931	4,234	2,137	2,097	68.5	56.9	86.5	3,678	1,424	2,254	59.5	37.9	93.0						
1932	4,097	2,122	1,975	64.3	55.5	77.5	3,847	1,492	2,355	60.4	39.0	92.4						
1933	4,079	2,119	1,960	67.2	59.4	78.2	3,700	1,382	2,318	60.9	38.7	92.5						
1934	5,086	2,628	2,458	78.7	68.6	93.5	4,120	1,673	2,447	63.8	43.6	93.1						
1935	4,316	2,227	2,089	68.2	59.6	80.5	3,987	1,532	2,455	63.0	41.0	94.6						
1936	4,319	2,114	2,205	70.1	58.2	87.2	1,457	1,457	2,209	59.5	40.1	87.3						
1937	3,968	2,014	1,954	62.0	52.7	75.6	3,677	1,499	2,178	57.4	39.3	84.3						
1938	4,352	2,267	2,085	67.7	58.7	81.1	3,390	1,386	2,004	52.7	35.9	78.0						
1939	3,817	1,960	1,857	58.8	50.4	71.5	3,228	1,337	1,891	49.7	34.3	72.8						
1940	3,737	1,851	1,886	57.8	47.6	73.1	3,078	1,326	1,752	47.6	34.1	67.9						
1941	3,955	1,988	1,967	58.3	48.2	74.2	2,903	1,276	1,627	42.8	30.9	61.4						
1942	3,559	1,756	1,803	49.3	38.9	66.8	2,786	1,268	1,518	38.6	28.1	56.2						
1943	3,661	1,911	1,750	46.7	38.1	62.1	2,664	1,238	1,426	34.0	24.7	50.6						
1944	3,398	1,761	1,637	44.1	35.6	59.4	2,523	1,137	1,386	32.8	23.0	50.3						
1945	3,181	1,728	1,453	42.4	36.4	52.7	2,208	1,036	1,172	29.4	21.8	42.5						
1946	3,068	1,694	1,374	35.8	30.0	46.8	2,421	1,161	1,260	28.3	20.6	42.9						
1947	3,239	1,771	1,468	34.3	28.4	46.0	2,457	1,174	1,283	26.1	18.8	40.2	5,738	3,614	2,124	60.8	57.8	66.5
1948	3,150	1,661	1,489	34.4	28.3	45.1	2,408	1,109	1,299	26.3	18.9	39.4	6,508	3,870	2,638	71.0	65.9	79.9
1949	3,093	1,668	1,425	33.1	28.4	40.8	2,178	972	1,206	23.3	16.6	34.6	6,557	3,738	2,819	70.1	63.7	80.8
1950	3,081	1,518	1,563	33.5	26.6	44.5	2,026	885	1,141	22.0	15.5	32.5	6,645	3,697	2,948	72.2	64.9	84.0
1951	3,256	1,548	1,708	34.2	26.1	47.6	2,097	974	1,123	22.0	16.4	31.3	7,355	4,079	3,276	77.3	68.8	91.3
1952	3,158	1,567	1,591	32.5	25.5	44.6	1,992	853	1,139	20.5	13.9	31.9	7,683	4,202	3,481	79.1	68.4	97.5
1953	3,051	1,469	1,582	31.3	23.8	44.3	1,967	867	1,100	20.2	14.1	30.8	7,673	4,224	3,449	78.8	68.5	96.5
1954*	3,155	1,562	1,593	31.5	24.3	44.5	3,950	2,239	1,711	39.4	34.8	47.8	8,382	4,641	3,741	83.7	72.1	104.5

See notes at bottom of page 3.

TABLE III - SUMMARY OF SELECTED VITAL STATISTICS, GEORGIA, 1924-1954 (CONT'D)

Year	Deaths From Immaturity *						Illegitimate Births						Neonatal Deaths					
	Number			Rate			Number			Rate			Number			Rate		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1924	1,434	890	544	22.6	21.5	24.7	4,089	574	3,515	64.5	13.9	159.7						
1925	1,305	808	497	21.9	21.1	23.3	4,014	534	3,480	67.3	14.0	163.0						
1926	1,121	676	445	22.2	21.0	24.4	3,155	461	2,694	62.5	14.3	147.5						
1927	1,194	738	456	19.2	18.8	19.9	4,089	637	3,452	65.7	16.2	150.3	2,439	1,351	1,088	39.2	34.4	47.4
1928	1,159	717	442	19.2	18.8	20.0	3,868	482	3,386	64.2	12.6	153.0	2,694	1,509	1,185	44.7	39.6	53.6
1929	1,107	675	432	18.9	18.9	19.0	4,061	515	3,546	69.4	14.4	155.7	2,475	1,350	1,125	42.3	37.8	49.4
1930	1,218	757	461	20.2	20.4	19.8	4,141	512	3,629	68.7	13.8	156.1	2,620	1,470	1,150	43.4	39.7	49.5
1931	1,153	700	453	18.7	18.7	18.7	4,429	547	3,882	71.7	14.6	160.0	2,537	1,385	1,152	41.1	36.9	47.5
1932	1,090	671	419	17.1	17.6	16.4	5,125	600	4,525	80.5	15.7	177.6	2,464	1,327	1,137	38.7	34.7	44.6
1933	1,046	623	423	17.2	17.5	16.9	5,101	582	4,519	84.0	16.3	180.4	2,384	1,266	1,118	39.2	35.5	44.6
1934	1,183	689	494	18.3	18.0	18.8	5,089	651	4,438	78.8	17.0	168.9	2,790	1,486	1,304	43.2	38.8	49.6
1935	1,111	692	419	17.6	18.5	16.1	5,031	643	4,388	79.5	17.2	169.1	2,489	1,346	1,143	39.3	36.0	44.1
1936	1,145	680	465	18.6	18.7	18.4	4,878	598	4,280	79.2	16.5	169.2	2,492	1,288	1,204	40.4	35.5	47.6
1937	1,080	674	406	16.9	17.7	15.7	4,739	526	4,213	74.0	13.8	163.1	2,345	1,251	1,094	36.6	32.8	42.4
1938	1,061	647	414	16.5	16.8	16.1	4,724	580	4,144	73.5	15.0	161.3	2,369	1,301	1,068	36.8	33.7	41.6
1939	1,077	659	418	16.6	16.9	16.1	4,960	596	4,364	76.4	15.3	167.9	2,300	1,234	1,066	35.4	31.7	41.0
1940	1,017	635	382	15.7	16.3	14.8	5,046	565	4,481	78.0	14.5	173.8	2,267	1,187	1,080	35.0	30.5	41.9
1941	1,103	676	427	16.3	16.4	16.1	5,134	607	4,527	75.7	14.7	170.8	2,298	1,228	1,070	33.9	29.8	40.4
1942	1,094	659	435	15.2	14.6	16.1	5,038	578	4,460	69.8	12.8	165.2	2,149	1,170	979	29.8	25.9	36.3
1943	1,124	691	433	14.4	13.8	15.4	4,911	537	4,374	62.7	10.7	155.2	2,216	1,257	959	28.3	25.1	34.0
1944	1,056	641	415	13.7	13.0	15.1	4,885	592	4,293	63.4	12.0	155.8	2,024	1,111	913	26.3	22.5	33.1
1945	960	609	351	12.8	12.8	12.7	5,385	721	4,664	71.8	15.2	169.2	1,913	1,104	809	25.5	23.3	29.3
1946	1,035	676	359	12.1	12.0	12.2	5,289	681	4,608	61.7	12.1	157.0	2,143	1,262	881	25.0	22.4	30.0
1947	1,060	681	379	11.2	10.9	11.9	6,056	744	5,312	64.2	11.9	166.4	2,220	1,301	919	23.5	20.9	28.8
1948	1,052	636	416	11.5	10.9	12.6	6,240	730	5,510	68.1	12.5	166.0	2,099	1,186	913	22.9	20.2	27.7
1949	1,032	616	416	11.0	10.5	11.9	6,847	712	6,135	73.2	12.1	175.8	2,048	1,185	863	21.9	20.2	24.7
1950	719	343	376	7.8	6.0	10.7	7,633	779	6,854	82.9	13.7	195.3	2,028	1,090	938	22.0	19.1	26.7
1951	707	340	367	7.4	5.7	10.2	8,326	836	7,490	87.5	14.1	208.8	2,058	1,105	953	21.6	18.6	26.6
1952	645	323	322	6.6	5.3	9.0	8,080	789	7,291	83.2	12.8	204.3	1,984	1,135	849	20.4	18.5	23.8
1953	609	254	355	6.3	4.1	9.9	8,407	794	7,613	86.3	12.9	213.0	2,005	1,083	922	20.6	17.6	25.8
1954	618	301	317	6.2	4.7	8.9	8,967	960	8,007	89.5	14.9	223.7	2,106	1,186	920	21.0	18.4	25.7

Note: Prior to 1938 all events are by place of occurrence; beginning with 1938 events are by place of residence.

* Part of decrease from 1949 to 1950 is directly attributable to changes in classification of causes of death under the Sixth Revision of the International List of Diseases and Causes of Death.

** 1954 figures on stillbirths include all fetal deaths regardless of length of gestation.

Live birth and death rates are per 1,000 population, maternal death ratios are per 10,000 live births; all other rates and/or ratios are per 1,000 live births.

Not Available - Neonatal deaths are not available prior to 1927. Immature births are not available prior to 1947.

TABLE IV - LIVE BIRTHS BY AGE OF PARENTS, GEORGIA, 1954

Age of Mother	Total	Age of Father												Unknown	
		15 & Under	16-17	18-19	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 - 49	50 - 54	55-59	60-64		65 & Over
Total	100,191	8	268	2,724	22,526	25,243	18,540	11,498	6,163	2,349	796	302	122	100	9,552
15 & Under	1,265	7	56	216	237	50	6	5	4	1	-	-	-	-	683
16 - 17	5,431	1	151	1,019	2,173	428	85	22	5	-	4	-	1	-	1,542
18 - 19	11,084	-	49	1,154	6,159	1,607	292	89	32	13	3	-	1	1	1,684
20 - 24	32,406	-	10	314	12,789	12,226	3,236	860	304	110	29	16	2	6	2,504
25 - 29	23,981	-	2	16	1,034	9,620	8,305	2,591	723	251	96	40	16	11	1,276
30 - 34	15,295	-	-	1	110	1,163	5,898	4,838	1,750	521	170	58	31	16	739
35 - 39	7,755	-	-	1	17	121	659	2,869	2,492	804	251	106	35	40	360
40 - 44	2,161	-	-	-	1	19	51	207	826	599	211	67	32	23	115
45 - 49	133	-	-	-	-	1	1	5	20	49	31	13	2	2	9
50 - 54	5	-	-	-	-	-	-	-	-	-	1	1	1	-	2
55 - 59	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Unknown	673	-	-	3	6	8	7	2	7	1	-	-	1	-	638

TABLE V - LIVE BIRTHS TO UNWED MOTHERS, NUMBER AND RATE PER 1,000 LIVE BIRTHS BY AGE OF MOTHER, GEORGIA, 1954

Age Group in Years	Number			Rate		
	Total	White	Nonwhite	Total	White	Nonwhite
Total	8,967	960	8,007	89.5	14.9	223.7
15 and under	666	51	615	526.5	145.3	672.9
16 - 17	1,532	186	1,346	282.1	67.8	500.6
18 - 19	1,686	185	1,501	152.1	27.5	344.1
20 - 24	2,468	289	2,179	76.2	13.3	203.9
25 - 29	1,272	120	1,152	53.0	7.4	147.3
30 - 34	724	60	664	47.3	5.8	132.7
35 - 39	347	36	311	44.7	7.5	106.2
40 - 44	112	11	101	51.8	8.4	117.6
45 - 49	9	-	9	67.7	0	138.5
50 and over	1	-	1	142.9	0	200.0
Unknown	150	22	128

TABLE VI - IMPORTANT CAUSES OF DEATH, NUMBER AND PER CENT OF TOTAL IN SPECIFIED AGE GROUPS, BY RACE, GEORGIA, 1954

Rank	Age, Cause of Death and Sixth Revision of International List Number	Number			Rate per 1,000 Population		
		Total	White	Non-white	Total	White	Non-white
	<u>ALL AGES</u>						
	Total, all causes	30,555	18,863	11,692	8.3	7.3	10.7
1.	Heart diseases (410-443)	9,341	6,342	2,999	2.5	2.5	2.7
	Chronic rheumatic heart disease (410-416)	207	132	75	0.1	0.1	0.1
	Arteriosclerotic and degenerative heart disease (420-422)	6,442	4,750	1,692	1.8	1.8	1.5
	Hypertension with heart disease (440-443)	2,124	1,160	964	0.6	0.4	0.9
2.	Vascular lesions affecting central nervous system (330-334)	4,664	2,677	1,987	1.3	1.0	1.8
3.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	3,805	2,662	1,143	1.0	1.0	1.0
4.	Accidents, excluding motor-vehicle accidents (E800-E802, E840-E962)	1,260	762	498	0.3	0.3	0.5
5.	Pneumonia and influenza (480-483, 490-493)	1,168	503	665	0.3	0.2	0.6
6.	Motor-vehicle accidents (E810-E835)	933	651	282	0.3	0.3	0.3
7.	Immaturity (774-776)	618	301	317	0.2	0.1	0.3
8.	Nephritis and nephrosis (590-594)	616	281	335	0.2	0.1	0.3
9.	Homicide (E964, E980-E985)	482	106	376	0.1	0.0	0.3
10.	Hypertension without mention of heart (444-447)	459	226	233	0.1	0.1	0.2
	All other causes (residual)	7,209	4,352	2,857	2.0	1.7	2.6
	<u>UNDER ONE YEAR</u>						
	Total, all causes	3,155	1,562	1,593	32.5	25.9	43.2
1.	Immaturity (774-776)	618	301	317	6.4	5.0	8.6
2.	Influenza and pneumonia, including pneumonia of newborn (480-483, 490-493, 763)	476	127	349	4.9	2.1	9.5
	Pneumonia of newborn (763)	120	32	88	1.2	0.5	2.4
3.	Postnatal asphyxia and atelectasis (762)	434	300	134	4.5	5.0	3.6
4.	Congenital malformations (750-759)	321	237	84	3.3	3.9	2.3
5.	Birth injuries (760-761)	301	201	100	3.1	3.3	2.7
6.	Other and ill-defined diseases peculiar to early infancy (766-769, 771, 773)	190	98	92	2.0	1.6	2.5
7.	Gastro-enteritis, colitis, and diarrhea of newborn (571, 764)	169	34	135	1.7	0.6	3.7
	Diarrhea of newborn (764)	28	5	23	0.3	0.1	0.6
8.	Ill-defined and unknown causes (780-793, 795)	142	38	104	1.5	0.6	2.8
9.	Accidents exclusive of motor-vehicle accidents (E800-E802, E840-E962)	135	48	87	1.4	0.8	2.4
10.	Haemolytic disease of newborn (Erythroblastosis) (770)	65	49	16	0.7	0.8	0.4
	All other causes (residual)	304	129	175	3.1	2.1	4.7
	<u>ONE - FOUR YEARS</u>						
	Total, all causes	546	300	246	1.4	1.2	2.0
1.	Influenza and pneumonia (480-483, 490-493)	91	28	63	0.2	0.1	0.5
2.	Accidents, exclusive of motor-vehicle accidents (E800-E802, E840-E962)	77	41	36	0.2	0.2	0.3
3.	Congenital malformations (750-759)	66	42	24	0.2	0.2	0.2
4.	Motor-vehicle accidents (E810-E835)	54	39	15	0.1	0.2	0.1
5.	Malignant neoplasms, including neoplasms of the lymphatic and haematopoietic tissues (140-205)	35	30	5	0.1	0.1	0.0
6.	Gastro-enteritis, colitis, and ulcerative colitis (571, 572)	26	8	18	0.1	0.0	0.1
7.	Diphtheria (055)	13	8	5	0.0	0.0	0.0
7.	Meningococcal infections (057)	13	10	3	0.0	0.0	0.0
7.	Bronchitis (500-502)	13	8	5	0.0	0.0	0.0
8.	Ill-defined and unknown causes (780-793, 795)	11	4	7	0.0	0.0	0.1
9.	Anemias (290-293)	10	2	8	0.0	0.0	0.1
9.	Non-meningococcal meningitis (340)	10	2	8	0.0	0.0	0.1
10.	Other diseases of central nervous system (350-357)	9	5	4	0.0	0.0	0.0
	Cerebral spastic infantile paralysis (351)	8	5	3	0.0	0.0	0.0
	Epilepsy (353)	1	-	1	0.0	0	0.0
	All other causes (residual)	118	73	45	0.3	0.3	0.4

TABLE VI - IMPORTANT CAUSES OF DEATH, NUMBER AND PER CENT OF TOTAL IN SPECIFIED AGE GROUPS, BY RACE, GEORGIA, 1954 (CONT'D)

Rank	Age, Cause of Death and Sixth Revision of International List Number	Number			Rate per 1,000 Population		
		Total	White	Non-white	Total	White	Non-white
	<u>FIVE - FOURTEEN YEARS</u>						
	Total, all causes	441	249	192	0.6	0.5	0.8
1.	Accidents, exclusive of motor-vehicle accidents (E800-E802, E840-E962)	121	60	61	0.2	0.1	0.3
2.	Motor-vehicle accidents (E810-E835)	75	50	25	0.1	0.1	0.1
3.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	47	34	13	0.1	0.1	0.1
4.	Influenza and pneumonia (480-483, 490-493)	32	12	20	0.0	0.0	0.1
5.	Congenital malformations (750-759)	26	14	12	0.0	0.0	0.0
6.	Other diseases of central nervous system (350-357)	16	10	6	0.0	0.0	0.0
	Cerebral spastic infantile paralysis (351)	8	3	5	0.0	0.0	0.0
	Epilepsy (353)	6	5	1	0.0	0.0	0.0
	Progressive muscular atrophy (356)	1	1	-	0.0	0.0	0
	Other diseases of brain (355)	1	1	-	0.0	0.0	0
7.	Nephritis and nephrosis (590-594)	10	5	5	0.0	0.0	0.0
8.	Diphtheria (055)	8	8	-	0.0	0.0	0
9.	Vascular lesions of central nervous system (330-334)	7	3	4	0.0	0.0	0.0
10.	Meningococcal infections (057)	5	3	2	0.0	0.0	0.0
10.	Measles (085)	5	4	1	0.0	0.0	0.0
10.	Non-meningococcal meningitis (340)	5	1	4	0.0	0.0	0.0
10.	Rheumatic fever (400-402)	5	1	4	0.0	0.0	0.0
10.	Heart diseases (410-443)	5	2	3	0.0	0.0	0.0
	Chronic rheumatic heart diseases (410-416)	2	-	2	0.0	0	0.0
	Arteriosclerotic and degenerative heart disease (420-422)	3	2	1	0.0	0.0	0.0
10.	Other diseases of the respiratory system (510-527)	5	5	-	0.0	0.0	0
	Hypertrophy of tonsils and adenoids (510)	1	1	-	0.0	0.0	0
	Peritonsillar abscess (511)	1	1	-	0.0	0.0	0
	Bronchiectasis (526)	3	3	-	0.0	0.0	0
10.	Homicide (E964, E980-E985)	5	1	4	0.0	0.0	0.0
	All other causes (residual)	64	36	28	0.1	0.1	0.1
	<u>FIFTEEN - TWENTY-FOUR YEARS</u>						
	Total, all causes	815	411	404	1.4	1.0	2.3
1.	Motor-vehicle accidents (E810-E835)	225	164	61	0.4	0.4	0.3
2.	Accidents, exclusive of motor-vehicle accidents (E800-E802, E840-E962)	130	74	56	0.2	0.2	0.3
3.	Homicide (E964, E980-E985)	103	13	90	0.2	0.0	0.5
4.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	58	41	17	0.1	0.1	0.1
5.	Heart diseases (410-443)	36	11	25	0.1	0.0	0.1
	Chronic rheumatic heart disease (410-416)	11	3	8	0.0	0.0	0.0
	Arteriosclerotic and degenerative heart disease (420-422)	11	3	8	0.0	0.0	0.0
	Hypertension with heart disease (440-443)	4	2	2	0.0	0.0	0.0
6.	Other diseases of central nervous system (350-357)	27	9	18	0.0	0.0	0.1
	Cerebral spastic infantile paralysis (351)	5	1	4	0.0	0.0	0.0
	Other cerebral paralysis (352)	1	-	1	0.0	0	0.0
	Epilepsy (353)	20	7	13	0.0	0.0	0.1
	Other diseases of the brain (355)	1	1	-	0.0	0.0	0
7.	Influenza and pneumonia (480-483, 490-493)	25	6	19	0.0	0.0	0.1
8.	Complications of pregnancy, childbirth, and the puerperium (640-689)	24	8	16	0.0	0.0	0.1
9.	Nephritis and nephrosis (590-594)	19	8	11	0.0	0.0	0.1
9.	Suicide (E963, E970-E979)	19	17	2	0.0	0.0	0.0
10.	Tuberculosis, all forms (001-019)	14	3	11	0.0	0.0	0.1
	All other causes (residual)	135	57	78	0.2	0.1	0.4

TABLE VI - IMPORTANT CAUSES OF DEATH, NUMBER AND PER CENT OF TOTAL IN SPECIFIED AGE GROUPS, BY RACE, GEORGIA, 1954 (CONT'D)

Rank	Age, Cause of Death and Sixth Revision of International List Number	Number			Rate per 1,000 Population		
		Total	White	Non-white	Total	White	Non-white
	<u>TWENTY-FIVE - FORTY-FOUR YEARS</u>						
	Total, all causes	3,397	1,569	1,828	3.2	2.0	6.4
1.	Heart diseases (410-443)	614	268	346	0.6	0.3	1.2
	Chronic rheumatic heart disease (410-416)	56	32	24	0.1	0.0	0.1
	Arteriosclerotic and degenerative heart disease (420-422)	374	188	186	0.3	0.2	0.6
	Hypertension with heart disease (440-443)	131	26	105	0.1	0.0	0.4
2.	Malignant neoplasms including neoplasms of the lymphatic and haematopoietic tissues (140-205)	441	273	168	0.4	0.3	0.6
3.	Motor-vehicle accidents (E810-E835)	308	217	91	0.3	0.3	0.3
4.	Vascular lesions affecting central nervous system (330-334)	306	73	233	0.3	0.1	0.8
5.	Accidents, exclusive of motor-vehicle accidents (E800-E802, E840-E962)	288	173	115	0.3	0.2	0.4
6.	Homicide (E964, E980-E985)	267	53	214	0.2	0.1	0.7
7.	Suicide (E963, E970-E979)	116	104	12	0.1	0.1	0.0
8.	Tuberculosis, all forms (001-019)	94	24	70	0.1	0.0	0.2
9.	Nephritis and nephrosis (590-594)	80	34	46	0.1	0.0	0.2
9.	Complications of pregnancy, childbirth, and the puerperium (640-689)	80	22	58	0.1	0.0	0.2
10.	Influenza and pneumonia (480-483, 490-493)	79	22	57	0.1	0.0	0.2
	All other causes (residual)	724	306	418	0.7	0.4	1.5
	<u>FORTY-FIVE - SIXTY-FOUR YEARS</u>						
	Total, all causes	9,146	4,936	4,210	15.1	11.0	26.4
1.	Heart diseases (410-443)	3,370	1,939	1,431	5.6	4.3	9.0
	Chronic rheumatic heart disease (410-416)	83	62	21	0.1	0.1	0.1
	Arteriosclerotic and degenerative heart disease (420-422)	2,411	1,562	849	4.0	3.5	5.3
	Hypertension with heart disease (440-443)	671	230	441	1.1	0.5	2.8
2.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	1,687	1,074	613	2.8	2.4	3.8
3.	Vascular lesions affecting central nervous system (330-334)	1,504	584	920	2.5	1.3	5.8
4.	Accidents, exclusive of motor-vehicle accidents (E800-E802, E840-E962)	218	133	85	0.4	0.3	0.5
5.	Nephritis and nephrosis (590-594)	202	67	135	0.3	0.1	0.8
6.	Influenza and pneumonia (480-483, 490-493)	189	64	125	0.3	0.1	0.8
7.	Motor-vehicle accidents (E810-E835)	186	118	68	0.3	0.3	0.4
8.	Diabetes Mellitus (260)	149	69	80	0.2	0.2	0.5
9.	Hypertension without mention of heart (444-447)	145	52	93	0.2	0.1	0.6
10.	Tuberculosis, all forms (001-019)	131	69	62	0.2	0.2	0.4
	All other causes (residual)	1,365	767	598	2.2	1.7	3.7

TABLE VI - IMPORTANT CAUSES OF DEATH, NUMBER AND PER CENT OF TOTAL IN SPECIFIED AGE GROUPS, BY RACE, GEORGIA, 1954

Rank	Age, Cause of Death and Sixth Revision of International List Number	Number			Rate per 1,000 Population		
		Total	White	Non-white	Total	White	Non-white
	<u>SIXTY-FIVE AND OVER</u>						
	Total, all causes	13,043	9,833	3,210	53.3	56.3	46.1
1.	Heart diseases (410-443)	5,305	4,121	1,184	21.7	23.6	17.0
	Chronic rheumatic heart disease (410-416)	54	35	19	0.2	0.2	0.3
	Arteriosclerotic and degenerative heart disease (420-422)	3,638	2,994	644	14.9	17.1	9.2
	Hypertension with heart disease (440-443)	1,316	902	414	5.4	5.2	5.9
2.	Vascular lesions affecting central nervous system (330-334)	2,823	2,005	818	11.5	11.5	11.7
3.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	1,533	1,207	326	6.3	6.9	4.7
4.	Influenza and pneumonia (480-483, 490-493)	396	276	120	1.6	1.6	1.7
5.	General arteriosclerosis (450)	387	294	93	1.6	1.7	1.3
6.	Nephritis and nephrosis (590-594)	294	164	130	1.2	0.9	1.9
7.	Accidents, exclusive of motor-vehicle accidents (E800-E802, E840-E962)	291	233	58	1.2	1.3	0.8
8.	Hypertension without mention of heart (444-447)	246	164	82	1.0	0.9	1.2
9.	Diabetes mellitus (260)	194	162	32	0.8	0.9	0.5
10.	Senility without mention of psychosis (794)	130	73	57	0.5	0.4	0.8
10.	Ill-defined and unknown causes (780-793, 795)	130	61	69	0.5	0.3	1.0
	All other causes (residual)	1,314	1,073	241	5.4	6.1	3.5
	<u>UNKNOWN AGE</u>	12	3	9

TABLE VII - DEATHS FROM HEART DISEASE BY TYPE, BY AGE, GEORGIA, 1954

Type and Sixth Revision of International List Number	Total all Ages	Age in Years										Unknown Age
		Under 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & Over	
<u>Number</u>												
Total, all types (410-443)	9,341	5	5	36	114	500	1,362	2,008	2,660	1,991	654	6
Chronic rheumatic heart disease (410-416)	207	1	2	11	20	36	43	40	26	24	4	-
Arteriosclerotic and degenerative heart disease(420-422)	6,442	1	3	11	52	322	957	1,454	1,866	1,343	429	4
Hypertensive heart disease (440-443)	2,124	-	-	4	22	109	276	395	609	524	183	2
Other diseases of the heart (430-434)	568	3	-	10	20	33	86	119	159	100	38	-
<u>Percentage Distribution</u>												
Total, all types (410-443)	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Chronic rheumatic heart disease (410-416)	2.2	20.0	40.0	30.6	17.5	7.2	3.2	2.0	1.0	1.2	0.6	0
Arteriosclerotic and degenerative heart disease(420-422)	69.0	20.0	60.0	30.6	45.6	64.4	70.3	72.4	70.2	67.5	65.6	66.7
Hypertensive heart disease (440-443)	22.7	0	0	11.1	19.3	21.8	20.3	19.7	22.9	26.3	28.0	33.3
Other diseases of the heart (430-434)	6.1	60.0	0	27.8	17.5	6.6	6.3	5.9	6.0	5.0	5.8	0

TABLE VIII - DEATHS FROM CANCER, BY SITE, RACE, AND SEX, GEORGIA, 1954

Site	Total	Number				Total	Percentage Distribution			
		White		Nonwhite			White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
Malignant neoplasms, total all sites (140-205)	3,805	1,347	1,315	520	623	100.0	100.0	100.0	100.0	100.0
Buccal cavity and pharynx (140-148)	110	57	24	22	7	2.9	4.2	1.8	4.2	1.1
Digestive organs and peritoneum(150-156A, 157-159)	1,156	414	345	223	174	30.4	30.7	26.2	42.9	27.9
Respiratory system(160-164)	457	306	60	73	18	12.0	22.7	4.6	14.0	2.9
Breast (170)	339	2	248	5	84	8.9	0.1	18.9	1.0	13.5
Genital organs (171-179)	795	159	305	89	242	20.9	11.8	23.2	17.1	38.8
Urinary organs (180, 181)	150	71	45	13	21	3.9	5.3	3.4	2.5	3.4
Other and unspecified sites (156B, 165, 190-199)	489	193	178	57	61	12.9	14.3	13.5	11.0	9.8
Leukemia and aleukemia (204)	171	82	60	20	9	4.5	6.1	4.6	3.8	1.4
Lymphosarcoma, etc. (200-203, 205)	138	63	50	18	7	3.6	4.7	3.8	3.5	1.1

TABLE IX - DEATHS, NUMBER AND RATIO (PER 10,000 LIVE BIRTHS) FROM DISEASES OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM, BY RACE, GEORGIA, 1954

Cause and Sixth Revision International List Number	Number			Ratio		
	Total	White	Non-white	Total	White	Non-white
Total, all causes	106	31	75	10.6	4.8	21.0
Abortion, all causes (650-652)	17	7	10	1.7	1.1	2.8
Ectopic pregnancy (645)	2	-	2	0.2	0	0.6
Hemorrhage of pregnancy (643-644)	2	1	1	0.2	0.2	0.3
Toxemias of pregnancy (642)	30	7	23	3.0	1.1	6.4
Other complications arising during pregnancy (640, 641, 646-649)	5	3	2	0.5	0.5	0.6
Hemorrhage of childbirth and puerperium (670-672)	23	5	18	2.3	0.8	5.0
Infection during childbirth and puerperium (680-684)	15	4	11	1.5	0.6	3.1
Puerperal toxemias (685-686)	3	1	2	0.3	0.2	0.6
Other accidents and specified conditions of childbirth (673-678, 687)	8	3	5	0.8	0.5	1.4
Other and unspecified conditions of childbirth and the puerperium (660, 688)	1	-	1	0.1	0	0.3

TABLE X - INFANT DEATHS, NUMBER AND RATE PER 1,000 LIVE BIRTHS BY RACE, SEX, AND AGE, GEORGIA, 1954

Race and Sex	Number						Rate					
	Under 1 Year	Under 28 Days				28 Days To 1 Year	Under 1 Year	Under 28 Days				28 Days To 1 Year
		Total	Under 1 Day	1-6 Days	7-27 Days			Total	Under 1 Day	1-6 Days	7-27 Days	
<u>Total (both races)</u>	3,155	2,106	1,003	799	304	1,049	31.5	21.0	10.0	8.0	3.0	10.5
Male	1,779	1,224	584	479	161	555	36.4	25.0	11.9	9.8	3.3	11.3
Female	1,376	882	419	320	143	494	26.8	17.2	8.2	6.2	2.8	9.6
<u>White</u>	1,562	1,186	600	462	124	376	24.3	18.4	9.3	7.2	1.9	5.8
Male	914	717	367	282	68	197	29.3	23.0	11.8	9.1	2.2	6.3
Female	648	469	233	180	56	179	19.5	14.1	7.0	5.4	1.7	5.4
<u>Nonwhite</u>	1,593	920	403	337	180	673	44.5	25.7	11.3	9.4	5.0	18.8
Male	865	507	217	197	93	358	48.7	28.5	12.2	11.1	5.2	20.2
Female	728	413	186	140	87	315	40.4	22.9	10.3	7.8	4.8	17.5

TABLE XI - INFANT DEATHS, NUMBER AND RATE PER 1,000 LIVE BIRTHS, BY RACE, BY CAUSE, GEORGIA, 1954

Cause and Sixth Revision International List Number	Number			Rate		
	Total	White	Non- white	Total	White	Non- white
Total, all causes	3,155	1,562	1,593	31.5	24.3	44.5
Tuberculosis, all forms (001-019)	6	2	4	0.1	0.0	0.1
Dysentery, all forms (045-048)	12	2	10	0.1	0.0	0.3
Whooping cough (056)	17	7	10	0.2	0.1	0.3
All other infective and parasitic diseases (030-044, 049-055, 057-138)	39	21	18	0.4	0.3	0.5
Diseases of thymus gland (273)	5	2	3	0.0	0.0	0.1
Meningitis, except meningococcal and tuberculous (340)	20	6	14	0.2	0.1	0.4
All other diseases of nervous system and sense organs (330-334, 341-398)	11	9	2	0.1	0.1	0.1
Influenza and pneumonia, except pneumonia of newborn (480-493)	356	95	261	3.6	1.5	7.3
Influenza (480-483)	33	7	26	0.3	0.1	0.7
Pneumonia, except pneumonia of newborn (490-493)	323	88	235	3.2	1.4	6.6
All other diseases of respiratory system (470-475, 500-527)	57	22	35	0.6	0.3	1.0
Hernia and intestinal obstruction (560, 561, 570)	11	6	5	0.1	0.1	0.1
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543, 571, 572)	142	29	113	1.4	0.5	3.2
All other diseases of digestive system (530-542, 544-553, 573-587)	16	12	4	0.2	0.2	0.1
Congenital malformations (750-759)	321	237	84	3.2	3.7	2.3
Spina bifida and meningocele (751)	41	38	3	0.4	0.6	0.1
Congenital malformations of circulatory system (754)	142	105	37	1.4	1.6	1.0
All other congenital malformations (750, 752, 753, 755-759)	138	94	44	1.4	1.5	1.2
Certain diseases of early infancy (760-776)	1,810	997	813	18.1	15.5	22.7
Birth injuries (760, 761)	301	201	100	3.0	3.1	2.8
Without mention of immaturity (.0)	184	117	67	1.8	1.8	1.9
With immaturity (.5)	117	84	33	1.2	1.3	0.9
Intracranial and spinal injury at birth (760)	137	91	46	1.4	1.4	1.3
Without mention of immaturity (.0)	111	70	41	1.1	1.1	1.1
With immaturity (.5)	26	21	5	0.3	0.3	0.1
Other birth injury (761)	164	110	54	1.6	1.7	1.5
Without mention of immaturity (.0)	73	47	26	0.7	0.7	0.7
With immaturity (.5)	91	63	28	0.9	1.0	0.8
Postnatal asphyxia and atelectasis (762)	434	300	134	4.3	4.7	3.7
Without mention of immaturity (.0)	150	93	57	1.5	1.4	1.6
With immaturity (.5)	284	207	77	2.8	3.2	2.2
Pneumonia of newborn (763)	120	32	88	1.2	0.5	2.5
Without mention of immaturity (.0)	83	20	63	0.8	0.3	1.8
With immaturity (.5)	37	12	25	0.4	0.2	0.7
Diarrhea of newborn (764)	28	5	23	0.3	0.1	0.6
Without mention of immaturity (.0)	26	5	21	0.3	0.1	0.6
With immaturity (.5)	2	-	2	0.0	0	0.1
Other infections of newborn (765-768)	14	8	6	0.1	0.1	0.2
Without mention of immaturity (.0)	9	6	3	0.1	0.1	0.1
With immaturity (.5)	5	2	3	0.0	0.0	0.1
Neonatal disorders arising from maternal toxemia (769)	24	11	13	0.2	0.2	0.4
Without mention of immaturity (.0-.4)	10	4	6	0.1	0.1	0.2
With immaturity (.5-.9)	14	7	7	0.1	0.1	0.2
Hemolytic disease of newborn (erythro- blastosis) (770)	65	49	16	0.6	0.8	0.4
With mention of immaturity (.0-.2)	55	41	14	0.5	0.6	0.4
With immaturity (.5-.7)	10	8	2	0.1	0.1	0.1
Hemorrhagic disease of newborn (771)	28	15	13	0.3	0.2	0.4
Without mention of immaturity (.0)	18	8	10	0.2	0.1	0.3
With immaturity (.5)	10	7	3	0.1	0.1	0.1
Ill-defined diseases peculiar to early infancy including nutritional maladjustment (772, 773)	178	75	103	1.8	1.2	2.9
Without mention of immaturity (.0)	83	23	60	0.8	0.4	1.7
With immaturity (.5)	95	52	43	0.9	0.8	1.2
Immaturity with mention of subsidiary condition (774)	37	13	24	0.4	0.2	0.7
Immaturity unqualified (776)	581	288	293	5.8	4.5	8.2
Symptoms and ill-defined conditions (780-793, 795)	142	38	104	1.4	0.6	2.9
All other diseases (residual)	45	25	20	0.4	0.4	0.6
Accidents (E800-E962)	143	52	91	1.4	0.8	2.5
Inhalation and ingestion of food or other object causing obstruction or suffocation (E921, E922)	25	16	9	0.2	0.2	0.3
Accidental mechanical suffocation in bed and cradle (E924)	65	22	43	0.6	0.3	1.2
All other accidental causes (E800-E920, E923, E925-E962)	53	14	39	0.5	0.2	1.1
Homicide (E964, E980-E999)	2	-	2	0.0	0	0.1

TABLE XII - ACCIDENTAL DEATHS, NUMBER AND RATE, BY TYPE OF ACCIDENT, BY AGE, GEORGIA, 1954

Type of Accident (International List Number - Sixth Revision)	Total All Ages	Age In Years						
		Under 1	1-4	5-14	15-24	25-44	45-64	65 & Over
<u>Number</u>								
Total, all accidents	2,193	143	131	196	355	596	404	368
Transport accidents (E800-E802, E810-E845, E850, E851-E858, E860-E866)	1,061	8	56	86	249	362	213	87
Railway accidents (E800-E802)	41	-	1	-	3	18	13	6
Motor-vehicle accidents (traffic and non-traffic) (E810-E835)	933	8	54	75	225	308	186	77
Aircraft accidents (E860-E866)	35	-	-	-	11	21	3	-
All other transport accidents (E840-E845, E850, E851-E858)	52	-	1	11	10	15	11	4
Non-transport accidents (E870-E888, E890-E895, E900-E904, E910-E936, E940-E962)	1,132	135	75	110	106	234	191	281
Accidental poisoning (E870-E888, E890-E895)	60	4	9	3	3	28	11	2
Home	34	2	7	3	-	14	6	2
Other places	26	2	2	-	3	14	5	-
Accidental falls (E900-E904)	259	4	2	2	6	17	39	189
Home	198	1	2	1	1	6	20	167
Other places	61	3	-	1	5	11	19	22
Accidental burns (E916-E917)	243	18	38	34	17	45	47	44
Home	215	18	35	33	14	36	39	40
Other places	28	-	3	1	3	9	8	4
Accidents caused by firearms (E919)	91	-	4	17	17	28	20	5
Home	52	-	3	12	8	13	12	4
Other places	39	-	1	5	9	15	8	1
Accidental mechanical suffocation (E924-E925)	81	73	2	-	3	3	-	-
Home	70	67	2	-	-	1	-	-
Other places	11	6	-	-	3	2	-	-
All other non-transport accidents (E910-E915, E918, E920-E923, E926-E936, E940-E962)	398	36	20	54	60	113	74	41
Home	87	25	10	6	2	10	11	23
Other places	311	11	10	48	58	103	63	18
<u>Rate Per 100,000 Population</u>								
Total, all accidents	59.7	147.3	34.8	28.0	61.9	55.5	66.5	150.5
Transport accidents (E800-E802, E810-E845, E850, E851-E858, E860-E866)	28.9	8.2	14.9	12.3	43.4	33.7	35.1	35.6
Railway accidents (E800-E802)	1.1	0	0.3	0	0.5	1.7	2.1	2.5
Motor-vehicle accidents (traffic and non-traffic) (E810-E835)	25.4	8.2	14.3	10.7	39.2	28.7	30.6	31.5
Aircraft accidents (E860-E866)	1.0	0	0	0	1.9	2.0	0.5	0
All other transport accidents (E840-E845, E850, E851-E858)	1.4	0	0.3	1.6	1.7	1.4	1.8	1.6
Non-transport accidents (E870-E888, E890-E895, E900-E904, E910-E936, E940-E962)	30.8	139.0	19.9	15.7	18.5	21.8	31.5	114.9
Accidental poisoning (E870-E888, E890-E895)	1.6	4.1	2.4	0.4	0.5	2.6	1.8	0.8
Home	0.9	2.1	1.9	0.4	0	1.3	1.0	0.8
Other places	0.7	2.1	0.5	0	0.5	1.3	0.8	0
Accidental falls (E900-E904)	7.1	4.1	0.5	0.3	1.0	1.6	6.4	77.3
Home	5.4	1.0	0.5	0.1	0.2	0.6	3.3	68.3
Other places	1.7	3.1	0	0.1	0.9	1.0	3.1	9.0
Accidental burns (E916-E917)	6.6	18.5	10.1	4.9	3.0	4.2	7.7	18.0
Home	5.9	18.5	9.3	4.7	2.4	3.4	6.4	16.4
Other places	0.8	0	0.8	0.1	0.5	0.8	1.3	1.6
Accidents caused by firearms (E919)	2.5	0	1.1	2.4	3.0	2.6	3.3	2.0
Home	1.4	0	0.8	1.7	1.4	1.2	2.0	1.6
Other places	1.1	0	0.3	0.7	1.6	1.4	1.3	0.4
Accidental mechanical suffocation (E924-E925)	2.2	75.2	0.5	0	0.5	0.3	0	0
Home	1.9	69.0	0.5	0	0	0.1	0	0
Other places	0.3	6.2	0	0	0.5	0.2	0	0
All other non-transport accidents (E910-E915, E918, E920-E923, E926-E936, E940-E962)	10.8	37.1	5.3	7.7	10.5	10.5	12.2	16.8
Home	2.4	25.7	2.7	0.9	0.3	0.9	1.8	9.4
Other places	8.5	11.3	2.7	6.9	10.1	9.6	10.4	7.4

ITEM	Georgia State Total						Appling					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	100,191	64,392	35,799	27.3	25.0	32.7	379	266	113	27.5	24.0	41.9
2 Delivered in hospital	81,035	62,492	18,543	80.9%	97.0%	51.8%	253	234	19	66.8%	88.0%	16.8%
3 Delivered in home by physician	3,791	1,201	2,590	3.8%	1.9%	7.2%	32	19	13	8.4%	7.1%	11.5%
4 Delivered in home by midwife	15,181	661	14,520	15.2%	1.0%	40.6%	94	13	81	24.8%	4.9%	71.7%
5 Other deliveries	184	38	146	0.2%	0.1%	0.4%	-	-	-	0%	0%	0%
6 Immature births	8,382	4,641	3,741	83.7	72.1	104.5	16	10	6	42.2	37.6	53.1
FETAL DEATHS												
Total	3,950	2,239	1,711	39.4	34.8	47.8	5	5	-	13.2	18.8	0
7 Under 20 weeks gestation	1,660	1,192	468	16.6	18.5	13.1	-	-	-	0	0	0
8 20-27 weeks gestation	607	262	345	6.1	4.1	9.6	-	-	-	0	0	0
9 28 weeks and more	1,558	717	841	15.6	11.1	23.5	5	5	-	13.2	18.8	0
Unknown length of gestation	125	68	57	1.2	1.1	1.6	-	-	-	0	0	0
DEATHS												
10 Total, all ages	30,555	18,863	11,692	832.1	732.0	1067.8	103	70	33	746.4	630.6	1222.2
11 Under 1 year	3,155	1,562	1,593	31.5	24.3	44.5	11	6	5	29.0	22.6	44.2
12 Under 28 days	2,106	1,186	920	21.0	18.4	25.7	4	4	-	10.6	15.0	0
13 Deaths from immaturity	618	301	317	6.2	4.7	8.9	-	-	-	0	0	0
14 1-4 years **	546	300	246	14.8	11.6	22.4	1	-	1	0	0	0
15 Maternal deaths	106	31	75	10.6	4.8	21.0	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	341	169	172	9.3	6.6	15.7	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	113	32	81	3.1	1.2	7.4	-	-	-	0	0	0
18 Typhoid fever (040)	1	-	1	0.0	0	0.1	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	31	9	22	0.8	0.3	2.0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	4	3	1	0.1	0.1	0.1	-	-	-	0	0	0
22 Diphtheria (055)	23	17	6	0.6	0.7	0.5	-	-	-	0	0	0
23 Whooping cough (056)	19	8	11	0.5	0.3	1.0	-	-	-	0	0	0
24 Meningococcal infections (057)	32	22	10	0.9	0.9	0.9	-	-	-	0	0	0
25 Acute poliomyelitis (080)	18	15	3	0.5	0.6	0.3	1	-	1	7.2	0	37.0
26 Acute infectious encephalitis (082)	11	8	3	0.3	0.3	0.3	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	19	15	4	0.5	0.6	0.4	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	1	1	-	0.0	0.0	0	-	-	-	0	0	0
31 Malaria (110-117)	1	-	1	0.0	0	0.1	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	139	83	56	3.8	3.2	5.1	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	3,805	2,662	1,143	103.6	103.3	104.4	12	12	-	87.0	108.1	0
34 Benign and unspecified neoplasms (210-239)	89	46	43	2.4	1.8	3.9	1	-	1	7.2	0	37.0
35 Diabetes mellitus (260)	406	265	141	11.1	10.3	12.9	2	2	-	14.5	18.0	0
36 Pellagra (281)	25	18	7	0.7	0.7	0.6	-	-	-	0	0	0
37 Anemias (290-293)	60	28	32	1.6	1.1	2.9	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	4,664	2,677	1,987	127.0	103.9	181.5	26	17	9	188.4	153.2	333.3
39 Nonmeningococcal meningitis (340)	54	17	37	1.5	0.7	3.4	-	-	-	0	0	0
40 Rheumatic fever (400-402)	37	12	25	1.0	0.5	2.3	-	-	-	0	0	0
41 Heart diseases (410-443)	9,341	6,342	2,999	254.4	246.1	273.9	26	17	9	188.4	153.2	333.3
42 Hypertension without mention of heart (444-447)	459	226	233	12.5	8.8	21.3	1	1	-	7.2	9.0	0
43 Influenza and pneumonia (480-483, 490-493)	1,168	503	665	31.8	19.5	60.7	11	7	4	79.7	63.1	148.1
44 Bronchitis (500-502)	62	41	21	1.7	1.6	1.9	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	151	108	43	4.1	4.2	3.9	-	-	-	0	0	0
46 Appendicitis (550-553)	54	29	25	1.5	1.1	2.3	1	1	-	7.2	9.0	0
47 Intestinal obstruction and hernia (560, 561, 570)	150	88	62	4.1	3.4	5.7	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	260	97	163	7.1	3.8	14.9	1	1	1	7.2	0	37.0
49 Cirrhosis of liver (581)	190	146	44	5.2	5.7	4.0	1	-	1	7.2	0	37.0
50 Nephritis and nephrosis (590-594)	616	281	335	16.8	10.9	30.6	2	1	1	14.5	9.0	37.0
51 Hyperplasia of prostate (610)	119	70	49	3.2	2.7	4.5	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	106	31	75	2.9	1.2	6.8	-	-	-	0	0	0
53 Congenital malformations (750-759)	458	330	128	12.5	12.8	11.7	3	3	-	21.7	27.0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	735	501	234	20.0	19.4	21.4	-	-	-	0	0	0
55 Infection of the newborn (763-768)	162	45	117	4.4	1.7	10.7	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-774)	913	451	462	24.9	17.5	42.2	-	-	-	0	0	0
57 Senility, without mention of psychosis (794)	133	74	59	3.6	2.9	5.4	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	433	158	275	11.8	6.1	25.1	2	2	-	14.5	18.0	0
59 Motor vehicle accidents (E810-E835)	933	651	282	25.4	25.3	25.8	3	2	1	21.7	18.0	37.0
60 All other accidents (E800-E802, E840-E962)	1,260	762	498	34.3	29.6	45.5	4	1	3	29.0	9.0	111.1
61 Suicide (E963, E970-E979)	301	274	27	8.2	10.6	2.5	2	2	-	14.5	18.0	0
62 Homicide (E964, E980-E985)	482	106	376	13.1	4.1	34.3	-	-	-	0	0	0
63 All other diseases (residual)	2,176	1,442	734	59.3	56.0	67.0	4	2	2	29.0	18.0	74.1

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954

Atkinson						Bacon						Baker						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
215	134	81	28.7	22.7	50.6	258	218	40	27.7	26.6	36.4	148	35	113	27.4	17.5	33.2	1
132	118	14	61.4%	88.1%	17.3%	224	207	17	86.8%	95.0%	42.5%	80	35	45	54.1%	100.0%	39.8%	2
27	12	15	12.6%	9.0%	18.5%	10	6	4	3.9%	2.8%	10.0%	-	-	-	0%	0%	0%	3
56	4	52	26.0%	3.0%	64.2%	24	5	19	9.3%	2.3%	47.5%	68	-	68	45.9%	0%	60.2%	4
-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
15	7	8	69.8	52.2	98.8	21	18	3	81.4	82.6	75.0	6	-	6	40.5	0	53.1	6
14	4	10	65.1	29.8	123.5	4	3	1	15.5	13.8	25.0	4	2	2	27.0	57.1	17.7	
4	-	4	18.6	0	49.4	-	-	-	0	0	0	1	-	1	6.8	0	8.8	7
1	-	1	4.7	0	12.3	1	1	-	3.9	4.6	0	1	-	1	6.8	0	8.8	8
9	4	5	41.9	29.8	61.7	3	2	1	11.6	9.2	25.0	1	1	-	6.8	28.6	0	9
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	6.8	28.6	0	
65	49	16	866.7	830.5	1000.0	68	59	9	731.2	719.5	818.2	54	20	34	1000.0	1000.0	1000.0	10
8	4	4	37.2	29.8	49.4	7	7	-	27.1	32.1	0	6	-	6	40.5	0	53.1	11
5	2	3	23.3	14.9	37.0	4	4	-	15.5	18.3	0	5	-	5	33.8	0	44.2	12
1	1	-	0	0	0	1	1	-	3.9	4.6	0	2	-	2	13.5	0	17.7	13
3	1	2	139.5	74.6	246.9	-	-	-	0	0	0	-	-	-	0	0	0	14
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	15
-	-	-	0	0	0	1	1	-	10.8	12.2	0	-	-	-	0	0	0	16
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
1	1	-	13.3	16.9	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
2	2	-	26.7	33.9	0	-	-	-	0	0	0	-	-	-	0	0	0	32
3	3	-	40.0	50.8	0	10	8	2	107.5	97.6	181.8	9	3	6	166.7	150.0	176.5	33
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
2	1	1	26.7	16.9	62.5	1	1	-	10.8	12.2	0	-	-	-	0	0	0	35
1	-	1	13.3	0	62.5	-	-	-	0	0	0	-	-	-	0	0	0	36
11	10	1	146.7	169.5	62.5	4	3	1	43.0	36.6	90.9	6	2	4	111.1	100.0	117.6	38
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
18	14	4	240.0	237.3	250.0	24	21	3	258.1	256.1	272.7	19	7	12	351.9	350.0	352.9	41
2	2	-	26.7	33.9	0	2	2	-	21.5	24.4	0	4	3	1	74.1	150.0	29.4	42
4	2	2	53.3	33.9	125.0	2	2	-	21.5	24.4	0	1	-	1	18.5	0	29.4	43
1	1	-	13.3	16.9	0	-	-	-	0	0	0	-	-	-	0	0	0	44
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	45
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
-	-	-	0	0	0	2	2	-	21.5	24.4	0	-	-	-	0	0	0	47
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	48
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	49
1	1	1	13.3	0	62.5	1	-	1	10.8	0	90.9	1	1	-	18.5	50.0	0	50
1	1	-	13.3	16.9	0	-	-	-	0	0	0	-	-	-	0	0	0	51
3	1	2	40.0	16.9	125.0	-	-	-	0	0	0	-	-	-	0	0	0	52
1	1	-	13.3	16.9	0	1	1	-	10.8	12.2	0	-	-	-	0	0	0	53
2	1	1	26.7	16.9	62.5	2	2	-	21.5	24.4	0	-	-	-	0	0	0	54
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	18.5	0	29.4	55
2	-	2	26.7	0	125.0	2	2	-	21.5	24.4	0	4	-	4	74.1	0	117.6	56
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	18.5	0	29.4	57
1	1	-	13.3	16.9	0	1	1	-	10.8	12.2	0	2	1	1	37.0	50.0	29.4	58
3	3	-	40.0	50.8	0	-	-	-	0	0	0	2	1	1	37.0	50.0	29.4	59
3	2	1	40.0	33.9	62.5	6	6	-	64.5	73.2	0	3	2	1	55.6	100.0	29.4	60
-	-	-	0	0	0	1	1	-	10.8	12.2	0	-	-	-	0	0	0	61
2	2	-	26.7	33.9	0	-	-	-	0	0	0	-	-	-	0	0	0	62
1	1	-	13.3	16.9	0	8	6	2	86.0	73.2	181.8	1	-	1	37.0	0	29.4	63

ITEM	Baldwin						Banks					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	457	215	242	25.0	19.2	34.1	120	114	6	19.4	19.3	20.0
2 Delivered in hospital	218	191	27	47.7%	88.8%	11.2%	112	109	3	93.3%	95.6%	50.0%
3 Delivered in home by physician	49	14	35	10.7%	6.5%	14.5%	5	2	3	4.2%	1.8%	50.0%
4 Delivered in home by midwife	190	10	180	41.6%	4.7%	74.4%	3	3	-	2.5%	2.6%	0%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	31	12	19	67.8	55.8	78.5	7	7	-	58.3	61.4	0
FETAL DEATHS												
7 Total	31	18	13	67.8	83.7	53.7	5	5	-	41.7	43.9	0
8 Under 20 weeks gestation	12	8	4	26.3	37.2	16.5	-	-	-	0	0	0
9 20-27 weeks gestation	5	3	2	10.9	14.0	8.3	2	2	-	16.7	17.5	0
28 weeks and more	14	7	7	30.6	32.6	28.9	3	3	-	25.0	26.3	0
Unknown	-	-	-	0	0	0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	202	89	113	1103.8	794.6	1591.5	51	48	3	822.6	813.6	1000.0
11 Under 1 year	22	5	17	48.1	23.3	70.2	2	2	-	16.7	17.5	0
12 Under 28 days	14	2	12	30.6	9.3	49.6	-	-	-	0	0	0
13 Deaths from immaturity	-	-	-	0	0	0	-	-	-	0	0	0
14 1-4 years **	-	-	-	-	-	-	2	2	-	0	0	0
15 Maternal deaths	1	1	-	21.9	46.5	0	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	3	1	2	16.4	8.9	28.2	1	1	-	16.1	16.9	0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	1	-	1	5.5	0	14.1	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	24	7	17	131.1	62.5	239.4	8	7	1	129.0	118.6	333.3
34 Benign and unspecified neoplasms (210-239)	3	1	2	16.4	8.9	28.2	-	-	-	0	0	0
35 Diabetes mellitus (260)	2	-	2	10.9	0	28.2	-	-	-	0	0	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	1	-	1	5.5	0	14.1	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	35	18	17	191.3	160.7	239.4	12	12	-	193.5	203.4	0
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	49	26	23	267.8	232.1	323.9	11	10	1	177.4	169.5	333.3
42 Hypertension without mention of heart (444-447)	1	1	-	5.5	8.9	0	2	2	-	32.3	33.9	0
43 Influenza and pneumonia (480-483, 490-493)	18	8	10	98.4	71.4	140.8	5	5	-	80.6	84.7	0
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	2	1	1	10.9	8.9	14.1	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	2	1	1	10.9	8.9	14.1	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	-	-	-	0	0	0
49 Cirrhosis of liver (581)	-	-	-	0	0	0	1	1	-	16.1	16.9	0
50 Nephritis and nephrosis (590-594)	8	1	7	43.7	8.9	98.6	2	2	-	32.3	33.9	0
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	1	-	5.5	8.9	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	3	-	3	16.4	0	42.3	-	-	-	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	7	2	5	38.3	17.9	70.4	-	-	-	0	0	0
55 Infection of the newborn (763-768)	3	-	3	16.4	0	42.3	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	1	-	5.5	8.9	0	-	-	-	0	0	0
57 Senility, without mention of psychosis (794)	1	1	-	5.5	8.9	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	1	-	1	16.1	0	333.3
59 Motor vehicle accidents (E810-E835)	5	3	2	27.3	26.8	28.2	2	2	-	32.3	33.9	0
60 All other accidents (E800-E802, E840-E962)	10	6	4	54.6	53.6	56.3	2	2	-	32.3	33.9	0
61 Suicide (E963, E970-E979)	3	2	1	16.4	17.9	14.1	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	1	-	1	5.5	0	14.1	1	1	-	16.1	16.9	0
63 All other diseases (residual)	18	8	10	98.4	71.4	140.8	3	3	-	48.4	50.8	0

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Barrow						Bartow						Ben Hill						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
293	214	79	22.4	19.8	34.3	710	586	124	25.2	24.3	30.2	378	219	159	25.2	21.5	33.1	1
259	206	53	88.4%	96.3%	67.1%	639	552	87	90.0%	94.2%	70.2%	255	209	46	67.5%	95.4%	28.9%	2
8	4	4	2.7%	1.9%	5.1%	30	21	9	4.2%	3.6%	7.3%	7	1	6	1.9%	0.5%	3.8%	3
26	4	22	8.9%	1.9%	27.8%	41	13	28	5.8%	2.2%	22.6%	116	9	107	30.7%	4.1%	67.3%	4
-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
19	12	7	64.8	56.1	88.6	33	30	3	46.5	51.2	24.2	34	16	18	89.9	73.1	113.2	6
12	10	2	41.0	46.7	25.3	38	24	14	53.5	41.0	112.9	25	13	12	66.1	59.4	75.5	7
5	5	-	17.1	23.4	0	20	12	8	28.2	20.5	64.5	12	9	3	31.7	41.1	18.9	8
1	1	-	3.4	4.7	0	6	4	2	8.4	6.8	16.1	3	1	2	7.9	4.6	12.6	9
6	4	2	20.5	18.7	25.3	12	8	4	16.9	13.7	32.3	10	3	7	26.5	13.7	44.0	10
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	11
122	100	22	931.3	925.9	956.5	221	175	46	783.7	726.1	1122.0	160	109	51	1066.7	1068.6	1062.5	12
6	4	2	20.5	18.7	25.3	17	14	3	23.9	23.9	24.2	25	11	14	66.1	50.2	88.0	13
4	4	-	13.7	18.7	0	12	10	2	16.9	17.1	16.1	17	7	10	45.0	32.0	62.9	14
1	1	-	3.4	4.7	0	3	3	-	4.2	5.1	0	6	1	5	15.9	4.6	31.4	15
2	2	-	0	0	0	9	9	-	-	-	-	3	1	2	0	0	0	16
-	-	-	0	0	0	1	1	-	14.1	17.1	0	2	-	2	52.9	0	125.8	17
2	2	-	15.3	18.5	0	2	2	-	7.1	8.3	0	1	1	-	6.7	9.8	0	18
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	6.7	0	20.8	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
-	-	-	0	0	0	1	1	-	3.5	4.1	0	1	1	-	6.7	9.8	0	24
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	1	1	-	3.5	4.1	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
2	2	-	15.3	18.5	0	-	-	-	0	0	0	1	-	1	6.7	0	20.8	32
15	13	2	114.5	120.4	87.0	27	22	5	95.7	91.3	122.0	19	15	4	126.7	147.1	83.3	33
-	-	-	0	0	0	1	-	1	3.5	0	24.4	-	-	-	0	0	0	34
1	1	-	7.6	9.3	0	1	1	-	3.5	4.1	0	-	-	-	0	0	0	35
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	6.7	0	20.8	37
21	15	6	160.3	138.9	260.9	35	24	11	124.1	99.6	268.3	18	11	7	120.0	107.8	145.8	38
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
43	39	4	328.2	361.1	173.9	64	57	7	227.0	236.5	170.7	55	45	10	366.7	441.2	208.3	41
3	2	1	22.9	18.5	43.5	2	2	-	7.1	8.3	0	-	-	-	0	0	0	42
4	2	2	30.5	18.5	87.0	7	5	2	24.8	20.7	48.8	7	2	5	46.7	19.6	104.2	43
-	-	-	0	0	0	3	3	-	10.6	12.4	0	-	-	-	0	0	0	44
-	-	-	0	0	0	1	1	-	3.5	4.1	0	2	2	-	13.3	19.6	0	45
-	-	-	0	0	0	2	2	-	7.1	8.3	0	-	-	-	0	0	0	46
1	1	-	7.6	9.3	0	1	1	-	3.5	4.1	0	1	1	-	6.7	9.8	0	47
1	1	-	7.6	9.3	0	1	1	-	3.5	4.1	0	3	2	1	20.0	19.6	20.8	48
1	1	-	7.6	9.3	0	2	1	1	7.1	4.1	24.4	-	-	-	0	0	0	49
3	2	1	22.9	18.5	43.5	10	6	4	35.5	24.9	97.6	1	1	-	6.7	9.8	0	50
1	1	-	7.6	9.3	0	-	-	-	0	0	0	2	1	1	13.3	9.8	20.8	51
-	-	-	0	0	0	1	1	-	3.5	4.1	0	2	-	2	13.3	0	41.7	52
2	2	-	15.3	18.5	0	1	1	-	3.5	4.1	0	4	4	-	26.7	39.2	0	53
2	2	-	15.3	18.5	0	2	2	-	7.1	8.3	0	7	3	4	46.7	29.4	83.3	54
-	-	-	0	0	0	3	2	1	10.6	8.3	24.4	1	-	1	6.7	0	20.8	55
1	1	-	7.6	9.3	0	5	5	-	17.7	20.7	0	6	1	5	40.0	9.8	104.2	56
-	-	-	0	0	0	1	-	1	3.5	0	24.4	-	-	-	0	0	0	57
-	-	-	0	0	0	6	5	1	21.3	20.7	24.4	1	1	-	6.7	9.8	0	58
5	4	1	38.2	37.0	43.5	11	11	-	39.0	45.6	0	5	4	1	33.3	39.2	20.8	59
4	4	-	30.5	37.0	0	10	5	5	35.5	20.7	122.0	7	4	3	46.7	39.2	62.5	60
1	1	-	7.6	9.3	0	3	3	-	10.6	12.4	0	2	2	-	13.3	19.6	0	61
2	1	1	15.3	9.3	43.5	4	1	3	14.2	4.1	73.2	2	-	2	13.3	0	41.7	62
7	3	4	53.4	27.8	173.9	13	9	4	46.1	37.3	97.6	10	8	2	66.7	78.4	41.7	63

ITEM	Berrien						Bibb					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	332	275	57	24.8	23.9	30.0	3,493	2,117	1,376	27.5	25.4	31.6
2 Delivered in hospital	272	252	20	81.9%	91.6%	35.1%	3,422	2,109	1,313	98.0%	99.6%	95.4%
3 Delivered in home by physician	36	21	15	10.8%	7.6%	26.3%	28	6	22	0.8%	0.3%	1.6%
4 Delivered in home by midwife	23	1	22	6.9%	0.4%	38.6%	42	1	41	1.2%	0.0%	3.0%
5 Other deliveries	1	1	-	0.3%	0.4%	0%	1	1	-	0.0%	0.0%	0%
6 Immature births	23	18	5	69.3	65.5	87.7	278	137	141	79.6	64.7	102.5
FETAL DEATHS												
7 Total	8	6	2	24.1	21.8	35.1	148	92	56	42.4	43.5	40.7
8 Under 20 weeks gestation	1	1	-	3.0	3.6	0	71	53	18	20.3	25.0	13.1
9 20-27 weeks gestation	3	3	-	9.0	10.9	0	21	8	13	6.0	3.8	9.4
28 weeks and more	4	2	2	12.0	7.3	35.1	54	29	25	15.5	13.7	18.2
Unknown length of gestation	-	-	-	0	0	0	2	2	-	0.6	0.9	0
DEATHS												
10 Total, all ages	98	74	24	731.3	643.5	1263.2	1,135	624	511	894.4	748.2	1174.7
11 Under 1 year	6	4	2	18.1	14.5	35.1	97	53	44	27.8	25.0	32.0
12 Under 28 days	5	4	1	15.1	14.5	17.5	63	41	22	18.0	19.4	16.0
13 Deaths from immaturity	3	2	1	9.0	7.3	17.5	10	3	7	2.9	1.4	5.1
14 1-4 years **	2	-	2	-	-	-	16	5	11	-	-	-
15 Maternal deaths	-	-	-	0	0	0	1	-	1	2.9	0	7.3
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	9	2	7	7.1	2.4	16.1
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	12	2	10	9.5	2.4	23.0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	1	-	1	0.8	0	2.3
24 Meningococcal infections (057)	-	-	-	0	0	0	3	2	1	2.4	2.4	2.3
25 Acute poliomyelitis (080)	-	-	-	0	0	0	1	1	-	0.8	1.2	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	-	1	7.5	0	52.6	3	1	2	2.4	1.2	4.6
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	11	7	4	82.1	60.9	210.5	132	89	43	104.0	106.7	98.9
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	2	1	1	1.6	1.2	2.3
35 Diabetes mellitus (260)	2	2	-	14.9	17.4	0	12	7	5	9.5	8.4	11.5
36 Pellagra (281)	1	1	-	7.5	8.7	0	2	1	1	1.6	1.2	2.3
37 Anemias (290-293)	1	-	1	7.5	0	52.6	3	1	2	2.4	1.2	4.6
38 Vascular lesions affecting central nervous system (330-334)	14	12	2	104.5	104.3	105.3	176	104	72	138.7	124.7	165.5
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	2	-	2	1.6	0	4.6
40 Rheumatic fever (400-402)	-	-	-	0	0	0	1	-	1	0.8	0	2.3
41 Heart diseases (410-443)	33	27	6	246.3	234.8	315.8	337	190	147	265.6	227.8	337.9
42 Hypertension without mention of heart (444-447)	3	2	1	22.4	17.4	52.6	24	6	18	18.9	7.2	41.4
43 Influenza and pneumonia (480-483, 490-493)	1	-	1	7.5	0	52.6	39	19	20	30.7	22.8	46.0
44 Bronchitis (500-502)	-	-	-	0	0	0	3	2	1	2.4	2.4	2.3
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	4	3	1	3.2	3.6	2.3
46 Appendicitis (550-553)	1	-	1	7.5	0	52.6	3	2	1	2.4	2.4	2.3
47 Intestinal obstruction and hernia (560, 561, 570)	1	-	1	7.5	0	52.6	4	2	2	3.2	2.4	4.6
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	-	2	14.9	0	105.3	6	2	4	4.7	2.4	9.2
49 Cirrhosis of liver (581)	3	3	-	22.4	26.1	0	10	8	2	7.9	9.6	4.6
50 Nephritis and nephrosis (590-594)	1	1	-	7.5	8.7	0	29	6	23	22.9	7.2	52.9
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	3	2	1	2.4	2.4	2.3
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	1	-	1	0.8	0	2.3
53 Congenital malformations (750-759)	-	-	-	0	0	0	24	17	7	18.9	20.4	16.1
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	1	1	14.9	8.7	52.6	32	24	8	25.2	28.8	18.4
55 Infection of the newborn (763-768)	-	-	-	0	0	0	4	1	3	3.2	1.2	6.9
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	4	3	1	29.9	26.1	52.6	17	8	9	13.4	9.6	20.7
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	3	1	2	2.4	1.2	4.6
58 Ill-defined and unknown causes (780-793, 795)	1	1	-	7.5	8.7	0	16	6	10	12.6	7.2	23.0
59 Motor vehicle accidents (E810-E835)	2	2	-	14.9	17.4	0	36	18	18	28.4	21.6	41.4
60 All other accidents (E800-E802, E840-E962)	5	4	1	37.3	34.8	52.6	48	22	26	37.8	26.4	59.8
61 Suicide (E963, E970-E979)	2	2	-	14.9	17.4	0	8	8	-	6.3	9.6	0
62 Homicide (E964, E980-E985)	2	2	-	14.9	17.4	0	8	8	-	6.3	9.6	0
63 All other diseases (residual)	7	6	1	52.2	52.2	52.6	101	64	37	79.6	76.7	85.1

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Bleckley						Brantley						Brooks						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
221	128	93	24.6	20.6	33.2	172	140	32	27.7	25.9	40.0	488	202	286	28.4	23.2	33.6	1
115	110	5	52.0%	85.9%	5.4%	99	97	2	57.6%	69.3%	6.2%	230	193	37	47.1%	95.5%	12.9%	2
20	15	5	9.0%	11.7%	5.4%	50	35	15	29.1%	25.0%	46.9%	27	7	20	5.5%	3.5%	7.0%	3
86	3	83	38.9%	2.3%	89.2%	22	8	14	12.8%	5.7%	43.8%	230	1	229	47.1%	0.5%	80.1%	4
-	-	-	0%	0%	0%	1	-	1	0.6%	0%	3.1%	1	1	-	0.2%	0.5%	0%	5
20	9	11	90.5	70.3	118.3	10	8	2	58.1	57.1	62.5	33	12	21	67.6	59.4	73.4	6
8	2	6	36.2	15.6	64.5	9	8	1	52.3	57.1	31.2	16	4	12	32.8	19.8	42.0	7
1	-	1	4.5	0	10.8	3	3	-	17.4	21.4	0	3	1	2	6.1	5.0	7.0	8
1	-	1	4.5	0	10.8	2	2	-	11.6	14.3	0	4	2	2	8.2	9.9	7.0	9
6	2	4	27.1	15.6	43.0	3	2	1	17.4	14.3	31.2	9	1	8	18.4	5.0	28.0	10
-	-	-	0	0	0	1	1	-	5.8	7.1	0	-	-	-	0	0	0	11
98	53	45	1088.9	854.8	1607.1	49	39	10	790.3	722.2	1250.0	178	79	99	1034.9	908.0	1164.7	12
16	3	13	72.4	23.4	139.8	3	3	-	17.4	21.4	0	21	6	15	43.0	29.7	52.4	13
11	3	8	49.8	23.4	86.0	2	2	-	11.6	14.3	0	10	1	9	20.5	5.0	31.5	14
3	-	3	13.6	0	32.3	1	1	-	5.8	7.1	0	3	-	3	6.1	0	10.5	15
1	-	1	45.2	0	107.5	1	1	-	0	0	0	10	4	6	41.0	0	69.9	16
-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	11.6	11.5	11.8	17
-	-	-	0	0	0	1	1	-	16.1	18.5	0	-	-	-	0	0	0	18
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	11.6	11.5	11.8	32
7	5	2	77.8	80.6	71.4	8	5	3	129.0	92.6	375.0	22	12	10	127.9	137.9	117.6	33
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
-	-	-	0	0	0	1	1	-	16.1	18.5	0	-	-	-	0	0	0	35
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
18	9	9	200.0	145.2	321.4	7	3	4	112.9	55.6	500.0	31	8	23	180.2	92.0	270.6	38
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	5.8	11.5	0	39
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
28	22	6	311.1	354.8	214.3	12	11	1	193.5	203.7	125.0	49	31	18	284.9	356.3	211.8	41
5	2	3	55.6	32.3	107.1	-	-	-	0	0	0	-	-	-	0	0	0	42
1	-	1	11.1	0	35.7	1	1	-	16.1	18.5	0	6	3	3	34.9	34.5	35.3	43
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	45
1	-	1	0	0	0	-	-	-	0	0	0	2	2	-	11.6	23.0	0	46
1	-	1	11.1	0	35.7	-	-	-	0	0	0	1	-	1	5.8	0	11.8	47
2	-	2	22.2	0	71.4	1	1	-	16.1	18.5	0	2	1	1	11.6	11.5	11.8	48
2	1	1	22.2	16.1	35.7	1	1	-	16.1	18.5	0	-	-	-	0	0	0	49
2	2	2	22.2	0	71.4	2	2	-	32.2	37.0	0	10	3	7	58.1	34.5	82.4	50
3	1	2	33.3	16.1	71.4	-	-	-	0	0	0	1	-	1	5.8	0	11.8	51
1	-	1	11.1	0	35.7	-	-	-	0	0	0	2	-	2	11.6	0	23.5	52
2	-	2	22.2	0	71.4	1	1	-	16.1	18.5	0	5	3	2	29.1	34.5	23.5	53
2	1	1	22.2	16.1	35.7	1	1	-	16.1	18.5	0	2	1	1	11.6	11.5	11.8	54
3	1	2	33.3	16.1	71.4	1	1	-	16.1	18.5	0	2	-	2	11.6	0	23.5	55
6	1	5	66.7	16.1	178.6	1	1	-	16.1	18.5	0	5	-	5	29.1	0	58.8	56
-	-	-	0	0	0	1	1	-	16.1	18.5	0	4	2	2	23.3	23.0	0	57
-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	11.6	0	23.5	58
2	2	-	22.2	32.3	0	1	1	-	16.1	18.5	0	6	3	3	34.9	34.5	35.3	59
2	1	1	22.2	16.1	35.7	3	2	1	48.4	37.0	125.0	10	2	8	58.1	23.0	94.1	60
1	-	1	11.1	16.1	0	2	2	-	32.3	37.0	0	-	-	-	0	0	0	61
3	-	3	33.3	0	107.1	1	-	1	16.1	0	125.0	4	2	2	23.3	23.0	23.5	62
7	6	1	77.8	96.8	35.7	3	3	-	48.4	55.6	0	7	3	4	40.7	34.5	47.1	63

ITEM	Bryan						Bulloch					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	184	103	81	31.7	29.4	35.2	689	345	344	28.6	23.2	37.4
2 Delivered in hospital	102	90	12	55.4%	87.4%	14.8%	517	337	180	75.0%	97.7%	52.3%
3 Delivered in home by physician	26	10	16	14.1%	9.7%	19.8%	27	7	20	3.9%	2.0%	5.8%
4 Delivered in home by midwife	56	3	53	30.4%	2.9%	65.4%	144	1	143	20.9%	0.3%	41.6%
5 Other deliveries	-	-	-	0%	0%	0%	1	-	1	0.1%	0%	0.3%
6 Immature births	13	8	5	70.7	77.7	61.7	65	25	40	94.3	72.5	116.3
FETAL DEATHS												
7 Total	12	10	2	65.2	97.1	24.7	15	4	11	21.8	11.6	32.0
8 Under 20 weeks gestation	9	9	-	48.9	87.4	0	2	-	2	2.9	0	5.8
9 20-27 weeks gestation	-	-	-	0	0	0	2	1	1	2.9	2.9	2.9
28 weeks and more	3	1	2	16.3	9.7	24.7	11	3	8	16.0	8.7	23.3
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	68	33	35	1172.4	942.9	1521.7	200	115	85	829.9	771.8	923.9
11 Under 1 year	15	5	10	81.5	48.5	123.5	20	5	15	29.0	14.5	43.6
12 Under 28 days	7	5	2	38.0	48.5	24.7	10	4	6	14.5	11.6	17.4
13 Deaths from immaturity	-	-	-	0	0	0	5	2	3	7.3	5.8	8.7
14 1-4 years **	3	1	2	-	-	-	3	1	2	-	-	-
15 Maternal deaths	1	1	-	54.3	97.1	0	2	-	2	29.0	0	58.1
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	2	-	2	8.3	0	21.7
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	4	1	3	16.6	6.7	32.6
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	1	-	1	4.1	0	10.9
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 084-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	5	4	1	86.2	114.3	43.5	17	13	4	70.5	87.2	43.5
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	1	1	-	4.1	6.7	0
35 Diabetes mellitus (260)	-	-	-	0	0	0	2	-	2	8.3	0	21.7
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	1	-	1	17.2	0	43.5	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	10	5	5	172.4	142.9	217.4	39	21	18	161.8	140.9	195.7
39 Nonmeningococcal meningitis (340)	1	-	1	17.2	0	43.5	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	18	12	6	310.3	342.9	260.9	55	44	11	228.2	295.3	119.6
42 Hypertension without mention of heart (444-447)	1	-	1	17.2	0	43.5	8	4	4	33.2	26.8	43.5
43 Influenza and pneumonia (480-483, 490-493)	6	-	6	103.4	0	260.9	8	3	5	33.2	20.1	54.3
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	1	1	-	4.1	6.7	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	2	1	1	8.3	6.7	10.9
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	-	2	34.5	0	87.0	3	-	3	12.4	0	32.6
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	-	-	-	0	0	0	2	1	1	8.3	6.7	10.9
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	-	1	4.1	0	10.9
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	1	-	17.2	28.6	0	2	-	2	8.3	0	21.7
53 Congenital malformations (750-759)	2	1	1	34.5	28.6	43.5	1	-	1	4.1	0	10.9
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	2	-	34.5	57.1	0	4	2	2	16.6	13.4	21.7
55 Infection of the newborn (763-768)	2	1	1	34.5	28.6	43.5	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	1	-	17.2	28.6	0	7	2	5	29.0	13.4	54.3
57 Senility, without mention of psychosis (794)	1	1	-	17.2	28.6	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	4	1	3	69.0	28.6	130.4	5	2	3	20.7	13.4	32.6
59 Motor vehicle accidents (E810-E835)	1	1	-	17.2	28.6	0	5	2	3	20.7	13.4	32.6
60 All other accidents (E800-E802, E840-E962)	4	2	2	69.0	57.1	87.0	8	7	1	33.2	47.0	10.9
61 Suicide (E963, E970-E979)	1	-	1	17.2	0	43.5	2	1	1	8.3	6.7	10.9
62 Homicide (E964, E980-E985)	3	1	2	51.7	28.6	87.0	1	-	1	4.1	0	10.9
63 All other diseases (residual)	2	-	2	34.5	0	87.0	17	8	9	70.5	53.7	97.8

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Burke						Butts						Calhoun						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
774	154	620	35.0	24.8	39.0	207	70	137	23.0	14.3	33.4	278	66	212	35.6	26.4	40.0	1
197	130	67	25.5%	84.4%	10.8%	125	67	58	60.4%	95.7%	42.3%	112	63	49	40.3%	95.5%	23.1%	2
44	10	34	5.7%	6.5%	5.5%	12	3	9	5.8%	4.3%	6.6%	6	1	5	2.2%	1.5%	2.4%	3
533	14	519	68.9%	9.1%	83.7%	70	-	70	33.8%	0%	51.1%	160	2	158	57.6%	3.0%	74.5%	4
-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
64	12	52	82.7	77.9	83.9	17	4	13	82.1	57.1	94.9	24	2	22	86.3	30.3	103.8	6
22	1	21	28.4	6.5	33.9	5	2	3	24.2	28.6	21.9	11	2	9	39.6	30.3	42.5	7
4	-	4	5.2	0	6.5	-	-	-	0	0	0	1	1	-	3.6	15.2	0	8
3	-	3	3.9	0	4.8	-	-	-	0	0	0	4	-	4	14.4	0	18.9	9
15	1	14	19.4	6.5	22.6	5	2	3	24.2	28.6	21.9	5	1	4	18.0	15.2	18.9	9
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	3.6	0	4.7	9
238	57	181	1076.9	919.3	1138.4	102	57	45	1133.3	1163.3	1097.6	105	29	76	1346.2	1160.0	1434.0	10
27	1	26	34.9	6.5	41.9	9	3	6	43.5	42.9	43.8	9	-	9	32.4	0	42.5	11
14	1	13	18.1	6.5	21.0	3	1	2	14.5	14.3	14.6	4	-	4	14.4	0	18.9	12
9	1	8	11.6	6.5	12.9	1	1	-	4.8	14.3	0	-	-	-	0	0	0	13
4	2	2	-	-	-	3	2	1	-	-	-	3	-	3	-	-	-	14
-	-	-	0	0	0	1	-	1	48.3	0	73.0	-	-	-	0	0	0	15
2	-	2	9.0	0	12.6	1	1	-	11.1	20.4	0	1	-	1	12.8	0	18.9	16
6	-	6	27.1	0	37.7	-	-	-	0	0	0	1	-	1	12.8	0	18.9	17
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
3	-	3	13.6	0	18.9	-	-	-	0	0	0	1	-	1	12.8	0	18.9	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	1	1	-	11.1	20.4	0	-	-	-	0	0	0	22
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	12.8	0	18.9	23
1	-	1	4.5	0	6.3	1	1	-	11.1	20.4	0	-	-	-	0	0	0	24
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
2	1	1	9.0	16.1	6.3	1	1	-	11.1	20.4	0	1	-	1	12.8	0	18.9	32
26	7	19	117.6	112.9	119.5	12	7	5	133.3	142.9	122.0	15	5	10	192.3	200.0	188.7	33
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
1	-	1	4.5	0	6.3	2	2	-	22.2	40.8	0	2	-	2	25.6	0	37.7	35
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
1	-	1	4.5	0	6.3	1	1	-	11.1	20.4	0	-	-	-	0	0	0	37
31	10	21	140.3	161.3	132.1	16	9	7	177.8	183.7	170.7	17	2	15	217.9	80.0	283.0	38
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
70	17	53	316.7	274.2	333.3	33	17	16	366.7	346.9	390.2	36	14	22	461.5	560.0	415.1	41
8	2	6	36.2	32.3	37.7	1	-	1	11.1	0	24.4	-	-	-	0	0	0	42
11	-	11	49.8	0	69.2	6	2	4	66.7	40.8	97.6	5	1	4	64.1	40.0	75.5	43
2	1	1	9.0	16.1	6.3	-	-	-	0	0	0	-	-	-	0	0	0	44
2	1	1	9.0	16.1	6.3	-	-	-	0	0	0	1	-	1	12.8	0	18.9	45
-	-	-	0	0	0	1	1	-	11.1	20.4	0	1	-	1	12.8	0	18.9	46
1	1	-	4.5	16.1	0	-	-	-	0	0	0	1	1	-	12.8	40.0	0	47
1	1	-	4.5	16.1	0	-	-	-	0	0	0	3	-	3	38.5	0	56.6	48
2	2	-	9.0	0	32.3	-	-	-	0	0	0	-	-	-	0	0	0	49
3	-	3	13.6	0	18.9	3	2	1	33.3	40.8	24.4	1	-	1	12.8	0	18.9	50
1	-	1	4.5	0	6.3	-	-	-	0	0	0	-	-	-	0	0	0	51
-	-	-	0	0	0	1	-	1	11.1	0	24.4	-	-	-	0	0	0	52
1	-	1	4.5	0	6.3	-	-	-	0	0	0	1	1	-	12.8	40.0	0	53
1	-	1	4.5	0	6.3	1	-	1	11.1	0	24.4	1	-	1	12.8	0	18.9	54
1	-	1	4.5	0	6.3	1	-	1	11.1	0	24.4	2	-	2	25.6	0	37.7	55
11	1	10	49.8	16.1	62.9	1	1	-	11.1	20.4	0	-	-	-	0	0	0	56
10	-	10	45.2	0	62.9	-	-	-	0	0	0	-	-	-	0	0	0	57
7	1	6	31.7	16.1	37.7	-	-	-	0	0	0	1	-	1	12.8	0	18.9	58
7	3	4	31.7	48.4	25.2	4	-	4	44.4	0	97.6	2	1	1	25.6	40.0	18.9	59
10	5	5	45.2	80.6	31.4	3	-	3	33.3	0	73.2	2	-	2	25.6	0	37.7	60
-	-	-	0	0	0	2	2	-	22.2	40.8	0	-	-	-	0	0	0	61
4	-	4	18.1	0	25.2	1	-	1	11.1	0	24.4	3	-	3	38.5	0	56.6	62
12	5	7	54.3	80.6	44.0	9	9	-	100.0	183.7	0	6	4	2	76.9	160.0	37.7	63

ITEM	Camden						Candler					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	221	105	116	28.0	25.6	30.5	162	86	76	21.3	17.6	28.1
2 Delivered in hospital	116	101	15	52.5%	96.2%	12.9%	114	81	33	70.4%	94.2%	43.4%
3 Delivered in home by physician	3	2	1	1.4%	1.9%	0.9%	20	3	17	12.3%	3.5%	22.4%
4 Delivered in home by midwife	102	2	100	46.2%	1.9%	86.2%	28	2	26	17.3%	2.3%	34.2%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	9	5	4	40.7	47.6	34.5	15	7	8	92.6	81.4	105.3
FETAL DEATHS												
7 Total	8	6	2	36.2	57.1	17.2	4	2	2	24.7	23.3	26.3
8 Under 20 weeks gestation	1	1	-	4.5	9.5	0	1	1	-	6.2	11.6	0
9 20-27 weeks gestation	3	2	1	13.6	19.0	8.6	-	-	2	0	0	0
28 weeks and more	4	3	1	18.1	28.6	8.6	3	1	2	18.5	11.6	26.3
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	78	23	55	987.3	561.0	1447.4	80	50	30	1052.6	1020.4	1111.1
11 Under 1 year	4	2	2	18.1	19.0	17.2	5	5	5	30.9	0	65.8
12 Under 28 days	1	1	-	4.5	9.5	0	4	-	4	24.7	0	52.6
13 Deaths from immaturity	-	-	-	0	0	0	1	-	1	6.2	0	13.2
14 1-4 years **	1	-	1	0	0	0	1	1	-	-	-	-
15 Maternal deaths	-	-	-	0	0	0	2	2	-	123.5	232.6	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	1	1	-	12.7	24.4	0	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	2	-	2	25.3	0	52.6	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	13	6	7	164.6	146.3	184.2	6	4	2	78.9	81.6	74.1
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	-	-	-	0	0	0	2	1	1	26.3	20.4	37.0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	14	1	13	177.2	24.4	342.1	22	15	7	289.5	306.1	259.3
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	20	5	15	253.2	122.0	394.7	35	24	11	460.5	489.8	407.4
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	1	1	-	13.2	20.4	0
43 Influenza and pneumonia (480-483, 490-493)	-	-	-	0	0	0	1	-	1	13.2	0	37.0
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	-	-	-	0	0	0
49 Cirrhosis of liver (581)	1	1	-	12.7	24.4	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	4	1	3	50.6	24.4	78.9	-	-	-	0	0	0
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	2	2	-	26.3	40.8	0
53 Congenital malformations (750-759)	2	1	1	25.3	24.4	26.3	-	-	-	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	1	-	1	13.2	0	37.0
55 Infection of the newborn (763-768)	-	-	-	0	0	0	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	0	0	0	-	-	-	0	0	0
57 Senility, without mention of psychosis (794)	2	-	2	25.3	0	52.6	2	-	2	26.3	0	74.1
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	3	-	3	39.5	0	111.1
59 Motor vehicle accidents (E810-E835)	3	-	3	38.0	0	78.9	1	1	-	13.2	20.4	0
60 All other accidents (E800-E802, E840-E862)	8	4	4	101.3	97.6	105.3	2	-	2	26.3	0	74.1
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	2	-	2	25.3	0	52.6	-	-	-	0	0	0
63 All other diseases (residual)	6	3	3	75.9	73.2	78.9	1	1	-	13.2	20.4	0

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Carroll						Catoosa						Charlton						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
821	636	185	24.1	23.1	28.5	422	413	9	25.7	25.8	22.5	190	112	78	41.3	33.9	60.0	1
704	610	94	85.7%	95.9%	50.8%	413	406	7	97.9%	98.3%	77.8%	120	107	13	63.2%	95.5%	16.7%	2
36	23	13	4.4%	3.6%	7.0%	3	2	1	0.7%	0.5%	11.1%	2	1	1	1.1%	0.9%	1.3%	3
81	3	78	9.9%	0.5%	42.2%	4	3	1	0.9%	0.7%	11.1%	68	4	64	35.8%	3.6%	82.1%	4
-	-	-	0%	0%	0%	2	2	-	0.5%	0.5%	0%	-	-	-	0%	0%	0%	5
64	47	17	78.0	73.9	91.9	20	20	-	47.4	48.4	0	20	10	10	105.3	89.3	128.2	6
15	14	1	18.3	22.0	5.4	13	12	1	30.8	29.1	111.1	12	6	6	63.2	53.6	76.9	7
4	4	-	4.9	6.3	0	3	3	-	7.1	7.3	0	5	4	1	26.3	35.7	12.8	8
1	1	-	1.2	1.6	0	1	1	-	2.4	2.4	0	-	-	-	0	0	0	9
9	8	1	11.0	12.6	5.4	9	8	1	21.3	19.4	111.1	6	2	4	31.6	17.9	51.3	9
1	1	-	1.2	1.6	0	-	-	-	0	0	0	1	-	1	5.3	0	12.8	-
266	233	33	782.4	847.3	507.7	96	93	3	585.4	581.3	750.0	50	26	24	1087.0	787.9	1846.2	10
18	13	5	21.9	20.4	27.0	9	9	-	21.3	21.8	0	9	3	6	47.4	26.8	76.9	11
6	5	1	7.3	7.9	5.4	4	4	-	9.5	9.7	0	9	3	6	47.4	26.8	76.9	12
1	1	-	1.2	1.6	0	-	-	-	0	0	0	4	1	3	21.1	8.9	38.5	13
2	1	1	0	0	0	1	1	-	0	0	0	-	-	-	0	0	0	14
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	15
2	1	1	5.9	3.6	15.4	2	2	-	12.2	12.5	0	-	-	-	0	0	0	16
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
1	1	1	2.9	0	15.4	-	-	-	0	0	0	-	-	-	0	0	0	25
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
51	49	2	150.0	178.2	30.8	16	15	1	97.6	93.8	250.0	7	6	1	152.2	181.8	76.9	33
1	1	-	2.9	3.6	0	2	2	-	12.2	12.5	0	-	-	-	0	0	0	34
1	1	-	2.9	3.6	0	-	-	-	0	0	0	2	-	2	43.5	0	153.8	35
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
27	25	2	79.4	90.9	30.8	18	16	2	109.8	100.0	500.0	6	6	-	130.4	181.8	0	38
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
101	93	8	297.1	338.2	123.1	31	31	-	189.0	193.8	0	14	5	9	304.3	151.5	692.3	41
5	5	-	14.7	18.2	0	-	-	-	0	0	0	-	-	-	0	0	0	42
13	11	2	38.2	40.0	30.8	3	3	-	18.3	18.8	0	1	1	-	21.7	30.3	0	43
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
1	1	-	2.9	3.6	0	-	-	-	0	0	0	-	-	-	0	0	0	45
1	1	-	2.9	3.6	0	-	-	-	0	0	0	-	-	-	0	0	0	46
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	21.7	0	76.9	47
3	2	1	8.8	7.3	15.4	1	1	-	6.1	6.3	0	-	-	-	0	0	0	48
1	1	-	2.9	3.6	0	1	1	-	6.1	6.3	0	-	-	-	0	0	0	49
7	5	2	20.6	18.2	30.8	-	-	-	0	0	0	2	-	2	43.5	0	153.8	50
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	52
1	1	-	2.9	3.6	0	1	1	-	6.1	6.3	0	2	2	-	43.5	60.6	0	53
1	1	-	2.9	3.6	0	1	1	-	6.1	6.3	0	1	-	1	21.7	0	76.9	54
1	-	1	2.9	0	15.4	2	2	-	12.2	12.5	0	1	-	1	21.7	0	76.9	55
5	5	-	14.7	18.2	0	-	-	-	0	0	0	5	1	4	108.7	30.3	307.7	56
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
3	2	1	8.8	7.3	15.4	3	3	-	18.3	18.8	0	-	-	-	0	0	0	58
5	5	-	14.7	18.2	0	3	3	-	18.3	18.8	0	1	1	-	21.7	30.3	0	59
9	3	6	26.5	10.9	92.3	4	4	-	24.4	25.0	0	2	1	1	43.5	30.3	76.9	60
3	3	-	8.8	10.9	0	2	2	-	12.2	12.5	0	-	-	-	0	0	0	61
4	-	4	11.8	0	61.5	1	1	-	6.1	6.3	0	2	1	1	43.5	30.3	76.9	62
19	17	2	55.9	61.8	30.4	5	5	-	30.5	31.3	0	3	2	1	65.2	60.6	76.9	63

ITEM	Chatham						Chattahoochee					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	4,994	3,213	1,781	30.9	31.7	29.6	36	13	23	30.0	21.7	38.3
2 Delivered in hospital	4,684	3,200	1,484	93.8%	99.6%	83.3%	20	11	9	55.6%	84.6%	39.1%
3 Delivered in home by physician	284	10	274	5.7%	0.3%	15.4%	1	1	1	2.8%	7.7%	0%
4 Delivered in home by midwife	25	3	22	0.5%	0.1%	1.2%	1.5	1	14	41.7%	7.7%	60.9%
5 Other deliveries	1	-	1	0.0%	0%	0.1%	-	-	-	0%	0%	0%
6 Immature births	379	209	170	75.9	65.0	95.5	1	1	-	27.8	76.9	0
FETAL DEATHS												
7 Total	283	202	81	56.7	62.9	45.5	2	1	1	55.6	76.9	43.5
8 Under 20 weeks gestation	171	150	21	34.2	46.7	11.8	-	-	-	0	0	0
9 20-27 weeks gestation	36	19	17	7.2	5.9	9.5	-	-	-	0	0	0
28 weeks and more	63	27	36	12.6	8.4	20.2	2	1	1	55.6	76.9	43.5
Unknown length of gestation	13	6	7	2.6	1.9	3.9	-	-	-	0	0	0
DEATHS												
10 Total, all ages	1,573	797	776	972.8	785.2	1289.0	12	2	10	1000.0	333.3	1666.7
11 Under 1 year	168	76	92	33.6	23.7	51.7	-	-	-	0	0	0
12 Under 28 days	121	62	59	24.2	19.3	33.1	-	-	-	0	0	0
13 Deaths from immaturity	41	16	25	8.2	5.0	14.0	-	-	-	0	0	0
14 1-4 years **	25	11	14	-	-	-	1	-	1	-	-	-
15 Maternal deaths	6	1	5	12.0	3.1	28.1	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	24	6	18	14.8	5.9	29.9	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	5	1	4	3.1	1.0	6.6	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	1	-	1	0.6	0	1.7	-	-	-	0	0	0
24 Meningococcal infections (057)	1	-	1	0.6	0	1.7	-	-	-	0	0	0
25 Acute poliomyelitis (080)	5	5	-	3.1	4.9	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	1	1	-	0.6	1.0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	2	1	1	1.2	1.0	1.7	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	5	2	3	3.1	2.0	5.0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	207	129	78	128.0	127.1	129.6	2	1	1	166.7	166.7	166.7
34 Benign and unspecified neoplasms (210-239)	2	-	2	1.2	0	3.3	-	-	-	0	0	0
35 Diabetes mellitus (260)	29	12	17	17.9	11.8	28.2	-	-	-	0	0	0
36 Pellagra (281)	1	1	-	0.6	1.0	0	-	-	-	0	0	0
37 Anemias (290-293)	2	1	1	1.2	1.0	1.7	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	291	119	172	180.0	117.2	285.7	2	-	2	166.7	0	333.3
39 Nonmeningococcal meningitis (340)	5	2	3	3.1	2.0	5.0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	2	1	1	1.2	1.0	1.7	1	-	1	83.3	0	166.7
41 Heart diseases (410-443)	472	262	210	291.9	253.1	348.8	4	1	3	333.3	166.7	500.0
42 Hypertension without mention of heart (444-447)	11	1	10	6.8	1.0	16.6	2	-	2	166.7	0	333.3
43 Influenza and pneumonia (480-483, 490-493)	63	18	45	39.0	17.7	74.8	-	-	-	0	0	0
44 Bronchitis (500-502)	3	1	2	1.9	1.0	3.3	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	7	3	4	4.3	3.0	6.6	-	-	-	0	0	0
46 Appendicitis (550-553)	2	1	1	1.2	1.0	1.7	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	7	5	2	4.3	4.9	3.3	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	5	2	3	3.1	2.0	5.0	-	-	-	0	0	0
49 Cirrhosis of liver (581)	8	4	4	4.9	3.9	6.6	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	15	4	11	9.3	3.9	18.3	-	-	-	0	0	0
51 Hyperplasia of prostate (610)	6	4	2	3.7	3.9	3.3	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	6	1	5	3.7	1.0	8.3	-	-	-	0	0	0
53 Congenital malformations (750-759)	19	15	4	11.8	14.8	6.6	-	-	-	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	49	29	20	30.3	28.6	33.2	-	-	-	0	0	0
55 Infection of the newborn (763-768)	8	1	7	4.9	1.0	11.6	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	57	26	31	35.3	25.6	51.5	-	-	-	0	0	0
57 Senility, without mention of psychosis (794)	2	-	2	1.2	0	3.3	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	6	2	4	3.7	2.0	6.6	-	-	-	0	0	0
59 Motor vehicle accidents (E810-E835)	42	30	12	26.0	29.6	19.9	1	-	1	83.3	0	166.7
60 All other accidents (E800-E802, E840-E962)	75	37	38	46.4	36.5	63.1	-	-	-	0	0	0
61 Suicide (E963, E970-E979)	9	7	2	5.6	6.9	3.3	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	28	7	21	17.3	6.9	34.9	-	-	-	0	0	0
63 All other diseases (residual)	90	56	34	55.7	55.2	56.5	-	-	-	0	0	0

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Chattooga						Cherokee						Clarke						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
510	464	46	22.9	23.0	21.9	487	463	24	23.2	23.0	26.7	922	615	307	23.1	20.8	29.8	1
477	451	26	93.5%	97.2%	56.5%	461	442	19	94.7%	95.5%	79.2%	877	613	264	95.1%	99.7%	86.0%	2
13	8	5	2.5%	1.7%	10.9%	13	13	-	2.7%	2.8%	0%	11	2	9	1.2%	0.3%	2.9%	3
19	4	15	3.7%	0.9%	32.6%	13	8	5	2.7%	1.7%	20.8%	34	-	34	3.7%	0%	11.1%	4
1	1	-	0.2%	0.2%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
66	62	4	129.4	133.6	87.0	28	26	2	57.5	56.2	83.3	78	46	32	84.6	74.8	104.2	6
43	38	5	84.3	81.9	108.7	11	8	3	22.6	17.3	125.0	47	36	11	51.0	58.5	35.8	7
31	28	3	60.8	60.3	65.2	2	1	1	4.1	2.2	41.7	27	27	-	29.3	43.9	0	8
3	3	-	5.9	6.5	0	-	-	-	0	0	0	5	3	2	5.4	4.9	6.5	7
5	3	2	9.8	6.5	43.5	7	5	2	14.4	10.8	83.3	15	6	9	16.3	9.8	29.3	9
4	4	-	7.8	8.6	0	2	2	-	4.1	4.3	0	-	-	-	0	0	0	9
150	131	19	672.6	648.5	904.8	162	156	6	771.4	776.1	666.7	327	203	124	819.5	685.8	1203.9	10
23	21	2	45.1	45.3	43.5	9	9	-	18.5	19.4	0	26	14	12	28.2	22.8	39.1	11
16	15	1	31.4	32.3	21.7	5	5	-	10.3	10.8	0	19	10	9	20.6	16.3	29.3	12
-	-	-	0	0	0	1	1	-	2.1	2.2	0	5	3	2	5.4	4.9	6.5	13
5	4	1	-	-	-	2	2	-	-	-	-	2	-	2	-	-	-	14
1	1	-	19.6	21.6	0	-	-	-	0	0	0	-	-	-	0	0	0	15
5	5	-	22.4	24.8	0	1	1	-	4.8	5.0	0	5	1	4	12.5	3.4	38.8	16
-	-	-	0	0	0	1	-	1	4.8	0	111.1	1	1	-	2.5	3.4	0	17
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
1	1	-	4.5	5.0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
1	1	-	4.5	5.0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
-	-	-	0	0	0	1	1	-	4.8	5.0	0	-	-	-	0	0	0	32
15	13	2	67.3	64.4	95.2	27	27	-	128.6	134.3	0	35	20	15	87.7	67.6	145.6	33
1	1	-	4.5	5.0	0	-	-	-	0	0	0	2	-	2	5.0	0	19.4	34
2	2	-	9.0	9.9	0	4	4	-	19.0	19.9	0	3	2	1	7.5	6.8	9.7	35
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
1	1	-	4.5	5.0	0	-	-	-	0	0	0	2	1	1	5.0	3.4	9.7	37
19	16	3	85.2	79.2	142.9	20	19	1	95.2	94.5	111.1	57	37	20	142.9	125.0	194.2	38
1	1	-	4.5	5.0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
40	35	5	179.4	173.3	238.1	58	56	2	276.2	278.6	222.2	110	79	31	275.7	266.9	301.0	41
6	-	1	4.5	0	47.6	1	1	-	4.8	5.0	0	8	6	2	20.1	6.8	58.3	42
1	5	-	26.9	24.8	47.6	12	11	1	57.1	54.7	111.1	7	5	2	17.5	16.9	19.4	43
-	-	-	0	0	0	1	-	1	4.8	0	111.1	1	-	1	2.5	0	9.7	44
-	-	-	0	0	0	1	1	-	4.8	5.0	0	2	2	-	5.0	6.8	0	45
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	2.5	3.4	0	46
1	1	-	4.5	5.0	0	2	2	-	9.5	10.0	0	1	1	-	2.5	3.4	0	47
1	1	-	4.5	5.0	0	1	1	-	4.8	5.0	0	2	1	1	5.0	3.4	9.7	48
-	-	-	0	0	0	1	1	-	4.8	5.0	0	1	1	-	2.5	3.4	0	49
1	1	-	4.5	5.0	0	2	2	-	9.5	10.0	0	22	3	19	55.1	10.1	184.5	50
1	1	-	4.5	5.0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
1	1	-	4.5	5.0	0	-	-	-	0	0	0	-	-	-	0	0	0	52
2	2	-	9.0	9.9	0	3	3	-	14.3	14.9	0	5	4	1	12.5	13.5	9.7	53
12	12	-	53.8	59.4	0	2	2	-	9.5	10.0	0	9	6	3	22.6	20.3	29.1	54
2	2	-	9.0	9.9	0	-	-	-	0	0	0	-	-	-	0	0	0	55
3	1	2	13.5	5.0	95.2	2	2	-	9.5	10.0	0	8	3	5	20.1	10.1	48.5	56
1	1	-	4.5	5.0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
1	1	-	4.5	5.0	0	1	1	-	4.8	5.0	0	4	2	2	10.0	6.8	19.4	58
4	3	1	17.9	14.9	47.6	9	9	-	42.9	44.8	0	6	5	1	15.0	16.9	9.7	59
9	8	1	40.4	39.6	47.6	6	6	-	28.6	29.9	0	10	8	2	25.1	27.0	19.4	60
1	1	-	4.5	5.0	0	1	1	-	4.8	5.0	0	2	2	-	5.0	6.8	0	61
2	1	1	9.0	5.0	47.6	-	-	-	0	0	0	5	-	5	12.5	0	48.5	62
15	13	2	67.3	64.4	95.2	5	5	-	23.8	24.9	0	18	16	2	45.1	54.1	19.4	63

ITEM	Clay						Clayton					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	135	19	116	25.5	12.7	30.5	882	772	110	32.2	33.4	25.6
2 Delivered in hospital	32	17	15	23.7%	89.5%	12.9%	790	760	30	89.6%	98.4%	27.3%
3 Delivered in home by physician	7	2	5	5.2%	10.5%	4.3%	32	8	24	3.6%	1.0%	21.8%
4 Delivered in home by midwife	96	-	96	71.1%	0%	82.8%	60	4	56	6.8%	0.5%	50.9%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	11	2	9	81.5	105.3	77.6	61	47	14	69.2	60.9	127.3
FETAL DEATHS												
7 Total	11	1	10	81.5	52.6	86.2	26	23	3	29.5	29.8	27.3
8 Under 20 weeks gestation	3	-	3	22.2	0	25.9	15	15	-	17.0	19.4	0
9 20-27 weeks gestation	4	-	4	29.6	0	34.5	4	1	3	4.5	1.3	27.3
28 weeks and more	3	1	2	22.2	52.6	17.2	7	7	-	7.9	9.1	0
Unknown length of gestation	1	-	1	7.4	0	8.6	-	-	-	0	0	0
DEATHS												
10 Total, all ages	48	15	33	905.7	1000.0	868.4	142	114	28	518.2	493.5	651.2
11 Under 1 year	7	1	6	51.9	52.6	51.7	16	10	6	18.1	13.0	54.5
12 Under 28 days	6	1	5	44.4	52.6	43.1	9	8	1	10.2	10.4	9.1
13 Deaths from immaturity	1	-	1	7.4	0	8.6	2	2	-	2.3	2.6	0
14 1-4 years **	-	-	-	-	-	-	5	5	-	-	-	-
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	1	-	1	3.6	0	23.3
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	1	1	-	3.6	4.3	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	-	1	18.9	0	26.3	1	1	-	3.6	4.3	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	5	2	3	94.3	133.3	78.9	14	11	3	51.1	47.6	69.8
34 Benign and unspecified neoplasms (210-239)	1	1	-	18.9	66.7	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	-	-	-	0	0	0	3	1	2	10.9	4.3	46.5
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	8	2	6	150.9	133.3	157.9	21	18	3	76.6	77.9	69.8
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	1	1	-	3.6	4.3	0
41 Heart diseases (410-443)	13	5	8	245.3	333.3	210.5	40	33	7	146.0	142.9	162.8
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	3	3	-	10.9	13.0	0
43 Influenza and pneumonia (480-483, 490-493)	1	-	1	18.9	0	26.3	5	3	2	18.2	13.0	46.5
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	1	1	-	3.6	4.3	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	1	1	-	3.6	4.3	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	1	-	18.9	66.7	0	2	2	2	7.3	0	46.5
49 Cirrhosis of liver (581)	1	1	-	18.9	66.7	0	2	2	-	7.3	8.7	0
50 Nephritis and nephrosis (590-594)	3	-	3	56.6	0	78.9	1	-	1	3.6	0	23.3
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	2	1	1	37.7	66.7	26.3	4	4	-	14.6	17.3	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	5	4	1	18.2	17.3	23.3
55 Infection of the newborn (763-768)	2	-	2	37.7	0	52.6	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	-	1	18.9	0	26.3	3	3	-	10.9	13.0	0
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	1	-	1	18.9	0	26.3	4	3	1	14.6	13.0	23.3
59 Motor vehicle accidents (E810-E835)	1	-	1	18.9	0	26.3	5	5	-	18.2	21.6	0
60 All other accidents (E800-E802, E840-E962)	3	2	1	56.6	133.3	26.3	4	4	-	14.6	17.3	0
61 Suicide (E963, E970-E979)	1	-	1	18.9	0	26.3	5	4	1	18.2	17.3	23.3
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	1	-	1	3.6	0	23.3
63 All other diseases (residual)	3	-	3	56.6	0	78.9	14	11	3	51.1	47.6	69.8

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Clinch						Cobb						Coffee						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
205	128	77	35.3	32.8	40.5	2,312	2,075	237	32.0	31.7	35.4	655	411	244	26.3	21.7	40.7	1
171	127	44	83.4%	99.2%	57.1%	2,246	2,045	201	97.1%	98.6%	84.8%	494	399	95	75.4%	97.1%	38.9%	2
1	-	1	0.5%	0%	1.3%	44	28	16	1.9%	1.3%	6.8%	18	1	17	2.7%	0.2%	7.0%	3
33	1	32	16.1%	0.8%	41.6%	19	1	18	0.8%	0.0%	7.6%	143	11	132	21.8%	2.7%	54.1%	4
-	-	-	0%	0%	0%	3	1	2	0.1%	0.0%	0.8%	-	-	-	0%	0%	0%	5
14	5	9	68.3	39.1	116.9	175	140	35	75.7	67.5	147.7	55	33	22	84.0	80.3	90.2	6
8	5	3	39.0	39.1	39.0	89	81	8	38.5	39.0	33.8	25	17	8	38.2	41.4	32.8	7
2	1	1	9.8	7.8	13.0	52	49	3	22.5	23.6	12.7	8	7	1	12.2	17.0	4.1	8
1	1	-	4.9	7.8	0	13	12	1	5.6	5.8	4.2	6	3	3	9.2	7.3	12.3	9
5	3	2	24.4	23.4	26.0	22	18	4	9.5	8.7	16.9	11	7	4	16.8	17.0	16.4	9
-	-	-	0	0	0	2	2	-	0.9	1.0	0	-	-	-	0	0	0	10
54	26	28	931.0	666.7	1473.7	503	427	76	696.7	651.9	1134.3	168	111	57	674.7	587.3	950.0	11
6	4	2	29.3	31.2	26.0	59	47	12	25.5	22.6	50.6	19	6	13	29.0	14.6	53.3	12
5	4	1	24.4	31.2	13.0	39	34	5	16.9	16.4	21.1	11	5	6	16.8	12.2	24.6	13
4	-	4	0	0	0	6	6	-	2.6	2.9	0	5	1	4	7.6	2.4	16.4	14
1	-	1	48.8	0	129.9	12	11	1	8.7	9.6	0	7	5	2	-	-	-	15
-	-	-	-	-	-	2	2	-	-	-	-	1	1	-	15.3	24.3	0	16
1	1	-	17.2	25.6	0	9	8	1	12.5	12.2	14.9	2	1	1	8.0	5.3	16.7	17
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
-	-	-	0	0	0	1	1	-	1.4	1.5	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
-	-	-	0	0	0	2	2	-	2.8	3.1	0	-	-	-	0	0	0	24
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	4.0	5.3	0	25
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
-	-	-	0	0	0	2	1	1	2.8	1.5	14.9	-	-	-	0	0	0	32
-	-	-	0	0	0	83	71	12	115.0	108.4	179.1	20	15	5	80.3	79.4	83.3	33
-	-	-	0	0	0	1	1	-	1.4	1.5	0	-	-	-	0	0	0	34
-	-	-	0	0	0	8	8	-	11.1	12.2	0	6	4	2	24.1	21.2	33.3	35
-	-	-	0	0	0	1	1	-	1.4	1.5	0	-	-	-	0	0	0	36
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
6	3	3	103.4	76.9	157.9	65	55	10	90.0	84.0	149.3	24	14	10	96.4	74.1	166.7	38
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
13	7	6	224.1	179.5	315.8	162	135	27	224.4	206.1	403.0	46	35	11	184.7	185.2	183.3	41
3	2	1	51.7	51.3	52.6	6	6	-	8.3	9.2	0	1	1	-	4.0	5.3	0	42
3	1	2	51.7	25.6	105.3	14	9	5	19.4	13.7	74.6	10	2	8	40.2	10.6	133.3	43
-	-	-	0	0	0	2	2	-	2.8	3.1	0	-	-	-	0	0	0	44
-	-	-	0	0	0	4	4	-	5.5	6.1	0	1	-	1	4.0	0	16.7	45
-	-	-	0	0	0	1	1	-	1.4	1.5	0	-	-	-	0	0	0	46
-	-	-	0	0	0	2	2	-	2.8	3.1	0	-	-	-	0	0	0	47
1	-	1	17.2	0	52.6	5	3	2	6.9	4.6	29.9	-	-	-	0	0	0	48
-	-	-	0	0	0	3	3	-	4.2	4.6	0	2	2	-	8.0	10.6	0	49
2	2	-	34.5	51.3	0	5	2	3	6.9	3.1	44.8	3	1	2	12.0	5.3	33.3	50
-	-	-	0	0	0	1	1	-	1.4	1.5	0	-	-	-	0	0	0	51
1	-	1	17.2	0	52.6	2	2	-	2.8	3.1	0	1	1	-	4.0	5.3	0	52
-	-	-	0	0	0	12	12	-	16.6	18.3	0	2	2	-	8.0	10.6	0	53
3	3	-	51.7	76.9	0	13	11	2	18.0	16.8	29.9	1	1	-	4.0	5.3	0	54
-	-	-	0	0	0	3	2	1	4.2	3.1	14.9	2	-	2	8.0	0	33.3	55
1	1	-	17.2	25.6	0	13	10	3	18.0	15.3	44.8	8	4	4	32.1	21.2	66.7	56
-	-	-	0	0	0	1	-	1	1.4	0	14.9	-	-	-	0	0	0	57
4	1	3	69.0	25.6	157.9	4	4	-	5.5	6.1	0	-	-	-	0	0	0	58
6	1	5	103.4	25.6	263.2	15	14	1	20.8	21.4	14.9	14	13	1	56.2	68.8	16.7	59
1	1	-	17.2	25.6	0	19	18	1	26.3	27.5	14.9	8	4	4	32.1	21.2	66.7	60
-	-	-	0	0	0	7	7	-	9.7	10.7	0	1	1	-	4.0	5.3	0	61
8	2	6	137.9	51.3	315.8	5	3	2	6.9	4.6	29.9	5	5	-	20.1	0	83.3	62
1	1	-	17.2	25.6	0	32	28	4	44.3	42.7	59.7	10	9	1	40.2	47.6	16.7	63

ITEM	Colquitt						Columbia					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	978	677	301	28.8	26.1	37.2	401	243	158	41.8	44.2	38.5
2 Delivered in hospital	809	665	144	82.7%	98.2%	47.8%	292	239	53	72.8%	98.4%	33.5%
3 Delivered in home by physician	30	9	21	3.1%	1.3%	7.0%	12	2	10	3.0%	0.8%	6.3%
4 Delivered in home by midwife	139	3	136	14.2%	0.4%	45.2%	97	2	95	24.2%	0.8%	60.1%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	68	41	27	69.5	60.6	89.7	26	9	17	64.8	37.0	107.6
FETAL DEATHS												
7 Total	40	29	11	40.9	42.8	36.5	14	7	7	34.9	28.8	44.3
8 Under 20 weeks gestation	16	14	2	16.4	20.7	6.6	4	4	-	10.0	16.5	0
9 20-27 weeks gestation	8	6	2	8.2	8.9	6.6	2	1	1	5.0	4.1	6.3
28 weeks and more	14	8	6	14.3	11.8	19.9	8	2	6	20.0	8.2	38.0
Unknown length of gestation	2	1	1	2.0	1.5	3.3	-	-	-	0	0	0
DEATHS												
10 Total, all ages	284	191	93	835.3	737.5	1148.1	100	50	50	1041.7	909.1	1219.5
11 Under 1 year	27	14	13	27.6	20.7	43.2	14	5	9	34.9	20.6	57.0
12 Under 28 days	21	12	9	21.5	17.7	29.9	8	4	4	20.0	16.5	25.3
13 Deaths from immaturity	5	-	5	5.1	0	16.6	4	1	3	10.0	4.1	19.0
14 1-4 years **	7	4	3	-	-	-	2	1	1	-	-	-
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	3	3	-	8.8	11.6	0	2	-	2	20.8	0	48.8
17 Syphilis and its sequelae (020-029)	1	-	1	2.9	0	12.3	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	1	-	1	2.9	0	12.3	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	1	1	-	10.4	18.2	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	1	1	-	2.9	3.9	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	1	-	2.9	3.9	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	35	27	8	102.9	104.2	98.8	12	9	3	125.0	163.6	73.2
34 Benign and unspecified neoplasms (210-239)	1	-	1	2.9	0	12.3	-	-	-	0	0	0
35 Diabetes mellitus (260)	4	2	2	11.8	7.7	24.7	1	1	-	10.4	18.2	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	50	32	18	147.1	123.6	222.2	14	8	6	145.8	145.5	146.3
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	59	47	12	173.5	181.5	148.1	37	23	14	385.4	418.2	341.5
42 Hypertension without mention of heart (444-447)	8	6	2	23.5	23.2	24.7	-	-	-	0	0	0
43 Influenza and pneumonia (480-483, 490-493)	13	4	9	38.2	15.4	111.1	7	1	6	72.9	18.2	146.3
44 Bronchitis (500-502)	2	1	1	5.9	3.9	12.3	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	1	1	-	2.9	3.9	0	-	-	-	0	0	0
46 Appendicitis (550-553)	1	-	1	2.9	0	12.3	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhoea of the newborn) (543, 571, 572)	4	-	4	11.8	0	49.4	1	-	1	10.4	0	24.4
49 Cirrhosis of liver (581)	1	1	-	2.9	3.9	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	1	-	1	2.9	0	12.3	6	2	4	62.5	36.4	97.6
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	-	1	10.4	0	24.4
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	1	1	-	2.9	3.9	0	-	-	-	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	12	10	2	35.3	38.6	24.7	2	2	-	20.8	36.4	0
55 Infection of the newborn (763-768)	2	1	1	5.9	3.9	12.3	1	-	1	10.4	0	24.4
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	5	-	5	14.7	0	61.7	6	2	4	62.5	36.4	97.6
57 Senility, without mention of psychosis (794)	4	4	-	11.8	15.4	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	5	2	3	14.7	7.7	37.0	-	-	-	0	0	0
59 Motor vehicle accidents (E810-E835)	15	11	4	44.1	42.5	49.4	1	-	1	10.4	0	24.4
60 All other accidents (E800-E802, E840-E962)	16	11	5	47.1	42.5	61.7	2	-	2	20.8	0	48.8
61 Suicide (E963, E970-E979)	2	2	-	5.9	7.7	0	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	11	5	6	32.4	19.3	74.1	1	-	1	10.4	0	24.4
63 All other diseases (residual)	24	18	6	70.6	69.5	74.1	5	1	4	52.1	18.2	97.6

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Cook						Coweta						Crawford						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
329	207	122	26.7	23.5	34.9	644	352	292	23.0	20.1	27.8	173	51	122	30.9	22.2	37.0	1
297	203	94	90.3%	98.1%	77.0%	487	338	149	75.6%	96.0%	51.0%	83	50	33	48.0%	98.0%	27.0%	2
1	-	1	0.3%	0%	0.8%	26	11	15	4.0%	3.1%	5.1%	7	-	7	4.0%	0%	5.7%	3
31	4	27	9.4%	1.9%	22.1%	128	3	125	19.9%	0.9%	42.8%	83	1	82	48.0%	2.0%	67.2%	4
-	-	-	0%	0%	0%	3	-	3	0.5%	0%	1.0%	-	-	-	0%	0%	0%	5
28	13	15	85.1	62.8	123.0	60	26	34	93.2	73.9	116.4	18	4	14	104.0	78.4	114.8	6
12	3	9	36.5	14.5	73.8	21	9	12	32.6	25.6	41.1	11	3	8	63.6	58.8	65.6	7
2	2	-	6.1	9.7	0	8	5	3	12.4	14.2	10.3	3	2	1	17.3	39.2	8.2	8
4	1	3	12.2	4.8	24.6	2	-	2	3.1	0	6.8	2	-	2	11.6	0	16.4	9
6	-	6	18.2	0	49.2	11	4	7	17.1	11.4	24.0	5	-	5	28.9	0	41.0	
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	5.8	19.6	0	
115	84	31	935.0	954.5	885.7	257	170	87	917.9	971.4	828.6	60	23	37	1071.4	1000.0	1121.2	10
11	7	4	33.4	33.8	32.8	22	11	11	34.2	31.2	37.7	6	1	5	34.7	19.6	41.0	11
9	7	2	27.4	33.8	16.4	14	7	7	21.7	19.9	24.0	3	1	2	17.3	19.6	16.4	12
1	-	1	3.0	0	8.2	4	3	1	6.2	8.5	3.4	-	-	-	0	0	0	13
1	-	1	-	-	-	8	6	2	-	-	-	1	1	-	-	-	-	14
1	1	-	30.4	48.3	0	1	1	1	15.5	0	34.2	-	-	-	0	0	0	15
-	-	-	0	0	0	2	1	1	7.1	5.7	9.5	-	-	-	0	0	0	16
-	-	-	0	0	0	1	1	-	3.6	5.7	0	-	-	-	0	0	0	17
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
1	1	-	8.1	11.4	0	2	2	-	7.1	11.4	0	-	-	-	0	0	0	32
16	11	5	130.1	125.0	142.9	31	25	6	110.7	142.9	57.1	7	4	3	125.0	173.9	90.9	33
2	1	1	16.3	11.4	28.6	1	1	-	3.6	5.7	0	-	-	-	0	0	0	34
2	2	-	16.3	22.7	0	3	2	1	10.7	11.4	9.5	1	1	-	17.9	43.5	0	35
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
2	-	2	16.3	0	57.1	-	-	-	0	0	0	-	-	-	0	0	0	37
21	15	6	170.7	170.5	171.4	41	27	14	146.4	154.3	133.3	12	4	8	214.3	173.9	242.4	38
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
32	27	5	260.2	306.8	142.9	80	55	25	285.7	314.3	238.1	18	8	10	321.4	347.8	303.0	41
2	-	2	16.3	0	57.1	5	2	3	17.9	11.4	28.6	1	1	1	17.9	0	30.3	42
2	2	-	16.3	22.7	0	11	4	7	39.3	22.9	66.7	5	1	4	89.3	43.5	121.2	43
-	-	-	0	0	0	1	1	-	3.6	5.7	0	-	-	-	0	0	0	44
-	-	-	0	0	0	4	3	1	14.3	17.1	9.5	-	-	-	0	0	0	45
1	1	-	8.1	11.4	0	1	1	-	3.6	5.7	0	-	-	-	0	0	0	46
2	1	1	16.3	11.4	28.6	3	3	3	10.7	0	28.6	1	-	1	17.9	0	30.3	47
1	1	-	8.1	11.4	0	3	3	-	10.7	17.1	0	-	-	-	0	0	0	48
-	-	-	0	0	0	2	1	1	7.1	5.7	9.5	-	-	-	0	0	0	49
-	-	-	0	0	0	2	1	1	7.1	5.7	9.5	-	-	-	0	0	0	50
2	2	-	16.3	22.7	0	1	-	1	3.6	0	9.5	-	-	-	0	0	0	51
1	1	-	8.1	11.4	0	1	-	1	3.6	0	9.5	-	-	-	0	0	0	52
4	4	-	32.5	45.5	0	3	1	2	10.7	5.7	19.0	-	-	-	0	0	0	53
5	4	1	40.7	45.5	28.6	4	2	2	14.3	11.4	19.0	3	-	3	53.6	0	90.9	54
1	-	1	8.1	0	28.6	2	1	1	7.1	5.7	9.5	1	1	-	17.9	43.5	0	55
1	-	-	8.1	0	28.6	5	3	2	17.9	17.1	19.0	-	-	-	0	0	0	56
-	-	-	0	0	0	2	-	2	7.1	0	19.0	-	-	-	0	0	0	57
-	-	-	0	0	0	5	3	2	17.9	17.1	19.0	1	-	1	17.9	0	30.3	58
4	3	1	32.5	34.1	28.6	3	1	2	10.7	5.7	19.0	4	3	1	71.4	130.4	30.3	59
2	1	1	16.3	11.4	28.6	12	8	4	42.9	45.7	38.1	1	-	1	17.9	0	30.3	60
1	1	-	8.1	11.4	0	5	4	1	17.9	22.9	9.5	-	-	-	0	0	0	61
1	-	1	8.1	0	28.6	2	1	1	7.1	5.7	9.5	1	-	1	17.9	0	30.3	62
9	6	3	73.2	68.2	85.7	19	16	3	67.9	91.4	28.6	4	1	3	71.4	43.5	90.9	63

ITEM	Crisp						Dade					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	537	237	300	30.3	23.5	39.5	229	227	2	28.6	28.7	20.0
2 Delivered in hospital	241	209	32	44.9%	88.2%	10.7%	206	204	2	90.0%	89.9%	100.0%
3 Delivered in home by physician	10	5	5	1.9%	2.1%	1.7%	22	22	-	9.6%	9.7%	0%
4 Delivered in home by midwife	286	23	263	53.3%	9.7%	87.7%	1	1	-	0.4%	0.4%	0%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	43	20	23	80.1	84.4	76.7	17	16	1	74.2	70.5	500.0
FETAL DEATHS												
7 Total	36	19	17	67.0	80.2	56.7	3	2	1	13.1	8.8	500.0
8 Under 20 weeks gestation	22	14	8	41.0	59.1	26.7	-	-	-	0	0	0
9 20-27 weeks gestation	6	3	3	11.2	12.7	10.0	-	-	-	0	0	0
28 weeks and more	6	2	4	11.2	8.4	13.3	3	2	1	13.1	8.8	500.0
Unknown length of gestation	2	-	2	3.7	0	6.7	-	-	-	0	0	0
DEATHS												
10 Total, all ages	198	105	93	1118.6	1039.6	1223.7	49	48	1	612.5	607.6	1000.0
11 Under 1 year	25	6	19	46.6	25.3	63.3	8	8	-	34.9	35.2	0
12 Under 28 days	18	5	13	33.5	21.1	43.3	4	4	-	17.5	17.6	0
13 Deaths from immaturity	9	3	6	16.8	12.7	20.0	1	1	-	4.4	4.4	0
14 1-4 years	3	1	2	6.2	3.1	6.7	6	6	-	24.4	24.4	0
15 Maternal deaths	1	-	1	18.6	0	33.3	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	3	1	2	16.9	9.9	26.3	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	1	1	-	5.6	9.9	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	1	1	-	12.5	12.7	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	-	1	5.6	0	13.2	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	29	15	14	163.8	148.5	184.2	7	7	-	87.5	88.6	0
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	1	1	-	12.5	12.7	0
35 Diabetes mellitus (260)	1	1	-	5.6	9.9	0	1	1	-	12.5	12.7	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	23	12	11	129.9	118.8	144.7	8	7	1	100.0	88.6	1000.0
39 Nonmeningococcal meningitis (340)	1	-	1	5.6	0	13.2	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	64	37	27	361.6	366.3	355.3	7	7	-	87.5	88.6	0
42 Hypertension without mention of heart (444-447)	6	3	3	33.9	29.7	39.5	1	1	-	12.5	12.7	0
43 Influenza and pneumonia (480-483, 490-493)	5	1	4	28.2	9.9	52.6	3	3	-	37.5	38.0	0
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	2	2	-	25.0	25.3	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	2	2	-	11.3	19.8	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	1	1	11.3	9.9	13.2	1	1	-	12.5	12.7	0
49 Cirrhosis of liver (581)	1	1	-	5.6	9.9	0	1	1	-	12.5	12.7	0
50 Nephritis and nephrosis (590-594)	4	4	-	22.6	39.6	0	1	1	-	12.5	12.7	0
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	5.6	0	13.2	-	-	-	0	0	0
53 Congenital malformations (750-759)	1	-	1	5.6	0	13.2	2	2	-	25.0	25.3	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	3	-	3	16.9	0	39.5	1	1	-	12.5	12.7	0
55 Infection of the newborn (763-768)	2	-	2	11.3	0	26.3	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	11	4	7	62.1	39.6	92.1	2	2	-	25.0	25.3	0
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	1	1	-	12.5	12.7	0
58 Ill-defined and unknown causes (780-793, 795)	1	1	-	5.6	9.9	0	3	3	-	37.5	38.0	0
59 Motor vehicle accidents (E810-E835)	8	5	3	45.2	49.5	39.5	2	2	-	25.0	25.3	0
60 All other accidents (E800-E802, E840-E962)	8	5	3	45.2	49.5	39.5	2	2	-	25.0	25.3	0
61 Suicide (E963, E970-E979)	4	2	2	22.6	19.8	26.3	1	1	-	12.5	12.7	0
62 Homicide (E964, E980-E985)	1	-	1	5.6	0	13.2	-	-	-	0	0	0
63 All other diseases (residual)	15	9	6	84.7	89.1	78.9	1	1	-	12.5	12.7	0

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Dawson						Decatur						DeKalb						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
76	76	-	22.4	22.4	0	722	382	340	30.3	29.6	31.2	5,582	4,928	654	34.2	33.5	41.1	1
65	65	-	85.5%	85.5%	0%	529	376	153	73.3%	98.4%	45.0%	5,521	4,920	601	98.9%	99.8%	91.9%	2
2	2	-	2.6%	2.6%	0%	39	3	36	5.4%	0.8%	10.6%	26	7	19	0.5%	0.1%	2.9%	3
9	9	-	11.8%	11.8%	0%	154	3	151	21.3%	0.8%	44.4%	34	1	33	0.6%	0.0%	5.0%	4
5	5	-	0%	0%	0%	-	-	-	0%	0%	0%	1	-	1	0.0%	0%	0.2%	5
5	5	-	65.8	65.8	0	54	23	31	74.8	60.2	91.2	422	342	80	75.6	69.4	122.3	6
2	2	-	26.3	26.3	0	21	6	15	29.1	15.7	44.1	191	146	45	34.2	29.6	68.8	7
1	1	-	13.2	13.2	0	6	2	4	8.3	5.2	11.8	116	95	21	20.8	19.3	32.1	8
4	4	-	0	0	0	4	4	4	5.5	0	11.8	22	9	13	3.9	1.8	19.9	7
1	1	-	13.2	13.2	0	11	4	7	15.2	10.5	20.6	52	41	11	9.3	8.3	16.8	9
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	0.2	0.2	0	0
28	28	-	823.5	823.5	0	233	105	128	979.0	814.0	1174.3	1,149	971	178	704.9	660.1	1119.5	10
2	2	-	26.3	26.3	0	26	7	19	36.0	18.3	55.9	121	95	26	21.7	19.3	39.8	11
-	-	-	0	0	0	16	7	9	22.2	18.3	26.5	87	72	15	15.6	14.6	22.9	12
-	-	-	0	0	0	5	1	4	6.9	2.6	11.8	15	11	4	2.7	2.2	6.1	13
-	-	-	0	0	0	6	3	3	-	-	-	22	19	3	-	-	-	14
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	1.8	2.0	0	15
-	-	-	0	0	0	1	-	1	4.2	0	9.2	7	6	1	4.3	4.1	6.3	16
-	-	-	0	0	0	2	1	1	8.4	7.8	9.2	1	-	1	0.6	0	6.3	17
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	1	1	-	4.2	7.8	0	-	-	-	0	0	0	21
1	1	-	29.4	29.4	0	-	-	-	0	0	0	1	1	-	0.6	0.7	0	22
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	0.6	0.7	0	23
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	0.6	0.7	0	24
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	0.6	0.7	0	25
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	0.6	0.7	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	0.6	0.7	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
-	-	-	0	0	0	2	1	1	8.4	7.8	9.2	6	5	1	3.7	3.4	6.3	32
4	4	-	117.6	117.6	0	30	16	14	126.1	124.0	128.4	173	148	25	106.1	100.6	157.2	33
-	-	-	0	0	0	1	-	1	4.2	0	9.2	1	1	-	0.6	0.7	0	34
1	1	-	29.4	29.4	0	1	-	1	4.2	0	9.2	15	10	5	9.2	6.8	31.4	35
-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	1.2	0	12.6	36
-	-	-	0	0	0	-	-	-	0	0	0	3	3	-	1.8	2.0	0	37
4	4	-	117.6	117.6	0	47	18	29	197.5	139.5	266.1	125	102	23	76.7	69.3	144.7	38
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
7	7	-	205.9	205.9	0	48	29	19	201.7	224.8	174.3	403	361	42	247.2	245.4	264.2	41
-	-	-	0	0	0	3	2	1	12.6	15.5	9.2	15	11	4	9.2	7.5	25.2	42
1	1	-	29.4	29.4	0	13	2	11	54.6	15.5	100.9	27	17	10	16.6	11.6	62.9	43
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	0.6	0.7	0	44
1	1	-	29.4	29.4	0	2	1	1	8.4	7.8	9.2	6	6	-	3.7	4.1	0	45
-	-	-	0	0	0	1	1	-	4.2	7.8	0	-	-	-	0	0	0	46
-	-	-	0	0	0	2	-	2	8.4	0	18.3	12	10	2	7.4	6.8	12.6	47
-	-	-	0	0	0	4	-	4	16.8	0	36.7	4	4	-	2.5	2.7	0	48
-	-	-	0	0	0	-	-	-	0	0	0	6	6	-	3.7	4.1	0	49
1	1	-	29.4	29.4	0	3	1	2	12.6	7.8	18.3	15	13	2	9.2	8.8	12.6	50
-	-	-	0	0	0	2	-	2	8.4	0	18.3	1	1	-	0.6	0.7	0	51
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	0.6	0.7	0	52
-	-	-	0	0	0	2	1	1	8.4	7.8	9.2	33	31	2	20.2	21.1	12.6	53
-	-	-	0	0	0	5	3	2	21.0	23.3	18.3	42	34	8	25.8	23.1	50.3	54
-	-	-	0	0	0	-	-	-	0	0	0	3	1	2	1.8	0.7	12.6	55
1	1	-	29.4	29.4	0	10	3	7	42.0	23.3	64.2	22	17	5	13.5	11.6	31.4	56
-	-	-	0	0	0	1	1	-	4.2	7.8	0	1	1	-	0.6	0.7	0	57
-	-	-	0	0	0	6	1	5	25.2	7.8	45.9	3	3	-	1.8	2.0	0	58
3	3	-	88.2	88.2	0	16	7	9	67.2	54.3	82.6	27	21	6	16.6	14.3	37.7	59
1	1	-	29.4	29.4	0	11	6	5	46.2	46.5	45.9	45	33	12	27.6	22.4	75.5	60
-	-	-	0	0	0	1	1	-	4.2	7.8	0	13	13	-	8.0	8.8	0	61
1	1	-	29.4	29.4	0	5	1	4	21.0	7.8	36.7	15	4	11	9.2	2.7	69.2	62
2	2	-	58.8	58.8	0	13	8	5	54.6	62.0	45.9	115	101	14	70.6	68.7	88.1	63

ITEM	Dodge						Dooly					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	439	251	188	26.6	21.5	39.2	355	121	234	27.3	20.5	33.0
2 Delivered in hospital	243	213	30	55.4%	84.9%	16.0%	131	105	26	36.9%	86.8%	11.1%
3 Delivered in home by physician	59	29	30	13.4%	11.6%	16.0%	43	13	30	12.1%	10.7%	12.8%
4 Delivered in home by midwife	137	9	128	31.2%	3.6%	68.1%	180	3	177	50.7%	2.5%	75.6%
5 Other deliveries	-	-	-	0%	0%	0%	1	-	1	0.3%	0%	0.4%
6 Immature births	33	17	16	75.2	67.7	85.1	24	8	16	67.6	66.1	68.4
FETAL DEATHS												
7 Total	17	8	9	38.7	31.9	47.9	10	6	4	28.2	49.6	17.1
8 Under 20 weeks gestation	2	-	2	4.6	0	10.6	4	4	-	11.3	33.1	0
9 20-27 weeks gestation	7	2	5	15.9	8.0	26.6	2	1	1	5.6	8.3	4.3
28 weeks and more	7	5	2	15.9	19.9	10.6	4	1	3	11.3	8.3	12.8
Unknown length of gestation	1	1	-	2.3	4.0	0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	140	99	41	848.5	846.2	854.2	135	46	89	1038.5	779.7	1253.5
11 Under 1 year	7	6	1	15.9	23.9	5.3	18	4	14	50.7	33.1	59.8
12 Under 28 days	4	3	1	9.1	12.0	5.3	10	3	7	28.2	24.8	29.9
13 Deaths from immaturity	-	-	-	0	0	0	4	2	2	11.3	16.5	8.5
14 1-4 years **	6	4	2	-	-	-	2	-	2	-	-	-
15 Maternal deaths	-	-	-	0	0	0	2	1	1	56.3	82.6	42.7
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	1	-	1	7.7	0	14.1
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	1	-	1	7.7	0	14.1
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	21	15	6	127.3	128.2	125.0	10	5	5	76.9	84.7	70.4
34 Benign and unspecified neoplasms (210-239)	1	1	-	6.1	8.5	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	2	1	1	12.1	8.5	20.8	1	1	-	7.7	16.9	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	21	16	5	127.3	136.8	104.2	18	4	14	138.5	67.8	197.2
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	1	-	1	6.1	0	20.8	-	-	-	0	0	0
41 Heart diseases (410-443)	43	30	13	260.6	256.4	270.8	23	8	15	176.9	135.6	211.3
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	4	1	3	30.8	16.9	42.3
43 Influenza and pneumonia (480-483, 490-493)	7	4	3	42.4	34.2	62.5	17	5	12	130.8	84.7	169.0
44 Bronchitis (500-502)	-	-	-	0	0	0	1	-	1	7.7	0	14.1
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	1	-	1	7.7	0	14.1
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	2	2	-	12.1	17.1	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	6.1	0	20.8	2	-	2	15.4	0	28.2
49 Cirrhosis of liver (581)	1	1	-	6.1	8.5	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	2	1	1	12.1	8.5	20.8	16	5	11	123.1	84.7	154.9
51 Hyperplasia of prostate (610)	3	2	1	18.2	17.1	20.8	2	2	-	15.4	33.9	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	2	1	1	15.4	16.9	14.1
53 Congenital malformations (750-759)	5	4	1	30.3	34.2	20.8	4	1	3	30.8	16.9	42.3
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	1	-	6.1	8.5	0	-	-	-	0	0	0
55 Infection of the newborn (763-768)	-	-	-	0	0	0	1	-	1	7.7	0	14.1
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	2	2	-	12.1	17.1	0	6	3	3	46.2	50.8	42.3
57 Senility, without mention of psychosis (794)	1	1	-	6.1	8.5	0	1	3	1	7.7	0	14.1
58 Ill-defined and unknown causes (780-793, 795)	5	-	5	30.3	0	104.2	3	1	2	23.1	16.9	28.2
59 Motor vehicle accidents (E810-E835)	7	6	1	42.4	51.3	20.8	2	1	1	15.4	16.9	14.1
60 All other accidents (E800-E802, E840-E962)	3	2	1	18.2	17.1	20.8	3	-	3	23.1	0	42.3
61 Suicide (E963, E970-E979)	2	2	-	12.1	17.1	0	1	1	-	7.7	16.9	0
62 Homicide (E964, E980-E985)	1	1	-	6.1	8.5	0	3	1	2	23.1	16.9	28.2
63 All other diseases (residual)	8	7	1	48.5	59.8	20.8	12	6	6	92.3	101.7	84.5

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Dougherty						Douglas						Early						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
2,109	1,291	818	47.6	49.5	44.9	380	305	75	29.0	27.2	39.5	454	140	314	26.9	17.9	34.5	1
1,697	1,287	410	80.5%	99.7%	50.1%	320	301	19	84.2%	98.7%	25.3%	191	133	58	42.1%	95.0%	18.5%	2
243	4	239	11.5%	0.3%	29.2%	14	3	11	3.7%	1.0%	14.7%	3	1	2	0.7%	0.7%	0.6%	3
166	-	166	7.9%	0%	20.3%	45	1	44	11.8%	0.3%	58.7%	260	6	254	57.3%	4.3%	80.9%	4
3	-	3	0.1%	0%	0.4%	1	-	1	0.3%	0%	1.3%	-	-	-	0%	0%	0%	5
212	96	116	100.5	74.4	141.8	27	22	5	71.1	72.1	66.7	37	7	30	81.5	50.0	95.5	6
98	69	29	46.5	53.4	35.5	3	3	-	7.9	9.8	0	17	4	13	37.4	28.6	41.4	7
51	45	6	24.2	34.9	7.3	-	-	-	0	0	0	1	-	1	2.2	0	3.2	8
12	6	6	5.7	4.6	7.3	-	-	-	0	0	0	2	1	1	4.4	7.1	3.2	7
29	12	17	13.8	9.3	20.8	3	3	-	7.9	9.8	0	11	2	9	24.2	14.3	28.7	9
6	6	-	2.8	4.6	0	-	-	-	0	0	0	3	1	2	6.6	7.1	6.4	9
397	162	235	896.2	620.7	1291.2	93	81	12	709.9	723.2	631.6	133	53	80	787.0	679.5	879.1	10
60	27	33	28.4	20.9	40.3	8	7	1	21.1	23.0	13.3	22	5	17	48.5	35.7	54.1	11
39	24	15	18.5	18.6	18.3	6	6	-	15.8	19.7	0	11	2	9	24.2	14.3	28.7	12
11	6	5	5.2	4.6	6.1	-	-	-	0	0	0	4	-	4	8.8	0	12.7	13
9	6	3	-	-	-	1	1	-	-	-	-	2	1	1	-	-	-	14
3	-	3	14.2	0	36.7	-	-	-	0	0	0	2	-	2	44.1	0	63.7	15
12	1	11	27.1	3.8	60.4	-	-	-	0	0	0	1	-	1	5.9	0	11.0	16
4	2	2	9.0	7.7	11.0	-	-	-	0	0	0	1	-	1	5.9	0	11.0	17
1	-	1	2.3	0	5.5	-	-	-	0	0	0	-	-	-	0	0	0	18
4	-	4	9.0	0	22.0	-	-	-	0	0	0	1	-	1	5.9	0	11.0	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
1	1	-	2.3	3.8	0	-	-	-	0	0	0	-	-	-	0	0	0	24
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
1	-	1	2.3	0	5.5	-	-	-	0	0	0	-	-	-	0	0	0	31
1	-	1	2.3	0	5.5	-	-	-	0	0	0	1	1	-	5.9	12.8	0	32
36	21	15	81.3	80.5	82.4	13	12	1	99.2	107.1	52.6	10	9	1	59.2	115.4	11.0	33
2	-	2	4.5	0	11.0	1	-	1	7.6	0	52.6	-	-	-	0	0	0	34
4	-	4	9.0	0	22.0	1	1	-	7.6	8.9	0	1	-	1	5.9	0	11.0	35
1	-	1	2.3	0	5.5	-	-	-	0	0	0	-	-	-	0	0	0	36
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
53	15	38	119.6	57.5	208.8	19	14	5	145.0	125.0	263.2	14	4	10	82.8	51.3	109.9	38
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	5.9	0	11.0	39
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	5.9	0	11.0	40
102	48	54	230.2	183.9	296.7	29	27	2	221.4	241.1	105.3	56	25	31	331.4	320.5	340.7	41
7	7	7	15.8	0	38.5	1	-	1	7.6	0	52.6	-	-	-	0	0	0	42
21	7	14	47.4	26.8	76.9	6	6	-	45.8	53.6	0	6	-	6	35.5	0	65.9	43
1	1	-	2.3	3.8	0	-	-	-	0	0	0	1	1	-	5.9	12.8	0	44
6	4	2	13.5	15.3	11.0	-	-	-	0	0	0	-	-	-	0	0	0	45
1	1	-	2.3	3.8	0	-	-	-	0	0	0	-	-	-	0	0	0	46
4	1	3	9.0	3.8	16.5	-	-	-	0	0	0	1	-	1	5.9	0	11.0	47
5	2	3	11.3	7.7	16.5	-	-	-	0	0	0	3	2	1	17.8	25.6	11.0	48
1	1	-	2.3	3.8	0	1	1	-	7.6	8.9	0	-	-	-	0	0	0	49
5	2	3	11.3	7.7	16.5	2	1	1	15.3	8.9	52.6	1	-	1	5.9	0	11.0	50
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	5.9	12.8	0	51
3	-	3	6.8	0	16.5	-	-	-	0	0	0	2	-	2	11.8	0	22.0	52
8	5	3	18.1	19.2	16.5	5	5	-	38.2	44.6	0	3	2	1	17.8	25.6	11.0	53
13	10	3	29.3	38.3	16.5	1	1	-	7.6	8.9	0	2	2	-	11.8	25.6	0	54
3	-	3	6.8	0	16.5	1	1	-	7.6	8.9	0	1	-	1	5.9	0	11.0	55
19	8	11	42.9	30.7	60.4	2	1	1	15.3	8.9	52.6	6	-	6	35.5	0	65.9	56
4	1	3	9.0	3.8	16.5	-	-	-	0	0	0	-	-	-	0	0	0	57
7	1	6	15.8	3.8	33.0	1	1	-	7.6	8.9	0	4	-	4	23.7	0	44.0	58
14	6	8	31.6	23.0	44.0	-	-	-	0	0	0	1	-	1	5.9	0	11.0	59
19	10	9	42.9	38.3	49.5	5	5	-	38.2	44.6	0	4	1	3	23.7	12.8	33.0	60
1	1	-	2.3	3.8	0	1	1	-	7.6	8.9	0	1	1	-	5.9	12.8	0	61
6	6	-	13.5	0	33.0	1	1	-	7.6	8.9	0	5	1	4	29.6	12.8	44.0	62
27	13	14	60.9	49.8	76.9	3	3	-	22.9	26.8	0	4	3	1	23.7	38.5	11.0	63

ITEM	Echols						Effingham					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	53	35	18	23.0	20.6	30.0	239	126	113	26.9	22.1	35.3
2 Delivered in hospital	32	29	3	60.4%	82.9%	16.7%	139	115	24	58.2%	91.3%	21.2%
3 Delivered in home by physician	-	-	-	0%	0%	0%	4	1	3	1.7%	0.8%	2.7%
4 Delivered in home by midwife	21	6	15	39.6%	17.1%	83.3%	96	10	86	40.2%	7.9%	76.1%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	10	7	3	188.7	200.0	166.7	22	9	13	92.0	71.4	115.0
FETAL DEATHS												
7 Total	3	-	3	56.6	0	166.7	20	10	10	83.7	79.4	88.5
8 Under 20 weeks gestation	-	-	-	0	0	0	9	6	3	37.7	47.6	26.5
9 20-27 weeks gestation	-	-	-	0	0	0	-	-	-	0	0	0
28 weeks and more	3	-	3	56.6	0	166.7	9	3	6	37.7	23.8	53.1
Unknown length of gestation	-	-	-	0	0	0	2	1	1	8.4	7.9	8.8
DEATHS												
10 Total, all ages	16	11	5	695.7	647.1	833.3	95	57	38	1067.4	1000.0	1187.5
11 Under 1 year	3	2	1	56.6	57.1	55.6	14	6	8	58.6	47.6	70.8
12 Under 18 days	1	-	1	18.9	0	55.6	10	4	6	41.8	31.7	53.1
13 Deaths from immaturity	-	-	-	0	0	0	2	1	1	8.4	7.9	8.8
14 1-4 years **	-	-	-	0	0	0	5	4	1	-	-	-
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	1	1	-	11.2	17.5	0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	1	-	1	11.2	0	31.2
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	1	-	1	11.2	0	31.2
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	1	1	-	43.5	58.8	0	13	10	3	146.1	175.4	93.8
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	-	-	-	0	0	0	-	-	-	0	0	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	3	2	1	130.4	117.6	166.7	16	11	5	179.8	193.0	156.2
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	1	-	1	11.2	0	31.2
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	5	4	1	217.4	235.3	166.7	28	19	9	314.6	333.3	281.2
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	4	-	4	44.9	0	125.0
43 Influenza and pneumonia (480-483, 490-493)	2	1	1	87.0	58.8	166.7	4	3	1	44.9	52.6	31.2
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	-	-	-	0	0	0
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	-	-	-	0	0	0	-	-	-	0	0	0
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	-	-	-	0	0	0	2	1	1	22.5	17.5	31.2
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	6	3	3	67.4	52.6	93.8
55 Infection of the newborn (763-768)	-	-	-	0	0	0	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	0	0	0	3	1	2	33.7	17.5	62.5
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	1	-	1	11.2	0	31.2
58 Ill-defined and unknown causes (780-793, 795)	2	1	1	87.0	58.8	166.7	2	-	2	22.5	0	62.5
59 Motor vehicle accidents (E810-E835)	-	-	-	0	0	0	2	2	-	22.5	35.1	0
60 All other accidents (E800-E802, E840-E962)	2	2	-	87.0	117.6	0	6	4	2	67.4	70.2	62.5
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	1	-	1	43.5	0	166.7	1	-	1	11.2	0	31.2
63 All other diseases (residual)	-	-	-	0	0	0	3	2	1	33.7	35.1	31.2

See notes on pages 85 and 86

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Elbert						Emanuel						Evans						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
488	260	228	27.0	20.8	40.7	490	269	221	26.9	23.2	33.5	203	121	82	32.2	31.0	34.2	1
342	250	92	70.1%	96.2%	40.4%	340	257	83	69.4%	95.5%	37.6%	130	118	12	64.0%	97.5%	14.6%	2
25	4	21	5.1%	1.5%	9.2%	12	6	6	2.4%	2.2%	2.7%	19	3	16	9.4%	2.5%	19.5%	3
121	6	115	24.0%	2.3%	50.4%	138	6	132	28.2%	2.2%	59.7%	54	-	54	26.6%	0%	65.9%	4
-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
48	23	25	98.4	88.5	109.6	36	15	21	73.5	55.8	95.0	14	8	6	69.0	66.1	73.2	6
21	9	12	43.0	34.6	52.6	20	6	14	40.8	22.3	63.3	5	4	1	24.6	33.1	12.2	7
10	6	4	20.5	23.1	17.5	6	2	4	12.2	7.4	18.1	1	-	1	4.9	0	12.2	7
1	-	1	2.0	0	4.4	5	2	3	10.2	7.4	13.6	2	2	-	9.9	16.5	0	8
9	3	6	18.4	11.5	26.3	9	2	7	18.4	7.4	31.7	2	2	-	9.9	16.5	0	9
1	-	1	2.0	0	4.4	-	-	-	0	0	0	-	-	-	0	0	0	0
157	91	66	867.4	728.0	1178.6	188	103	85	1033.0	88.8	1287.9	62	43	19	984.1	1102.6	791.7	10
12	8	4	24.6	30.8	17.5	18	6	12	36.7	22.3	54.3	5	4	1	24.6	33.1	12.2	11
8	7	1	16.4	26.9	4.4	11	5	6	22.4	18.6	27.1	4	3	1	19.7	24.8	12.2	12
2	2	-	4.1	7.7	0	2	2	2	4.1	0	9.0	-	-	-	0	0	0	13
3	-	3	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-	14
-	-	-	0	0	0	2	-	2	40.8	0	90.5	-	-	-	0	0	0	15
2	2	-	11.0	16.0	0	3	1	2	16.5	8.6	30.3	1	1	-	15.9	25.6	0	16
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
1	1	-	5.5	8.0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
-	-	-	0	0	0	1	-	1	5.5	0	15.2	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	15.9	25.6	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
-	-	-	0	0	0	2	2	-	11.0	17.2	0	-	-	-	0	0	0	32
25	13	12	138.1	104.0	214.3	18	13	5	98.9	112.1	75.8	6	5	1	95.2	128.2	41.7	33
-	-	-	0	0	0	1	1	-	5.5	8.6	0	1	-	1	15.9	0	41.7	34
4	3	1	22.1	24.0	17.9	-	-	-	0	0	0	1	1	1	15.9	25.6	0	35
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	15.9	0	41.7	36
1	1	-	5.5	8.0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
16	11	5	88.4	88.0	89.3	24	16	8	131.9	137.9	121.2	10	5	5	158.7	128.2	208.3	38
1	1	-	5.5	8.0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
40	18	22	221.0	144.0	392.9	59	27	32	324.2	232.8	484.8	21	18	3	333.3	461.5	125.0	41
2	-	2	11.0	0	35.7	6	6	2	33.0	34.5	30.3	2	1	1	31.7	25.6	41.7	42
9	5	4	49.7	40.0	71.4	14	4	8	76.9	51.7	121.2	2	1	1	31.7	25.6	41.7	43
1	1	-	5.5	8.0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
2	2	-	11.0	16.0	0	-	-	-	0	0	0	-	-	-	0	0	0	45
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
1	-	1	5.5	0	17.9	-	-	-	0	0	0	-	-	-	0	0	0	47
2	2	-	11.0	16.0	0	-	-	-	0	0	0	-	-	-	0	0	0	48
3	3	-	16.6	24.0	0	2	2	-	11.0	17.2	0	-	-	-	0	0	0	49
8	4	4	44.2	32.0	71.4	3	1	2	16.5	8.6	30.3	2	1	1	31.7	25.6	41.7	50
1	-	1	5.5	0	17.9	1	1	-	5.5	8.6	0	-	-	-	0	0	0	51
-	-	-	0	0	0	2	-	2	11.0	0	30.3	-	-	-	0	0	0	52
1	1	-	5.5	8.0	0	3	1	2	16.5	8.6	30.3	-	-	-	0	0	0	53
3	2	1	16.6	16.0	17.9	2	2	-	11.0	17.2	0	1	1	-	15.9	25.6	0	54
1	1	-	5.5	8.0	0	-	-	-	0	0	0	-	-	-	0	0	0	55
2	2	-	11.0	16.0	0	4	-	4	22.0	0	60.6	3	2	1	47.6	51.3	41.7	56
-	-	-	0	0	0	2	2	-	11.0	17.2	0	-	-	-	0	0	0	57
5	2	3	27.6	16.0	53.6	2	1	1	11.0	8.6	15.2	-	-	-	0	0	0	58
2	2	-	11.0	16.0	0	6	6	-	33.0	51.7	0	1	1	-	15.9	25.6	0	59
7	5	2	38.7	40.0	35.7	10	4	6	54.9	34.5	90.9	2	2	2	31.7	0	83.3	60
1	1	-	5.5	8.0	0	3	3	-	16.5	25.9	0	1	1	-	15.9	25.6	0	61
7	-	7	38.7	0	125.0	7	-	7	38.5	0	106.1	-	-	-	0	0	0	62
9	8	1	49.7	64.0	17.9	13	10	3	71.4	86.2	45.5	6	4	2	95.2	102.6	83.3	63

ITEM	Fannin						Fayette					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	306	306	-	19.9	20.1	0	145	89	56	18.4	16.5	22.4
2 Delivered in hospital	268	268	-	87.6%	87.6%	0%	82	76	6	56.6%	85.4%	10.7%
3 Delivered in home by physician	35	35	-	11.4%	11.4%	0%	17	10	7	11.7%	11.2%	12.5%
4 Delivered in home by midwife	3	3	-	1.0%	1.0%	0%	46	3	43	31.7%	3.4%	76.8%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	18	18	-	58.8	58.8	0	14	6	8	96.6	67.4	142.9
FETAL DEATHS												
Total	2	2	-	6.5	6.5	0	8	1	7	55.2	11.2	125.0
7 Under 20 weeks gestation	-	-	-	0	0	0	-	-	-	0	0	0
8 20-27 weeks gestation	-	-	-	0	0	0	2	-	2	13.8	0	35.7
9 28 weeks and more	2	2	-	6.5	6.5	0	6	1	5	41.4	11.2	89.3
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	100	99	1	649.4	651.3	500.0	76	52	24	962.0	963.0	960.0
11 Under 1 year	11	11	-	35.9	35.9	0	7	5	2	48.3	56.2	35.7
12 Under 28 days	7	7	-	22.9	22.9	0	4	2	2	27.6	22.5	35.7
13 Deaths from immaturity	3	3	-	9.8	9.8	0	2	1	1	13.8	11.2	17.9
14 1-4 years **	-	-	-	-	-	-	1	1	-	-	-	-
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	4	4	-	26.0	26.3	0	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	1	-	1	12.7	0	40.0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	1	1	-	12.7	18.5	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	1	1	-	12.7	18.5	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	10	10	-	64.9	65.8	0	3	3	-	38.0	55.6	0
34 Benign and unspecified neoplasms (210-239)	1	1	-	6.5	6.6	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	2	2	-	13.0	13.2	0	1	1	-	12.7	18.5	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	1	-	1	12.7	0	40.0
38 Vascular lesions affecting central nervous system (330-334)	17	17	-	110.4	111.8	0	17	14	3	215.2	259.3	120.0
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	25	25	-	162.3	164.5	0	22	16	6	278.5	296.3	240.0
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	-	-	-	0	0	0
43 Influenza and pneumonia (480-483, 490-493)	3	3	-	19.5	19.7	0	1	1	-	12.7	18.5	0
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0
46 Appendicitis (550-553)	1	1	-	6.5	6.6	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	6.5	6.6	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	-	-	-	0	0	0
49 Cirrhosis of liver (581)	1	1	-	6.5	6.6	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	1	1	-	6.5	6.6	0	1	1	-	12.7	18.5	0
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	-	-	-	0	0	0	-	-	-	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	2	-	13.0	13.2	0	-	-	-	0	0	0
55 Infection of the newborn (763-768)	-	-	-	0	0	0	1	-	1	12.7	0	40.0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	3	-	19.5	19.7	0	2	1	1	25.3	18.5	40.0
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	2	-	2	25.3	0	80.0
58 Ill-defined and unknown causes (780-793, 795)	4	4	-	26.0	26.3	0	5	4	1	63.3	74.1	40.0
59 Motor vehicle accidents (E810-E835)	9	8	1	58.4	52.6	500.0	6	5	1	75.9	92.6	40.0
60 All other accidents (E800-E802, E840-E962)	4	4	-	26.0	26.3	0	1	1	-	12.7	18.5	0
61 Suicide (E963, E970-E979)	1	1	-	6.5	6.6	0	1	1	-	12.7	18.5	0
62 Homicide (E964, E980-E985)	1	1	-	6.5	6.6	0	3	-	3	38.0	0	120.0
63 All other diseases (residual)	10	10	-	64.9	65.8	0	6	2	4	75.9	37.0	160.0

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Floyd						Forsyth						Franklin						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1,551	1,293	258	23.8	23.3	26.6	237	237	-	21.7	21.9	0	294	258	36	21.0	20.8	22.5	1
1,446	1,276	170	93.2%	98.7%	65.9%	234	234	-	98.7%	98.7%	0%	255	241	14	86.7%	93.4%	38.9%	2
14	8	6	0.9%	0.6%	2.3%	2	2	-	0.8%	0.8%	0%	25	13	12	8.5%	5.0%	33.3%	3
91	9	82	5.9%	0.7%	31.8%	1	1	-	0.4%	0.4%	0%	14	4	10	4.8%	1.6%	27.8%	4
-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
134	107	27	86.4	82.8	104.7	22	22	-	92.8	92.8	0	29	25	4	98.6	96.9	111.1	6
25	18	7	16.1	13.9	27.1	5	5	-	21.1	21.1	0	6	2	4	20.4	7.8	111.1	7
1	1	-	0.6	0.8	0	2	2	-	8.4	8.4	0	1	1	-	3.4	3.9	0	7
3	1	2	1.9	0.8	7.8	1	1	-	4.2	4.2	0	1	-	1	3.4	0	27.8	8
13	11	2	8.4	8.5	7.8	2	2	-	8.4	8.4	0	4	1	3	13.6	3.9	83.3	9
8	5	3	5.2	3.9	11.6	-	-	-	0	0	0	-	-	-	0	0	0	0
550	436	114	844.9	787.0	1175.3	89	89	-	816.5	824.1	0	130	116	14	928.6	935.5	875.0	10
50	36	14	32.2	27.8	54.3	7	7	-	29.5	29.5	0	9	8	1	30.6	31.0	27.8	11
31	27	4	20.0	20.9	15.5	7	7	-	29.5	29.5	0	7	7	-	23.8	27.1	0	12
11	8	3	7.1	6.2	11.6	4	4	-	16.9	16.9	0	3	3	-	10.2	11.6	0	13
5	3	2	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-	14
3	1	2	19.3	7.7	77.5	1	1	-	42.2	42.2	0	-	-	-	0	0	0	15
11	8	3	16.9	14.4	30.9	1	1	-	9.2	9.3	0	-	-	-	0	0	0	16
1	-	1	1.5	0	10.3	-	-	-	0	0	0	-	-	-	0	0	0	17
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
1	1	-	1.5	1.8	0	-	-	-	0	0	0	1	-	1	7.1	0	62.5	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
2	-	2	3.1	0	20.6	-	-	-	0	0	0	-	-	-	0	0	0	23
1	1	-	1.5	1.8	0	-	-	-	0	0	0	-	-	-	0	0	0	24
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
5	5	-	7.7	9.0	0	1	1	-	9.2	9.3	0	-	-	-	0	0	0	32
79	65	14	121.4	117.3	144.3	12	12	-	110.1	111.1	0	19	17	2	135.7	137.1	125.0	33
1	-	1	1.5	0	10.3	-	-	-	0	0	0	-	-	-	0	0	0	34
5	3	2	7.7	5.4	20.6	1	1	-	9.2	9.3	0	2	1	1	14.3	8.1	62.5	35
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
72	55	17	110.6	99.3	175.3	12	12	-	110.1	111.1	0	13	13	-	92.9	104.8	0	38
1	-	1	1.5	0	10.3	-	-	-	0	0	0	-	-	-	0	0	0	39
2	1	1	3.1	1.8	10.3	1	1	-	9.2	9.3	0	2	2	-	14.3	16.1	0	40
185	157	28	284.2	283.4	288.7	27	27	-	247.7	250.0	0	57	52	5	407.1	419.4	312.5	41
15	11	4	23.0	19.9	41.2	-	-	-	0	0	0	-	-	-	0	0	0	42
11	4	7	16.9	7.2	72.2	1	1	-	9.2	9.3	0	9	4	5	64.3	32.3	312.5	43
1	1	-	1.5	1.8	0	-	-	-	0	0	0	-	-	-	0	0	0	44
4	3	1	6.1	5.4	10.3	1	1	-	9.2	9.3	0	2	2	-	14.3	16.1	0	45
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
2	2	-	3.1	3.6	0	-	-	-	0	0	0	1	1	-	7.1	8.1	0	47
3	1	2	4.6	1.8	20.6	-	-	-	0	0	0	-	-	-	0	0	0	48
2	1	1	3.1	1.8	10.3	-	-	-	0	0	0	1	1	-	7.1	8.1	0	49
12	6	6	18.4	10.8	61.9	-	-	-	0	0	0	1	1	-	7.1	8.1	0	50
3	3	-	4.6	5.4	0	-	-	-	0	0	0	-	-	-	0	0	0	51
3	1	2	4.6	1.8	20.6	1	1	-	9.2	9.3	0	-	-	-	0	0	0	52
8	8	-	12.3	14.4	0	-	-	-	0	0	0	1	1	-	7.1	8.1	0	53
11	11	-	16.9	19.9	0	2	2	-	18.3	18.5	0	1	1	-	7.1	8.1	0	54
1	1	-	1.5	1.8	0	-	-	-	0	0	0	1	1	-	7.1	8.1	0	55
18	12	6	27.6	21.7	61.9	5	5	-	45.9	46.3	0	3	3	-	21.4	24.2	0	56
5	4	1	7.7	7.2	10.3	4	4	-	36.7	37.0	0	-	-	-	0	0	0	57
6	4	2	9.2	7.2	20.6	-	-	-	0	0	0	-	-	-	0	0	0	58
14	12	2	21.5	21.7	20.6	7	7	-	64.2	64.8	0	2	2	-	14.3	16.1	0	59
22	20	2	33.8	36.1	20.6	6	6	-	55.0	55.6	0	5	5	-	35.7	40.3	0	60
2	2	-	3.1	3.6	0	1	1	-	9.2	9.3	0	3	3	-	21.4	24.2	0	61
5	3	2	7.7	5.4	20.6	-	-	-	0	0	0	-	-	-	0	0	0	62
36	30	6	55.3	54.2	61.9	6	6	-	55.0	55.6	0	6	6	-	42.9	48.4	0	63

ITEM	Fulton						Gilmer					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	13,282	8,212	5,070	25.6	22.9	31.8	174	174	-	16.7	16.7	0
2 Delivered in hospital	13,013	8,166	4,847	98.0%	99.4%	95.6%	162	162	-	93.1%	93.1%	0%
3 Delivered in home by physician	230	40	190	1.7%	0.5%	3.7%	-	-	-	0%	0%	0%
4 Delivered in home by midwife	36	6	30	0.3%	0.1%	0.6%	12	12	-	6.9%	6.9%	0%
5 Other deliveries	3	-	3	0.0%	0%	0.1%	-	-	-	0%	0%	0%
6 Immature births	1,296	622	674	97.6	75.7	132.9	17	17	-	97.7	97.7	0
FETAL DEATHS												
7 Total	583	289	294	43.9	35.2	58.0	13	13	-	74.7	74.7	0
8 Under 20 weeks gestation	259	152	107	19.5	18.5	21.1	9	9	-	51.7	51.7	0
9 20-27 weeks gestation	104	37	67	7.8	4.5	13.2	1	1	-	5.7	5.7	0
28 weeks and more	216	99	117	16.3	12.1	23.1	3	3	-	17.2	17.2	0
Unknown length of gestation	4	1	3	0.3	0.1	0.6	-	-	-	0	0	0
DEATHS												
10 Total, all ages	4,763	2,838	1,925	919.5	791.2	1208.4	66	66	-	634.6	634.6	0
11 Under 1 year	408	198	210	30.7	24.1	41.4	9	9	-	51.7	51.7	0
12 Under 28 days	298	152	146	22.4	18.5	28.8	4	4	-	23.0	23.0	0
13 Deaths from immaturity	92	34	58	6.9	4.1	11.4	-	-	-	0	0	0
14 1-4 years **	64	33	31	-	-	-	-	-	-	0	0	0
15 Maternal deaths	7	-	7	5.3	0	13.8	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	71	32	39	13.7	8.9	24.5	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	18	5	13	3.5	1.4	8.2	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	2	1	1	0.4	0.3	0.6	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	4	4	-	0.8	1.1	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	5	3	2	1.0	0.8	1.3	-	-	-	0	0	0
25 Acute poliomyelitis (080)	2	2	-	0.4	0.6	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	1	1	-	0.2	0.3	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	4	4	-	0.8	1.1	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	14	9	5	2.7	2.5	3.1	2	2	-	19.2	19.2	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	698	466	232	134.7	130.0	145.6	7	7	-	67.3	67.3	0
34 Benign and unspecified neoplasms (210-239)	24	15	9	4.6	4.2	5.6	-	-	-	0	0	0
35 Diabetes mellitus (260)	73	39	34	14.1	10.9	21.3	-	-	-	0	0	0
36 Pellagra (281)	4	3	1	0.8	0.8	0.6	-	-	-	0	0	0
37 Anemias (290-293)	8	4	4	1.5	1.1	2.5	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	641	344	297	123.7	95.9	186.4	16	16	-	153.8	153.8	0
39 Nonmeningococcal meningitis (340)	10	2	8	1.9	0.6	5.0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	5	2	3	1.0	0.6	1.9	-	-	-	0	0	0
41 Heart diseases (410-443)	1,506	974	532	290.7	271.5	334.0	19	19	-	182.7	182.7	0
42 Hypertension without mention of heart (444-447)	67	39	28	12.9	10.9	17.6	-	-	-	0	0	0
43 Influenza and pneumonia (480-483, 490-493)	142	66	76	27.4	18.4	47.7	4	4	-	38.5	38.5	0
44 Bronchitis (500-502)	4	3	1	0.8	0.8	0.6	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	31	22	9	6.0	6.1	5.6	-	-	-	0	0	0
46 Appendicitis (550-553)	11	4	7	2.1	1.1	4.4	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	25	14	11	4.8	3.9	6.9	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	19	8	11	3.7	2.2	6.9	-	-	-	0	0	0
49 Cirrhosis of liver (581)	50	33	17	9.7	9.2	10.7	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	89	28	61	17.2	7.8	38.3	-	-	-	0	0	0
51 Hyperplasia of prostate (610)	12	8	4	2.3	2.2	2.5	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	7	-	7	1.4	0	4.4	-	-	-	0	0	0
53 Congenital malformations (750-759)	87	55	32	16.8	15.3	20.1	1	1	-	9.6	9.6	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	114	71	43	22.0	19.8	27.0	-	-	-	0	0	0
55 Infection of the newborn (763-768)	13	5	8	2.5	1.4	5.0	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	127	46	81	24.5	12.8	50.8	2	2	-	19.2	19.2	0
57 Senility, without mention of psychosis (794)	9	7	2	1.7	2.0	1.3	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	30	14	16	5.8	3.9	10.0	4	4	-	38.5	38.5	0
59 Motor vehicle accidents (E810-E835)	122	89	33	23.6	24.8	20.7	3	3	-	28.8	28.8	0
60 All other accidents (E800-E802, E840-E962)	160	109	51	30.9	30.4	32.0	3	3	-	28.8	28.8	0
61 Suicide (E963, E970-E979)	59	55	4	11.4	15.3	2.5	1	1	-	9.6	9.6	0
62 Homicide (E964, E980-E985)	95	12	83	18.3	3.3	52.1	-	-	-	0	0	0
63 All other diseases (residual)	400	240	160	77.2	66.9	100.4	4	4	-	38.5	38.5	0

See notes on pages 85 and 86.

ITEM	Grady						Greene					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	467	242	225	25.1	19.7	35.7	311	111	200	24.9	18.2	31.2
2 Delivered in hospital	263	218	45	56.3%	90.1%	20.0%	164	107	57	52.7%	96.4%	28.5%
3 Delivered in home by physician	156	22	134	33.4%	9.1%	59.6%	6	4	2	1.9%	3.6%	1.0%
4 Delivered in home by midwife	48	2	46	10.3%	0.8%	20.4%	141	-	141	45.3%	0%	70.5%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	42	14	28	89.9	57.9	124.4	28	11	17	90.0	99.1	85.0
FETAL DEATHS												
Total	15	2	13	32.1	8.3	57.8	11	1	10	35.4	9.0	50.0
7 Under 20 weeks gestation	2	-	2	4.3	0	8.9	4	-	4	12.9	0	20.0
8 20-27 weeks gestation	4	-	4	8.6	0	17.8	2	-	2	6.4	0	10.0
9 28 weeks and more	9	2	7	19.3	8.3	31.1	5	1	4	16.1	9.0	20.0
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	154	81	73	828.0	658.5	1158.7	154	74	80	1232.0	1213.1	1250.0
11 Under 1 year	21	6	15	45.0	24.8	66.7	23	3	20	74.0	27.0	100.0
12 Under 28 days	15	1	14	32.1	4.1	62.2	9	2	7	28.9	18.0	35.0
13 Deaths from immaturity	5	-	5	10.7	0	22.2	1	-	1	3.2	0	5.0
14 1-4 years **	3	3	-	-	-	-	4	1	3	-	-	-
15 Maternal deaths	2	-	2	42.8	0	88.9	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	1	-	1	8.0	0	15.6
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	1	-	1	8.0	0	15.6
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	1	-	5.4	8.1	0	1	-	1	8.0	0	15.6
33 Malignant neoplasms, including neoplasms of lymphatic and haemopoietic tissues (140-205)	21	12	9	112.9	97.6	142.9	13	9	4	104.0	147.5	62.5
34 Benign and unspecified neoplasms (210-239)	1	-	1	5.4	0	15.9	-	-	-	0	0	0
35 Diabetes mellitus (260)	3	1	2	16.1	8.1	31.7	3	3	-	24.0	49.2	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	25	14	11	134.4	113.8	174.6	24	13	11	192.0	213.1	171.9
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	2	1	1	16.0	16.4	15.6
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	41	24	17	220.4	195.1	269.8	52	30	22	416.0	491.8	343.8
42 Hypertension without mention of heart (444-447)	1	1	-	5.4	8.1	0	6	1	5	48.0	16.4	78.1
43 Influenza and pneumonia (480-483, 490-493)	10	5	5	53.8	40.7	79.4	10	1	9	80.0	16.4	140.6
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	1	-	5.4	8.1	0	4	-	4	32.0	0	62.5
49 Cirrhosis of liver (581)	1	1	-	5.4	8.1	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	5	4	1	26.9	32.5	15.9	-	-	-	0	0	0
51 Hyperplasia of prostate (610)	1	1	-	5.4	8.1	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	2	-	2	10.8	0	31.7	-	-	-	0	0	0
53 Congenital malformations (750-759)	2	2	-	10.8	16.3	0	-	-	-	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	3	-	3	16.1	0	47.6	3	1	2	24.0	16.4	31.2
55 Infection of the newborn (763-768)	2	-	2	10.8	0	31.7	1	1	-	8.0	16.4	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	8	-	8	43.0	0	127.0	2	-	2	16.0	0	31.2
57 Senility, without mention of psychosis (794)	4	3	1	21.5	24.4	15.9	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	3	1	2	16.1	8.1	31.7	4	-	4	32.0	0	62.5
59 Motor vehicle accidents (E810-E835)	2	1	1	10.8	8.1	15.9	4	1	3	32.0	16.4	46.9
60 All other accidents (E800-E802, E840-E862)	9	6	3	48.4	48.8	47.6	5	-	5	40.0	0	78.1
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	4	-	4	32.0	65.6	0
62 Homicide (E964, E980-E985)	3	1	2	16.1	8.1	31.7	1	-	1	8.0	0	15.6
63 All other diseases (residual)	5	2	3	26.9	16.3	47.6	12	9	3	96.0	147.5	46.9

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Gwinnett						Habersham						Hall						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
850	734	116	25.3	24.1	36.2	376	366	10	21.7	22.0	14.3	1,124	967	157	26.6	25.4	36.5	1
806	711	95	94.8%	96.9%	81.9%	372	364	8	98.9%	99.5%	80.0%	1,059	925	134	94.2%	95.7%	85.4%	2
22	17	5	2.6%	2.3%	4.3%	2	2	0	0.5%	0.5%	0%	34	24	10	3.0%	2.5%	6.4%	3
22	6	16	2.6%	0.8%	13.8%	2	2	2	0.5%	0%	20.0%	22	9	13	2.0%	0.9%	8.3%	4
-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	9	9	-	0.8%	0.9%	0%	5
66	50	16	77.6	68.1	137.9	24	23	1	63.8	62.8	100.0	97	73	24	86.3	75.5	152.9	6
49	40	9	57.6	54.5	77.6	18	17	1	47.9	46.4	100.0	21	13	8	18.7	13.4	51.0	7
29	25	4	34.1	34.1	34.5	12	12	-	31.9	32.8	0	5	5	-	4.4	5.2	0	8
5	5	-	5.9	6.8	0	1	1	-	2.7	2.7	0	5	3	2	4.4	3.1	12.7	7
14	10	4	16.5	13.6	34.5	5	4	1	13.3	10.9	100.0	11	5	6	9.8	5.2	38.2	9
1	-	1	1.2	0	8.6	-	-	-	0	0	0	-	-	-	0	0	0	0
219	194	25	651.8	638.2	781.2	121	117	4	699.4	704.8	571.4	302	241	61	713.9	634.2	1418.6	10
18	12	6	21.2	16.3	51.7	13	12	1	34.6	32.8	100.0	38	25	13	33.8	25.9	82.8	11
9	7	2	10.6	9.5	17.2	12	11	1	31.9	30.1	100.0	21	14	7	18.7	14.5	44.6	12
3	3	-	3.5	4.1	0	2	2	-	5.3	5.5	0	7	7	-	6.2	7.2	0	13
1	1	-	-	-	-	2	2	-	-	-	-	3	3	-	-	-	-	14
1	-	1	11.8	0	86.2	-	-	-	0	0	0	-	-	-	0	0	0	15
1	1	-	3.0	3.3	0	1	1	-	5.8	6.0	0	3	3	-	7.1	7.9	0	16
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	2.4	0	23.3	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
1	1	-	3.0	3.3	0	-	-	-	0	0	0	-	-	-	0	0	0	22
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	2.4	0	23.3	24
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
-	-	-	0	0	0	-	-	-	0	0	0	2	2	-	4.7	5.3	0	32
32	31	1	95.2	102.0	31.2	16	16	-	92.5	96.4	0	47	43	4	111.1	113.2	93.0	33
1	1	-	3.0	3.3	0	-	-	-	0	0	0	-	-	-	0	0	0	34
9	9	-	26.8	29.6	0	3	3	-	17.3	18.1	0	4	4	-	9.5	10.5	0	35
3	3	-	8.9	9.9	0	-	-	-	0	0	0	-	-	-	0	0	0	36
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
46	38	8	136.9	125.0	250.0	26	26	-	150.3	156.6	0	51	45	6	120.6	118.4	139.5	38
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
54	49	5	160.7	161.2	156.2	32	32	-	185.0	192.8	0	80	62	18	189.1	163.2	418.6	40
5	3	2	14.9	9.9	62.5	3	3	-	17.3	18.1	0	3	2	1	7.1	5.3	23.3	41
8	8	-	23.8	26.3	0	2	2	-	11.6	12.0	0	7	6	1	16.5	15.8	23.3	42
2	2	-	6.0	6.6	0	-	-	-	0	0	0	-	-	-	0	0	0	44
3	2	1	8.9	6.6	31.2	-	-	-	0	0	0	2	2	-	4.7	5.3	0	45
-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	4.7	2.6	23.3	46
1	1	-	3.0	3.3	0	1	1	-	5.8	6.0	0	4	2	2	9.5	5.3	46.5	47
5	3	2	14.9	9.9	62.5	-	-	-	0	0	0	9	6	3	21.3	15.8	69.8	48
2	2	-	6.0	6.6	0	-	-	-	0	0	0	4	3	1	9.5	7.9	23.3	49
-	-	-	0	0	0	2	2	-	11.6	12.0	0	1	-	1	2.4	0	23.3	50
1	1	-	3.0	3.3	0	-	-	-	0	0	0	1	1	-	2.4	2.6	0	51
1	-	1	3.0	0	31.2	-	-	-	0	0	0	-	-	-	0	0	0	52
2	2	-	6.0	6.6	0	5	4	1	28.9	24.1	142.9	3	3	-	7.1	7.9	0	53
3	2	1	8.9	6.6	31.2	5	5	-	28.9	30.1	0	10	4	6	23.6	10.5	139.5	54
-	-	-	0	0	0	-	-	-	0	0	0	2	2	-	4.7	5.3	0	55
4	3	1	11.9	9.9	31.2	4	4	-	23.1	24.1	0	9	9	-	21.3	23.7	0	56
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
-	-	-	0	0	0	-	-	-	0	0	0	7	4	3	16.5	10.5	69.8	58
8	8	-	23.8	26.3	0	8	6	2	46.2	36.1	285.7	11	9	2	26.0	23.7	46.5	59
12	9	3	35.7	29.6	93.8	3	3	-	17.3	18.1	0	8	6	2	18.9	15.8	46.5	60
2	2	-	6.0	6.6	0	-	-	-	0	0	0	2	2	-	4.7	5.3	0	61
1	1	-	3.0	3.3	0	1	1	-	5.8	6.0	0	3	2	1	7.1	5.3	23.3	62
12	12	-	35.7	39.5	0	9	8	1	52.0	48.2	142.9	25	18	7	59.1	47.4	162.8	63

ITEM	Hancock						Haralson					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	303	51	252	29.4	18.2	33.6	296	263	33	20.0	19.6	23.6
2 Delivered in hospital	71	49	22	23.4%	96.1%	8.7%	252	248	4	85.1%	94.3%	12.1%
3 Delivered in home by physician	5	-	5	1.6%	0%	2.0%	21	9	12	7.1%	3.4%	36.4%
4 Delivered in home by midwife	226	2	224	74.6%	3.9%	88.9%	23	6	17	7.8%	2.3%	51.5%
5 Other deliveries	1	-	1	0.3%	0%	0.4%	-	-	-	0%	0%	0%
6 Immature births	12	5	7	39.6	98.0	27.8	16	12	4	54.1	45.6	121.2
FETAL DEATHS												
Total	15	3	12	49.5	58.8	47.6	7	4	3	23.6	15.2	90.9
7 Under 20 weeks gestation	4	-	4	13.2	0	15.9	1	1	-	3.4	3.8	0
8 20-27 weeks gestation	1	-	1	3.3	0	4.0	1	-	1	3.4	0	30.3
9 28 weeks and more	9	3	6	29.7	58.8	23.8	4	3	1	13.5	11.4	30.3
Unknown length of gestation	1	-	1	3.3	0	4.0	1	-	1	3.4	0	30.3
DEATHS												
10 Total, all ages	115	33	82	1116.5	1178.6	1093.3	95	83	12	641.9	619.4	857.1
11 Under 1 year	13	2	11	42.9	39.2	43.6	8	6	2	27.0	22.8	60.6
12 Under 28 days	8	2	6	26.4	39.2	23.8	4	4	-	13.5	15.2	0
13 Deaths from immaturity	2	-	2	6.6	0	7.9	1	1	-	3.4	3.8	0
14 1-4 years **	2	-	2	-	-	-	2	2	-	-	-	0
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	1	-	1	9.7	0	13.3	2	2	-	13.5	14.9	0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	1	-	1	9.7	0	13.3	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	2	-	2	19.4	0	26.7	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	17	6	11	165.0	214.3	146.7	10	10	-	67.6	74.6	0
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	1	-	1	9.7	0	13.3	3	2	1	20.3	14.9	71.4
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	16	7	9	155.3	250.0	120.0	12	10	2	81.1	74.6	142.9
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	48	12	36	466.0	428.6	480.0	32	29	3	216.2	216.4	214.3
42 Hypertension without mention of heart (444-447)	3	1	2	29.1	35.7	26.7	2	2	-	13.5	14.9	0
43 Influenza and pneumonia (480-483, 490-493)	2	-	2	19.4	0	26.7	1	-	1	6.8	0	71.4
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0
46 Appendicitis (550-553)	1	-	1	9.7	0	13.3	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	1	-	1	9.7	0	13.3	1	1	-	6.8	7.5	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	9.7	0	13.3	1	1	-	6.8	7.5	0
49 Cirrhosis of liver (581)	2	1	1	19.4	35.7	13.3	2	2	-	13.5	14.9	0
50 Nephritis and nephrosis (590-594)	2	1	1	19.4	35.7	13.3	2	1	1	13.5	7.5	71.4
51 Hyperplasia of prostate (610)	1	-	1	9.7	0	13.3	1	1	-	6.8	7.5	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	-	-	-	0	0	0	4	4	-	27.0	29.8	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	2	-	19.4	71.4	0	-	-	-	0	0	0
55 Infection of the newborn (763-768)	1	-	1	9.7	0	13.3	1	1	-	6.8	7.5	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	-	3	29.1	0	40.0	1	1	-	6.8	7.5	0
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	1	1	-	6.8	7.5	0
58 Ill-defined and unknown causes (780-793, 795)	2	-	2	19.4	0	26.7	3	3	-	20.3	22.4	0
59 Motor vehicle accidents (E810-E835)	-	-	-	0	0	0	3	2	1	20.3	14.9	71.4
60 All other accidents (E800-E802, E840-E962)	4	1	3	38.8	35.7	40.0	6	4	2	40.5	29.8	142.9
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	1	-	1	9.7	0	13.3	3	2	1	20.3	14.9	71.4
63 All other diseases (residual)	3	2	1	29.1	71.4	13.3	4	4	-	27.0	29.8	0

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Harris						Hart						Heard						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
269	85	184	24.0	17.0	29.7	315	228	87	22.3	21.3	25.6	150	97	53	23.8	20.2	35.3	1
179	84	95	66.5%	98.8%	51.6%	237	221	16	75.2%	96.9%	18.4%	110	83	27	73.3%	85.6%	50.9%	2
34	-	34	12.6%	0%	18.5%	24	5	19	7.6%	2.2%	21.8%	11	8	3	7.3%	8.2%	5.7%	3
56	1	55	20.8%	1.2%	29.9%	53	2	51	16.8%	0.9%	58.6%	29	6	23	19.3%	6.2%	43.4%	4
-	-	-	0%	0%	0%	1	-	1	0.3%	0%	1.1%	-	-	-	0%	0%	0%	5
25	5	20	92.9	58.8	108.7	24	14	10	76.2	61.4	11.5	15	10	5	100.0	103.1	94.3	6
22	7	15	81.8	82.4	81.5	6	4	2	19.0	17.5	23.0	10	7	3	66.7	72.2	56.6	
14	6	8	52.0	70.6	43.5	1	-	1	3.2	0	11.5	7	6	1	46.7	61.9	18.9	7
1	-	1	3.7	0	5.4	2	1	1	6.3	4.4	11.5	2	1	1	13.3	10.3	18.9	8
5	-	5	18.6	0	27.2	2	2	-	6.3	8.8	0	1	-	1	6.7	0	18.9	9
2	1	1	7.4	11.8	5.4	1	1	-	3.2	4.4	0	-	-	-	0	0	0	
98	50	48	875.0	1000.0	774.2	96	68	28	680.9	635.5	823.5	53	44	9	841.3	916.7	600.0	10
9	1	8	33.5	11.8	43.5	11	7	4	34.9	30.7	46.0	1	-	1	6.7	0	18.9	11
7	1	6	26.0	11.8	32.6	9	6	3	28.6	26.3	34.5	1	-	1	6.7	0	18.9	12
2	1	1	7.4	11.8	5.4	3	3	-	9.5	13.2	0	-	-	-	0	0	0	13
-	-	-	0	0	0	1	-	1	-	-	0	-	-	-	0	0	0	14
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	15
1	-	1	8.9	0	16.1	2	2	-	14.2	18.7	0	1	1	-	15.9	20.8	0	16
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
1	1	-	8.9	20.0	0	-	-	-	0	0	0	1	1	-	15.9	20.8	0	32
20	15	5	178.6	300.0	80.6	12	9	3	85.1	84.1	88.2	4	3	1	63.5	62.5	66.7	33
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
-	-	-	0	0	0	2	1	1	14.2	9.3	29.4	2	2	-	31.7	41.7	0	35
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
13	3	10	116.1	60.0	161.3	9	8	1	63.8	74.8	29.4	12	11	1	190.5	229.2	66.7	38
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
30	16	14	267.9	320.0	225.8	30	24	6	212.8	224.3	176.5	12	11	1	190.5	229.2	66.7	41
2	2	2	17.9	0	32.3	1	1	-	7.1	9.3	0	-	-	-	0	0	0	42
5	2	3	44.6	40.0	48.4	5	1	4	35.5	9.3	117.6	2	2	-	31.7	41.7	0	43
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
-	-	-	0	0	0	1	1	-	7.1	9.3	0	-	-	-	0	0	0	45
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	47
1	-	1	8.9	0	16.1	2	2	-	14.2	18.7	0	-	-	-	0	0	0	48
1	-	1	8.9	0	16.1	-	-	-	0	0	0	-	-	-	0	0	0	49
4	3	1	35.7	60.0	16.1	6	1	5	42.6	9.3	147.1	3	3	-	47.6	62.5	0	50
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	52
1	-	1	8.9	0	16.1	2	1	1	14.2	9.3	29.4	-	-	-	0	0	0	53
1	-	1	8.9	0	16.1	1	-	1	7.1	0	29.4	-	-	-	0	0	0	54
3	-	3	26.8	0	48.4	2	-	2	14.2	0	58.8	-	-	-	0	0	0	55
2	1	1	17.9	20.0	16.1	5	5	-	35.5	46.7	0	1	-	1	15.9	0	66.7	56
1	1	-	8.9	20.0	0	2	1	1	14.2	9.3	29.4	-	-	-	0	0	0	57
-	-	-	0	0	0	1	1	-	7.1	9.3	0	2	1	1	31.7	20.8	66.7	58
3	2	1	26.8	40.0	16.1	5	5	-	35.5	46.7	0	3	2	1	47.6	41.7	66.7	59
4	2	2	35.7	40.0	32.3	1	-	1	7.1	0	29.4	3	2	1	47.6	41.7	66.7	60
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	15.9	20.8	0	61
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	15.9	0	66.7	62
5	4	1	44.6	80.0	16.1	7	5	2	49.6	46.7	58.8	5	4	1	79.4	83.3	66.7	63

ITEM	Henry						Houston					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	428	174	254	26.4	18.9	36.3	849	526	323	37.2	34.2	43.6
2 Delivered in hospital	197	156	41	46.0%	89.7%	16.1%	733	520	213	86.3%	98.9%	65.9%
3 Delivered in home by physician	23	8	15	5.4%	4.6%	5.9%	8	3	5	0.9%	0.6%	1.5%
4 Delivered in home by midwife	207	9	198	48.4%	5.2%	78.0%	108	3	105	12.7%	0.6%	32.5%
5 Other deliveries	1	1	-	0.2%	0.6%	0%	-	-	-	0%	0%	0%
6 Immature births	43	17	26	100.5	97.7	102.4	83	47	36	97.8	89.4	111.5
FETAL DEATHS												
7 Total	17	6	11	39.7	34.5	43.3	21	13	8	24.7	24.7	24.8
8 Under 20 weeks gestation	6	3	3	14.0	17.2	11.8	4	4	-	4.7	7.6	0
9 20-27 weeks gestation	3	1	2	7.0	5.7	7.9	3	3	-	3.5	5.7	0
9 28 weeks and more	8	2	6	18.7	11.5	23.6	14	6	8	16.5	11.4	24.8
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	140	89	51	864.2	967.4	728.6	185	85	100	811.4	551.9	1351.4
11 Under 1 year	15	3	12	35.0	17.2	47.2	38	18	20	44.8	34.2	61.9
12 Under 28 days	9	2	7	21.0	11.5	27.6	25	15	10	29.4	28.5	31.0
13 Deaths from immaturity	2	-	2	4.7	0	7.9	7	4	3	8.2	7.6	9.3
14 1-4 years **	3	1	2	-	-	-	8	2	6	-	-	-
15 Maternal deaths	-	-	-	0	0	0	1	-	1	11.8	0	31.0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	1	1	-	6.2	10.9	0	1	1	-	4.4	6.5	0
17 Syphilis and its sequelae (020-029)	1	1	-	6.2	10.9	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	1	1	-	4.4	6.5	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	1	1	-	6.2	10.9	0	1	1	-	4.4	6.5	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haemopoietic tissues (140-205)	17	13	4	104.9	141.3	57.1	14	9	5	61.4	58.4	67.6
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	2	1	1	8.8	6.5	13.5
35 Diabetes mellitus (260)	1	1	-	6.2	10.9	0	3	2	1	13.2	13.0	13.5
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	1	-	1	4.4	0	13.5
38 Vascular lesions affecting central nervous system (330-334)	30	21	9	185.2	228.3	128.6	28	11	17	122.8	71.4	229.7
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	2	-	2	8.8	0	27.0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	31	22	9	191.4	239.1	128.6	44	22	22	193.0	142.9	297.3
42 Hypertension without mention of heart (444-447)	4	1	3	24.7	10.9	42.9	-	-	-	0	0	0
43 Influenza and pneumonia (480-483, 490-493)	6	4	2	37.0	43.5	28.6	12	-	12	52.6	0	162.2
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	2	1	1	8.8	6.5	13.5
46 Appendicitis (550-553)	-	-	-	0	0	0	1	-	1	4.4	0	13.5
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	4	1	3	24.7	10.9	42.9	5	1	4	21.9	6.5	54.1
49 Cirrhosis of liver (581)	1	1	-	6.2	10.9	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	-	-	-	0	0	0	3	1	2	13.2	6.5	27.0
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	-	1	4.4	0	13.5
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	1	-	1	4.4	0	13.5
53 Congenital malformations (750-759)	1	-	1	6.2	0	14.3	5	2	3	21.9	13.0	40.5
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	3	2	1	18.5	21.7	14.3	11	8	3	48.2	51.9	40.5
55 Infection of the newborn (763-768)	2	-	2	12.3	0	28.6	1	1	-	4.4	6.5	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	2	-	2	12.3	0	28.6	11	6	5	48.2	39.0	67.6
57 Senility, without mention of psychosis (794)	1	-	1	6.2	0	14.3	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	1	-	1	4.4	0	13.5
59 Motor vehicle accidents (E810-E835)	6	3	3	37.0	32.6	42.9	9	5	4	39.5	32.5	54.1
60 All other accidents (E800-E802, E840-E962)	6	3	3	37.0	32.6	42.9	11	4	7	48.2	26.0	94.6
61 Suicide (E963, E970-E979)	2	2	-	12.3	21.7	0	1	1	-	4.4	6.5	0
62 Homicide (E984, E980-E985)	4	-	4	24.7	0	57.1	2	-	2	8.8	0	27.0
63 All other diseases (residual)	16	12	4	98.8	130.4	57.1	10	6	4	43.9	39.0	54.1

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Contd)

Irwin						Jackson						Jasper						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
329	157	172	28.4	21.2	41.0	425	351	74	23.0	22.4	26.4	183	50	133	26.5	17.2	33.2	1
182	152	30	55.3%	96.8%	17.4%	345	303	42	81.2%	86.3%	56.8%	86	47	39	47.0%	94.0%	29.3%	2
1	1	0	0.3%	0%	0.6%	61	39	22	14.4%	11.1%	29.7%	8	2	6	4.4%	4.0%	4.5%	3
146	5	141	44.4%	3.2%	82.0%	19	9	10	4.5%	2.6%	13.5%	89	1	88	48.6%	2.0%	66.2%	4
-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
25	9	16	76.0	57.3	93.0	56	37	19	131.8	105.4	256.8	9	2	7	49.2	40.0	52.6	6
9	4	5	27.4	25.5	29.1	11	10	1	25.9	28.5	13.5	9	2	7	49.2	40.0	52.6	7
2	1	1	6.1	6.4	5.8	6	6	-	14.1	17.1	0	3	1	2	16.4	20.0	15.0	8
-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	10.9	0	15.0	7
7	3	4	21.3	19.1	23.3	5	4	1	11.8	11.4	13.5	3	1	2	16.4	20.0	15.0	9
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	5.5	0	7.5	-
79	45	34	681.0	608.1	809.5	141	121	20	762.2	770.7	714.3	73	32	41	1058.0	1103.4	1025.0	10
9	3	6	27.4	19.1	34.9	12	9	3	28.2	25.6	40.5	7	7	0	38.3	0	52.6	11
3	2	1	9.1	12.7	5.8	6	6	-	14.1	17.1	0	3	3	3	16.4	0	22.6	12
1	1	0	3.0	6.4	0	1	1	-	2.4	2.8	0	1	1	0	0	0	0	13
3	-	3	-	-	-	1	1	-	-	-	-	1	-	1	0	0	0	14
1	1	-	30.4	63.7	0	-	-	-	0	0	0	-	-	-	0	0	0	15
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	16
1	1	-	8.6	13.5	0	-	-	-	0	0	0	-	-	-	0	0	0	17
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
2	1	1	17.2	13.5	23.8	-	-	-	0	0	0	-	-	-	0	0	0	32
8	6	2	69.0	81.1	47.6	13	13	-	70.3	82.8	0	11	8	3	159.4	275.9	75.0	33
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
-	-	-	0	0	0	2	2	-	10.8	12.7	0	-	-	-	0	0	0	35
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
16	9	7	137.9	121.6	166.7	23	23	-	124.3	146.5	0	12	5	7	173.9	172.4	175.0	38
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
23	14	9	198.3	189.2	214.3	50	39	11	270.3	248.4	392.9	18	10	8	260.9	344.8	200.0	41
1	1	0	8.6	0	23.8	5	4	1	27.0	25.5	35.7	1	1	1	14.5	0	25.0	42
3	1	2	25.9	13.5	47.6	5	3	2	27.0	19.1	71.4	6	1	5	87.0	34.5	125.0	43
-	-	-	0	0	0	1	1	-	5.4	6.4	0	1	1	1	14.5	0	25.0	44
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	14.5	34.5	0	45
1	1	-	8.6	13.5	0	-	-	-	0	0	0	-	-	-	0	0	0	46
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	47
1	-	1	8.6	0	23.8	1	1	-	5.4	6.4	0	1	-	1	14.5	0	25.0	48
-	-	-	0	0	0	2	2	-	10.8	12.7	0	-	-	-	0	0	0	49
1	1	-	8.6	13.5	0	2	2	-	10.8	12.7	0	-	-	-	0	0	0	50
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
1	1	-	8.6	13.5	0	-	-	-	0	0	0	-	-	-	0	0	0	52
1	-	1	8.6	0	23.8	2	2	-	10.8	12.7	0	-	-	-	0	0	0	53
-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	29.0	0	50.0	54
1	-	1	8.6	0	23.8	1	1	-	5.4	6.4	0	-	-	-	0	0	0	55
2	2	-	17.2	27.0	0	4	4	-	21.6	25.5	0	1	-	1	14.5	0	25.0	56
3	3	-	25.9	40.5	0	1	1	-	5.4	6.4	0	-	-	-	0	0	0	57
1	-	1	8.6	0	23.8	5	3	2	27.0	19.1	71.4	2	-	2	29.0	0	50.0	58
2	2	-	17.2	27.0	0	5	5	-	27.0	31.8	0	5	1	4	72.5	34.5	100.0	59
9	1	8	77.6	13.5	190.5	6	5	1	32.4	31.8	35.7	3	1	2	43.5	34.5	50.0	60
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	61
-	-	-	0	0	0	1	1	-	5.4	6.4	0	1	-	1	14.5	0	25.0	62
2	2	-	17.2	27.0	0	12	9	3	64.9	57.3	107.1	8	5	3	115.9	172.4	75.0	63

ITEM	Jeff Davis						Jefferson					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	251	185	66	26.4	25.0	31.4	569	170	399	30.9	21.8	37.6
2 Delivered in hospital	109	106	3	43.4%	57.3%	4.5%	208	156	52	36.6%	91.8%	13.0%
3 Delivered in home by physician	79	74	5	31.5%	40.0%	7.6%	38	6	32	6.7%	3.5%	8.0%
4 Delivered in home by midwife	63	5	58	25.1%	2.7%	87.9%	323	8	315	56.8%	4.7%	78.9%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	22	17	5	87.6	91.9	75.8	61	13	48	107.2	76.5	120.3
FETAL DEATHS												
7 Total	7	2	5	27.9	10.8	75.8	18	1	17	31.6	5.9	42.6
8 Under 20 weeks gestation	-	-	-	0	0	0	4	-	4	7.0	0	10.0
9 20-27 weeks gestation	-	-	-	0	0	0	3	-	3	5.3	0	7.5
10 28 weeks and more	5	2	3	19.9	10.8	45.5	11	1	10	19.3	5.9	25.1
11 Unknown length of gestation	2	-	2	8.0	0	30.3	-	-	-	0	0	0
DEATHS												
10 Total, all ages	68	48	20	715.8	648.6	952.4	167	68	99	907.6	871.8	934.0
11 Under 1 year	16	12	4	63.7	64.9	60.6	19	3	16	33.4	16.2	40.1
12 Under 28 days	10	10	-	39.8	54.1	0	12	1	11	21.1	5.4	27.6
13 Deaths from immaturity	5	5	-	19.9	27.0	0	3	-	3	5.3	0	7.5
14 1-4 years **	2	1	1	-	-	-	2	-	2	-	-	-
15 Maternal deaths	1	1	-	39.8	54.1	0	1	-	1	17.6	0	25.1
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	2	-	2	10.9	0	18.9
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	1	1	-	10.5	13.5	0	1	-	1	5.4	0	9.4
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	1	-	1	5.4	0	9.4
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	4	3	1	42.1	40.5	47.6	14	10	4	76.1	128.2	37.7
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	1	1	-	10.5	13.5	0	-	-	-	0	0	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	9	7	2	94.7	94.6	95.2	34	14	20	184.8	179.5	188.7
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	1	-	1	5.4	0	9.4
40 Rheumatic fever (400-402)	1	1	-	10.5	13.5	0	-	-	-	0	0	0
41 Heart diseases (410-443)	19	15	4	200.0	202.7	190.5	58	23	35	315.2	294.9	330.2
42 Hypertension without mention of heart (444-447)	1	-	1	10.5	0	47.6	2	-	2	10.9	0	18.9
43 Influenza and pneumonia (480-483, 490-493)	5	1	4	52.6	13.5	190.5	4	-	4	21.7	0	37.7
44 Bronchitis (500-502)	-	-	-	0	0	0	1	1	-	5.4	12.8	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	2	-	2	10.9	0	18.9
48 Gastritis, duodenitis, enteritis and colitis (except diarrhoea of the newborn) (543, 571, 572)	2	1	1	21.1	13.5	47.6	2	1	1	10.9	12.8	9.4
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	4	2	2	42.1	27.0	95.2	2	2	-	10.9	25.6	0
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	-	1	5.4	0	9.4
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	1	-	10.5	13.5	0	1	-	1	5.4	0	9.4
53 Congenital malformations (750-759)	-	-	-	0	0	0	1	1	-	5.4	12.8	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	3	3	-	31.6	40.5	0	4	1	3	21.7	12.8	28.3
55 Infection of the newborn (763-768)	-	-	-	0	0	0	3	-	3	16.3	-	28.3
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	7	6	1	73.7	81.1	47.6	4	-	4	21.7	-	37.7
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	2	-	2	10.9	0	18.9
59 Motor vehicle accidents (E810-E835)	2	-	2	21.1	0	95.2	6	4	2	32.6	51.3	18.9
60 All other accidents (E800-E802, E840-E962)	1	1	-	10.5	13.5	0	7	5	2	38.0	64.1	18.9
61 Suicide (E963, E970-E979)	2	2	-	21.1	27.0	0	1	1	-	5.4	12.8	0
62 Homicide (E964, E980-E985)	2	2	-	21.1	27.0	0	1	1	-	5.4	12.8	0
63 All other diseases (residual)	5	3	2	52.6	40.5	95.2	8	5	3	43.5	64.1	28.3

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Jenkins						Johnson						Jones						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
312	109	203	32.5	25.3	38.3	211	104	107	24.5	17.9	38.2	197	58	139	27.4	17.1	36.6	1
153	105	48	49.0%	96.3%	23.6%	121	100	21	57.3%	96.2%	19.6%	71	55	16	36.0%	94.8%	11.5%	2
3	-	3	1.0%	0%	1.5%	3	1	2	1.4%	1.0%	1.9%	13	1	12	6.6%	1.7%	8.6%	3
156	4	152	50.0%	3.7%	74.9%	87	3	84	41.2%	2.9%	78.5%	111	1	110	56.3%	1.7%	79.1%	4
-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	2	1	1	1.0%	1.7%	0.7%	5
17	6	11	54.5	55.0	54.2	24	2	22	113.7	19.2	205.6	22	6	16	111.7	103.4	115.1	6
13	1	12	41.7	9.2	59.1	3	1	2	14.2	9.6	18.7	6	4	2	30.5	69.0	14.4	7
2	1	1	6.4	9.2	4.9	-	-	-	0	0	0	4	3	1	20.3	51.7	7.2	8
2	-	2	6.4	0	9.9	-	-	-	0	0	0	-	-	-	0	0	0	8
8	-	8	25.6	0	39.4	3	1	2	14.2	9.6	18.7	1	-	1	5.1	0	7.2	9
1	-	1	3.2	0	4.9	-	-	-	0	0	0	1	1	-	5.1	17.2	0	0
121	46	75	1260.4	1069.8	1415.1	83	53	30	965.1	913.8	1071.4	72	27	45	1000.0	794.1	1184.2	10
14	6	8	44.9	55.0	39.4	4	4	4	19.0	0	37.4	8	-	8	40.6	0	57.6	11
11	5	6	35.3	45.9	29.6	1	-	1	4.7	0	9.3	7	-	7	35.6	0	50.4	12
1	1	1	3.2	0	4.9	1	1	1	4.7	0	9.3	4	-	4	20.3	0	28.8	13
6	1	5	-	-	-	2	1	1	-	-	-	1	-	1	-	-	-	14
1	-	1	32.1	0	49.3	1	1	1	47.4	0	93.5	-	-	-	0	0	0	15
1	-	1	10.4	0	18.9	2	1	1	23.3	17.2	35.7	-	-	-	0	0	0	16
0	-	0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
0	-	0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
1	-	1	10.4	0	18.9	-	-	-	0	0	0	-	-	-	0	0	0	19
0	-	0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
0	-	0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
0	-	0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
0	-	0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
1	-	1	10.4	0	18.9	-	-	-	0	0	0	-	-	-	0	0	0	24
0	-	0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
0	-	0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
0	-	0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
1	-	1	10.4	0	18.9	-	-	-	0	0	0	-	-	-	0	0	0	28
0	-	0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
0	-	0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
0	-	0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
1	-	1	10.4	0	18.9	-	-	-	0	0	0	-	-	-	0	0	0	32
9	6	3	93.8	139.5	56.6	10	6	4	116.3	103.4	142.9	6	2	4	83.3	58.8	105.3	33
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
-	-	-	0	0	0	2	2	-	23.3	34.5	0	3	2	1	41.7	58.8	26.3	35
-	-	-	0	0	0	-	-	-	0	0	0	2	2	-	27.8	58.8	0	36
1	-	1	10.4	0	18.9	-	-	-	0	0	0	1	1	-	13.9	29.4	0	37
24	9	15	250.0	209.3	283.0	22	13	9	255.8	224.1	321.4	12	4	8	166.7	117.6	210.5	38
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
1	-	1	10.4	0	18.9	-	-	-	0	0	0	-	-	-	0	0	0	40
24	12	12	250.0	279.1	226.4	25	20	5	290.7	344.8	178.6	20	7	13	277.8	205.9	342.1	41
2	1	1	20.8	23.3	18.9	-	-	-	0	0	0	1	1	-	13.9	29.4	0	42
7	-	7	72.9	0	132.1	3	1	2	34.9	17.2	71.4	1	-	1	13.9	0	26.3	43
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
1	1	-	10.4	23.3	0	-	-	-	0	0	0	1	-	1	13.9	0	26.3	45
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
-	-	-	0	0	0	1	1	-	11.6	17.2	0	-	-	-	0	0	0	47
3	2	1	31.2	46.5	18.9	2	1	1	23.3	17.2	35.7	-	-	-	0	0	0	48
1	1	-	10.4	23.3	0	-	-	-	0	0	0	-	-	-	0	0	0	49
3	1	2	31.2	23.3	37.7	2	1	1	23.3	17.2	35.7	3	-	3	41.7	0	78.9	50
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	13.9	29.4	0	51
1	-	1	10.4	0	18.9	1	-	1	11.6	0	35.7	-	-	-	0	0	0	52
1	-	1	10.4	0	18.9	-	-	-	0	0	0	-	-	-	0	0	0	53
4	4	-	41.7	93.0	0	-	-	-	0	0	0	2	-	2	27.8	0	52.6	54
1	-	1	10.4	0	18.9	-	-	-	0	0	0	-	-	-	0	0	0	55
3	-	3	31.2	0	56.6	1	-	1	11.6	0	35.7	5	-	5	69.4	0	131.6	56
1	1	-	10.4	23.3	0	-	-	-	0	0	0	-	-	-	0	0	0	57
7	1	6	72.9	23.3	113.2	1	1	-	11.6	17.2	0	-	-	-	0	0	0	58
5	2	3	52.1	46.5	56.6	5	4	1	58.1	69.0	35.7	4	-	4	55.6	0	105.3	59
2	1	1	31.2	46.5	18.9	1	-	1	11.6	0	35.7	2	2	-	27.8	58.8	0	60
3	1	2	20.8	23.3	18.9	-	-	-	0	0	0	1	1	-	13.9	29.4	0	61
4	4	-	41.7	0	75.5	1	-	1	11.6	0	35.7	1	1	-	13.9	0	26.3	62
8	2	6	83.3	46.5	113.2	4	2	2	46.5	34.5	71.4	6	4	2	83.3	117.6	52.6	63

ITEM	Lamar						Lanier					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	282	140	142	27.4	22.6	34.6	132	68	64	26.4	20.0	40.0
2 Delivered in hospital	271	140	131	96.1%	100.0%	92.3%	88	62	26	66.7%	91.2%	40.6%
3 Delivered in home by physician	1	-	1	0.4%	0%	0.7%	17	5	12	12.9%	7.4%	18.8%
4 Delivered in home by midwife	10	-	10	3.5%	0%	7.0%	27	1	26	20.5%	1.5%	40.6%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	25	13	12	88.7	92.9	84.5	4	1	3	30.3	14.7	46.9
FETAL DEATHS												
Total	11	6	5	39.0	42.9	35.2	7	6	1	53.0	88.2	15.6
7 Under 20 weeks gestation	3	2	1	10.6	14.3	7.0	2	1	1	15.2	14.7	15.6
8 20-27 weeks gestation	3	3	-	10.6	21.4	0	1	1	-	7.6	14.7	0
9 28 weeks and more	5	1	4	17.7	7.1	28.2	4	4	-	30.3	58.8	0
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	90	59	31	873.8	951.6	756.1	31	18	13	620.0	529.4	812.5
11 Under 1 year	6	2	4	21.3	14.3	28.2	4	3	1	30.3	44.1	15.6
12 Under 28 days	3	2	1	10.6	14.3	7.0	1	1	-	7.6	14.7	0
13 Deaths from immaturity	1	-	1	3.5	0	7.0	1	1	-	7.6	14.7	0
14 1-4 years **	-	-	-	-	-	-	-	-	-	-	-	-
15 Maternal deaths	1	-	1	35.5	0	70.4	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	1	-	1	20.0	0	62.5
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	1	1	-	20.0	29.4	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	1	1	-	20.0	29.4	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	1	1	-	20.0	29.4	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	12	8	4	116.5	129.0	97.6	2	2	-	40.0	58.8	0
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	-	-	-	0	0	0	-	-	-	0	0	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	15	8	7	145.6	129.0	170.7	4	3	1	80.0	88.2	62.5
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	31	20	11	301.0	322.6	268.3	7	3	4	140.0	88.2	250.0
42 Hypertension without mention of heart (444-447)	1	1	-	9.7	16.1	0	-	-	-	0	0	0
43 Influenza and pneumonia (480-483, 490-493)	5	2	3	48.5	32.3	73.2	1	1	-	20.0	29.4	0
44 Bronchitis (500-502)	1	-	1	9.7	0	24.4	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	-	-	-	0	0	0
49 Cirrhosis of liver (581)	-	-	-	0	0	0	1	-	1	20.0	0	62.5
50 Nephritis and nephrosis (590-594)	3	2	1	29.1	32.3	24.4	-	-	-	0	0	0
51 Hyperplasia of prostate (610)	2	1	1	19.4	16.1	24.4	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	9.7	0	24.4	-	-	-	0	0	0
53 Congenital malformations (750-759)	-	-	-	0	0	0	1	-	1	20.0	0	62.5
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	1	-	9.7	16.1	0	-	-	-	0	0	0
55 Infection of the newborn (763-768)	-	-	-	0	0	0	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	-	1	9.7	0	24.4	1	1	-	20.0	29.4	0
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	1	-	1	9.7	0	24.4	-	-	-	0	0	0
59 Motor vehicle accidents (E810-E835)	4	4	-	38.8	64.5	0	1	1	-	20.0	29.4	0
60 All other accidents (E800-E802, E840-E962)	7	7	-	68.0	112.9	0	3	1	2	60.0	29.4	125.0
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	3	1	2	60.0	29.4	125.0
63 All other diseases (residual)	5	5	-	48.5	80.6	0	3	2	1	60.0	58.8	62.5

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Laurens						Lee						Liberty						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
846	422	424	25.8	21.5	32.1	217	40	177	35.0	21.1	41.2	350	174	176	41.7	51.2	35.2	1
546	407	139	64.5%	96.4%	32.8%	65	37	28	30.0%	92.5%	15.8%	250	172	78	71.4%	98.8%	44.3%	2
36	11	25	4.3%	2.6%	5.9%	3	2	3	1.4%	0%	1.7%	5	1	4	1.4%	0.6%	2.3%	3
264	4	260	31.2%	0.9%	61.3%	149	3	146	68.7%	7.5%	82.5%	95	1	94	27.1%	0.6%	53.4%	4
-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
71	33	38	83.9	78.2	89.6	12	-	12	55.3	0	67.8	23	13	10	65.7	74.7	56.8	6
27	10	17	31.9	23.7	40.1	11	4	7	50.7	100.0	39.5	7	-	7	20.0	0	39.8	7
6	1	5	7.1	2.4	11.8	4	3	1	18.4	75.0	5.6	1	-	1	2.9	0	5.7	8
6	3	3	7.1	7.1	7.1	2	-	2	9.2	0	11.3	2	-	2	5.7	0	11.4	8
15	6	9	17.7	14.2	21.2	5	1	4	23.0	25.0	22.6	4	-	4	11.4	0	22.7	9
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	9
336	181	155	1024.4	923.5	1174.2	72	25	47	1161.3	1315.8	1093.0	98	30	68	1166.7	882.4	1360.0	10
43	15	28	50.8	35.5	66.0	7	-	7	32.3	0	39.5	12	7	5	34.3	40.2	28.4	11
32	14	18	37.8	33.2	42.5	6	-	6	27.6	0	33.9	11	6	5	31.4	34.5	28.4	12
12	6	6	14.2	14.2	14.2	-	-	-	0	0	0	3	2	1	8.6	11.5	5.7	13
7	2	5	-	-	-	1	-	1	-	-	-	5	2	3	-	-	-	14
2	-	2	23.6	0	47.2	2	1	1	92.2	250.0	56.5	2	-	2	57.1	0	113.6	15
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	16
1	-	1	3.0	0	7.6	1	2	1	32.2	105.3	0	-	-	-	0	0	0	17
-	-	-	0	0	0	-	-	-	16.1	0	23.3	-	-	-	0	0	0	18
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
1	-	1	3.0	0	7.6	-	-	-	0	0	0	-	-	-	0	0	0	23
2	1	1	6.1	5.1	7.6	-	-	-	0	0	0	-	-	-	0	0	0	24
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
1	-	1	3.0	0	7.6	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
43	32	11	131.1	163.3	83.3	8	2	6	129.0	105.3	139.5	7	1	6	83.3	29.4	120.0	33
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
4	3	1	12.2	15.3	7.6	2	1	1	32.3	52.6	23.3	5	1	4	59.5	29.4	80.0	35
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
1	1	-	3.0	5.1	0	1	1	-	16.1	52.6	0	-	-	-	0	0	0	37
48	31	17	146.3	158.2	128.8	5	2	3	80.6	105.3	69.8	27	4	23	321.4	117.6	460.0	38
-	-	-	0	0	0	1	-	1	16.1	0	23.3	-	-	-	0	0	0	39
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
97	62	35	295.7	316.3	265.2	25	11	14	403.2	578.9	325.6	20	8	12	238.1	235.3	240.0	41
6	1	5	18.3	5.1	37.9	1	-	1	16.1	0	23.3	-	-	-	0	0	0	42
14	5	9	42.7	25.5	68.2	4	-	4	64.5	0	93.0	3	1	2	35.7	29.4	40.0	43
3	1	2	9.1	5.1	15.2	-	-	-	0	0	0	-	-	-	0	0	0	44
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	11.9	0	20.0	45
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
1	1	-	3.0	5.1	0	-	-	-	0	0	0	-	-	-	0	0	0	47
4	-	4	12.2	0	30.3	-	-	-	0	0	0	-	-	-	0	0	0	48
3	1	2	9.1	5.1	15.2	-	-	-	0	0	0	1	-	1	11.9	0	20.0	49
8	2	6	24.4	10.2	45.5	-	-	-	0	0	0	2	1	1	23.8	29.4	20.0	50
5	1	4	15.2	5.1	30.3	-	-	-	0	0	0	1	1	-	11.9	29.4	0	51
2	-	2	6.1	0	15.2	2	1	1	32.3	52.6	23.3	2	-	2	23.8	0	40.0	52
5	5	-	15.2	25.5	0	1	-	1	16.1	0	23.3	4	4	-	47.6	117.6	0	53
7	5	2	21.3	25.5	15.2	2	-	-	0	0	0	1	1	-	11.9	29.4	0	54
2	-	2	6.1	0	15.2	2	-	2	32.3	0	46.5	1	-	1	11.9	0	20.0	55
14	8	6	42.7	40.8	45.5	2	-	2	32.3	0	46.5	4	2	2	47.6	58.8	40.0	56
3	-	3	9.1	0	22.7	-	-	-	0	0	0	1	-	1	11.9	0	20.0	57
10	1	9	30.5	5.1	68.2	3	1	2	48.4	52.6	46.5	-	-	-	0	0	0	58
13	6	7	39.6	30.6	53.0	1	1	1	16.1	52.6	0	5	2	3	59.5	58.8	60.0	59
18	2	16	54.9	10.2	121.2	2	1	1	32.3	52.6	23.3	3	2	1	35.7	58.8	20.0	60
2	2	-	6.1	10.2	0	-	-	-	0	0	0	-	-	-	0	0	0	61
2	2	-	6.1	0	15.2	-	-	-	0	0	0	1	-	1	11.9	0	20.0	62
16	10	6	48.8	51.0	45.5	6	2	4	96.8	105.3	93.0	6	1	5	71.4	29.4	100.0	63

ITEM	Lincoln						Long					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	160	68	92	25.8	21.2	30.7	124	84	40	36.5	38.2	33.3
2 Delivered in hospital	129	65	64	80.6%	95.6%	69.6%	99	82	17	79.8%	97.6%	42.5%
3 Delivered in home by physician	16	3	13	10.0%	4.4%	14.1%	11	2	9	8.9%	2.4%	22.5%
4 Delivered in home by midwife	14	-	14	8.8%	0%	15.2%	14	-	14	11.3%	0%	35.0%
5 Other deliveries	1	-	1	0.6%	0%	1.1%	-	-	-	0%	0%	0%
6 Immature births	16	6	10	100.0	88.2	108.7	11	8	3	88.7	95.2	75.0
FETAL DEATHS												
7 Total	2	2	-	12.5	29.4	0	5	3	2	40.3	35.7	50.0
8 Under 20 weeks gestation	-	-	-	0	0	0	-	-	-	0	0	0
9 20-27 weeks gestation	-	-	-	0	0	0	2	2	-	16.1	23.8	0
28 weeks and more	2	2	-	12.5	29.4	0	3	1	2	24.2	11.9	50.0
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	46	21	25	741.9	656.2	833.3	36	19	17	1058.8	863.6	1416.7
11 Under 1 year	7	1	6	43.8	14.7	65.2	7	4	3	56.5	47.6	75.0
12 Under 28 days	3	1	2	18.8	14.7	21.7	3	3	-	24.2	35.7	0
13 Deaths from immaturity	1	-	1	6.2	0	10.9	-	-	-	0	0	0
14 1-4 years **	3	-	3	-	-	-	-	-	-	-	-	-
15 Maternal deaths	-	-	-	0	0	0	1	-	1	80.6	0	250.0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	1	-	1	29.4	0	83.3
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	1	1	-	29.4	45.5	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	1	-	1	16.1	0	33.3	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	5	2	3	80.6	62.5	100.0	3	2	1	88.2	90.9	83.3
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	-	-	-	0	0	0	-	-	-	0	0	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	6	2	4	96.8	62.5	133.3	4	3	1	117.6	136.4	83.3
39 Nonmeningococcal meningitis (340)	1	-	1	16.1	0	33.3	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	13	9	4	209.7	281.2	133.3	8	3	5	235.3	136.4	416.7
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	1	1	-	29.4	45.5	0
43 Influenza and pneumonia (480-483, 490-493)	1	-	1	16.1	0	33.3	3	1	2	88.2	45.5	166.7
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	16.1	31.2	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	16.1	0	33.3	1	-	1	29.4	0	83.3
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	3	2	1	48.4	62.5	33.3	1	1	-	29.4	45.5	0
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	1	-	1	29.4	0	83.3
53 Congenital malformations (750-759)	-	-	-	0	0	0	-	-	-	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	1	-	16.1	31.2	0	2	2	-	58.8	90.9	0
55 Infection of the newborn (763-768)	1	-	1	16.1	0	33.3	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	-	3	48.4	0	100.0	1	1	-	29.4	45.5	0
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	3	2	1	88.2	90.9	83.3
58 Ill-defined and unknown causes (780-793, 795)	3	1	2	48.4	31.2	66.7	-	-	-	0	0	0
59 Motor vehicle accidents (E810-E835)	-	-	-	0	0	0	1	1	-	29.4	45.5	0
60 All other accidents (E800-E802, E840-E962)	1	1	-	16.1	31.2	0	1	-	1	29.4	0	83.3
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	1	-	1	29.4	0	83.3
63 All other diseases (residual)	5	2	3	80.6	62.5	100.0	3	1	2	88.2	45.5	166.7

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Continued)

Lowndes						Lumpkin						Macon						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1,234	681	553	31.4	28.5	35.9	139	136	3	20.7	20.6	30.0	351	94	257	26.0	21.4	28.2	1
787	656	131	63.8%	96.3%	23.7%	133	130	3	95.7%	95.6%	100.0%	183	92	91	52.1%	97.9%	35.4%	2
41	11	30	3.3%	1.6%	5.4%	-	-	-	0%	0%	0%	4	-	4	1.1%	0%	1.6%	3
406	14	392	32.9%	2.1%	70.9%	6	6	-	4.3%	4.4%	0%	163	2	161	46.4%	2.1%	62.6%	4
-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	1	-	1	0.3%	0%	0.4%	5
110	45	65	89.1	66.1	117.5	11	11	-	79.1	80.9	0	28	3	25	79.8	31.9	97.3	6
49	30	19	39.7	44.1	34.4	5	5	-	36.0	36.8	0	8	-	8	22.8	0	31.1	7
10	7	3	8.1	10.3	5.4	-	-	-	0	0	0	-	-	-	0	0	0	8
7	5	2	5.7	7.3	3.6	1	1	-	7.2	7.4	0	2	-	2	5.7	0	7.8	9
29	16	13	23.5	23.5	23.5	3	3	-	21.6	22.1	0	5	-	5	14.2	0	19.5	10
3	2	1	2.4	7.3	1.8	1	1	-	7.2	7.4	0	1	-	1	2.8	0	3.9	11
326	199	127	829.5	832.6	824.7	66	60	6	985.1	909.1	6000.0	117	21	96	866.7	477.3	1055.0	12
24	16	8	19.4	23.5	14.5	4	4	-	28.8	29.4	0	10	-	10	28.5	0	38.9	13
16	11	5	13.0	16.2	9.0	2	2	-	14.4	14.7	0	3	-	3	8.5	0	11.7	14
5	3	2	4.1	4.4	3.6	1	1	-	7.2	7.4	0	2	-	2	5.7	0	7.8	15
11	8	3	-	-	-	1	1	-	-	-	0	2	-	2	-	-	-	16
-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	57.0	0	77.8	17
3	1	2	7.6	4.2	13.0	1	1	-	14.9	15.2	0	1	1	1	14.8	22.7	11.0	18
1	-	-	2.5	0	6.5	-	-	-	0	0	0	-	-	-	0	0	0	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
1	1	-	2.5	4.2	0	-	-	-	0	0	0	-	-	-	0	0	0	24
1	1	-	2.5	0	6.5	-	-	-	0	0	0	-	-	-	0	0	0	25
2	1	1	5.1	4.2	6.5	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
1	1	-	2.5	4.2	0	1	1	-	14.9	15.2	0	1	-	1	7.4	0	11.0	32
46	33	13	117.0	138.1	84.4	10	9	1	149.3	136.4	1000.0	8	2	6	59.3	45.5	65.9	33
1	1	-	2.5	4.2	0	-	-	-	0	0	0	-	-	-	0	0	0	34
4	4	-	10.2	0	26.0	1	1	-	14.9	15.2	0	2	-	2	14.8	0	22.0	35
1	1	-	2.5	4.2	0	-	-	-	0	0	0	-	-	-	0	0	0	36
1	1	-	2.5	0	6.5	-	-	-	0	0	0	-	-	-	0	0	0	37
47	27	20	119.6	113.0	129.9	12	10	2	179.1	151.5	2000.0	22	3	19	163.0	68.2	208.8	38
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
1	-	1	2.5	0	6.5	-	-	-	0	0	0	-	-	-	0	0	0	40
103	65	38	262.1	272.0	246.8	19	18	1	283.6	272.7	1000.0	40	11	29	296.3	250.0	318.7	41
8	4	4	20.4	16.7	26.0	-	-	-	0	0	0	1	-	1	7.4	0	11.0	42
12	4	8	30.5	16.7	51.9	5	5	-	74.6	75.8	0	6	-	6	44.4	0	65.9	43
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	7.4	0	11.0	45
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
1	-	1	2.5	0	6.5	-	-	-	0	0	0	-	-	-	0	0	0	47
3	2	1	7.6	8.4	6.5	-	-	-	0	0	0	4	-	4	29.6	0	44.0	48
4	4	-	10.2	16.7	0	-	-	-	0	0	0	-	-	-	0	0	0	49
4	3	1	10.2	12.6	6.5	-	-	-	0	0	0	3	-	3	22.2	0	33.0	50
1	-	1	2.5	0	6.5	-	-	-	0	0	0	-	-	-	0	0	0	51
-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	14.8	0	22.0	52
7	2	5	17.8	8.4	32.5	1	1	-	14.9	15.2	0	-	-	-	0	0	0	53
3	2	1	7.6	8.4	6.5	-	-	-	0	0	0	-	-	-	0	0	0	54
1	1	-	2.5	4.2	0	-	-	-	0	0	0	-	-	-	0	0	0	55
8	6	2	20.4	25.1	13.0	1	1	-	14.9	15.2	0	4	-	4	29.6	0	44.0	56
2	1	1	5.1	4.2	6.5	1	1	-	14.9	15.2	0	-	-	-	0	0	0	57
8	4	4	20.4	16.7	26.0	1	1	-	14.9	15.2	0	3	-	3	22.2	0	33.0	58
6	6	-	15.3	25.1	0	5	3	2	74.6	45.5	2000.0	4	3	1	29.6	68.2	11.0	59
6	4	2	15.3	16.7	13.0	3	3	-	44.8	45.5	0	8	-	8	59.3	0	87.9	60
9	7	2	22.9	29.3	13.0	1	1	-	14.9	15.2	0	-	-	-	0	0	0	61
6	1	5	15.3	4.2	32.5	-	-	-	0	0	0	1	-	1	7.4	0	11.0	62
24	17	7	61.1	71.1	45.5	4	4	-	59.7	60.6	0	4	1	3	29.6	22.7	33.0	63

ITEM	Madison						Marion					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	257	181	76	22.0	19.1	34.5	174	40	134	27.6	16.0	35.3
2 Delivered in hospital	190	166	24	73.9%	91.7%	31.6%	43	36	7	24.7%	90.0%	5.2%
3 Delivered in home by physician	3	2	1	1.2%	1.1%	1.3%	13	3	10	7.5%	7.5%	7.5%
4 Delivered in home by midwife	64	13	51	24.9%	7.2%	67.1%	118	1	117	67.8%	2.5%	87.3%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	18	9	9	70.0	49.7	118.4	14	1	13	80.5	25.0	97.0
FETAL DEATHS												
7 Total	11	7	4	42.8	38.7	52.6	10	1	9	57.5	25.0	67.2
8 Under 20 weeks gestation	4	4	-	15.6	22.1	0	1	-	1	5.7	0	7.5
9 20-27 weeks gestation	-	-	-	0	0	0	-	-	-	0	0	0
28 weeks and more	5	2	3	19.5	11.0	39.5	9	1	8	51.7	25.0	59.7
Unknown length of gestation	2	1	1	7.8	5.5	13.2	-	-	-	0	0	0
DEATHS												
10 Total, all ages	113	79	34	965.8	831.6	1545.5	67	24	43	1063.5	960.0	1131.6
11 Under 1 year	12	3	9	46.7	16.6	118.4	12	2	10	69.0	50.0	74.6
12 Under 28 days	7	3	4	27.2	16.6	52.6	7	2	5	40.2	50.0	37.3
13 Deaths from immaturity	1	1	1	3.9	0	13.2	1	1	-	5.7	25.0	0
14 1-4 years **	2	1	1	-	-	-	1	-	1	-	-	-
15 Maternal deaths	-	-	-	0	0	0	1	-	1	57.5	0	74.6
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	1	1	-	8.5	10.5	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	5	4	1	42.7	42.1	45.5	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	15	11	4	128.2	115.8	181.8	9	4	5	142.9	160.0	131.6
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	1	1	-	8.5	10.5	0	1	-	1	15.9	0	26.3
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	13	8	5	111.1	84.2	227.3	17	9	8	269.8	360.0	210.5
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	41	32	9	350.4	336.8	409.1	9	3	6	142.9	120.0	157.9
42 Hypertension without mention of heart (444-447)	3	1	2	25.6	10.5	90.9	-	-	-	0	0	0
43 Influenza and pneumonia (480-483, 490-493)	2	-	2	17.1	0	90.9	6	2	4	95.2	80.0	105.3
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhoea of the newborn) (543, 571, 572)	1	-	1	8.5	0	45.5	2	-	2	31.7	0	52.6
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	2	1	1	17.1	10.5	45.5	6	2	4	95.2	80.0	105.3
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	-	1	15.9	0	26.3
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	1	-	1	15.9	0	26.3
53 Congenital malformations (750-759)	2	2	-	17.1	21.1	0	-	-	-	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	3	1	2	25.6	10.5	90.9	1	1	-	15.9	40.0	0
55 Infection of the newborn (763-768)	-	-	-	0	0	0	2	-	2	31.7	0	52.6
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	-	1	8.5	0	45.5	1	1	-	15.9	40.0	0
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	2	-	2	17.1	0	90.9	4	1	3	63.5	40.0	78.9
59 Motor vehicle accidents (E810-E835)	2	1	1	17.1	10.5	45.5	2	-	2	31.7	0	52.6
60 All other accidents (E800-E802, E840-E962)	3	2	1	25.6	21.1	45.5	1	-	1	15.9	0	26.3
61 Suicide (E963, E970-E979)	1	1	-	8.5	10.5	0	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	2	2	-	17.1	21.1	0	1	-	1	15.9	0	26.3
63 All other diseases (residual)	13	11	2	111.1	115.8	90.9	3	1	2	47.6	40.0	52.6

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954, (Cont'd)

McDuffie						McIntosh						Meriwether						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
371	178	193	31.7	27.0	37.8	199	59	140	31.6	24.6	35.9	525	188	337	25.5	18.6	32.1	1
263	175	88	70.9%	98.3%	45.6%	65	50	15	32.7%	84.7%	10.7%	220	167	53	41.9%	88.8%	15.7%	2
2	1	1	0.5%	0.6%	0.5%	2	1	1	1.0%	1.7%	0.7%	79	16	63	15.0%	8.5%	18.7%	3
106	2	104	28.6%	1.1%	53.9%	132	8	124	66.3%	13.6%	88.6%	225	5	220	42.9%	2.7%	65.3%	4
36	9	27	0%	0%	0%	13	6	7	0%	0%	0%	1	1	1	0.2%	0%	0.3%	5
			97.0	50.6	139.9				65.3	101.7	50.0	39	13	26	74.3	69.1	77.2	6
13	3	10	35.0	16.9	51.8	4	1	3	20.1	16.9	21.4	14	5	9	26.7	26.6	26.7	
			0	0	0				0	0	0	5	3	2	9.5	16.0	5.9	7
3	1	2	8.1	5.6	10.4	2	1	1	10.0	16.9	7.1	2	1	1	3.8	5.3	3.0	8
10	2	8	27.0	11.2	41.5	2		2	10.0	0	14.3	7	1	6	13.3	5.3	17.8	9
			0	0	0				0	0	0				0	0	0	
130	66	64	1111.1	1000.0	1254.9	74	18	56	1174.6	750.0	1435.9	174	84	90	844.7	831.7	857.1	10
20	4	16	53.9	22.5	82.9	14	1	13	70.4	16.9	92.9	15	6	9	28.6	31.9	26.7	11
9	1	8	24.3	5.6	41.5	11	1	10	55.3	16.9	71.4	9	6	3	17.1	31.9	8.9	12
3	3	3	8.1	0	15.5	2	2	2	10.0	0	14.3	2	1	1	3.8	5.3	3.0	13
3	3					3	1	2				4	3	1				14
1	1	1	27.0	0	51.8	1		1	50.3	0	71.4				0	0	0	15
			0	0	0				0	0	0				0	0	0	16
1	1		8.5	15.2	0				0	0	0				0	0	0	17
			0	0	0				0	0	0				0	0	0	18
			0	0	0				0	0	0				0	0	0	19
			0	0	0				0	0	0				0	0	0	20
			0	0	0				0	0	0	1	1	1	4.9	0	9.5	21
			0	0	0				0	0	0				0	0	0	22
			0	0	0				0	0	0				0	0	0	23
1	1		8.5	15.2	0				0	0	0				0	0	0	24
			0	0	0				0	0	0				0	0	0	25
			0	0	0				0	0	0				0	0	0	26
			0	0	0				0	0	0				0	0	0	27
1	1		8.5	15.2	0				0	0	0				0	0	0	28
			0	0	0				0	0	0				0	0	0	29
			0	0	0				0	0	0				0	0	0	30
			0	0	0				0	0	0				0	0	0	31
			0	0	0				0	0	0				0	0	0	32
11	9	2	94.0	136.4	39.2	8	2	6	127.0	83.3	153.8	25	14	11	121.4	138.6	104.8	33
			0	0	0				0	0	0				0	0	0	34
			0	0	0				0	0	0	3	2	1	14.6	19.8	9.5	35
			0	0	0				0	0	0				0	0	0	36
			0	0	0	1		1	15.9	0	25.6				0	0	0	37
15	6	9	128.2	90.9	176.5	11	3	8	174.6	125.0	205.1	40	17	23	194.2	168.3	219.0	38
			0	0	0				0	0	0				0	0	0	39
			0	0	0				0	0	0	1		1	4.9	0	9.5	40
43	25	18	367.5	378.8	352.9	20	9	11	317.5	375.0	282.1	47	27	20	228.2	267.3	190.5	41
			0	0	0	1		1	15.9	0	25.6	5	1	4	24.3	9.9	38.1	42
5	2	3	42.7	30.3	58.8	2		2	31.7	0	51.3	4	2	2	19.4	19.8	19.0	43
			0	0	0				0	0	0				0	0	0	44
1	1	1	8.5	0	19.6				0	0	0				0	0	0	45
			0	0	0				0	0	0				0	0	0	46
			0	0	0				0	0	0	2		2	9.7	0	19.0	47
1	1		8.5	15.2	0	2		2	31.7	0	51.3	4	1	3	19.4	9.9	28.6	48
			0	0	0				0	0	0	1		1	4.9	0	9.5	49
4	3	1	34.2	45.5	19.6	1	1		15.9	41.7	0	2		2	9.7	0	19.0	50
3	2	1	25.6	30.3	19.6	1		1	15.9	0	25.6				0	0	0	51
			0	0	0				0	0	0				0	0	0	52
1		1	8.5	0	19.6	1		1	15.9	0	25.6				0	0	0	53
3	2	1	25.6	30.3	19.6	1		1	15.9	0	25.6	2	2		9.7	19.8	0	54
2	1	1	17.1	15.2	19.6	1		1	15.9	0	25.6	4	3	1	19.4	29.7	9.5	55
2		2	17.1	0	39.2	1		1	15.9	0	25.6	1		1	4.9	0	9.5	56
6	1	5	51.3	15.2	98.0	7	1	6	111.1	41.7	153.8	2	1	1	9.7	9.9	9.5	57
1		1	8.5	0	19.6				0	0	0				0	0	0	58
3		3	25.6	0	58.8	1		1	15.9	0	25.6	2		2	9.7	0	19.0	59
4	3	1	34.2	45.5	19.6	6		6	95.2	0	153.8	7	4	3	34.0	39.6	28.6	60
8	5	3	68.4	75.8	58.8	6	1	5	95.2	41.7	128.2	6	1	5	29.1	9.9	47.6	61
			0	0	0				0	0	0	3	2	1	14.6	19.8	9.5	62
7	2	5	59.8	30.3	98.0				0	0	0				9.7	0	19.0	63
7	1	6	59.8	15.2	117.6	2	1	1	31.7	41.7	25.6	10	7	3	48.5	69.3	28.6	64

ITEM	Miller						Mitchell					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	213	131	82	24.8	21.1	34.2	710	267	443	32.1	24.3	39.9
2 Delivered in hospital	166	129	37	77.9%	98.5%	45.1%	467	260	207	65.8%	97.4%	46.7%
3 Delivered in home by physician	1	1	-	0.5%	0.8%	0%	14	3	11	2.0%	1.1%	2.5%
4 Delivered in home by midwife	46	1	45	21.6%	0.8%	54.9%	229	4	225	32.3%	1.5%	50.8%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	21	6	15	98.6	45.8	182.9	55	17	38	77.5	63.7	85.8
FETAL DEATHS												
7 Total	4	1	3	18.8	7.6	36.6	44	19	25	62.0	71.2	56.4
8 Under 20 weeks gestation	-	-	-	0	0	0	23	11	12	32.4	41.2	27.1
9 20-27 weeks gestation	-	-	-	0	0	0	5	1	4	7.0	3.7	9.0
28 weeks and more	4	1	3	18.8	7.6	36.6	12	4	8	16.9	15.0	18.1
Unknown length of gestation	-	-	-	0	0	0	4	3	1	5.6	11.2	2.3
DEATHS												
10 Total, all ages	59	37	22	686.0	596.8	916.7	190	86	104	859.7	781.8	936.9
11 Under 1 year	1	1	-	4.7	7.6	0	31	6	25	43.7	22.5	56.4
12 Under 28 days	1	1	-	4.7	7.6	0	19	5	14	26.8	18.7	31.6
13 Deaths from immaturity	-	-	-	0	0	0	2	1	1	2.8	3.7	2.3
14 1-4 years **	2	1	1	-	-	-	5	2	3	-	-	-
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	2	-	2	9.0	0	18.0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	1	-	1	4.5	0	9.0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	1	-	1	4.5	0	9.0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	1	-	1	4.5	0	9.0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	9	5	4	104.7	80.6	166.7	15	11	4	67.9	100.0	36.0
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	2	2	-	23.3	32.3	0	4	2	2	18.1	18.2	18.0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	1	-	1	4.5	0	9.0
38 Vascular lesions affecting central nervous system (330-334)	12	7	5	139.5	112.9	208.3	38	18	20	171.9	163.6	180.2
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	1	-	1	4.5	0	9.0
41 Heart diseases (410-443)	21	14	7	244.2	225.8	291.7	57	34	23	257.9	309.1	207.2
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	7	5	2	31.7	45.5	18.0
43 Influenza and pneumonia (480-483, 490-493)	2	1	1	23.3	16.1	41.7	6	6	6	27.1	0	54.1
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	1	-	1	4.5	0	9.0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	1	1	1	4.5	9.1	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	2	-	2	9.0	0	18.0
49 Cirrhosis of liver (581)	-	-	-	0	0	0	2	1	1	9.0	0	0
50 Nephritis and nephrosis (590-594)	-	-	-	0	0	0	2	1	1	9.0	9.1	9.0
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	2	1	1	9.0	9.1	9.0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	-	-	-	0	0	0	1	1	-	4.5	9.1	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	1	-	11.6	16.1	0	6	3	3	27.1	27.3	27.0
55 Infection of the newborn (763-768)	-	-	-	0	0	0	3	3	3	13.6	0	27.0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	0	0	0	6	2	4	27.1	18.2	36.0
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	1	-	1	4.5	0	9.0
58 Ill-defined and unknown causes (780-793, 795)	1	-	1	11.6	0	41.7	6	-	6	27.1	0	54.1
59 Motor vehicle accidents (E810-E835)	2	2	-	23.3	32.3	0	3	2	1	13.6	18.2	9.0
60 All other accidents (E800-E802, E840-E962)	2	2	-	23.3	32.3	0	10	4	6	45.2	36.4	54.1
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	2	-	2	23.3	0	83.3	5	-	5	22.6	0	45.0
63 All other diseases (residual)	5	3	2	58.1	48.4	83.3	7	1	6	31.7	9.1	54.1

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Contd)

Monroe						Montgomery						Morgan						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
298	118	180	28.7	22.7	34.6	166	79	87	23.4	19.3	29.0	275	118	157	23.7	21.5	25.7	1
174	117	57	58.4%	99.2%	31.7%	70	64	6	42.2%	81.0%	6.9%	121	104	17	44.0%	88.1%	10.8%	2
3		3	1.0%	0%	1.7%	22	11	11	13.3%	13.9%	12.6%	20	7	13	7.3%	5.9%	8.3%	3
121	1	120	40.6%	0.8%	66.7%	73	3	70	44.0%	3.8%	80.5%	134	7	127	48.7%	5.9%	80.9%	4
			0%	0%	0%	1	1		0.6%	1.3%	0%				0%	0%	0%	5
31	5	26	104.0	42.4	144.4	18	5	13	108.4	63.3	149.4	28	11	17	101.8	93.2	108.3	6
7	3	4	23.5	25.4	22.2	8	3	5	48.2	38.0	57.5	4	2	2	14.5	16.9	12.7	7
2	2		6.7	16.9	0	1	1	1	6.0	0	11.5	1	1		3.6	8.5	0	8
2	2	2	6.7	0	11.1	1	1	1	6.0	0	11.5				0	0	0	9
2	1	1	6.7	8.5	5.6	6	3	3	36.1	38.0	34.5	3	1	2	10.9	8.5	12.7	
1		1	3.4	0	5.6				0	0	0				0	0	0	
95	45	50	913.5	865.4	961.5	54	28	26	760.6	682.9	866.7	120	55	65	1034.5	1000.0	1065.6	10
11	1	10	36.9	8.5	55.6	3	1	2	18.1	12.7	23.0	10	3	7	36.4	25.4	44.6	11
7		7	23.5	0	38.9	2	1	1	12.0	12.7	11.5	5	2	3	18.2	16.9	19.1	12
3		3	10.1	0	16.7	2	1	1	12.0	12.7	11.5				0	0	0	13
			0	0	0	1		1	0	0	0				0	0	0	14
			0	0	0				0	0	0				0	0	0	15
3	1	2	28.8	19.2	38.5				0	0	0	1	1		8.6	18.2	0	16
			0	0	0				0	0	0				0	0	0	17
			0	0	0				0	0	0				0	0	0	18
			0	0	0				0	0	0	1	1		8.6	18.2	0	19
			0	0	0				0	0	0				0	0	0	20
			0	0	0				0	0	0				0	0	0	21
			0	0	0				0	0	0				0	0	0	22
			0	0	0				0	0	0				0	0	0	23
			0	0	0				0	0	0				0	0	0	24
			0	0	0				0	0	0				0	0	0	25
			0	0	0				0	0	0				0	0	0	26
			0	0	0				0	0	0				0	0	0	27
			0	0	0				0	0	0				0	0	0	28
			0	0	0				0	0	0				0	0	0	29
			0	0	0				0	0	0				0	0	0	30
			0	0	0				0	0	0				0	0	0	31
			0	0	0				0	0	0				0	0	0	32
8	5	3	76.9	96.2	57.7	6	3	3	84.5	73.2	100.0	13	9	4	112.1	163.6	65.6	33
			0	0	0				0	0	0				0	0	0	34
1		1	9.6	0	19.2				0	0	0	2	1	1	17.2	18.2	16.4	35
			0	0	0				0	0	0	1		1	8.6	0	16.4	36
			0	0	0				0	0	0				0	0	0	37
17	7	10	163.5	134.6	192.3	14	7	7	197.2	170.7	233.3	21	7	14	181.0	127.3	229.5	38
			0	0	0	1	1		14.1	24.4	0				0	0	0	39
			0	0	0				0	0	0				0	0	0	40
31	20	11	298.1	384.6	211.5	17	11	6	239.4	268.3	200.0	37	19	18	319.0	345.5	295.1	41
1	1		9.6	19.2	0	1	1		14.1	24.4	0	2	1	1	17.2	18.2	16.4	42
6		6	57.7	0	115.4	4	2	2	56.3	48.8	66.7	4	2	2	34.5	36.4	32.8	43
			0	0	0				0	0	0				0	0	0	44
			0	0	0				0	0	0	1		1	8.6	0	16.4	45
			0	0	0				0	0	0				0	0	0	46
			0	0	0				0	0	0	1		1	8.6	0	16.4	47
			0	0	0	1		1	14.1	0	33.3	2		2	17.2	0	32.8	48
			0	0	0				0	0	0				0	0	0	49
1	1	1	9.6	0	19.2	1	1	1	14.1	0	33.3	3	2	1	25.9	36.4	16.4	50
			0	0	0				0	0	0				0	0	0	51
			0	0	0				0	0	0				0	0	0	52
1	1		9.6	19.2	0				0	0	0				0	0	0	53
2		2	19.2	0	38.5				0	0	0	2		2	17.2	0	32.8	54
2		2	19.2	0	38.5				0	0	0	1	1		8.6	18.2	0	55
3		3	28.8	0	57.7	2	1	1	28.2	24.4	33.3	3	1	2	25.9	18.2	32.8	56
			0	0	0				0	0	0	1		1	8.6	0	16.4	57
1		1	9.6	0	19.2	1		1	14.1	0	33.3	6	1	5	51.7	18.2	82.0	58
3	2	1	28.8	38.5	19.2				0	0	0	6	5	1	51.7	90.9	16.4	59
6	2	4	57.7	38.5	76.9	2		2	28.2	0	66.7	1	1		8.6	18.2	0	60
			0	0	0	2	2		28.2	48.8	0	1	1		8.6	18.2	0	61
2	1	1	19.2	19.2	19.2				0	0	0	1		1	8.6	0	16.4	62
7	5	2	67.3	96.2	38.5	2		2	28.2	0	66.7	9	2	7	77.6	36.4	114.8	63

ITEM	Murray						Muscogee					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	206	206	-	19.6	19.8	0	5,129	3,979	1,150	42.2	43.7	37.8
2 Delivered in hospital	180	180	-	87.4%	87.4%	0%	4,997	3,972	1,025	97.4%	99.8%	89.1%
3 Delivered in home by physician	8	8	-	3.9%	3.9%	0%	37	5	32	0.7%	0.1%	2.8%
4 Delivered in home by midwife	18	18	-	8.7%	8.7%	0%	94	2	92	1.8%	0.1%	8.0%
5 Other deliveries	-	-	-	0%	0%	0%	1	-	1	0.0%	0%	0.1%
6 Immature births	27	27	-	131.1	131.1	0	450	300	150	87.7	75.4	130.4
FETAL DEATHS												
7 Total	1	-	1	4.9	0	**	147	95	52	28.7	23.9	45.2
8 Under 20 weeks gestation	-	-	-	0	0	0	59	48	11	11.5	12.1	9.6
9 20-27 weeks gestation	1	-	1	4.9	0	**	26	8	18	5.1	2.0	15.7
28 weeks and more	-	-	-	0	0	0	54	32	22	10.5	8.0	19.1
Unknown length of gestation	-	-	-	0	0	0	8	7	1	1.6	1.8	0.9
DEATHS												
10 Total, all ages	58	56	2	552.4	538.5	2000.0	883	603	280	727.3	662.6	921.1
11 Under 1 year	7	5	2	34.0	24.3	**	129	91	38	25.2	22.9	33.0
12 Under 28 days	6	5	1	29.1	24.3	**	107	83	24	20.9	20.9	20.9
13 Deaths from immaturity	-	-	-	0	0	0	33	27	6	6.4	6.8	5.2
14 1-4 years **	3	3	-	-	-	-	11	8	3	-	-	-
15 Maternal deaths	-	-	-	0	0	0	1	1	-	1.9	2.5	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	6	3	3	4.9	3.3	9.9
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	9	3	6	7.4	3.3	19.7
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	4	3	1	3.3	3.3	3.3
25 Acute poliomyelitis (080)	-	-	-	0	0	0	1	1	-	0.8	1.1	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	1	-	9.5	9.6	0	8	5	3	6.6	5.5	9.9
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	7	7	-	66.7	67.3	0	111	84	27	91.4	92.3	88.8
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	5	3	2	4.1	3.3	6.6
35 Diabetes mellitus (260)	1	1	-	9.5	9.6	0	4	4	-	3.3	4.4	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	5	3	2	4.1	3.3	6.6
38 Vascular lesions affecting central nervous system (330-334)	6	6	-	57.1	57.7	0	108	64	44	89.0	70.3	144.7
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	2	1	1	1.6	1.1	3.3
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	14	14	-	133.3	134.6	0	271	203	68	223.2	223.1	223.7
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	11	3	8	9.1	3.3	26.3
43 Influenza and pneumonia (480-483, 490-493)	7	6	1	66.7	57.7	1000.0	24	11	13	19.8	12.1	42.8
44 Bronchitis (500-502)	-	-	-	0	0	0	2	2	-	1.6	2.2	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	6	3	3	4.9	3.3	9.9
46 Appendicitis (550-553)	-	-	-	0	0	0	1	1	-	0.8	1.1	0
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	9.5	9.6	0	2	-	2	1.6	0	6.6
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	3	2	1	2.5	2.2	3.3
49 Cirrhosis of liver (581)	-	-	-	0	0	0	4	4	-	3.3	4.4	0
50 Nephritis and nephrosis (590-594)	2	2	-	19.0	19.2	0	19	11	8	15.6	12.1	26.3
51 Hyperplasia of prostate (610)	2	2	-	19.0	19.2	0	1	-	1	0.8	0	3.3
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	1	1	-	0.8	1.1	0
53 Congenital malformations (750-759)	1	1	-	9.5	9.6	0	18	14	4	14.8	15.4	13.2
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	3	3	-	28.6	28.8	0	47	38	9	38.7	41.8	29.6
55 Infection of the newborn (763-768)	-	-	-	0	0	0	6	1	5	4.9	1.1	16.4
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	-	1	9.5	0	1000.0	42	35	7	34.6	38.5	23.0
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	4	1	3	3.3	1.1	9.9
58 Ill-defined and unknown causes (780-793, 795)	2	2	-	19.0	19.2	0	2	-	2	1.6	0	6.6
59 Motor vehicle accidents (E810-E835)	1	1	-	9.5	9.6	0	23	17	6	18.9	18.7	19.7
60 All other accidents (E800-E802, E840-E962)	3	3	-	28.6	28.8	0	35	21	14	28.8	23.1	46.1
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	16	15	1	13.2	16.5	3.3
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	8	2	6	6.6	2.2	19.7
63 All other diseases (residual)	6	6	-	57.1	57.7	0	74	44	30	61.0	48.4	98.7

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Newton						Oconee						Oglethorpe						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
513	301	212	24.7	21.7	30.7	119	77	42	17.5	14.8	26.2	190	75	115	21.3	14.7	30.3	1
328	288	40	63.9%	95.7%	18.9%	78	71	7	65.5%	92.2%	16.7%	97	72	25	51.1%	96.0%	21.7%	2
39	7	32	7.6%	2.3%	15.1%	5	2	3	4.2%	2.6%	7.1%	-	-	-	0%	0%	0%	3
146	6	140	28.5%	2.0%	66.0%	35	3	32	29.4%	3.9%	76.2%	93	3	90	48.9%	4.0%	78.3%	4
			0%	0%	0%	1	1	0	0.8%	1.3%	0%	-	-	-	0%	0%	0%	5
43	19	24	83.8	63.1	113.2	12	8	4	100.8	103.9	95.2	11	5	6	57.9	66.7	52.2	6
22	13	9	42.9	43.2	42.5	5	5	-	42.0	64.9	0	11	8	3	57.9	106.7	26.1	7
11	7	4	21.4	23.3	18.9	2	2	-	16.8	26.0	0	5	5	-	26.3	66.7	0	8
3	3	0	5.8	0	14.2	1	1	-	8.4	13.0	0	1	1	-	5.3	0	8.7	8
8	6	2	15.6	19.9	9.4	2	2	-	16.8	26.0	0	4	3	1	21.1	40.0	8.7	9
1	-	-	0	0	0	-	-	-	0	0	0	1	-	1	5.3	0	8.7	9
160	96	64	769.2	690.6	927.5	54	45	9	794.1	865.4	562.5	88	48	40	988.8	941.2	1052.6	10
16	7	9	31.2	23.3	42.5	2	2	-	16.8	26.0	0	5	-	5	26.3	0	43.5	11
10	5	5	19.5	16.6	23.6	1	1	-	8.4	13.0	0	2	2	-	10.5	0	17.4	12
4	3	1	7.8	10.0	4.7	1	1	-	8.4	13.0	0	1	1	-	0	0	0	13
2	1	1	-	-	-	1	1	-	-	-	-	3	2	1	-	-	-	14
1	-	-	19.5	0	47.2	-	-	-	0	0	0	-	-	-	0	0	0	15
2	2	-	9.6	14.4	0	-	-	-	0	0	0	1	1	-	11.2	19.6	0	16
2	2	-	9.6	14.4	0	-	-	-	0	0	0	-	-	-	0	0	0	17
1	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
1	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
1	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
1	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
1	-	-	0	0	0	1	1	-	14.7	19.2	0	-	-	-	0	0	0	22
1	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
1	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
1	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
1	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
1	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
1	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
1	1	-	4.8	7.2	0	-	-	-	0	0	0	-	-	-	0	0	0	29
1	1	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
1	1	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
1	1	-	4.8	7.2	0	-	-	-	0	0	0	1	1	-	11.2	19.6	0	32
14	10	4	67.3	71.9	58.0	5	4	1	73.5	76.9	62.5	9	7	2	101.1	137.3	52.6	33
2	2	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
2	2	-	9.6	14.4	0	1	1	1	14.7	0	62.5	2	2	-	22.5	39.2	0	35
1	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
1	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
29	13	16	139.4	93.5	231.9	9	6	3	132.4	115.4	187.5	16	9	7	179.8	176.5	184.2	38
2	2	-	9.6	14.4	0	-	-	-	0	0	0	-	-	-	0	0	0	39
1	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
51	35	16	245.2	251.8	231.9	20	17	3	294.1	326.9	187.5	31	18	13	348.3	352.9	342.1	41
3	3	-	14.4	21.6	0	-	-	-	0	0	0	1	1	-	11.2	0	26.3	42
6	6	-	28.8	0	87.0	2	2	-	29.4	38.5	0	4	4	-	44.9	0	105.3	43
1	1	-	4.8	7.2	0	-	-	-	0	0	0	-	-	-	0	0	0	44
1	1	-	4.8	7.2	0	-	-	-	0	0	0	-	-	-	0	0	0	45
1	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
1	-	-	0	0	0	-	-	-	0	0	0	1	1	-	11.2	19.6	0	47
4	2	2	19.2	14.4	29.0	-	-	-	0	0	0	-	-	-	0	0	0	48
3	2	1	14.4	14.4	14.5	8	8	-	117.6	153.8	0	3	2	1	33.7	39.2	26.3	49
2	2	-	9.6	0	29.0	-	-	-	0	0	0	-	-	-	0	0	0	51
1	1	-	4.8	0	14.5	-	-	-	0	0	0	-	-	-	0	0	0	52
1	1	-	4.8	0	14.5	1	1	-	14.7	19.2	0	1	-	1	11.2	0	26.3	53
4	2	2	19.2	14.4	29.0	-	-	-	0	0	0	1	-	1	11.2	0	26.3	54
1	1	-	4.8	0	14.5	-	-	-	0	0	0	-	-	-	0	0	0	55
5	3	2	24.0	21.6	29.0	1	1	-	14.7	19.2	0	-	-	-	0	0	0	56
1	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
2	-	2	9.6	0	29.0	-	-	-	0	0	0	1	-	1	11.2	0	26.3	58
7	5	2	33.7	36.0	29.0	-	-	-	0	0	0	1	1	-	11.2	19.6	0	59
3	4	1	24.0	28.8	14.5	1	1	-	14.7	19.2	0	7	4	3	78.7	78.4	78.9	60
5	3	2	14.4	21.6	0	-	-	-	0	0	0	-	-	-	0	0	0	61
3	2	1	14.4	7.2	29.0	-	-	-	0	0	0	3	1	2	33.7	19.6	52.6	62
4	1	3	19.2	7.2	43.5	5	4	1	73.5	76.9	62.5	5	1	4	56.2	19.6	105.3	63

ITEM	Paulding						Peach					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	242	215	27	21.4	21.3	22.5	351	110	241	28.5	22.9	32.1
2 Delivered in hospital	211	195	16	87.2%	90.7%	59.3%	201	108	93	57.3%	98.2%	38.6%
3 Delivered in home by physician	26	19	7	10.7%	8.8%	25.9%	12	1	11	3.4%	0.9%	4.6%
4 Delivered in home by midwife	5	1	4	2.1%	0.5%	14.8%	138	1	137	39.3%	0.9%	56.8%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	20	16	4	82.6	74.4	148.1	26	7	19	74.1	63.6	78.8
FETAL DEATHS												
7 Total	5	5	-	20.7	23.3	0	5	1	4	14.2	9.1	16.6
8 Under 20 weeks gestation	1	1	-	4.1	4.7	0	2	1	1	5.7	9.1	4.1
9 20-27 weeks gestation	-	-	-	0	0	0	1	-	1	2.8	0	4.1
28 weeks and more	4	4	-	16.5	18.6	0	2	-	2	5.7	0	8.3
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	90	79	11	796.5	782.2	916.7	103	34	69	837.4	708.3	920.0
11 Under 1 year	6	5	1	24.8	23.3	37.0	9	2	7	25.6	18.2	29.0
12 Under 28 days	4	4	-	16.5	18.6	0	4	1	3	11.4	9.1	12.4
13 Deaths from immaturity	1	1	-	4.1	4.7	0	-	-	-	0	0	0
14 1-4 years **	-	-	-	-	-	-	-	-	-	-	-	-
15 Maternal deaths	-	-	-	0	0	0	2	-	2	57.0	0	83.0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	1	1	-	8.8	9.9	0	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	1	-	1	8.1	0	13.3
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	1	1	-	8.8	9.9	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	1	-	8.8	9.9	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	16	14	2	141.6	138.6	166.7	10	3	7	81.3	62.5	93.3
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	1	1	-	8.8	9.9	0	1	1	-	8.1	20.8	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	15	12	3	132.7	118.8	250.0	9	4	5	73.2	83.3	66.7
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	1	1	-	8.8	9.9	0	-	-	-	0	0	0
41 Heart diseases (410-443)	24	21	3	212.4	207.9	250.0	51	16	35	414.6	333.3	466.7
42 Hypertension without mention of heart (444-447)	2	2	-	17.7	19.8	0	-	-	-	0	0	0
43 Influenza and pneumonia (480-483, 490-493)	3	2	1	26.5	19.8	83.3	6	2	4	48.8	41.7	53.3
44 Bronchitis (500-502)	-	-	-	0	0	0	1	-	1	8.1	0	13.3
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	2	-	2	16.3	0	26.7
48 Gastritis, duodenitis, enteritis and colitis (except diarrhoea of the newborn) (543, 571, 572)	-	-	-	0	0	0	2	-	2	16.3	0	26.7
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	2	2	-	17.7	19.8	0	-	-	-	0	0	0
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	1	-	8.1	20.8	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	2	-	2	16.3	0	26.7
53 Congenital malformations (750-759)	2	2	-	17.7	19.8	0	1	1	-	8.1	20.8	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	1	-	8.8	9.9	0	1	-	1	8.1	0	13.3
55 Infection of the newborn (763-768)	-	-	-	0	0	0	1	-	1	8.1	0	13.3
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	2	2	-	17.7	19.8	0	1	-	1	8.1	0	13.3
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	2	2	-	17.7	19.8	0	3	1	2	24.4	20.8	26.7
59 Motor vehicle accidents (E810-E835)	1	1	-	8.8	9.9	0	1	1	-	8.1	20.8	0
60 All other accidents (E800-E802, E840-E962)	5	4	1	44.2	39.6	83.3	2	-	2	16.3	0	26.7
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	1	-	1	8.1	0	13.3
63 All other diseases (residual)	10	9	1	88.5	89.1	83.3	6	4	2	48.8	83.3	26.7

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Pickens						Pierce						Pike							
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *				
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White		
226	215	11	26.0	25.9	27.5	293	210	83	27.1	25.0	34.6	198	75	123	26.1	18.3	35.1	1	
224	213	11	99.1%	99.1%	100.0%	218	188	30	74.4%	89.5%	36.1%	88	65	23	44.4%	86.7%	18.7%	2	
			0%	0%	0%	17	13	4	5.8%	6.2%	4.8%	30	9	21	15.2%	12.0%	17.1%	3	
			0.9%	0.9%	0%	58	9	49	19.8%	4.3%	59.0%	80	1	79	40.4%	1.3%	64.2%	4	
			0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5	
16	14	2	70.8	65.1	181.8	25	20	5	85.3	95.2	60.2	23	11	12	116.2	146.7	97.6	6	
5	4	1	22.1	18.6	90.9	8	5	3	27.3	23.8	36.1	13	5	8	65.7	66.7	65.0	7	
1	1		4.4	4.7	0	2	1	1	6.8	4.8	12.0	8	4	4	40.4	53.3	32.5	8	
1		1	4.4	0	90.9	3	2	1	10.2	9.5	12.0	1	1		5.0	0	8.1	8	
3	3		13.3	14.0	0	3	2	1	10.2	9.5	12.0	4	1	3	20.2	13.3	24.4	9	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	0	
53	50	3	609.2	602.4	750.0	79	53	26	731.5	631.0	1083.3	76	46	30	1000.0	1122.0	857.1	10	
4	4		17.7	18.6	0	7	4	3	23.9	19.0	36.1	9	3	6	45.5	40.0	48.8	11	
2	2		8.8	9.3	0	4	2	2	13.7	9.5	24.1	8	3	5	40.4	40.0	40.7	12	
			0	0	0	1	1	1	3.4	4.8	0	5	2	3	25.3	26.7	24.4	13	
						2	1	1				-	-	-	0	0	0	14	
			0	0	0	1	-	1	34.1	0	120.5	-	-	-	0	0	0	15	
1	1		11.5	12.0	0	3	2	1	27.8	23.8	41.7	-	-	-	0	0	0	16	
			0	0	0	1	1	1	9.3	0	41.7	-	-	-	0	0	0	17	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32	
9	8	1	103.4	96.4	250.0	9	8	1	83.3	95.2	41.7	6	4	2	78.9	97.6	57.1	33	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34	
			0	0	0	1	1	-	9.3	11.9	0	-	-	-	0	0	0	35	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37	
6	4	2	69.0	48.2	500.0	10	7	3	92.6	83.3	125.0	17	9	8	223.7	219.5	228.6	38	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40	
19	19		218.4	228.9	0	28	19	9	259.3	226.2	375.0	19	15	4	250.0	365.9	114.3	41	
1	1		11.5	12.0	0	1	1	1	9.3	0	41.7	1	1		13.2	24.4	0	42	
1	1		11.5	12.0	0	5	1	4	46.3	11.9	166.7	5	-	5	65.8	0	142.9	43	
			0	0	0	-	-	-	0	0	0	1	1	-	13.2	24.4	0	44	
			0	0	0	-	-	-	0	0	0	1	1	-	13.2	24.4	0	45	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46	
			0	0	0	1	1	-	9.3	11.9	0	1	-	1	13.2	0	28.6	47	
1	1		11.5	12.0	0	1	1	-	9.3	11.9	0	1	1	-	13.2	24.4	0	48	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	49	
			0	0	0	-	-	-	0	0	0	5	2	3	65.8	48.8	85.7	50	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51	
			0	0	0	1	-	1	9.3	0	41.7	-	-	-	0	0	0	52	
			0	0	0	1	-	1	9.3	0	41.7	-	-	-	0	0	0	53	
			0	0	0	1	-	1	9.3	0	41.7	2	1	1	26.3	24.4	28.6	54	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	55	
2	2		23.0	24.1	0	2	2	-	18.5	23.8	0	6	2	4	78.9	48.8	114.3	56	
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57	
			0	0	0	3	2	1	27.8	23.8	41.7	-	-	-	0	0	0	58	
4	4		46.0	48.2	0	1	1	-	9.3	11.9	0	-	-	-	0	0	0	59	
3	3		34.5	36.1	0	3	3	-	27.8	35.7	0	2	1	1	26.3	24.4	28.6	60	
1	1		11.5	12.0	0	1	1	-	9.3	11.9	0	3	3	-	39.5	73.2	0	61	
			0	0	0	2	1	1	18.5	11.9	41.7	3	2	1	39.5	48.8	28.6	62	
5	5		57.5	60.2	0	4	3	1	37.0	35.7	41.7	2	2	-	26.3	48.8	0	63	

ITEM	Polk						Pulaski					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	669	536	133	20.9	20.2	25.1	257	95	162	30.6	21.6	40.5
2 Delivered in hospital	575	506	69	85.9%	94.4%	51.9%	119	90	29	46.3%	94.7%	17.9%
3 Delivered in home by physician	28	19	9	4.2%	3.5%	6.8%	2	-	2	0.8%	0%	1.2%
4 Delivered in home by midwife	66	11	55	9.9%	2.1%	41.4%	135	4	131	52.5%	4.2%	80.9%
5 Other deliveries	-	-	-	0%	0%	0%	1	1	-	0.4%	1.1%	0%
6 Immature births	70	51	19	104.6	95.1	142.9	20	10	10	77.8	105.3	61.7
FETAL DEATHS												
Total	18	10	8	26.9	18.7	60.2	9	3	6	35.0	31.6	37.0
Under 20 weeks gestation	2	1	1	3.0	1.9	7.5	1	1	-	3.9	10.5	0
20-27 weeks gestation	5	2	3	7.5	3.7	22.6	1	-	1	3.9	0	6.2
28 weeks and more	10	6	4	14.9	11.2	30.1	6	1	5	23.3	10.5	30.9
Unknown length of gestation	1	1	-	1.5	1.9	0	1	1	-	3.9	10.5	0
DEATHS												
10 Total, all ages	222	178	44	695.9	669.2	830.2	74	40	34	881.0	909.1	850.0
11 Under 1 year	21	18	3	31.4	33.6	22.6	7	5	2	27.2	52.6	12.3
12 Under 28 days	14	12	2	20.9	22.4	15.0	5	3	2	19.5	31.6	12.3
13 Deaths from immaturity	5	4	1	7.5	7.5	7.5	3	2	1	11.7	21.1	6.2
14 1-4 years **	5	5	-	-	-	-	1	1	-	-	-	-
15 Maternal deaths	1	1	-	14.9	18.7	0	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	5	4	1	15.7	15.0	18.9	1	-	1	11.9	0	25.0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	1	-	1	11.9	0	25.0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	2	2	-	6.3	7.5	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	2	1	1	6.3	3.8	18.9	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	26	22	4	81.5	82.7	75.5	8	5	3	95.2	113.6	75.0
34 Benign and unspecified neoplasms (210-239)	1	1	-	3.1	3.8	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	6	5	1	18.8	18.8	18.9	1	1	-	11.9	22.7	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	36	24	12	112.9	90.2	226.4	7	5	2	83.3	113.6	50.0
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	76	61	15	238.2	229.3	283.0	25	12	13	297.6	272.7	325.0
42 Hypertension without mention of heart (444-447)	3	3	-	9.4	11.3	0	4	1	3	47.6	22.7	75.0
43 Influenza and pneumonia (480-483, 490-493)	5	5	-	15.7	18.8	0	2	-	2	23.8	0	50.0
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	1	-	1	11.9	0	25.0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	2	2	-	6.3	7.5	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	1	1	6.3	3.8	18.9	1	1	-	11.9	22.7	0
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	4	3	1	12.5	11.3	18.9	1	-	1	11.9	0	25.0
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	1	-	3.1	3.8	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	3	3	-	9.4	11.3	0	1	1	-	11.9	22.7	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	5	5	-	15.7	18.8	0	2	1	1	23.8	22.7	25.0
55 Infection of the newborn (763-768)	-	-	-	0	0	0	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	8	6	2	25.1	22.6	37.7	3	2	1	35.7	45.5	25.0
57 Senility, without mention of psychosis (794)	1	-	1	3.1	0	18.9	2	2	-	23.8	45.5	0
58 Ill-defined and unknown causes (780-793, 795)	2	2	-	6.3	7.5	0	1	1	-	11.9	22.7	0
59 Motor vehicle accidents (E810-E835)	2	2	-	6.3	7.5	0	4	2	2	47.6	45.5	50.0
60 All other accidents (E800-E802, E840-E962)	11	11	-	34.5	41.4	0	2	2	-	23.8	45.5	0
61 Suicide (E963, E970-E979)	1	1	-	3.1	3.8	0	1	-	1	11.9	0	25.0
62 Homicide (E964, E980-E985)	3	2	1	9.4	7.5	18.9	-	-	-	0	0	0
63 All other diseases (residual)	15	11	4	47.0	41.4	75.5	6	4	2	71.4	90.9	50.0

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Putnam						Quitman						Rabun						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
230	91	139	31.1	26.8	34.8	78	22	56	27.9	22.0	31.1	207	207	-	28.4	28.8	0	1
109	91	18	47.4%	100.0%	12.9%	20	19	1	25.6%	86.4%	1.8%	200	200	-	96.6%	96.6%	0%	2
7	-	7	3.0%	0%	5.0%	3	2	1	3.8%	9.1%	1.8%	1	1	-	0.5%	0.5%	0%	3
114	-	114	49.6%	0%	82.0%	54	1	53	69.2%	4.5%	94.6%	6	6	-	2.9%	2.9%	0%	4
17	7	10	0%	0%	0%	1	1	1	1.3%	0%	1.8%	-	-	-	0%	0%	0%	5
			73.9	76.9	71.9	6	2	4	76.9	90.9	71.4	9	9	-	43.5	43.5	0	6
15	5	10	65.2	54.9	71.9	3	-	3	38.5	0	53.6	4	3	1	19.3	14.5	**	
6	4	2	26.1	44.0	14.4	-	-	-	0	0	0	2	2	-	9.7	9.7	0	7
2	2	2	8.7	0	14.4	-	-	-	0	0	0	1	1	1	4.8	0	**	8
7	1	6	30.4	11.0	43.2	2	-	2	25.6	0	35.7	1	1	-	4.8	4.8	0	9
1	-	-	0	0	0	1	-	1	12.8	0	17.9	-	-	-	0	0	0	
79	39	40	1067.6	1147.1	1000.0	37	14	23	1321.4	1400.0	1277.8	56	54	2	767.1	750.0	2000.0	10
11	4	7	47.8	44.0	50.4	3	1	2	38.5	45.5	35.7	5	5	-	24.2	24.2	0	11
6	3	3	26.1	33.0	21.6	-	-	-	0	0	0	3	3	-	14.5	14.5	0	12
2	2	2	8.7	0	14.4	-	-	-	0	0	0	1	1	-	4.8	4.8	0	13
1	1	-	43.5	109.9	0	2	-	2	0	0	0	2	2	-	0	0	0	14
			13.5	0	25.0	-	-	-	0	0	0	2	2	-	27.4	27.8	0	15
1	-	1	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	16
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
			0	0	0	1	-	1	35.7	0	55.6	-	-	-	0	0	0	23
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
8	2	6	108.1	58.8	150.0	5	2	3	178.6	200.0	166.7	6	6	-	82.2	83.3	0	33
1	-	1	13.5	0	25.0	1	-	1	35.7	0	55.6	1	1	-	13.7	13.9	0	34
			0	0	0	-	-	-	0	0	0	1	1	-	13.7	13.9	0	35
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
7	3	4	94.6	88.2	100.0	7	1	6	250.0	100.0	333.3	8	8	-	109.6	111.1	0	38
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
21	16	5	283.8	470.6	125.0	10	4	6	357.1	400.0	333.3	17	16	1	232.9	222.2	1000.0	41
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	42
1	-	1	13.5	0	25.0	3	2	1	107.1	200.0	55.6	1	1	-	13.7	13.9	0	43
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	45
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
1	1	-	13.5	29.4	0	-	-	-	0	0	0	-	-	-	0	0	0	47
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	48
2	-	2	27.0	0	50.0	1	1	-	35.7	100.0	0	-	-	-	0	0	0	49
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	50
3	1	2	40.5	29.4	50.0	-	-	-	0	0	0	2	2	-	27.4	27.8	0	51
1	-	1	13.5	0	25.0	-	-	-	0	0	0	-	-	-	0	0	0	52
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	53
1	1	-	13.5	29.4	0	-	-	-	0	0	0	-	-	-	0	0	0	54
			0	0	0	-	-	-	0	0	0	1	1	-	13.7	13.9	0	55
3	1	2	40.5	29.4	50.0	-	-	-	0	0	0	1	1	-	13.7	13.9	0	56
2	-	2	27.0	0	50.0	-	-	-	0	0	0	-	-	-	0	0	0	57
			0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	58
4	-	4	54.1	0	100.0	-	-	-	0	0	0	2	2	-	27.4	27.8	0	59
3	3	-	40.5	88.2	0	1	1	-	35.7	100.0	0	1	1	-	13.7	13.9	0	60
6	3	3	81.1	88.2	75.0	6	2	4	214.3	200.0	222.2	3	3	-	41.1	41.7	0	61
2	2	-	27.0	58.8	0	-	-	-	0	0	0	2	1	1	27.4	13.9	1000.0	62
2	2	-	27.0	0	50.0	-	-	-	0	0	0	-	-	-	0	0	0	63
6	4	2	81.1	117.6	50.0	2	1	1	71.4	100.0	55.6	7	7	-	95.9	97.2	0	

ITEM	Randolph						Richmond					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	362	93	269	28.7	20.7	33.2	4,229	2,920	1,309	30.8	31.5	29.5
2 Delivered in hospital	109	88	21	30.1%	94.6%	7.8%	4,129	2,915	1,214	97.6%	99.8%	92.7%
3 Delivered in home by physician	8	2	6	2.2%	2.2%	2.2%	74	5	69	1.7%	0.2%	5.3%
4 Delivered in home by midwife	245	3	242	67.7%	3.2%	90.0%	26	-	26	0.6%	0%	2.0%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	22	6	16	60.8	64.5	59.5	356	223	133	84.2	76.4	101.6
FETAL DEATHS												
7 Total	15	-	15	41.4	0	55.8	173	95	78	40.9	32.5	59.6
8 Under 20 weeks gestation	3	-	3	8.3	0	11.2	76	42	34	18.0	14.4	26.0
9 20-27 weeks gestation	3	-	3	8.3	0	11.2	29	16	13	6.9	5.5	9.9
28 weeks and more	9	-	9	24.9	0	33.5	62	36	26	14.7	12.3	19.9
Unknown length of gestation	-	-	-	0	0	0	6	1	5	1.4	0.3	3.8
DEATHS												
10 Total, all ages	123	49	74	976.2	1088.9	913.6	1,040	593	447	758.6	639.0	1009.0
11 Under 1 year	16	3	13	44.2	32.3	48.3	25	66	25	21.5	22.6	19.1
12 Under 28 days	12	3	9	33.1	32.3	33.5	64	54	10	15.1	18.5	7.6
13 Deaths from immaturity	7	1	6	19.3	10.8	22.3	25	21	4	5.9	7.2	3.1
14 1-4 years **	2	1	1	-	-	-	11	4	7	-	-	-
15 Maternal deaths	-	-	-	0	0	0	4	-	4	9.5	0	30.6
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	2	-	2	15.9	0	24.7	13	7	6	9.5	7.5	13.5
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	9	1	8	6.6	1.1	18.1
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	1	1	-	0.7	1.1	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	1	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 084-096, 120-138)	-	-	-	0	0	0	3	2	1	2.2	2.2	2.3
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	12	5	7	95.2	111.1	86.4	139	93	46	101.4	100.2	103.8
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	-	-	-	0	0	0	8	8	-	5.8	8.6	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	1	-	1	7.9	0	12.3	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	19	5	14	150.8	111.1	172.8	152	63	89	110.9	67.9	200.9
39 Nonmeningococcal meningitis (340)	1	-	1	7.9	0	12.3	6	2	4	4.4	2.2	9.0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	2	-	2	1.5	0	4.5
41 Heart diseases (410-443)	47	26	21	373.0	577.8	259.3	347	211	136	253.1	227.4	307.0
42 Hypertension without mention of heart (444-447)	3	-	3	23.8	0	37.0	11	1	10	8.0	1.1	22.6
43 Influenza and pneumonia (480-483, 490-493)	6	1	5	47.6	22.2	61.7	37	19	18	27.0	20.5	40.6
44 Bronchitis (500-502)	1	1	-	7.9	22.2	0	2	2	-	1.5	2.2	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	4	4	-	2.9	4.3	0
46 Appendicitis (550-553)	-	-	-	0	0	0	1	1	-	0.7	1.1	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	4	3	1	2.9	3.2	2.3
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	1	-	7.9	22.2	0	5	2	3	3.6	2.2	6.8
49 Cirrhosis of liver (581)	-	-	-	0	0	0	11	10	1	8.0	10.8	2.3
50 Nephritis and nephrosis (590-594)	1	-	1	7.9	0	12.3	18	5	13	13.1	5.4	29.3
51 Hyperplasia of prostate (610)	1	-	1	7.9	0	12.3	3	3	-	2.2	3.2	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	4	-	4	2.9	0	9.0
53 Congenital malformations (750-759)	3	1	2	23.8	22.2	24.7	20	13	7	14.6	14.0	15.8
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	24	22	2	17.5	23.7	4.5
55 Infection of the newborn (763-768)	1	-	1	7.9	0	12.3	2	-	2	1.5	0	4.5
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	7	1	6	55.6	22.2	74.1	32	26	6	23.3	28.0	13.5
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	6	4	2	4.4	4.3	4.5
58 Ill-defined and unknown causes (780-793, 795)	1	-	1	7.9	0	12.3	4	3	1	2.9	3.2	2.3
59 Motor vehicle accidents (E810-E835)	3	-	3	23.8	0	37.0	23	17	6	16.8	18.3	13.5
60 All other accidents (E800-E802, E840-E862)	7	3	4	55.6	66.7	49.4	38	17	21	27.7	18.3	47.4
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	13	0	3	9.5	10.8	6.8
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	20	10	6	14.6	6.5	31.6
63 All other diseases (residual)	6	5	1	47.6	111.1	12.3	78	37	41	56.9	39.9	92.6

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Rockdale						Schley						Screven						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
220	149	71	25.0	23.6	28.4	78	14	64	21.7	9.3	30.5	522	179	343	30.7	24.9	35.0	1
160	141	19	72.7%	94.6%	26.8%	23	12	11	29.5%	85.7%	17.2%	230	166	64	44.1%	92.7%	18.7%	2
4	4	-	1.8%	2.7%	0%	5	1	4	6.4%	7.1%	6.2%	11	3	8	2.1%	1.7%	2.3%	3
55	4	51	25.0%	2.7%	71.8%	50	1	49	64.1%	7.1%	76.6%	281	10	271	53.8%	5.6%	79.0%	4
1	-	1	0.5%	0%	1.4%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
27	16	11	122.7	107.4	154.9	5	2	3	64.1	142.9	46.9	39	14	25	74.7	78.2	72.9	6
8	5	3	36.4	33.6	42.3	8	3	5	102.6	214.3	78.1	35	10	25	67.0	55.9	72.9	7
3	1	2	13.6	6.7	28.2	2	2	-	25.6	142.9	0	10	6	4	19.2	33.5	11.7	8
3	2	1	13.6	13.4	14.1	3	3	3	38.5	0	46.9	8	-	8	15.3	0	23.3	7
2	2	-	9.1	13.4	0	3	1	2	38.5	71.4	31.2	17	4	13	32.6	22.3	37.9	9
1	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	0
69	51	18	784.1	809.5	720.0	40	22	18	1111.1	1466.7	857.1	167	70	97	982.4	972.2	989.8	10
3	3	-	13.6	20.1	0	5	2	3	64.1	142.9	46.9	24	5	19	46.0	27.9	55.4	11
3	3	-	13.6	20.1	0	4	2	2	51.3	142.9	31.3	13	4	9	24.9	22.3	26.2	12
3	3	-	13.6	20.1	0	3	2	1	38.5	142.9	15.6	2	1	1	3.8	5.6	2.9	13
3	3	-	-	-	-	1	1	1	-	-	-	8	1	7	-	-	-	14
-	-	-	0	0	0	1	-	1	128.2	0	156.2	-	-	-	0	0	0	15
2	-	2	22.7	0	80.0	-	-	-	0	0	0	2	-	2	11.8	0	20.4	16
2	2	-	22.7	31.7	0	-	-	-	0	0	0	1	-	1	5.9	0	10.2	17
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	5.9	0	10.2	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
7	5	2	79.5	79.4	80.0	3	2	1	83.3	133.3	47.6	16	10	6	94.1	138.9	61.2	33
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
1	1	-	11.4	15.9	0	-	-	-	0	0	0	3	2	1	17.6	27.8	10.2	35
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
1	-	1	11.4	0	40.0	-	-	-	0	0	0	-	-	-	0	0	0	37
14	8	6	159.1	127.0	240.0	3	3	-	83.3	200.0	0	28	16	12	164.7	222.2	122.4	38
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
24	19	5	272.7	301.6	200.0	12	6	6	333.3	400.0	285.7	42	24	18	247.1	333.8	183.7	41
-	-	-	0	0	0	1	1	1	27.8	66.7	0	3	3	3	17.6	0	30.6	42
1	1	-	11.4	15.9	0	1	1	1	27.8	0	47.6	4	2	2	23.5	27.8	20.4	43
-	-	-	0	0	0	1	-	1	27.8	0	47.6	-	-	-	0	0	0	44
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	45
-	-	-	0	0	0	1	-	1	27.8	0	47.6	-	-	-	0	0	0	46
-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	11.8	13.9	10.2	47
-	-	-	0	0	0	-	-	-	0	0	0	7	-	7	41.2	0	71.4	48
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	49
5	5	-	56.8	79.4	0	-	-	-	0	0	0	3	2	1	17.6	27.8	10.2	50
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	5.9	0	10.2	51
-	-	-	0	0	0	1	-	1	27.8	0	47.6	-	-	-	0	0	0	52
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	5.9	13.9	0	53
-	-	-	0	0	0	1	-	1	27.8	0	47.6	5	1	4	29.4	13.9	40.8	54
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	55
3	3	-	34.1	47.6	0	3	2	1	83.3	133.3	47.6	4	3	1	23.5	41.7	10.2	56
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
-	-	-	0	0	0	-	-	-	0	0	0	22	-	22	129.4	0	224.5	58
5	4	1	56.8	63.5	40.0	2	2	-	55.6	133.3	0	2	-	2	11.8	0	20.4	59
-	-	-	0	0	0	4	2	2	111.1	133.3	95.2	6	5	5	35.3	13.9	51.0	60
-	-	-	0	0	0	-	-	-	0	0	0	3	3	-	17.6	41.7	0	61
2	1	1	22.7	15.9	40.0	2	-	2	55.6	0	95.2	2	2	2	11.8	0	20.4	62
2	2	-	22.7	31.7	0	5	4	1	138.9	266.7	47.6	9	4	5	52.9	55.6	51.0	63

ITEM	Seminole						Spalding					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	217	110	107	28.2	22.9	36.9	783	513	270	24.4	22.0	30.7
2 Delivered in hospital	175	110	65	80.6	100.0	60.7	614	503	111	78.4	98.0	41.1
3 Delivered in home by physician	1	-	1	0.5	0	0.9	28	3	25	3.6	0.6	9.3
4 Delivered in home by midwife	41	-	41	18.9	0	38.3	140	6	134	17.9	1.2	49.6
5 Other deliveries	-	-	-	0	0	0	1	1	-	0.1	0.2	0
6 Immature births	15	8	7	69.1	72.7	65.4	77	48	29	98.3	93.6	107.4
FETAL DEATHS												
7 Total	-	-	-	0	0	0	30	12	18	38.3	23.4	66.7
8 Under 20 weeks gestation	-	-	-	0	0	0	5	3	2	6.4	5.8	7.4
9 20-27 weeks gestation	-	-	-	0	0	0	6	-	6	7.7	0	22.2
28 weeks and more	-	-	-	0	0	0	19	9	10	24.3	17.5	37.0
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	56	35	21	727.3	729.2	724.1	300	197	103	934.6	845.5	1170.5
11 Under 1 year	3	3	-	13.8	27.3	0	28	16	12	35.8	31.2	44.4
12 Under 28 days	3	3	-	13.8	27.3	0	25	15	10	31.9	29.2	37.0
13 Deaths from immaturity	1	1	-	4.6	9.1	0	4	3	1	5.1	5.8	3.7
14 1-4 years **	6	5	1	-	-	-	4	2	2	-	-	-
15 Maternal deaths	-	-	-	0	0	0	3	2	1	38.3	39.0	37.0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	5	3	2	15.6	12.9	22.7
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	1	1	-	3.1	4.3	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	1	-	1	13.0	0	34.5	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	1	1	-	3.1	4.3	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	2	1	1	6.2	4.3	11.4
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	4	4	-	51.9	83.3	0	34	23	11	105.9	98.7	125.0
34 Benign and unspecified neoplasms (210-239)	1	-	1	13.0	0	34.5	-	-	-	0	0	0
35 Diabetes mellitus (260)	1	1	-	13.0	20.8	0	5	3	2	15.6	12.9	22.7
36 Pellagra (281)	-	-	-	0	0	0	1	1	-	3.1	4.3	0
37 Anemias (290-293)	1	1	-	13.0	20.8	0	1	1	-	3.1	4.3	0
38 Vascular lesions affecting central nervous system (330-334)	11	3	8	142.9	62.5	275.9	34	20	14	105.9	85.8	159.1
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	14	7	7	181.8	145.8	241.4	101	75	26	314.6	321.9	295.5
42 Hypertension without mention of heart (444-447)	1	1	-	13.0	20.8	0	4	2	2	12.5	8.6	22.7
43 Influenza and pneumonia (480-483, 490-493)	4	4	-	51.9	83.3	0	7	4	3	21.8	17.2	34.1
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	1	-	1	3.1	0	11.4
46 Appendicitis (550-553)	1	1	-	13.0	20.8	0	1	-	1	3.1	0	11.4
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	2	-	2	6.2	0	22.7
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	1	-	1	3.1	0	11.4
49 Cirrhosis of liver (581)	-	-	-	0	0	0	4	3	1	12.5	12.9	11.4
50 Nephritis and nephrosis (590-594)	-	-	-	0	0	0	18	5	13	56.1	21.5	147.7
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	1	-	3.1	4.3	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	3	2	1	9.3	8.6	11.4
53 Congenital malformations (750-759)	1	1	-	13.0	20.8	0	5	1	4	15.6	4.3	45.5
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	13	7	6	40.5	30.0	68.2
55 Infection of the newborn (763-768)	1	1	-	13.0	20.8	0	1	1	-	3.1	4.3	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	1	-	13.0	20.8	0	9	7	2	28.0	30.0	22.7
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	1	1	-	3.1	4.3	0
58 Ill-defined and unknown causes (780-793, 795)	1	-	1	13.0	0	34.5	2	1	1	6.2	4.3	11.4
59 Motor vehicle accidents (E810-E835)	4	4	-	51.9	83.3	0	4	4	-	12.5	17.2	0
60 All other accidents (E800-E802, E840-E962)	4	4	-	51.9	83.3	0	15	12	3	46.7	51.5	34.1
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	3	3	-	9.3	12.9	0
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	4	2	2	12.5	8.6	22.7
63 All other diseases (residual)	5	2	3	64.9	41.7	103.4	16	12	4	49.8	51.5	45.5

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Stephens						Stewart						Sumter						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
435	372	63	23.9	23.5	26.2	222	46	176	25.8	19.2	28.4	645	216	429	26.9	19.3	33.5	1
414	369	45	95.2%	99.2%	71.4%	99	46	53	44.6%	100.0%	30.1%	331	212	119	51.3%	98.1%	27.7%	2
3	1	2	0.7%	0.3%	3.2%	2	-	2	0.9%	0%	1.1%	11	-	11	1.7%	0%	2.6%	3
18	2	16	4.1%	0.5%	25.4%	121	-	121	54.5%	0%	68.8%	300	4	296	46.5%	1.9%	69.0%	4
-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	3	-	3	0.5%	0%	0.7%	5
29	23	6	66.7	61.8	95.2	26	3	23	117.1	65.2	130.7	41	14	27	63.6	64.8	62.9	6
12	11	1	27.6	29.6	15.9	7	-	7	31.5	0	39.8	34	7	27	52.7	32.4	62.9	7
5	5	-	11.5	13.4	0	-	-	-	0	0	0	15	4	11	23.3	18.5	25.6	8
-	-	-	0	0	0	1	-	1	4.5	0	5.7	5	2	3	7.8	9.3	7.0	7
7	6	1	16.1	16.1	15.9	6	-	6	27.0	0	34.1	12	-	12	18.6	0	28.0	9
-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	3.1	4.6	2.3	-
120	89	31	659.3	563.3	1291.7	82	24	58	953.5	1000.0	935.5	240	95	145	1000.0	848.2	1132.8	10
11	4	7	25.3	10.8	111.1	10	-	10	45.0	0	56.8	22	3	19	34.1	13.9	44.3	11
5	3	2	11.5	8.1	31.7	4	-	4	18.0	0	22.7	15	2	13	23.3	9.3	30.3	12
-	-	-	0	0	0	3	-	3	13.5	0	17.0	1	-	1	1.6	0	2.3	13
2	1	1	-	-	-	1	-	1	-	-	-	2	1	1	-	-	-	14
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	15
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	-
1	-	1	5.5	0	41.7	1	1	-	11.6	41.7	0	5	2	3	20.8	17.9	23.4	16
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.2	0	7.8	17
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	4.2	8.9	0	25
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	-
-	-	-	0	0	0	2	-	2	23.3	0	32.3	2	2	-	8.3	17.9	0	32
13	9	4	71.4	57.0	166.7	6	2	4	69.8	83.3	64.5	29	13	16	120.8	116.1	125.0	33
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.2	0	7.8	34
3	3	-	16.5	19.0	0	1	-	1	11.6	0	16.1	2	-	2	8.3	0	15.6	35
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
10	8	2	54.9	50.6	83.3	16	5	11	186.0	208.3	177.4	48	19	29	200.0	169.6	226.6	38
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.2	0	7.8	39
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
46	38	8	252.7	240.5	333.3	24	9	15	279.1	375.0	241.9	69	30	39	287.5	267.9	304.7	41
1	1	-	5.5	6.3	0	2	1	1	23.3	41.7	16.1	2	2	2	8.3	0	15.6	42
9	4	5	49.5	25.3	208.3	6	1	5	69.8	41.7	80.6	8	2	6	33.3	17.9	46.9	43
2	2	-	11.0	12.7	0	-	-	-	0	0	0	-	-	-	0	0	0	44
-	-	-	0	0	0	1	1	-	11.6	41.7	0	2	-	2	8.3	0	15.6	45
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	-
-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	8.3	8.9	7.8	46
1	-	1	5.5	0	41.7	3	-	3	34.9	0	48.4	2	-	2	8.3	0	15.6	48
2	2	-	11.0	12.7	0	-	-	-	0	0	0	-	-	-	0	0	0	49
1	1	-	5.5	6.3	0	1	-	1	11.6	0	16.1	4	1	3	16.7	8.9	23.4	50
1	1	-	5.5	6.3	0	-	-	-	0	0	0	1	-	1	4.2	0	7.8	51
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	52
1	1	-	5.5	6.3	0	-	-	-	0	0	0	1	1	-	4.2	8.9	0	53
4	2	2	22.0	12.7	83.3	1	-	1	11.6	0	16.1	5	1	4	20.8	8.9	31.2	54
-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	8.3	0	15.6	55
1	-	1	5.5	0	41.7	5	-	5	58.1	0	80.6	4	-	4	16.7	0	31.2	56
1	1	-	5.5	6.3	0	1	1	-	11.6	41.7	0	-	-	-	0	0	0	57
-	-	-	0	0	0	1	-	1	11.6	0	16.1	8	1	7	33.3	8.9	54.7	58
8	5	3	44.0	31.6	125.0	1	1	1	11.6	41.7	0	7	3	4	29.2	26.8	31.2	59
5	3	2	27.5	19.0	83.3	6	1	5	69.8	41.7	80.6	4	3	1	16.7	26.8	7.8	60
1	1	-	5.5	6.3	0	-	-	-	0	0	0	6	6	-	25.0	53.6	0	61
1	-	1	5.5	0	41.7	1	-	1	11.6	0	16.1	2	-	2	8.3	0	15.6	62
8	7	1	44.0	44.3	41.7	3	1	2	34.9	41.7	32.3	18	8	10	75.0	71.4	78.1	63

ITEM	Talbot						Taliaferro					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	198	27	171	26.4	12.3	32.3	112	27	85	29.5	19.3	35.4
2 Delivered in hospital	58	27	31	29.3%	100.0%	18.1%	35	25	10	31.2%	92.6%	11.8%
3 Delivered in home by physician	6	-	6	3.0%	0%	3.5%	3	-	3	2.7%	0%	3.5%
4 Delivered in home by midwife	134	-	134	67.7%	0%	78.4%	74	2	72	66.1%	7.4%	84.7%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	18	1	17	90.9	37.0	99.4	15	-	15	133.9	0	176.5
FETAL DEATHS												
7 Under 20 weeks gestation	10	-	10	50.5	0	58.5	7	-	7	62.5	0	82.4
8 20-27 weeks gestation	3	-	3	15.2	0	17.5	1	-	1	8.9	0	11.8
9 28 weeks and more	-	-	-	0	0	0	-	-	-	0	0	0
Unknown length of gestation	4	-	4	20.2	0	23.4	6	-	6	53.6	0	70.6
	3	-	3	15.2	0	17.5	-	-	-	0	0	0
DEATHS												
10 Total, all ages	84	36	48	1120.0	1636.4	905.7	49	13	36	1289.5	928.6	1500.0
11 Under 1 year	5	-	5	25.3	0	29.2	8	1	7	71.4	37.0	82.4
12 Under 28 days	1	-	1	5.1	0	5.8	5	1	4	44.6	37.0	47.1
13 Deaths from immaturity	-	-	-	0	0	0	2	-	2	17.9	0	23.5
14 1-4 years	1	-	1	-	-	-	1	-	1	-	-	-
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	1	-	1	13.3	0	18.9	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	1	-	1	13.3	0	18.9	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	1	-	1	13.3	0	18.9	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 084-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	12	6	6	160.0	272.7	113.2	7	-	7	184.2	0	291.7
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	1	-	1	26.3	0	41.7
35 Diabetes mellitus (260)	-	-	-	0	0	0	-	-	-	0	0	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	1	-	1	26.3	0	41.7
38 Vascular lesions affecting central nervous system (330-334)	16	5	11	213.3	227.3	207.5	10	3	7	263.2	214.3	291.7
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	27	13	14	360.0	590.9	264.2	11	5	6	289.5	357.1	250.0
42 Hypertension without mention of heart (444-447)	1	-	1	13.3	0	18.9	1	1	-	26.3	71.4	0
43 Influenza and pneumonia (480-483, 490-493)	1	-	1	13.3	0	18.9	2	1	1	52.6	71.4	41.7
44 Bronchitis (500-502)	3	1	2	40.0	45.5	37.7	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0
46 Appendicitis (550-553)	1	-	1	13.3	0	18.9	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	13.3	0	18.9	-	-	-	0	0	0
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	-	-	-	0	0	0	1	-	1	26.3	0	41.7
51 Hyperplasia of prostate (610)	1	-	1	13.3	0	18.9	1	-	1	26.3	0	41.7
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	1	-	1	13.3	0	18.9	-	-	-	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	2	1	1	52.6	71.4	41.7
55 Infection of the newborn (763-768)	-	-	-	0	0	0	1	-	1	26.3	0	41.7
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	0	0	0	2	-	2	52.6	0	83.3
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	2	1	1	26.7	45.5	18.9	3	1	2	78.9	71.4	83.3
59 Motor vehicle accidents (E810-E835)	1	-	1	13.3	0	18.9	-	-	-	0	0	0
60 All other accidents (E800-E802, E840-E962)	7	3	4	93.3	136.4	75.5	3	-	3	78.9	0	125.0
61 Suicide (E963, E970-E979)	2	2	-	26.7	90.9	0	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	1	1	-	13.3	45.5	0	-	-	-	0	0	0
63 All other diseases (residual)	4	4	-	53.3	181.8	0	3	1	2	78.9	71.4	83.3

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Tattnall						Taylor						Telfair						
Number			Rate or Ratio*			Number			Rate or Ratio*			Number			Rate or Ratio*			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
372	215	157	25.8	20.5	40.3	232	91	141	27.6	20.7	35.2	359	210	149	29.0	25.3	36.3	1
249	210	39	66.9%	97.7%	24.8%	108	89	19	46.6%	97.8%	13.5%	202	183	19	56.3%	87.1%	12.8%	2
65	5	60	17.5%	2.3%	38.2%	3	-	3	1.3%	0%	2.1%	29	15	14	8.1%	7.1%	9.4%	3
58	-	58	15.6%	0%	36.9%	121	2	119	52.2%	2.2%	84.4%	127	12	115	35.4%	5.7%	77.2%	4
-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	1	-	1	0.3%	0%	0.7%	5
34	14	20	91.4	65.1	127.4	14	9	5	60.3	98.9	35.5	26	17	9	72.4	81.0	60.4	6
15	3	12	40.3	14.0	76.4	9	1	8	38.8	11.0	56.7	8	4	4	22.3	19.0	26.8	7
1	-	1	2.7	0	6.4	-	-	-	0	0	0	2	1	1	5.6	4.8	6.7	8
1	-	1	2.7	0	6.4	2	-	2	8.6	0	14.2	-	-	-	0	0	0	8
12	3	9	32.3	14.0	57.3	7	1	6	30.2	11.0	42.6	6	3	3	16.7	14.3	20.1	9
1	-	1	2.7	0	6.4	-	-	-	0	0	0	-	-	-	0	0	0	9
135	90	45	937.5	857.1	1153.8	61	30	31	726.2	681.8	775.0	107	66	41	862.9	795.2	1000.0	10
18	6	12	48.4	27.9	76.4	11	5	6	47.4	54.9	42.6	13	7	6	36.2	33.3	40.3	11
14	5	9	37.6	23.3	57.3	6	4	2	25.9	44.0	14.2	9	6	3	25.1	28.6	20.1	12
5	2	3	13.4	9.3	19.1	4	4	4	17.2	44.0	0	-	-	-	0	0	0	13
2	-	2	-	-	-	1	1	-	-	-	-	3	1	2	-	-	-	14
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	27.9	0	67.1	15
1	1	-	6.9	9.5	0	-	-	-	0	0	0	1	-	1	8.1	0	24.4	16
1	-	1	6.9	0	25.6	1	1	-	11.9	22.7	0	-	-	-	0	0	0	17
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	1	1	-	11.9	22.7	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
14	9	5	97.2	85.7	128.2	3	3	-	35.7	68.2	0	9	8	1	72.6	96.4	24.4	33
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
1	1	-	6.9	9.5	0	2	2	-	23.8	45.5	0	1	1	-	8.1	0	24.4	35
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
2	2	-	13.9	19.0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
15	6	9	104.2	57.1	230.8	17	5	12	202.4	113.6	300.0	18	8	10	145.2	96.4	243.9	38
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
39	35	4	270.8	333.3	102.6	12	8	4	142.9	181.8	100.0	41	27	14	330.6	325.3	341.5	41
-	-	-	0	0	0	1	-	1	11.9	0	25.0	1	1	-	8.1	12.0	0	42
7	1	6	48.6	9.5	153.8	6	-	6	71.4	0	150.0	3	1	2	24.2	12.0	48.8	43
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
1	1	-	6.9	9.5	0	-	-	-	0	0	0	1	1	-	8.1	12.0	0	45
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
4	2	2	27.8	19.0	51.3	-	-	-	0	0	0	-	-	-	0	0	0	47
1	-	1	6.9	0	25.6	1	-	1	11.9	0	25.0	1	-	1	8.1	0	24.4	48
1	1	-	6.9	9.5	0	-	-	-	0	0	0	-	-	-	0	0	0	49
4	4	-	27.8	38.1	0	1	1	-	11.9	22.7	0	1	1	-	8.1	12.0	0	50
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	8.1	12.0	0	51
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	8.1	0	24.4	52
1	1	-	6.9	9.5	0	-	-	-	0	0	0	1	1	-	8.1	12.0	0	53
6	3	3	41.7	28.6	76.9	1	1	-	11.9	22.7	0	2	2	-	16.1	24.1	0	54
1	-	1	6.9	0	25.6	1	-	1	11.9	0	25.0	-	-	-	0	0	0	55
5	2	3	34.7	19.0	76.9	4	4	-	47.6	90.9	0	9	4	5	72.6	48.2	122.0	56
-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	16.1	12.0	24.4	57
5	2	3	34.7	19.0	76.9	2	1	1	23.8	22.7	25.0	-	-	-	0	0	0	58
6	5	1	41.7	47.6	25.6	2	1	1	23.8	22.7	25.0	5	1	4	40.3	12.0	97.6	59
9	7	2	62.5	66.7	51.3	3	-	3	35.7	0	75.0	3	3	-	24.2	36.1	0	60
2	2	-	13.9	19.0	0	-	-	-	0	0	0	-	-	-	0	0	0	61
2	-	2	13.9	0	51.3	-	-	-	0	0	0	-	-	-	0	0	0	62
7	5	2	48.6	47.6	51.3	3	2	1	35.7	45.5	25.0	6	6	-	48.4	72.3	0	63

ITEM	Terrell						Thomas					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	396	84	312	29.8	18.7	35.5	969	504	465	27.7	23.9	33.5
2 Delivered in hospital	156	84	72	39.4%	100.0%	23.1%	601	473	128	62.0%	93.8%	27.5%
3 Delivered in home by physician	22	-	22	5.6%	0%	7.1%	30	10	20	3.1%	2.0%	4.3%
4 Delivered in home by midwife	218	-	218	55.0%	0%	69.9%	211	5	206	21.8%	1.0%	44.3%
5 Other deliveries	-	-	-	0%	0%	0%	127	16	111	13.1%	3.2%	23.9%
6 Immature births	34	4	30	85.9	47.6	96.2	82	40	42	84.6	79.4	90.3
FETAL DEATHS												
7 Total	14	-	14	35.4	0	44.9	28	9	19	28.9	17.9	40.9
8 Under 20 weeks gestation	1	-	1	2.5	0	3.2	5	-	5	5.2	0	10.8
9 20-27 weeks gestation	3	-	3	7.6	0	9.6	7	1	6	7.2	2.0	12.9
28 weeks and more	9	-	9	22.7	0	28.8	11	4	7	11.4	7.9	15.1
Unknown length of gestation	1	-	1	2.5	0	3.2	5	4	1	5.2	7.9	2.2
DEATHS												
10 Total, all ages	162	46	116	1218.0	1022.2	1318.2	301	152	149	860.0	720.4	1071.9
11 Under 1 year	30	3	27	75.8	35.7	86.5	29	11	18	29.9	21.8	38.7
12 Under 28 days	24	2	22	60.6	23.8	70.5	24	11	13	24.8	21.8	28.0
13 Deaths from immaturity	10	-	10	25.3	0	32.1	11	4	7	11.4	7.9	15.1
14 1-4 years **	1	-	1	-	-	-	5	1	4	-	-	-
15 Maternal deaths	1	-	1	25.3	0	32.1	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	3	1	2	22.6	22.2	22.7	1	-	1	2.9	0	7.2
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	1	-	1	7.5	0	11.4	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 084-096, 120-138)	-	-	-	0	0	0	3	1	2	8.6	4.7	14.4
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	16	4	12	120.6	88.9	136.4	31	20	11	88.6	94.8	79.1
34 Benign and unspecified neoplasms (210-239)	2	-	2	15.0	0	22.7	1	-	1	2.9	0	7.2
35 Diabetes mellitus (260)	3	-	3	22.6	0	34.1	3	1	2	8.6	4.7	14.4
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	17	6	11	127.8	133.3	125.0	68	32	36	194.3	151.7	259.0
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	43	16	27	323.3	355.6	306.8	82	50	32	234.3	237.0	230.2
42 Hypertension without mention of heart (444-447)	4	1	3	30.1	22.2	34.1	5	2	3	14.3	9.5	21.6
43 Influenza and pneumonia (480-483, 490-493)	8	3	5	60.2	66.7	56.8	8	-	8	22.9	0	57.6
44 Bronchitis (500-502)	-	-	-	0	0	0	1	1	-	2.9	4.7	0
45 Ulcer of stomach and duodenum (540-541)	1	-	1	7.5	0	11.4	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	1	-	1	2.9	0	7.2
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	2	-	2	5.7	0	14.4
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	7.5	0	11.4	1	-	1	2.9	0	7.2
49 Cirrhosis of liver (581)	-	-	-	0	0	0	3	2	1	8.6	9.5	7.2
50 Nephritis and nephrosis (590-594)	3	2	1	22.6	44.4	11.4	6	4	2	17.1	19.0	14.4
51 Hyperplasia of prostate (610)	1	-	1	7.5	0	11.4	3	-	3	8.6	0	21.6
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	7.5	0	11.4	-	-	-	0	0	0
53 Congenital malformations (750-759)	2	1	1	15.0	22.2	11.4	4	2	2	11.4	9.5	14.4
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	6	2	4	45.1	44.4	45.5	7	5	2	20.0	23.7	14.4
55 Infection of the newborn (763-768)	2	-	2	15.0	0	22.7	1	-	1	2.9	0	7.2
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	12	-	12	90.2	0	136.4	13	5	8	37.1	23.7	57.6
57 Senility, without mention of psychosis (794)	1	-	1	7.5	0	11.4	1	1	-	2.9	4.7	0
58 Ill-defined and unknown causes (780-793, 795)	6	-	6	45.1	0	68.2	5	-	5	14.3	0	36.0
59 Motor vehicle accidents (E810-E835)	2	1	1	15.0	22.2	11.4	10	4	6	28.6	19.0	43.2
60 All other accidents (E800-E802, E840-E962)	7	2	5	52.6	44.4	56.8	9	5	4	25.7	23.7	28.8
61 Suicide (E963, E970-E979)	2	1	1	15.0	22.2	11.4	2	2	-	5.7	9.5	0
62 Homicide (E964, E980-E985)	1	-	1	7.5	0	11.4	6	-	6	17.1	0	43.2
63 All other diseases (residual)	17	6	11	127.8	133.3	125.0	24	15	9	68.6	71.1	64.7

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Tift						Toombs						Towns						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
712	440	272	29.3	25.3	39.4	481	307	174	27.3	24.2	35.5	81	81	-	16.9	16.9	0	1
504	430	74	70.8%	97.7%	27.2%	282	259	23	58.6%	84.4%	13.2%	78	78	-	96.3%	96.3%	0%	2
5	4	1	0.7%	0.9%	0.4%	92	46	46	19.1%	15.0%	26.4%	3	3	-	3.7%	3.7%	0%	3
203	6	197	28.5%	1.4%	72.4%	107	2	105	22.2%	0.7%	60.3%	-	-	-	0%	0%	0%	4
-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
60	32	28	84.3	72.7	102.9	37	18	19	76.9	58.6	109.2	7	7	-	86.4	86.4	0	6
8	4	4	11.2	9.1	14.7	29	17	12	60.3	55.4	69.0	5	5	-	61.7	61.7	0	7
3	3	-	4.2	6.8	0	11	7	4	22.9	22.8	23.0	2	2	-	24.7	24.7	0	8
1	-	1	1.4	0	3.7	2	1	1	4.2	3.3	5.7	2	2	-	24.7	24.7	0	9
4	1	3	5.6	2.3	11.0	15	8	7	31.2	26.1	40.2	-	-	-	0	0	0	0
-	-	-	0	0	0	1	1	-	2.1	3.3	0	1	1	-	12.3	12.3	0	0
182	114	68	749.0	655.2	985.5	133	91	42	755.7	716.5	857.1	27	27	-	562.5	562.5	0	10
21	7	14	29.5	15.9	51.5	21	10	11	43.7	32.6	63.2	3	3	-	37.0	37.0	0	11
16	4	12	22.5	9.1	44.1	13	6	7	27.0	19.5	40.2	3	3	-	37.0	37.0	0	12
8	1	7	11.2	2.3	25.7	6	2	4	12.5	6.5	23.0	2	2	-	24.7	24.7	0	13
4	2	2	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	14
-	-	-	0	0	0	2	1	1	41.6	32.6	57.5	-	-	-	0	0	0	15
3	-	3	12.3	0	43.5	1	-	1	5.7	0	20.4	1	1	-	20.8	20.8	0	16
1	1	-	8.2	5.7	14.5	-	-	-	0	0	0	-	-	-	0	0	0	17
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
1	1	-	4.1	5.7	0	-	-	-	0	0	0	-	-	-	0	0	0	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
-	-	-	0	0	0	1	-	1	5.7	0	20.4	-	-	-	0	0	0	23
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
2	1	1	8.2	5.7	14.5	1	1	-	5.7	7.9	0	-	-	-	0	0	0	32
20	13	7	82.3	74.7	101.4	9	7	2	51.1	55.1	40.8	5	5	-	104.2	104.2	0	33
1	1	-	4.1	5.7	0	-	-	-	0	0	0	-	-	-	0	0	0	34
5	3	2	20.6	17.2	29.0	5	5	-	28.4	39.4	0	-	-	-	0	0	0	35
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
-	-	-	0	0	0	1	-	1	5.7	0	20.4	-	-	-	0	0	0	37
23	12	11	94.6	69.0	159.4	23	18	5	130.7	141.7	102.0	3	3	-	62.5	62.5	0	38
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
1	1	-	4.1	5.7	0	-	-	-	0	0	0	-	-	-	0	0	0	40
49	43	6	201.6	247.1	87.0	37	27	10	210.2	212.6	204.1	8	8	-	166.7	166.7	0	41
3	-	3	12.3	0	43.5	2	1	1	11.4	7.9	20.4	-	-	-	0	0	0	42
4	1	3	16.5	5.7	43.5	9	2	7	51.1	15.7	142.9	2	2	-	41.7	41.7	0	43
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
1	1	-	4.1	5.7	0	-	-	-	0	0	0	-	-	-	0	0	0	45
1	1	-	4.1	5.7	0	1	-	1	5.7	0	20.4	-	-	-	0	0	0	46
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	47
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	48
1	1	-	4.1	5.7	0	1	1	-	5.7	7.9	0	-	-	-	0	0	0	49
3	3	-	12.3	17.2	0	8	3	5	45.5	23.6	102.0	-	-	-	0	0	0	50
2	1	1	8.2	5.7	14.5	-	-	-	0	0	0	-	-	-	0	0	0	51
-	-	-	0	0	0	2	1	1	11.4	7.9	20.4	-	-	-	0	0	0	52
3	3	-	12.3	17.2	0	2	2	-	11.4	15.7	0	1	1	-	20.8	20.8	0	53
3	2	1	12.3	11.5	14.5	2	1	1	11.4	7.9	20.4	-	-	-	0	0	0	54
3	1	2	12.3	5.7	29.0	2	1	1	11.4	7.9	20.4	-	-	-	0	0	0	55
11	2	9	45.3	11.5	130.4	7	3	4	39.8	23.6	81.6	2	2	-	41.7	41.7	0	56
-	-	-	0	0	0	1	1	-	5.7	7.9	0	-	-	-	0	0	0	57
4	1	3	16.5	5.7	43.5	1	-	1	5.7	0	20.4	1	1	-	20.8	20.8	0	58
7	6	1	28.8	34.5	14.5	6	6	-	34.1	47.2	0	1	1	-	20.8	20.8	0	59
6	3	3	24.7	17.2	43.5	5	5	-	28.4	39.4	0	-	-	-	0	0	0	60
1	1	-	4.1	5.7	0	-	-	-	0	0	0	-	-	-	0	0	0	61
2	-	2	8.2	0	29.0	2	2	-	11.4	15.7	0	-	-	-	0	0	0	62
20	11	9	82.3	63.2	130.4	4	4	-	22.7	31.5	0	3	3	-	62.5	62.5	0	63

ITEM	Trentlen						Troup					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	163	96	67	26.7	22.3	37.2	1,351	811	540	25.9	22.5	33.3
2 Delivered in hospital	80	73	7	49.1%	76.0%	10.4%	1,062	799	263	78.6%	98.5%	48.7%
3 Delivered in home by physician	22	17	5	13.5%	17.7%	7.5%	24	5	19	1.8%	0.6%	3.5%
4 Delivered in home by midwife	61	6	55	37.4%	6.2%	82.1%	263	7	256	19.5%	0.9%	47.4%
5 Other deliveries	-	-	-	0%	0%	0%	2	-	2	0.1%	0%	0.4%
6 Immature births	3	2	1	18.4	20.8	14.9	116	66	50	85.9	81.4	92.6
FETAL DEATHS												
7 Total	5	3	2	30.7	31.2	29.8	77	54	23	57.0	66.6	42.6
8 Under 20 weeks gestation	-	-	-	0	0	0	48	39	9	35.5	48.1	16.7
9 20-27 weeks gestation	-	-	-	0	0	0	8	6	2	5.9	7.4	3.7
28 weeks and more	4	3	1	24.5	31.2	14.9	20	9	11	14.8	11.1	20.4
Unknown length of gestation	1	-	1	6.1	0	14.9	1	-	1	0.7	0	1.9
DEATHS												
10 Total, all ages	50	34	16	819.7	790.7	888.9	460	259	201	881.2	719.4	1240.7
11 Under 1 year	7	3	4	42.9	31.2	59.7	49	19	30	36.3	23.4	55.6
12 Under 28 days	3	1	2	18.4	10.4	29.9	28	17	11	20.7	21.0	20.4
13 Deaths from immaturity	1	-	1	6.1	0	14.9	9	5	4	6.7	6.2	7.4
14 1-4 years **	1	-	1	-	-	-	8	3	5	-	-	-
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	1	1	-	16.4	23.3	0	11	1	10	21.1	2.8	61.7
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	1	1	-	16.4	23.3	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	1	-	1	1.9	0	6.2
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	3	-	3	5.7	0	18.5
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	8	5	3	131.1	116.3	166.7	44	31	13	84.3	86.1	80.2
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	2	1	1	3.8	2.8	6.2
35 Diabetes mellitus (260)	-	-	-	0	0	0	3	1	2	5.7	2.8	12.3
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	1	1	-	1.9	2.8	0
38 Vascular lesions affecting central nervous system (330-334)	7	5	2	114.8	116.3	111.1	98	55	43	187.7	152.8	265.4
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	2	-	2	3.8	0	12.3
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	14	12	2	229.5	279.1	111.1	131	82	49	251.0	227.8	302.5
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	5	1	4	9.6	2.8	24.7
43 Influenza and pneumonia (480-483, 490-493)	2	-	2	32.8	0	111.1	18	5	13	34.5	13.9	80.2
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	4	3	1	7.7	8.3	6.2
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	16.4	23.3	0	2	1	1	3.8	2.8	6.2
48 Gastritis, duodenitis, enteritis and colitis (except diarrhoea of the newborn) (543, 571, 572)	-	-	-	0	0	0	6	1	5	11.5	2.8	30.9
49 Cirrhosis of liver (581)	-	-	-	0	0	0	1	-	1	1.9	0	6.2
50 Nephritis and nephrosis (590-594)	3	3	-	49.2	69.8	0	9	6	3	17.2	16.7	18.5
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	-	-	-	0	0	0	3	1	2	5.7	2.8	12.3
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	13	8	5	24.9	22.2	30.9
55 Infection of the newborn (763-768)	2	1	1	32.8	23.3	55.6	1	-	1	1.9	0	6.2
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	-	1	16.4	0	55.6	14	9	5	26.8	25.0	30.9
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	3	3	-	5.7	8.3	0
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	2	1	1	3.8	2.8	6.2
59 Motor vehicle accidents (E810-E835)	-	-	-	0	0	0	14	8	6	26.8	22.2	37.0
60 All other accidents (E800-E802, E840-E962)	5	3	2	82.0	69.8	111.1	14	8	6	26.8	22.2	37.0
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	7	5	2	13.4	13.9	12.3
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	10	1	9	19.2	2.8	55.6
63 All other diseases (residual)	5	2	3	82.0	46.5	166.7	38	26	12	72.8	72.2	74.1

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Turner						Twiggs						Union						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
283	153	130	27.5	23.9	33.3	228	54	174	28.5	18.0	34.8	175	175	-	24.3	24.3	0	1
219	151	68	77.4%	98.7%	52.3%	115	51	64	50.4%	94.4%	36.8%	150	150	-	85.7%	85.7%	0%	2
5	-	5	1.8%	0%	3.8%	-	-	-	0%	0%	0%	21	21	-	12.0%	12.0%	0%	3
59	2	57	20.8%	1.3%	43.8%	113	3	110	49.6%	5.0%	63.2%	4	4	-	2.3%	2.3%	0%	4
-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
22	12	10	77.7	78.4	76.9	16	4	12	70.2	74.1	69.0	8	8	-	45.7	45.7	0	6
7	3	4	24.7	19.6	30.8	12	2	10	52.6	37.0	57.5	2	2	-	11.4	11.4	0	7
4	3	1	14.1	19.6	7.7	-	-	-	0	0	0	2	2	-	11.4	11.4	0	8
1	-	1	3.5	0	7.7	2	-	2	8.8	0	11.5	-	-	-	0	0	0	9
2	-	2	7.1	0	15.4	10	2	8	43.9	37.0	46.0	-	-	-	0	0	0	10
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	11
92	58	34	893.2	906.2	871.8	72	21	51	900.0	700.0	1020.0	39	39	-	541.7	541.7	0	12
13	6	7	45.9	39.2	53.8	9	3	6	39.5	55.6	34.5	3	3	-	17.1	17.1	0	13
7	3	4	24.7	19.6	30.8	4	3	1	17.5	55.6	5.7	2	2	-	11.4	11.4	0	14
3	2	1	10.6	13.1	7.7	-	-	-	0	0	0	-	-	-	0	0	0	15
2	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	16
1	-	1	35.3	0	76.9	-	-	-	0	0	0	-	-	-	0	0	0	17
-	-	-	0	0	0	2	1	1	25.0	33.3	20.0	1	1	-	13.9	13.9	0	18
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
-	-	-	0	0	0	1	-	1	12.5	0	20.0	-	-	-	0	0	0	32
11	5	6	106.8	78.1	153.8	9	2	7	112.5	66.7	140.0	4	4	-	55.6	55.6	0	33
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
1	1	-	9.7	15.6	0	-	-	-	0	0	0	1	1	-	13.9	13.9	0	35
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
-	-	-	0	0	0	1	-	1	12.5	0	20.0	-	-	-	0	0	0	37
23	17	6	223.3	265.6	153.8	12	1	11	150.0	33.3	220.0	6	6	-	83.3	83.3	0	38
1	1	-	9.7	15.6	0	1	-	1	12.5	0	20.0	-	-	-	0	0	0	39
1	-	1	9.7	0	25.6	2	1	1	25.0	33.3	20.0	-	-	-	0	0	0	40
32	24	8	310.7	375.0	205.1	19	8	11	237.5	266.7	220.0	14	14	-	194.4	194.4	0	41
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	42
5	2	3	48.5	31.2	76.9	6	1	5	75.0	33.3	100.0	1	1	-	13.9	13.9	0	43
-	-	-	0	0	0	1	-	1	12.5	0	20.0	-	-	-	0	0	0	44
-	-	-	0	0	0	1	1	-	12.5	33.3	0	1	1	-	13.9	13.9	0	45
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	47
1	-	1	9.7	0	25.6	-	-	-	0	0	0	-	-	-	0	0	0	48
-	-	-	0	0	0	1	-	1	12.5	0	20.0	-	-	-	0	0	0	49
1	-	1	9.7	0	25.6	4	1	3	50.0	33.3	60.0	-	-	-	0	0	0	50
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
1	-	1	9.7	0	25.6	-	-	-	0	0	0	-	-	-	0	0	0	52
-	-	-	0	0	0	1	1	-	12.5	33.3	0	-	-	-	0	0	0	53
2	1	1	19.4	15.6	25.6	2	1	1	25.0	33.3	20.0	1	1	-	13.9	13.9	0	54
2	-	2	19.4	0	51.3	1	1	-	12.5	33.3	0	-	-	-	0	0	0	55
3	2	1	29.1	31.2	25.6	-	-	-	0	0	0	-	-	-	0	0	0	56
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
2	-	2	19.4	0	51.3	-	-	-	0	0	0	1	1	-	13.9	13.9	0	58
-	-	-	0	0	0	2	-	2	25.0	0	40.0	1	1	-	13.9	13.9	0	59
2	2	-	19.4	31.2	0	1	1	-	12.5	33.3	0	5	5	-	69.4	69.4	0	60
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	61
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	62
4	3	1	38.8	46.9	25.6	5	1	4	62.5	33.3	80.0	3	3	-	41.7	41.7	0	63

ITEM	Upson						Walker					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	588	385	203	23.5	20.8	31.2	1,012	950	62	24.6	24.6	24.8
2 Delivered in hospital	444	375	69	75.5%	97.4%	34.0%	1,008	946	62	99.6%	99.6%	100.0%
3 Delivered in home by physician	51	10	41	8.7%	2.6%	20.2%	3	3	-	0.3%	0.3%	0%
4 Delivered in home by midwife	92	-	92	15.6%	0%	45.3%	1	1	-	0.1%	0.1%	0%
5 Other deliveries	1	-	1	0.2%	0%	0.5%	-	-	-	0%	0%	0%
6 Immature births	65	39	26	110.5	101.3	128.1	64	56	8	63.2	58.9	129.0
FETAL DEATHS												
7 Total	62	30	32	105.4	77.9	157.6	16	13	3	15.8	13.7	48.4
8 Under 20 weeks gestation	42	26	16	71.4	67.5	78.8	1	1	-	1.0	1.1	0
9 20-27 weeks gestation	4	1	3	6.8	2.6	14.8	7	6	1	6.9	6.3	16.1
28 weeks and more	13	3	10	22.1	7.8	49.3	7	6	1	6.9	6.3	16.1
Unknown length of gestation	3	-	3	5.1	0	14.8	1	-	1	1.0	0	16.1
DEATHS												
10 Total, all ages	209	143	66	836.0	773.0	1015.4	294	277	17	715.3	717.6	680.0
11 Under 1 year	16	11	5	27.2	28.6	24.6	21	18	3	20.8	18.9	48.4
12 Under 28 days	11	9	2	18.7	23.4	9.9	14	12	2	13.8	12.6	32.3
13 Deaths from immaturity	1	1	-	1.7	2.6	0	3	3	-	3.0	3.2	0
14 1-4 years **	6	4	2	-	-	-	7	6	1	-	-	-
15 Maternal deaths	2	1	1	34.0	26.0	49.3	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	2	-	2	8.0	0	30.8	5	5	-	12.2	13.0	0
17 Syphilis and its sequelae (020-029)	1	-	1	4.0	0	15.4	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	2	2	-	4.9	5.2	0
23 Whooping cough (056)	1	-	1	4.0	0	15.4	1	1	-	2.4	2.6	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	2	-	2	8.0	0	30.8	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	22	17	5	88.0	91.9	76.9	39	37	2	94.9	95.9	80.0
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	1	1	-	2.4	2.6	0
35 Diabetes mellitus (260)	4	3	1	16.0	16.2	15.4	4	4	-	9.7	10.4	0
36 Pellagra (281)	-	-	-	0	0	0	1	1	-	2.4	2.6	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	19	12	7	76.0	64.9	107.7	31	30	1	75.4	77.7	40.0
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	81	59	22	324.0	318.9	338.5	103	98	5	250.6	253.9	200.0
42 Hypertension without mention of heart (444-447)	2	2	-	8.0	10.8	0	2	2	-	4.9	5.2	0
43 Influenza and pneumonia (480-483, 490-493)	8	6	2	32.0	32.4	30.8	17	16	1	41.4	41.4	40.0
44 Bronchitis (500-502)	1	1	-	4.0	5.4	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	6	4	2	24.0	21.6	30.8	1	1	-	2.4	2.6	0
46 Appendicitis (550-553)	1	-	1	4.0	0	15.4	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	4.0	5.4	0	3	2	1	7.3	5.2	40.0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	4.0	0	15.4	5	5	-	12.2	13.0	0
49 Cirrhosis of liver (581)	-	-	-	0	0	0	7	7	-	17.0	18.1	0
50 Nephritis and nephrosis (590-594)	5	5	-	20.0	27.0	0	6	6	-	14.6	15.5	0
51 Hyperplasia of prostate (610)	1	1	-	4.0	5.4	0	3	3	-	7.3	7.8	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	2	1	1	8.0	5.4	15.4	-	-	-	0	0	0
53 Congenital malformations (750-759)	3	2	1	12.0	10.8	15.4	4	3	1	9.7	7.8	40.0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	7	6	1	28.0	32.4	15.4	8	7	1	19.5	18.1	40.0
55 Infection of the newborn (763-768)	-	-	-	0	0	0	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	1	-	4.0	5.4	0	3	3	-	7.3	7.8	0
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	4	4	-	9.7	10.4	0
58 Ill-defined and unknown causes (780-793, 795)	2	1	1	8.0	5.4	15.4	9	5	4	21.9	13.0	160.0
59 Motor vehicle accidents (E810-E835)	9	7	2	36.0	37.8	30.8	9	9	-	21.9	23.3	0
60 All other accidents (E800-E802, E840-E962)	10	4	6	40.0	21.6	92.3	6	5	1	14.6	13.0	40.0
61 Suicide (E963, E970-E979)	1	1	-	4.0	5.4	0	3	3	-	7.3	7.8	0
62 Homicide (E964, E980-E985)	1	-	1	4.0	0	15.4	3	3	-	7.3	7.8	0
63 All other diseases (residual)	12	9	3	48.0	48.6	46.2	14	14	-	34.1	36.3	0

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Walton						Ware						Warren						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
444	245	199	22.2	18.0	31.1	874	656	218	28.0	28.6	26.3	257	55	202	31.3	19.0	38.1	1
373	241	132	84.0%	98.4%	66.3%	675	591	84	77.2%	90.1%	38.5%	92	54	38	35.8%	98.2%	18.8%	2
3	2	1	0.7%	0.8%	0.5%	130	54	76	14.9%	8.2%	34.9%	11	1	10	4.3%	1.8%	5.0%	3
68	2	66	15.3%	0.8%	33.2%	68	11	57	7.8%	1.7%	26.1%	154	-	154	59.9%	0%	76.2%	4
-	-	-	0%	0%	0%	1	-	1	0.1%	0%	0.5%	-	-	-	0%	0%	0%	5
45	16	29	101.4	65.3	145.7	62	43	19	70.9	65.5	87.2	25	1	24	97.3	18.2	118.8	6
13	8	5	29.3	32.7	25.1	55	35	20	62.9	53.4	91.7	10	1	9	38.9	18.2	44.6	7
7	5	2	15.8	20.4	10.0	28	20	8	32.0	30.5	36.7	4	-	4	15.6	0	19.8	8
-	-	-	0	0	0	6	3	3	6.9	4.6	13.8	1	1	1	3.9	0	5.0	9
6	3	3	13.5	12.2	15.1	20	11	9	22.9	16.8	41.3	5	1	4	19.5	18.2	19.8	8
-	-	-	0	0	0	1	1	-	1.1	1.5	0	-	-	-	0	0	0	9
163	119	44	815.0	875.0	687.5	258	171	87	826.9	746.7	1048.2	89	31	58	1085.5	1069.0	1094.3	10
12	7	5	27.0	28.6	25.1	19	10	9	21.7	15.2	41.3	12	1	11	46.7	18.2	54.5	11
10	7	3	22.5	28.6	15.1	10	8	2	11.4	12.2	9.2	8	1	7	31.1	18.2	34.7	12
1	-	1	2.3	0	5.0	1	1	1	1.1	1.5	0	2	-	2	7.8	0	9.9	13
-	-	-	-	-	-	6	3	3	-	-	-	2	1	1	-	-	-	14
-	-	-	0	0	0	1	1	-	11.4	15.2	0	1	-	1	38.9	0	49.5	15
-	-	-	0	0	0	2	1	1	6.4	4.4	12.0	-	-	-	0	0	0	16
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
1	1	-	5.0	7.4	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	1	1	-	3.2	4.4	0	-	-	-	0	0	0	22
-	-	-	0	0	0	1	1	-	3.2	4.4	0	-	-	-	0	0	0	23
-	-	-	0	0	0	1	1	-	0	0	0	-	-	-	0	0	0	24
-	-	-	0	0	0	1	1	-	3.2	4.4	0	-	-	-	0	0	0	25
-	-	-	0	0	0	1	1	-	3.2	4.4	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
1	1	-	5.0	7.4	0	-	-	-	0	0	0	-	-	-	0	0	0	32
22	17	5	110.0	125.0	78.1	27	17	10	86.5	74.2	120.5	9	1	8	109.8	34.5	150.9	33
-	-	-	0	0	0	2	2	-	6.4	8.7	0	-	-	-	0	0	0	34
1	1	-	5.0	7.4	0	4	4	-	12.8	17.5	0	1	1	-	12.2	34.5	0	35
1	1	-	5.0	7.4	0	-	-	-	0	0	0	-	-	-	0	0	0	36
1	1	-	5.0	7.4	0	1	1	-	3.2	4.4	0	-	-	-	0	0	0	37
28	20	8	140.0	147.1	125.0	46	28	18	147.4	122.3	216.9	17	5	12	207.3	172.4	226.4	38
-	-	-	0	0	0	2	1	1	6.4	4.4	12.0	-	-	-	0	0	0	39
-	-	-	0	0	0	3	-	3	9.6	0	36.1	-	-	-	0	0	0	40
36	31	5	180.0	227.9	78.1	78	59	19	250.0	257.6	228.9	18	12	6	219.5	413.8	113.2	41
4	2	2	20.0	14.7	31.2	2	2	-	6.4	8.7	0	4	1	3	48.8	34.5	56.6	42
11	5	6	55.0	36.8	93.8	7	1	6	22.4	4.4	72.3	3	1	2	36.6	34.5	37.7	43
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
3	2	1	15.0	14.7	15.6	1	1	-	3.2	4.4	0	-	-	-	0	0	0	45
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
-	-	-	0	0	0	2	1	1	6.4	4.4	12.0	-	-	-	0	0	0	47
-	-	-	0	0	0	4	-	4	12.8	0	48.2	3	-	3	36.6	0	56.6	48
-	-	-	0	0	0	2	1	1	6.4	4.4	12.0	-	-	-	0	0	0	49
2	1	1	10.0	7.4	15.6	7	2	5	22.4	8.7	60.2	6	1	5	73.2	34.5	94.3	50
-	-	-	0	0	0	2	1	1	6.4	4.4	12.0	-	-	-	0	0	0	51
-	-	-	0	0	0	1	1	-	3.2	4.4	0	1	-	1	12.2	0	18.9	52
-	-	-	0	0	0	4	3	1	12.8	13.1	12.0	1	-	1	12.2	0	18.9	53
4	4	-	20.0	29.4	0	5	5	-	16.0	21.8	0	1	1	-	12.2	34.5	0	54
3	2	1	15.0	14.7	15.6	1	-	1	3.2	0	12.0	1	-	1	12.2	0	18.9	55
2	-	2	10.0	0	31.2	1	1	-	3.2	4.4	0	5	-	5	61.0	0	94.3	56
-	-	-	0	0	0	2	1	1	6.4	4.4	12.0	-	-	-	0	0	0	57
1	-	1	5.0	0	15.6	3	1	2	9.6	4.4	24.1	3	-	3	36.6	0	56.6	58
9	7	2	45.0	51.5	31.2	7	6	1	22.4	26.2	12.0	6	3	3	73.2	103.4	56.6	59
4	2	2	20.0	14.7	31.2	12	6	6	38.5	26.2	72.3	1	1	-	12.2	34.5	0	60
1	1	-	5.0	7.4	0	3	3	-	9.6	13.1	0	1	1	-	12.2	34.5	0	61
2	1	1	10.0	7.4	15.6	2	-	2	6.4	0	24.1	-	-	-	0	0	0	62
26	19	7	130.0	139.7	109.4	22	19	3	70.5	83.0	36.1	8	3	5	97.6	103.4	94.3	63

ITEM	Washington						Wayne					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	563	160	403	28.7	19.8	35.0	476	349	127	32.4	29.3	45.4
2 Delivered in hospital	196	153	43	34.8%	95.6%	10.7%	393	326	67	82.6%	93.4%	52.8%
3 Delivered in home by physician	13	1	12	2.3%	0.6%	3.0%	32	18	14	6.7%	5.2%	11.0%
4 Delivered in home by midwife	354	6	348	62.9%	3.8%	86.4%	51	5	46	10.7%	1.4%	36.2%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	60	11	49	106.6	68.8	121.6	34	23	11	71.4	65.9	86.6
FETAL DEATHS												
7 Total	27	9	18	48.0	56.2	44.7	13	11	2	27.3	31.5	15.7
8 Under 20 weeks gestation	11	6	5	19.5	37.5	12.4	2	2	-	4.2	5.7	0
9 20-27 weeks gestation	7	1	6	12.4	6.2	14.9	6	6	-	12.6	17.2	0
28 weeks and more	8	1	7	14.2	6.2	17.4	5	3	2	10.5	8.6	15.7
Unknown length of gestation	1	1	-	1.8	6.2	0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	227	91	136	1158.2	1123.5	1182.6	116	91	25	789.1	764.7	892.9
11 Under 1 year	27	5	22	48.0	31.2	54.6	14	10	4	29.4	28.7	31.5
12 Under 28 days	16	3	13	28.4	18.8	32.3	9	6	3	18.9	17.2	23.6
13 Deaths from immaturity	6	-	6	10.7	0	14.9	2	2	-	4.2	5.7	0
14 1-4 years	5	-	5	-	-	-	1	1	-	-	-	0
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	3	1	2	15.3	12.3	17.4	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	3	-	3	15.3	0	26.1	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	1	1	-	5.1	12.3	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	1	1	-	6.8	8.4	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	23	9	14	117.3	111.1	121.7	14	10	4	95.2	84.0	142.9
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	2	-	2	10.2	0	17.4	2	1	1	13.6	8.4	35.7
36 Pellagra (281)	1	1	-	5.1	12.3	0	-	-	-	0	0	0
37 Anemias (290-293)	1	1	-	5.1	12.3	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	36	14	22	183.7	172.8	191.3	21	21	-	142.9	176.5	0
39 Nonmeningococcal meningitis (340)	2	-	2	10.2	0	17.4	-	-	-	0	0	0
40 Rheumatic fever (400-402)	3	-	3	15.3	0	26.1	-	-	-	0	0	0
41 Heart diseases (410-443)	66	36	30	336.7	444.4	260.9	41	32	9	278.9	268.9	321.4
42 Hypertension without mention of heart (444-447)	6	1	5	30.6	12.3	43.5	1	1	-	6.8	8.4	0
43 Influenza and pneumonia (480-483, 490-493)	7	2	5	35.7	24.7	43.5	3	2	1	20.4	16.8	35.7
44 Bronchitis (500-502)	1	-	1	5.1	0	8.7	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	1	1	-	6.8	8.4	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	5.1	12.3	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	5	-	5	25.5	0	43.5	1	1	-	6.8	8.4	0
49 Cirrhosis of liver (581)	1	1	-	5.1	12.3	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	2	1	1	10.2	12.3	8.7	-	-	-	0	0	0
51 Hyperplasia of prostate (610)	1	1	-	5.1	12.3	0	1	1	-	6.8	8.4	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	1	-	1	5.1	0	8.7	-	-	-	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	6	2	4	30.6	24.7	34.8	4	3	1	27.2	25.2	35.7
55 Infection of the newborn (763-768)	-	-	-	0	0	0	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	9	1	8	45.9	12.3	69.6	5	4	1	34.0	33.6	35.7
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	5	1	4	25.5	12.3	34.8	4	2	2	27.2	16.8	71.4
59 Motor vehicle accidents (E810-E835)	7	2	5	35.7	24.7	43.5	1	1	-	6.8	8.4	0
60 All other accidents (E800-E802, E840-E962)	9	3	6	45.9	37.0	52.2	7	4	3	47.6	33.6	107.1
61 Suicide (E963, E970-E979)	1	1	-	5.1	12.3	0	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	4	-	4	20.4	0	34.8	2	-	2	13.6	0	71.4
63 All other diseases (residual)	20	11	9	102.0	135.8	78.3	7	6	1	47.6	50.4	35.7

See notes on pages 85 and 86.

COUNTY, BY RACE, Webster, GEORGIA, 1954 (Cont'd)

Webster						Wheeler						White						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
97	22	75	25.5	16.9	30.0	161	89	72	27.3	22.8	36.0	135	127	8	23.3	23.1	26.7	1
38	21	17	39.2%	95.5%	22.7%	96	82	14	59.6%	92.1%	19.4%	129	127	2	95.6%	100.0%	25.0%	2
1	-	1	1.0%	0%	1.3%	12	4	8	7.5%	4.5%	11.1%	-	-	6	0%	0%	0%	3
58	1	57	59.8%	4.5%	76.0%	53	3	50	32.9%	3.4%	69.4%	6	-	6	4.4%	0%	75.0%	4
-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
7	5	2	72.2	227.3	26.7	11	7	4	68.3	78.7	55.6	8	7	1	59.3	55.1	125.0	6
8	3	5	82.5	136.4	66.7	8	6	2	49.7	67.4	27.8	2	-	2	14.8	0	250.0	7
3	3	-	30.9	136.4	0	3	3	-	18.6	33.7	0	2	-	2	14.8	0	250.0	8
-	-	-	0	0	0	3	2	1	18.6	22.5	13.9	-	-	-	0	0	0	9
5	-	5	51.5	0	66.7	2	1	1	12.4	11.2	13.9	-	-	-	0	0	0	9
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	9
41	19	22	1078.9	1461.5	880.0	43	27	16	728.8	692.3	800.0	38	35	3	655.2	636.4	1000.0	10
3	2	1	30.9	90.9	13.3	6	3	3	37.3	33.7	41.7	-	-	-	0	0	0	11
2	-	-	20.6	90.9	0	5	3	2	31.1	33.7	27.8	-	-	-	0	0	0	12
1	1	-	10.3	45.5	0	2	2	2	12.4	0	27.8	-	-	-	0	0	0	13
1	-	1	-	-	-	2	1	1	-	-	-	-	-	-	0	0	0	14
1	-	1	103.1	0	133.3	1	1	1	62.1	0	138.9	-	-	-	0	0	0	15
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	16
1	-	1	26.3	0	40.0	-	-	-	0	0	0	-	-	-	0	0	0	17
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
6	3	3	157.9	230.8	120.0	4	3	1	67.8	76.9	50.0	5	4	1	86.2	72.7	333.3	33
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
1	1	-	26.3	76.9	0	-	-	-	0	0	0	1	1	-	17.2	18.2	0	35
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
12	4	8	315.8	307.7	320.0	9	6	3	152.5	153.8	150.0	2	1	1	34.5	18.2	333.3	38
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
10	6	4	263.2	461.5	160.0	11	8	3	186.4	205.1	150.0	18	18	-	310.3	327.3	0	41
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	42
1	-	1	26.3	0	40.0	3	1	2	50.8	25.6	100.0	-	-	-	0	0	0	43
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	45
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
-	-	-	0	0	0	1	1	-	16.9	25.6	0	-	-	-	0	0	0	47
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	48
1	-	1	26.3	0	40.0	-	-	-	0	0	0	-	-	-	0	0	0	49
-	-	-	0	0	0	-	-	-	0	0	0	3	3	-	51.7	54.5	0	50
-	-	-	0	0	0	1	-	1	16.9	0	50.0	2	2	-	34.5	36.4	0	51
1	-	1	26.3	0	40.0	1	-	1	16.9	0	50.0	-	-	-	0	0	0	52
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	17.2	18.2	0	53
1	1	-	26.3	76.9	0	2	1	1	33.9	25.6	50.0	-	-	-	0	0	0	54
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	55
1	1	-	26.3	76.9	0	4	2	2	67.8	51.3	100.0	-	-	-	0	0	0	56
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
1	-	1	26.3	0	40.0	2	1	1	33.9	25.6	50.0	-	-	-	0	0	0	58
1	1	-	26.3	76.9	0	2	2	-	33.9	51.3	0	2	2	-	34.5	36.4	0	59
3	2	1	78.9	153.8	40.0	3	2	1	50.8	51.3	50.0	2	2	-	34.5	36.4	0	60
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	61
1	-	1	26.3	0	40.0	-	-	-	0	0	0	-	-	-	0	0	0	62
-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	34.5	18.2	333.3	63

ITEM	Whitfield						Wilcox					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	992	947	45	26.2	26.0	30.0	233	128	105	25.6	21.3	33.9
2 Delivered in hospital	942	912	30	95.0%	96.3%	66.7%	112	104	8	48.1%	81.2%	7.6%
3 Delivered in home by physician	23	11	12	2.3%	1.2%	26.7%	39	20	19	16.7%	15.6%	18.1%
4 Delivered in home by midwife	27	24	3	2.7%	2.5%	6.7%	82	4	78	35.2%	3.1%	74.3%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	79	75	4	79.6	79.2	88.9	25	13	12	107.3	101.6	114.3
FETAL DEATHS												
7 Total	72	67	5	72.6	70.7	111.1	5	2	3	21.5	15.6	28.6
8 Under 20 weeks gestation	49	47	2	49.4	49.6	44.4	3	2	1	12.9	15.6	9.5
9 20-27 weeks gestation	8	8	-	8.1	8.4	0	2	-	2	8.6	0	19.0
28 weeks and more	14	11	3	14.1	11.6	66.7	-	-	-	0	0	0
Unknown length of gestation	1	1	-	1.0	1.1	0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	265	245	20	699.2	673.1	1333.3	103	62	41	1131.9	1033.3	1322.6
11 Under 1 year	30	29	1	30.2	30.6	22.2	9	2	7	38.6	15.6	66.7
12 Under 28 days	21	20	1	21.2	21.1	22.2	6	2	4	25.8	15.6	38.1
13 Deaths from immaturity	7	6	1	7.1	6.3	22.2	3	1	2	12.9	7.8	19.0
14 1-4 years **	4	4	-	-	-	-	1	1	-	-	-	-
15 Maternal deaths	1	1	-	10.1	10.6	0	1	1	-	42.9	78.1	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	7	5	2	18.5	13.7	133.3	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	1	-	2.6	2.7	0	1	-	1	11.0	0	32.3
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	37	34	3	97.6	93.4	200.0	12	8	4	131.9	133.3	129.0
34 Benign and unspecified neoplasms (210-239)	1	1	-	2.6	2.7	0	1	-	1	11.0	0	32.3
35 Diabetes mellitus (260)	5	5	-	13.2	13.7	0	1	1	-	11.0	16.7	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	29	28	1	76.5	76.9	66.7	15	7	8	164.8	116.7	258.1
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	83	78	5	219.0	214.3	333.3	34	24	10	373.6	400.0	322.6
42 Hypertension without mention of heart (444-447)	5	3	2	13.2	8.2	133.3	2	2	-	22.0	33.0	0
43 Influenza and pneumonia (480-483, 490-493)	8	8	-	21.1	22.0	0	6	3	3	65.9	50.0	96.8
44 Bronchitis (500-502)	2	2	-	5.3	5.5	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	1	1	-	11.0	16.7	0
46 Appendicitis (550-553)	-	-	-	0	0	0	1	1	-	11.0	16.7	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	5	5	-	13.2	13.7	0	1	-	1	11.0	0	32.3
49 Cirrhosis of liver (581)	2	2	-	5.3	5.5	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	2	1	1	5.3	2.7	66.7	1	1	-	11.0	16.7	0
51 Hyperplasia of prostate (610)	5	4	1	13.2	11.0	66.7	2	2	-	22.0	33.3	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	1	-	2.6	2.7	0	1	1	-	11.0	16.7	0
53 Congenital malformations (750-759)	2	2	-	5.3	5.5	0	-	-	-	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	10	10	-	26.4	27.5	0	1	1	-	11.0	16.7	0
55 Infection of the newborn (763-768)	-	-	-	0	0	0	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	10	9	1	26.4	24.7	66.7	4	1	3	44.0	16.7	96.8
57 Senility, without mention of psychosis (794)	2	2	-	5.3	5.5	0	2	2	-	22.0	33.3	0
58 Ill-defined and unknown causes (780-793, 795)	1	1	-	2.6	2.7	0	1	-	1	11.0	0	32.3
59 Motor vehicle accidents (E810-E835)	11	10	1	29.0	27.5	66.7	3	-	3	33.0	0	96.8
60 All other accidents (E800-E802, E840-E962)	16	16	-	42.2	44.0	0	2	1	1	22.0	16.7	32.3
61 Suicide (E963, E970-E979)	2	2	-	5.3	5.5	0	1	1	-	11.0	16.7	0
62 Homicide (E964, E980-E985)	2	1	1	5.3	2.7	66.7	3	1	2	33.0	16.7	64.5
63 All other diseases (residual)	16	14	2	42.2	38.5	133.3	7	4	3	76.9	66.7	96.8

See notes on pages 85 and 86.

COUNTY, BY RACE, GEORGIA, 1954 (Cont'd)

Wilkes						Wilkinson						Worth						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
288	101	187	25.7	20.6	29.7	246	99	147	26.5	21.1	32.0	588	229	359	31.8	24.6	39.0	1
162	100	62	56.2%	99.0%	33.2%	130	94	36	52.8%	94.9%	24.5%	339	225	114	57.7%	98.3%	31.8%	2
37	-	37	12.8%	0%	19.8%	9	1	8	3.7%	1.0%	5.4%	17	2	15	2.9%	0.9%	4.2%	3
89	1	88	30.9%	1.0%	47.1%	107	4	103	43.5%	4.0%	70.1%	232	2	230	39.5%	0.9%	64.1%	4
-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
37	9	28	128.5	89.1	149.7	13	1	12	52.8	10.1	81.6	49	19	30	83.3	83.0	83.6	6
11	4	7	38.2	39.6	37.4	15	6	9	61.0	60.6	61.2	29	10	19	49.3	43.7	52.9	7
-	-	-	0	0	0	6	3	3	24.4	30.3	20.4	3	1	2	5.1	4.4	5.6	8
3	2	1	10.4	19.8	5.3	2	1	1	8.1	10.1	6.8	8	2	6	13.6	8.7	16.7	7
8	2	6	27.8	19.8	32.1	7	2	5	28.5	20.2	34.0	17	6	11	28.9	26.2	30.6	9
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	1.7	4.4	0	0
124	62	62	1107.1	1265.3	984.1	94	47	47	1010.8	1000.0	1021.7	172	95	77	929.7	1021.5	837.0	10
11	5	6	38.2	49.5	32.1	14	5	9	56.9	50.5	61.2	20	7	13	34.0	30.6	36.2	11
8	4	4	27.8	39.6	21.4	8	3	5	32.5	30.3	34.0	16	6	10	27.2	26.2	27.9	12
4	1	3	13.9	9.9	16.0	2	2	2	8.1	0	13.6	4	3	1	6.8	13.1	2.8	13
-	-	-	0	0	0	5	3	2	0	0	0	1	1	-	-	-	-	14
-	-	-	0	0	0	1	-	1	40.7	0	68.0	1	-	1	17.0	0	27.9	15
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	16
1	1	1	8.9	0	15.9	-	-	-	0	0	0	-	-	-	0	0	0	17
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
1	1	-	8.9	20.4	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
-	-	-	0	0	0	1	1	-	10.8	21.3	0	-	-	-	0	0	0	25
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
1	1	-	8.9	20.4	0	1	1	-	10.8	21.3	0	-	-	-	0	0	0	32
12	6	6	107.1	122.4	95.2	11	9	2	118.3	191.5	43.5	27	15	12	145.9	161.3	130.4	33
2	1	1	17.9	20.4	15.9	-	-	-	0	0	0	-	-	-	0	0	0	34
1	1	-	8.9	20.4	0	1	-	1	10.8	0	21.7	1	1	-	5.4	10.8	0	35
1	1	-	8.9	20.4	0	-	-	-	0	0	0	-	-	-	0	0	0	36
-	-	-	0	0	0	1	-	1	10.8	0	21.7	1	-	1	5.4	0	10.9	37
21	11	10	187.5	224.5	158.7	16	9	7	172.0	191.5	152.2	30	13	17	162.2	139.8	184.8	38
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
34	17	17	303.6	346.9	269.8	16	9	7	172.0	191.5	152.2	54	36	18	291.9	387.1	195.7	41
4	2	2	35.7	40.8	31.7	-	-	-	0	0	0	1	-	1	5.4	0	10.9	42
7	2	5	62.5	40.8	79.4	3	-	3	32.3	0	65.2	7	3	4	37.8	32.3	43.5	43
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	45
-	-	-	0	0	0	1	-	1	10.8	0	21.7	-	-	-	0	0	0	46
1	1	-	8.9	20.4	0	-	-	-	0	0	0	1	-	1	5.4	0	10.9	47
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	5.4	0	10.9	48
1	1	-	8.9	20.4	0	-	-	-	0	0	0	-	-	-	0	0	0	49
3	-	3	26.8	0	47.6	5	2	3	53.8	42.6	65.2	3	1	2	16.2	10.8	21.7	50
2	2	-	17.9	40.8	0	-	-	-	0	0	0	-	-	-	0	0	0	51
-	-	-	0	0	0	1	-	1	10.8	0	21.7	1	-	1	5.4	0	10.9	52
-	-	-	0	0	0	6	5	1	64.5	106.4	21.7	1	1	-	5.4	10.8	0	53
2	2	-	17.9	40.8	0	1	1	-	10.8	21.3	0	7	3	4	37.8	32.3	43.5	54
1	-	1	8.9	0	15.9	-	-	-	0	0	0	1	-	1	5.4	0	10.9	55
5	2	3	44.6	40.8	47.6	2	-	2	21.5	0	43.5	4	3	1	21.6	32.3	10.9	56
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	5.4	0	10.9	57
3	2	1	26.8	40.8	15.9	5	-	5	53.8	0	108.7	4	-	4	21.6	0	43.5	58
2	2	-	17.9	40.8	0	4	3	1	43.0	63.8	21.7	3	2	1	16.2	21.5	10.9	59
4	-	4	35.7	0	63.5	11	3	8	118.3	63.8	173.9	9	6	3	48.6	64.5	32.6	60
2	2	-	17.9	40.8	0	1	1	-	10.8	21.3	0	5	5	-	27.0	53.8	0	61
1	-	1	8.9	0	15.9	2	-	2	21.5	0	43.5	3	1	2	16.2	10.8	21.7	62
12	5	7	107.1	102.0	111.1	5	3	2	53.8	63.8	43.5	7	5	2	37.8	53.8	21.7	63

ITEM	Albany						Americus					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	1,655	971	684	45.6	46.7	44.1	315	140	175	25.6	22.6	28.7
2 Delivered in hospital	1,334	968	366	80.6%	99.7%	53.5%	215	140	75	68.3%	100.0%	42.9%
3 Delivered in home by physician	212	3	209	12.8%	0.3%	30.6%	4	-	4	1.3%	0%	2.3%
4 Delivered in home by midwife	108	-	108	6.5%	0%	15.8%	95	-	95	30.2%	0%	54.3%
5 Other deliveries	1	-	1	0.1%	0%	0.1%	1	-	1	0.3%	0%	0.6%
6 Immature births	166	76	90	100.3	78.3	131.6	24	10	14	76.2	71.4	80.0
FETAL DEATHS												
7 Total	74	47	27	44.7	48.4	39.5	22	6	16	69.8	42.9	91.4
8 Under 20 weeks gestation	37	32	5	22.4	33.0	7.3	12	4	8	38.1	28.6	45.7
9 20-27 weeks gestation	9	4	5	5.4	4.1	7.3	3	1	2	9.5	7.1	11.4
8 28 weeks and more	26	9	17	15.7	9.3	24.9	5	-	5	15.9	0	28.6
9 Unknown length of gestation	2	2	-	1.2	2.1	0	2	1	1	6.3	7.1	5.7
DEATHS												
10 Total, all ages	328	137	191	903.6	658.7	1232.3	143	57	86	1162.6	919.4	1409.8
11 Under 1 year	53	24	29	32.0	24.7	42.4	10	3	7	31.7	21.4	40.0
12 Under 28 days	34	22	12	20.5	22.7	17.5	8	2	6	25.4	14.3	34.3
13 Deaths from immaturity	9	5	4	5.4	5.1	5.8	1	-	1	3.2	0	5.7
14 1-4 years **	5	4	1	-	-	-	1	-	1	-	-	-
15 Maternal deaths	2	-	2	12.1	0	29.2	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	12	1	11	33.1	4.8	71.0	3	2	1	24.4	32.3	16.4
17 Syphilis and its sequelae (020-029)	4	2	2	11.0	9.6	12.9	-	-	-	0	0	0
18 Typhoid fever (040)	1	-	1	2.8	0	6.5	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	2	-	2	5.5	0	12.9	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	-	1	2.8	0	6.5	1	1	-	8.1	16.1	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	33	20	13	90.9	96.2	83.9	20	7	13	162.6	112.9	213.1
34 Benign and unspecified neoplasms (210-239)	1	-	1	2.8	0	6.5	-	-	-	0	0	0
35 Diabetes mellitus (260)	4	-	4	11.0	0	25.8	2	-	2	16.3	0	32.8
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	39	10	29	107.4	48.1	187.1	29	11	18	235.8	177.4	295.1
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	1	-	1	8.1	0	16.4
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	85	42	43	234.2	201.9	277.4	44	20	24	357.7	322.6	393.4
42 Hypertension without mention of heart (444-447)	7	-	7	19.3	0	45.2	2	-	2	16.3	0	32.8
43 Influenza and pneumonia (480-483, 490-493)	17	4	13	46.8	19.2	83.9	3	1	2	24.4	16.1	32.8
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	6	4	2	16.5	19.2	12.9	-	-	-	0	0	0
46 Appendicitis (550-553)	1	1	-	2.8	4.8	0	1	-	1	8.1	0	16.4
47 Intestinal obstruction and hernia (560, 561, 570)	4	1	3	11.0	4.8	19.4	1	-	1	8.1	0	16.4
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	5	2	3	13.8	9.6	19.4	1	-	1	8.1	0	16.4
49 Cirrhosis of liver (581)	1	1	-	2.8	4.8	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	4	2	2	11.0	9.6	12.9	4	1	3	32.5	16.1	49.2
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	-	1	8.1	0	16.4
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	2	-	2	5.5	0	12.9	-	-	-	0	0	0
53 Congenital malformations (750-759)	7	5	2	19.3	24.0	12.9	1	1	-	8.1	16.1	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	12	9	3	33.1	43.3	19.4	4	1	3	32.5	16.1	49.2
55 Infection of the newborn (763-768)	1	-	1	2.8	0	6.5	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	17	7	10	46.8	33.7	64.5	1	-	1	8.1	0	16.4
57 Senility, without mention of psychosis (794)	2	1	1	5.5	4.8	6.5	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	7	1	6	19.3	4.8	38.7	4	1	3	32.5	16.1	49.2
59 Motor vehicle accidents (E810-E835)	12	6	6	33.1	28.8	38.7	3	1	2	24.4	16.1	32.8
60 All other accidents (E800-E802, E840-E962)	11	6	5	30.3	28.8	32.3	1	1	-	8.1	16.1	0
61 Suicide (E963, E970-E979)	1	1	-	2.8	4.8	0	6	6	-	48.8	96.8	0
62 Homicide (E964, E980-E985)	6	-	6	16.5	0	38.7	1	-	1	8.1	0	16.4
63 All other diseases (residual)	23	11	12	63.4	52.9	77.4	9	3	6	73.2	48.4	98.4

See notes on pages 85 and 86.

CITIES OF 10,000 AND OVER POPULATION, GEORGIA, 1954

Athens						Atlanta						Augusta					
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *		
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
723	490	233	23.0	21.4	27.4	11,820	7,083	4,737	25.8	22.7	32.5	2,497	1,414	1,083	26.8	25.9	28.1
693	490	203	95.8%	100.0%	87.1%	11,594	7,051	4,543	98.1%	99.5%	95.9%	2,439	1,410	1,029	97.7%	99.7%	95.0%
7	-	7	1.0%	0%	3.0%	198	29	169	1.7%	0.4%	3.6%	56	4	52	2.2%	0.3%	4.8%
23	-	23	3.2%	0%	9.9%	25	3	22	0.2%	0.0%	0.5%	2	-	2	0.1%	0%	0.2%
-	-	-	0%	0%	0%	3	-	3	0.0%	0%	0.1%	-	-	-	0%	0%	0%
57	33	24	78.8	67.3	103.0	1,191	556	635	100.8	78.5	134.1	224	114	110	89.7	80.6	101.6
36	30	6	49.8	61.2	25.8	537	255	282	45.4	36.0	59.5	125	55	70	50.1	38.9	64.6
24	24	-	33.2	49.0	0	245	139	106	20.7	19.6	22.4	51	22	29	20.4	15.6	26.8
4	2	2	5.5	4.1	8.6	96	32	64	8.1	4.5	13.5	24	11	13	9.6	7.8	12.0
8	4	4	11.1	8.2	17.2	192	83	109	16.2	11.7	23.0	45	22	23	18.0	15.6	21.2
-	-	-	0	0	0	4	1	3	0.3	0.1	0.6	5	-	5	2.0	0	4.6
268	162	106	853.5	707.4	1247.1	4,433	2,600	1,833	969.4	834.7	1257.2	789	396	393	848.4	726.6	1020.8
22	11	11	30.4	22.4	47.2	375	178	197	31.7	25.1	41.6	48	26	22	19.2	18.4	20.3
16	8	8	22.1	16.3	34.3	276	140	136	23.4	19.8	28.7	30	21	9	12.0	14.9	8.3
3	1	2	4.1	2.0	8.6	87	31	56	7.4	4.4	11.8	14	10	4	5.6	7.1	3.7
2	-	2	-	-	-	53	23	30	-	-	-	9	2	7	-	-	-
-	-	-	0	0	0	7	-	7	5.9	0	14.8	4	-	4	16.0	0	36.9
4	-	4	12.7	0	47.1	64	27	37	14.0	8.7	25.4	13	7	6	14.0	12.8	15.6
1	1	-	3.2	4.4	0	17	4	13	3.7	1.3	8.9	9	1	8	9.7	1.8	20.8
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
-	-	-	0	0	0	2	1	1	0.4	0.3	0.7	-	-	-	0	0	0
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
-	-	-	0	0	0	2	2	-	0.4	0.6	0	-	-	-	0	0	0
-	-	-	0	0	0	1	1	-	0.2	0.3	0	-	-	-	0	0	0
-	-	-	0	0	0	5	3	2	1.1	1.0	1.4	-	-	-	0	0	0
-	-	-	0	0	0	1	1	-	0.2	0.3	0	-	-	-	0	0	0
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
-	-	-	0	0	0	3	3	-	0.7	1.0	0	-	-	-	0	0	0
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
-	-	-	0	0	0	13	9	4	2.8	2.9	2.7	2	1	1	2.2	1.8	2.6
26	15	11	82.8	65.5	129.4	637	408	229	139.3	131.0	157.1	101	63	38	108.6	115.6	98.7
2	-	2	6.4	0	23.5	22	14	8	4.8	4.5	5.5	-	-	-	0	0	0
2	1	1	6.4	4.4	11.8	67	36	31	14.7	11.6	21.3	6	6	-	6.5	11.0	0
-	-	-	0	0	0	5	2	3	1.1	0.6	2.1	-	-	-	0	0	0
2	1	1	6.4	4.4	11.8	9	5	4	2.0	1.6	2.7	-	-	-	0	0	0
46	29	17	146.5	126.6	200.0	608	317	291	133.0	101.8	199.6	125	44	81	134.4	80.7	210.4
-	-	-	0	0	0	9	1	8	2.0	0.3	5.5	5	1	4	5.4	1.8	10.4
-	-	-	0	0	0	5	2	3	1.1	0.6	2.1	1	-	1	1.1	0	2.6
93	65	28	296.2	283.8	329.4	1,415	920	495	309.4	295.3	339.5	274	151	123	294.6	277.1	319.5
6	1	5	19.1	4.4	58.8	66	40	26	14.4	12.8	17.8	10	1	9	10.8	1.8	23.4
6	4	2	19.1	17.5	23.5	124	49	75	27.1	15.7	51.4	29	13	16	31.2	23.9	41.6
1	-	1	3.2	0	11.8	4	3	1	0.9	1.0	0.7	2	2	-	2.2	3.7	0
1	1	-	3.2	4.4	0	28	20	8	6.1	6.4	5.5	4	4	-	4.3	7.3	0
1	1	-	3.2	4.4	0	10	3	7	2.2	1.0	4.8	1	1	-	1.1	1.8	0
1	1	-	3.2	4.4	0	29	18	11	6.3	5.8	7.5	4	3	1	4.3	5.5	2.6
2	1	1	6.4	4.4	11.8	15	9	6	3.3	2.9	4.1	4	2	2	4.3	3.7	5.2
18	1	15	3.2	4.4	0	52	35	17	11.4	11.2	11.7	7	6	1	7.5	11.0	2.6
-	-	-	57.3	13.1	176.5	81	26	55	17.7	8.3	37.7	14	4	10	15.0	7.3	26.0
-	-	-	0	0	0	10	6	4	2.2	1.9	2.7	2	2	-	2.2	3.7	0
-	-	-	0	0	0	7	-	7	1.5	0	4.8	4	-	4	4.3	0	10.4
3	2	1	9.6	8.7	11.8	82	52	30	17.9	16.7	20.6	9	3	6	9.7	5.5	15.6
8	6	2	25.5	26.2	23.5	106	66	40	23.2	21.2	27.4	9	7	2	9.7	12.8	5.2
-	-	-	0	0	0	12	3	9	2.6	1.0	6.2	1	-	1	1.1	0	2.6
6	1	5	19.1	4.4	58.8	113	39	74	24.7	12.5	50.8	18	12	6	19.4	22.0	15.6
-	-	-	0	0	0	6	4	2	1.3	1.3	1.4	4	2	2	4.3	3.7	5.2
4	2	2	12.7	8.7	23.5	25	11	14	5.5	3.5	9.6	4	3	1	4.3	5.5	2.6
6	5	1	19.1	21.8	11.8	109	77	32	23.8	24.7	21.9	15	10	5	16.1	18.3	13.0
7	6	1	22.3	26.2	11.8	158	104	54	34.6	33.4	37.0	23	9	14	24.7	16.5	36.4
2	-	-	6.4	8.7	0	53	51	2	11.6	16.4	1.4	11	8	3	11.8	14.6	7.8
4	-	4	12.7	0	47.1	89	11	78	19.5	3.5	53.5	17	5	12	18.3	9.2	31.2
15	13	2	47.8	56.8	23.5	369	217	152	80.7	69.7	104.3	61	25	36	65.6	45.9	93.5

ITEM	Brunswick						College Park					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	677	426	251	35.3	36.1	33.9	562	422	140	32.5	30.1	42.4
2 Delivered in hospital	508	419	89	75.0%	98.4%	35.5%	553	419	134	98.4%	99.3%	95.7%
3 Delivered in home by physician	4	1	3	0.6%	0.2%	1.2%	8	3	5	1.4%	0.7%	3.6%
4 Delivered in home by midwife	164	6	158	24.2%	1.4%	62.9%	-	-	-	0%	0%	0%
5 Other deliveries	1	-	1	0.1%	0%	0.4%	1	-	1	0.2%	0%	0.7%
6 Immature births	59	33	26	87.1	77.5	103.6	47	26	21	83.6	61.6	150.0
FETAL DEATHS												
7 Total	10	4	6	14.8	9.4	23.9	21	13	8	37.4	30.8	57.1
8 Under 20 weeks gestation	3	1	2	4.4	2.3	8.0	13	11	2	23.1	26.1	14.3
9 20-27 weeks gestation	2	-	2	3.0	0	8.0	2	-	2	3.6	0	14.3
9 28 weeks and more	5	3	2	7.4	7.0	8.0	6	2	4	10.7	4.7	28.6
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	203	111	92	1057.3	940.7	1243.2	128	88	40	739.9	628.6	1212.1
11 Under 1 year	32	14	18	47.3	32.9	71.7	12	7	5	21.4	16.6	35.7
12 Under 28 days	27	14	13	39.9	32.9	51.8	11	6	5	19.6	14.2	35.7
13 Deaths from immaturity	15	6	9	22.2	14.1	35.9	2	1	1	3.6	2.4	7.1
14 1-4 years **	5	4	1	-	-	-	2	2	-	-	-	-
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	2	1	1	10.4	8.5	13.5	3	2	1	17.3	14.3	30.3
17 Syphilis and its sequelae (020-029)	2	-	2	10.4	0	27.0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	1	1	-	5.8	7.1	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	-	1	5.2	0	13.5	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	22	11	11	114.6	93.2	148.6	22	18	4	127.2	128.6	121.2
34 Benign and unspecified neoplasms (210-239)	2	-	2	10.4	0	27.0	1	-	1	5.8	0	30.3
35 Diabetes mellitus (260)	7	5	2	36.5	42.4	27.0	2	1	1	11.6	7.1	30.3
36 Pellagra (281)	-	-	-	0	0	0	1	1	-	5.8	7.1	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	28	18	10	145.8	152.5	135.1	18	14	4	104.0	100.0	121.2
39 Nonmeningococcal meningitis (340)	1	1	-	5.2	8.5	0	1	1	-	5.8	7.1	0
40 Rheumatic fever (400-402)	1	-	1	5.2	0	13.5	-	-	-	0	0	0
41 Heart diseases (410-443)	55	40	15	286.5	339.0	202.7	41	25	16	237.0	178.6	484.8
42 Hypertension without mention of heart (444-447)	2	1	1	10.4	8.5	13.5	1	1	-	5.8	7.1	0
43 Influenza and pneumonia (480-483, 490-493)	3	-	3	15.6	0	40.5	2	2	-	11.6	14.3	0
44 Bronchitis (500-502)	3	2	1	15.6	16.9	13.5	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	2	2	-	10.4	16.9	0	1	1	-	5.8	7.1	0
46 Appendicitis (550-553)	-	-	-	0	0	0	1	1	-	5.8	7.1	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhoea of the newborn) (543, 571, 572)	3	-	3	15.6	0	40.5	-	-	-	0	0	0
49 Cirrhosis of liver (581)	2	1	1	10.4	8.5	13.5	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	3	-	3	15.6	16.9	40.5	3	1	2	17.3	7.1	60.6
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	5	3	2	26.0	25.4	27.0	2	2	-	11.6	14.3	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	3	3	-	15.6	25.4	0	5	2	3	28.9	14.3	90.9
55 Infection of the newborn (763-768)	1	-	1	5.2	0	13.5	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	18	8	10	93.8	67.8	135.1	4	3	1	23.1	21.4	30.3
57 Senility, without mention of psychosis (794)	1	-	1	5.2	0	13.5	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	4	-	4	20.8	0	54.1	2	1	1	11.6	7.1	30.3
59 Motor vehicle accidents (E810-E835)	4	1	3	20.8	8.5	40.5	2	2	-	11.6	14.3	0
60 All other accidents (E800-E802, E840-E962)	7	5	2	36.5	42.4	27.0	-	-	-	0	0	0
61 Suicide (E963, E970-E979)	1	1	-	5.2	8.5	0	1	1	-	5.8	7.1	0
62 Homicide (E964, E980-E985)	3	2	1	15.6	16.9	13.5	3	-	3	17.3	0	90.9
63 All other diseases (residual)	17	6	11	88.5	50.8	148.6	11	8	3	63.6	57.1	90.9

See notes on pages 85 and 86.

CITIES OF 10,000 AND OVER POPULATION, GEORGIA, 1954 (Cont'd)

Columbus						Cordele						Dalton						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
3,018	2,123	895	33.2	34.0	31.6	314	129	185	31.1	24.3	38.5	529	487	42	29.6	29.3	32.3	1
2,946	2,118	828	97.6%	99.8%	92.5%	143	117	26	45.5%	90.7%	14.1%	501	473	28	94.7%	97.1%	66.7%	2
24	4	20	0.8%	0.2%	2.2%	9	4	5	2.9%	3.1%	2.7%	14	3	11	2.6%	0.6%	26.2%	3
47	1	46	1.6%	0.0%	5.1%	162	8	154	51.6%	6.2%	83.2%	14	11	3	2.6%	2.3%	7.1%	4
1	-	1	0.0%	0%	0.1%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
299	175	124	99.1	82.4	138.5	23	12	11	73.2	93.0	59.5	47	43	4	88.8	88.3	95.2	6
112	70	42	37.1	33.0	49.3	21	11	10	66.9	85.3	54.1	35	31	4	66.2	63.7	95.2	
49	39	10	16.2	18.4	11.2	15	9	6	47.8	69.8	32.4	24	23	1	45.4	47.2	23.8	7
19	5	14	6.3	2.4	15.6	4	2	2	12.7	15.5	10.8	3	3	-	5.7	6.2	0	8
39	21	18	12.9	9.9	20.1	1	-	1	3.2	0	5.4	7	4	3	13.2	8.2	71.4	9
5	5	-	1.7	2.4	0	1	-	1	3.2	0	5.4	1	1	-	1.9	2.1	0	
702	470	232	773.1	752.0	819.8	128	64	64	1267.3	1207.5	1333.3	159	141	18	888.3	849.4	1384.6	10
96	62	34	31.8	29.2	38.0	16	4	12	51.0	31.0	64.9	17	16	1	32.1	32.9	23.8	11
78	57	21	25.8	26.8	23.5	10	3	7	31.8	23.3	37.8	13	12	1	24.6	24.6	23.8	12
23	17	6	7.6	8.0	6.7	7	2	5	22.3	15.5	27.0	5	4	1	9.5	8.2	23.8	13
8	5	3	-	-	-	2	-	2	-	-	-	2	2	-	-	-	-	14
1	1	-	3.3	4.7	0	-	-	-	0	0	0	1	1	-	18.9	20.5	0	15
5	2	3	5.5	3.2	10.6	3	1	2	29.7	18.9	41.7	4	2	2	22.3	12.0	153.8	16
8	3	5	8.8	4.8	17.7	-	-	-	0	0	0	-	-	-	0	0	0	17
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
4	3	1	4.4	4.8	3.5	-	-	-	0	0	0	-	-	-	0	0	0	24
1	1	-	1.1	1.6	0	-	-	-	0	0	0	-	-	-	0	0	0	25
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
7	4	3	7.7	6.4	10.6	-	-	-	0	0	0	-	-	-	0	0	0	32
98	72	26	107.9	115.2	91.9	16	9	7	158.4	169.8	145.8	20	17	3	111.7	102.4	230.8	33
3	1	2	3.3	1.6	7.1	-	-	-	0	0	0	1	1	-	5.6	6.0	0	34
3	3	-	3.3	4.8	0	1	1	-	9.9	18.9	0	3	3	-	16.8	18.1	0	35
1	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
3	1	2	3.3	1.6	7.1	-	-	-	0	0	0	-	-	-	0	0	0	37
83	50	33	91.4	80.0	116.6	17	7	10	168.3	132.1	208.3	8	8	-	44.7	48.2	0	38
1	1	-	1.1	1.6	0	1	-	1	9.9	0	20.8	-	-	-	0	0	0	39
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
214	161	53	235.7	257.6	187.3	41	23	18	405.9	434.0	375.0	55	51	4	307.3	307.2	307.7	41
6	1	5	6.6	1.6	17.7	5	3	2	49.5	56.6	41.7	4	2	2	22.3	12.0	153.8	42
21	8	13	23.1	12.8	45.9	3	-	3	29.7	0	62.5	6	6	-	33.5	36.1	0	43
2	2	-	2.2	3.2	0	-	-	-	0	0	0	1	1	-	5.6	6.0	0	44
5	2	3	5.5	3.2	10.6	-	-	-	0	0	0	-	-	-	0	0	0	45
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
1	-	1	1.1	0	3.5	1	1	-	9.9	18.9	0	-	-	-	0	0	0	47
2	1	1	2.2	1.6	3.5	2	1	1	19.8	18.9	20.8	1	1	-	5.6	6.0	0	48
4	4	-	4.4	6.4	0	1	1	-	9.9	18.9	0	1	1	-	5.6	6.0	0	49
16	9	7	17.6	14.4	24.7	2	2	-	19.8	37.7	0	1	1	-	5.6	0	76.9	50
1	-	1	1.1	0	3.5	-	-	-	0	0	0	4	3	1	22.3	18.1	76.9	51
1	1	-	1.1	1.6	0	-	-	-	0	0	0	1	1	-	5.6	6.0	0	52
15	11	4	16.5	17.6	14.1	1	-	1	9.9	0	20.8	1	1	-	5.6	6.0	0	53
34	27	7	37.4	43.2	24.7	1	-	1	9.9	0	20.8	7	7	-	39.1	42.2	0	54
5	1	4	5.5	1.6	14.1	-	-	-	0	0	0	-	-	-	0	0	0	55
30	23	7	33.0	36.8	24.7	8	3	5	79.2	56.6	104.2	5	4	1	27.9	24.1	76.9	56
3	1	2	3.3	1.6	7.1	-	-	-	0	0	0	1	1	-	5.6	6.0	0	57
2	-	2	2.2	0	7.1	1	1	-	9.9	18.9	0	1	1	-	5.6	6.0	0	58
20	15	5	22.0	24.0	17.7	4	2	2	39.6	37.7	41.7	5	4	1	27.9	24.1	76.9	59
27	14	13	29.7	22.4	45.9	5	2	3	49.5	37.7	62.5	13	13	-	72.6	78.3	0	60
11	10	1	12.1	16.0	3.5	4	2	2	39.6	37.7	41.7	1	1	-	5.6	6.0	0	61
7	2	5	7.7	3.2	17.7	1	1	1	9.9	0	20.8	2	2	-	11.2	6.0	76.9	62
59	38	21	65.0	57.6	81.3	10	5	5	99.0	94.3	104.2	13	11	2	72.6	66.3	153.8	63

ITEM	Decatur						Dublin					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	749	668	81	31.5	33.2	21.9	324	188	136	28.7	27.6	30.2
2 Delivered in hospital	741	667	74	98.9%	99.8%	91.4%	260	188	72	80.2%	100.0%	52.9%
3 Delivered in home by physician	6	-	6	0.8%	0%	7.4%	2	-	2	0.6%	0%	1.5%
4 Delivered in home by midwife	2	1	1	0.3%	0.1%	1.2%	62	-	62	19.1%	0%	45.6%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	48	40	8	64.1	59.9	98.8	34	16	18	104.9	85.1	132.4
FETAL DEATHS												
7 Total	56	47	9	74.8	70.4	111.1	6	3	3	18.5	16.0	22.1
8 Under 20 weeks gestation	37	32	5	49.4	47.9	61.7	2	-	2	6.2	0	14.7
9 20-27 weeks gestation	3	-	3	4.0	0	37.0	2	2	-	6.2	10.6	0
28 weeks and more	15	14	1	20.0	21.0	12.3	2	1	1	6.2	5.3	7.4
Unknown length of gestation	1	1	-	1.3	1.5	0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	317	270	47	1331.9	1343.3	1270.3	124	57	67	1097.3	838.2	1488.9
11 Under 1 year	32	27	5	42.7	40.4	61.7	20	10	10	61.7	53.2	73.5
12 Under 28 days	27	23	4	36.0	34.4	49.4	15	10	5	46.3	53.2	36.8
13 Deaths from immaturity	3	2	1	4.0	3.0	12.3	5	3	2	15.4	16.0	14.7
14 1-4 years **	9	8	1	-	-	-	2	-	2	-	-	-
15 Maternal deaths	-	-	-	0	0	0	2	-	2	61.7	0	147.1
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	2	2	-	8.4	10.0	0	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	1	-	1	4.2	0	27.0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	1	-	1	8.8	0	22.2
24 Meningococcal infections (057)	1	1	-	4.2	5.0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	1	-	1	8.8	0	22.2
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	1	1	-	4.2	5.0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	2	2	-	8.4	10.0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	55	45	10	231.1	223.9	270.3	20	13	7	177.0	191.2	155.6
34 Benign and unspecified neoplasms (210-239)	1	1	-	4.2	5.0	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	3	1	2	12.6	5.0	54.1	1	-	1	8.8	0	22.2
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	33	25	8	138.7	124.4	216.2	10	5	5	88.5	73.5	111.1
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	118	108	10	495.8	537.3	270.3	38	20	18	336.3	294.1	400.0
42 Hypertension without mention of heart (444-447)	5	4	1	21.0	19.9	27.0	4	1	3	35.4	14.7	66.7
43 Influenza and pneumonia (480-483, 490-493)	6	5	1	25.2	24.9	27.0	5	2	3	44.2	29.4	66.7
44 Bronchitis (500-502)	-	-	-	0	0	0	1	-	1	8.8	0	22.2
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	2	2	-	8.4	10.0	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	1	-	4.2	5.0	0	2	-	2	17.7	0	44.4
49 Cirrhosis of liver (581)	1	1	-	4.2	5.0	0	2	1	1	17.7	14.7	22.2
50 Nephritis and nephrosis (590-594)	4	2	2	16.8	10.0	54.1	4	-	4	35.4	0	88.9
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	2	-	2	17.7	0	44.4
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	2	-	2	17.7	0	44.4
53 Congenital malformations (750-759)	6	4	2	25.2	19.9	54.1	3	3	-	26.5	44.1	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	14	12	2	58.8	59.7	54.1	3	3	-	26.5	44.1	0
55 Infection of the newborn (763-768)	-	-	-	0	0	0	1	-	1	8.8	0	22.2
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	8	6	2	33.6	29.8	54.1	7	5	2	61.9	73.5	44.4
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	1	1	-	4.2	5.0	0	1	-	1	8.8	0	22.2
59 Motor vehicle accidents (E810-E835)	2	2	-	8.4	10.0	0	4	1	3	35.4	14.7	66.7
60 All other accidents (E800-E802, E840-E962)	10	8	2	42.0	39.8	54.1	6	1	5	53.1	14.7	111.1
61 Suicide (E963, E970-E979)	4	4	-	16.8	19.9	0	1	1	-	8.8	14.7	0
62 Homicide (E964, E980-E985)	6	4	2	25.2	19.9	54.1	1	-	1	8.8	0	22.2
63 All other diseases (residual)	30	28	2	126.1	139.3	54.1	4	1	3	35.4	14.7	66.7

See notes on pages 85 and 86.

CITIES OF 10,000 AND OVER POPULATION, GEORGIA, 1954 (Cont'd)

East Point						Gainesville						Griffin						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
801	645	156	32.3	30.0	47.3	469	351	118	36.1	36.2	35.8	451	261	190	29.5	26.1	35.8	1
785	640	145	98.0%	99.2%	92.9%	449	345	104	95.7%	98.3%	88.1%	348	258	90	77.2%	98.8%	47.4%	2
16	5	11	2.0%	0.8%	7.1%	9	2	7	1.9%	0.6%	5.9%	18	1	17	4.0%	0.4%	8.9%	3
-	-	-	0%	0%	0%	9	2	7	1.9%	0.6%	5.9%	84	1	83	18.6%	0.4%	43.7%	4
-	-	-	0%	0%	0%	2	2	-	0.4%	0.6%	0%	1	1	-	0.2%	0.4%	0%	5
65	45	20	81.1	69.8	128.2	54	34	20	115.1	96.9	169.5	44	27	17	97.6	103.4	89.5	6
29	20	9	36.2	31.0	57.7	8	3	5	17.1	8.5	42.4	20	9	11	44.3	34.5	57.9	7
14	10	4	17.5	15.5	25.6	1	1	-	2.1	2.8	0	3	1	2	6.7	3.8	10.5	8
4	2	2	5.0	3.1	12.8	2	1	1	4.3	2.8	8.5	3	-	3	6.7	0	15.8	9
11	8	3	13.7	12.4	19.2	5	1	4	10.7	2.8	33.9	14	8	6	31.0	30.7	31.6	10
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	11
204	160	44	822.6	744.2	1333.3	143	96	47	1100.0	989.7	1424.2	187	110	77	1222.2	1100.0	1452.8	12
18	11	7	22.5	17.0	44.9	23	12	11	49.0	34.2	93.2	15	8	7	33.3	30.7	36.8	13
13	9	4	16.2	14.0	25.6	15	8	7	32.0	22.8	59.3	14	8	6	31.0	30.7	31.6	14
1	1	1	1.2	0	6.4	3	3	-	12.8	17.1	0	3	2	1	6.7	7.7	5.3	15
4	4	-	0	0	0	6	6	-	0	0	0	4	2	2	0	0	0	16
-	-	-	0	0	0	-	-	-	0	0	0	2	2	-	44.3	76.6	0	17
1	1	-	4.0	4.7	0	-	-	-	0	0	0	3	2	1	19.6	20.0	18.9	18
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	6.5	10.0	0	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	1	-	1	7.7	0	30.3	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
1	1	-	4.0	4.7	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
1	1	-	4.0	4.7	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
40	35	5	161.3	162.8	151.5	19	15	4	146.2	154.6	121.2	24	15	9	156.9	150.0	169.8	33
1	1	-	4.0	4.7	0	-	-	-	0	0	0	-	-	-	0	0	0	34
3	2	1	12.1	9.3	30.3	2	2	-	15.4	20.6	0	4	3	1	26.1	30.0	18.9	35
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
17	14	3	68.5	65.1	90.9	20	15	5	153.8	154.6	151.5	23	11	12	150.3	110.0	226.4	38
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
64	51	13	258.1	237.2	393.9	40	26	14	307.7	268.0	424.2	63	44	19	411.8	440.0	358.5	41
3	2	1	12.1	9.3	30.3	3	2	1	23.1	20.6	30.3	3	1	2	19.6	10.0	37.7	42
8	6	2	32.3	27.9	60.6	2	1	1	15.4	10.3	30.3	6	3	3	39.2	30.0	56.6	43
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
1	1	-	4.0	4.7	0	1	1	-	7.7	10.3	0	1	-	1	6.5	0	18.9	45
-	-	-	0	0	0	1	1	-	7.7	10.3	0	1	-	1	6.5	0	18.9	46
-	-	-	0	0	0	2	1	1	15.4	10.3	30.3	2	-	2	13.1	0	37.7	47
1	-	1	4.0	0	30.3	5	4	1	38.5	41.2	30.3	1	-	1	6.5	0	18.9	48
-	-	-	0	0	0	2	1	1	15.4	10.3	30.3	2	1	1	13.1	10.0	18.9	49
5	2	3	20.2	9.3	90.9	1	-	1	7.7	0	30.3	13	3	10	85.0	30.0	188.7	50
1	1	-	4.0	4.7	0	1	1	-	7.7	10.3	0	1	1	-	6.5	10.0	0	51
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	52
4	3	1	16.1	14.0	30.3	1	1	-	7.7	10.3	0	4	1	3	26.1	10.0	56.6	53
6	5	1	24.2	23.3	30.3	8	2	6	61.5	20.6	181.8	7	4	3	45.8	40.0	56.6	54
1	1	-	4.0	4.7	0	1	1	-	7.7	10.3	0	-	-	-	0	0	0	55
5	2	3	20.2	9.3	90.9	6	6	-	46.2	61.9	0	5	4	1	32.7	40.0	18.9	56
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
2	1	1	8.1	4.7	30.3	3	1	2	23.1	10.3	60.6	2	1	1	13.1	10.0	18.9	58
2	2	-	8.1	9.3	0	7	5	2	53.8	51.5	60.6	2	2	-	13.1	20.0	0	59
5	3	2	20.2	14.0	60.6	3	2	1	23.1	20.6	30.3	7	5	2	45.8	50.0	37.7	60
6	6	-	24.2	27.9	0	-	-	-	0	0	0	-	-	-	0	0	0	61
4	1	3	16.1	4.7	90.9	-	-	-	0	0	0	-	-	-	0	0	0	62
22	18	4	88.7	83.7	121.2	14	8	6	107.7	82.5	181.8	8	5	3	52.3	50.0	56.6	63

ITEM	LaGrange						Macon					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	698	426	272	25.9	22.8	32.8	2,043	1,132	911	26.9	25.8	28.4
2 Delivered in hospital	568	421	147	81.4%	98.8%	54.0%	2,012	1,131	881	98.5%	99.9%	96.7%
3 Delivered in home by physician	11	2	9	1.6%	0.5%	3.3%	14	1	13	0.7%	0.1%	1.4%
4 Delivered in home by midwife	119	3	116	17.0%	0.7%	42.6%	17	-	17	0.8%	0%	1.9%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	60	39	21	86.0	91.5	77.2	180	78	102	88.1	68.9	112.0
FETAL DEATHS												
7 Total	44	28	16	63.0	65.7	58.8	99	59	40	48.5	52.1	43.9
8 Under 20 weeks gestation	25	18	7	35.8	42.3	25.7	44	32	12	21.5	28.3	13.2
9 20-27 weeks gestation	5	4	1	7.2	9.4	3.7	12	4	8	5.9	3.5	8.8
28 weeks and more	13	6	7	18.6	14.1	25.7	43	23	20	21.0	20.3	22.0
Unknown length of gestation	1	-	1	1.4	0	3.7	-	-	-	0	0	0
DEATHS												
10 Total, all ages	235	123	112	870.4	657.8	1349.4	803	420	383	1056.6	956.7	1193.1
11 Under 1 year	25	8	17	35.8	18.8	62.5	65	30	35	31.8	26.5	38.4
12 Under 28 days	14	8	6	20.1	18.8	22.1	38	20	18	18.6	17.7	19.8
13 Deaths from immaturity	2	-	2	2.9	0	7.4	6	-	6	2.9	0	6.6
14 1-4 years **	4	1	3	-	-	-	8	1	7	-	-	-
15 Maternal deaths	-	-	-	0	0	0	1	-	1	4.9	0	11.0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	7	-	7	25.9	0	84.3	5	-	5	6.6	0	15.6
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	8	-	8	10.5	0	24.9
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	1	-	1	3.7	0	12.0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	-	1	3.7	0	12.0	2	1	1	2.6	2.3	3.1
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	26	18	8	96.3	96.3	96.4	101	65	36	132.9	148.1	112.1
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	2	1	1	2.6	2.3	3.1
35 Diabetes mellitus (260)	1	-	1	3.7	0	12.0	8	5	3	10.5	11.4	9.3
36 Pellagra (281)	-	-	-	0	0	0	1	-	1	1.3	0	3.1
37 Anemias (290-293)	1	1	-	3.7	5.3	0	2	1	1	2.6	2.3	3.1
38 Vascular lesions affecting central nervous system (330-334)	50	30	20	185.2	160.4	241.0	124	71	53	163.2	161.7	165.1
39 Nonmeningococcal meningitis (340)	2	-	2	7.4	0	24.1	1	-	1	1.3	0	3.1
40 Rheumatic fever (400-402)	-	-	-	0	0	0	1	-	1	1.3	0	3.1
41 Heart diseases (410-443)	71	42	29	263.0	224.6	349.4	243	129	114	319.7	293.8	355.1
42 Hypertension without mention of heart (444-447)	2	1	1	7.4	5.3	12.0	17	5	12	22.4	11.4	37.4
43 Influenza and pneumonia (480-483, 490-493)	4	-	4	14.8	0	48.2	31	13	18	40.8	29.6	56.1
44 Bronchitis (500-502)	-	-	-	0	0	0	2	1	1	2.6	2.3	3.1
45 Ulcer of stomach and duodenum (540-541)	2	1	1	7.4	5.3	12.0	4	3	1	5.3	6.8	3.1
46 Appendicitis (550-553)	-	-	-	0	0	0	2	2	-	2.6	4.6	0
47 Intestinal obstruction and hernia (560, 561, 570)	2	1	1	7.4	5.3	12.0	3	1	2	3.9	2.3	6.2
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	4	-	4	14.8	0	48.2	5	2	3	6.6	4.6	9.3
49 Cirrhosis of liver (581)	-	-	-	0	0	0	9	7	2	11.8	15.9	6.2
50 Nephritis and nephrosis (590-594)	3	1	2	11.1	5.3	24.1	20	4	16	26.3	9.1	49.8
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	-	1	1.3	0	3.1
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	1	-	1	1.3	0	3.1
53 Congenital malformations (750-759)	2	1	1	7.4	5.3	12.0	18	12	6	23.7	27.3	18.7
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	9	6	3	33.3	32.1	36.1	17	11	6	22.4	25.1	18.7
55 Infection of the newborn (763-768)	-	-	-	0	0	0	4	1	3	5.3	2.3	9.3
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	5	2	3	18.5	10.7	36.1	10	2	8	13.2	4.6	24.9
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	3	1	2	3.9	2.3	6.2
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	13	5	8	17.1	11.4	24.9
59 Motor vehicle accidents (E810-E835)	4	2	2	14.8	10.7	24.1	23	11	12	30.3	25.1	37.4
60 All other accidents (E800-E802, E840-E962)	8	3	5	29.6	16.0	60.2	29	15	14	38.2	34.2	43.6
61 Suicide (E963, E970-E979)	3	2	1	11.1	10.7	12.0	5	5	-	6.6	11.4	0
62 Homicide (E964, E980-E985)	7	-	7	25.9	0	84.3	16	1	15	21.1	2.3	46.7
63 All other diseases (residual)	20	12	8	74.1	64.2	96.4	72	45	27	94.7	102.5	84.1

CITIES OF 10,000 AND OVER POPULATION, GEORGIA, 1954 (Cont'd)

Marietta						Moultrie						Rome						
Number			Rate or Ratio*			Number			Rate or Ratio*			Number			Rate or Ratio*			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
977	854	123	34.9	35.7	30.0	447	267	180	35.2	32.6	40.0	956	751	205	30.3	29.9	31.5	1
952	850	102	97.4%	99.5%	82.9%	368	266	102	82.3%	99.6%	56.7%	889	749	140	93.0%	99.7%	68.3%	2
13	4	9	1.3%	0.5%	7.3%	5	-	5	1.1%	0%	2.8%	4	1	3	0.4%	0.1%	1.5%	3
10	-	10	1.0%	0%	8.1%	74	1	73	16.6%	0.4%	40.6%	63	1	62	6.6%	0.1%	30.2%	4
2	-	2	0.2%	0%	1.6%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
91	72	19	93.1	84.3	154.5	36	14	22	80.5	52.4	122.2	85	61	24	88.9	81.2	117.1	6
43	39	4	44.0	45.7	32.5	17	10	7	38.0	37.5	38.9	18	13	5	18.8	17.3	24.4	7
29	27	2	29.7	31.6	16.3	5	5	-	11.2	18.7	0	1	1	-	1.0	1.3	0	8
4	4	-	4.1	4.7	0	3	1	2	6.7	3.7	11.1	2	1	1	2.1	1.3	4.9	9
10	-	2	10.2	9.4	16.3	8	4	4	17.9	15.0	22.2	10	9	1	10.5	12.0	4.9	10
-	-	-	0	0	0	1	-	1	2.2	0	5.6	5	2	3	5.2	2.7	14.6	11
178	140	38	635.7	585.8	926.8	137	71	66	1078.7	865.9	1466.7	346	256	90	1094.9	1019.9	1384.6	12
23	18	5	23.5	21.1	40.6	11	5	6	24.6	18.7	33.3	32	20	12	33.5	26.6	58.5	13
18	15	3	18.4	17.6	24.4	8	4	4	17.9	15.0	22.2	20	16	4	20.9	21.3	19.5	14
2	2	-	2.0	2.3	0	3	-	3	6.7	0	16.7	8	5	3	8.4	6.7	14.6	15
4	4	-	-	-	-	3	1	2	-	-	-	3	2	1	-	-	-	16
-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	20.9	13.3	48.8	17
5	4	1	17.9	16.7	24.4	2	2	-	15.7	24.4	0	8	5	3	25.3	19.9	46.2	18
-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	3.2	0	15.4	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
1	1	-	3.6	4.2	0	1	-	1	7.9	0	22.2	1	1	-	3.2	4.0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
1	1	-	3.6	4.2	0	-	-	-	0	0	0	2	1	2	6.3	0	30.8	24
-	-	-	0	0	0	-	-	-	0	0	0	1	-	-	3.2	4.0	0	25
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	1	1	-	7.9	12.2	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	3.2	4.0	0	32
35	26	9	125.0	108.8	219.5	17	10	7	133.9	122.0	155.6	51	39	12	161.4	155.4	184.6	33
-	-	-	0	0	0	1	-	1	7.9	0	22.2	-	-	-	0	0	0	34
2	2	-	7.1	8.4	0	2	-	2	15.7	0	44.4	3	2	1	9.5	8.0	15.4	35
1	1	-	3.6	4.2	0	-	-	-	0	0	0	-	-	-	0	0	0	36
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
19	15	4	67.9	62.8	97.6	25	10	13	196.9	122.0	333.3	42	28	14	132.9	111.6	215.4	38
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
55	41	14	196.4	171.5	341.5	30	21	9	236.2	256.1	200.0	115	92	23	363.9	366.5	353.8	41
1	1	-	3.6	4.2	0	4	2	2	31.5	24.4	44.4	9	6	3	28.5	23.9	46.2	42
3	2	1	10.7	8.4	24.4	6	2	4	47.2	24.4	88.9	7	2	5	22.2	8.0	76.9	43
-	-	-	0	0	0	1	-	1	7.9	0	22.2	-	-	-	0	0	0	44
1	1	-	3.6	4.2	0	1	1	-	7.9	12.2	0	2	1	1	6.3	4.0	15.4	45
-	-	-	0	0	0	1	-	1	7.9	0	22.2	-	-	-	0	0	0	46
1	1	-	3.6	4.2	0	-	-	-	0	0	0	2	2	-	6.3	8.0	0	47
1	2	-	3.6	4.2	0	3	-	3	23.6	0	66.7	3	1	2	9.5	4.0	30.8	48
2	1	-	7.1	8.4	0	1	1	-	7.9	12.2	0	2	1	1	6.3	4.0	15.4	49
3	1	2	10.7	4.2	48.8	-	-	-	0	0	0	9	5	4	28.5	19.9	61.5	50
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	3.2	4.0	0	51
-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	6.3	4.0	15.4	52
5	5	-	17.9	20.9	0	1	1	-	7.9	12.2	0	4	4	-	12.7	15.9	0	53
7	6	1	25.0	25.1	24.4	5	4	1	39.4	48.8	22.2	8	8	-	25.3	31.9	0	54
1	1	-	3.6	4.2	0	-	-	-	0	0	0	-	-	-	0	0	0	55
7	4	3	25.0	16.7	73.2	3	-	3	23.6	0	66.7	13	8	5	41.1	31.9	76.9	56
-	-	-	0	0	0	1	1	-	7.9	12.2	0	3	2	1	9.5	8.0	15.4	57
4	1	3	3.6	4.2	0	1	-	1	7.9	0	22.2	4	2	2	12.7	8.0	30.8	58
1	3	1	14.3	12.6	24.4	3	2	1	23.6	24.4	22.2	10	9	1	31.6	35.9	15.4	59
6	6	-	21.4	25.1	0	5	2	3	39.4	24.4	66.7	15	13	2	47.5	51.8	30.8	60
3	3	-	10.7	12.6	0	2	2	-	15.7	24.4	0	2	2	-	6.3	8.0	0	61
2	1	1	7.1	4.2	24.4	7	1	6	55.1	12.2	133.3	3	2	1	9.5	8.0	15.4	62
11	10	1	39.3	41.8	24.4	13	8	5	102.4	97.6	111.1	22	17	5	69.6	67.7	76.9	63

ITEM	Savannah						Thomasville					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	3,804	2,315	1,489	29.3	30.0	28.4	487	259	228	31.6	30.8	32.6
2 Delivered in hospital	3,558	2,305	1,253	93.5%	99.6%	84.2%	339	253	86	69.6%	97.7%	37.7%
3 Delivered in home by physician	231	8	223	6.1%	0.3%	15.0%	5	1	4	1.0%	0.4%	1.8%
4 Delivered in home by midwife	15	2	13	0.4%	0.1%	0.9%	91	1	90	18.7%	0.4%	39.5%
5 Other deliveries	-	-	-	0%	0%	0%	52	4	48	10.7%	1.5%	21.1%
6 Immature births	291	149	142	76.5	64.4	95.4	48	24	24	98.6	92.7	105.3
FETAL DEATHS												
7 Total	223	148	75	58.6	63.9	50.4	14	6	8	28.7	23.2	35.1
8 Under 20 weeks gestation	130	110	20	34.2	47.5	13.4	4	-	4	8.2	0	17.5
9 20-27 weeks gestation	31	16	15	8.1	6.9	10.1	3	1	2	6.2	3.9	8.8
28 weeks and more	51	18	33	13.4	7.8	22.2	5	3	2	10.3	11.6	8.8
Unknown length of gestation	11	4	7	2.9	1.7	4.7	2	2	-	4.1	7.7	0
DEATHS												
10 Total, all ages	1,289	640	649	993.8	829.0	1236.2	147	57	90	954.5	678.6	1285.7
11 Under 1 year	137	63	74	36.0	27.2	49.7	15	6	9	30.8	23.2	39.5
12 Under 28 days	100	51	49	26.3	22.0	32.9	14	6	8	28.7	23.2	35.1
13 Deaths from immaturity	35	13	22	9.2	5.6	14.8	9	4	5	18.5	15.4	21.9
14 1-4 years **	20	9	11	-	-	-	3	1	2	-	-	-
15 Maternal deaths	5	-	5	13.1	0	33.6	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	23	5	18	17.7	6.5	34.3	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	5	1	4	3.9	1.3	7.6	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	1	-	1	0.8	0	1.9	-	-	-	0	0	0
24 Meningococcal infections (057)	1	-	1	0.8	0	1.9	-	-	-	0	0	0
25 Acute poliomyelitis (080)	3	3	-	2.3	3.9	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	1	1	-	0.8	1.3	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	2	1	1	1.5	1.3	1.9	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	4	2	2	3.1	2.6	3.8	1	-	1	6.5	0	14.3
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	169	102	67	130.3	132.1	127.6	12	6	6	77.9	71.4	85.7
34 Benign and unspecified neoplasms (210-239)	2	-	2	1.5	0	3.8	1	-	1	6.5	0	14.3
35 Diabetes mellitus (260)	27	12	15	20.8	15.5	28.6	-	-	-	0	0	0
36 Pellagra (281)	1	1	-	0.8	1.3	0	-	-	-	0	0	0
37 Anemias (290-293)	2	1	1	1.5	1.3	1.9	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	244	97	147	188.1	125.6	280.0	35	13	22	227.3	154.8	314.3
39 Nonmeningococcal meningitis (340)	3	1	2	2.3	1.3	3.8	-	-	-	0	0	0
40 Rheumatic fever (400-402)	1	1	-	0.8	1.3	0	-	-	-	0	0	0
41 Heart diseases (410-443)	389	212	177	299.9	274.6	337.1	42	19	23	272.7	226.2	328.6
42 Hypertension without mention of heart (444-447)	8	1	7	6.2	1.3	13.3	4	2	2	26.0	23.8	28.6
43 Influenza and pneumonia (480-483, 490-493)	52	18	34	40.1	23.3	64.8	5	-	5	32.5	0	71.4
44 Bronchitis (500-502)	2	1	1	1.5	1.3	1.9	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	6	3	3	4.6	3.9	5.7	-	-	-	0	0	0
46 Appendicitis (550-553)	2	1	1	1.5	1.3	1.9	1	-	1	6.5	0	14.3
47 Intestinal obstruction and hernia (560, 561, 570)	3	3	-	2.3	3.9	0	2	-	2	13.0	0	28.6
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	1	1	1.5	1.3	1.9	-	-	-	0	0	0
49 Cirrhosis of liver (581)	6	3	3	4.6	3.9	5.7	1	-	1	6.5	0	14.3
50 Nephritis and nephrosis (590-594)	15	4	11	11.6	5.2	21.0	1	-	1	6.5	0	14.3
51 Hyperplasia of prostate (610)	4	3	1	3.1	3.9	1.9	1	-	1	6.5	0	14.3
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	5	-	5	3.9	0	9.5	-	-	-	0	0	0
53 Congenital malformations (750-759)	18	14	4	13.9	18.1	7.6	1	-	1	6.5	0	14.3
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	45	26	19	34.7	33.7	36.2	2	1	1	13.0	11.9	14.3
55 Infection of the newborn (763-768)	6	1	5	4.6	1.3	9.5	1	-	1	6.5	0	14.3
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	45	19	26	34.7	24.6	49.5	10	5	5	64.9	59.5	71.4
57 Senility, without mention of psychosis (794)	1	-	1	0.8	0	1.9	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	5	2	3	3.9	2.6	5.7	1	-	1	6.5	0	14.3
59 Motor vehicle accidents (E810-E835)	31	21	10	23.9	27.2	19.0	4	3	1	26.0	35.7	14.3
60 All other accidents (E800-E802, E840-E962)	49	20	29	37.8	25.9	55.2	4	3	1	26.0	35.7	14.3
61 Suicide (E963, E970-E979)	7	5	2	5.4	6.5	3.8	1	1	-	6.5	11.9	0
62 Homicide (E964, E980-E985)	26	7	19	20.0	9.1	36.2	4	-	4	26.0	0	57.1
63 All other diseases (residual)	73	47	26	56.3	60.9	49.5	13	4	9	84.4	47.6	128.6

* Rates and ratios: Live births are per 1,000 estimated population; Immature births, stillbirths, infant deaths, neonatal deaths and deaths from immaturity are per 1,000 live births; Maternal deaths are per 10,000 live births; Deaths all ages

CITIES OF 10,000 AND OVER POPULATION, GEORGIA, 1954 (Cont'd)

Valdosta						Waycross												
Number			Rate or Ratio*			Number			Rate or Ratio*			Number			Rate or Ratio*			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
821	458	363	37.5	37.5	37.4	577	398	179	28.0	29.9	24.5							1
531	447	84	64.7%	97.6%	23.1%	439	369	70	76.1%	92.7%	39.1%							2
23	7	16	2.8%	1.5%	4.4%	92	24	68	15.9%	6.0%	38.0%							3
267	4	263	32.5%	0.9%	72.5%	46	5	41	8.0%	1.3%	22.9%							4
-	-	-	0%	0%	0%	-	-	-	0%	0%	0%							5
76	31	45	92.6	67.7	124.0	40	24	16	69.3	60.3	89.4							6
34	22	12	41.4	48.0	33.1	35	21	14	60.7	52.8	78.2							7
9	6	3	11.0	13.1	8.3	18	12	6	31.2	30.2	33.5							8
5	4	1	6.1	8.7	2.8	4	1	3	6.9	2.5	16.8							9
17	10	7	20.7	21.8	19.3	12	7	5	20.8	17.6	27.9							
3	2	1	3.7	4.4	2.8	1	1	-	1.7	2.5	0							
225	125	100	1027.4	1024.6	1030.9	195	120	75	946.6	902.3	1027.4							10
21	15	6	25.6	32.8	16.5	12	5	7	20.8	12.6	39.1							11
14	11	3	17.1	24.0	8.3	5	4	1	8.7	10.0	5.6							12
4	3	1	4.9	6.6	2.8	-	-	-	0	0	0							13
6	4	2	-	-	-	4	2	2	-	-	-							14
-	-	-	0	0	0	-	-	-	0	0	0							15
3	1	2	13.7	8.2	20.6	2	1	1	9.7	7.5	13.7							16
1	-	1	4.6	0	10.3	-	-	-	0	0	0							17
-	-	-	0	0	0	-	-	-	0	0	0							18
-	-	-	0	0	0	-	-	-	0	0	0							19
-	-	-	0	0	0	-	-	-	0	0	0							20
-	-	-	0	0	0	-	-	-	0	0	0							21
-	-	-	0	0	0	-	-	-	0	0	0							22
1	1	-	4.6	8.2	0	1	1	-	4.9	7.5	0							23
1	-	1	4.6	0	10.3	-	-	-	0	0	0							24
2	1	1	9.1	8.2	10.3	-	-	-	0	0	0							25
-	-	-	0	0	0	-	-	-	0	0	0							26
-	-	-	0	0	0	-	-	-	0	0	0							27
-	-	-	0	0	0	-	-	-	0	0	0							28
-	-	-	0	0	0	-	-	-	0	0	0							29
-	-	-	0	0	0	-	-	-	0	0	0							30
-	-	-	0	0	0	-	-	-	0	0	0							31
-	-	-	0	0	0	-	-	-	0	0	0							32
35	24	11	159.8	196.7	113.4	21	11	10	101.9	82.7	137.0							33
1	1	-	4.6	8.2	0	2	2	-	9.7	15.0	0							34
4	-	4	18.3	0	41.2	2	2	-	9.7	15.0	0							35
1	1	-	4.6	8.2	0	-	-	-	0	0	0							36
1	-	1	4.6	0	10.3	-	-	-	0	0	0							37
37	18	19	169.0	147.5	195.9	37	23	14	179.6	172.9	191.8							38
-	-	-	0	0	0	2	1	1	9.7	7.5	13.7							39
1	-	1	4.6	0	10.3	3	-	3	14.6	0	41.1							40
68	41	27	310.5	336.1	278.4	58	41	17	281.6	308.3	232.9							41
8	4	4	36.5	32.8	41.2	2	2	-	9.7	15.0	0							42
8	2	6	36.5	16.4	61.9	4	-	4	19.4	0	54.8							43
-	-	-	0	0	0	-	-	-	0	0	0							44
-	-	-	0	0	0	1	1	-	4.9	7.5	0							45
-	-	-	0	0	0	-	-	-	0	0	0							46
1	-	1	4.6	0	10.3	2	1	1	9.7	7.5	13.7							47
2	1	1	9.1	8.2	10.3	3	-	3	14.6	0	41.1							48
4	4	-	18.3	32.8	0	1	-	1	4.9	0	13.7							49
2	2	-	9.1	16.4	0	7	2	5	34.0	15.0	68.5							50
1	-	1	4.6	0	10.3	2	1	1	9.7	7.5	13.7							51
-	-	-	0	0	0	-	-	-	0	0	0							52
4	2	2	18.3	16.4	20.6	3	3	-	14.6	22.6	0							53
3	2	1	13.7	16.4	10.3	2	2	-	9.7	15.0	0							54
1	1	-	4.6	8.2	0	1	-	1	4.9	0	13.7							55
7	6	1	32.0	49.2	10.3	-	-	-	0	0	0							56
1	-	1	4.6	0	10.3	1	-	1	4.9	0	13.7							57
5	2	3	22.8	16.4	30.9	2	-	2	9.7	0	27.4							58
1	1	-	4.6	8.2	0	4	3	1	19.4	22.6	13.7							59
5	3	2	22.8	24.6	20.6	11	6	5	53.4	45.1	68.5							60
3	1	2	13.7	8.2	20.6	2	2	-	9.7	15.0	0							61
5	-	5	22.8	0	51.5	1	-	1	4.9	0	13.7							62
8	6	2	36.5	49.2	20.6	18	15	3	87.4	112.8	41.1							63

and deaths by cause of death are per 100,000 estimated population.**No rate can be computed on deaths in 1-4 years age group by county because 1954 estimated population is not available for that age group.

TABLE XV - LIVE BIRTHS TO UNWED MOTHERS, NUMBER AND RATE PER 1,000 LIVE BIRTHS, BY RACE, GEORGIA, 1954

County	Number			Rate		
	Total	White	Nonwhite	Total	White	Nonwhite
Total	8,967	960	8,007	89.5	14.9	223.7
Appling	30	7	23	79.2	26.3	203.5
Atkinson	9	2	7	41.9	14.9	86.4
Bacon	8	2	6	31.0	9.2	150.0
Baker	21	1	20	141.9	28.6	177.0
Baldwin	60	3	57	131.3	14.0	235.5
Banks	6	5	1	50.0	43.9	166.7
Barrow	15	1	14	51.2	4.7	177.2
Bartow	27	6	21	38.0	10.2	169.4
Ben Hill	39	4	35	103.2	18.3	220.1
Berrien	11	5	6	33.1	18.2	105.3
Bibb	324	28	296	92.8	13.2	215.1
Bleckley	28	3	25	126.7	23.4	268.8
Brantley	4	1	3	23.3	7.1	93.8
Brooks	55	2	53	112.7	9.9	185.3
Bryan	18	1	17	97.8	9.7	209.9
Bulloch	89	6	83	129.2	17.4	241.3
Burke	171	4	167	220.9	26.0	269.4
Butts	34	1	33	164.3	14.3	240.9
Calhoun	44	-	44	158.3	0	207.5
Camden	17	1	16	76.9	9.5	137.9
Candler	16	1	15	98.8	11.6	197.4
Carroll	49	10	39	59.7	15.7	210.8
Catoosa	9	8	1	21.3	19.4	111.1
Charlton	14	2	12	73.7	17.9	153.8
Chatham	485	30	455	97.1	9.3	255.5
Chattahoochee	1	-	1	27.8	0	43.5
Chattooga	10	5	5	19.6	10.8	108.7
Cherokee	12	7	5	24.6	15.1	208.3
Clarke	87	8	79	94.4	13.0	257.3
Clay	17	-	17	125.9	0	146.6
Clayton	22	3	19	24.9	3.9	172.7
Clinch	9	3	6	43.9	23.4	77.9
Cobb	65	18	47	28.1	8.7	198.3
Coffee	56	9	47	85.5	21.9	192.6
Colquitt	73	10	63	74.6	14.8	209.3
Columbia	41	2	39	102.2	8.2	246.8
Cook	19	2	17	57.8	9.7	139.3
Coweta	46	8	38	71.4	22.7	130.1
Crawford	24	1	23	138.7	19.6	188.5
Crisp	89	7	82	165.7	29.5	273.3
Dade	2	2	-	8.7	8.8	0
Dawson	2	2	-	26.3	26.3	0
Decatur	68	6	62	94.2	15.7	182.4
Dekalb	256	99	157	45.9	20.1	240.1
Dodge	42	3	39	95.7	12.0	207.4
Dooly	50	2	48	140.8	16.5	205.1
Dougherty	194	16	178	92.0	12.4	217.6
Douglas	20	4	16	52.6	13.1	213.3
Early	55	-	55	121.1	0	175.2
Echols	5	-	5	94.3	0	277.8
Effingham	6	1	5	25.1	7.9	44.2
Elbert	61	-	61	125.0	0	267.5
Emanuel	48	7	41	98.0	26.0	185.5
Evans	23	4	19	113.3	33.1	231.7
Fannin	10	10	-	32.7	32.7	0
Fayette	9	1	8	62.1	11.2	142.9
Floyd	78	19	59	50.3	14.7	228.7
Forsyth	3	3	-	12.7	12.7	0
Franklin	18	9	9	61.2	34.9	250.0
Fulton	1,602	160	1,442	120.6	19.5	284.4
Gilmer	6	6	-	34.5	34.5	0
Glascock	8	2	6	117.6	55.6	187.5
Glynn	90	13	77	92.2	19.8	241.4
Gordon	7	5	2	19.1	14.4	105.3
Grady	46	2	44	98.5	8.3	195.6
Greene	49	3	46	157.6	27.0	230.0
Gwinnett	24	6	18	28.2	8.2	155.2
Habersham	9	8	1	23.9	21.9	100.0
Hall	40	13	27	35.6	13.4	172.0
Hancock	35	-	35	115.5	0	138.9
Haralson	10	3	7	33.8	11.4	212.1
Harris	33	-	33	122.7	0	179.3
Hart	22	4	18	69.8	17.5	206.9
Heard	15	3	12	100.0	30.9	226.4
Henry	47	1	46	109.8	5.7	181.1
Houston	73	6	67	86.0	11.4	207.4
Irwin	40	1	39	121.6	6.4	226.7
Jackson	17	5	12	40.0	14.2	162.2
Jasper	30	-	30	163.9	0	225.6
Jeff Davis	15	3	12	59.8	16.2	181.8

TABLE XV - LIVE BIRTHS TO UNWED MOTHERS, NUMBER AND RATE PER 1,000 LIVE BIRTHS, BY RACE, GEORGIA, 1954
(CONT'D)

County	Number			Rate		
	Total	White	Nonwhite	Total	White	Nonwhite
Jefferson	106	6	100	186.3	35.3	250.6
Jenkins	56	1	55	179.5	9.2	270.9
Johnson	31	-	31	146.9	0	289.7
Jones	30	-	30	152.3	0	215.8
Lamar	34	1	33	120.6	7.1	232.4
Lanier	10	2	8	75.8	29.4	125.0
Laurens	87	4	83	102.8	9.5	195.8
Lee	42	2	40	193.5	50.0	226.0
Liberty	36	5	31	102.9	28.7	176.1
Lincoln	16	1	15	100.0	14.7	163.0
Long	4	-	4	32.3	0	100.0
Lowndes	125	15	110	101.3	22.0	198.9
Lumpkin	4	3	1	28.8	22.1	333.3
McDuffie	59	2	57	159.0	11.2	295.0
McIntosh	33	1	32	165.8	16.9	228.6
Macon	70	1	69	199.4	10.6	268.5
Madison	19	2	17	73.9	11.0	223.7
Marion	23	-	23	132.2	0	171.6
Meriwether	62	4	58	118.1	21.3	172.1
Miller	22	2	20	103.3	15.3	243.9
Mitchell	83	5	78	116.9	18.7	176.1
Monroe	34	2	32	114.1	16.9	177.8
Montgomery	15	1	14	90.4	12.7	160.9
Morgan	47	2	45	170.9	16.9	286.6
Murray	4	4	-	19.4	19.4	0
Muscogee	216	23	193	42.1	5.8	167.8
Newton	51	4	47	99.4	13.3	221.7
Oconee	16	3	13	134.5	39.0	309.5
Oglethorpe	30	-	30	157.9	0	260.9
Paulding	5	3	2	20.7	14.0	74.1
Peach	58	-	58	165.2	0	240.7
Pickens	6	3	3	26.5	14.0	272.7
Pierce	21	3	18	71.7	14.3	216.9
Pike	35	1	34	176.8	13.3	276.4
Polk	28	9	19	41.9	16.8	142.9
Pulaski	38	1	37	147.9	10.5	228.4
Putnam	28	1	27	121.7	11.0	194.2
Quitman	12	-	12	153.8	0	214.3
Rabun	8	8	-	38.6	38.6	0
Randolph	66	-	66	182.3	0	245.4
Richmond	285	39	246	67.4	13.4	187.9
Rockdale	18	2	16	81.8	13.4	225.4
Schley	12	-	12	153.8	0	187.5
Screven	72	1	71	137.9	5.6	207.0
Seminole	32	2	30	147.5	18.2	280.4
Spalding	70	6	64	89.4	11.7	237.0
Stephens	27	6	21	62.1	16.1	333.3
Stewart	35	-	35	157.7	0	198.9
Sumter	102	2	100	158.1	9.3	233.1
Talbot	30	-	30	151.5	0	175.4
Taliaferro	25	-	25	223.2	0	294.1
Tattnall	31	5	26	83.3	23.3	165.6
Taylor	28	2	26	120.7	22.0	184.4
Telfair	34	3	31	94.7	14.3	208.1
Terrell	69	-	69	174.2	0	221.2
Thomas	92	6	86	94.9	11.9	184.9
Tift	69	1	68	96.9	2.3	250.0
Toombs	41	6	35	85.2	19.5	201.1
Towns	3	3	-	37.0	37.0	0
Treutlen	15	3	12	92.0	31.2	179.1
Troup	169	20	149	125.1	24.7	275.9
Turner	32	4	28	113.1	26.1	215.4
Twiggs	31	-	31	136.0	0	178.2
Union	5	5	-	28.6	28.6	0
Upson	51	3	48	86.7	7.8	236.5
Walker	19	9	10	18.8	9.5	161.3
Walton	54	-	54	121.6	0	271.4
Ware	64	14	50	73.2	21.3	229.4
Warren	50	-	50	194.6	0	247.5
Washington	119	2	117	211.4	12.5	290.3
Wayne	27	8	19	56.7	22.9	149.6
Webster	10	1	9	103.1	45.5	120.0
Wheeler	19	2	17	118.0	22.5	236.1
White	6	2	4	44.4	15.7	500.0
Whitfield	28	17	11	28.2	18.0	244.4
Wilcox	31	2	29	133.0	15.6	276.2
Wilkes	53	-	53	184.0	0	283.4
Wilkinson	26	5	21	105.7	50.5	142.9
Worth	91	5	86	154.8	21.8	239.6

TABLE XVI - NUMBER OF PHYSICIANS IN PRIVATE PRACTICE AND AVERAGE NUMBER OF PERSONS PER PHYSICIAN, BY COUNTY, GEORGIA, JANUARY 1, 1955

County	Number Physicians	Average Number Persons Per Physician *	County	Number Physicians	Average Number Persons Per Physician *
State Total	2,436	1,469	Jeff Davis	4	2,375
Appling	8	1,725	Jefferson	10	1,840
Atkinson	2	3,750	Jenkins	3	3,200
Bacon	4	2,325	Johnson	4	2,150
Baker	-	...	Jones	1	7,200
Baldwin	10	1,830	Lamar	6	1,717
Banks	-	...	Lanier	2	2,500
Barrow	8	1,638	Laurens	14	2,343
Bartow	11	2,564	Lee	-	...
Ben Hill	8	1,875	Liberty	3	2,800
Berrien	4	3,350	Lincoln	4	1,550
Bibb	108	1,175	Long	2	1,700
Bleckley	2	4,500	Lowndes	27	1,456
Brentley	1	6,200	Lumpkin	3	2,233
Brooks	6	2,867	Macon	6	2,250
Bryan	3	1,933	Madison	2	5,850
Bulloch	16	1,506	Marion	2	3,150
Burke	10	2,210	McDuffie	7	1,671
Butts	3	3,000	McIntosh	2	3,150
Calhoun	5	1,560	Meriwether	9	2,289
Camden	5	1,580	Miller	4	2,150
Candler	5	1,520	Mitchell	10	2,210
Carroll	21	1,619	Monroe	2	5,200
Catoosa	3	5,467	Montgomery	3	2,367
Charlton	4	1,150	Morgan	6	1,933
Chatham	148	1,093	Murray	5	2,100
Chattahoochee	-	...	Muscogee	94	1,291
Chattooga	7	3,186	Newton	8	2,600
Cherokee	10	2,100	Oconee	1	6,800
Clarke	35	1,140	Oglethorpe	2	4,450
Clay	4	1,325	Paulding	3	3,767
Clayton	7	3,914	Peach	6	2,050
Clinch	2	2,900	Pickens	4	2,175
Cobb	42	1,719	Pierce	5	2,160
Coffee	11	2,264	Pike	4	1,900
Colquitt	21	1,619	Polk	16	1,994
Columbia	3	3,200	Pulaski	4	2,100
Cook	5	2,460	Putnam	3	2,467
Coweta	19	1,474	Quitman	1	2,800
Crawford	-	...	Rabun	3	2,433
Crisp	8	2,212	Randolph	5	2,520
Dade	3	2,667	Richmond	142	965
Dawson	-	...	Rockdale	4	2,200
Decatur	11	2,164	Schley	1	3,600
DeKalb	67	2,433	Screven	6	2,833
Dodge	7	2,357	Seminole	5	1,540
Dooly	6	2,167	Spalding	21	1,529
Dougherty	35	1,266	Stephens	12	1,517
Douglas	5	2,620	Stewart	3	2,867
Early	6	2,817	Sumter	15	1,600
Echols	-	...	Talbot	1	7,500
Effingham	1	8,900	Taliaferro	1	3,800
Elbert	13	1,392	Tattnall	7	2,057
Emanuel	8	2,275	Taylor	5	1,680
Evans	2	3,150	Telfair	8	1,550
Fannin	5	3,080	Terrell	5	2,660
Fayette	3	2,633	Thomas	31	1,129
Floyd	46	1,415	Tift	14	1,736
Forsyth	5	2,180	Toombs	12	1,467
Franklin	8	1,750	Towns	3	1,600
Fulton	708	732	Treutlen	3	2,033
Gilmer	1	10,400	Troup	40	1,305
Glascocok	1	3,200	Turner	4	2,575
Glynn	32	994	Twiggs	1	8,000
Gordon	10	1,910	Union	1	7,200
Grady	10	1,860	Upson	14	1,786
Greene	7	1,786	Walker	16	2,569
Gwinnett	9	3,733	Walton	10	2,000
Habersham	9	1,922	Ware	26	1,200
Hall	25	1,692	Warren	4	2,050
Hancock	3	3,433	Washington	11	1,782
Haralson	5	2,960	Wayne	7	2,100
Harris	4	2,800	Webster	-	...
Hart	3	4,700	Wheeler	1	5,900
Heard	6	1,050	White	5	1,160
Henry	3	5,400	Whitfield	16	2,369
Houston	9	2,533	Wilcox	3	3,033
Irwin	4	2,900	Wilkes	9	1,244
Jackson	7	2,643	Wilkinson	3	3,100
Jasper	5	1,380	Worth	5	3,700

... Not applicable

* Based on estimated population of Georgia as of July 1, 1954

Source: Medical Directory of Georgia, Georgia Department of Public Health, January 1, 1955

TABLE XVII-A - ESTIMATED POPULATION BY RACE, SEX AND AGE, GEORGIA, JULY 1, 1954
(State totals include military population)

Age Group	Total	White			Nonwhite		
		Total	Male	Female	Total	Male	Female
Total, all ages	3,672,000	2,577,000	1,278,000	1,299,000	1,095,000	521,000	574,000
Under 1 year	97,100	60,200	30,700	29,500	36,900	19,500	17,400
1 - 4 years	376,400	252,200	128,800	123,400	124,200	62,500	61,700
5 - 9 years	379,000	251,600	128,300	123,300	127,400	63,400	64,000
10 - 14 years	320,100	206,900	104,900	102,000	113,200	56,600	56,600
15 - 24 years	573,400	395,900	200,900	195,000	177,500	83,300	94,300
25 - 34 years	557,300	414,300	204,200	210,100	143,000	64,600	78,400
35 - 44 years	517,000	373,400	186,100	187,300	143,600	66,500	77,100
45 - 54 years	361,400	260,500	126,700	133,800	100,900	46,100	54,800
55 - 64 years	245,800	187,200	89,400	97,800	58,600	27,300	31,300
65 - 74 years	173,000	123,000	55,500	67,500	50,000	21,800	28,200
75 - 84 years	61,900	45,600	20,200	25,400	16,300	8,100	8,200
85 years and over	9,600	6,200	2,300	3,900	3,400	1,300	2,100

TABLE XVII-B - ESTIMATED POPULATION BY RACE, BY URBAN AND RURAL, AND CIVILIAN POPULATION BY RACE, BY COUNTY AND INCORPORATED PLACES OF 2,500 OR MORE PERSONS, GEORGIA, JULY 1, 1954

Area	Total	White	Nonwhite	Area	Total	White	Nonwhite
STATE TOTAL	3,672,000	2,577,000	1,095,000	Cherokee	21,000	20,100	900
URBAN <u>1/</u>	1,694,000	1,153,000	541,000	Canton	2,700	2,500	200
RURAL	1,978,000	1,424,000	554,000	Clarke	39,900	29,600	10,300
STATE TOTAL CIVILIAN	3,578,000	2,502,000	1,076,000	Athens	31,400	22,900	8,500
Appling	13,800	11,100	2,700	Clay	5,300	1,500	3,800
Baxley	5,600	2,600	1,000	Clayton *	27,400	23,100	4,300
Atkinson	7,500	5,900	1,600	College Park (Total	17,300	14,000	3,300
Bacon	9,300	8,200	1,100	in Fulton & Clayton	4,600	4,600	--
Alma	2,900	2,500	400	Forrest Park	3,500	3,500	--
Baker	5,400	2,000	3,400	Clinch	5,800	3,900	1,900
Baldwin <u>2/</u>	18,300	11,200	7,100	Cobb*	72,200	65,500	6,700
State Hospital	13,800	9,000	4,800	Marietta	28,000	23,900	4,100
Milledgeville	9,700	5,300	4,400	Coffee	24,900	18,900	6,000
Banks	6,200	5,900	300	Douglas	8,400	5,900	2,500
Barrow	13,100	10,800	2,300	Colquitt	34,000	25,900	8,100
Winder	4,900	4,100	800	Moultrie	12,700	8,200	4,500
Bartow	28,200	24,100	4,100	Columbia	9,600	5,500	4,100
Cartersville	7,800	5,800	2,000	Cook	12,300	8,800	3,500
Ben Hill	15,000	10,200	4,800	Adel	3,100	1,900	1,200
Fitzgerald	8,400	5,500	2,900	Coweta	28,000	17,500	10,500
Berrien	13,400	11,500	1,900	Newman	8,700	5,400	3,300
Nashville	3,800	3,100	700	Crawford	5,600	2,300	3,300
Bibb *	126,900	83,400	43,500	Crisp	17,700	10,100	7,600
Macon	76,000	43,900	32,100	Cordele	10,100	5,300	4,800
Bleckley	9,000	6,200	2,800	Dade	8,000	7,900	100
Cochran	3,700	2,600	1,100	Dawson	3,400	3,400	--
Brantley	6,200	5,400	800	Decatur	23,800	12,900	10,900
Brooks	17,200	8,700	8,500	Bainbridge	8,100	5,000	3,100
Quitman	4,900	2,700	2,200	DeKalb*	163,000	147,100	15,900
Bryan	5,800	3,500	2,300	Atlanta (Part in	41,100	38,100	3,000
Bulloch	24,100	14,900	9,200	DeKalb)			
Statesboro	6,600	4,500	2,100	Atlanta (Total in	457,300	311,500	145,800
Burke	22,100	6,200	15,900	Fulton & DeKalb)	4,800	4,700	100
Waynesboro	4,700	2,200	2,500	Chamblee	4,800	4,700	100
Butts	9,000	4,900	4,100	Decatur	23,800	20,100	3,700
Calhoun	7,800	2,500	5,300	Dodge	16,500	11,700	4,800
Camden	7,900	4,100	3,800	Eastman	3,700	2,400	1,300
Candler	7,600	4,900	2,700	Dooly	13,000	5,900	7,100
Carroll	34,000	27,500	6,500	Dougherty*	44,300	26,100	18,200
Carrollton	8,400	6,700	1,700	Albany	36,300	20,800	15,500
Catoosa	16,400	16,000	400	Douglas	13,100	11,200	1,900
Charlton	4,600	3,300	1,300	Douglasville	3,800	3,000	800
Chatham*	161,700	101,500	60,200	Early	16,900	7,800	9,100
Savannah	129,700	77,200	52,500	Blakely	3,400	2,300	1,100
Chattahoochee*	1,200	600	600	Echols	2,300	1,700	600
Chattooga	22,300	20,200	2,100	Effingham	8,900	5,700	3,200
Summerville	4,700	4,200	500	Elbert	18,100	12,500	5,600
Trion	3,300	3,200	100	Elberton	7,000	4,900	2,100
				Emmanuel	18,200	11,600	6,600
				Swainsboro	4,600	2,800	1,800
				Evans	6,300	3,900	2,400

See notes on page 92.

TABLE XVII-B - ESTIMATED POPULATION BY RACE, BY URBAN AND RURAL, AND CIVILIAN POPULATION BY RACE, BY COUNTY
AND INCORPORATED PLACES OF 2,500 OR MORE PERSONS, GEORGIA, JULY 1, 1954
(cont'd)

Area	Total	White	Nonwhite	Area	Total	White	Nonwhite
Fannin	15,400	15,200	200	Mitchell	22,100	11,000	11,100
Fayette	7,900	5,400	2,500	Camilla	4,200	1,800	2,400
Floyd * 2/	65,100	55,400	9,700	Pelham	4,900	2,800	2,100
Batley State Hospital	1,800	900	900	Monroe	10,400	5,200	5,200
Rome	31,600	25,100	6,500	Forsyth	3,400	1,900	1,500
Forsyth	10,900	10,800	100	Montgomery	7,100	4,100	3,000
Franklin	14,000	12,400	1,600	Morgan	11,600	5,500	6,100
Fulton *	518,000	358,700	159,300	Murray	10,500	10,400	100
Atlanta (Total in Fulton & DeKalb)	457,300	311,500	145,800	Miscogee *	121,400	91,000	30,400
(Part in Fulton)	416,200	273,400	142,800	Columbus	90,800	62,500	28,300
College Park (Total in Clayton & Fulton)	17,300	14,000	3,300	Newton	20,800	13,900	6,900
(Part in Fulton)	12,700	9,400	3,300	Covington	5,700	3,300	2,400
East Point	24,800	21,500	3,300	Porterdale	3,400	3,300	100
Hapeville	10,000	10,000	--	Oconee	6,800	5,200	1,600
Gilmer	10,400	10,400	--	Oglethorpe	8,900	5,100	3,800
Glascocock	3,200	2,300	900	Faulding	11,100	10,100	1,000
Glynn *	31,800	22,200	9,600	Peach	12,300	4,800	7,500
Brunswick	19,200	11,800	7,400	Fort Valley	7,600	2,900	4,700
Gordon	19,100	17,900	1,200	Pickens	8,700	8,300	400
Calhoun	3,300	2,700	600	Pierce	10,800	8,400	2,400
Grady	18,600	12,300	6,300	Pike	7,600	4,100	3,500
Cairo	6,000	3,600	2,400	Polk	31,900	26,600	5,300
Greene	12,500	6,100	6,400	Cedartown	10,000	8,500	1,500
Greensboro	2,800	1,600	1,200	Rockmart	4,000	3,400	600
Gwinnett	33,600	30,400	3,200	Pulaski	8,400	4,400	4,000
Buford	3,700	2,900	800	Hawkinsville	3,500	2,200	1,300
Lawrenceville	3,200	2,700	500	Putnam	7,400	3,400	4,000
Habersham	17,300	16,600	700	Easton	2,900	1,500	1,400
Hall	42,300	38,000	4,300	Quitman	2,800	1,000	1,800
Gainesville	13,000	9,700	3,300	Rabun	7,300	7,200	100
Hancock	10,300	2,800	7,500	Randolph	12,600	4,500	8,100
Haralson	14,800	13,400	1,400	Cuthbert	4,300	1,600	2,700
Tallapoosa	3,000	2,700	300	Richmond *	137,100	92,800	44,300
Harris	11,200	5,000	6,200	Augusta	93,000	54,500	38,500
Hart	14,100	10,700	3,400	Rockdale	8,800	6,300	2,500
Hartwell	3,200	2,500	700	Schley	3,600	1,500	2,100
Heard	6,300	4,800	1,500	Screven	17,000	7,200	9,800
Henry	16,200	9,200	7,000	Sylvania	3,100	1,700	1,400
Houston	22,800	15,400	7,400	Seminole	7,700	4,800	2,900
Perry	4,800	2,300	2,500	Donaldsonville	2,900	1,700	1,200
Warner Robins	9,300	8,800	500	Spalding	32,100	23,300	8,800
Irwin	11,600	7,400	4,200	Griffin	15,300	10,000	5,300
Ocilla	2,900	1,500	1,400	Stephens	18,200	15,800	2,400
Jackson	18,500	15,700	2,800	Toococa	7,300	5,800	1,500
Commerce	3,400	1,500	1,900	Stewart	8,600	2,400	6,200
Jasper	6,900	2,900	4,000	Sumter	24,000	11,200	12,800
Jeff Davis	9,500	7,400	2,100	Americus	12,300	6,200	6,100
Hazlehurst	3,100	2,300	800	Talbot	7,500	2,200	5,300
Jefferson	18,400	7,800	10,600	Manchester (Total in Talbot & Meriwether)	4,300	3,100	1,200
Jenkins	9,600	4,300	5,300	(Part in Talbot)	100	--	100
Millen	3,700	2,000	1,700	Taliaferro	3,800	1,400	2,400
Johnson	8,600	5,800	2,800	Tattnall 2/	14,400	10,500	3,900
Jones	7,200	3,400	3,800	Tattnall State Prison	1,400	900	500
Lamar	10,300	6,200	4,100	Taylor	8,400	4,400	4,000
Barnesville	4,500	2,800	1,700	Telfair	12,400	8,300	4,100
Lenier	5,000	3,400	1,600	Terrell	13,300	4,500	8,800
Laurens	32,800	19,600	13,200	Dawson	4,700	2,000	2,700
Dublin	11,300	6,800	4,500	Thomas	35,000	21,100	13,900
Lee	6,200	1,900	4,300	Thomasville	15,400	8,400	7,000
Liberty	8,400	3,400	5,000	Tift	24,300	17,400	6,900
Lincoln	6,200	3,200	3,000	Tifton	7,500	6,400	1,100
Long	3,400	2,200	1,200	Toombs	17,600	12,700	4,900
Louides *	39,300	23,900	15,400	Lyons	3,200	2,100	1,100
Valdosta	21,900	12,200	9,700	Vidalia	6,500	4,300	2,200
Lumpkin	6,700	6,600	100	Towns	4,800	4,800	--
Macon	13,500	4,400	9,100	Treutlen	6,100	4,300	1,800
Montezuma	3,200	1,300	1,900	Troup	52,200	36,000	16,200
Madison	11,700	9,500	2,200	Hogansville	3,800	2,500	1,300
Marion	6,300	2,500	3,800	LaGrange	27,000	18,700	8,300
McDuffie	11,700	6,600	5,100	West Point	4,400	1,800	2,600
Thomson	3,700	2,400	1,300	Turner	10,300	6,400	3,900
McIntosh	6,300	2,400	3,900	Ashburn	3,200	1,900	1,300
Meriwether	20,600	10,100	10,500	Triggs	8,000	3,000	5,000
Manchester (Total in Talbot & Meriwether)	4,300	3,100	1,200	Union	7,200	7,200	--
(Part in Meriwether)	4,200	3,100	1,100	Upton	25,000	18,500	6,500
Miller	8,600	6,200	2,400	East Thomaston	3,100	3,100	--
				Silvertown	3,500	3,500	--
				Thomaston	7,400	5,000	2,400

See notes on page 92.

TABLE XVII-B - ESTIMATED POPULATION BY RACE, BY URBAN AND RURAL, AND CIVILIAN POPULATION BY RACE, BY COUNTY AND INCORPORATED PLACES OF 2,500 OR MORE PERSONS, GEORGIA, JULY 1, 1954
(cont'd)

Area	Total	White	Nonwhite	Area	Total	White	Nonwhite
Walker	41,100	38,600	2,500	Webster	3,800	1,300	2,500
Lafayette	5,500	5,000	500	Wheeler	5,900	3,900	2,000
Rossville	4,200	4,200	--	White	5,800	5,500	300
Walton	20,000	13,600	6,400	Whitfield	37,900	36,400	1,500
Monroe	4,900	3,500	1,400	Dalton	17,900	16,600	1,300
Ware	31,200	22,900	8,300	Wilcox	9,100	6,000	3,100
Waycross	20,600	13,300	7,300	Wilkes	11,200	4,900	6,300
Warren	8,200	2,900	5,300	Washington	3,900	1,800	2,100
Washington	19,600	8,100	11,500	Wilkinson	9,300	4,700	4,600
Sandersville	4,900	2,100	2,800	Worth	18,500	9,300	9,200
Wayne	14,700	11,900	2,800	Sylvester	2,800	1,600	1,200
Jesup	5,300	3,700	1,600				

* Because of problems peculiar to these areas a method other than straight line projection estimation was used.

1/ The urban population is the total of the estimates for all incorporated places shown above plus the military population of the state.

2/ Population of the state institutions is excluded from the county totals but is included in the state totals.

Source: Georgia Department of Public Health, Central Statistical Unit.

TABLE XVIII - TOTAL POPULATION BY CENSUS YEARS BY AGE AND RACE, GEORGIA, 1920-1950

Age	Number				Per Cent Distribution			
	1950	1940	1930	1920	1950	1940	1930	1920
Total								
Total all ages	3,444,578	3,123,723	2,908,506	2,895,832	100.0	100.0	100.0	100.0
Under 5 years	422,486	313,122	316,404	363,229	12.3	10.0	10.9	12.5
5-14 years	666,501	644,065	692,770	747,685	19.3	20.6	23.8	25.8
15-24 years	567,999	633,048	622,962	580,363	16.5	20.3	21.4	20.0
25-44 years	1,005,559	897,303	744,444	737,099	29.2	28.7	25.6	25.5
45-64 years	562,378	477,471	416,804	362,405	16.3	15.3	14.3	12.5
65 years & over	219,655	158,714	113,278	102,111	6.4	5.1	3.9	3.5
Not reported	-	-	1,844	2,940	0	0	0.1	0.1
White								
Total all ages	2,380,577	2,038,278	1,837,021	1,689,114	100.0	100.0	100.0	100.0
Under 5 years	276,321	193,741	200,353	217,864	11.6	9.5	10.9	12.9
5-14 years	431,958	401,814	427,296	423,031	18.1	19.8	23.3	25.0
15-24 years	385,584	403,636	376,348	323,636	16.2	19.8	20.5	19.2
25-44 years	722,534	597,165	482,449	443,295	30.4	29.3	26.3	26.2
45-64 years	409,754	336,232	271,590	214,251	17.2	16.5	14.8	12.7
65 years & over	154,426	105,690	78,022	65,896	6.5	5.1	4.2	3.9
Not reported	-	-	963	1,141	0	0	0.1	0.1
Nonwhite								
Total all ages	1,064,001	1,085,445	1,071,485	1,206,718	100.0	100.0	100.0	100.0
Under 5 years	146,165	119,381	116,051	145,365	13.7	11.0	10.8	12.0
5-14 years	234,543	242,251	265,474	324,654	22.0	22.3	24.8	26.9
15-24 years	182,415	229,412	246,614	256,727	17.1	21.1	23.0	21.3
25-44 years	283,025	300,138	261,995	293,804	26.6	27.7	24.5	24.3
45-64 years	152,624	141,239	145,214	148,154	14.3	13.0	13.6	12.3
65 years & over	65,229	53,024	35,256	36,215	6.1	4.9	3.3	3.0
Not reported	-	-	881	1,799	0	0	0.1	0.1

Source: U. S. Census 1920, 1930, 1940, 1950

TABLE XIX - MARRIAGES, DIVORCES, AND ANNULMENTS, BY COUNTY OF OCCURRENCE, BY RACE, GEORGIA, 1954
(Recorded Data)

County	Marriages				Divorces				Annulments Total
	Total	White	Nonwhite	Unknown	Total	White	Nonwhite	Unknown	
TOTAL	51,698	41,149	10,495	54	7,001	4,201	911	1,889	40
Appling	121	97	24	-	-	-	-	-	-
Atkinson	76	50	26	-	8	7	-	1	-
Bacon	115	102	13	-	26	25	1	-	-
Baker	47	28	19	-	-	-	-	-	-
Baldwin	194	112	82	-	37	10	10	17	-
Banks	39	36	3	-	-	-	-	-	-
Barrow	98	79	19	-	-	-	-	-	-
Bartow	217	179	38	-	-	-	-	-	-
Ben Hill	151	102	49	-	36	5	-	31	-
Berrien	116	105	11	-	28	24	4	-	-
Bibb	982	684	298	-	327	249	70	8	-
Bleckley	78	57	21	-	-	-	-	-	-
Brantley	396	393	3	-	12	11	1	-	-
Brooks	231	120	111	-	19	14	5	-	-
Bryan	46	30	16	-	13	8	5	-	1
Bulloch	187	106	81	-	45	34	9	2	-
Burke	94	22	72	-	14	5	9	-	-
Butts	82	41	41	-	1	1	-	-	-
Calhoun	58	16	42	-	2	2	-	-	-
Camden	3,056	2,826	230	-	23	17	5	1	-
Candler	64	35	29	-	9	7	2	-	-
Carroll	270	213	57	-	52	19	2	31	-
Catoosa	2,214	2,133	73	8	25	20	1	4	-
Charlton	3,410	2,983	426	1	11	10	1	-	-
Chatham	942	651	291	-	698	347	126	225	4
Chattahoochee	545	493	52	-	6	4	-	2	-
Chattooga	101	95	6	-	18	1	-	17	-
Cherokee	266	257	9	-	-	-	-	-	-
Clarke	349	275	74	-	68	42	13	13	-
Clay	95	19	76	-	1	-	1	-	-
Clayton	477	431	45	1	15	14	1	-	-
Clinch	124	101	23	-	1	-	-	1	-
Cobb	475	416	59	-	206	82	7	117	-
Coffee	189	142	44	3	54	39	3	12	-
Colquitt	369	291	78	-	74	27	1	46	-
Columbia	3	-	3	-	-	-	-	-	-
Cook	193	148	45	-	12	-	-	12	-
Coveta	313	197	116	-	-	-	-	-	-
Crawford	59	34	25	-	6	4	-	2	-
Crisp	187	112	75	-	13	9	4	-	-
Dade	1,581	1,556	25	-	-	-	-	-	-
Dawson	84	84	-	-	1	1	-	-	-
Decatur	669	470	199	-	31	18	3	10	-
DeKalb	992	891	101	-	354	260	15	79	3
Dodge	145	116	29	-	18	15	3	-	-
Dooly	101	62	39	-	-	-	-	-	-
Dougherty	796	471	325	-	175	146	28	1	-
Douglas	204	180	23	1	8	8	-	-	-
Early	130	68	62	-	13	10	3	-	-
Echols	174	146	28	-	1	1	-	-	-
Effingham	60	34	26	-	4	3	-	1	-
Elbert	43	30	9	4	-	-	-	-	-
Emanuel	184	120	64	-	19	17	2	-	-
Evans	102	66	36	-	6	5	1	-	-
Fannin	443	441	2	-	21	14	-	7	-
Fayette	87	66	21	-	6	6	-	-	-
Floyd	663	556	107	-	178	64	6	108	2
Forsyth	112	111	-	1	-	-	-	-	-
Franklin	82	70	12	-	34	3	-	31	-
Fulton	4,947	3,372	1,575	-	1,999	1,589	384	26	7
Gilmer	69	69	-	-	6	6	-	-	-
Glascock	20	14	4	2	-	-	-	-	-
Glynn	380	273	107	-	32	23	9	-	1
Gordon	177	169	8	-	-	-	-	-	-
Grady	227	154	73	-	25	6	1	18	-
Greene	78	43	35	-	-	-	-	-	-
Gwinnett	420	384	36	-	45	40	2	3	-
Habersham	109	107	2	-	41	38	1	2	-
Hall	270	235	35	-	-	-	-	-	-
Hancock	47	8	39	-	1	1	-	-	-
Haralson	418	408	10	-	6	6	-	-	-
Harris	76	37	39	-	1	1	-	-	-
Hart	327	297	30	-	-	-	-	-	-
Heard	101	87	14	-	2	2	-	-	-
Henry	150	107	43	-	11	8	3	-	-
Houston	235	154	81	-	46	38	6	2	-
Irwin	85	52	33	-	13	5	3	5	-
Jackson	132	99	30	3	17	15	2	-	-
Jasper	68	42	26	-	1	1	-	-	-
Jeff Davis	85	63	22	-	15	4	-	11	-

TABLE XIX - MARRIAGES, DIVORCES, AND ANNULMENTS, BY COUNTY OF OCCURRENCE, BY RACE, GEORGIA, 1954
(Recorded Data)

County	Marriages				Divorces				Annulments
	Total	White	Nonwhite	Unknown	Total	White	Nonwhite	Unknown	Total
Jefferson	94	32	60	2	19	9	2	8	-
Jenkins	70	26	44	-	9	6	3	-	-
Johnson	83	64	19	-	-	-	-	-	-
Jones	36	13	23	-	5	3	2	-	-
Lamar	99	46	52	1	8	8	-	-	-
Lanier	66	48	18	-	8	5	1	2	-
Laurens	373	242	128	3	68	37	1	30	-
Lee	62	41	21	-	1	1	-	-	-
Liberty	77	50	27	-	22	-	-	22	-
Lincoln	8	8	-	-	3	2	1	-	-
Long	45	31	14	-	-	-	-	-	-
Lowndes	1,050	850	244	1	112	53	26	33	4
Lumpkin	43	42	-	1	-	-	-	-	-
McDuffie	87	47	40	-	-	-	-	-	-
McIntosh	61	34	27	-	-	-	-	-	-
Macon	112	42	69	1	11	3	7	1	-
Madison	72	61	11	-	9	8	-	1	-
Marion	46	25	21	-	9	6	-	-	-
Meriwether	150	81	69	-	18	3	1	17	-
Miller	77	58	19	-	4	2	1	1	-
Mitchell	153	94	57	2	13	2	-	11	-
Monroe	72	42	30	-	20	15	3	2	2
Montgomery	58	35	23	-	5	3	2	-	-
Morgan	74	36	38	-	14	8	6	-	-
Murray	267	264	2	1	19	17	2	-	-
Muscogee	1,231	915	315	1	587	18	9	560	11
Newton	140	102	38	-	-	-	-	-	-
Oconee	52	40	12	-	7	4	1	2	-
Oglethorpe	61	43	18	-	-	-	-	-	-
Paulding	526	506	20	-	28	23	2	3	-
Peach	138	68	70	-	-	-	-	-	-
Pickens	73	71	2	-	4	4	-	-	-
Pierce	128	96	32	-	1	-	-	1	-
Pike	80	52	28	-	4	2	2	-	-
Polk	228	191	37	-	56	27	4	25	-
Pulaski	101	59	42	-	11	9	2	-	-
Putnam	69	38	31	-	16	9	2	5	-
Quitman	76	22	54	-	2	-	-	2	-
Rabun	57	56	1	-	17	3	-	14	-
Randolph	86	31	55	-	5	1	4	-	-
Richmond	563	482	81	-	-	-	-	-	-
Rockdale	304	243	61	-	11	7	3	1	-
Schley	50	18	32	-	-	-	-	-	-
Screven	87	34	53	-	34	11	1	22	-
Seminole	373	305	68	-	11	8	3	-	-
Spalding	359	274	84	1	59	9	-	50	-
Stephens	171	156	15	-	25	24	1	-	-
Stewart	65	21	43	1	7	5	2	-	-
Sumter	197	77	119	1	38	-	-	38	-
Talbot	63	14	49	-	-	-	-	-	-
Taliaferro	18	4	14	-	-	-	-	-	-
Tattnall	101	80	21	-	30	26	3	1	-
Taylor	79	34	45	-	2	1	1	-	-
Telfair	150	109	41	-	-	-	-	-	-
Terrell	133	32	101	-	15	1	1	13	-
Thomas	620	427	187	6	115	35	5	75	1
Tift	306	231	75	-	17	13	4	-	-
Toombs	196	147	48	1	43	31	4	8	-
Towns	78	78	-	-	-	-	-	-	-
Treutlen	53	35	18	-	4	3	1	-	-
Troup	700	496	203	1	122	100	9	13	-
Turner	78	43	35	-	-	-	-	-	-
Twiggs	267	179	88	-	4	2	2	-	-
Union	82	82	-	-	17	17	-	-	-
Upson	218	182	35	1	39	32	1	6	1
Walker	5,702	5,152	550	-	74	48	1	25	2
Walton	173	118	55	-	21	15	5	1	-
Ware	796	705	91	-	38	27	11	-	-
Warren	43	16	27	-	-	-	-	-	-
Washington	106	47	59	-	-	-	-	-	-
Wayne	244	194	50	-	15	13	2	-	-
Webster	17	7	10	-	1	1	-	-	-
Wheeler	41	32	9	-	9	7	1	1	-
White	53	50	3	-	-	-	-	-	-
Whitfield	384	368	16	-	130	78	3	49	1
Wilcox	58	41	17	-	11	8	3	-	-
Wilkes	43	26	17	-	3	2	1	-	-
Wilkinson	70	33	37	-	-	-	-	-	-
Worth	174	97	72	5	1	1	-	-	-

