

# VITAL STATISTICS

## GEORGIA

### 1955

Property Of:  
Georgia Department of Human  
Resources  
Division of Public Health  
Health Assessment Services  
Do Not Remove



**Department of Public Health**  
**State of Georgia**

Atlanta

6-14-57  
G



VITAL STATISTICS

GEORGIA

1955


DEPARTMENT OF PUBLIC HEALTH

STATE OF GEORGIA

Atlanta

November 15, 1956

STATE OF  
**GEORGIA**  
HEALTH REGIONS  
1955



STATE  
DEPARTMENT  
OF  
PUBLIC HEALTH

COUNTY LISTING INDICATING REGION IN WHICH COUNTY IS LOCATED, 1955

County	Region	County	Region
Appling	Southeastern	Jenkins	Central
Atkinson	Southeastern	Johnson	Central
Bacon	Southeastern	Jones	Central
Baker	Southwestern	Lamar	Central
Baldwin	Central	Lanier	Southeastern
Banks	Northeastern	Laurens	Central
Barrow	Northeastern	Lee	Southwestern
Bartow	Northwestern	Liberty	Southeastern
Ben Hill	Southwestern	Lincoln	Northeastern
Berrien	Southeastern	Long	Southeastern
Bibb	Central	Lowndes	Southeastern
Bleckley	Central	Lumpkin	Northwestern
Brantley	Southeastern	Macon	Central
Brooks	Southwestern	Madison	Northeastern
Bryan	Central	Marion	Central
Bulloch	Central	McDuffie	Northeastern
Burke	Central	McIntosh	Southeastern
Butts	Central	Meriwether	Central
Calhoun	Southwestern	Miller	Southwestern
Camden	Southeastern	Mitchell	Southwestern
Candler	Central	Monroe	Central
Carroll	Northwestern	Montgomery	Central
Catoosa	Northwestern	Morgan	Northeastern
Charlton	Southeastern	Murray	Northwestern
Chatham	Southeastern	Miscogee	Central
Chattahoochee	Central	Newton	Northeastern
Chattooga	Northwestern	Oconee	Northeastern
Cherokee	Northwestern	Oglethorpe	Northeastern
Clarke	Northeastern	Paulding	Northwestern
Clay	Southwestern	Peach	Central
Clayton	Central	Pickens	Northwestern
Clinch	Southeastern	Pierce	Southeastern
Cobb	Northwestern	Pike	Central
Coffee	Southeastern	Polk	Northwestern
Colquitt	Southwestern	Pulaski	Central
Columbia	Northeastern	Putnam	Northeastern
Cook	Southeastern	Quitman	Southwestern
Coveta	Central	Rabun	Northeastern
Crawford	Central	Randolph	Southwestern
Crisp	Southwestern	Richmond	Northeastern
Dade	Northwestern	Rockdale	Northeastern
Dawson	Northwestern	Schley	Central
Decatur	Southwestern	Screven	Central
DeKalb	Northwestern	Seminole	Southwestern
Dodge	Central	Spalding	Central
Dooly	Southwestern	Stephens	Northeastern
Dougherty	Southwestern	Stewart	Southwestern
Douglas	Northwestern	Sumter	Southwestern
Early	Southwestern	Talbot	Central
Echols	Southeastern	Taliaferro	Northeastern
Effingham	Central	Tattnall	Central
Elbert	Northeastern	Taylor	Central
Emanuel	Central	Telfair	Central
Evans	Central	Terrell	Southwestern
Fannin	Northwestern	Thomas	Southwestern
Fayette	Central	Tift	Southwestern
Floyd	Northwestern	Toombs	Central
Forsyth	Northwestern	Towns	Northwestern
Franklin	Northeastern	Treutlen	Central
Fulton	Northwestern	Troup	Central
Gilmer	Northwestern	Turner	Southwestern
Glascok	Central	Twiggs	Central
Glynn	Southeastern	Union	Northwestern
Gordon	Northwestern	Upson	Central
Grady	Southwestern	Walker	Northwestern
Greene	Northeastern	Walton	Northeastern
Gwinnett	Northeastern	Ware	Southeastern
Habersham	Northeastern	Warren	Northeastern
Hall	Northeastern	Washington	Central
Hancock	Northeastern	Wayne	Southeastern
Haralson	Northwestern	Webster	Southwestern
Harris	Central	Wheeler	Central
Hart	Northeastern	White	Northeastern
Hard	Central	Whitfield	Northwestern
Henry	Central	Wilcox	Southwestern
Houston	Central	Wilkes	Northeastern
Irwin	Southwestern	Wilkinson	Central
Jackson	Northeastern	Worth	Southwestern
Jasper	Northeastern		
Jeff Davis	Southeastern		
Jefferson	Central		



## TABLE OF CONTENTS

	Page
INTRODUCTION. . . . .	ix
SOME FACTORS INFLUENCING VITAL STATISTICS . . . . .	x-xiii
Completeness of registration. . . . .	x-xi
Accuracy and completeness of reporting items on certificates. . . . .	xi-xii
Changes in classification of causes of death. . . . .	xii
Socio-economic status . . . . .	xii
Population, race and age trends . . . . .	xiii
Military events . . . . .	xiii
DISCUSSION OF 1955 STATISTICS . . . . .	xiv-xxi
Population. . . . .	xiv
Physicians. . . . .	xiv
Marriages and divorces. . . . .	xiv-xv
Fetal deaths. . . . .	xv-xvi
Live births . . . . .	xvi-xvii
Immature births . . . . .	xvii
Births to un-wed mothers. . . . .	xvii-xviii
Infant deaths . . . . .	xviii
Deaths from immaturity. . . . .	xviii
Neonatal deaths . . . . .	xix
Maternal deaths . . . . .	xix-xx
Deaths all ages . . . . .	xx-xxi

## FIGURES

Figure	Page
1. Live birth rates adjusted for underregistration, Georgia, 1940-1955 . . . . .	xi
2. Live birth and death rates, by race, Georgia, 1925- 1955. .	xiii
3. Immature birth rates, 1947-1955 and death rates from immaturity, by race, Georgia, 1925-1955 . . . . .	xviii
4. Infant and neonatal death rates by race, Georgia, 1925-1955 . . . . .	xix
5. Maternal death ratio by race, Georgia, 1925-1955. . . . .	xx

## TEXT TABLES

Table	Page
1. Estimates of birth registration completeness, by place of occurrence, Georgia, 1940-1955 . . . . .	x
2. Deaths due to ill-defined and unknown causes, Georgia, 1946-1955. . . . .	xii
3. Population by race and residence, Georgia, April 1, 1950-July 1, 1955 . . . . .	xiv
4. Marriages by residence of bride and groom, Georgia, 1955 . . . . .	xv
5. Fetal deaths by race, place of occurrence, attendant and length of gestation, Georgia, 1955. . . . .	xvi
6. Live birth rates, Georgia, 1940-1955 . . . . .	xvii
7. Death rates per 100,000 population for Georgia and United States -- and death rates adjusted for age and race, Georgia, 1950-1955	xxi

## GENERAL TABLES

I. Selected vital events, number and rate and per cent occurring in hospitals by race, urban and rural, Georgia, 1955. . . . .	1
II. Deaths, all causes, number and rate per 100,000 population by race, age and sex, Georgia, 1955. . . . .	1
III. Summary of selected vital statistics, Georgia, 1926-1955 . . . . .	2-3
IV. Live births by age of parents, Georgia, 1955 . . . . .	4
V. Live births to unwed mothers, number and rate per 1,000 live births by age of mother, Georgia, 1955. . . . .	4
VI. Important causes of death, number and per cent of total in specified age groups, by race, Georgia, 1955 . . . . .	5-8
VII. Deaths from heart disease by type, by age, Georgia, 1955 . . . . .	9
VIII. Deaths from cancer, by site, race, and sex, Georgia, 1955. . . . .	9
IX. Deaths, number and ratio (per 10,000 live births) from diseases of pregnancy, childbirth, and the puerperium, by race, Georgia, 1955 . . . . .	10



## GENERAL TABLES (CONT'D)

Table	Page
X. Infant deaths, number and rate per 1,000 live births by race, sex and age, Georgia, 1955 . . . . .	10
XI. Infant deaths, number and rate per 1,000 live births, by race, by cause, Georgia, 1955. . . . .	11
XII. Accidental deaths, number and rate, by type of accident, by age, Georgia, 1955 . . . . .	12
XIII. Vital statistics, by county and race, Georgia, 1955 . . . . .	13-76
XIV-A. Vital statistics, by cities with population of 75,000 or more, Georgia, 1955 . . . . .	77-78
XIV-B. Vital statistics, by cities with population of 10,000 - 74,999, Georgia, 1955 . . . . .	79-87
XV. Live births to unwed mothers, number and rate per 1,000 live births, by race, Georgia, 1955 . . . . .	88-89
XVI. Number of physicians in private practice and average number of persons per physician, by county, Georgia, January 1, 1956 . . .	90
XVII-A. Estimated population by race, sex and age, Georgia, July 1, 1955	91
XVII-B. Estimated population by race, by urban and rural and civilian population by race, by county and incorporated places of 2,500 or more persons, Georgia, July 1, 1955 . . . . .	91-93
XVIII. Total population by census years by age and race, Georgia, 1920-1950 . . . . .	93
XIX. Marriages, divorces, and annulments, by county of application, by race, Georgia, 1955 . . . . .	94-95

SYMBOLS USED IN THIS REPORT

- Quantity is zero in frequency table
- Data not available
- ... Rate or per cent not applicable
- 0.0 Rate or per cent more than zero but less than 0.05
- 0 Quantity is zero in rate table

## INTRODUCTION

This is the eighth consecutive year this report has been prepared. The format has varied from year to year as efforts are made to present the material in the most useful and concise manner. In 1953, a format which should prove useful over a period of years was introduced and is followed very closely in this report.

Most data for a county or city are together in one table. Counties are in alphabetical sequence and cities are in alphabetical sequence within population size groups. No data are shown for health regions. However, certain data are tabulated by regions and are available on request. Detailed state data are included for the current year as well as several historical series for 1926-1955.

Most tabulations are based on births, deaths, fetal deaths, marriages and divorces recorded in the Division of Vital Records and known births and deaths of Georgia residents which occurred outside of Georgia. Unless specifically stated otherwise, all data on births, deaths and fetal deaths are allocated to place of residence. Marriages are tabulated by place of issuance of licenses and divorces by place in which divorce is granted.

Population estimates and number of physicians by county are also included in this report.

Additional copies of most of the tables and more detailed tabulations of these and other health statistics are available. Address correspondence to:

Georgia Department of Public Health  
Statistics  
12 Capitol Square  
Atlanta 3, Georgia

## SOME FACTORS INFLUENCING VITAL STATISTICS

Completeness of Registration

In connection with the Census of Population Reports of 1940 and 1950, tests were made to determine the completeness of birth registration in each state. The 1950 test showed 94.6% of Georgia's births to be registered. The percentage of completeness varies from county to county and in some instances accounts for differences in rates which can result in misinterpretations of health statistics.

Estimates of completeness of birth registration for 1940-1955 are shown in Table 1. Estimates for 1941-1949 are interpolations of the results obtained in the birth registration tests of 1940 and 1950. Percentage completeness of registration by race and place of delivery in 1950 was applied to reported births to obtain estimates for 1951-1955. The estimated increase since 1950 is due entirely to the increase in the proportion of births delivered in hospitals.


TABLE 1 - ESTIMATES OF BIRTH REGISTRATION COMPLETENESS, BY PLACE OF OCCURRENCE, GEORGIA, 1940-1955

<u>Year</u>	<u>Per Cent Completeness</u>
1940	81.3*
1941	82.6
1942	84.0
1943	85.3
1944	86.6
1945	88.0
1946	89.3
1947	90.6
1948	91.9
1949	93.3
1950	94.6*
1951	95.1
1952	95.5
1953	95.7
1954	96.0
1955	96.2

\* Results of birth registration completeness tests.

Figure 1 shows live birth rates before and after correction for underregistration.

Figure 1  
LIVE BIRTH RATES ADJUSTED FOR  
UNDERREGISTRATION, GEORGIA, 1940-1955



Very little study has been made on completeness of registration of other vital events. However, the statistics on these events do show certain indications concerning the quality of reporting.

It is felt that death registration, in general, is more complete than birth registration since it is necessary to file a death certificate in order to receive a burial permit. Completeness of death registration is probably poorest for infants who die soon after birth.

Fetal deaths are probably grossly underreported in Georgia. An increasing amount of attention is being focused on the relationship of late fetal and early infant deaths, and adequate analysis requires good reporting.

County ordinaries are required to report marriages to the Division of Vital Records and completeness of reporting is believed to be good.

Although the clerks of the superior courts are required by law to report divorces and annulments to the Division of Vital Records, several counties, including some of the most populous, make no report of these events.

#### Accuracy and Completeness of Reporting Items on Certificates

The accuracy and completeness of the reporting of events determine to a great extent the quality of statistics derived from these reports.

Unanswered items on certificates result in "unknown" quantities which cannot be interpreted in the analysis of the data, and erroneously answered items create a bias in the data which will affect any conclusions made.

One of the most serious problems in birth and death registration is the allocation of data to urban or rural residence. When a residence is outside the corporate limits of a city and the city is shown as the address, the residence is classified as urban unless the person completing the certificate indicates that the residence is outside the city. This results in an over-allocation of events to urban areas with an under-allocation to rural areas. This should be considered in analyzing rural and urban differences.

### Changes in Classification of Causes of Death

A major change in classifying causes of death was made in 1950 with the adoption of the sixth revision of the International Statistical Classification of Diseases, Injuries and Causes of Death.

In order to compare specific death rates since 1949 with those in 1949 or prior years, it was necessary to determine comparability ratios for each disease to use in adjusting the rates for 1940-1949. The comparability ratio is the ratio of the number of deaths assigned to a cause under the "Sixth" revision to the number assigned to the same cause under the "Fifth" revision. Ratios for some of the leading causes are given in Vital Statistics, Georgia, 1953, Tables 4 and 12, pages xliii and xxv.

Changes in the manner of medical certification have also resulted in improved mortality statistics. One indication of improvement is the decline in the per cent of deaths attributed to ill-defined and unknown causes. In 1955, only 1.2% of the total deaths were in this category as compared with 2.7% in 1946. This does not necessarily imply that the quality of information is better, but it does show that more certificates have classifiable data on cause of death.

TABLE 2 - DEATHS DUE TO ILL-DEFINED AND UNKNOWN CAUSES,  
GEORGIA, 1946-1955

<u>Year</u>	<u>Number</u>	<u>Per Cent of Total Deaths</u>
1946	750	2.7
1947	790	2.7
1948	740	2.5
1949	677	2.3
1950	615	2.0
1951	642	2.1
1952	581	1.9
1953	478	1.6
1954	433	1.4
1955	359	1.2

### Socio-economic Status

The socio-economic status of a population affects vital statistics in various ways.

Georgia's population is younger and includes a larger proportion of nonwhites than the United States as a whole. The average number of years of school completed and per capita incomes in Georgia have been lower than United States figures for many years.

Population, Race and Age Trends


Most of Georgia's recent growth can be attributed to gains among the white population. An indication of the high rate of increase for the white population is illustrated by U. S. Census Bureau reports which show the white proportion of the population increasing from 53.2% in 1900 to 69.1% in 1950.

A large amount of growth from 1900 to 1950 has taken place in urban areas. The urban population which represented only 15.6% of the population in 1900 had increased to 45.3% in 1950. Although this trend has prevailed among both white and nonwhite races, the rate of urbanization for whites has proceeded at a higher rate than for nonwhites.

Georgia's population is living to be older than ever before. In 1950, all age groups over 25 years of age were greater numerically and represented a higher per cent of the total population than in 1900. This general trend is true of each race-sex component of the population.

One of the factors in Georgia's population growth is natural increase (the excess of births over deaths). In 1955 Georgia had a natural increase of 69,457. Figure 2 shows live births and death rates, by race, for Georgia, 1925-1955. The difference between the birth and death rates is the rate of natural increase.

Figure 2



Military Events

In 1950, vital events occurring on military reservations were included in county figures. In all other years from 1940-1955, events occurring on military reservations are included in state totals but excluded from county totals. The counties affected most by this procedure are Chattahoochee, Liberty, Muscogee and Richmond.

## DISCUSSION OF 1955 STATISTICS

Population

The estimated population for Georgia, July 1, 1955, shows an increase of 8.5% over the Census figures for Georgia, April 1, 1950. Approximately 81% of this increase occurred in the white population (See Table 3).

"Urban" as used here results in an estimate which is less than would be obtained by using the United States Census Bureau's 1950 definition.

TABLE 3 - POPULATION BY RACE AND RESIDENCE, GEORGIA, APRIL 1, 1950 - JULY 1, 1955

Year	Total	White	Nonwhite	Urban		Rural	
				White	Nonwhite	White	Nonwhite
Estimate July 1, 1955	3,736,000	2,616,000	1,120,000	1,174,000*	541,000*	1,442,000	579,000
U. S. Census April 1, 1950	3,444,578	2,380,577	1,064,001	1,067,911	491,536	1,312,666	572,465
% change since April 1, 1950	8.5	9.0	5.0	9.0	9.1	9.0	1.1

\* Urban as used here includes the population of incorporated places which had 2,500 or more persons in 1950 plus military personnel stationed in the state.

Source: U. S. Census figures from Census Bureau Reports.

Physicians

As of December 31, 1955, there were 3,059 physicians located in Georgia. Of this number, 2,475 were engaged in private practice, 326 were institutional physicians, 82 were in public health and 176 were retired. There were 1,478 civilian persons for each physician in private practice. County totals for physicians in private practice are shown in Table XVI, page 90.

Marriages and Divorces

The number of marriages recorded in Georgia in 1955 was the largest recorded since counties have been required to register them with the state office. The 1955 total, 54,780, shows an increase of 3,082 over the 51,698 registered in 1954. The rate in 1955 was 14.7 per 1,000 population as compared with 14.1 in 1954.

Table 4 shows marriages occurring in Georgia in 1955, by place of residence of the bride and groom. Approximately 39.8% of the persons married in Georgia were residents of other states.



TABLE 4 - MARRIAGES BY RESIDENCE OF BRIDE AND GROOM, GEORGIA, 1955

Resident of Georgia	Number
Total marriages	54,780
Bride and Groom	30,714
Bride	2,860
Groom	1,279
Neither	19,751
Not stated	176

There were 7,501 divorces reported in Georgia in 1955, which is an increase of 500 over the 7,001 reported in 1954. In 1955 the divorce rate was 2.0 per 1,000 population as compared with 1.9 in 1954.

#### Fetal Deaths

A fetal death is defined as a delivery of any length gestation that shows no sign of life after complete birth. Prior to 1954, only fetal deaths of "20 or more" weeks gestation were recorded, and they were classified as stillbirths.

In 1954, a new procedure was initiated whereby all fetal deaths, regardless of length of gestation, were recorded and so classified. They were grouped according to length of gestation, so that the total of the two fetal death groupings, "20-27 weeks" and "28 weeks and over" corresponds to what has been classified as stillbirths prior to 1954.

Table 5 shows Georgia fetal deaths for 1955 by race, place of occurrence, attendant and length of gestation. Fetal deaths in 1955, with 4,161 and a ratio of 41.5 per 1,000 live births, show an increase both in number and ratio when compared to the corresponding 1954 figures (3,950 fetal deaths and a ratio of 39.4 per 1,000 live births).

Three thousand four hundred and one (81.7%) of the fetal deaths in 1955 occurred in hospitals as compared with 3,091 (78.3%) in 1954, a 4.3 per cent increase.

TABLE 5 - FETAL DEATHS BY RACE, PLACE OF OCCURRENCE, ATTENDANT AND LENGTH OF GESTATION, GEORGIA, 1955

Race and Length of Gestation	Total	Hospital				Non-hospital			
		Total	Physician	Midwife	Other	Total	Physician	Midwife	Other
Total	4,161	3,401	3,384	10	7	760	395	317	48
Under 20 weeks	1,881	1,636	1,634	1	1	245	193	48	4
20 - 27 weeks	604	459	457	2	-	145	58	72	15
28 weeks & over	1,513	1,170	1,158	7	5	343	124	192	27
Unknown	163	136	135	-	1	27	20	5	2
White	2,245	2,143	2,137	2	4	102	90	12	-
Under 20 weeks	1,205	1,146	1,145	-	1	59	57	2	-
20 - 27 weeks	250	233	233	-	-	17	14	3	-
28 weeks & over	709	687	682	2	3	22	16	6	-
Unknown	81	77	77	-	-	4	3	1	-
Nonwhite	1,916	1,258	1,247	8	3	658	305	305	48
Under 20 weeks	676	490	489	1	-	186	136	46	4
20 - 27 weeks	354	226	224	2	-	128	44	69	15
28 weeks & over	804	483	476	5	2	321	108	186	27
Unknown	82	59	58	-	1	23	17	4	2

Urban and nonwhite fetal death ratios remain higher than rural and white ratios.

#### Live Births

A live born child is one who shows any evidence of life (breathing, heart beat, or movement of voluntary muscles) after complete birth.

The 100,295 live births in 1955 is a slight increase in number over the 100,191 for 1954, but there was a decrease in rate (per 1,000 population) of 1.8%. Table 6 shows live birth rates, 1940-1955, adjusted for incomplete registration, and Figure 1, page xi, graphically illustrates the information in this table.

TABLE 6 - LIVE BIRTH RATES, GEORGIA, 1940 - 1955

Year	Rate per 1,000 Population	
	Crude	Adjusted for Incomplete Registration
1940	20.7	25.5
1941	21.6	26.2
1942	23.1	27.5
1943	25.1	29.4
1944	24.7	28.5
1945	24.0	27.3
1946	27.4	30.7
1947	29.2	32.2
1948	28.6	31.1
1949	29.0	31.1
1950	26.7	28.2
1951	26.7	28.1
1952	27.3	28.6
1953	27.0	28.2
1954	27.3	28.4
1955	26.8	27.9

Live birth rates for both the white and nonwhite races are higher in urban than in rural areas. (Table I, page 1).

Since 1928, nonwhite birth rates have been consistently higher than white birth rates. From 1928 to 1950, rates for the nonwhite race showed a gradual increase while white rates remained fairly constant from 1928 to 1942 and increased rapidly from 1942 to 1950. The rates for both races leveled off in 1950 and have remained fairly constant through 1955.

Georgia's total birth rate in 1955 was 26.8 per 1,000 population, white and nonwhite rates being 24.6 and 32.2, respectively. Birth rates for the white population are higher in urban than rural areas, but this trend is reversed for the nonwhite population (see Table I, page 1).

In 1955, approximately 83% of all live births, 97.9% of the white and 57.1% of the nonwhite, occurred in hospitals. This was a 2.8% increase over the proportion which were hospital births in 1954. With most of the increase occurring to the nonwhite births (0.9% increase in white, 10% increase in nonwhite).

#### Immature Births

An immature birth is defined as the birth of a live born infant with a weight of  $5\frac{1}{2}$  lbs. (2500 grams) or less. If weight is not specified, a live born infant whose period of gestation is less than 37 weeks is considered immature.

Eight thousand, five hundred and seventy-two (8,572) immature births were reported in 1955, giving a rate of 85.5 per 1,000 live births. The total and nonwhite rates are higher than those for 1954 while the white rate decreased slightly from 72.1 per 1,000 live births in 1954 to 70.0 in 1955.

#### Births to Un-wed Mothers

On the confidential medical report of live births the question is asked: "Is mother married to father of the child?" For statistical purposes, the answer "no" indicates a birth to an unwed mother. In 1955, there were 9,387 of these births, resulting in a rate of 93.6 per 1,000 live births. This rate is even higher than last year's rate -- the highest ever recorded in the state up until that time. The white and nonwhite rates for 1955 were 14.6 and 234.3 per 1,000 live births, respectively.

For the second year, this report lists births to unwed mothers by county. (Table XV)

Infant Deaths


An infant death is any death occurring during the first year of life. There were 2,985 infant deaths recorded for 1955, with a white rate of 22.7 per 1,000 live births and a nonwhite rate of 42.4. For the past three years, the ten leading causes of deaths under one year of age have remained the same. The only changes have been slight shifts in position of the individual causes within the group.

Deaths from Immaturity

A death attributed to immaturity is one classified as "Immaturity with mention of other subsidiary causes" or "Immaturity unqualified", sixth revision list numbers 774 and 776, respectively.

Immaturity is still the leading cause of infant deaths in the state. In 1955, 634 infant deaths were classified as due to immaturity, giving a rate of 6.3 per 1,000 live births. Both the number and rate reveal a slight increase over those for 1954, with the increase occurring primarily in the nonwhite population. Figure 3 shows immature birth and death rates by race for Georgia since 1926.

Figure 3




Of the remaining 2,351 infant deaths, 695 were assigned to other causes with mention of immaturity. Thus, immaturity was associated with 44.5% of all infant deaths in 1955, as compared to 41.5% in 1954.

## Neonatal Deaths

A neonatal death is any death occurring under 28 days of age. The 1,992 neonatal deaths reported for 1955 comprise 66.7% of the total infant deaths for the year. The numbers and rates for deaths occurring during the first 27 days of life were the lowest ever recorded for the state.

Approximately half of all neonatal deaths occurred to infants under one day of age. This proportion is slightly higher than that for last year, but the rate of 10.0 per 1,000 live births is essentially the same. However, total neonatal deaths and deaths to infants under one day old have shown a marked decline since 1935. Figure 4 illustrates the decline in the infant and neonatal death rate.

Figure 4




## Maternal Deaths

A maternal death is a death from complication of pregnancy, childbirth, or the puerperium. There were 99 maternal deaths reported for Georgia in 1955. The rate has dropped steadily since 1940, reaching a new low of 9.9 per 10,000 live births in 1955. However, the white rate has risen slightly since last year - from 4.8 per 10,000 live births in 1954 to 5.9 in 1955. Figure 5 shows maternal death rates for Georgia since 1924.

Figure 5

## MATERNAL DEATH RATIO BY RACE, GEORGIA, 1925 — 1955

Deaths all Ages

The crude death rate of 8.3 per 1,000 population in 1955 was the same as that recorded for the previous year. The white rate of 7.3 was also the same, while the nonwhite rate of 10.4 was slightly lower than the 1954 rate. Approximately 54% of all deaths occurred either during the first year of life or after age 65. Table II shows death rates by age, race and sex. Nonwhite rates are higher than white rates at all ages for both sexes except in the age group 65 years and older.

Heart disease was again the leading cause of death in 1955, with a rate of 261.1 per 100,000 population. This rate was slightly higher than the rate of 254.4 reported for 1954.

Two of the ten leading causes of death in 1954 were replaced by other causes in 1955. Postnatal asphyxia and atelectasis, International List Number 762, and congenital malformations, International List Numbers 750-759, replaced deaths due to homicide and hypertension without mention of heart as the ninth and tenth leading causes of death, respectively.

The remaining eight leading causes of death not only were unchanged but retained the same relative position as in 1954.

Table 7 shows death rates for Georgia adjusted for age and race. The direct method is used with the 1950 United States population as the standard. 1/

1/ This method is discussed in "Vital Statistics Rates in the United States 1900-1940", pp.66-69.

TABLE 7 - DEATH RATES PER 100,000 POPULATION FOR GEORGIA AND UNITED STATES - AND DEATH RATES ADJUSTED FOR AGE AND RACE, GEORGIA, 1950-1955

Year	Death Rates						Georgia Rates Adjusted for:		
	United States			Georgia			Age & Race	Age Only	
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
1950	963.8	945.7	1119.4	880.6	767.8	1119.1	934.9	910.5	1144.4
1951	966.3	949.3	1110.9	865.0	738.0	1149.2	902.6	872.2	1162.7
1952	961.0	944.4	1101.5	862.1	740.7	1140.0	887.4	857.5	1144.0
1953	958.5	944.5	1076.8	853.3	735.3	1127.5	884.5	855.8	1130.3
1954	918.8*	909.0*	999.7*	832.1	732.0	1067.8	872.4	849.5	1068.0
1955	929.5*	922.2*	990.3*	825.4	731.5	1044.8	859.7	838.3	1042.4

\* Estimated by NOVS

Age adjusted death rates for the white race in Georgia are considerably higher than unadjusted rates. On the other hand, nonwhite death rates show little change when adjusted for age. The variations between age adjusted and unadjusted rates are a reflection of differences in the age structure of the population of Georgia as compared with the United States.

Georgia's age-race adjusted rate is somewhat lower than the United States total rate in 1950 and has decreased at a faster rate than the unadjusted total rate for the United States.

Georgia's adjusted rates are not necessarily comparable with any United States rates except those for 1950, because of changes in the composition of the population of the United States since 1950. To be comparable year by year, United States rates would also have to be adjusted to the basis of the 1950 population.





GENERAL TABLES

TABLE I - SELECTED VITAL EVENTS, NUMBER AND RATE AND PER CENT OCCURRING IN HOSPITALS BY RACE, URBAN AND RURAL, GEORGIA, 1955

Event	State			Urban*			Rural		
	Total Both Races	White	Non-white	Total Both Races	White	Non-white	Total Both Races	White	Non-white
<b>LIVE BIRTHS</b>									
Number	100,295	64,238	36,057	47,709	30,138	17,571	52,586	34,100	18,486
Rate per 1,000 population	26.8	24.6	32.2	27.8	25.7	32.5	26.0	23.6	31.9
% occurring in hospital	83.2	97.9	57.1	91.2	99.3	77.3	76.0	96.6	37.9
<b>DEATHS</b>									
Number	30,838	19,136	11,702	15,527	9,134	6,393	15,311	10,002	5,309
Rate per 1,000 population	8.3	7.3	10.4	9.1	7.8	11.8	7.6	6.9	9.2
% occurring in hospital	45.3	51.3	35.5	52.1	58.0	43.8	38.3	45.1	25.4
<b>FETAL DEATHS</b>									
Number	4,161	2,245	1,916	2,320	1,224	1,096	1,841	1,021	820
Ratio per 1,000 live births	41.5	34.9	53.1	48.6	40.6	62.4	35.0	29.9	44.4
% occurring in hospital	81.7	95.5	65.7	87.2	96.8	76.6	74.8	93.8	51.1
<b>MATERNAL DEATHS</b>									
Number	99	38	61	27	9	18	72	29	43
Rate per 10,000 live births	9.9	5.9	16.9	5.7	3.0	10.2	13.7	8.5	23.3
% occurring in hospital	66.7	86.8	54.1	81.5	100.0	72.2	61.1	82.8	46.5
<b>INFANT DEATHS (Under 1 year)</b>									
Number	2,985	1,456	1,529	1,467	713	754	1,518	743	775
Rate per 1,000 live births	29.8	22.7	42.4	30.7	23.7	42.9	28.9	21.8	41.9
% occurring in hospital	66.4	84.1	49.5	77.8	90.3	65.9	55.3	78.1	33.5
<b>NEONATAL DEATHS</b>									
Number	1,992	1,091	901	1,067	581	486	925	510	415
Rate per 1,000 live births	19.9	17.0	25.0	22.4	19.3	27.7	17.6	15.0	22.4
% occurring in hospital	80.1	94.0	63.2	90.3	97.4	81.7	68.3	90.2	41.4
<b>IMMATURE BIRTHS</b>									
Number	8,572	4,499	4,073	4,364	2,165	2,199	4,208	2,334	1,874
Rate per 1,000 live births	85.5	70.0	113.0	91.5	71.8	125.1	80.0	68.4	101.4
% occurring in hospital	83.3	97.6	67.4	90.8	98.9	82.8	75.5	96.4	49.5
<b>DEATHS FROM IMMATUREITY</b>									
Number	634	303	331	327	159	168	307	144	163
Rate per 1,000 live births	6.3	4.7	9.2	6.9	5.3	9.6	5.8	4.2	8.8
% occurring in hospital	78.2	95.4	62.5	90.2	98.1	82.7	65.5	92.4	41.7
<b>LIVE BIRTHS TO UNWED MOTHERS</b>									
Number	9,415	962	8,453	4,914	482	4,432	4,501	480	4,021
Rate per 1,000 live births	93.9	15.0	234.4	103.0	16.0	252.2	85.6	14.1	217.5
% occurring in hospital	55.8	92.3	51.6	73.7	96.3	71.2	36.2	88.3	30.0
<b>FETAL DEATHS TO UNWED MOTHERS</b>									
Number	628	79	549	425	54	371	203	25	178
Rate per 1,000 live births	6.3	1.2	15.2	8.9	1.8	21.1	3.9	0.7	9.6
% occurring in hospital	33.8	11.4	37.0	24.2	13.0	25.9	53.7	8.0	60.1
<b>MARRIAGES ** (Place of application)</b>									
Number	54,780	43,062	11,653	---	---	---	---	---	---
Rate per 1,000 population	14.7	16.5	10.4	---	---	---	---	---	---
<b>DIVORCES &amp; ANNULMENTS (Place of occurrence)</b>									
Number	7,547	---	---	---	---	---	---	---	---
Rate per 1,000 population	2.0	---	---	---	---	---	---	---	---

\* Includes events occurring in military installations

\*\* Total contains 65 of unknown race

--- Not available

TABLE II - DEATHS, ALL CAUSES, NUMBER AND RATE PER 1,000 POPULATION BY RACE, AGE AND SEX, GEORGIA, 1955

Age Group	Number					Rate per 1,000 Population				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
All ages	30,838	11,192	7,944	6,263	5,439	8.3	8.6	6.0	11.8	9.3
Under 1 year	2,985	830	626	892	637	30.3	26.6	20.9	45.5	35.8
1 - 4 years	561	161	98	169	133	1.5	1.2	0.8	2.7	2.1
5 - 14 years	439	173	82	108	76	0.6	0.7	0.4	0.9	0.6
15 - 24 years	771	289	117	239	126	1.3	1.4	0.6	2.8	1.3
25 - 34 years	1,134	402	164	313	255	2.0	1.9	0.8	4.7	3.2
35 - 44 years	2,226	706	344	611	565	4.2	3.7	1.8	9.0	7.2
45 - 54 years	3,793	1,310	596	1,036	851	10.3	10.2	4.4	21.9	15.1
55 - 64 years	5,347	1,964	1,024	1,219	1,140	21.4	21.6	10.3	43.4	35.5
65 - 74 years	6,490	2,654	1,829	1,034	973	36.9	47.2	26.7	46.0	33.8
75 - 84 years	5,152	2,126	2,130	459	437	81.6	103.2	82.6	55.3	52.0
85 years & over *	1,940	577	934	183	246	198.0	240.4	239.5	130.7	117.1

\* Includes 16 with age unknown



TABLE III - SUMMARY OF SELECTED VITAL STATISTICS, GEORGIA, 1926-1955 (CONT'D)

Year	Deaths From Immaturity *						Live Births to Unwed Mothers						Neonatal Deaths					
	Number			Rate			Number			Rate			Number			Rate		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1926	1,121	676	445	22.2	21.0	24.4	3,155	461	2,694	62.5	14.3	147.5	N O T A V A I L A B L E					
1927	1,194	738	456	19.2	18.8	19.9	4,089	637	3,452	65.7	16.2	150.3	2,439	1,351	1,088	39.2	34.4	47.4
1928	1,159	717	442	19.2	18.8	20.0	3,868	482	3,386	64.2	12.6	153.0	2,694	1,509	1,185	44.7	39.6	53.6
1929	1,107	675	432	18.9	18.9	19.0	4,061	515	3,546	69.4	14.4	155.7	2,475	1,350	1,125	42.3	37.8	49.4
1930	1,218	757	461	20.2	20.4	19.8	4,141	512	3,629	68.7	13.8	156.1	2,620	1,470	1,150	43.4	39.7	49.5
1931	1,153	700	453	18.7	18.7	18.7	4,429	547	3,882	71.7	14.6	160.0	2,537	1,385	1,152	41.1	36.9	47.5
1932	1,090	671	419	17.1	17.6	16.4	5,125	600	4,525	80.5	15.7	177.6	2,464	1,327	1,137	38.7	34.7	44.6
1933	1,046	623	423	17.2	17.5	16.9	5,101	582	4,519	84.0	16.3	180.4	2,384	1,266	1,118	39.2	35.5	44.6
1934	1,183	689	494	18.3	18.0	18.8	5,089	651	4,438	78.8	17.0	168.9	2,790	1,486	1,304	43.2	38.8	49.6
1935	1,111	692	419	17.6	18.5	16.1	5,031	643	4,388	79.5	17.2	169.1	2,489	1,346	1,143	39.3	36.0	44.1
1936	1,145	680	465	18.6	18.7	18.4	4,878	598	4,280	79.2	16.5	169.2	2,492	1,288	1,204	40.4	35.5	47.6
1937	1,080	674	406	16.9	17.7	15.7	4,739	526	4,213	74.0	13.8	163.1	2,345	1,251	1,094	36.6	32.8	42.4
1938	1,061	647	414	16.5	16.8	16.1	4,724	580	4,144	73.5	15.0	161.3	2,369	1,301	1,068	36.8	33.7	41.6
1939	1,077	659	418	16.6	16.9	16.1	4,960	596	4,364	76.4	15.3	167.9	2,300	1,234	1,066	35.4	31.7	41.0
1940	1,017	635	382	15.7	16.3	14.8	5,046	565	4,481	78.0	14.5	173.8	2,267	1,187	1,080	35.0	30.5	41.9
1941	1,103	676	427	16.3	16.4	16.1	5,134	607	4,527	75.7	14.7	170.8	2,298	1,228	1,070	33.9	29.8	40.4
1942	1,094	659	435	15.2	14.6	16.1	5,038	578	4,460	69.8	12.8	165.2	2,149	1,170	979	29.8	25.9	36.3
1943	1,124	691	433	14.4	13.8	15.4	4,911	537	4,374	62.7	10.7	155.2	2,216	1,257	959	28.3	25.1	34.0
1944	1,056	641	415	13.7	13.0	15.1	4,885	592	4,293	63.4	12.0	155.8	2,024	1,111	913	26.3	22.5	33.1
1945	960	609	351	12.8	12.8	12.7	5,385	721	4,664	71.8	15.2	169.2	1,913	1,104	809	25.5	23.3	29.3
1946	1,035	676	359	12.1	12.0	12.2	5,289	681	4,608	61.7	12.1	157.0	2,143	1,262	881	25.0	22.4	30.0
1947	1,060	681	379	11.2	10.9	11.9	6,056	744	5,312	64.2	11.9	166.4	2,220	1,301	919	23.5	20.9	28.8
1948	1,052	636	416	11.5	10.9	12.6	6,240	730	5,510	68.1	12.5	166.0	2,099	1,186	913	22.9	20.2	27.7
1949	1,032	616	416	11.0	10.5	11.9	6,847	712	6,135	73.2	12.1	175.8	2,048	1,185	863	21.9	20.2	24.7
1950	719	343	376	7.8	6.0	10.7	7,633	779	6,854	82.9	13.7	195.3	2,028	1,090	938	22.0	19.1	26.7
1951	707	340	367	7.4	5.7	10.2	8,326	836	7,490	87.5	14.1	208.8	2,058	1,105	953	21.6	18.6	26.6
1952	645	323	322	6.6	5.3	9.0	8,080	789	7,291	83.2	12.8	204.3	1,984	1,135	849	20.4	18.5	23.8
1953	609	254	355	6.3	4.1	9.9	8,407	794	7,613	86.3	12.9	213.0	2,005	1,083	922	20.6	17.6	25.8
1954	618	301	317	6.2	4.7	8.9	8,967	960	8,007	89.5	14.9	223.7	2,106	1,186	920	21.0	18.4	25.7
1955	634	303	331	6.3	4.7	9.2	9,415	962	8,453	93.9	15.0	234.4	1,992	1,091	901	19.9	17.0	25.0

Note: Prior to 1938 all events are by place of occurrence; beginning with 1938 events are by place of residence.

\* Part of decrease from 1949 to 1950 is directly attributable to changes in classification of causes of death under the Sixth Revision of the International List of Diseases and Causes of Death.

\*\* Prior to 1954 fetal deaths include only those of twenty or more weeks gestation.

Live birth and death rates are per 1,000 population, maternal death ratios are per 10,000 live births; all other rates and/or ratios are per 1,000 live births.

Not Available - Neonatal deaths are not available prior to 1927. Immature births are not available prior to 1947.

TABLE IV - LIVE BIRTHS BY AGE OF PARENTS, GEORGIA, 1955

Age of Mother	Total	Age of Father													Unknown
		15 & Under	16-17	18-19	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 - 49	50 - 54	55 - 59	60 - 64	65 & Over	
Total	100,295	4	227	2,570	23,011	25,707	18,143	11,306	5,955	2,380	789	298	123	106	9,676
15 & Under	1,231	3	45	172	285	39	6	5	1	-	-	-	-	-	675
16 - 17	5,564	1	134	996	2,313	443	90	25	12	3	-	-	-	-	1,547
18 - 19	11,063	-	38	1,074	6,126	1,723	270	105	34	12	5	-	2	-	1,674
20 - 24	33,014	-	10	311	13,150	12,580	3,117	796	276	100	32	14	6	4	2,618
25 - 29	23,888	-	-	15	1,013	9,712	8,135	2,499	737	267	93	46	19	9	1,343
30 - 34	15,000	-	-	1	96	1,058	5,821	4,759	1,667	542	154	54	32	29	787
35 - 39	7,733	-	-	-	16	134	654	2,896	2,316	821	271	102	34	37	452
40 - 44	2,137	-	-	-	2	10	42	206	895	574	190	75	25	24	94
45 - 49	149	-	-	-	-	-	2	10	13	60	41	7	4	3	9
50 - 54	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Unknown	515	-	-	1	10	8	6	5	4	1	3	-	-	-	477

TABLE V - LIVE BIRTHS TO UNWED MOTHERS, NUMBER AND RATE PER 1,000 LIVE BIRTHS BY AGE OF MOTHER, GEORGIA, 1955

Age Group in Years	Number			Rate		
	Total	White	Nonwhite	Total	White	Nonwhite
Total	9,415	962	8,453	93.9	15.0	234.4
15 and under	682	52	630	554.0	147.3	717.5
16 - 17	1,572	160	1,412	282.5	57.0	511.8
18 - 19	1,706	211	1,495	154.2	31.5	342.7
20 - 24	2,630	310	2,320	79.7	14.0	212.6
25 - 29	1,366	97	1,269	57.2	6.0	161.7
30 - 34	792	66	726	52.8	6.6	144.7
35 - 39	451	38	413	58.3	8.0	138.7
40 - 44	94	8	86	44.0	6.3	98.6
45 - 49	8	1	7	53.7	13.5	93.3
50 and over	-	-	-	0	0	0
Unknown	114	19	95	221.4	120.3	266.1

TABLE VI - IMPORTANT CAUSES OF DEATH, NUMBER AND RATE IN SPECIFIED AGE GROUPS  
BY RACE, GEORGIA, 1955

Rank	Age, Cause of Death and Sixth Revision of International List Number	Number			Rate per 1,000 Population		
		Total	White	Non- White	Total	White	Non- White
	<u>ALL AGES</u>						
	Total, all causes	30,838	19,136	11,702	8.3	7.3	10.4
1.	Heart diseases (410-443)	9,756	6,615	3,141	2.6	2.5	2.8
	Chronic rheumatic heart disease (410-416)	228	139	89	0.1	0.1	0.1
	Arteriosclerotic and degenerative heart disease (420-422)	6,930	5,124	1,806	1.9	2.0	1.6
	Hypertension with heart disease (440-443)	2,061	1,041	1,020	0.6	0.4	0.9
2.	Vascular lesions affecting central nervous system (330-334)	4,880	2,801	2,079	1.3	1.1	1.9
3.	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues (140-205)	3,860	2,769	1,091	1.0	1.1	1.0
4.	Accidents, excluding motor-vehicle accidents (E800-E802, E840-E962)	1,310	785	525	0.4	0.3	0.5
5.	Pneumonia and influenza (480-483, 490-493)	1,122	509	613	0.3	0.2	0.5
6.	Motor-vehicle accidents (E810-E835)	1,081	775	306	0.3	0.3	0.3
7.	Immaturity (774-776)	634	303	331	0.2	0.1	0.3
8.	Nephritis and nephrosis (590-594)	569	224	345	0.2	0.1	0.3
9.	Postnatal asphyxia and atelectasis (762)	456	299	157	0.1	0.1	0.1
10.	Congenital malformations (750-759)	455	319	136	0.1	0.1	0.1
	All other causes (residual)	6,715	3,737	2,978	1.8	1.4	2.7
	<u>UNDER ONE YEAR</u>						
	Total, all causes	2,985	1,456	1,529	30.3	23.8	40.9
1.	Immaturity (774-776)	634	303	331	6.4	5.0	8.8
2.	Postnatal asphyxia and atelectasis (762)	456	299	157	4.6	4.9	4.2
3.	Influenza and pneumonia, including pneumonia of newborn (480-483, 490-493, 763)	433	127	306	4.4	2.1	8.2
	Pneumonia of the newborn (763)	102	33	69	1.0	0.5	1.8
4.	Congenital malformations (750-759)	348	240	108	3.5	3.9	2.9
5.	Birth injuries (760-761)	266	149	117	2.7	2.4	3.1
6.	Gastro-enteritis, colitis, and diarrhea of newborn (571,764)	161	38	123	1.6	0.6	3.3
	Diarrhea of newborn (764)	23	11	12	0.2	0.2	0.3
7.	Other and ill-defined diseases peculiar to early infancy (766-769, 771,773)	155	75	80	1.6	1.2	2.1
8.	Accidents, excluding motor-vehicle accidents (E800-E802, E840-E962)	122	59	63	1.2	1.0	1.7
9.	Ill-defined and unknown causes (780-793,795)	100	18	82	1.0	0.3	2.2
10.	Haemolytic disease of newborn (Erythroblastosis) (770)	53	42	11	0.5	0.7	0.3
	All other causes (residual)	257	106	151	2.6	1.7	4.0
	<u>ONE - FOUR YEARS</u>						
	Total, all causes	561	259	302	1.5	1.0	2.4
1.	Influenza and pneumonia (480-483,490-493)	98	28	70	0.3	0.1	0.6
1.	Accidents, excluding motor-vehicle accidents (E800-E802, E840-E962)	98	38	60	0.3	0.1	0.5
2.	Congenital malformations (750-759)	51	35	16	0.1	0.1	0.1
2.	Motor-vehicle accidents (E810-E835)	51	33	18	0.1	0.1	0.1
3.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	35	23	12	0.1	0.1	0.1
4.	Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543,571,572)	26	15	11	0.1	0.1	0.1
5.	Ill-defined and unknown causes (780-793,795)	16	6	10	0.0	0.0	0.1
6.	Nonmeningococcal meningitis (340)	13	4	9	0.0	0.0	0.1
7.	Diphtheria (055)	11	6	5	0.0	0.0	0.0
8.	Tuberculosis all forms (001-019)	10	2	8	0.0	0.0	0.1
8.	Acute upper respiratory infections (470-475)	10	4	6	0.0	0.0	0.0
9.	Meningococcal infections (057)	8	4	4	0.0	0.0	0.0
9.	Other diseases of central nervous system (350-357)	8	5	3	0.0	0.0	0.0
	Cerebral spastic infantile paralysis (351)	5	4	1	0.0	0.0	0.0
	Epilepsy (353)	3	1	2	0.0	0.0	0.0
10.	Heart diseases (410-443)	7	3	4	0.0	0.0	0.0
	Arteriosclerotic and degenerative heart disease (420-422)	1	1	-	0.0	0.0	0
10.	Bronchitis (500-502)	7	6	1	0.0	0.0	0.0
10.	Nephritis and nephrosis (590-594)	7	-	7	0.0	0.0	0.1
	All other causes (residual)	105	47	58	0.3	0.2	0.5

TABLE VI - IMPORTANT CAUSES OF DEATH, NUMBER AND RATE IN SPECIFIED AGE GROUPS  
BY RACE, GEORGIA, 1955 (CONT'D)

Rank	Age, Cause of Death and Sixth Revision of International List Number	Number			Rate per 1,000 Population		
		Total	White	Non-White	Total	White	Non-White
	<u>FIVE - FOURTEEN YEARS</u>						
	Total, all causes	439	255	184	0.6	0.5	0.8
1.	Accidents, excluding motor-vehicle accidents (E800-E802, E840-E962)	135	71	64	0.2	0.2	0.3
2.	Motor-vehicle accidents (E810-E835)	94	70	24	0.1	0.2	0.1
3.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	46	32	14	0.1	0.1	0.1
4.	Influenza and pneumonia (480-483, 490-493)	22	7	15	0.0	0.0	0.1
5.	Rheumatic fever (400-402)	16	6	10	0.0	0.0	0.0
6.	Congenital malformations (750-759)	15	10	5	0.0	0.0	0.0
7.	Other diseases of central nervous system (350-357)	13	7	6	0.0	0.0	0.0
	Cerebral spastic infantile paralysis (351)	5	3	2	0.0	0.0	0.0
	Epilepsy (353)	7	3	4	0.0	0.0	0.0
	Other diseases of brain (355)	1	1	-	0.0	0.0	0
8.	Nephritis and nephrosis (590-594)	7	5	2	0.0	0.0	0.0
9.	Diphtheria (055)	6	5	1	0.0	0.0	0.0
9.	Benign and unspecified neoplasms (210-239)	6	3	3	0.0	0.0	0.0
9.	Vascular lesions affecting central nervous system (330-334)	6	3	3	0.0	0.0	0.0
9.	Heart diseases (410-443)	6	2	4	0.0	0.0	0.0
	Chronic rheumatic heart disease (410-416)	2	1	1	0.0	0.0	0.0
	Arteriosclerotic and degenerative heart disease (420-422)	2	1	1	0.0	0.0	0.0
10.	Acute poliomyelitis (080)	5	4	1	0.0	0.0	0.0
10.	Other diseases of respiratory system (510-527)	5	3	2	0.0	0.0	0.0
	Hypertrophy of tonsils and adenoids (510)	2	1	1	0.0	0.0	0.0
	Bronchiectasis (526)	1	1	-	0.0	0.0	0
	Other diseases of lung and pleural cavity (527)	2	1	1	0.0	0.0	0.0
	11 other causes (residual)	57	27	30	0.1	0.1	0.1
	<u>FIFTEEN - TWENTY-FOUR YEARS</u>						
	Total, all causes	771	406	365	1.3	1.0	2.0
1.	Motor-vehicle accidents (E810-E835)	262	188	74	0.4	0.5	0.4
2.	Accidents, excluding motor-vehicle accidents (E800-E802, E840-E962)	123	66	57	0.2	0.2	0.3
3.	Homicide (E964, E980-E985)	69	8	61	0.1	0.0	0.3
4.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	37	25	12	0.1	0.1	0.1
5.	Complications of pregnancy, childbirth and the puerperium (640-652, 660, 670-689)	32	11	21	0.1	0.0	0.1
6.	Suicide (E963, E970 - E979)	29	28	1	0.0	0.1	0.0
7.	Vascular lesions affecting central nervous system (330-334)	22	8	14	0.0	0.0	0.1
7.	Heart diseases (410-443)	22	7	15	0.0	0.0	0.1
	Chronic rheumatic heart disease (410-416)	7	3	4	0.0	0.0	0.0
	Arteriosclerotic and degenerative heart disease (420-422)	6	1	5	0.0	0.0	0.0
	Hypertension with heart disease (440-443)	2	-	2	0.0	0	0.0
8.	Influenza and pneumonia (480-483, 490-493)	21	5	16	0.0	0.0	0.1
9.	Nephritis and nephrosis (590-594)	19	9	10	0.0	0.0	0.1
10.	Other diseases of central nervous system (350-357)	17	9	8	0.0	0.0	0.0
	Cerebral spastic infantile paralysis (351)	4	3	1	0.0	0.0	0.0
	Epilepsy (353)	11	5	6	0.0	0.0	0.0
	Other diseases of brain (355)	2	1	1	0.0	0.0	0.0
	All other causes (residual)	118	42	76	0.2	0.1	0.4

TABLE VI - IMPORTANT CAUSES OF DEATH, NUMBER AND RATE IN SPECIFIED AGE GROUPS  
BY RACE, GEORGIA, 1955 (CONT'D)

Rank	Age, Cause of Death and Sixth Revision of International List Number	Number			Rate per 1,000 Population		
		Total	White	Non- White	Total	White	Non- White
	<u>TWENTY - FIVE - FORTY - FOUR YEARS</u>						
	Total, all causes	3,360	1,616	1,744	3.1	2.0	5.9
1.	Heart diseases (410-443)	644	307	337	0.6	0.4	1.1
	Chronic rheumatic heart disease(410-416)	81	51	30	0.1	0.1	0.1
	Arteriosclerotic and degenerative heart disease (420-422)	386	209	177	0.4	0.3	0.6
	Hypertension with heart disease (440-443)	122	23	99	0.1	0.0	0.3
2.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	465	294	171	0.4	0.4	0.6
3.	Motor-vehicle accidents (E810-E835)	361	245	116	0.3	0.3	0.4
4.	Accidents, excluding motor-vehicle accidents (E800-E802, E840-E962)	308	190	118	0.3	0.2	0.4
5.	Vascular lesions affecting central nervous system(330-334)	296	81	215	0.3	0.1	0.7
6.	Homicide (E964, E980-E985)	240	43	197	0.2	0.1	0.7
7.	Suicide (E963, E970-E979)	126	109	17	0.1	0.1	0.1
8.	Nephritis and nephrosis (590-594)	91	25	66	0.1	0.0	0.2
9.	Tuberculosis, all forms (001-019)	81	27	54	0.1	0.0	0.2
10.	Influenza and pneumonia (480-483, 490-493)	72	17	55	0.1	0.0	0.2
	All other causes (residual)	676	278	398	0.6	0.3	1.4
	<u>FORTY - FIVE - SIXTY - FOUR YEARS</u>						
	Total, all causes	9,140	4,894	4,246	14.8	10.8	25.9
1.	Heart diseases (410-443)	3,414	1,933	1,481	5.5	4.3	9.0
	Chronic rheumatic heart disease (410-416)	92	49	43	0.1	0.1	0.3
	Arteriosclerotic and degenerative heart disease (420-422)	2,429	1,585	844	3.9	3.5	5.2
	Hypertension with heart disease (440-443)	692	202	490	1.1	0.4	3.0
2.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	1,625	1,050	575	2.6	2.3	3.5
3.	Vascular lesions affecting central nervous system (330-334)	1,560	592	968	2.5	1.3	5.9
4.	Accidents, excluding motor -vehicle accidents (E800-E802, E840-E962)	234	132	102	0.4	0.3	0.6
5.	Motor-vehicle accidents (E810-E835)	217	154	63	0.4	0.3	0.4
6.	Nephritis and nephrosis (590-594)	185	51	134	0.3	0.1	0.8
7.	Influenza and pneumonia (480-483, 490-493)	178	58	120	0.3	0.1	0.7
8.	Diabetes mellitus (260)	175	79	96	0.3	0.2	0.6
9.	Suicide (E963, E970-E979)	124	118	6	0.2	0.3	0.0
10.	Hypertension without mention of heart (444-447)	110	28	82	0.2	0.1	0.5
	All other causes (residual)	1,318	699	619	2.1	1.5	3.8



TABLE VI - IMPORTANT CAUSES OF DEATH, NUMBER AND RATE IN SPECIFIED AGE GROUPS  
BY RACE, GEORGIA, 1955 (CONT'D)

Rank	Age, Cause of Death and Sixth Revision of International List Number	Number			Rate per 1,000 Population		
		Total	White	Non- White	Total	White	Non- White
	<u>SIXTY - FIVE AND OVER</u>						
	Total, all causes	13,566	10,244	3,322	54.5	57.7	46.5
1.	Heart Diseases (410-443)	5,652	4,359	1,293	22.7	24.6	18.1
	Chronic rheumatic heart disease (410-416)	46	35	11	0.2	0.2	0.2
	Arteriosclerotic and degenerative heart disease (420-422)	4,100	3,323	777	16.5	18.7	10.9
	Hypertension with heart disease(440-443)	1,242	816	426	5.0	4.6	6.0
2.	Vascular lesions affecting central nervous system (330-334)	2,986	2,115	871	12.0	11.9	12.2
3.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	1,645	1,342	303	6.6	7.6	4.2
4.	General arteriosclerosis (450)	419	332	87	1.7	1.9	1.2
5.	Influenza and pneumonia (480-483, 490-493)	400	300	100	1.6	1.7	1.4
6.	Accidents, excluding motor-vehicle accidents (E800-E802, E840-E962)	290	229	61	1.2	1.3	0.9
7.	Nephritis and nephrosis (590-594)	258	133	125	1.0	0.7	1.7
8.	Diabetes mellitus (260)	189	153	36	0.8	0.9	0.5
9.	Hypertension without mention of heart (444-447)	184	113	71	0.7	0.6	1.0
10.	Other diseases of respiratory system (510-527)	128	117	11	0.5	0.7	0.2
	Pulmonary congestion and hypostasis (522)	26	22	4	0.1	0.1	0.1
	Bronchiectasis (526)	36	35	1	0.1	0.2	0.0
	All other causes (residual)	1,415	1,051	364	5.7	5.9	5.1
	<u>UNKNOWN AGE</u>	16	6	10	...	...	...

TABLE VII - DEATHS FROM HEART DISEASE BY TYPE, BY AGE, GEORGIA, 1955

Type and Sixth Revision of International List Number	Total all Ages	Age in Years										85 & Over	Unknown Age
		Under 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84			
<u>Number</u>													
Total, all types (410-443)	9,756	10	6	22	115	529	1,307	2,107	2,721	2,190	741	8	
Chronic rheumatic heart disease (410-416)	228	-	2	7	23	58	55	37	25	16	5	-	
Arteriosclerotic and degenerative heart disease (420-422)	6,930	1	2	6	60	326	910	1,519	2,010	1,575	515	6	
Hypertensive heart disease (440-443)	2,061	1	-	2	13	109	236	456	565	495	182	2	
Other diseases of the Heart (430-434)	537	8	2	7	19	36	106	95	121	104	39	-	
<u>Percentage Distribution</u>													
Total, all types (410-443)	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
Chronic rheumatic heart disease (410-416)	2.3	0	33.3	31.8	20.0	11.0	4.2	1.8	0.9	0.7	0.7	0	
Arteriosclerotic and degenerative heart disease (420-422)	71.0	10.0	33.3	27.3	52.2	61.6	69.6	72.1	73.9	71.9	69.5	75.0	
Hypertensive heart disease (440-443)	21.1	10.0	0	9.1	11.3	20.6	18.1	21.6	20.8	22.6	24.6	25.0	
Other diseases of the Heart (430-434)	5.5	80.0	33.3	31.8	16.5	6.8	8.1	4.5	4.4	4.7	5.3	0	

TABLE VIII - DEATHS FROM CANCER, BY SITE, RACE, AND SEX, GEORGIA, 1955

Site	Number					Percentage Distribution				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
Malignant neoplasms, total all sites (140-205)	3,859	1,379	1,389	459	632	100.0	100.0	100.0	100.0	100.0
Buccal cavity and pharynx (140-148)	109	55	38	7	9	2.8	4.0	2.7	1.5	1.4
Digestive organs and peritoneum (150-156A, 157-159)	1,161	429	367	197	168	30.1	31.1	26.4	42.9	26.6
Respiratory system (160-164)	450	318	59	63	10	11.7	23.1	4.2	13.7	1.6
Breast (170)	348	4	239	2	103	9.0	0.3	17.2	0.4	16.3
Genital organs (171-179)	798	168	331	73	226	20.7	12.2	23.8	15.9	35.8
Urinary organs (180, 181)	144	58	56	16	14	3.7	4.2	4.0	3.5	2.2
Other and unspecified sites (156B, 165, 190-199)	516	188	188	62	78	13.4	13.6	13.5	13.5	12.3
Leukemia and aleukemia (204)	180	89	66	16	9	4.7	6.5	4.8	3.5	1.4
Lymphosarcoma, etc. (200-203, 205)	153	70	45	23	15	4.0	5.1	3.2	5.0	2.4

TABLE IX - DEATHS, NUMBER AND RATIO (PER 10,000 LIVE BIRTHS) FROM DISEASES OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM, BY RACE, GEORGIA, 1955

Cause and Sixth Revision International List Number	Number			Ratio		
	Total	White	Non-White	Total	White	Non-White
Total, all causes	99	38	61	9.9	5.9	16.9
Abortion, all causes (650-652)	15	8	7	1.5	1.2	1.9
Ectopic pregnancy (645)	4	1	3	0.4	0.2	0.8
Hemorrhage of pregnancy (643-644)	3	2	1	0.3	0.3	0.3
Toxemias of pregnancy (642)	28	7	21	2.8	1.1	5.8
Other complications arising during pregnancy (640, 641, 646-649)	3	1	2	0.3	0.2	0.6
Hemorrhage of childbirth and puerperium (670-672)	19	7	12	1.9	1.1	3.3
Infection during childbirth and puerperium (680-684)	10	3	7	1.0	0.5	1.9
Puerperal toxemias (685-686)	8	5	3	0.8	0.8	0.8
Other accidents and specified conditions of childbirth (673-678, 687)	8	4	4	0.8	0.6	1.1
Other and unspecified conditions of childbirth and the puerperium (660, 688)	1	-	1	0.1	0	0.3

TABLE X - INFANT DEATHS, NUMBER AND RATE PER 1,000 LIVE BIRTHS BY RACE, SEX, AND AGE, GEORGIA, 1955

Race and Sex	Number						Rate					
	Under 1 Year	Under 28 days				28 Days To 1 Year	Under 1 Year	Under 28 days				28 Days To 1 Year
		Total	Under 1 Day	1-6 Days	7-27 Days			Total	Under 1 Day	1-6 Days	7-27 Days	
<u>Total (both races)</u>	2,985	1,992	1,000	722	270	993	29.8	19.9	10.0	7.2	2.7	9.9
Male	1,722	1,161	578	424	159	561	33.7	22.7	11.3	8.3	3.1	11.0
Female	1,263	831	422	298	111	432	25.7	16.9	8.6	6.1	2.3	8.8
<u>White</u>	1,456	1,091	560	423	108	365	22.7	17.0	8.7	6.6	1.7	5.7
Male	830	631	330	235	66	199	25.1	19.1	10.0	7.1	2.0	6.0
Female	626	460	230	188	42	166	20.1	14.7	7.4	6.0	1.3	5.3
<u>Nonwhite</u>	1,529	901	440	299	162	628	42.4	25.0	12.2	8.3	4.5	17.4
Male	892	530	248	189	93	362	49.3	29.3	13.7	10.4	5.1	20.0
Female	637	371	192	110	69	266	35.5	20.7	10.7	6.1	3.8	14.8

TABLE XI - INFANT DEATHS, NUMBER AND RATE PER 1,000 LIVE BIRTHS, BY RACE, BY CAUSE, GEORGIA, 1955

Cause and Sixth Revision International List Number	Number			Rate		
	Total	White	Non-white	Total	White	Non-white
Total, all causes	2,985	1,456	1,529	29.8	22.7	42.4
Tuberculosis, all forms (001-019)	1	-	1	0.0	0	0.0
Dysentery, all forms (045-048)	12	3	9	0.1	0.0	0.2
Whooping cough (056)	17	-	17	0.2	0	0.5
All other infective and parasitic diseases (020-044, 049-055, 057-138)	35	16	19	0.3	0.2	0.5
Diseases of thymus gland (273)	2	1	1	0.0	0.0	0.0
Meningitis, except meningococcal and tuberculous (340)	21	10	11	0.2	0.2	0.3
All other diseases of nervous system and sense organs (330-334, 341-398)	15	6	9	0.1	0.1	0.2
Influenza and pneumonia, except pneumonia of newborn (480-493)	331	94	237	3.3	1.5	6.6
Influenza (480-483)	21	8	13	0.2	0.1	0.4
Pneumonia, except pneumonia of newborn (490-493)	310	86	224	3.1	1.3	6.2
All other diseases of respiratory system (470-475, 500-527)	33	16	17	0.3	0.2	0.5
Hernia and intestinal obstruction (560, 561, 570)	18	11	7	0.2	0.2	0.2
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543, 571, 572)	139	27	112	1.4	0.4	3.1
All other diseases of digestive system (530-542, 544-553, 573-587)	9	5	4	0.1	0.1	0.1
Congenital malformations (750-759)	348	240	108	3.5	3.7	3.0
Spina bifida and meningocele (751)	32	28	4	0.3	0.4	0.1
Congenital malformations of circulatory system (754)	158	111	47	1.6	1.7	1.3
All other congenital malformations (750, 752, 753, 755-759)	158	101	57	1.6	1.6	1.6
Certain diseases of early infancy (760-776)	1,726	920	806	17.2	14.3	22.4
Birth injuries (760, 761)	266	149	117	2.7	2.3	3.2
Without mention of immaturity (.0)	149	67	82	1.5	1.0	2.3
With immaturity (.5)	117	82	35	1.2	1.3	1.0
Intracranial and spinal injury at birth (760)	116	55	61	1.2	0.9	1.7
Without mention of immaturity (.0)	89	38	51	0.9	0.6	1.4
With immaturity (.5)	27	17	10	0.3	0.3	0.3
Other birth injury (761)	150	94	56	1.5	1.5	1.6
Without mention of immaturity (.0)	60	29	31	0.6	0.5	0.9
With immaturity (.5)	90	65	25	0.9	1.0	0.7
Postnatal asphyxia and atelectasis (762)	456	299	157	4.5	4.7	4.4
Without mention of immaturity (.0)	160	90	70	1.6	1.4	1.9
With immaturity (.5)	296	209	87	3.0	3.3	2.4
Pneumonia of newborn (763)	102	33	69	1.0	0.5	1.9
Without mention of immaturity (.0)	74	21	53	0.7	0.3	1.5
With immaturity (.5)	28	12	16	0.3	0.2	0.4
Diarrhea of newborn (764)	23	11	12	0.2	0.2	0.3
Without mention of immaturity (.0)	16	6	10	0.2	0.1	0.3
With immaturity (.5)	7	5	2	0.1	0.1	0.1
Other infections of newborn (765-768)	19	5	14	0.2	0.1	0.4
Without mention of immaturity (.0)	13	2	11	0.1	0.0	0.3
With immaturity (.5)	6	3	3	0.1	0.0	0.1
Neonatal disorders arising from maternal toxemia (769)	23	13	10	0.2	0.2	0.3
Without mention of immaturity (.0-.4)	6	3	3	0.1	0.0	0.1
With immaturity (.5-.9)	17	10	7	0.2	0.2	0.2
Hemolytic disease of newborn (erythroblastosis) (770)	53	42	11	0.5	0.7	0.3
Without mention of immaturity (.0-.2)	40	31	9	0.4	0.5	0.2
With immaturity (.5-.7)	13	11	2	0.1	0.2	0.1
Hemorrhagic disease of newborn (771)	19	7	12	0.2	0.1	0.3
Without mention of immaturity (.0)	12	7	5	0.1	0.1	0.1
With immaturity (.5)	7	-	7	0.1	0	0.2
Ill-defined diseases peculiar to early infancy including nutritional maladjustment (772, 773)	131	58	73	1.3	0.9	2.0
Without mention of immaturity (.0)	44	16	28	0.4	0.2	0.8
With immaturity (.5)	87	42	45	0.9	0.7	1.2
Immaturity with mention of subsidiary condition (774)	45	29	16	0.4	0.5	0.4
Immaturity unqualified (776)	589	274	315	5.9	4.3	8.7
Symptoms and ill-defined conditions (780-793, 795)	100	18	82	1.0	0.3	2.3
All other diseases (residual)	43	19	24	0.4	0.3	0.7
Accidents (E800-E962)	131	67	64	1.3	1.0	1.8
Inhalation and ingestion of food or other object causing obstruction or suffocation (E921, E922)	28	13	15	0.3	0.2	0.4
Accidental mechanical suffocation in bed and cradle (E924)	52	25	27	0.5	0.4	0.7
All other accidental causes (E800-E920, E923, E925-E962)	51	29	22	0.5	0.5	0.6
Homicide (E964, E980-E999)	4	3	1	0.0	0.0	0.0

TABLE XII - ACCIDENTAL DEATHS, NUMBER AND RATE, BY TYPE OF ACCIDENT, BY AGE, GEORGIA, 1955

Type of Accident (International List Number - Sixth Revision)	Total All Ages	Age in Years						65 & Over
		Under 1	1-4	5-14	15-24	25-44	45-64	
<u>Number</u>								
Total, all accidents	2,391	131	149	230	385	669	451	376
Transport Accidents (E800-E802, E810-E845, E850-E858, E860-E866)	1,210	9	54	102	283	427	241	94
Railway accidents (E800-E802)	47	-	3	-	3	17	19	5
Motor-vehicle accidents (E810-E835)	1,081	9	51	94	262	361	217	87
Aircraft accidents (E860-E866)	34	-	-	-	9	23	1	1
All other transport accidents (E840-E845, E850-E858)	48	-	-	8	9	26	4	1
Non-transport Accidents (E870-E888, E890-E895, E900-E904, E910-E936, E940-E962)	1,181	122	95	127	102	242	210	283
Accidental poisoning (E870-E888, E890-E895)	71	6	15	3	7	19	15	6
Home	36	4	11	2	2	8	6	3
Other	35	2	4	1	5	11	9	3
Accidental falls (E900-E904)	265	3	2	4	5	21	50	180
Home	174	2	1	-	1	6	27	137
Other	91	1	1	4	4	15	23	43
Accidental burns (E916-E917)	263	12	45	28	16	59	49	54
Home	232	12	43	27	15	43	44	48
Other	31	-	2	1	1	16	5	6
Accidents caused by firearms (E919)	93	1	5	23	16	25	16	7
Home	61	1	5	17	9	19	7	3
Other	32	-	-	6	7	6	9	4
Accidental mechanical suffocation (E924-E925)	67	60	2	1	1	2	1	-
Home	56	54	2	-	-	-	-	-
Other	11	6	-	1	1	2	1	-
Accidental drowning (exclusive of submersion in transport accidents) (E929)	132	-	9	50	27	26	13	7
Home	9	-	4	1	2	1	1	-
Other	123	-	5	49	25	25	12	7
All other non-transport accidents (E910-E915, E918, E920-E923, E926-E928, E930-E936, E940-E962)	290	40	17	18	30	90	66	29
Home	48	18	13	4	2	6	4	1
Other	242	22	4	14	28	84	62	28
<u>Rate Per 100,000 Population</u>								
Total, all accidents	64.0	133.0	38.9	32.4	66.0	61.2	73.0	151.1
Transport accidents (E800-E802, E810-E845, E850-E858, E860-E866)	32.4	9.1	14.1	14.4	48.5	39.0	39.0	37.8
Railway accidents (E800-E802)	1.3	0	0.8	0	0.5	1.6	3.1	2.0
Motor-vehicle accidents (E810-E835)	28.9	9.1	13.3	13.2	44.9	33.0	35.1	35.0
Aircraft accidents (E860-E866)	0.9	0	0	0	1.5	2.1	0.2	0.4
All other transport accidents (E840-E845, E850-E858)	1.3	0	0	1.1	1.5	2.4	0.6	0.4
Non-transport accidents (E870-E888, E890-E895, E900-E904, E910-E936, E940-E962)	31.6	123.9	24.8	17.9	17.5	22.1	34.0	113.7
Accidental poisoning (E870-E888, E890-E895)	1.9	6.1	3.9	0.4	1.2	1.7	2.4	2.4
Home	1.0	4.1	2.9	0.3	0.3	0.7	1.0	1.2
Other	0.9	2.0	1.0	0.1	0.9	1.0	1.5	1.2
Accidental falls (E900-E904)	7.1	3.0	0.5	0.6	0.9	1.9	8.1	72.3
Home	4.7	2.0	0.3	0	0.2	0.5	4.4	55.0
Other	2.4	1.0	0.3	0.6	0.7	1.4	3.7	17.3
Accidental burns (E916-E917)	7.0	12.2	11.8	3.9	2.7	5.4	7.9	21.7
Home	6.2	12.2	11.2	3.8	2.6	3.9	7.1	19.3
Other	0.8	0	0.5	0.1	0.2	1.5	0.8	2.4
Accidents caused by firearms (E919)	2.5	1.0	1.3	3.2	2.7	2.3	2.6	2.8
Home	1.6	1.0	1.3	2.4	1.5	1.7	1.1	1.2
Other	0.9	0	0	0.8	1.2	0.5	1.5	1.6
Accidental mechanical suffocation (E924-E925)	1.8	60.9	2.0	0.1	0.2	0.2	0.2	0
Home	1.5	54.8	2.0	0	0	0	0	0
Other	0.3	6.1	0	0.1	0.2	0.2	0.2	0
Accidental drowning (exclusive of submersion in transport accidents) (E929)	3.5	0	2.4	7.0	4.6	2.4	2.1	2.8
Home	0.2	0	1.0	0.1	0.3	0.1	0.2	0
Other	3.3	0	1.3	6.9	4.3	2.3	1.9	2.8
All other non-transport accidents (E910-E915, E918, E920-E923, E926-E928, E930-E936, E940-E962)	7.8	40.6	4.4	2.5	5.1	8.2	10.7	11.7
Home	1.3	18.3	3.4	0.6	0.3	0.5	0.6	0.4
Other	6.5	22.3	1.0	2.0	4.8	7.7	10.0	11.2

ITEM	Georgia State Total						Appling					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>												
1 Total	100,295	64,238	36,057	26.8	24.6	32.2	367	270	97	26.6	24.3	35.9
2 Delivered in hospital	83,482	62,877	20,605	83.2%	97.9%	57.1%	280	247	33	76.3%	91.5%	34.0%
3 Delivered in home by physician	2,803	718	2,085	2.8%	1.1%	5.8%	34	19	15	9.3%	7.0%	15.5%
4 Delivered in home by midwife	13,767	559	13,208	13.7%	0.9%	36.6%	52	3	49	14.2%	1.1%	50.5%
5 Other deliveries	243	84	159	0.2%	0.1%	0.4%	1	1	-	0.3%	0.4%	0%
6 Immature births	8,572	4,499	4,073	85.5	70.0	113.0	34	24	10	92.6	88.9	103.1
<b>FETAL DEATHS</b>												
7 Total	4,161	2,245	1,916	41.5	34.9	53.1	9	7	2	24.5	25.9	20.6
8 Under 20 weeks gestation	1,881	1,205	676	18.8	18.8	18.7	1	1	1	2.7	0	10.3
9 20-27 weeks gestation	604	250	354	6.0	3.9	9.8	2	2	-	5.4	7.4	0
28 weeks and more	1,513	709	804	15.1	11.0	22.3	6	5	1	16.3	18.5	10.3
Unknown length of gestation	163	81	82	1.6	1.3	2.3	-	-	-	0	0	0
<b>DEATHS</b>												
10 Total, all ages	30,838	19,136	11,702	825.4	731.5	1044.8	101	70	31	731.9	630.6	1148.1
11 Under 1 year	2,985	1,456	1,529	29.8	22.7	42.4	7	5	2	19.1	18.5	20.6
12 Under 28 days	1,992	1,091	901	19.9	17.0	25.0	5	5	-	13.6	18.5	0
13 Deaths from immaturity	634	303	331	6.3	4.7	9.2	3	3	-	8.2	11.1	0
14 1-4 years **	561	259	302	146.6	101.1	238.5	2	-	2	-	-	-
15 Maternal deaths	99	38	61	9.9	5.9	16.9	1	-	1	27.2	0	103.1
<b>CAUSE OF DEATH</b>												
16 Tuberculosis, all forms (001-019)	271	120	151	7.3	4.6	13.5	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	94	26	68	2.5	1.0	6.1	-	-	-	0	0	0
18 Typhoid fever (040)	1	-	1	0.0	0	0.1	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	31	10	21	0.8	0.4	1.9	-	-	-	0	0	0
20 Scarlet fever (050)	1	1	-	0.0	0.0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	8	3	5	0.2	0.1	0.4	-	-	-	0	0	0
22 Diphtheria (055)	17	11	6	0.5	0.4	0.5	-	-	-	0	0	0
23 Whooping cough (056)	24	1	23	0.6	0.0	2.1	-	-	-	0	0	0
24 Meningococcal infections (057)	24	16	8	0.6	0.6	0.7	-	-	-	0	0	0
25 Acute poliomyelitis (080)	12	10	2	0.3	0.4	0.2	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	5	2	3	0.1	0.1	0.3	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	6	2	4	0.2	0.1	0.4	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	2	1	1	0.1	0.0	0.1	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	94	54	40	2.5	2.1	3.6	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	3,860	2,769	1,091	103.3	105.8	97.4	10	8	2	72.5	72.1	74.1
34 Benign and unspecified neoplasms (210-239)	103	53	50	2.8	2.0	4.5	-	-	-	0	0	0
35 Diabetes mellitus (260)	422	254	168	11.3	9.7	15.0	-	-	-	0	0	0
36 Pellagra (281)	26	19	7	0.7	0.7	0.6	-	-	-	0	0	0
37 Anemias (290-293)	64	32	32	1.7	1.2	2.9	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	4,880	2,801	2,079	130.6	107.1	185.6	23	17	6	166.7	153.2	222.2
39 Nonmeningococcal meningitis (340)	57	24	33	1.5	0.9	2.9	-	-	-	0	0	0
40 Rheumatic fever (400-402)	46	17	29	1.2	0.6	2.6	-	-	-	0	0	0
41 Heart diseases (410-443)	9,756	6,615	3,141	261.1	252.9	280.4	28	22	6	202.9	198.2	222.2
42 Hypertension without mention of heart (444-447)	349	152	197	9.3	5.8	17.6	1	-	1	7.2	0	37.0
43 Influenza and pneumonia (480-483, 490-493)	1,122	509	613	30.0	19.5	54.7	14	7	7	101.4	63.1	259.3
44 Bronchitis (500-502)	60	44	16	1.6	1.7	1.4	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	155	109	46	4.1	4.2	4.1	-	-	-	0	0	0
46 Appendicitis (550-553)	49	23	26	1.3	0.9	2.3	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	133	77	56	3.6	2.9	5.0	1	-	1	7.2	0	37.0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	248	87	161	6.6	3.3	14.4	-	-	-	0	0	0
49 Cirrhosis of liver (581)	220	165	55	5.9	6.3	4.9	1	1	-	7.2	9.0	0
50 Nephritis and nephrosis (590-594)	569	224	345	15.2	8.6	30.8	3	3	-	21.7	27.0	0
51 Hyperplasia of prostate (610)	140	82	58	3.7	3.1	5.2	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	99	38	61	2.6	1.5	5.4	1	-	1	7.2	0	37.0
53 Congenital malformations (750-759)	455	319	136	12.2	12.2	12.1	-	-	-	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	722	448	274	19.3	17.1	24.5	1	1	-	7.2	9.0	0
55 Infection of the newborn (763-768)	144	49	95	3.9	1.9	8.5	-	-	-	0	0	0
56 Other diseases peculiar to early infancy; and immaturity unqualified (769-776)	861	424	437	23.0	16.2	39.0	4	4	-	29.0	36.0	0
57 Senility, without mention of psychosis (794)	73	34	39	2.0	1.3	3.5	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	359	131	228	9.6	5.0	20.4	1	-	1	7.2	0	37.0
59 Motor vehicle accidents (E810-E835)	1,081	775	306	28.9	29.6	27.3	2	1	1	14.5	9.0	37.0
60 All other accidents (E800-E802, E840-E962)	1,310	785	525	35.1	30.0	46.9	4	1	3	29.0	9.0	111.1
61 Suicide (E963, E970-E979)	320	294	26	8.6	11.2	2.3	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	418	94	324	11.2	3.6	28.9	2	-	2	14.5	0	74.1
63 All other diseases (residual)	2,147	1,432	715	57.5	54.7	63.8	5	5	-	36.2	45.0	0

See notes on page 87

COUNTY, BY RACE, GEORGIA, 1955

	Atkinson						Bacon						Baker						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	212	139	73	28.3	24.0	42.9	240	209	39	26.1	25.2	32.5	138	33	105	26.5	17.4	31.8	1
2	139	117	22	65.6%	84.2%	30.1%	222	201	21	89.5%	96.2%	53.8%	72	31	41	52.2%	93.9%	39.0%	2
3	18	15	3	8.5%	10.8%	4.1%	6	6	-	2.4%	2.9%	0%	3	-	3	2.2%	0%	2.9%	3
4	53	7	46	25.9%	5.0%	65.8%	18	1	17	7.3%	0.5%	43.6%	63	2	61	45.7%	6.1%	58.1%	4
5	-	-	-	0%	0%	0%	2	1	1	0.8%	0.5%	2.6%	-	-	-	0%	0%	0%	5
6	15	3	12	70.8	21.6	164.4	24	17	7	96.8	81.3	179.5	9	9	9	65.2	0	85.7	6
7	15	11	4	70.8	79.1	54.8	5	3	-	12.1	14.4	0	12	-	8	87.0	121.2	76.2	7
8	7	7	-	33.0	50.4	0	-	-	-	0	0	0	4	2	2	29.0	60.6	19.0	8
9	5	2	3	23.6	14.4	41.1	1	1	-	4.0	4.8	0	4	2	2	29.0	60.6	19.0	7
10	3	2	1	14.2	14.4	13.7	1	1	-	4.0	4.8	0	3	-	3	21.7	0	28.6	9
11	-	-	-	0	0	0	1	1	-	4.0	4.8	0	1	-	1	7.2	0	9.5	9
12	58	41	17	773.3	706.9	1000.0	62	56	6	652.6	674.7	500.0	44	17	27	846.2	894.7	818.2	10
13	3	2	1	14.2	14.4	13.7	9	7	2	36.3	33.5	51.3	4	1	3	29.0	30.3	28.6	11
14	1	-	1	4.7	0	13.7	7	6	1	28.2	28.7	25.6	3	-	3	21.7	0	28.6	12
15	-	-	-	0	0	0	4	3	1	16.1	14.4	25.6	1	1	1	7.2	0	9.5	13
16	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
17	1	1	-	47.2	71.9	0	1	1	-	40.3	47.8	0	-	-	-	0	0	0	15
18	-	-	-	0	0	0	-	-	-	-	-	-	-	-	-	0	0	0	16
19	-	-	-	0	0	0	2	1	1	21.1	12.0	83.3	-	-	-	0	0	0	17
20	-	-	-	0	0	0	1	1	-	10.5	12.0	0	-	-	-	0	0	0	18
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
25	-	-	-	0	0	0	1	1	-	10.5	12.0	0	-	-	-	0	0	0	23
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
32	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
33	4	3	1	53.3	51.7	58.8	6	6	-	63.2	72.3	0	5	2	3	96.2	105.3	90.9	31
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
35	2	2	-	26.7	34.5	0	1	-	1	10.5	0	83.3	-	-	-	0	0	0	33
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	35
38	11	7	4	146.7	120.7	235.3	6	6	-	63.2	72.3	0	5	1	4	96.2	52.6	121.2	36
39	-	-	-	0	0	0	1	-	1	10.5	0	83.3	-	-	-	0	0	0	37
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	38
41	21	16	5	280.0	275.9	294.1	22	21	1	231.6	253.0	83.3	19	6	13	365.4	315.8	393.9	39
42	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
43	2	2	-	26.7	34.5	0	3	3	-	31.6	36.1	0	1	1	-	19.2	52.6	0	41
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	42
45	-	-	-	0	0	0	1	1	-	10.5	12.0	0	-	-	-	0	0	0	43
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
47	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	45
48	1	1	-	13.3	17.2	0	-	-	-	0	0	0	-	-	-	0	0	0	46
49	1	1	-	13.3	17.2	0	1	1	-	10.5	12.0	0	-	-	-	0	0	0	47
50	3	1	2	40.0	17.2	117.6	-	-	-	0	0	0	-	-	-	0	0	0	48
51	-	-	-	0	0	0	1	1	-	10.5	12.0	0	-	-	-	0	0	0	49
52	1	1	-	13.3	17.2	0	1	1	-	10.5	12.0	0	-	-	-	0	0	0	50
53	1	1	-	13.3	17.2	0	2	2	-	21.1	24.1	0	-	-	-	0	0	0	51
54	-	-	-	0	0	0	1	1	-	10.5	12.0	0	2	-	2	38.5	0	60.6	52
55	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	53
56	-	-	-	0	0	0	5	4	1	52.6	48.2	83.3	1	-	1	19.2	0	30.3	54
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	55
58	-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	38.5	52.6	30.3	56
59	3	3	-	40.0	51.7	0	4	3	1	42.1	36.1	83.3	4	3	1	76.9	157.9	30.3	57
60	5	2	3	66.7	34.5	176.5	1	1	-	10.5	12.0	0	-	-	-	0	0	0	58
61	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	59
62	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	19.2	0	30.3	60
63	3	1	2	40.0	17.2	117.6	2	2	-	21.1	24.1	0	4	3	1	76.9	157.9	30.3	61

ITEM	Balwin						Banks						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
<b>LIVE BIRTHS</b>													
1 Total	500	236	264	26.7	20.5	36.7	128	117	11	21.3	20.9	27.5	1
2 Delivered in hospital	288	222	66	57.6%	94.1%	25.0%	116	113	3	30.6%	96.6%	27.3%	2
3 Delivered in home by physician	27	7	20	5.4%	3.0%	7.6%	2	-	2	1.6%	0%	18.2%	3
4 Delivered in home by midwife	185	7	178	37.0%	3.0%	67.4%	10	4	6	7.8%	3.4%	54.5%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	53	25	28	106.0	105.9	106.1	12	9	3	93.8	76.9	272.7	6
<b>FETAL DEATHS</b>													
7 Total	29	7	22	58.0	29.7	83.3	6	6	-	46.9	51.3	0	
8 Under 20 weeks gestation	7	2	5	14.0	8.5	18.9	-	-	-	0	0	0	7
9 20-27 weeks gestation	3	1	2	6.0	4.2	7.6	1	1	-	7.8	8.5	0	8
9 28 weeks and more	19	4	14	36.0	16.9	53.0	5	5	-	39.1	42.7	0	9
Unknown Length of Gestation	1	-	1	2.0	0	3.8	-	-	-	0	0	0	
<b>DEATHS</b>													
10 Total, all ages	218	103	115	116.8	89.7	159.2	56	54	2	933.3	964.3	500.0	10
11 Under 1 year	22	4	18	44.0	16.9	68.2	2	2	-	15.6	17.1	0	11
12 Under 28 days	14	3	11	28.0	12.7	41.7	2	2	-	15.6	17.1	0	12
13 Deaths from immaturity	1	1	-	2.0	4.2	0	-	-	-	0	0	0	13
14 1-4 years **	6	1	5	-	-	-	-	-	-	0	0	0	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
<b>CAUSE OF DEATH</b>													
16 Tuberculosis, all forms (001-019)	2	-	2	10.7	0	27.8	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	3	2	1	16.0	17.4	13.9	-	-	-	0	0	0	17
18 Typhoid fever (040)	1	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	1	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	1	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	1	-	1	5.3	0	13.9	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	4	-	-	0	0	0	1	1	-	16.7	17.9	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	24	14	10	128.3	121.7	138.9	6	6	-	100.0	107.1	0	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	2	2	-	10.7	0	27.8	1	1	-	16.7	17.9	0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	37	17	20	197.9	147.8	277.8	13	12	1	216.7	214.3	250.0	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	1	-	1	5.3	0	13.9	-	-	-	0	0	0	40
41 Heart diseases (410-443)	71	40	31	379.7	347.8	430.6	18	18	-	300.0	321.4	0	41
42 Hypertension without mention of heart (444-447)	1	-	1	5.3	0	13.9	2	2	-	33.3	35.7	0	42
43 Influenza and pneumonia (480-483, 490-493)	14	2	12	74.9	17.4	166.7	2	2	-	33.3	35.7	0	43
44 Bronchitis (500-502)	1	1	-	5.3	8.7	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	1	1	-	16.7	17.9	0	45
46 Appendicitis (550-553)	1	-	1	5.3	0	13.9	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	3	2	1	16.0	17.4	13.9	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	4	4	-	21.4	34.8	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	6	-	6	32.1	0	83.3	-	-	-	0	0	0	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	1	-	16.7	17.9	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	2	-	2	10.7	0	27.8	-	-	-	0	0	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	3	-	3	16.0	0	41.7	-	-	-	0	0	0	54
55 Infection of the newborn (763-768)	3	-	3	16.0	0	41.7	1	1	-	16.7	17.9	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	3	-	16.0	26.1	0	-	-	-	0	0	0	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	2	1	1	10.7	8.7	13.9	1	1	-	16.7	17.9	0	58
59 Motor vehicle accidents (E810-E835)	2	1	1	10.7	8.7	13.9	-	-	-	0	0	0	59
60 All other accidents (E800-E802, E840-E962)	9	4	5	48.1	34.8	69.4	4	3	1	66.7	53.6	250.0	60
61 Suicide (E963, E970-E979)	6	6	-	32.1	52.2	0	-	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	6	1	5	32.1	8.7	69.4	-	-	-	0	0	0	62
63 All other diseases (residual)	11	5	6	58.8	43.5	83.3	5	5	-	83.3	89.3	0	63



COUNTY, BY RACE, GEORGIA, 1955

	Barrow						Bartow						Ben Hill							
	Number			Rate or Ratio*			Number			Rate or Ratio*			Number			Rate or Ratio*				
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White		
1	300	225	75	22.7	21.0	30.0	661	545	116	23.0	22.4	26.4	372	228	144	24.5	22.4	28.8	1	
2	268	218	50	89.3%	96.9%	66.7%	594	522	72	89.9%	95.8%	62.1%	290	225	65	78.0%	98.7%	45.1%	2	
3		2		1.5%	0.9%	2.7%	27	13	14	4.1%	2.4%	12.1%	4	2		1.1%	0.9%	1.4%	3	
4	28	5	23	9.3%	2.2%	30.7%	40	10	30	6.1%	1.8%	25.9%	78	1	77	21.0%	0.4%	53.5%	4	
5				0%	0%	0%				0%	0%	0%				0%	0%	0%	5	
6	32	21	11	106.7	93.3	146.7	64	49	15	96.8	89.9	129.3	36	17	19	96.8	74.6	131.9	6	
7																				7
8	13	11	2	43.3	48.9	26.7	22	18	4	33.3	33.0	34.5	21	12	9	56.5	52.6	62.5	8	
9	7	6	1	23.3	26.7	13.3	10	10	1	15.1	18.3	0	14	3	6	37.6	35.1	41.7	9	
				0	0	0	3	2	1	4.5	3.7	8.6	1		1	2.7	0	6.9		
	5	4	1	16.7	17.8	13.3	8	5	3	12.1	9.2	25.9	5	4	1	13.4	17.5	6.9		
	1	1		3.3	4.4	0	1	1		1.5	1.8	0	1		1	2.7	0	6.9		
10	110	85	25	835.3	794.4	1000.0	230	170	60	801.4	599.6	1363.6	119	66	53	732.9	647.1	1060.0	10	
11	9	5	4	30.0	22.2	53.3	30	24	6	45.4	44.0	51.7	8	2	6	21.5	8.8	41.7	11	
12	3	3		10.0	13.3	0	22	19	3	33.3	34.9	25.9	5	1	4	13.4	4.4	27.8	12	
13	2	2		6.7	8.9	0	6	4	2	9.1	7.3	17.2	4		4	10.8	0	27.8	13	
14	1	1					4	2	2				2	2					14	
15				0	0	0	1	1		15.1	18.3	0				0	0	0	15	
16	1	1		7.6	9.3	0	2	2		7.0	8.2	0				0	0	0	16	
17	1	1		7.6	9.3	0				0	0	0	2		2	13.2	0	40.0	17	
18				0	0	0				0	0	0				0	0	0	18	
19				0	0	0				0	0	0				0	0	0	19	
20				0	0	0				0	0	0				0	0	0	20	
21				0	0	0				0	0	0				0	0	0	21	
22				0	0	0				0	0	0				0	0	0	22	
23				0	0	0				0	0	0	1		1	6.6	0	20.0	23	
24				0	0	0				0	0	0				0	0	0	24	
25				0	0	0				0	0	0				0	0	0	25	
26				0	0	0				0	0	0				0	0	0	26	
27				0	0	0				0	0	0				0	0	0	27	
28				0	0	0				0	0	0				0	0	0	28	
29				0	0	0				0	0	0				0	0	0	29	
30				0	0	0				0	0	0				0	0	0	30	
31				0	0	0				0	0	0				0	0	0	31	
32				0	0	0	1	1		3.5	4.1	0				0	0	0	32	
33	22	19	3	166.7	177.6	120.0	15	12	3	52.3	49.4	68.2	11	7	4	72.4	68.6	80.0	33	
34				0	0	0				0	0	0	2		2	13.2	0	40.0	34	
35	1	1		7.6	9.3	0	3	3		10.5	12.3	0	2	1	1	13.2	9.8	20.0	35	
36				0	0	0				0	0	0				0	0	0	36	
37				0	0	0	2		2	7.0	0	45.5	1		1	6.6	0	20.0	37	
38	20	10	10	151.5	93.5	400.0	27	21	6	94.1	86.4	136.4	26	13	13	171.1	127.4	260.0	38	
39				0	0	0				0	0	0				0	0	0	39	
40				0	0	0	1		1	3.5	0	22.7	1	1		6.6	9.8	0	40	
41	28	26	2	22.1	24.0	80.0	68	54	14	236.9	222.2	318.2	41	27	14	269.7	231.7	280.0	41	
42	4	1	3	7.6	9.3	0	2	2		7.0	8.2	0				0	0	0	42	
43	1	3	1	30.3	28.0	40.0	25	16	9	87.1	65.6	804.5	2	1	1	13.2	9.8	20.0	43	
44	1	1		7.6	9.3	0	2	1	1	7.0	4.1	22.7				0	0	0	44	
45				0	0	0	1	1		3.5	4.1	0				0	0	0	45	
46				0	0	0				0	0	0	1		1	6.6	0	20.0	46	
47				0	0	0				0	0	0	1	1		6.6	9.8	0	47	
48				0	0	0	3	2	1	10.5	8.2	22.7	1	1		6.6	9.8	0	48	
49	1	1		7.6	9.3	0				0	0	0				0	0	0	49	
50	2	2		15.2	18.7	0	4		4	13.9	0	90.9				0	0	0	50	
51	1	1		7.6	9.3	0	2	1	1	7.0	4.1	22.7				0	0	0	51	
52				0	0	0	1	1		3.5	4.1	0				0	0	0	52	
53	1	1		7.6	9.3	0	2	1	1	7.0	4.1	22.7	1	1		6.6	9.8	0	53	
54	2	1	1	15.2	9.3	40.0	9	8	1	31.4	32.9	22.7	1	1		6.6	9.8	0	54	
55				0	0	0	1	1		3.5	4.1	0				0	0	0	55	
56	3	2	1	22.7	18.7	40.0	10	7	3	34.8	28.8	68.2	4		4	26.3	0	80.0	56	
57				0	0	0				0	0	0	1		1	6.6	0	20.0	57	
58	2	1	1	15.2	9.3	40.0				0	0	0	1	1		6.6	9.8	0	58	
59	4	2	2	30.3	18.7	80.0	10	10		34.8	41.2	0	1	1		6.6	9.8	0	59	
60	4	2	2	30.3	18.7	80.0	11	8	3	38.3	32.9	68.2	10	4	6	65.8	39.2	120.0	60	
61	4	4		30.3	37.4	80.0	4	4		13.9	16.5	0	2	1	1	13.2	9.8	20.0	61	
62	3	1	2	22.7	9.3	80.0	5	2	3	17.4	8.2	68.2				0	0	0	62	
63	4	4		30.3	37.4	0	19	12	7	66.2	49.4	159.1	6	5	1	39.5	49.0	20.0	63	

TABLE XIII

VITAL STATISTICS, BY

ITEM	Berrien						Bibb						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
<b>LIVE BIRTHS</b>													
1 Total	331	295	36	24.9	26.1	18.0	3,518	2,127	1,391	26.5	24.5	30.0	1
2 Delivered in hospital	300	286	14	90.6%	96.9%	38.9%	3,463	2,117	1,346	98.4%	99.5%	96.8%	2
3 Delivered in home by physician	12	5	7	3.6%	1.7%	19.4%	34	9	25	1.0%	0.4%	1.8%	3
4 Delivered in home by midwife	19	4	15	5.7%	1.4%	41.7%	20	1	19	0.6%	0.0%	1.4%	4
5 Other deliveries	-	-	-	0%	0%	0%	1	1	1	0.0%	0%	0.1%	5
6 Immature births	25	22	3	7.5	74.6	83.3	317	128	189	90.1	60.2	135.9	6
<b>FETAL DEATHS</b>													
7 Total	10	8	2	30.2	27.1	55.6	148	86	62	42.1	40.4	44.6	7
8 Under 20 weeks gestation	5	5	-	15.1	16.9	0	71	49	22	20.2	23.0	15.8	8
9 20-27 weeks gestation	2	1	1	6.0	3.4	27.8	22	12	10	6.3	5.6	7.2	9
10 28 weeks and more	2	1	1	6.0	3.4	27.8	53	25	28	15.1	11.8	20.1	10
11 Unknown length of gestation	1	1	-	3.0	3.4	0	2	-	2	0.6	0	1.4	11
<b>DEATHS</b>													
12 Total, all ages	89	64	25	669.2	566.4	1250.0	1,203	690	513	904.5	795.8	1108.0	12
13 Under 1 year	4	3	1	12.1	10.2	27.8	135	56	79	38.4	26.3	56.8	13
14 Under 28 days	4	3	1	12.1	10.2	27.8	100	46	54	28.4	21.6	38.8	14
15 Deaths from immaturity	3	3	-	9.1	10.2	0	38	9	29	10.8	4.2	20.8	15
16 1-4 years **	5	4	1	-	-	-	23	14	9	-	-	-	16
17 Maternal deaths	1	-	1	30.2	0	277.8	3	2	1	8.5	9.4	7.2	17
<b>CAUSE OF DEATH</b>													
18 Tuberculosis, all forms (001-019)	1	1	-	7.5	8.0	0	9	1	0	6.8	1.2	17.3	18
19 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	5	2	3	3.8	2.3	6.5	19
20 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Diphtheria (055)	-	-	-	0	0	0	1	-	1	0.8	0	2.2	24
25 Whooping cough (056)	-	-	-	0	0	0	1	-	1	0.8	0	2.2	25
26 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Acute poliomyelitis (080)	-	-	-	0	0	0	1	1	-	0.8	1.2	0	27
28 Acute infectious encephalitis (082)	-	-	-	0	0	0	2	1	1	1.5	1.2	2.2	28
29 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Measles (085)	-	-	-	0	0	0	1	-	1	0.8	0	2.2	30
31 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	32
33 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	33
34 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	2	2	-	15.0	17.7	0	6	3	3	4.5	3.5	6.5	34
35 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	9	9	-	67.7	79.6	0	157	104	53	118.0	120.0	114.5	35
36 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	2	1	1	1.5	1.2	2.2	36
37 Diabetes mellitus (260)	-	-	-	0	0	0	18	8	10	13.5	9.2	21.6	37
38 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	38
39 Anemias (290-293)	-	-	-	0	0	0	2	1	1	1.5	1.2	2.2	39
40 Vascular lesions affecting central nervous system (330-334)	12	5	7	90.2	44.2	350.0	148	82	66	111.3	94.6	142.5	40
41 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	2	-	2	1.5	0	4.3	41
42 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	42
43 Heart diseases (410-443)	42	32	10	315.8	283.2	500.0	374	239	135	281.2	275.7	291.6	43
44 Hypertension without mention of heart (444-447)	1	1	-	7.5	8.8	0	22	6	16	16.5	6.9	34.6	44
45 Influenza and pneumonia (480-483, 490-493)	5	5	-	37.6	44.2	0	33	15	18	24.8	17.3	38.9	45
46 Bronchitis (500-502)	-	-	-	0	0	0	2	2	-	1.5	2.3	0	46
47 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	10	6	4	7.5	6.9	8.6	47
48 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	48
49 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	4	2	2	3.0	2.3	4.3	49
50 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	7.5	0	50.0	14	7	7	10.5	8.1	15.1	50
51 Cirrhosis of liver (581)	-	-	-	0	0	0	8	6	2	6.0	6.9	4.3	51
52 Nephritis and nephrosis (590-594)	-	-	-	0	0	0	26	5	21	19.5	5.8	45.4	52
53 Hyperplasia of prostate (610)	-	-	-	0	0	0	8	4	4	6.0	4.6	8.6	53
54 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	7.5	0	50.0	3	2	1	2.3	2.3	2.2	54
55 Congenital malformations (750-759)	-	-	-	0	0	0	19	13	6	14.3	15.0	13.0	55
56 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	-	1	7.5	0	50.0	36	20	16	27.1	23.1	34.6	56
57 Infection of the newborn (763-768)	-	-	-	0	0	0	4	2	2	3.0	2.3	4.3	57
58 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	3	-	22.6	26.5	0	52	18	34	39.1	20.8	73.4	58
59 Senility, without mention of psychosis (794)	1	-	1	7.5	0	50.0	2	-	2	1.5	0	4.3	59
60 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	8	2	6	6.0	2.3	13.0	60
61 Motor vehicle accidents (E810-E835)	1	1	-	7.5	8.8	0	46	25	21	34.6	28.8	45.4	61
62 All other accidents (E800-E802, E840-E962)	5	2	3	37.6	17.7	150.0	50	33	17	37.6	38.1	36.7	62
63 Suicide (E963, E970-E979)	1	1	-	7.5	8.8	0	18	17	1	13.5	19.6	2.2	63
64 Homicide (E964, E980-E985)	-	-	-	0	0	0	20	3	17	15.0	3.5	36.7	64
65 All other diseases (residual)	3	2	1	22.6	17.7	50.0	89	59	30	66.9	68.0	64.8	65

COUNTY, BY RACE, GEORGIA, 1955

	Eleckley						Brantley						Brooks						
	Number		Rate or Ratio *			Number		Rate or Ratio *			Number		Rate or Ratio *						
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White				
1	196	112	84	21.5	17.8	30.0	145	117	20	23.8	21.7	40.0	489	219	270	28.8	25.5	32.1	1
2	108	103	5	55.1%	92.0%	6.0%	97	92	5	66.9%	78.6%	17.9%	269	206	63	55.0%	94.1%	23.5%	2
3	11	8	3	5.6%	7.1%	3.6%	43	23	20	29.1%	19.7%	71.4%	13	9	4	2.7%	4.1%	1.5%	3
4	77	1	76	39.3%	0.9%	90.5%	4	1	3	2.8%	0.9%	10.7%	207	4	203	42.3%	1.8%	75.2%	4
5	-	-	-	0%	0%	0%	1	1	-	0.7%	0.9%	0%	-	-	-	0%	0%	0%	5
6	-	2	6	40.0	17.9	71.4	7	6	1	46.3	51.3	35.7	39	15	24	79.8	68.5	88.9	6
7	6	-	6	30.6	0	71.4	7	5	2	48.3	42.7	71.4	20	6	14	40.9	27.4	51.9	7
8	1	-	1	5.1	0	11.9	3	3	-	20.7	25.6	0	3	2	1	6.1	9.1	3.7	8
9	2	-	2	10.2	0	23.8	2	1	1	13.8	8.5	35.7	2	-	2	4.1	0	7.4	9
10	3	-	3	15.3	0	35.7	2	1	1	13.8	8.5	35.7	14	3	11	28.6	13.7	40.7	10
11	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	2.0	4.6	0	11
12	78	54	24	857.1	857.1	857.1	51	41	10	836.1	759.3	1428.6	181	87	94	1064.7	1011.6	1119.0	12
13	4	3	1	20.4	26.8	11.9	9	7	2	62.1	59.8	71.4	9	4	5	18.4	18.3	18.5	13
14	4	3	1	20.4	26.8	11.9	5	3	2	34.5	25.6	71.4	6	3	3	12.3	13.7	11.1	14
15	2	-	2	0	0	0	1	1	1	6.9	0	35.7	2	2	2	4.1	0	7.4	15
16	-	-	-	0	0	0	-	-	-	0	0	0	3	-	3	61.3	0	111.1	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	5.9	11.6	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	1	-	1	11.0	0	35.7	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	1	1	-	16.4	18.5	0	2	1	1	11.8	11.6	11.9	32
33	13	11	2	142.9	174.6	71.4	3	7	1	134.1	129.6	142.9	21	13	8	12.5	151.2	95.2	33
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	1	1	-	11.0	15.9	0	2	1	1	32.8	18.5	142.9	1	-	1	5.9	0	11.9	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	16	11	5	175.8	174.6	178.6	6	4	2	98.4	74.1	285.7	47	15	32	276.5	174.4	381.0	38
39	1	-	1	11.0	0	35.7	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	26	19	7	285.7	301.6	250.0	14	12	2	229.5	222.2	285.7	49	28	21	288.2	325.6	250.0	41
42	2	-	2	22.0	0	71.4	1	1	-	16.4	18.5	0	3	3	3	17.6	0	35.7	42
43	2	-	2	22.0	0	71.4	1	1	-	16.4	18.5	0	6	1	5	35.3	11.6	59.5	43
44	1	1	-	11.0	15.9	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	5.9	0	11.9	47
48	-	-	-	0	0	0	2	2	-	32.8	37.0	0	-	-	-	0	0	0	48
49	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	5.9	0	11.9	49
50	-	-	-	0	0	0	2	1	1	32.8	18.5	142.9	9	7	2	52.9	81.4	23.8	50
51	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	5.9	0	11.9	51
52	-	-	-	0	0	0	-	-	-	0	0	0	3	-	3	17.6	0	35.7	52
53	1	1	-	11.0	15.9	0	3	3	-	49.2	55.6	0	3	3	-	17.6	34.9	0	53
54	-	-	-	0	0	0	1	1	-	16.4	18.5	0	-	-	-	0	0	0	54
55	-	-	-	0	0	0	1	1	-	16.4	18.5	0	-	-	-	0	0	0	55
56	2	1	1	22.0	15.9	35.7	3	1	2	49.2	18.5	285.7	3	-	3	17.6	0	35.7	56
57	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	5.9	0	11.9	57
58	-	-	-	0	0	0	1	1	-	16.4	18.5	0	1	1	-	5.9	11.6	0	58
59	1	1	-	11.0	15.9	0	1	1	-	16.4	18.5	0	4	4	-	23.5	46.5	0	59
60	1	-	1	11.0	0	35.7	1	-	1	16.4	0	142.9	12	5	7	70.6	58.1	83.3	60
61	1	1	-	11.0	15.9	0	-	-	-	0	0	0	2	2	-	11.8	23.3	0	61
62	3	2	1	33.0	31.7	35.7	1	1	-	16.4	18.5	0	3	-	3	17.6	0	35.7	62
63	6	5	1	65.9	79.4	35.7	2	2	-	32.8	37.0	0	7	6	1	41.2	69.8	11.9	63

TABLE XIII VITAL STATISTICS, BY

ITEM	Bryan						Bulloch					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>												
1 Total	197	108	89	34.0	31.8	37.1	620	315	305	25.6	21.0	33.2
2 Delivered in hospital	118	97	21	59.9%	89.8%	23.6%	492	306	186	79.4%	97.1%	61.0%
3 Delivered in home by physician	19	8	11	9.6%	7.4%	12.4%	18	3	15	2.9%	1.0%	4.9%
4 Delivered in home by midwife	60	3	57	30.5%	2.8%	64.0%	110	6	104	17.7%	1.9%	34.1%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	11	8	3	5.5%	74.1	33.7	48	19	29	77.4	60.3	95.1
<b>FETAL DEATHS</b>												
7 Total	14	5	9	71.1	46.3	101.1	18	8	10	29.0	25.4	32.8
8 Under 20 weeks gestation	4	4	-	20.3	37.0	0	2	2	-	3.2	6.3	0
9 20-27 weeks gestation	1	-	1	5.1	0	11.2	7	3	4	11.3	9.5	13.1
28 weeks and more	8	-	8	40.6	0	89.9	9	3	6	14.5	9.5	19.7
Unknown length of gestation	1	1	-	5.1	9.3	0	-	-	-	0	0	0
<b>DEATHS</b>												
10 Total, all ages	63	27	36	1086.2	794.1	1500.0	218	134	84	900.8	893.3	913.0
11 Under 1 year	10	1	9	50.8	9.3	101.1	18	6	12	29.0	19.0	39.3
12 Under 28 days	3	1	2	15.2	9.3	22.5	10	3	7	16.1	9.5	23.0
13 Deaths from immaturity	6	1	-	0	0	0	2	2	2	3.2	0	6.6
14 1-4 years **	6	1	5	0	0	0	4	2	2	0	0	0
15 Maternal deaths	1	-	1	50.8	0	11.2	-	-	-	0	0	0
<b>CAUSE OF DEATH</b>												
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	2	1	1	8.3	6.7	10.9
17 Syphilis and its sequelae (020-029)	1	-	1	17.2	0	41.7	2	1	1	8.3	6.7	10.9
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	2	2	-	34.5	58.8	0	25	15	10	103.3	100.0	108.7
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	-	-	-	0	0	0	3	2	1	12.4	13.3	10.9
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	1	1	-	4.1	6.7	0
38 Vascular lesions affecting central nervous system (330-334)	13	6	7	224.1	176.5	291.7	50	27	23	206.6	180.0	250.0
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	1	-	1	17.2	0	41.7	-	-	-	0	0	0
41 Heart diseases (410-443)	16	11	5	275.9	323.5	208.3	48	33	15	198.3	220.0	163.0
42 Hypertension without mention of heart (444-447)	1	-	1	17.2	0	41.7	4	1	3	16.5	6.7	32.6
43 Influenza and pneumonia (480-483, 490-493)	6	-	6	103.4	0	250.0	6	3	3	24.8	20.0	32.6
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	1	1	-	4.1	6.7	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	17.2	0	41.7	-	-	-	0	0	0
49 Cirrhosis of liver (581)	-	-	-	0	0	0	4	1	3	16.5	6.7	32.6
50 Nephritis and nephrosis (590-594)	4	1	3	69.0	29.4	125.0	3	2	1	12.4	13.3	10.9
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	2	1	1	8.3	6.7	10.9
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	17.2	0	41.7	-	-	-	0	0	0
53 Congenital malformations (750-759)	3	-	3	51.7	0	125.0	4	4	-	16.5	26.7	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	4	2	2	16.5	13.3	21.7
55 Infection of the newborn (763-768)	-	-	-	0	0	0	1	-	1	4.1	0	10.9
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	2	1	1	34.5	29.4	41.7	2	-	2	8.3	0	21.7
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	1	1	-	4.1	6.7	0
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	9	5	4	37.2	33.3	43.5
59 Motor vehicle accidents (E810-E835)	1	1	-	17.2	29.4	0	8	7	1	33.1	46.7	10.9
60 All other accidents (E800-E802, E840-E962)	5	2	3	86.2	58.8	125.0	16	7	9	66.1	46.7	97.8
61 Suicide (E963, E970-E979)	1	1	-	17.2	29.4	0	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	1	-	1	17.2	0	41.7	3	1	2	12.4	6.7	21.7
63 All other diseases (residual)	4	2	2	69.0	58.8	83.3	19	18	1	78.5	120.0	10.9

See notes on page 87

COUNTY, BY RACE, GEORGIA, 1955

	Burke						Butts						Calhoun						
	Number			Rate or Ratio*			Number			Rate or Ratio*			Number			Rate or Ratio*			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	630	141	489	28.6	22.4	31.1	192	74	118	21.1	15.1	28.1	256	55	201	33.7	22.0	39.4	1
2	173	128	45	27.5	90.8	9.2	131	69	62	68.2	93.2	52.5	108	55	53	42.2	100.0	26.4	2
3	45	9	36	7.1	6.4	7.4	12	4	8	6.2	5.4	6.8	3	-	3	1.2	0	1.5	3
4	411	4	407	65.2	2.8	83.2	49	1	48	25.5	1.4	40.7	145	-	145	56.6	0	72.1	4
5	1	-	1	0.2	0	0.2	-	-	-	0	0	0	-	-	-	0	0	0	5
6	55	8	45	84.1	56.7	92.0	25	4	21	130.2	54.1	178.0	13	2	11	50.8	36.4	54.7	6
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	12	-	12	19.0	0	24.5	1	-	1	5.2	0	8.5	7	-	7	27.3	0	34.8	7
9	1	-	1	1.6	0	2.0	-	-	-	0	0	0	1	-	1	3.9	0	5.0	8
10	1	-	1	1.6	0	2.0	-	-	-	0	0	0	2	-	2	7.8	0	10.0	9
11	10	-	10	15.9	0	20.4	-	-	-	0	0	0	4	-	4	15.6	0	19.9	10
12	-	-	-	0	0	0	1	-	1	5.2	0	8.5	-	-	-	0	0	0	11
13	240	63	177	1090.9	1000.0	1127.4	83	54	29	912.1	1102.0	690.5	112	36	76	1473.7	1440.0	1490.2	12
14	32	8	24	50.8	56.7	49.1	9	3	6	46.9	40.5	50.8	7	1	6	27.3	18.2	29.8	13
15	22	7	15	34.9	49.6	30.7	7	2	5	36.5	27.0	42.4	4	-	4	15.6	0	19.9	14
16	9	-	9	14.3	0	18.4	3	3	3	15.6	0	25.4	1	-	1	3.9	0	5.0	15
17	7	-	7	-	-	-	3	1	2	-	-	-	5	1	4	-	-	-	16
18	1	-	1	15.9	0	20.4	-	-	-	0	0	0	-	-	-	0	0	0	17
19	-	-	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	18
20	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	13.2	0	19.6	19
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
23	-	-	-	0	0	0	2	1	1	22.0	20.4	23.8	-	-	-	0	0	0	22
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
32	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
33	21	8	13	95.5	127.0	82.8	10	7	3	109.9	142.9	71.4	10	3	7	131.6	120.0	137.3	32
34	1	-	1	4.5	0	6.4	-	-	-	0	0	0	1	-	1	13.2	0	19.6	33
35	5	2	3	22.7	31.7	19.1	-	-	-	0	0	0	2	1	1	26.3	40.0	19.6	34
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	35
37	1	-	1	4.5	0	6.4	-	-	-	0	0	0	-	-	-	0	0	0	36
38	32	9	23	145.5	142.9	146.5	8	3	5	87.9	61.2	119.0	12	2	10	157.9	80.0	196.1	37
39	1	-	1	4.5	0	6.4	-	-	-	0	0	0	-	-	-	0	0	0	38
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
41	74	24	50	336.4	381.0	318.5	24	21	3	263.7	428.6	71.4	53	18	35	697.4	720.0	686.3	40
42	7	1	6	31.8	15.9	38.2	-	-	-	0	0	0	-	-	-	0	0	0	41
43	9	1	8	40.9	15.9	51.0	10	4	6	109.9	81.6	142.9	6	-	6	78.9	0	117.6	42
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	43
45	1	-	1	4.5	0	6.4	-	-	-	0	0	0	-	-	-	0	0	0	44
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	45
47	1	-	1	4.5	0	6.4	-	-	-	0	0	0	-	-	-	0	0	0	46
48	3	-	3	13.6	0	19.1	-	-	-	0	0	0	1	1	-	13.2	40.0	0	47
49	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	13.2	40.0	0	48
50	4	1	3	18.2	15.9	19.1	5	4	1	54.9	81.6	23.8	1	1	-	13.2	40.0	0	49
51	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	50
52	1	-	1	4.5	0	6.4	-	-	-	0	0	0	-	-	-	0	0	0	51
53	2	1	1	9.1	15.9	6.4	3	1	2	33.0	20.4	47.6	2	-	2	26.3	0	39.2	52
54	5	4	1	22.7	63.5	6.4	2	1	1	22.0	20.4	23.8	-	-	-	0	0	0	53
55	2	-	2	9.1	0	12.7	-	-	-	0	0	0	1	-	1	13.2	0	19.6	54
56	11	1	10	50.0	15.9	63.7	4	1	3	44.0	20.4	71.4	1	-	1	13.2	0	19.6	55
57	4	1	3	18.2	15.9	19.1	-	-	-	0	0	0	1	1	-	13.2	40.0	0	56
58	2	-	2	9.1	0	12.7	1	1	-	11.0	20.4	0	1	-	1	13.2	0	19.6	57
59	6	1	5	27.3	15.9	31.8	-	-	-	0	0	0	2	1	1	26.3	40.0	19.6	58
60	20	7	13	90.9	111.1	82.8	4	4	-	44.0	81.6	0	7	3	4	92.1	120.0	78.4	59
61	1	1	-	4.5	15.9	0	1	-	1	11.0	0	23.8	-	-	-	0	0	0	60
62	5	-	5	22.7	0	31.8	1	-	1	11.0	0	23.8	4	1	3	52.6	40.0	58.8	61
63	17	1	16	77.3	15.9	101.9	7	5	2	76.9	102.0	47.6	4	2	2	52.6	80.0	39.2	62

TABLE XIII

VITAL STATISTICS, BY

ITEM	Camden						Candler						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
<b>LIVE BIRTHS</b>													
1 Total	267	151	116	33.0	36.8	29.0	157	84	73	20.9	17.5	27.0	1
2 Delivered in hospital	182	144	38	68.2%	95.4%	32.8%	126	78	48	80.3%	92.9%	65.8%	2
3 Delivered in home by physician	2	1	1	0.7%	0.7%	0.9%	8	3	5	5.1%	3.6%	6.8%	3
4 Delivered in home by midwife	83	6	77	31.1%	4.0%	66.4%	23	3	20	14.6%	3.6%	27.4%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	26	14	12	97.4	92.7	103.4	12	6	6	76.4	71.4	82.2	6
<b>FETAL DEATHS</b>													
Total	11	5	6	41.2	33.1	51.7	7	3	4	44.6	35.7	54.8	7
7 Under 20 weeks gestation	4	2	2	15.0	13.2	17.2	1	1	-	6.4	11.9	0	7
8 20-27 weeks gestation	2	1	1	7.5	6.6	8.6	2	-	-	12.7	0	27.4	8
9 28 weeks and more	5	2	3	18.7	13.2	25.9	4	2	2	25.5	23.8	27.4	9
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0	0
<b>DEATHS</b>													
10 Total, all ages	75	39	36	925.9	951.2	900.0	56	41	15	746.7	854.2	555.6	10
11 Under 1 year	6	6	-	22.5	39.7	0	5	3	2	31.8	35.7	27.4	11
12 Under 28 days	4	4	-	15.0	26.5	0	4	2	2	25.5	23.8	27.4	12
13 Deaths from immaturity	2	2	-	7.5	13.2	0	1	1	-	6.4	11.9	0	13
14 1-4 years **	5	1	4	-	-	-	-	-	-	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
<b>CAUSE OF DEATH</b>													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	2	1	1	26.7	20.8	37.0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	12	7	5	148.1	170.7	125.0	4	4	-	53.3	83.3	0	33
34 Benign and unspecified neoplasms (210-239)	1	-	1	12.3	0	25.0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	1	-	1	12.3	0	25.0	-	-	-	0	0	0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	8	2	6	98.8	48.8	150.0	14	8	6	186.7	166.7	222.2	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	20	11	9	246.9	268.3	225.0	14	11	3	186.7	229.2	111.1	41
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	1	1	-	13.3	20.8	0	42
43 Influenza and pneumonia (480-483, 490-493)	4	2	2	49.4	48.8	50.0	1	1	-	13.3	20.8	0	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	-	-	-	0	0	0	-	-	-	0	0	0	50
51 Hyperplasia of prostate (610)	2	-	2	24.7	0	50.0	1	1	-	13.3	20.8	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	1	1	-	12.3	24.4	0	2	-	2	26.7	0	74.1	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	-	-	-	0	0	0	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	2	2	-	24.7	48.8	0	3	3	-	40.0	62.5	0	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	2	1	1	26.7	20.8	37.0	58
59 Motor vehicle accidents (E810-E835)	8	6	2	98.8	146.3	50.0	2	2	-	26.7	41.7	0	59
60 All other accidents (E800-E802, E840-E962)	6	1	5	74.1	24.4	125.0	2	2	-	26.7	41.7	0	60
61 Suicide (E963, E970-E979)	1	1	-	12.3	24.4	0	2	1	1	26.7	20.8	37.0	61
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	-	-	-	0	0	0	62
63 All other diseases (residual)	9	6	3	111.1	146.3	75.0	6	5	1	80.0	104.2	37.0	63

See notes on page 87

COUNTY, BY RACE, GEORGIA, 1955

Carroll						Catoosa						Charlton						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
751	556	195	21.9	20.2	28.7	408	396	12	24.3	21.3	24.0	188	108	80	40.9	33.8	57.1	1
672	548	124	89.5%	98.6%	63.6%	403	396	7	98.8%	100.0%	58.3%	126	104	22	67.0%	96.3%	27.5%	2
14	5	9	1.9%	0.3%	4.6%	5	-	5	1.2%	0%	41.7%	2	1	1	1.1%	0.9%	1.2%	3
65	3	62	8.7%	0.5%	31.8%	-	-	-	0%	0%	0%	60	3	57	31.9%	2.8%	71.2%	4
-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
63	41	22	83.9	73.7	112.8	28	26	2	68.6	65.7	166.7	20	8	12	106.4	74.1	150.0	6
16	9	7	21.3	16.2	35.9	12	12	-	29.4	30.3	0	21	7	14	111.7	64.8	175.0	7
2	1	1	2.7	1.8	5.1	7	7	-	17.2	17.7	0	15	5	10	79.8	46.3	125.0	8
3	1	2	4.0	1.8	10.3	1	1	-	2.4	2.5	0	3	1	2	16.0	9.3	25.0	9
10	6	4	13.3	10.8	20.5	4	4	-	9.8	10.1	0	3	1	2	16.0	9.3	25.0	9
1	1	-	1.3	1.8	0	-	-	-	0	0	0	-	-	-	0	0	0	
279	228	51	813.4	829.1	750.0	98	96	2	583.3	589.0	400.0	54	24	30	1173.9	750.0	2142.9	10
23	12	11	30.6	21.6	56.4	8	8	-	19.6	20.2	0	15	2	13	79.6	18.5	162.5	11
13	10	3	17.3	18.0	15.4	6	6	-	14.7	15.2	0	8	1	7	42.6	9.3	67.5	12
2	3	2	6.7	5.4	10.3	-	-	-	0	0	0	3	3	3	16.0	0	37.5	13
3	2	1	-	-	-	6	6	-	-	-	-	3	2	1	-	-	-	14
1	1	1	13.3	0	51.3	-	-	-	0	0	0	-	-	-	0	0	0	15
3	1	2	3.7	3.6	29.4	1	1	-	6.0	6.1	0	-	-	-	0	0	0	16
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
-	-	-	0	0	0	1	1	-	6.0	6.1	0	-	-	-	0	0	0	24
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
-	-	-	0	0	0	1	1	-	6.0	6.1	0	2	2	-	43.5	62.5	0	32
43	37	6	125.4	134.5	88.2	16	16	-	95.2	98.2	0	5	4	1	108.7	125.0	71.4	33
1	1	-	2.9	3.6	0	1	1	-	6.0	6.1	0	-	-	-	0	0	0	34
2	2	-	5.8	7.3	0	-	-	-	0	0	0	1	-	1	21.7	0	71.4	35
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
1	1	-	2.9	3.6	0	-	-	-	0	0	0	-	-	-	0	0	0	37
5	36	9	131.2	130.9	132.4	16	15	1	95.2	92.0	200.0	6	4	2	130.4	125.0	142.9	38
-	-	-	0	0	0	-	-	-	0	0	0	1	1	1	21.7	0	71.4	39
1	1	-	2.9	3.6	0	-	-	-	0	0	0	-	-	-	0	0	0	40
93	86	7	271.1	312.7	102.9	29	29	-	172.6	177.9	0	10	4	6	217.4	125.0	428.6	41
3	3	-	8.7	10.9	0	2	2	-	11.9	12.3	0	1	1	-	21.7	31.2	0	42
8	4	4	23.3	14.5	58.8	3	3	-	17.9	18.4	0	2	2	-	43.5	62.5	0	43
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
1	1	-	2.9	3.6	0	-	-	-	0	0	0	1	-	1	21.7	0	71.4	45
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
2	1	1	5.8	3.6	14.7	-	-	-	0	0	0	-	-	-	0	0	0	47
1	1	-	2.9	3.6	0	-	-	-	0	0	0	3	-	3	65.2	0	214.3	48
-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	43.5	0	142.9	49
5	4	1	14.6	14.5	14.7	-	-	-	0	0	0	-	-	-	0	0	0	50
-	-	-	0	0	0	1	1	-	6.0	6.1	0	1	1	-	21.7	31.2	0	51
1	-	1	2.9	0	14.7	-	-	-	0	0	0	-	-	-	0	0	0	52
4	4	-	11.7	14.5	0	3	3	-	17.9	18.4	0	1	-	1	21.7	0	71.4	53
4	4	-	11.7	14.5	0	4	4	-	23.8	24.5	0	2	-	2	43.5	0	142.9	54
1	-	1	2.9	0	14.7	-	-	-	0	0	0	1	-	1	21.7	0	71.4	55
6	3	3	17.5	10.9	44.1	-	-	-	0	0	0	3	-	3	65.2	0	214.3	56
57	-	-	0	0	0	1	-	1	6.0	0	200.0	-	-	-	0	0	0	57
1	-	1	2.9	0	14.7	1	1	-	6.0	6.1	0	2	1	1	43.5	31.2	71.4	58
10	10	-	29.2	36.4	0	4	4	-	23.8	24.5	0	3	2	1	65.2	62.5	71.4	59
14	8	6	40.8	29.1	88.2	6	6	-	35.7	36.8	0	5	2	3	108.7	62.5	214.3	60
2	2	-	5.8	7.3	0	-	-	-	0	0	0	-	-	-	0	0	0	61
4	4	-	11.7	0	58.8	-	-	-	0	0	0	-	-	-	0	0	0	62
23	18	5	67.1	65.5	73.5	8	8	-	47.6	49.1	0	2	1	1	43.5	31.2	71.4	63

ITEM	Chatham						Chattahoochee					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>												
1 Total	5,065	3,240	1,825	30.5	31.2	29.3	47	28	19	39.2	46.7	31.7
2 Delivered in hospital	4,845	3,235	1,610	95.7%	99.8%	88.2%	35	27	8	74.6%	96.4%	42.1%
3 Delivered in home by physician	216	4	212	4.3%	0.1%	11.6%	-	-	-	0%	0%	0%
4 Delivered in home by midwife	3	-	3	0.1%	0%	0.2%	12	1	11	25.5%	3.6%	57.9%
5 Other deliveries	1	1	-	0.0%	0.0%	0%	-	-	-	0%	0%	0%
6 Immature births	384	198	186	75.8	61.1	101.9	3	1	2	63.8	35.7	105.3
<b>FETAL DEATHS</b>												
7 Total	304	205	99	60.0	63.3	54.2	-	-	-	0	0	0
8 Under 20 weeks gestation	176	147	29	34.7	45.4	15.9	-	-	-	0	0	0
9 20-27 weeks gestation	39	18	21	7.7	5.6	11.5	-	-	-	0	0	0
28 weeks and more	78	32	46	15.4	9.9	25.2	-	-	-	0	0	0
Unknown length of gestation	11	8	3	2.2	2.5	1.6	-	-	-	0	0	0
<b>DEATHS</b>												
10 Total, all ages	1,661	825	836	998.8	793.3	1341.9	10	4	6	833.3	666.7	1000.0
11 Under 1 year	151	60	91	29.8	18.5	49.9	1	1	-	21.3	35.7	0
12 Under 28 days	106	45	61	20.9	13.9	33.4	-	-	-	0	0	0
13 Deaths from immaturity	43	15	28	8.5	4.6	15.3	-	-	-	0	0	0
14 1-4 years **	39	18	21	-	-	-	-	-	-	0	0	0
15 Maternal deaths	4	1	3	7.9	3.1	16.4	-	-	-	0	0	0
<b>CAUSE OF DEATH</b>												
16 Tuberculosis, all forms (001-019)	20	5	15	12.0	4.8	24.1	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	9	2	7	5.4	1.9	11.2	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	4	2	2	2.4	1.9	3.2	-	-	-	0	0	0
25 Acute poliomyelitis (080)	1	1	-	0.6	1.0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	5	1	2	1.8	1.0	3.2	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	205	126	79	123.3	121.2	126.8	1	1	-	83.3	166.7	0
34 Benign and unspecified neoplasms (210-239)	7	4	3	4.2	3.8	4.8	-	-	-	0	0	0
35 Diabetes mellitus (260)	21	9	12	12.6	8.7	19.3	-	-	-	0	0	0
36 Pellagra (281)	1	-	1	0.6	0	1.6	-	-	-	0	0	0
37 Anemias (290-293)	6	4	2	3.6	3.8	3.2	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	326	137	189	196.0	131.7	303.4	-	-	-	0	0	0
39 Nonmeningococcal meningitis (340)	3	1	2	1.8	1.0	3.2	-	-	-	0	0	0
40 Rheumatic fever (400-402)	7	1	6	4.2	1.0	9.6	-	-	-	0	0	0
41 Heart diseases (410-443)	532	306	226	319.9	294.2	362.8	2	1	1	166.7	166.7	166.7
42 Hypertension without mention of heart (444-447)	14	4	10	8.4	3.8	16.1	-	-	-	0	0	0
43 Influenza and pneumonia (480-483, 490-493)	61	14	47	36.7	13.5	75.4	1	1	-	83.3	166.7	0
44 Bronchitis (500-502)	6	3	3	3.6	2.9	4.8	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	6	3	3	3.6	2.9	4.8	-	-	-	0	0	0
46 Appendicitis (550-553)	2	-	2	1.2	0	3.2	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	6	2	4	3.6	1.9	6.4	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	14	5	9	8.4	4.8	14.4	-	-	-	0	0	0
49 Cirrhosis of liver (581)	12	8	4	7.2	7.7	6.4	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	28	6	22	16.8	5.8	35.3	1	-	1	83.3	0	166.7
51 Hyperplasia of prostate (610)	4	4	-	2.4	3.8	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	4	1	3	2.4	1.0	4.8	-	-	-	0	0	0
53 Congenital malformations (750-759)	26	20	6	15.6	19.2	9.6	-	-	-	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	40	17	23	24.1	16.3	36.9	-	-	-	0	0	0
55 Infection of the newborn (763-768)	5	2	3	3.0	1.9	4.8	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	50	17	33	30.1	16.3	53.0	-	-	-	0	0	0
57 Senility, without mention of psychosis (794)	2	2	-	1.2	1.9	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	3	-	3	1.8	0	4.8	-	-	-	0	0	0
59 Motor vehicle accidents (E810-E835)	50	31	19	30.1	29.8	30.5	1	-	1	83.3	0	166.7
60 All other accidents (E800-E802, E840-E962)	57	27	30	34.3	26.0	48.2	2	1	1	166.7	166.7	166.7
61 Suicide (E963, E970-E979)	9	8	1	5.4	7.7	1.6	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	24	-	24	14.4	0	38.5	-	-	-	0	0	0
63 All other diseases (residual)	93	52	41	55.9	50.0	65.8	2	-	2	166.7	0	333.3



COUNTY, BY RACE, GEORGIA, 1955

	Chattooga						Cherokee						Clarke						
	Number			Rate or Ratio*			Number			Rate or Ratio*			Number			Rate or Ratio*			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	484	434	50	21.3	21.4	20.8	481	464	17	22.7	23.1	15.5	919	622	297	22.6	20.7	28.3	1
2	467	430	37	96.5	99.1	74.0	470	455	15	97.7	98.1	88.2	893	620	273	97.2	99.7	91.9	2
3	5	3	2	1.0	0.7	4.0	4	4	-	0.8	0.9	0	8	1	7	0.9	0.2	2.4	3
4	12	1	11	2.5	0.2	22.0	7	5	2	1.5	1.1	11.8	18	1	17	2.0	0.2	5.7	4
5	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	5
6	71	61	10	146.7	140.6	200.0	34	34	-	70.7	73.3	0	75	34	41	81.6	54.7	138.0	6
7	32	27	5	66.1	62.2	100.0	8	8	-	16.6	17.2	0	46	31	15	50.1	49.8	50.5	7
8	18	17	1	37.2	39.2	20.0	2	2	-	4.2	4.3	0	24	22	2	26.1	35.4	6.7	8
9	4	4	-	8.3	9.2	0	1	1	-	2.1	2.2	0	9	1	8	9.8	1.6	26.9	9
10	6	3	3	12.4	6.9	60.0	5	5	-	10.4	10.8	0	12	7	5	13.1	11.3	16.8	
11	4	3	1	8.3	6.9	20.0	-	-	-	0	0	0	1	1	-	1.1	1.6	0	
12	136	119	17	599.1	586.2	708.3	147	134	13	693.4	666.7	1181.8	318	191	127	783.3	634.6	1209.5	10
13	18	13	5	37.2	30.0	100.0	12	11	1	24.9	23.7	58.8	27	13	14	29.4	20.9	77.1	11
14	11	7	4	22.7	16.1	80.0	7	7	-	14.6	15.1	0	17	11	6	18.5	17.7	20.2	12
15	1	1	-	2.1	2.3	0	1	1	-	2.1	2.2	0	4	2	2	4.4	3.2	6.7	13
16	1	-	1	-	-	-	3	2	1	-	-	-	4	2	2	-	-	-	14
17	1	1	-	20.7	23.0	0	-	-	-	0	0	0	-	-	-	0	0	0	15
18	1	1	-	4.4	4.9	0	1	1	-	4.7	5.0	0	3	1	2	7.4	3.3	19.0	16
19	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	2.5	0	9.5	17
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
22	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	2.5	3.3	0	20
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
32	2	2	-	8.8	9.9	0	1	1	-	4.7	5.0	0	-	-	-	0	0	0	30
33	21	18	3	92.5	86.7	125.0	21	21	-	99.1	107.5	0	34	23	11	83.7	76.4	107.8	31
34	-	-	-	0	0	0	2	2	-	9.4	10.0	0	-	-	-	0	0	0	32
35	1	1	-	4.4	4.9	0	2	2	-	9.4	10.0	0	5	1	4	12.3	3.3	38.1	33
36	1	1	-	4.4	4.9	0	2	2	-	9.4	10.0	0	-	-	-	0	0	0	34
37	1	1	-	4.4	4.9	0	-	-	-	0	0	0	1	1	-	2.5	3.3	0	35
38	20	16	4	63.1	78.3	166.7	20	26	2	132.1	129.4	101.0	58	33	20	142.9	126.2	190.5	36
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
40	-	-	-	0	0	0	1	1	-	4.7	5.0	0	-	-	-	0	0	0	38
41	39	37	2	172.8	182.3	33.3	39	45	4	231.1	223.9	363.6	94	61	33	231.5	202.7	314.3	39
42	-	-	-	0	0	0	-	-	-	0	0	0	4	-	8	9.9	0	38.1	40
43	11	11	-	48.3	54.2	0	5	5	-	23.6	24.9	0	12	4	7	29.6	13.3	76.2	41
44	-	-	-	0	0	0	-	-	-	0	0	0	3	2	1	7.4	6.6	9.5	42
45	-	-	-	0	0	0	1	1	-	4.7	5.0	0	4	2	2	9.9	6.6	19.0	43
46	1	-	1	4.4	0	41.7	1	1	-	4.7	5.0	0	-	-	-	0	0	0	44
47	-	-	-	0	0	0	1	1	-	4.7	5.0	0	3	2	1	7.4	6.6	9.5	45
48	-	-	-	0	0	0	3	2	1	14.2	10.0	90.9	4	1	3	9.9	3.3	28.6	46
49	-	-	-	0	0	0	2	2	-	9.4	10.0	0	1	1	-	2.5	3.3	0	47
50	-	-	-	0	0	0	-	-	-	0	0	0	11	3	8	27.1	10.0	76.2	48
51	-	-	-	0	0	0	1	-	1	4.7	0	90.9	4	2	2	9.9	6.6	19.0	49
52	1	1	-	4.4	4.9	0	-	-	-	0	0	0	-	-	-	0	0	0	50
53	2	1	1	8.8	4.9	41.7	-	-	-	0	0	0	7	4	3	17.2	13.3	28.6	51
54	5	4	1	22.0	19.7	41.7	4	4	-	18.9	19.9	0	8	7	1	19.7	23.3	9.5	52
55	4	3	1	17.6	14.8	41.7	-	-	-	0	0	0	-	-	-	0	0	0	53
56	2	1	1	8.8	4.9	41.7	1	1	-	4.7	5.0	0	6	3	3	14.8	10.0	28.6	54
57	-	-	-	0	0	0	1	1	-	4.7	5.0	0	-	-	-	0	0	0	55
58	1	-	1	4.4	0	41.7	2	2	-	9.4	10.0	0	1	1	-	2.5	3.3	0	56
59	4	3	1	17.6	14.8	41.7	3	2	1	14.2	10.0	90.9	8	6	2	19.7	19.9	19.0	57
60	6	5	1	26.4	24.6	41.7	2	2	-	9.4	10.0	0	8	2	6	19.7	6.6	57.1	58
61	2	2	-	8.8	9.9	0	1	1	-	4.7	5.0	0	5	5	-	12.3	16.6	0	59
62	2	2	-	8.8	9.9	0	1	-	1	4.7	0	90.9	4	2	2	9.9	6.6	19.0	60
63	0	0	0	0	0	0	11	8	3	51.9	39.8	272.7	28	18	10	69.0	59.8	92.2	61

ITEM	Clay						Clayton					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>												
1 Total	142	20	122	27.3	12.5	33.9	94.8	822	126	32.4	33.4	26.0
2 Delivered in hospital	44	19	25	31.0	95.0	20.5	868	816	52	91.6	99.3	41.3
3 Delivered in home by physician	1	-	1	0.7	0	0.3	33	4	29	3.5	0.5	23.0
4 Delivered in home by midwife	97	1	96	68.3	5.0	78.7	47	2	45	5.0	0.2	35.7
5 Other deliveries	-	-	-	0	0	0	-	-	-	0	0	0
6 Immature births	13	1	12	91.5	50.0	98.4	62	46	16	65.4	56.0	127.0
<b>FETAL DEATHS</b>												
7 Total	3	-	3	21.1	0	24.6	40	29	11	42.2	35.3	87.3
8 Under 20 weeks gestation	-	-	-	0	0	0	18	17	1	19.0	20.7	7.9
9 20-27 weeks gestation	1	-	1	7.0	0	8.2	4	2	2	4.2	2.4	15.9
28 weeks and more	1	-	1	7.0	0	8.2	16	9	7	16.9	10.9	55.6
Unknown length of gestation	1	-	1	7.0	0	8.2	2	1	1	2.1	1.2	7.9
<b>DEATHS</b>												
10 Total, all ages	52	24	28	1000.0	500.0	777.8	171	134	37	583.6	544.7	787.2
11 Under 1 year	3	-	3	21.1	0	24.6	21	15	6	22.2	18.2	47.6
12 Under 28 days	3	-	3	21.1	0	24.6	12	10	2	12.7	12.2	15.9
13 Deaths from immaturity	1	-	1	7.0	0	8.2	3	2	1	3.2	2.4	7.9
14 1-4 years **	2	-	2	14.2	0	16.4	1	1	-	1.1	1.2	1.5
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0
<b>CAUSE OF DEATH</b>												
16 Tuberculosis, all forms (001-019)	1	-	1	19.2	0	27.8	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	2	1	1	6.8	4.1	21.3
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	1	1	-	3.4	4.1	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	1	1	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	3.4	4.1	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	3	2	1	57.7	125.0	27.8	24	22	2	81.9	89.4	42.6
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	2	-	2	38.5	0	55.6	2	1	1	6.8	4.1	21.3
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	13	4	9	250.0	250.0	250.0	19	15	4	64.8	61.0	85.1
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	1	1	-	3.4	4.1	0
41 Heart diseases (410-443)	23	15	8	442.3	937.5	222.2	53	41	12	180.9	166.7	255.3
42 Hypertension without mention of heart (444-447)	1	-	1	19.2	0	27.8	4	2	2	13.7	8.1	42.6
43 Influenza and pneumonia (480-483, 490-493)	2	1	1	38.5	62.5	27.8	9	4	5	30.7	16.3	106.4
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	1	1	-	3.4	4.1	0
49 Cirrhosis of liver (581)	-	-	-	0	0	0	2	2	-	6.8	8.1	0
50 Nephritis and nephrosis (590-594)	-	-	-	0	0	0	5	3	2	17.1	12.2	42.6
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	-	-	-	0	0	0	6	5	1	20.5	20.3	21.3
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	-	1	19.2	0	27.8	4	4	-	13.7	16.3	0
55 Infection of the newborn (763-768)	1	-	1	19.2	0	27.8	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	-	1	19.2	0	27.8	5	4	1	17.1	16.3	21.3
57 Senility, without mention of psychosis (794)	1	1	-	19.2	62.5	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	-	-	-	0	0	0
59 Motor vehicle accidents (E810-E835)	-	-	-	0	0	0	5	4	1	17.1	16.3	21.3
60 All other accidents (E800-E802, E840-E962)	-	-	-	0	0	0	4	4	-	13.7	16.3	0
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	4	4	-	13.7	16.3	0
62 Homicide (E964, E980-E985)	1	1	-	19.2	62.5	0	4	4	-	13.7	16.3	0
63 All other diseases (residual)	2	-	2	38.5	0	55.6	15	14	1	51.2	56.9	21.3

COUNTY, BY RACE, GEORGIA, 1955

	Cline						Cobb						Coffee						
	Number			Rate or Ratio*			Number			Rate or Ratio*			Number			Rate or Ratio*			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	266	149	117	45.9	39.2	58.5	2,547	2,07	240	33.0	33.2	31.6	666	419	247	26.2	21.9	39.2	1
2	229	144	85	86.1	96.6	72.6	2,492	2,293	199	97.8	99.4	82.9	513	410	103	77.0	97.9	41.7	2
3		3	1	1.5	2.0	0.9	18	9	9	0.7	0.4	3.8	5	1	4	0.8	0.2	1.6	3
4	33	2	31	12.4	1.3	26.5	34	2	32	1.3	0.1	13.3	148	8	140	22.2	1.9	56.7	4
5				0	0	0	3	3		0.1	0.1	0				0	0	0	5
6	26	15	13	105.3	100.7	111.1	205	171	34	80.5	74.1	141.7	67	35	32	100.6	83.5	129.6	6
7	14	9	5	52.6	60.4	42.7	82	64	18	32.2	27.7	75.0	53	33	20	79.6	78.8	81.0	
8	4	3	1	15.0	20.1	8.5	35	26	9	13.7	11.3	37.5	30	23	7	45.0	54.9	28.3	7
9	6	3	1	15.0	20.1	8.5	14	8	6	5.5	3.5	25.0	3	1	2	4.5	2.4	8.1	8
				22.6	20.1	25.6	29	27	2	11.4	11.7	8.3	18	7	11	27.0	16.7	44.5	9
				0	0	0	4	3	1	1.6	1.3	4.2	2	2		3.0	4.8	0	
10	81	47	34	1396.6	1236.8	1700.0	547	458	89	709.5	659.0	1171.1	183	121	62	720.5	633.5	984.1	10
11	19	11	8	71.4	73.8	68.4	80	69	11	31.4	29.9	35.8	28	18	10	42.0	43.0	40.5	11
12	13	9	4	10.9	60.4	34.2	61	54	7	23.9	23.4	29.2	18	15	3	27.0	35.8	12.1	12
13	5	2	1	11.3	13.4	8.5	11	10	1	4.3	4.3	4.2	11	10	1	16.5	23.9	4.0	13
14	2	2					10	9	1				3	2	1				14
15				0	0	0				0	0	0	1	1		15.0	23.9	0	15
16	1	1		17.2	26.5	0	4	3	1	5.2	4.3	13.2	3	1	2	11.8	5.2	31.7	16
17				0	0	0	1		1	1.3	0	13.2				0	0	0	17
18				0	0	0				0	0	0				0	0	0	18
19				0	0	0				0	0	0				0	0	0	19
20				0	0	0				0	0	0				0	0	0	20
21				0	0	0				0	0	0				0	0	0	21
22				0	0	0				0	0	0				0	0	0	22
23				0	0	0				0	0	0				0	0	0	23
24				0	0	0				0	0	0				0	0	0	24
25				0	0	0				0	0	0				0	0	0	25
26				0	0	0				0	0	0				0	0	0	26
27				0	0	0				0	0	0				0	0	0	27
28				0	0	0				0	0	0				0	0	0	28
29				0	0	0				0	0	0				0	0	0	29
30				0	0	0				0	0	0				0	0	0	30
31				0	0	0				0	0	0				0	0	0	31
32				0	0	0	1	1		1.3	1.4	0				0	0	0	32
33	4	2	2	69.0	52.6	100.0	72	64	8	93.4	92.1	105.3	17	15	2	66.9	78.5	31.7	33
34				0	0	0	3	3		3.9	4.3	0				0	0	0	34
35				0	0	0	6	3	3	7.8	4.3	39.5	3	2	1	11.8	10.5	15.9	35
36				0	0	0				0	0	0				0	0	0	36
37				0	0	0	1	1		1.3	1.4	0				0	0	0	37
38	9	7	2	155.2	184.2	100.0	8	71	13	108.9	102.2	171.1	23	19	4	90.6	99.5	63.5	38
39				0	0	0	2	2		2.6	2.9	0	1		1	3.9	0	15.9	39
40				0	0	0	1	1		1.3	1.4	0				0	0	0	40
41	28	15	13	482.8	394.7	650.0	163	140	23	217.9	201.4	368.4	45	30	15	177.2	157.1	238.1	41
42				0	0	0	3	3		3.9	4.3	0	1	1		3.9	5.2	0	42
43	2		2	34.5	0	100.0	16	9	7	20.8	12.9	92.1	10	2	8	39.4	10.5	127.0	43
44				0	0	0	1	1		1.3	1.4	0	1	1		3.9	5.2	0	44
45				0	0	0	4	3	1	5.2	4.3	13.2	1	1		3.9	5.2	0	45
46				0	0	0	2	2		2.6	2.9	0				0	0	0	46
47				0	0	0	1	1		1.3	1.4	0	1	1		3.9	5.2	0	47
48	2		2	34.5	0	100.0	4	3	1	5.2	4.3	13.2	2	1	1	7.9	5.2	15.9	48
49	2	1	1	34.5	26.3	50.0	4	3	1	5.2	4.3	13.2				0	0	0	49
50				0	0	0	7	6	1	9.1	8.6	13.2	1		1	3.9	0	15.9	50
51				0	0	0				0	0	0	3	1	2	11.8	5.2	31.7	51
52				0	0	0				0	0	0	1	1		3.9	5.2	0	52
53	2	2		34.5	52.6	0	10	10		13.0	14.4	0	1	1		3.9	5.2	0	53
54	6	4	2	103.4	105.3	100.0	34	29	5	44.1	41.7	65.8	5	4	1	19.7	20.9	15.9	54
55	3	2	1	51.7	52.6	50.0	3	2	1	3.9	2.9	13.2				0	0	0	55
56	4	3	1	69.0	78.9	50.0	15	14	1	19.5	20.1	13.2	13	11	2	51.2	57.6	31.7	56
57				0	0	0				0	0	0				0	0	0	57
58	1		1	17.2	0	50.0	2		2	2.6	0	26.3	3	1	2	11.8	5.2	31.7	58
59	6	6		103.4	157.9	0	32	29	3	41.5	41.7	39.5	5	5		19.7	26.2	0	59
60	1		1	17.2	0	50.0	23	17	6	29.8	24.5	78.9	15	7	8	59.1	36.6	127.0	60
61				0	0	0	11	11		14.3	15.8	0	4	4		15.7	20.9	0	61
62	3		3	51.7	0	150.0	4	2	2	5.2	2.9	26.3	8		8	31.5	0	127.0	62
63	7	4	3	120.7	105.3	150.0	28	24	4	36.3	34.5	52.6	16	12	4	63.0	62.8	65.5	63

ITEM	Colquitt						Columbia					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>												
1 Total	934	647	287	26.9	24.0	33.4	427	262	165	44.0	46.8	40.2
2 Delivered in hospital	771	632	139	82.5%	97.7%	48.4%	316	257	59	71.0%	98.1%	35.8%
3 Delivered in home by physician	23	9	14	2.5%	1.4%	4.9%	16	3	13	3.7%	1.1%	7.9%
4 Delivered in home by midwife	140	6	134	15.0%	0.9%	46.7%	95	2	93	22.2%	0.8%	56.4%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	80	45	32	85.7	74.2	111.5	39	24	15	91.3	91.6	90.9
<b>FETAL DEATHS</b>												
Total	32	16	16	34.3	24.7	55.7	11	4	7	25.8	15.3	42.4
7 Under 20 weeks gestation	13	7	6	13.9	10.8	20.9	4	3	1	9.4	11.4	6.1
8 20-27 weeks gestation	2	-	2	2.1	0	7.0	1	-	1	2.3	0	6.1
9 28 weeks and more	15	8	7	16.1	12.4	24.4	4	-	4	9.4	0	24.2
Under 20 weeks length of gestation	2	1	1	2.1	1.5	3.5	2	1	1	4.7	3.8	6.1
<b>DEATHS</b>												
10 Total, all ages	264	198	66	760.8	758.6	767.4	101	54	47	1041.2	964.3	1146.3
11 Under 1 year	21	11	10	22.5	17.0	34.8	12	5	7	28.1	19.1	42.4
12 Under 28 days	12	5	7	12.6	7.7	24.4	5	3	2	11.7	11.4	12.1
13 Deaths from immaturity	5	1	4	5.4	1.5	13.9	1	-	1	2.3	0	6.1
14 1-4 years **	5	3	2	-	-	-	1	-	1	-	-	-
15 Maternal deaths	-	-	-	0	0	0	1	1	-	23.4	30.2	0
<b>CAUSE OF DEATH</b>												
16 Tuberculosis, all forms (001-019)	2	2	-	5.8	7.7	0	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	1	-	1	2.9	0	11.6	1	-	1	10.3	0	24.4
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	1	1	-	2.9	3.8	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	1	1	-	10.3	17.9	0
23 Whooping cough (056)	1	-	1	2.9	0	11.6	1	1	1	10.3	0	24.4
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	-	1	2.9	0	11.6	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	29	19	10	83.6	72.8	116.3	7	4	3	72.2	71.4	73.2
34 Benign and unspecified neoplasms (210-239)	1	1	-	2.9	3.8	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	7	5	2	20.2	19.2	23.3	-	-	-	0	0	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	1	1	-	2.9	3.8	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	49	36	13	141.2	137.9	151.2	17	7	10	175.3	125.0	243.9
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	74	63	6	213.3	260.5	69.8	34	20	14	350.5	357.1	341.5
42 Hypertension without mention of heart (444-447)	1	1	-	2.9	3.8	0	1	-	1	10.3	0	24.4
43 Influenza and pneumonia (480-483, 490-493)	11	6	5	31.7	23.0	58.1	7	2	5	72.2	35.7	122.0
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	2.9	3.8	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	1	1	5.8	3.8	11.6	1	-	1	10.3	0	24.4
49 Cirrhosis of liver (581)	3	3	-	8.6	11.5	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	6	4	2	17.3	15.3	23.3	1	1	-	10.3	17.9	0
51 Hyperplasia of prostate (610)	1	-	1	2.9	0	11.6	1	-	1	10.3	0	24.4
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	1	1	-	10.3	17.9	0
53 Congenital malformations (750-759)	4	3	1	11.5	11.5	11.6	1	1	-	10.3	17.9	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	4	3	1	11.5	11.5	11.6	5	3	2	51.5	53.6	48.8
55 Infection of the newborn (763-768)	1	-	1	2.9	0	11.6	-	-	-	0	0	0
56 Other diseases peculiar to early infancy; and immaturity unqualified (769-776)	5	1	4	14.4	3.8	46.5	1	-	1	10.3	0	24.4
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	7	1	6	20.2	3.8	69.8	1	1	-	10.3	17.9	0
59 Motor vehicle accidents (E810-E835)	14	13	1	40.3	49.8	11.6	5	3	2	51.5	53.6	48.8
60 All other accidents (E800-E802, E840-E962)	13	12	1	37.5	46.0	11.6	5	3	2	51.5	53.6	48.8
61 Suicide (E963, E970-E979)	2	2	-	5.8	7.7	0	2	2	-	20.6	35.7	0
62 Homicide (E964, E980-E985)	4	1	3	11.5	3.8	34.9	2	1	1	20.6	17.9	24.4
63 All other diseases (residual)	18	13	5	51.9	49.8	58.1	6	4	2	61.9	71.4	46.8



TABLE XIII

VITAL STATISTICS, BY

ITEM	Crisp						Dade					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>												
1 Total	489	219	270	27.5	21.9	34.6	221	221	-	27.3	27.6	0
2 Delivered in hospital	245	204	41	50.1%	93.2%	15.2%	192	192	-	86.9%	86.9%	0
3 Delivered in home by physician	1	1	-	0.2%	0.5%	0.7%	6	6	-	2.7%	2.7%	0
4 Delivered in home by midwife	243	14	229	49.7%	6.4%	84.8%	2	2	-	0.9%	0.9%	0
5 Other deliveries	-	-	-	0%	0%	0%	21	21	-	9.5%	9.5%	0
6 Immature births	34	15	19	69.5	68.5	70.4	12	12	-	54.3	54.3	0
<b>FETAL DEATHS</b>												
7 Total	44	16	28	90.0	73.1	103.7	2	2	-	9.0	9.0	0
8 Under 20 weeks gestation	24	12	12	49.1	54.8	44.4	-	-	-	0	0	0
9 20-27 weeks gestation	8	2	6	16.4	9.1	22.2	-	-	-	0	0	0
28 weeks and more	10	1	9	20.4	4.6	33.3	2	2	-	9.0	9.0	0
Unknown length of gestation	2	1	1	4.1	4.6	3.7	-	-	-	0	0	0
<b>DEATHS</b>												
10 Total, all ages	163	70	93	915.7	700.0	1192.3	63	63	-	777.8	787.5	0
11 Under 1 year	16	3	13	32.7	13.7	48.1	5	5	-	22.6	22.6	0
12 Under 28 days	11	3	8	22.5	13.7	29.6	3	3	-	13.6	13.6	0
13 Deaths from immaturity	5	1	4	10.2	4.6	14.8	-	-	-	0	0	0
14 1-4 years **	3	-	3	-	-	-	1	1	-	0	0	0
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0
<b>CAUSE OF DEATH</b>												
16 Tuberculosis, all forms (001-019)	2	-	2	11.2	0	25.6	1	1	-	12.3	12.5	0
17 Syphilis and its sequelae (020-029)	1	1	-	5.6	10.0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	21	12	9	118.0	120.0	115.4	6	6	-	74.1	75.0	0
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	4	2	2	22.5	20.0	25.6	1	1	-	12.3	12.5	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	31	9	22	174.2	90.0	282.1	6	6	-	74.1	75.0	0
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	58	31	27	325.8	310.0	346.2	19	19	-	234.6	237.5	0
42 Hypertension without mention of heart (444-447)	3	2	1	16.9	20.0	12.8	2	2	-	24.6	25.0	0
43 Influenza and pneumonia (480-483, 490-493)	5	-	5	28.1	0	64.1	6	6	-	74.1	75.0	0
44 Bronchitis (500-502)	1	1	-	5.6	10.0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	1	-	1	5.6	0	12.8	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	1	5.6	0	12.8	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	-	2	11.2	0	25.6	-	-	-	0	0	0
49 Cirrhosis of liver (581)	2	-	2	11.2	0	25.6	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	2	-	2	11.2	0	25.6	2	2	-	24.6	25.0	0
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	1	1	-	5.6	10.0	0	-	-	-	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	1	1	11.2	10.0	12.8	2	2	-	24.6	25.0	0
55 Infection of the newborn (763-768)	2	-	2	11.2	0	25.6	1	1	-	12.3	12.5	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	6	1	5	33.7	10.0	64.1	-	-	-	0	0	0
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	1	-	1	5.6	0	12.8	1	1	-	12.3	12.5	0
59 Motor vehicle accidents (E810-E835)	4	3	1	22.5	30.0	12.8	12	12	-	148.1	150.0	0
60 All other accidents (E800-E802, E840-E962)	4	3	1	22.5	30.0	12.8	2	2	-	24.6	25.0	0
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	2	1	1	11.2	10.0	12.8	1	1	-	12.3	12.5	0
63 All other diseases (residual)	7	2	5	39.3	20.0	64.1	1	1	-	12.3	12.5	0

See notes on page 87



ITEM	Dodge						Dooly					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>												
1 Total	439	279	160	26.9	24.3	33.3	324	131	193	25.3	22.2	28.0
2 Delivered in hospital	262	245	17	59.7%	87.8%	10.6%	149	119	30	46.0%	90.8%	15.5%
3 Delivered in home by physician	44	20	24	10.0%	7.2%	15.0%	23	5	18	7.1%	3.8%	9.3%
4 Delivered in home by midwife	132	13	119	30.1%	4.7%	74.4%	152	7	145	46.9%	5.3%	75.1%
5 Other deliveries	1	1	-	0.2%	0.4%	0%	-	-	-	0%	0%	0%
6 Immature births	29	18	11	66.1	64.5	68.8	22	11	11	67.9	84.0	57.0
<b>FETAL DEATHS</b>												
7 Total	8	3	5	18.2	10.8	31.2	10	3	7	30.9	22.9	36.3
8 Under 20 weeks gestation	1	-	1	2.3	0	6.2	-	-	0	0	0	0
9 20-27 weeks gestation	2	1	1	4.6	3.6	6.2	1	-	1	3.1	0	5.2
28 weeks and more	3	1	2	6.8	0	18.8	8	3	5	24.7	22.9	25.9
Unknown length of gestation	2	1	1	4.6	7.2	0	1	-	1	3.1	0	5.2
<b>DEATHS</b>												
10 Total, all ages	140	109	31	858.9	947.8	645.8	128	62	66	1000.0	1050.8	956.5
11 Under 1 year	7	6	1	15.9	21.5	6.2	10	3	7	30.9	22.9	36.3
12 Under 28 days	5	5	-	11.4	17.9	0	5	3	2	15.4	22.9	10.4
13 Deaths from immaturity	2	2	-	4.6	7.2	0	4	1	3	12.3	7.6	15.5
14 1-4 years	1	1	-	-	-	-	1	-	1	-	-	-
15 Maternal deaths	-	-	-	0	0	0	1	-	1	30.9	0	51.8
<b>CAUSE OF DEATH</b>												
16 Tuberculosis, all forms (001-019)	1	1	-	6.1	8.7	0	2	-	2	15.6	0	29.0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	1	1	-	6.1	8.7	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	24	19	5	147.2	165.2	104.2	14	12	2	109.4	203.4	29.0
34 Benign and unspecified neoplasms (210-239)	1	-	1	6.1	0	20.8	-	-	-	0	0	0
35 Diabetes mellitus (260)	3	1	2	18.4	8.7	41.7	2	2	-	15.6	33.9	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	21	19	2	128.8	165.2	41.7	21	9	12	164.1	152.5	173.9
39 Nonmeningococcal meningitis (340)	1	1	-	6.1	8.7	0	1	-	1	7.8	0	14.5
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	48	37	11	294.5	321.7	229.2	29	18	11	226.6	305.1	159.4
42 Hypertension without mention of heart (444-447)	1	-	1	6.1	0	20.8	1	-	1	7.8	0	14.5
43 Influenza and pneumonia (480-483, 490-493)	2	1	1	12.3	8.7	20.8	13	2	11	101.6	33.9	159.4
44 Bronchitis (500-502)	1	-	1	6.1	0	20.8	1	-	1	7.8	0	14.5
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	6.1	0	20.8	-	-	-	0	0	0
49 Cirrhosis of liver (581)	1	1	-	6.1	8.7	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	3	3	-	18.4	26.1	0	12	5	7	93.8	84.7	101.4
51 Hyperplasia of prostate (610)	2	1	1	12.3	8.7	20.8	1	-	1	7.8	0	14.5
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	1	-	1	7.8	0	14.5
53 Congenital malformations (750-759)	-	-	-	0	0	0	2	2	-	15.6	33.9	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	-	-	-	0	0	0
55 Infection of the newborn (763-768)	1	1	-	6.1	8.7	0	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	3	-	18.4	26.1	0	5	2	3	39.1	33.9	43.5
57 Senility, without mention of psychosis (794)	1	-	-	0	0	0	2	1	1	15.6	16.9	14.5
58 Ill-defined and unknown causes (780-793, 795)	1	1	-	6.1	8.7	0	2	-	2	15.6	0	29.0
59 Motor vehicle accidents (E810-E835)	4	4	-	24.5	34.8	0	2	1	1	15.6	16.9	14.5
60 All other accidents (E800-E802, E840-E962)	8	6	2	49.1	52.2	41.7	3	2	1	23.4	33.9	14.5
61 Suicide (E963, E970-E979)	2	1	1	12.3	8.7	20.8	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	1	1	-	6.1	8.7	0	2	-	2	15.6	0	29.0
63 All other diseases (residual)	9	7	2	55.2	60.9	41.7	12	6	6	93.8	101.7	87.0



COUNTY, BY RACE, GEORGIA, 1955

	Douglas						Douglas						Daily						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	2,274	1,424	850	46.5	48.9	42.9	323	268	55	24.1	23.7	26.2	416	143	273	24.8	18.6	30.0	1
2	1,839	1,420	419	80.9%	99.7%	49.3%	306	267	39	94.7%	99.6%	70.9%	190	134	56	45.7%	93.7%	20.5%	2
3	246	3	243	10.8%	0.2%	28.6%	2	1	1	0.6%	0.4%	1.8%	7	2	5	1.7%	1.4%	1.8%	3
4	181	1	180	8.0%	0.1%	21.2%	15	15	15	4.6%	0%	27.3%	219	7	212	52.6%	4.9%	77.7%	4
5	8	-	8	0.4%	0%	0.9%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	240	117	123	105.5	82.2	144.7	37	28	9	114.6	104.5	163.6	37	8	29	88.9	55.9	106.2	6
7	93	59	34	40.9	41.4	40.4	7	6	1	21.7	22.4	18.2	10	5	5	24.0	35.0	18.3	7
8	50	43	7	22.0	30.2	8.2	4	3	1	12.4	11.2	18.2	3	2	1	7.2	14.0	3.7	8
9	13	5	8	5.7	3.5	9.4	-	-	-	0	0	0	2	2	0	4.8	0	7.3	8
10	30	11	19	13.2	7.7	22.4	2	2	-	6.2	7.5	0	5	3	2	12.0	21.0	7.3	9
11	-	-	-	0	0	0	1	1	-	3.1	3.7	0	-	-	-	0	0	0	10
12	430	184	246	879.3	632.3	1242.4	101	83	18	753.7	734.5	857.1	136	64	72	809.5	831.2	791.2	11
13	73	37	36	32.1	26.0	42.4	11	10	1	34.1	37.3	18.2	17	6	11	40.9	42.0	40.3	12
14	54	35	19	23.7	24.6	22.4	6	6	-	18.6	22.4	0	11	4	7	26.4	28.0	25.6	13
15	15	9	6	6.6	6.3	7.1	2	2	-	6.2	7.5	0	8	1	7	19.2	7.0	25.6	14
16	10	2	8	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	15
17	2	1	1	8.8	7.0	11.8	-	-	-	0	0	0	1	-	1	24.0	0	36.6	16
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
19	3	1	2	6.1	3.4	10.1	-	-	-	0	0	0	2	1	1	11.9	13.0	11.0	18
20	4	-	4	8.2	0	20.2	-	-	-	0	0	0	-	-	-	0	0	0	19
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
22	2	-	2	4.1	0	10.1	-	-	-	0	0	0	-	-	-	0	0	0	21
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
24	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	6.0	0	11.0	23
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
32	4	1	3	8.2	3.4	15.2	-	-	-	0	0	0	-	-	-	0	0	0	31
33	37	15	22	75.7	51.5	111.1	11	10	1	82.1	88.5	47.6	11	4	7	65.5	51.9	76.9	32
34	2	1	1	4.1	3.4	5.0	-	-	-	0	0	0	1	-	1	6.0	0	11.0	33
35	2	2	-	4.1	6.9	0	1	1	-	7.5	8.8	0	1	1	-	6.0	13.0	0	34
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	35
37	1	1	-	2.0	3.4	0	-	-	-	0	0	0	-	-	-	0	0	0	36
38	62	20	42	126.8	68.7	212.1	19	13	6	141.8	115.0	285.7	14	9	5	83.3	116.9	54.9	37
39	1	-	1	2.0	0	5.0	-	-	-	0	0	0	-	-	-	0	0	0	38
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
41	125	60	65	255.6	206.2	328.3	38	34	4	283.6	300.9	190.5	58	30	28	345.2	389.6	307.7	40
42	7	1	6	14.3	3.4	30.3	-	-	-	0	0	0	-	-	-	0	0	0	41
43	18	3	15	36.8	10.3	75.8	4	3	1	29.8	26.5	47.6	1	-	1	6.0	0	11.0	42
44	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	6.0	0	11.0	43
45	1	-	1	2.0	0	5.0	-	-	-	0	0	0	-	-	-	0	0	0	44
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	45
47	3	-	3	6.1	0	15.2	-	-	-	0	0	0	-	-	-	0	0	0	46
48	3	-	3	6.1	0	15.2	1	-	1	7.5	0	47.6	-	-	-	0	0	0	47
49	3	3	-	6.1	10.3	0	-	-	-	0	0	0	-	-	-	0	0	0	48
50	9	-	9	18.4	0	45.5	1	-	1	7.5	0	47.6	3	1	2	17.9	13.0	22.0	49
51	-	-	-	0	0	0	2	-	2	14.9	0	95.2	1	-	1	6.0	0	11.0	50
52	2	1	1	4.1	3.4	5.0	-	-	-	0	0	0	1	-	1	6.0	0	11.0	51
53	12	9	3	24.5	30.9	15.2	-	-	-	0	0	0	-	-	-	0	0	0	52
54	16	10	6	32.7	34.4	30.3	3	3	-	22.4	26.5	0	1	1	-	6.0	13.0	0	53
55	3	1	2	6.1	3.4	10.1	1	1	-	7.5	8.8	0	1	1	-	6.0	13.0	0	54
56	26	15	11	53.2	51.5	55.6	2	2	-	14.9	17.7	0	10	2	8	59.5	26.0	87.9	55
57	4	1	3	8.2	3.4	15.2	-	-	-	0	0	0	-	-	-	0	0	0	56
58	6	4	2	12.3	13.7	10.1	2	2	-	14.9	17.7	0	1	1	-	6.0	13.0	0	57
59	16	10	6	32.7	34.4	30.3	5	5	-	37.3	44.2	0	7	2	5	41.7	26.0	54.9	58
60	19	11	8	38.9	37.8	40.4	1	1	-	7.5	0	47.6	10	5	5	59.5	64.9	54.9	59
61	4	3	1	8.2	10.3	5.0	2	2	-	14.9	17.7	0	-	-	-	0	0	0	60
62	10	1	9	20.4	3.4	45.5	-	-	-	0	0	0	2	1	1	11.9	13.0	11.0	61
63	25	10	15	51.1	34.4	75.8	8	7	1	59.7	61.9	47.6	9	5	4	53.6	64.9	44.0	62

ITEM	Bchols						Erlingham						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
<b>LIVE BIRTHS</b>													
1 Total	73	41	32	33.2	24.1	64.0	229	119	110	25.4	20.9	33.3	1
2 Delivered in hospital	50	41	9	68.5%	100.0%	28.1%	144	113	31	62.9%	95.0%	28.2%	2
3 Delivered in home by physician	-	-	-	0%	0%	0%	1	1	-	0.4%	0.8%	0%	3
4 Delivered in home by midwife	23	-	23	31.5%	0%	71.9%	84	5	79	36.7%	4.2%	71.8%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	13	7	6	178.1	170.7	187.5	15	7	8	65.5	58.8	72.7	6
<b>FETAL DEATHS</b>													
7 Total	4	2	2	54.8	48.8	62.5	18	10	8	78.6	84.0	72.7	
8 Under 20 weeks gestation	2	2	-	27.4	48.8	0	8	5	3	34.9	42.0	27.3	7
9 20-27 weeks gestation	1	-	1	13.7	0	31.2	4	2	2	17.5	16.8	18.2	8
28 weeks and more	1	-	1	13.7	0	31.2	5	3	2	21.8	25.2	18.2	9
Unknown length of gestation	-	-	-	0	0	0	1	-	1	4.4	0	9.1	
<b>DEATHS</b>													
10 Total, all ages	20	16	4	909.1	941.2	800.0	95	53	42	1055.6	929.8	1272.7	10
11 Under 1 year	2	2	-	27.4	48.8	0	5	2	3	21.8	16.8	27.3	11
12 Under 28 days	2	2	-	27.4	48.8	0	2	1	2	13.1	8.4	18.2	12
13 Deaths from immaturity	1	1	-	13.7	24.4	0	-	-	-	0	0	0	13
14 1-4 years **	-	-	-	0	0	0	3	-	3	0	0	0	14
15 Maternal deaths	-	-	-	0	0	0	1	-	1	43.7	0	90.9	15
<b>CAUSE OF DEATH</b>													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	1	-	1	11.1	0	30.3	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	1	1	-	45.5	58.8	0	9	6	3	100.0	105.3	90.9	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	-	-	-	0	0	0	1	1	-	11.1	17.5	0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	1	1	-	45.5	58.8	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	4	4	-	181.8	235.3	0	27	17	10	300.0	298.2	303.0	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	1	-	1	11.1	0	30.3	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	1	1	-	11.1	17.5	0	40
41 Heart diseases (410-443)	3	3	-	136.4	176.5	0	23	17	6	255.6	298.2	181.8	41
42 Hypertension without mention of heart (444-447)	1	1	-	45.5	58.8	0	-	-	-	0	0	0	42
43 Influenza and pneumonia (480-483, 490-493)	-	-	-	0	0	0	4	2	2	44.4	35.1	60.6	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	1	-	1	11.1	0	30.3	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	1	1	-	45.5	58.8	0	2	1	1	22.2	17.5	30.3	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	1	-	1	11.1	0	30.3	52
53 Congenital malformations (750-759)	-	-	-	0	0	0	-	-	-	0	0	0	53
54 Birth injuries, postnatal asphyxia and atelectosis (760-762)	-	-	-	0	0	0	1	1	-	11.1	17.5	0	54
55 Infection of the newborn (763-768)	1	1	-	45.5	58.8	0	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	1	-	45.5	58.8	0	-	-	-	0	0	0	56
57 Senility, without mention of psychosis (794)	1	-	1	45.5	0	200.0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	6	1	5	66.7	17.5	151.5	58
59 Motor vehicle accidents (E810-E835)	1	1	-	45.5	58.8	0	2	1	1	22.2	17.5	30.3	59
60 All other accidents (E800-E802, E840-E962)	-	-	-	0	0	0	8	4	4	88.9	70.2	121.2	60
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	-	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	3	-	3	136.4	0	600.0	2	-	2	22.2	0	60.6	62
63 All other diseases (residual)	2	2	-	90.9	117.6	0	5	1	4	55.6	17.5	121.2	63

See notes on page 87

COUNTY, BY RACE, GEORGIA, 1955

Elvert						Emanuel						Evans						
Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
300	182	118	21.0	14.6	35.4	457	265	192	25.5	23.0	30.0	189	97	92	30.0	26.2	35.4	1
270	181	89	71.1%	93.4%	44.9%	352	260	92	77.0%	98.1%	47.9%	133	95	38	70.4%	97.9%	41.5%	2
7	-	7	1.8%	0%	3.5%	6	2	4	1.3%	0.8%	2.1%	11	1	10	5.8%	1.0%	10.9%	3
102	-	102	26.8%	0%	51.5%	99	3	96	21.7%	1.1%	50.0%	43	1	42	22.8%	1.0%	45.7%	4
1	1	-	0.3%	0.5%	0%	-	-	-	0%	0%	0%	2	2	-	1.1%	0%	2.2%	5
39	11	28	102.6	60.4	141.4	31	9	22	67.8	34.0	114.6	20	9	11	105.8	92.8	119.6	6
21	12	9	55.3	65.9	45.5	13	7	6	28.4	26.4	31.2	10	2	8	52.9	20.6	87.0	7
3	3	-	7.9	16.5	0	-	-	-	0	0	0	-	-	-	0	0	0	8
3	1	4	13.2	5.5	20.2	1	-	1	2.2	0	5.2	3	1	2	15.9	10.3	21.7	9
12	8	4	31.6	44.0	20.2	10	7	3	21.9	26.4	15.6	7	1	6	37.0	10.3	65.2	10
1	-	1	2.6	0	5.0	2	-	2	4.4	0	10.4	-	-	-	0	0	0	11
157	99	58	867.4	792.0	1035.7	194	105	89	1083.8	913.0	1390.6	75	39	36	1190.5	1054.1	1384.6	12
7	1	6	18.4	5.5	30.3	20	6	14	43.8	22.6	72.9	8	4	4	42.3	41.2	43.5	13
5	1	4	13.2	5.5	20.2	8	4	4	17.5	15.1	20.8	7	4	3	37.0	41.2	32.6	14
1	-	1	0	0	0	1	-	1	2.2	0	5.2	2	1	1	10.6	10.3	10.9	15
1	-	1	0	0	0	5	-	-	0	0	0	1	1	-	52.9	103.1	0	16
2	1	1	11.0	8.0	17.9	1	1	-	5.6	8.7	0	1	-	1	15.9	0	38.5	17
1	-	1	0	0	0	1	-	1	5.6	0	15.6	-	-	-	0	0	0	18
1	-	1	5.5	0	17.9	-	-	-	0	0	0	-	-	-	0	0	0	19
1	-	1	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
1	-	1	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
1	-	1	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
1	-	1	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
1	-	1	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
1	-	1	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
1	-	1	0	0	0	1	-	1	5.6	0	15.6	-	-	-	0	0	0	26
1	-	1	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
1	-	1	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
1	-	1	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
1	-	1	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
1	-	1	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
1	-	1	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
12	10	2	66.3	80.0	35.7	16	11	5	89.4	95.7	78.1	11	6	5	174.6	162.2	192.3	33
1	1	-	5.5	8.0	0	1	1	-	5.6	8.7	0	-	-	-	0	0	0	34
2	1	1	11.0	8.0	17.9	2	2	2	11.2	0	31.2	1	-	1	15.9	0	38.5	35
1	1	-	5.5	8.0	0	1	1	-	5.6	8.7	0	-	-	-	0	0	0	36
1	-	1	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
22	18	4	121.5	144.0	71.4	38	20	18	212.3	173.9	281.2	8	3	5	127.0	81.1	192.3	38
-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
2	-	2	11.0	0	35.7	-	-	-	0	0	0	-	-	-	0	0	0	40
50	31	19	276.2	248.0	339.3	54	34	20	301.7	295.7	312.5	21	13	8	333.3	351.4	307.7	41
3	1	2	16.6	8.0	35.7	5	3	2	27.9	26.1	31.2	1	-	1	15.9	0	38.5	42
4	1	3	22.1	8.0	53.6	10	1	9	55.9	8.7	140.6	2	-	2	31.7	0	76.9	43
1	-	1	0	0	0	1	1	-	5.6	8.7	0	-	-	-	0	0	0	44
2	1	1	11.0	8.0	17.9	1	1	-	5.6	8.7	0	-	-	-	0	0	0	45
-	-	-	0	0	0	1	-	1	5.6	0	15.6	-	-	-	0	0	0	46
2	2	-	11.0	16.0	0	-	-	-	0	0	0	2	1	1	31.7	27.0	38.5	47
-	-	-	0	0	0	1	-	1	5.6	0	15.6	-	-	-	0	0	0	48
-	-	-	0	0	0	2	2	2	11.2	17.4	0	2	2	-	31.7	54.1	0	49
12	-	12	66.3	0	214.3	4	2	2	22.3	17.4	31.2	2	-	-	0	0	0	50
-	-	-	0	0	0	3	1	2	16.8	8.7	31.2	-	-	-	0	0	0	51
-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	15.9	27.0	0	52
-	-	-	0	0	0	1	1	-	5.6	8.7	0	-	-	-	0	0	0	53
1	-	1	5.5	0	17.9	3	3	-	16.8	26.1	0	4	2	2	63.5	54.1	76.9	54
3	1	2	16.6	8.0	35.7	3	1	2	16.8	8.7	31.2	1	1	-	15.9	27.0	0	55
2	-	2	11.0	0	35.7	1	-	1	5.6	0	15.6	2	1	1	31.7	27.0	38.5	56
1	1	-	5.5	8.0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
2	1	1	11.0	8.0	17.9	6	1	5	33.5	8.7	78.1	-	-	-	0	0	0	58
7	7	-	38.7	56.0	0	4	3	1	22.3	26.1	15.6	3	1	2	47.6	27.0	76.9	59
8	6	2	44.2	48.0	35.7	12	5	7	67.0	43.5	109.4	6	1	5	95.2	27.0	192.3	60
2	2	-	11.0	16.0	0	4	2	2	22.3	17.4	31.2	-	-	-	0	0	0	61
1	1	-	5.5	0	17.9	4	-	4	22.3	0	62.5	-	-	-	0	0	0	62
14	13	1	77.3	104.0	17.9	12	9	3	67.0	78.3	46.9	9	7	2	142.9	189.2	76.9	63

TABLE XIII

VITAL STATISTICS, BY

ITEM	Fannin						Fayette					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>												
1 Total	294	293	1	19.0	19.2	5.0	188	100	88	23.8	18.9	33.8
2 Delivered in hospital	274	273	1	93.2%	93.2%	100.0%	105	89	16	55.9%	89.0%	18.2%
3 Delivered in home by physician	17	17		5.8%	5.8%	0%	11	4	7	5.9%	4.0%	8.0%
4 Delivered in home by midwife	3	3		1.0%	1.0%	0%	7	7	63	37.2%	7.0%	71.6%
5 Other deliveries				0%	0%	0%	2			1.1%	0%	2.3%
6 Immature births	21	21		71.4	71.7	0	18	7	11	95.7	70.0	125.0
<b>FETAL DEATHS</b>												
7 Total	5	5		17.0	17.1	0	4	1	3	21.3	10.0	34.1
8 Under 20 weeks gestation	1	1		3.4	3.4	0				0	0	0
9 20-27 weeks gestation				0	0	0	1		1	5.3	0	11.4
9 28 weeks and more				13.6	13.7	0	2	1	1	10.6	10.0	11.4
Unknown length of gestation				0	0	0	1		1	5.3	0	11.4
<b>DEATHS</b>												
10 Total, all ages	106	106		683.9	692.8	0	70	56	14	836.1	1056.6	538.5
11 Under 1 year	7	7		23.8	23.9	0	8	3	5	42.6	30.0	56.8
12 Under 28 days				10.2	10.2	0	5	2	3	26.6	20.0	34.1
13 Deaths from immaturity				6.8	6.8	0	1	1		5.3	10.0	0
14 1-4 years **												
15 Maternal deaths				0	0	0				0	0	0
<b>CAUSE OF DEATH</b>												
16 Tuberculosis, all forms (001-019)	1	1		6.5	6.5	0	2	2		25.3	37.7	0
17 Syphilis and its sequelae (020-029)				0	0	0				0	0	0
18 Typhoid fever (040)				0	0	0				0	0	0
19 Dysentery, all forms (045-048)				0	0	0				0	0	0
20 Scarlet fever (050)				0	0	0				0	0	0
21 Streptococcal sore throat (051)				0	0	0				0	0	0
22 Diphtheria (055)				0	0	0				0	0	0
23 Whooping cough (056)				0	0	0				0	0	0
24 Meningococcal infections (057)	1	1		6.5	6.5	0				0	0	0
25 Acute poliomyelitis (080)				0	0	0				0	0	0
26 Acute infectious encephalitis (082)				0	0	0				0	0	0
27 Smallpox (084)				0	0	0				0	0	0
28 Measles (085)				0	0	0				0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)				0	0	0				0	0	0
30 Rocky Mountain spotted fever (104)				0	0	0				0	0	0
31 Malaria (110-117)				0	0	0				0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)				0	0	0				0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	12	12		77.4	78.4	0	7	7		88.6	132.1	0
34 Benign and unspecified neoplasms (210-239)	1	1		6.5	6.5	0				0	0	0
35 Diabetes mellitus (260)	2	2		12.9	13.1	0				0	0	0
36 Pellagra (281)				0	0	0				0	0	0
37 Anemias (290-293)				0	0	0				0	0	0
38 Vascular lesions affecting central nervous system (330-334)				0	0	0				0	0	0
39 Nonmeningococcal meningitis (340)	20	20		129.0	130.7	0	9	7	2	113.9	132.1	76.9
40 Rheumatic fever (400-402)				0	0	0	1	1		12.7	18.9	0
41 Heart diseases (410-443)				0	0	0				0	0	0
42 Hypertension without mention of heart (444-447)	35	35		225.8	228.8	0	21	20	1	265.8	377.4	38.5
43 Influenza and pneumonia (480-483, 490-493)	1	1		6.5	6.5	0	1	1		12.7	18.9	0
44 Bronchitis (500-502)	2	2		12.9	13.1	0	2		2	25.3	0	76.9
45 Ulcer of stomach and duodenum (540-541)				0	0	0				0	0	0
46 Appendicitis (550-553)	3	3		19.4	19.6	0	1		1	12.7	0	38.5
47 Intestinal obstruction and hernia (560, 561, 570)				0	0	0				0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhoea of the newborn) (543, 571, 572)				0	0	0				0	0	0
49 Cirrhosis of liver (581)				0	0	0	1		1	12.7	0	38.5
50 Nephritis and nephrosis (590-594)				0	0	0				0	0	0
51 Hyperplasia of prostate (610)	1	1		6.5	6.5	0				0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	1		6.5	6.5	0	1	1		12.7	18.9	0
53 Congenital malformations (750-759)				0	0	0				0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)				0	0	0				0	0	0
55 Infection of the newborn (763-768)				0	0	0	1	1		12.7	18.9	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)				0	0	0	1		1	12.7	0	38.5
57 Senility, without mention of psychosis (794)	3	3		19.4	19.6	0	2	1	1	25.3	18.9	38.5
58 Ill-defined and unknown causes (780-793, 795)				0	0	0				0	0	0
59 Motor vehicle accidents (E810-E835)	6	6		38.7	39.2	0	3	2	1	38.0	37.7	38.5
60 All other accidents (E800-E802, E840-E962)	2	2		12.9	13.1	0	5	5		63.3	94.3	0
61 Suicide (E963, E970-E979)	5	5		32.3	32.7	0	7	4	3	88.6	75.5	115.4
62 Homicide (E964, E980-E985)	2	2		12.9	13.1	0				0	0	0
63 All other diseases (residual)	1	1		6.5	6.5	0				0	0	0
	6	6		38.7	39.2	0	5	4	1	63.3	75.5	38.5

See notes on page 87

COUNTY, BY RACE, GEORGIA, 1955

	Floyd						Ersyth						Franklin							
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *				
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White		
1	1,571	1,320	251	23.6	23.6	23.7	212	212	-	19.4	19.6	0	256	223	33	18.4	18.4	18.3	1	
2	1,488	1,306	182	94.7%	98.9%	72.5%	208	208	-	98.1%	98.1%	0%	233	214	19	91.0%	96.0%	57.6%	2	
3	10	8	2	0.6%	0.6%	0.8%	1	1	-	0.5%	0.5%	0%	10	6	4	3.9%	2.7%	12.1%	3	
4	72	6	66	4.6%	0.5%	26.3%	3	3	-	1.4%	1.4%	0%	13	3	10	5.1%	1.3%	30.3%	4	
5	1	-	1	0.1%	0%	0.4%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5	
6	151	115	36	96.1	87.1	143.4	13	13	-	61.3	61.3	0	23	16	7	89.8	71.7	212.1	6	
7	30	24	6	19.1	18.2	23.9	4	4	-	18.9	18.9	0	3	3	-	11.7	13.5	0	7	
8	4	3	1	2.5	2.3	4.0	3	3	-	14.2	14.2	0	-	-	-	0	0	0	8	
9	3	2	1	1.9	1.5	4.0	1	1	-	4.7	4.7	0	2	2	-	7.8	9.0	0	9	
10	8	8	-	5.1	6.1	0	-	-	-	0	0	0	1	1	-	3.9	4.5	0	10	
11	15	11	4	3.5	8.3	15.9	-	-	-	0	0	0	-	-	-	0	0	0	11	
12	511	420	91	768.4	751.3	858.5	72	71	1	660.6	657.4	1000.0	109	93	16	784.2	768.6	888.9	12	
13	50	44	6	31.8	33.3	23.9	6	5	1	28.3	23.6	...	10	8	2	39.1	35.9	60.6	13	
14	34	30	4	21.6	22.7	15.9	4	4	-	18.9	18.9	0	8	7	1	31.2	31.4	30.3	14	
15	10	9	1	6.4	6.8	4.0	-	-	-	0	0	0	1	1	-	3.9	0	30.3	15	
16	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
17	1	1	-	6.4	7.6	0	1	1	-	47.2	47.2	0	1	1	-	39.1	44.8	0	17	
18	7	5	2	10.5	8.9	18.9	-	-	-	0	0	0	-	-	-	0	0	0	18	
19	1	-	-	1.5	0	9.4	-	-	-	0	0	0	-	-	-	0	0	0	19	
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20	
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21	
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22	
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23	
24	1	1	-	1.5	1.8	0	-	-	-	0	0	0	-	-	-	0	0	0	24	
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25	
26	1	1	-	1.5	1.8	0	-	-	-	0	0	0	-	-	-	0	0	0	26	
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27	
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28	
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29	
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30	
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31	
32	1	1	-	1.5	1.8	0	-	-	-	0	0	0	-	-	-	0	0	0	32	
33	68	61	7	102.3	109.1	66.0	12	12	-	110.1	111.1	0	12	12	-	86.3	99.2	0	33	
34	2	1	1	3.0	1.8	9.4	-	-	-	0	0	0	-	-	-	0	0	0	34	
35	6	5	1	9.0	8.9	9.4	1	1	-	9.2	9.3	0	1	-	1	7.2	0	55.6	35	
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36	
37	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	7.2	8.3	0	37	
38	74	60	14	111.3	107.3	132.1	15	15	-	137.6	138.9	0	17	14	3	122.3	115.7	166.7	38	
39	1	-	1	1.5	0	9.4	-	-	-	0	0	0	-	-	-	0	0	0	39	
40	1	1	-	1.5	1.8	0	-	-	-	0	0	0	-	-	-	0	0	0	40	
41	169	134	35	254.1	239.7	330.2	22	22	-	201.8	203.7	0	41	36	5	295.0	297.5	277.8	41	
42	7	4	3	10.5	7.2	28.3	-	-	-	0	0	0	-	-	-	0	0	0	42	
43	13	12	1	19.5	21.5	9.4	2	1	1	18.3	18.5	1000.0	5	4	1	36.0	33.1	55.6	43	
44	2	2	-	3.0	3.6	0	1	1	-	9.2	9.3	0	-	-	-	0	0	0	44	
45	6	6	-	9.0	10.7	0	1	1	-	9.2	9.3	0	-	-	-	0	0	0	45	
46	1	-	1	1.5	0	9.4	-	-	-	0	0	0	-	-	-	0	0	0	46	
47	1	1	-	1.5	1.8	0	-	-	-	0	0	0	1	-	1	7.2	0	55.6	47	
48	4	4	-	6.0	7.2	0	-	-	-	0	0	0	1	1	-	7.2	8.3	0	48	
49	4	4	-	6.0	7.2	0	-	-	-	0	0	0	1	-	-	0	0	0	49	
50	1	-	1	1.5	0	9.4	-	-	-	0	0	0	3	2	1	21.6	16.5	55.6	50	
51	5	4	1	7.5	7.2	9.4	-	-	-	0	0	0	-	-	-	0	0	0	51	
52	1	1	-	1.5	1.8	0	1	1	-	9.2	9.3	0	1	1	-	7.2	8.3	0	52	
53	10	10	-	15.0	17.9	0	1	1	-	9.2	9.3	0	-	-	-	0	0	0	53	
54	13	11	2	19.5	19.7	18.9	2	2	-	18.3	18.5	0	7	6	1	50.4	49.6	55.6	54	
55	2	1	1	3.0	1.8	9.4	1	1	-	9.2	9.3	0	-	-	-	0	0	0	55	
56	14	12	2	21.1	21.5	18.9	-	-	-	0	0	0	2	1	1	14.4	8.3	55.6	56	
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57	
58	5	3	2	7.5	5.4	18.9	1	1	-	9.2	9.3	0	1	1	-	7.2	8.3	0	58	
59	13	12	1	19.5	21.5	9.4	2	2	-	18.3	18.5	0	6	4	2	43.2	33.1	111.1	59	
60	20	17	3	30.1	30.4	28.3	1	1	-	9.2	9.3	0	5	5	-	36.0	41.3	0	60	
61	4	4	-	6.0	7.2	0	1	1	-	9.2	9.3	0	1	1	-	7.2	8.3	0	61	
62	10	5	5	15.0	8.9	47.2	1	1	-	9.2	9.3	0	-	-	-	0	0	0	62	
63	43	37	6	64.7	66.2	56.6	7	7	-	64.2	64.8	0	4	4	-	28.8	33.1	0	63	

ITEM	Fulton						Gilmer					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>												
1 Total	13,762	8,297	5,465	25.5	22.5	32.2	197	197	-	18.6	18.6	0
2 Delivered in hospital	13,533	8,273	5,260	98.3%	99.7%	96.2%	182	182	-	92.4%	92.4%	0%
3 Delivered in home by physician	206	22	184	1.5%	0.3%	3.4%	1	1	-	0.5%	0.5%	0%
4 Delivered in home by midwife	22	2	20	0.2%	0.0%	0.4%	14	14	-	7.1%	7.1%	0%
5 Other deliveries	1	-	1	0.0%	0%	0.0%	-	-	-	0%	0%	0%
6 Immature births	1,368	646	722	99.4	77.9	132.1	10	10	-	50.8	50.8	0
<b>FETAL DEATHS</b>												
Total	857	342	515	62.3	41.2	94.2	5	5	-	25.4	25.4	0
7 Under 20 weeks gestation	526	198	328	38.2	23.9	60.0	3	3	-	15.2	15.2	0
8 20-27 weeks gestation	100	29	71	7.3	3.5	13.0	-	-	-	0	0	0
9 28 weeks and more	220	112	108	16.0	13.5	19.8	2	2	-	10.2	10.2	0
Unknown length of gestation	11	3	8	0.8	0.4	1.5	-	-	-	0	0	0
<b>DEATHS</b>												
10 Total, all ages	4,840	2,857	1,983	898.1	773.8	1168.5	69	69	-	650.9	650.9	0
11 Under 1 year	382	176	206	27.8	21.2	37.7	9	9	-	45.7	45.7	0
12 Under 28 days	276	137	139	20.1	16.5	25.4	4	4	-	20.3	20.3	0
13 Deaths from immaturity	72	34	38	5.2	4.1	7.0	-	-	-	0	0	0
14 1-4 years **	59	35	24	-	-	-	-	-	-	-	-	-
15 Maternal deaths	9	1	8	6.5	1.2	14.6	1	1	-	50.8	50.8	0
<b>CAUSE OF DEATH</b>												
16 Tuberculosis, all forms (001-019)	61	23	38	11.3	6.2	22.4	1	1	-	9.4	9.4	0
17 Syphilis and its sequelae (020-029)	15	4	11	2.8	1.1	6.5	-	-	-	0	0	0
18 Typhoid fever (040)	1	-	1	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	3	-	3	0.6	0	1.8	-	-	-	0	0	0
20 Scarlet fever (050)	1	-	1	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	1	-	1	0.2	0	0.6	-	-	-	0	0	0
22 Diphtheria (055)	2	2	-	0.4	0.5	0	-	-	-	0	0	0
23 Whooping cough (056)	1	-	1	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	2	1	1	0.4	0.3	0.6	-	-	-	0	0	0
25 Acute poliomyelitis (080)	2	2	-	0.4	0.5	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	1	-	1	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	1	-	1	0	0	0	-	-	-	0	0	0
28 Measles (085)	1	-	1	0.2	0	0.6	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	1	-	1	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	1	-	1	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	1	-	1	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	16	8	8	3.0	2.2	4.7	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	709	486	223	131.6	131.6	131.4	8	8	-	75.5	75.5	0
34 Benign and unspecified neoplasms (210-239)	23	14	9	4.3	3.8	5.3	-	-	-	0	0	0
35 Diabetes mellitus (260)	103	49	54	19.1	13.3	31.8	-	-	-	0	0	0
36 Pellagra (281)	2	1	1	0.4	0.3	0.6	-	-	-	0	0	0
37 Anemias (290-293)	15	6	9	2.8	1.6	5.3	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	668	385	283	124.0	104.3	166.8	14	14	-	132.1	132.1	0
39 Nonmeningococcal meningitis (340)	9	3	6	1.7	0.8	3.5	-	-	-	0	0	0
40 Rheumatic fever (400-402)	4	1	3	0.7	0.3	1.8	-	-	-	0	0	0
41 Heart diseases (410-443)	1,561	989	572	289.7	267.9	337.1	23	23	-	217.0	217.0	0
42 Hypertension without mention of heart (444-447)	49	20	29	9.1	5.4	17.1	-	-	-	0	0	0
43 Influenza and pneumonia (480-483, 490-493)	150	68	82	27.8	18.4	48.3	7	7	-	66.0	66.0	0
44 Bronchitis (500-502)	6	5	1	1.1	1.4	0.6	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	27	18	9	5.0	4.9	5.3	1	1	-	9.4	9.4	0
46 Appendicitis (550-553)	9	3	6	1.7	0.8	3.5	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	27	14	13	5.0	3.8	7.7	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	21	8	13	3.9	2.2	7.7	-	-	-	0	0	0
49 Cirrhosis of liver (581)	41	24	17	7.6	6.5	10.0	2	2	-	18.9	18.9	0
50 Nephritis and nephrosis (590-594)	85	23	62	15.8	6.2	36.5	-	-	-	0	0	0
51 Hyperplasia of prostate (610)	18	12	6	3.3	3.2	3.5	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	9	1	8	1.7	0.3	4.7	1	1	-	9.4	9.4	0
53 Congenital malformations (750-759)	65	43	22	12.1	11.6	13.0	1	1	-	9.4	9.4	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	138	71	67	25.6	19.2	39.5	2	2	-	18.9	18.9	0
55 Infection of the newborn (763-768)	16	3	13	3.0	0.8	7.7	1	1	-	9.4	9.4	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	92	45	47	17.1	12.2	27.7	-	-	-	0	0	0
57 Senility, without mention of psychosis (794)	2	2	-	0.4	0.5	0	1	1	-	9.4	9.4	0
58 Ill-defined and unknown causes (780-793, 795)	27	12	15	5.0	3.2	8.8	2	2	-	18.9	18.9	0
59 Motor vehicle accidents (E810-E835)	126	79	47	23.4	21.4	27.7	1	1	-	9.4	9.4	0
60 All other accidents (E800-E802, E840-E842)	174	112	62	32.3	30.3	36.5	1	1	-	9.4	9.4	0
61 Suicide (E963, E970-E979)	64	58	6	11.9	15.7	3.5	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	86	17	69	16.0	4.6	40.7	2	2	-	18.9	18.9	0
63 All other diseases (residual)	411	245	166	76.3	66.4	97.8	1	1	-	9.4	9.4	0

COUNTY, BY RACE, GEORGIA, 1955

	Glascock						Glynn						Gordon							
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *				
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White		
1	56	28	28	18.1	12.2	35.0	963	647	316	28.9	28.0	31.0	387	355	32	20.1	19.7	24.6	1	
2	31	27	4	55.4	96.4	14.3	789	634	155	81.9	98.0	49.0	380	351	29	98.2	98.9	90.6	2	
3	1	1		1.8	3.6	0	9	2	7	0.9	0.3	2.2	6	3	3	1.6	0.8	9.4	3	
4	24		24	42.9	0	85.7	165	11	154	17.1	1.7	48.7	1	1		0.3	0.3	0	4	
5				0	0	0				0	0	0				0	0	0	5	
6	6	5	1	107.1	178.6	35.7	85	56	33	92.4	86.6	104.4	24	22	2	62.0	62.0	62.5	6	
7																				7
8																				8
9																				9
10																				10
11	33	24	9	106.5	104.5	125.0	265	154	111	795.8	666.7	1088.2	171	160	11	886.0	888.9	846.2	11	
12	3	1	2	53.6	35.7	71.4	25	12	13	26.0	18.5	41.1	5	5		12.9	14.1	0	12	
13	1	1		17.9	35.7	0	17	10	7	17.7	15.5	22.2	4	4		10.3	11.3	0	13	
14				0	0	0	8	5	3	8.3	7.7	9.5				0	0	0	14	
15				0	0	0	6	3	3				4	4		25.8	28.2	0	15	
16				0	0	0				0	0	0				0	0	0	16	
17				0	0	0	2	1	1	6.0	4.3	9.8				0	0	0	17	
18				0	0	0				0	0	0				0	0	0	18	
19				0	0	0				0	0	0				0	0	0	19	
20				0	0	0				0	0	0				0	0	0	20	
21				0	0	0				0	0	0				0	0	0	21	
22				0	0	0				0	0	0				0	0	0	22	
23				0	0	0				0	0	0				0	0	0	23	
24				0	0	0				0	0	0				0	0	0	24	
25				0	0	0				0	0	0				0	0	0	25	
26				0	0	0				0	0	0				0	0	0	26	
27				0	0	0				0	0	0				0	0	0	27	
28				0	0	0				0	0	0				0	0	0	28	
29				0	0	0				0	0	0				0	0	0	29	
30				0	0	0				0	0	0				0	0	0	30	
31				0	0	0				0	0	0				0	0	0	31	
32				0	0	0	2		2	0.1	0	19.6				0	0	0	32	
33	9	4	1	161.3	173.9	125.0	31	21	10	93.1	90.9	98.0	31	26	5	160.6	144.4	384.6	33	
34	1	1		32.3	43.5	0				0	0	0	3	3		15.5	16.7	0	34	
35	1	1		32.3	43.5	0	3	2	1	9.0	8.7	9.8	1	1		5.2	5.6	0	35	
36				0	0	0				0	0	0				0	0	0	36	
37				0	0	0	1		1	3.0	0	9.8	1	1		5.2	5.6	0	37	
38	8	7	1	258.1	304.3	125.0	38	19	19	114.1	82.3	186.3	23	23		119.2	127.8	0	38	
39				0	0	0	1	1		3.0	4.3	0				0	0	0	39	
40				0	0	0				0	0	0				0	0	0	40	
41	10	7	3	322.6	304.3	375.0	81	51	30	243.2	220.8	294.1	56	52	4	290.2	288.9	307.7	41	
42	1	1	1	32.3	0	125.0				0	0	0	2	2		10.4	11.1	0	42	
43	1	1	1	32.3	0	125.0	11	4	7	33.0	17.3	68.6	2	2		10.4	11.1	0	43	
44				0	0	0	3	3		9.0	13.0	0				0	0	0	44	
45	1	1		32.3	43.5	0				0	0	0	2	2		10.4	11.1	0	45	
46				0	0	0				0	0	0	2	2		10.4	11.1	0	46	
47				0	0	0	1	1		3.0	4.3	0				0	0	0	47	
48				0	0	0	3	2	1	9.0	8.7	9.8	1		1	5.2	0	76.9	48	
49	1	1		32.3	43.5	0	2	2		6.0	8.7	0	2	2		10.4	11.1	0	49	
50				0	0	0	7	1	6	21.0	4.3	58.8	3	3		15.5	16.7	0	50	
51				0	0	0				0	0	0	3	3		15.5	16.7	0	51	
52				0	0	0				0	0	0	1	1		5.2	5.6	0	52	
53				0	0	0	5	4	1	15.0	17.3	9.8	1	1		5.2	5.6	0	53	
54	1	1		32.3	43.5	0	3	1	2	9.0	4.3	19.6	1	1		5.2	5.6	0	54	
55				0	0	0	2	1	1	6.0	4.3	9.8				0	0	0	55	
56				0	0	0	10	7	3	30.0	30.3	29.4	1	1		5.2	5.6	0	56	
57				0	0	0	1	1		3.0	4.3	0				0	0	0	57	
58	2		2	64.5	0	250.0	2		2	6.0	0	19.6				0	0	0	58	
59				0	0	0	8	6	2	24.0	26.0	19.6	8	8		41.4	44.4	0	59	
60				0	0	0	14	10	4	42.0	43.3	39.2	6	6		31.1	33.3	0	60	
61	1	1		32.3	43.5	0				0	0	0	1	1		5.2	5.6	0	61	
62				0	0	0	1	1	1	3.0	0	9.8	1	1		5.2	5.6	0	62	
63				0	0	0	31	16	15	93.1	69.3	147.1	19	18	1	98.4	100.0	76.9	63	

TABLE XIII

VITAL STATISTICS, BY

ITEM	Grady						Greene					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>												
1 Total	445	231	214	23.9	19.1	32.9	351	116	235	28.1	19.0	36.7
2 Delivered in hospital	284	213	71	63.8%	92.2%	33.2%	193	115	78	55.0%	99.1%	33.2%
3 Delivered in home by physician	124	17	107	27.9%	7.4%	50.0%	6	1	5	1.7%	0.9%	2.1%
4 Delivered in home by midwife	37	1	36	8.3%	0.4%	16.8%	152	-	152	43.3%	0%	64.7%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	38	16	22	85.4	69.3	102.8	33	6	27	94.0	51.7	114.9
<b>FETAL DEATHS</b>												
7 Total	18	6	12	40.4	26.0	56.1	15	4	11	42.7	34.5	46.8
8 Under 20 weeks gestation	4	1	3	9.0	4.3	14.0	1	-	1	2.8	0	4.3
9 20-27 weeks gestation	6	3	3	13.5	13.0	14.0	1	1	1	2.8	8.6	0
28 weeks and more	8	2	6	18.0	8.7	28.0	7	1	6	19.9	8.6	25.5
Unknown length of gestation	-	-	-	0	0	0	6	2	4	17.1	17.2	17.0
<b>DEATHS</b>												
10 Total, all ages	151	92	59	811.8	760.3	907.7	140	72	68	120.0	118.3	1062.5
11 Under 1 year	23	11	12	51.7	47.6	56.1	8	1	7	22.8	8.6	29.8
12 Under 28 days	17	9	8	38.2	39.0	37.4	1	-	1	28.5	0	4.3
13 Deaths from immaturity	8	2	6	18.0	8.7	28.0	-	-	-	0	0	0
14 1-4 years	-	-	-	-	-	-	2	-	2	0	0	0
15 Maternal deaths	1	-	1	22.5	0	46.7	-	-	-	0	0	0
<b>CAUSE OF DEATH</b>												
16 Tuberculosis, all forms (001-019)	2	-	2	10.8	0	30.8	1	-	1	8.0	0	15.6
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	1	-	1	8.0	0	15.6
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	1	-	5.4	8.3	0	1	-	1	8.0	0	15.6
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	16	12	4	86.0	99.2	61.5	23	18	5	184.0	295.1	78.1
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	2	2	-	10.8	16.5	0	1	-	1	8.0	0	15.6
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	18	10	8	96.8	82.6	123.1	26	9	17	208.0	147.5	265.6
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	1	-	1	8.0	0	15.6
41 Heart diseases (410-443)	56	36	20	301.1	297.5	307.7	49	24	25	392.0	393.4	390.6
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	1	1	-	8.0	16.4	0
43 Influenza and pneumonia (480-483, 490-493)	9	3	6	48.4	24.8	92.3	5	2	3	40.0	32.8	46.9
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0
46 Appendicitis (550-553)	1	1	-	5.4	8.3	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	1	1	10.8	8.3	15.4	1	-	1	8.0	0	15.6
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	3	1	2	16.1	8.3	30.8	3	2	1	24.0	32.8	15.6
51 Hyperplasia of prostate (610)	1	1	-	5.4	8.3	0	1	1	-	8.0	16.4	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	5.4	0	15.4	-	-	-	0	0	0
53 Congenital malformations (750-759)	3	3	-	16.1	24.8	0	-	-	-	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	6	4	2	32.3	33.1	30.8	-	-	-	0	0	0
55 Infection of the newborn (763-768)	-	-	-	0	0	0	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	9	3	6	48.4	24.8	92.3	3	-	3	24.0	0	46.9
57 Senility, without mention of psychosis (794)	2	1	1	10.8	8.3	15.4	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	1	-	1	8.0	0	15.6
59 Motor vehicle accidents (E810-E835)	3	3	-	16.1	24.8	0	4	2	2	32.0	32.8	31.2
60 All other accidents (E800-E802, E840-E962)	5	2	3	26.9	16.5	46.2	4	2	2	32.0	32.8	31.2
61 Suicide (E963, E970-E979)	3	3	-	16.1	24.8	0	2	2	-	16.0	32.8	0
62 Homicide (E964, E980-E985)	3	2	1	16.1	16.5	15.4	-	-	-	0	0	0
63 All other diseases (residual)	5	3	2	26.9	24.8	30.8	12	9	3	96.0	147.5	46.9

See notes on page 87



COUNTY, BY RACE, GEORGIA, 1955

	Gwinnett						Havensham						Hall						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	881	765	116	25.8	24.8	34.1	381	364	17	21.6	21.8	18.9	1,109	936	173	25.7	24.4	35.3	1
2	860	756	104	97.6%	98.8%	89.7%	376	364	12	98.7%	100.0%	70.6%	1,076	912	164	97.0%	97.4%	94.8%	2
3	13	8	5	1.5%	1.0%	4.3%	2	-	2	0.5%	0%	11.8%	8	5	3	0.7%	0.5%	1.7%	3
4	7	-	7	0.8%	0%	6.0%	3	-	3	0.8%	0%	17.6%	17	11	6	1.5%	1.2%	3.5%	4
5	1	1	-	0.1%	0.1%	0%	-	-	-	0%	0%	0%	8	8	-	0.7%	0.9%	0%	5
6	61	47	14	69.2	61.4	120.7	21	20	1	55.1	54.9	58.8	88	58	30	79.4	62.0	173.4	6
7	46	39	7	52.2	51.0	60.3	31	29	2	81.4	79.7	117.6	19	12	7	17.1	12.8	40.5	7
8	32	29	3	36.3	37.9	25.9	20	19	1	52.5	52.2	58.8	3	3	-	2.7	3.2	0	8
9	3	1	2	3.4	1.3	17.2	1	-	1	2.6	0	58.8	3	3	-	2.7	3.2	0	9
10	10	8	2	11.4	10.5	17.2	9	9	-	23.6	24.7	0	10	4	6	9.0	4.3	34.7	10
11	1	1	-	1.1	1.3	0	1	1	-	2.6	2.7	0	3	2	1	2.7	2.1	5.8	11
12	275	243	32	804.1	789.0	941.2	130	116	14	738.6	694.6	1555.6	298	239	59	689.8	624.0	1204.1	12
13	19	14	5	21.6	18.3	43.1	8	8	-	21.0	22.0	0	24	12	12	21.6	12.8	69.4	13
14	13	10	3	14.8	13.1	25.9	6	6	-	15.7	16.5	0	17	8	9	15.3	8.5	52.0	14
15	5	4	1	5.7	5.2	8.6	2	2	-	5.2	5.5	0	10	6	4	9.0	6.4	25.1	15
16	6	5	-	-	-	-	2	1	1	-	-	-	9	4	5	-	-	-	16
17	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	9.0	10.7	0	17
18	-	-	-	8.8	6.5	29.4	-	-	-	0	0	0	2	2	-	4.6	5.2	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	2	2	-	4.6	5.2	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	2.3	2.6	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	2.3	0	20.4	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	1	1	-	2.9	3.2	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	2.3	2.6	0	32
33	39	33	6	114.0	107.1	176.5	23	21	2	130.7	125.7	222.2	40	32	8	92.6	83.6	163.3	33
34	1	1	-	2.9	3.2	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	2	2	-	5.8	6.5	0	4	3	1	22.7	18.0	111.1	3	3	-	6.9	7.8	0	35
36	1	1	-	2.9	3.2	0	1	1	-	5.7	6.0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	2.3	0	20.4	37
38	49	42	7	143.3	136.4	205.9	26	24	2	147.7	143.7	222.2	51	41	10	118.1	107.0	204.1	38
39	1	1	-	2.9	3.2	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	85	77	8	248.5	250.0	235.3	32	29	3	181.8	173.7	333.3	72	66	6	166.7	172.3	122.4	41
42	4	4	-	11.7	13.0	0	1	1	-	5.7	6.0	0	3	3	-	6.9	7.8	0	42
43	13	12	1	38.0	39.0	29.4	5	3	2	28.4	18.0	222.2	12	6	6	27.8	15.7	122.4	43
44	2	2	-	5.8	6.5	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	2	2	-	5.8	6.5	0	-	-	-	0	0	0	1	1	-	2.3	2.6	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	4.6	2.6	20.4	46
47	1	1	-	2.9	3.2	0	1	1	-	5.7	6.0	0	-	-	-	0	0	0	47
48	-	-	-	0	0	0	1	1	-	5.7	6.0	0	1	1	-	2.3	2.6	0	48
49	1	1	-	2.9	3.2	0	2	2	-	11.4	12.0	0	4	3	1	9.3	7.8	20.4	49
50	2	2	-	5.8	6.5	0	1	1	-	5.7	6.0	0	3	2	1	6.9	5.2	20.4	50
51	1	1	-	2.9	3.2	0	2	2	-	11.4	12.0	0	2	2	-	4.6	5.2	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	2.3	2.6	0	52
53	5	4	1	14.6	13.0	29.4	3	3	-	17.0	18.0	0	5	4	1	11.6	10.4	20.4	53
54	2	1	1	5.8	3.2	29.4	-	-	-	0	0	0	1	-	1	2.3	0	20.4	54
55	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	2.3	0	20.4	55
56	7	5	2	20.5	16.2	58.8	4	4	-	22.7	24.0	0	14	7	7	32.4	18.3	142.8	56
57	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	2.3	0	20.4	57
58	4	3	1	11.7	9.7	29.4	1	1	-	5.7	6.0	0	4	4	-	9.3	10.4	0	58
59	14	14	-	40.9	45.5	0	5	5	-	28.4	29.9	0	21	20	1	48.6	52.2	20.4	59
60	7	6	1	20.5	19.5	29.4	10	8	2	56.8	47.9	222.2	15	9	6	34.7	23.5	122.4	60
61	3	3	-	8.8	9.7	0	-	-	-	0	0	0	4	3	1	9.3	7.8	20.4	61
62	2	1	1	5.8	3.2	29.4	-	-	-	0	0	0	3	2	1	6.9	5.2	20.4	62
63	23	21	2	67.3	68.2	58.8	8	6	2	45.5	35.9	222.2	26	22	4	60.2	57.4	81.6	63

TABLE XIII

VITAL STATISTICS, BY

ITEM	Hancock						Harrison					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>												
1 Total	309	44	265	30.0	16.3	34.9	258	226	32	17.3	16.7	22.9
2 Delivered in hospital	75	41	34	24.3	93.2	12.8	236	217	19	91.5	96.0	59.4
3 Delivered in home by physician	5	-	5	1.6	0	1.9	1	-	1	0.4	0	3.1
4 Delivered in home by midwife	229	3	226	74.1	6.8	85.3	16	4	12	6.2	1.8	37.5
5 Other deliveries	-	-	-	0	0	0	5	5	-	1.9	2.2	0
6 Immature births	15	-	15	48.5	0	56.6	28	24	4	108.5	106.2	125.0
<b>FETAL DEATHS</b>												
7 Total	9	1	8	29.1	22.7	30.2	6	2	4	23.3	8.8	125.0
8 Under 20 weeks gestation	2	-	2	6.5	0	7.5	-	-	-	0	0	0
9 20-27 weeks gestation	2	1	1	6.5	22.7	3.8	-	-	-	0	0	0
9 28 weeks and more	4	-	4	12.9	0	15.1	6	2	4	23.3	8.8	125.0
Unknown length of gestation	1	-	1	3.2	0	3.8	-	-	-	0	0	0
<b>DEATHS</b>												
10 Total, all ages	108	34	74	48.5	259.3	973.7	97	83	14	651.0	614.8	1000.0
11 Under 1 year	11	-	11	35.6	0	41.5	8	6	2	31.0	26.5	62.5
12 Under 28 days	5	-	5	16.2	0	18.9	8	6	2	31.0	26.5	62.5
13 Deaths from immaturity	2	-	2	6.5	0	7.5	4	4	-	15.5	17.7	0
14 1-4 years **	3	1	2	-	-	-	3	3	-	-	-	-
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0
<b>CAUSE OF DEATH</b>												
16 Tuberculosis, all forms (001-019)	2	1	1	19.4	37.0	13.2	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	2	2	-	13.4	14.8	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	1	1	-	6.7	7.4	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	4	2	2	38.8	74.1	26.3	9	8	1	60.4	59.3	71.4
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	1	-	1	9.7	0	13.2	5	5	-	33.6	37.0	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	-	-	-	0	0	0	-	-	-	0	0	0
39 Nonmeningococcal meningitis (340)	21	7	14	203.9	259.3	184.2	9	8	1	60.4	59.3	71.4
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	1	12	1	9.7	0	13.2	-	-	-	0	0	0
42 Hypertension without mention of heart (444-447)	2	-	2	19.4	0	26.3	3	2	1	20.1	14.8	71.4
43 Influenza and pneumonia (480-483, 490-493)	7	1	6	68.0	37.0	78.9	1	1	-	6.7	7.4	0
44 Bronchitis (500-502)	-	-	-	0	0	0	1	1	-	6.7	7.4	0
45 Ulcer of stomach and duodenum (540-541)	1	1	-	9.7	37.0	0	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	2	2	-	19.4	74.1	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	1	1	-	6.7	7.4	0
49 Cirrhosis of liver (581)	2	1	1	19.4	37.0	13.2	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	4	1	3	38.8	37.0	39.5	2	2	-	13.4	14.8	0
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	1	-	6.7	7.4	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	1	-	1	9.7	0	13.2	1	1	-	6.7	7.4	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	-	1	9.7	0	13.2	2	1	1	13.4	7.4	71.4
55 Infection of the newborn (763-768)	1	-	1	9.7	0	13.2	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	2	-	2	19.4	0	26.3	5	5	-	33.6	37.0	0
57 Senility, without mention of psychosis (794)	2	1	1	19.4	37.0	13.2	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	2	-	2	19.4	0	26.3	4	3	1	26.8	22.2	71.4
59 Motor vehicle accidents (E810-E835)	1	1	-	9.7	37.0	0	6	6	-	40.3	44.4	0
60 All other accidents (E800-E802, E840-E962)	6	2	4	58.3	74.1	52.6	6	5	1	40.3	37.0	71.4
61 Suicide (E963, E970-E979)	1	1	-	9.7	37.0	0	1	1	-	6.7	7.4	0
62 Homicide (E964, E980-E985)	1	-	-	0	0	0	3	2	1	20.1	14.8	71.4
63 All other diseases (residual)	6	1	5	58.3	37.0	65.8	6	5	1	40.3	37.0	71.4

See notes on page 87



TABLE XIII

VITAL STATISTICS, BY

ITEM	Henry						Houston					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>												
1 Total	401	173	228	24.6	19.2	31.2	1,003	699	304	44.0	45.1	41.6
2 Delivered in hospital	208	168	40	51.9%	97.1%	17.5%	919	694	225	91.6%	99.3%	74.0%
3 Delivered in home by physician	15	-	15	3.7%	0%	6.6%	9	1	8	0.9%	0.1%	2.6%
4 Delivered in home by midwife	178	5	173	44.4%	2.9%	75.9%	74	4	70	7.4%	0.6%	23.0%
5 Other deliveries	-	-	-	0%	0%	0%	1	-	1	0.1%	0%	0.3%
6 Immature births	39	11	28	97.3	63.6	122.8	84	48	36	83.7	68.7	118.4
<b>FETAL DEATHS</b>												
7 Total	12	5	7	29.9	28.9	30.7	27	21	6	26.9	30.0	19.7
8 Under 20 weeks gestation	1	1	-	2.5	5.8	0	3	2	1	3.0	2.9	3.3
9 20-27 weeks gestation	-	-	-	0	0	0	2	2	-	2.0	2.9	0
28 weeks and more	9	4	5	22.4	23.1	21.9	18	14	4	17.9	20.0	13.2
Unknown length of gestation	2	-	2	5.0	0	8.8	4	3	1	4.0	4.3	3.3
<b>DEATHS</b>												
10 Total, all ages	127	83	44	779.1	922.2	602.7	178	107	71	780.7	690.3	972.6
11 Under 1 year	9	4	5	22.4	23.1	21.9	27	11	16	26.9	15.7	52.6
12 Under 28 days	2	2	-	12.5	11.6	13.2	12	8	4	12.0	11.4	13.2
13 Deaths from immaturity	2	2	-	5.0	0	8.8	5	2	3	5.0	2.9	9.9
14 1-4 years **	-	-	-	-	-	-	8	5	3	-	-	-
15 Maternal deaths	-	-	-	0	0	0	4	2	2	39.9	28.6	65.8
<b>CAUSE OF DEATH</b>												
16 Tuberculosis, all forms (001-019)	1	1	-	6.1	11.1	0	1	1	-	4.4	6.5	0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	1	-	1	4.4	0	13.7
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	1	-	1	4.4	0	13.7
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	19	14	5	116.6	155.6	68.5	25	18	7	109.6	116.1	95.9
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	2	2	-	8.8	12.9	0
35 Diabetes mellitus (260)	2	2	-	12.3	22.2	0	1	1	-	4.4	6.5	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	1	-	1	6.1	0	13.7	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	24	15	9	147.2	166.7	123.3	33	15	18	144.7	96.8	246.6
39 Nonmeningococcal meningitis (340)	1	1	-	6.1	11.1	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	35	23	12	214.7	255.6	164.4	44	31	13	193.0	200.0	178.1
42 Hypertension without mention of heart (444-447)	5	3	2	30.7	33.3	27.4	8	4	4	35.1	25.8	54.8
43 Influenza and pneumonia (480-483, 490-493)	2	-	2	12.3	0	27.4	11	1	10	48.2	6.5	137.0
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	2	2	-	8.8	12.9	0
46 Appendicitis (550-553)	-	-	-	0	0	0	1	1	-	4.4	6.5	0
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	6.1	11.1	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	-	2	12.3	0	27.4	2	1	1	8.8	6.5	13.7
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	2	-	2	12.3	0	27.4	3	1	2	13.2	6.5	27.4
51 Hyperplasia of prostate (610)	1	-	1	6.1	0	13.7	1	1	-	4.4	6.5	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	4	2	2	17.5	12.9	27.4
53 Congenital malformations (750-759)	-	-	-	0	0	0	5	4	1	21.9	25.8	13.7
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	4	4	-	17.5	25.8	0
55 Infection of the newborn (763-768)	2	1	1	12.3	11.1	13.7	2	-	2	8.8	0	27.4
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	1	2	18.4	11.1	27.4	5	2	3	21.9	12.9	41.1
57 Senility, without mention of psychosis (794)	1	-	1	6.1	0	13.7	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	8	7	1	49.1	77.8	13.7	2	1	1	8.8	6.5	13.7
59 Motor vehicle accidents (E810-E835)	2	2	-	12.3	22.2	0	5	5	-	21.9	32.3	0
60 All other accidents (E800-E802, E840-E962)	2	2	-	12.3	22.2	0	8	5	3	35.1	32.3	41.1
61 Suicide (E963, E970-E979)	2	2	-	12.3	22.2	0	1	-	-	0	0	0
62 Homicide (E964, E980-E985)	2	-	2	12.3	0	27.4	1	-	1	4.4	0	13.7
63 All other diseases (residual)	11	10	1	67.5	111.1	13.7	6	5	1	26.3	32.3	13.7



ITEM	Jeff Davis						Jefferson						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
<b>LIVE BIRTHS</b>													
1 Total	242	172	70	25.2	23.2	31.8	539	166	373	29.5	21.8	34.9	1
2 Delivered in hospital	126	124	2	52.1%	72.1%	2.9%	200	155	45	37.1%	93.4%	12.1%	2
3 Delivered in home by physician	51	44	7	21.1%	25.6%	10.0%	24	2	22	4.5%	1.2%	5.9%	3
4 Delivered in home by midwife	65	4	61	26.9%	2.3%	87.1%	315	9	306	58.4%	5.4%	82.0%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	9	6	3	37.2	34.9	42.9	51	8	43	94.6	48.2	115.3	6
<b>FETAL DEATHS</b>													
7 Total	4	2	2	16.5	11.6	28.6	19	2	17	35.2	12.0	45.6	
8 Under 20 weeks gestation	-	-	-	0	0	0	2	1	1	3.7	6.0	2.7	7
9 20-27 weeks gestation	1	-	1	4.1	0	14.3	2	-	2	3.7	0	5.4	8
28 weeks and more	3	2	1	12.4	11.6	14.3	15	1	14	27.8	6.0	37.5	9
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0	
<b>DEATHS</b>													
10 Total, all ages	83	61	22	864.6	824.3	1000.0	197	85	112	1076.5	1118.4	1046.7	10
11 Under 1 year	6	5	1	24.0	29.1	14.3	15	1	14	27.8	6.0	37.5	11
12 Under 28 days	5	4	1	20.7	23.3	14.3	9	-	9	16.7	0	24.1	12
13 Deaths from immaturity	2	1	1	8.3	5.8	14.3	1	-	1	1.9	0	2.7	13
14 1-4 years **	1	-	1	-	-	-	1	-	1	-	-	-	14
15 Maternal deaths	1	-	1	41.3	0	142.9	2	-	2	37.1	0	53.6	15
<b>CAUSE OF DEATH</b>													
16 Tuberculosis, all forms (001-019)	2	2	-	20.8	27.0	0	1	-	1	5.5	0	9.3	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	1	-	1	5.5	0	9.3	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	1	-	1	5.5	0	9.3	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	3	1	2	16.4	13.2	18.7	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	4	1	3	41.7	13.5	136.4	15	9	6	82.0	118.4	56.1	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	2	-	2	10.9	0	18.7	34
35 Diabetes mellitus (260)	-	-	-	0	0	0	1	1	-	5.5	13.2	0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	3	-	3	16.4	0	28.0	37
38 Vascular lesions affecting central nervous system (330-334)	-	-	-	0	0	0	-	-	-	0	0	0	38
39 Nonmeningococcal meningitis (340)	19	12	7	197.9	162.2	318.2	37	14	23	202.2	184.2	215.0	38
40 Rheumatic fever (400-402)	1	1	-	10.4	13.5	0	1	1	-	5.5	13.2	0	39
41 Heart diseases (410-443)	22	20	2	229.2	270.3	90.9	71	36	35	388.0	473.7	327.1	40
42 Hypertension without mention of heart (444-447)	2	1	1	20.8	13.5	45.5	4	3	1	21.9	39.5	9.3	41
43 Influenza and pneumonia (480-483, 490-493)	4	1	3	41.7	13.5	136.4	4	2	2	21.9	26.3	18.7	42
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	43
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	4	1	3	21.9	13.2	28.0	44
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	45
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	1	-	1	5.5	0	9.3	46
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	-	-	-	0	0	0	47
49 Cirrhosis of liver (581)	1	1	-	10.4	13.5	0	-	-	-	0	0	0	48
50 Nephritis and nephrosis (590-594)	2	2	-	20.8	27.0	0	3	-	3	16.4	0	28.0	49
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	-	1	5.5	0	9.3	50
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	10.4	0	45.5	2	-	2	10.9	0	18.7	51
53 Congenital malformations (750-759)	-	-	-	0	0	0	2	-	2	10.9	0	18.7	52
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	1	-	1	5.5	0	9.3	53
55 Infection of the newborn (763-768)	-	-	-	0	0	0	1	-	1	5.5	0	9.3	54
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	0	0	0	1	-	1	5.5	0	9.3	55
57 Senility, without mention of psychosis (794)	5	4	1	52.1	54.1	45.5	4	-	4	21.9	0	37.4	56
	1	-	1	10.4	0	45.5	1	-	1	5.5	0	9.3	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	5	1	4	27.3	13.2	37.4	58
59 Motor vehicle accidents (E810-E835)	4	4	-	41.7	54.1	0	9	5	4	49.2	65.8	37.4	59
60 All other accidents (E800-E802, E840-E962)	6	4	2	62.5	54.1	90.9	4	-	4	21.9	0	37.4	60
61 Suicide (E963, E970-E979)	3	3	-	31.2	40.5	0	2	-	2	10.9	0	18.7	61
62 Homicide (E964, E980-E985)	1	1	-	10.4	13.5	0	1	1	1	5.5	0	9.3	62
63 All other diseases (residual)	5	4	1	52.1	54.1	45.5	12	10	2	65.6	131.6	18.7	63

COUNTY, BY RACE, GEORGIA, 1955

	Jenkins						Johnson						Jones						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	263	91	172	28.0	21.2	33.7	229	122	107	27.6	21.4	41.2	177	61	116	24.9	17.9	31.4	1
2	129	85	44	49.0%	93.4%	25.6%	129	117	12	56.3%	95.9%	11.2%	77	58	19	43.5%	95.1%	16.4%	2
3	8	2	6	3.0%	2.2%	3.5%	3	-	3	1.3%	0%	2.8%	2	-	2	1.1%	0%	1.7%	3
4	126	4	122	47.9%	4.4%	70.9%	97	5	92	42.4%	4.1%	86.0%	98	3	95	55.4%	4.9%	81.9%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	31	5	26	117.9	54.9	151.2	20	5	15	87.3	41.0	140.2	13	6	7	73.4	98.4	60.3	6
7	6	1	5	22.8	11.0	29.1	8	5	3	34.9	41.0	28.0	7	2	5	39.5	32.8	43.1	7
8	1	1	-	3.8	11.0	0	1	1	-	4.4	8.2	0	3	1	2	16.9	16.4	17.2	8
9	1	-	1	3.8	0	5.8	1	1	-	4.4	8.2	0	-	-	-	0	0	0	9
10	4	-	4	15.2	0	23.3	5	2	3	21.8	16.4	28.0	4	1	3	22.6	16.4	25.9	10
11	-	-	-	0	0	0	1	1	-	4.4	8.2	0	-	-	-	0	0	0	11
12	107	44	63	113.3	1023.3	1235.3	83	48	35	1000.0	842.1	1346.2	59	29	30	831.0	852.9	810.8	12
13	10	2	8	38.0	22.0	46.5	12	2	10	52.4	16.4	93.5	5	-	5	28.2	0	43.1	13
14	6	2	4	22.8	22.0	23.3	8	1	7	34.9	8.2	65.4	1	-	1	5.6	0	8.6	14
15	5	1	4	19.0	11.0	23.3	5	-	5	21.8	0	46.7	-	-	-	0	0	0	15
16	5	-	5	-	-	-	1	1	-	-	-	-	3	1	2	-	-	-	16
17	1	-	1	38.0	0	58.1	-	-	-	0	0	0	-	-	-	0	0	0	17
18	2	1	1	21.3	23.3	19.6	2	1	1	24.1	17.5	38.5	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	1	-	1	10.6	0	19.6	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	1	-	1	10.6	0	19.6	-	-	-	0	0	0	1	-	1	14.1	0	27.0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	14.1	0	27.0	32
33	8	4	4	85.1	93.0	78.4	10	6	4	120.5	105.3	153.8	5	-	5	70.4	0	135.1	33
34	-	-	-	0	0	0	1	-	1	12.0	0	38.5	-	-	-	0	0	0	34
35	-	-	-	0	0	0	1	1	-	12.0	17.5	0	-	-	-	0	0	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	1	-	1	10.6	0	19.6	-	-	-	0	0	0	-	-	-	0	0	0	37
38	25	10	15	266.0	232.6	294.1	21	15	6	253.0	263.2	230.8	9	7	2	126.8	205.9	54.1	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	2	-	2	24.1	0	76.9	-	-	-	0	0	0	40
41	24	16	8	255.3	372.1	156.9	21	15	6	253.0	263.2	230.8	19	12	7	267.6	352.9	189.2	41
42	-	-	-	0	0	0	1	1	-	12.0	17.5	0	-	-	-	0	0	0	42
43	5	1	4	53.2	23.3	78.4	3	2	1	36.1	35.1	38.5	4	-	4	56.3	0	108.1	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	2	1	1	21.3	23.3	19.6	-	-	-	0	0	0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	1	1	-	10.6	23.3	0	-	-	-	0	0	0	-	-	-	0	0	0	47
48	2	-	2	21.3	0	39.2	1	-	1	12.0	0	38.5	-	-	-	0	0	0	48
49	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	49
50	4	2	2	42.6	46.5	39.2	1	1	4	12.0	17.5	0	3	-	3	42.3	0	81.1	50
51	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	1	-	1	10.6	0	19.6	-	-	-	0	0	0	-	-	-	0	0	0	52
53	1	-	1	10.6	0	19.6	4	2	2	48.2	35.1	76.9	-	-	-	0	0	0	53
54	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	54
55	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	55
56	6	2	4	63.8	46.5	78.4	5	-	5	60.2	0	192.3	-	-	-	0	0	0	56
57	2	-	2	21.3	0	39.2	-	-	-	0	0	0	-	-	-	0	0	0	57
58	9	-	9	95.7	0	176.5	1	-	1	12.0	0	38.5	2	-	2	28.2	0	54.1	58
59	3	1	2	31.9	23.3	39.2	2	1	1	24.1	17.5	38.5	2	1	1	28.2	29.4	27.0	59
60	1	-	1	10.6	0	19.6	4	1	3	48.2	17.5	115.4	5	3	2	70.4	88.2	54.1	60
61	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	14.1	29.4	0	61
62	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	14.1	0	27.0	62
63	8	5	3	85.1	116.3	58.8	3	2	1	36.1	35.1	38.5	6	5	1	84.5	147.1	27.0	63

TABLE X III

VITAL STATISTICS, BY

ITEM	Lemer						Janier						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
<b>LIVE BIRTHS</b>													
1 Total	246	111	135	23.7	17.9	32.1	171	99	72	34.9	30.9	42.4	1
2 Delivered in hospital	230	111	119	93.5%	100.0%	88.1%	144	99	45	84.2%	100.0%	62.5%	2
3 Delivered in home by physician	1	-	1	0.4%	0%	0.7%	16	-	16	9.4%	0%	22.2%	3
4 Delivered in home by midwife	15	-	15	6.1%	0%	11.1%	11	-	11	6.4%	0%	15.3%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	18	6	12	73.2	54.1	88.9	16	10	6	93.6	101.0	83.3	6
<b>FETAL DEATHS</b>													
7 Total	4	1	3	16.3	9.0	22.2	8	6	2	46.8	60.6	27.8	
8 Under 20 weeks gestation	1	1	-	4.1	9.0	0	2	2	-	11.7	20.2	0	7
9 20-27 weeks gestation	1	-	1	4.1	0	7.4	2	1	1	11.7	10.1	13.9	8
9 28 weeks and more	2	-	2	8.1	0	14.8	4	3	1	23.4	30.3	13.9	9
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0	
<b>DEATHS</b>													
10 Total, all ages	103	63	40	990.4	1016.1	952.4	36	25	11	734.7	781.2	647.1	10
11 Under 1 year	10	5	5	40.6	45.0	37.0	5	3	2	29.2	30.3	27.0	11
12 Under 28 days	5	3	2	20.3	27.0	14.8	2	2	-	11.7	20.2	0	12
13 Deaths from immaturity	-	-	-	0	0	0	-	-	-	0	0	0	13
14 1-4 years **	-	-	-	0	0	0	-	-	-	0	0	0	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
<b>CAUSE OF DEATH</b>													
16 Tuberculosis, all forms (001-019)	1	-	1	9.6	0	23.8	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	1	-	1	20.4	0	58.8	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	1	-	1	9.6	0	23.8	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	1	1	-	9.6	16.1	0	1	-	1	20.4	0	58.8	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	1	-	9.6	16.1	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	13	9	4	125.0	145.2	95.2	3	3	-	61.2	93.8	0	33
34 Benign and unspecified neoplasms (210-239)	1	-	1	9.6	0	23.8	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	2	2	-	19.2	32.3	0	-	-	-	0	0	0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	-	-	-	0	0	0	-	-	-	0	0	0	38
39 Nonmeningococcal meningitis (340)	20	13	7	192.3	209.7	166.7	8	6	2	163.3	187.5	117.6	38
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	39
41 Heart diseases (410-443)	36	19	17	346.2	306.5	404.8	10	8	2	204.1	250.0	117.6	40
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	-	-	-	0	0	0	41
43 Influenza and pneumonia (480-483, 490-493)	2	1	1	19.2	16.1	23.8	4	2	2	81.6	62.5	117.6	42
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	43
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0	44
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	45
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	9.6	16.1	0	-	-	-	0	0	0	46
48 Gastritis, duodenitis, enteritis and colitis (except diarrhoea of the newborn) (543, 571, 572)	2	-	2	19.2	0	47.6	1	-	1	20.4	0	58.8	47
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0	48
50 Nephritis and nephrosis (590-594)	2	1	1	19.2	16.1	23.8	2	1	1	40.8	31.2	58.8	49
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0	50
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	51
53 Congenital malformations (750-759)	3	2	1	28.8	32.3	23.8	1	1	-	20.4	31.2	0	52
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	3	2	1	28.8	32.3	23.8	1	1	-	20.4	31.2	0	53
55 Infection of the newborn (763-768)	1	1	-	9.6	16.1	0	-	-	-	0	0	0	54
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	0	0	0	-	-	-	0	0	0	55
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	56
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	-	-	-	0	0	0	57
59 Motor vehicle accidents (E810-E835)	1	1	-	9.6	16.1	0	2	2	-	40.8	62.5	0	58
60 All other accidents (E800-E802, E840-E962)	3	1	2	28.8	16.1	47.6	2	1	1	40.8	20.4	58.8	59
61 Suicide (E963, E970-E979)	2	2	-	19.2	32.3	0	-	-	-	0	0	0	60
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	-	-	-	0	0	0	61
63 All other diseases (residual)	7	6	1	67.3	96.8	23.8	-	-	-	0	0	0	62
													63





TABLE XIII

VITAL STATISTICS, BY

ITEM	Lincoln						Long					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>												
1 Total	150	58	98	24.2	16.2	32.7	134	97	37	40.6	44.1	33.6
2 Delivered in hospital	117	48	69	78.0%	92.3%	70.4%	116	95	21	86.6%	97.9%	56.8%
3 Delivered in home by physician	21	4	17	14.0%	7.7%	17.3%	5	-	5	3.7%	0%	13.5%
4 Delivered in home by midwife	11	-	11	7.3%	0%	11.2%	12	2	10	9.0%	2.1%	27.0%
5 Other deliveries	1	-	1	0.7%	0%	1.0%	1	-	1	0.7%	0%	2.7%
6 Immature births	13	4	9	86.7	76.9	91.8	7	6	1	52.2	61.9	27.0
<b>FETAL DEATHS</b>												
7 Total	4	-	4	26.7	0	40.8	1	1	-	7.5	10.3	0
8 Under 20 weeks gestation	-	-	0	0	0	0	1	1	-	7.5	10.3	0
9 20-27 weeks gestation	1	-	1	6.7	0	10.2	-	-	-	0	0	0
28 weeks and more	3	-	3	20.0	0	30.6	-	-	-	0	0	0
Unknown length of gestation	-	-	0	0	0	0	-	-	-	0	0	0
<b>DEATHS</b>												
10 Total, all ages	62	27	35	1000.0	843.8	1166.7	41	25	16	1242.4	1136.4	1454.5
11 Under 1 year	8	-	8	53.3	0	81.6	4	4	-	29.8	41.2	0
12 Under 28 days	3	-	3	20.0	0	30.6	1	1	-	7.5	10.3	0
13 Deaths from immaturity	1	-	1	6.7	0	10.2	1	1	-	7.5	10.3	0
14 1-4 years **	2	-	2	-	-	-	1	-	1	-	-	-
15 Maternal deaths	-	-	0	0	0	0	-	-	-	0	0	0
<b>CAUSE OF DEATH</b>												
16 Tuberculosis, all forms (001-019)	-	-	0	0	0	0	1	-	1	30.3	0	90.9
17 Syphilis and its sequelae (020-029)	-	-	0	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	0	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	1	-	1	16.1	0	33.3	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	0	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	1	-	1	16.1	0	33.3	-	-	-	0	0	0
22 Diphtheria (055)	-	-	0	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	1	-	1	16.1	0	33.3	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	0	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	0	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	0	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	0	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	0	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	0	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	0	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	0	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	0	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	9	7	2	145.2	218.8	66.7	3	2	1	90.9	90.9	90.9
34 Benign and unspecified neoplasms (210-239)	-	-	0	0	0	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	-	-	0	0	0	0	-	-	-	0	0	0
36 Pellagra (281)	-	-	0	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	0	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	-	-	0	0	0	0	-	-	-	0	0	0
39 Nonmeningococcal meningitis (340)	8	5	3	129.0	156.2	100.0	3	3	-	90.9	136.4	0
40 Rheumatic fever (400-402)	-	-	0	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	14	5	9	225.8	156.2	300.0	19	10	9	575.8	454.5	818.2
42 Hypertension without mention of heart (444-447)	2	2	-	32.3	62.5	-	-	-	-	0	0	0
43 Influenza and pneumonia (480-483, 490-493)	2	1	1	32.3	31.2	33.3	1	1	-	30.3	45.5	0
44 Bronchitis (500-502)	-	-	0	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	0	0	0	0	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	0	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	0	0	0	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	16.1	0	33.3	1	1	-	30.3	45.5	0
49 Cirrhosis of liver (581)	-	-	0	0	0	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	3	-	3	48.4	0	100.0	3	2	1	90.9	90.9	90.9
51 Hyperplasia of prostate (610)	-	-	0	0	0	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	0	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	1	-	1	16.1	0	33.3	-	-	-	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	0	0	0	0	-	-	-	0	0	0
55 Infection of the newborn (763-768)	-	-	0	0	0	0	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	-	1	16.1	0	33.3	1	1	-	30.3	45.5	0
57 Senility, without mention of psychosis (794)	-	-	0	0	0	0	1	1	-	30.3	45.5	0
58 Ill-defined and unknown causes (780-793, 795)	4	-	4	64.5	0	133.3	-	-	-	0	0	0
59 Motor vehicle accidents (E810-E835)	3	1	2	48.4	31.2	66.7	2	2	2	60.6	0	181.8
60 All other accidents (E800-E802, E840-E962)	6	2	4	96.8	62.5	133.3	2	1	1	60.6	45.5	90.9
61 Suicide (E963, E970-E979)	-	-	0	0	0	0	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	-	-	0	0	0	0	-	-	-	0	0	0
63 All other diseases (residual)	5	4	1	80.6	125.0	33.3	4	3	1	121.2	136.4	90.9

See notes on page 87

COUNTY, BY RACE, GEORGIA, 1955

	Lowndes						Lumpkin						Macon						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	1,479	912	567	40.2	40.9	39.1	148	144	4	21.8	21.5	40.0	405	101	304	30.2	23.0	33.8	1
2	1,098	898	200	74.2%	98.5%	35.3%	132	128	4	89.2%	88.9%	100.0%	191	100	91	47.2%	99.0%	29.9%	2
3	21	6	15	1.4%	0.7%	2.6%	1	1	0	0.7%	0.7%	0%	8	1	7	2.0%	1.0%	2.3%	3
4	358	7	351	24.2%	0.8%	61.9%	15	15	0	10.1%	10.4%	0%	206	206	0	50.9%	0%	67.8%	4
5	2	1	1	0.1%	0.1%	0.2%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	115	45	70	77.8	49.3	123.5	9	9	0	60.8	62.5	0	53	4	49	130.9	39.6	161.2	6
7	50	38	12	33.8	41.7	21.2	1	1	0	6.8	6.9	0	11	2	9	27.2	19.8	29.6	7
8	23	22	1	15.6	24.1	1.8	-	-	-	0	0	0	-	-	-	0	0	0	8
9	5	2	3	3.4	2.2	5.3	-	-	-	0	0	0	1	1	-	2.5	9.9	0	9
	19	12	7	12.8	13.2	12.3	1	1	0	6.8	6.9	0	10	1	9	24.7	9.9	29.6	
	3	2	1	2.0	2.2	1.8	-	-	-	0	0	0	-	-	-	0	0	0	
10	322	173	149	875.0	775.8	1027.6	46	45	1	676.5	671.6	1000.0	136	44	92	1014.9	1000.0	1022.2	10
11	40	23	17	27.0	25.2	30.0	6	6	0	40.5	41.7	0	15	1	14	37.0	9.9	46.1	11
12	27	17	10	18.3	18.6	17.6	1	1	0	67.6	69.4	0	8	1	7	19.8	9.9	23.0	12
13	14	7	7	9.5	7.7	12.3	-	-	-	0	0	0	3	1	2	7.4	0	9.9	13
14	6	3	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	14
15	3	1	2	20.3	11.0	35.3	-	-	-	0	0	0	-	-	-	0	0	0	15
16	2	2	-	5.4	9.0	0	1	1	0	14.7	14.9	0	-	-	-	0	0	0	16
17	2	-	2	5.4	0	13.8	-	-	-	0	0	0	1	-	1	7.5	0	11.1	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	1	1	-	2.7	4.5	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	7.5	0	11.1	23
24	1	1	-	2.7	4.5	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	2	2	-	5.4	9.0	0	1	1	0	14.7	14.9	0	-	-	-	0	0	0	32
33	37	22	15	100.5	98.7	103.4	2	2	0	29.4	29.8	0	16	6	10	119.4	136.4	111.1	33
34	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	7.5	22.7	0	34
35	2	1	1	5.4	4.5	6.9	-	-	-	0	0	0	-	-	-	0	0	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	56	30	26	152.2	134.5	179.3	7	6	1	102.9	89.6	1000.0	21	5	16	156.7	113.6	177.8	38
39	1	-	1	2.7	0	6.9	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	14.9	0	22.2	40
41	87	45	42	236.4	201.8	289.7	17	17	0	250.0	253.7	0	35	16	19	261.2	363.6	211.1	41
42	3	3	-	8.2	13.5	0	-	-	-	0	0	0	3	1	2	22.4	22.7	22.2	42
43	10	5	5	27.2	22.4	34.5	5	5	0	73.5	74.6	0	6	1	5	44.8	22.7	55.6	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	2	1	1	5.4	4.5	6.9	-	-	-	0	0	0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	1	-	1	2.7	0	6.9	-	-	-	0	0	0	-	-	-	0	0	0	47
48	5	1	4	13.6	4.5	27.6	-	-	-	0	0	0	2	-	2	14.9	0	22.2	48
49	1	1	-	2.7	4.5	0	-	-	-	0	0	0	1	-	1	7.5	0	11.1	49
50	8	2	6	21.7	9.0	41.4	-	-	-	0	0	0	7	4	3	52.2	90.9	33.3	50
51	1	-	1	2.7	0	6.9	1	1	0	14.7	14.9	0	1	-	1	7.5	0	11.1	51
52	3	1	2	8.2	4.5	13.8	-	-	-	0	0	0	-	-	-	0	0	0	52
53	4	4	-	10.9	17.9	0	1	1	0	14.7	14.9	0	3	1	2	22.4	22.7	22.2	53
54	4	4	-	10.9	17.9	0	1	1	0	14.7	14.9	0	-	-	-	0	0	0	54
55	2	-	2	5.4	0	13.8	-	-	-	0	0	0	1	-	1	7.5	0	11.1	55
56	17	9	8	46.2	40.4	55.2	-	-	-	0	0	0	6	-	6	44.8	0	66.7	56
57	3	2	1	8.2	9.0	6.9	1	1	0	14.7	14.9	0	-	-	-	0	0	0	57
58	4	1	3	10.9	4.5	20.7	1	1	0	14.7	14.9	0	4	-	4	29.8	0	44.4	58
59	11	5	6	29.9	22.4	41.4	2	2	0	29.4	29.8	0	5	2	3	37.3	45.5	33.3	59
60	14	7	7	38.0	31.4	48.3	-	-	-	0	0	0	8	3	5	59.7	68.2	55.6	60
61	4	4	-	-	-	-	1	1	0	14.7	14.9	0	-	-	-	0	0	0	61
62	7	1	6	19.0	4.5	41.4	-	-	-	0	0	0	2	-	2	14.9	0	22.2	62
63	27	18	9	73.4	80.7	62.1	5	5	0	73.5	74.6	0	10	4	6	74.6	90.9	66.7	63

TABLE XIII

VITAL STATISTICS, BY

ITEM	Madison						Marion						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
<b>LIVE BIRTHS</b>													
1 Total	254	171	83	21.7	18.4	34.6	178	35	143	28.3	14.6	36.7	1
2 Delivered in hospital	196	164	32	77.2%	95.9%	38.6%	49	33	16	27.5%	94.3%	11.2%	2
3 Delivered in home by physician	-	-	-	0%	0%	0%	10	1	9	5.6%	2.9%	6.3%	3
4 Delivered in home by midwife	58	7	51	22.8%	4.1%	61.4%	119	1	118	66.9%	2.9%	82.5%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	37	21	16	145.7	122.8	192.8	14	1	13	78.7	28.6	90.9	6
<b>FETAL DEATHS</b>													
7 Total	7	3	4	27.6	17.5	48.2	13	2	11	73.0	57.1	76.9	
8 Under 20 weeks gestation	-	-	-	0	0	0	2	1	1	11.2	28.6	7.0	7
9 20-27 weeks gestation	4	1	3	15.7	5.8	36.1	3	1	3	16.9	0	21.0	8
28 weeks and more	3	2	1	11.8	11.7	12.0	8	1	7	44.9	28.6	49.0	9
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0	
<b>DEATHS</b>													
10 Total, all ages	119	95	24	1017.1	1021.5	1000.0	71	31	40	1127.0	1291.0	1025.6	10
11 Under 1 year	12	7	5	47.2	40.9	60.2	8	1	7	44.9	28.6	49.0	11
12 Under 28 days	9	7	2	35.4	40.9	24.1	4	1	3	22.5	28.6	21.0	12
13 Deaths from immaturity	5	2	3	19.7	11.7	36.1	-	-	-	0	0	0	13
14 1-4 years **	1	-	1	-	-	-	2	-	2	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
<b>CAUSE OF DEATH</b>													
16 Tuberculosis, all forms (001-019)	1	1	-	8.5	10.8	0	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	1	-	1	15.9	0	25.6	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haemopoietic tissues (140-205)	15	12	3	128.2	129.0	125.0	10	6	4	158.7	250.0	102.6	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	-	-	-	0	0	0	-	-	-	0	0	0	35
36 Pellagra (281)	1	1	-	8.5	10.8	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	1	-	1	15.9	0	25.6	36
38 Vascular lesions affecting central nervous system (330-334)	-	-	-	0	0	0	-	-	-	0	0	0	37
39 Nonmeningococcal meningitis (340)	22	16	6	188.0	172.0	250.0	19	7	12	301.6	291.7	307.7	38
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	39
41 Heart diseases (410-443)	-	-	-	0	0	0	-	-	-	0	0	0	40
42 Hypertension without mention of heart (444-447)	37	33	4	316.2	354.8	166.7	15	8	7	238.1	333.3	179.5	41
43 Influenza and pneumonia (480-483, 490-493)	4	2	2	34.2	21.5	83.3	1	1	-	15.9	41.7	0	42
44 Bronchitis (500-502)	2	1	1	17.1	10.8	41.7	5	-	5	79.4	0	128.2	43
45 Ulcer of stomach and duodenum (540-541)	1	-	1	8.5	0	41.7	-	-	-	0	0	0	44
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	45
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0	46
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	-	-	-	0	0	0	47
49 Cirrhosis of liver (581)	3	3	-	25.6	32.3	0	3	2	1	47.6	83.3	25.6	48
50 Nephritis and nephrosis (590-594)	1	1	-	8.5	10.8	0	-	-	-	0	0	0	49
51 Hyperplasia of prostate (610)	3	2	1	25.6	21.5	41.7	3	1	2	47.6	41.7	51.3	50
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	3	3	-	25.6	32.3	0	2	-	2	31.7	0	51.3	51
53 Congenital malformations (750-759)	-	-	-	0	0	0	-	-	-	0	0	0	52
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	1	-	1	15.9	0	25.6	53
55 Infection of the newborn (763-768)	3	3	-	25.6	32.3	0	1	1	-	15.9	41.7	0	54
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	0	0	0	1	-	1	15.9	0	25.6	55
57 Senility, without mention of psychosis (794)	7	4	3	59.8	43.0	125.0	1	-	1	15.9	0	25.6	56
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	-	-	-	0	0	0	57
59 Motor vehicle accidents (E810-E835)	4	-	1	34.2	32.3	41.7	-	-	-	0	0	0	58
60 All other accidents (E800-E802, E840-E962)	2	3	2	17.1	0	83.3	2	2	-	31.7	83.3	0	59
61 Suicide (E963, E970-E979)	1	1	-	8.5	10.8	0	1	-	1	15.9	0	25.6	60
62 Homicide (E964, E980-E985)	1	1	-	8.5	10.8	0	1	-	1	15.9	0	25.6	61
63 All other diseases (residual)	8	8	-	68.4	86.0	0	4	3	1	63.5	125.0	25.6	62
							4	3	1	63.5	125.0	25.6	63

See notes on page 87

## COUNTY, BY RACE, GEORGIA, 1955

	McDuffie						McIntosh						Meriwether						
	Number			Rate or Ratio*			Number			Rate or Ratio*			Number			Rate or Ratio*			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	352	169	183	29.8	25.6	35.2	181	72	109	28.3	30.0	27.2	535	195	340	26.0	19.1	32.7	1
2	253	166	87	71.9	98.2	47.5	79	58	21	43.6	80.6	19.3	244	182	62	45.6	93.3	18.2	2
3	2	1	1	0.6	0.6	0.5	1	-	1	0.6	0	0.9	62	12	50	11.6	6.2	14.7	3
4	97	2	95	27.6	1.2	51.9	101	14	87	55.8	19.4	79.8	229	1	228	42.8	0.5	67.1	4
5	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	5
6	33	9	24	93.8	53.3	131.1	12	3	9	66.3	41.7	82.6	41	10	31	76.6	51.3	91.2	6
7	13	3	10	36.9	17.8	54.6	9	1	8	49.7	13.9	73.4	11	5	6	20.6	25.6	17.6	7
8	4	1	3	11.4	5.9	16.4	2	1	1	11.0	13.9	9.2	-	-	-	0	0	0	8
9	2	2	2	5.7	0	10.9	4	4	4	22.1	0	36.7	1	1	1	1.9	0	2.9	9
10	7	2	5	19.9	11.8	27.3	3	-	3	16.6	0	27.5	9	5	4	16.8	25.6	11.8	10
11	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	1.9	0	2.9	11
12	87	45	42	737.3	631.8	807.7	67	29	38	1046.9	1208.3	950.0	166	81	85	805.8	794.1	817.3	12
13	10	2	8	28.4	11.8	43.7	5	2	3	27.6	27.8	27.5	8	3	5	15.0	15.4	14.7	13
14	9	2	7	25.6	11.8	38.3	3	1	2	16.6	13.9	18.3	4	3	1	7.5	15.4	2.9	14
15	5	2	3	14.2	11.8	16.4	-	-	-	0	0	0	1	1	1	1.9	5.1	0	15
16	1	1	-	-	-	-	2	1	1	0	0	0	1	-	1	-	-	-	16
17	-	-	-	0	0	0	-	-	-	0	0	0	3	2	1	14.6	19.6	9.6	17
18	1	-	1	8.5	0	19.2	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	1	-	1	8.5	0	19.2	-	-	-	0	0	0	-	-	-	0	0	0	23
24	1	1	1	8.5	15.2	0	1	-	1	15.6	0	25.0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.9	0	9.6	32
33	10	2	8	84.7	30.3	153.8	9	5	4	140.6	208.3	100.0	15	10	5	72.8	98.0	40.1	33
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	-	-	-	0	0	0	3	1	2	46.9	41.7	50.0	1	1	-	4.9	9.8	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	12	7	5	101.7	106.1	96.2	9	4	5	140.6	166.7	125.0	36	17	19	174.8	166.7	182.7	38
39	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.9	0	9.6	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	39	23	16	330.5	348.5	307.7	25	10	15	390.6	416.7	375.0	52	32	20	252.4	313.7	192.3	41
42	-	-	-	0	0	0	-	-	-	0	0	0	4	1	3	19.4	9.8	28.8	42
43	2	1	1	16.9	15.2	19.2	2	1	1	31.2	41.7	25.0	5	1	4	24.3	9.8	38.5	43
44	-	-	-	0	0	0	-	-	-	0	0	0	1	1	1	4.9	9.8	0	44
45	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	1	-	1	8.5	0	19.2	1	1	-	15.6	41.7	0	-	-	-	0	0	0	47
48	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	48
49	1	1	-	8.5	15.2	0	-	-	-	0	0	0	1	-	1	4.9	0	9.6	49
50	-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	9.7	9.8	9.6	50
51	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.9	0	9.6	51
52	-	-	-	0	0	0	-	-	-	0	0	0	3	-	3	14.6	0	28.8	52
53	1	-	1	8.5	0	19.2	-	-	-	0	0	0	1	1	-	4.9	9.8	0	53
54	2	-	2	16.9	0	38.5	2	1	1	31.2	41.7	25.0	1	1	-	4.9	9.8	0	54
55	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.9	0	9.6	55
56	5	2	3	42.4	30.3	57.7	1	-	1	15.6	0	25.0	2	1	1	9.7	9.8	9.6	56
57	-	-	-	0	0	0	1	-	1	15.6	0	25.0	-	-	-	0	0	0	57
58	2	1	1	16.9	15.2	19.2	1	1	-	15.6	41.7	0	3	2	1	14.6	19.6	9.6	58
59	3	2	1	25.4	30.3	19.2	-	-	-	0	0	0	8	1	7	38.8	9.8	67.3	59
60	1	1	-	8.5	15.2	0	4	1	3	62.5	41.7	75.0	9	2	7	43.7	19.6	67.3	60
61	-	-	-	0	0	0	1	1	-	15.6	41.7	0	2	-	-	9.7	19.6	0	61
62	1	-	1	8.5	0	19.2	-	-	-	0	0	0	1	-	1	4.9	0	9.6	62
63	4	4	-	33.9	60.6	0	7	3	4	109.4	125.0	100.0	12	5	7	58.3	49.0	67.3	63

TABLE XIII

VITAL STATISTICS, BY

ITEM	Miller						Mitchell						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
<b>LIVE BIRTHS</b>													
1 Total	180	99	81	21.2	16.5	32.4	649	224	425	29.2	20.2	38.3	1
2 Delivered in hospital	137	98	39	76.1%	99.0%	48.1%	432	219	213	66.6%	97.8%	50.1%	2
3 Delivered in home by physician	1	-	1	0.6%	0%	1.2%	9	2	7	1.4%	0.9%	1.6%	3
4 Delivered in home by midwife	42	1	41	23.3%	1.0%	50.6%	208	3	205	32.0%	1.3%	48.2%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	15	4	11	83.3	40.4	135.8	70	18	52	107.9	80.4	122.4	6
<b>FETAL DEATHS</b>													
7 Total	3	1	2	16.7	10.1	24.7	58	18	40	89.4	80.4	94.1	7
8 Under 20 weeks gestation	-	-	-	0	0	0	32	14	18	49.3	62.5	42.4	8
9 20-27 weeks gestation	-	-	-	0	0	0	6	1	5	9.2	4.5	11.8	9
28 weeks and more	3	1	2	16.7	10.1	24.7	20	3	17	30.8	13.4	40.0	
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0	
<b>DEATHS</b>													
10 Total, all ages	68	46	22	800.0	766.7	880.0	197	94	103	887.4	846.8	927.9	10
11 Under 1 year	1	1	-	5.6	10.1	0	21	2	19	32.4	8.9	44.7	11
12 Under 28 days	1	1	-	5.6	10.1	0	10	1	9	15.4	4.5	21.2	12
13 Deaths from immaturity	-	-	-	0	0	0	2	-	2	3.1	0	4.7	13
14 1-4 years **	-	-	-	0	0	0	4	1	3	-	0	0	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
<b>CAUSE OF DEATH</b>													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	1	1	-	4.5	9.0	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	1	1	-	11.8	16.7	0	1	-	1	4.5	0	9.0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	1	1	-	4.5	9.0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	1	-	1	4.5	0	9.0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	1	-	1	4.5	0	9.0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	9	7	2	105.9	116.7	80.0	28	18	10	126.1	162.2	90.1	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	1	-	1	4.5	0	9.0	34
35 Diabetes mellitus (260)	-	-	-	0	0	0	3	2	1	13.5	18.0	9.0	35
36 Pellagra (281)	-	-	-	0	0	0	1	1	-	4.5	9.0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	11	8	3	129.4	133.3	120.0	27	10	17	121.6	90.1	153.2	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	23	12	11	270.6	200.0	440.0	70	43	27	315.3	307.4	243.2	41
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	1	-	1	4.5	0	9.0	42
43 Influenza and pneumonia (480-483, 490-493)	1	1	-	11.8	16.7	0	7	1	6	31.5	9.0	54.1	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	2	1	1	9.0	9.0	9.0	45
46 Appendicitis (550-553)	1	-	1	11.8	0	40.0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	1	-	1	4.5	0	9.0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	11.8	0	40.0	4	-	4	18.0	0	36.0	48
49 Cirrhosis of liver (581)	3	2	1	35.3	33.3	40.0	1	1	-	4.5	9.0	0	49
50 Nephritis and nephrosis (590-594)	1	1	-	11.8	16.7	0	7	2	5	31.5	18.0	45.0	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	2	-	2	9.0	0	18.0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	1	1	-	11.8	16.7	0	1	-	1	4.5	0	9.0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	1	-	11.8	16.7	0	2	-	2	9.0	0	18.0	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	3	1	2	13.5	9.0	18.0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	0	0	0	3	-	3	13.5	0	27.0	56
57 Senility, without mention of psychosis (794)	1	1	-	11.8	16.7	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	7	2	5	31.5	18.0	45.0	58
59 Motor vehicle accidents (E810-E835)	2	2	-	23.5	33.3	0	4	2	2	18.0	18.0	18.0	59
60 All other accidents (E800-E802, E840-E962)	6	6	-	70.6	100.0	0	5	2	3	22.5	18.0	27.0	60
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	1	-	1	4.5	0	9.0	61
62 Homicide (E964, E980-E985)	1	-	1	11.8	0	40.0	2	-	2	9.0	0	18.0	62
63 All other diseases (residual)	5	3	2	58.8	50.0	80.0	9	6	3	40.5	54.1	27.0	63

See notes on page 87

COUNTY, BY RACE, GEORGIA, 1955

	Monroe						Montgomery						Morgan						
	Number			Rate or Ratio*			Number			Rate or Ratio*			Number			Rate or Ratio*			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	223	84	144	21.9	15.8	28.2	175	88	87	25.0	22.0	29.0	270	99	171	23.3	18.0	28.0	1
2	137	84	53	60.1%	100.0%	36.9%	86	81	5	49.1%	92.0%	5.7%	94	82	12	34.8%	82.8%	7.0%	2
3	2	-	2	0.9%	0%	1.4%	15	6	9	8.6%	6.8%	10.3%	29	8	21	10.7%	8.1%	12.3%	3
4	89	-	89	39.0%	0%	61.8%	73	1	72	41.7%	1.1%	82.8%	147	9	138	54.4%	9.1%	80.7%	4
5	-	-	-	0%	0%	0%	1	-	1	0.6%	0%	1.1%	-	-	-	0%	0%	0%	5
6	26	8	18	114.0	95.2	125.0	12	2	10	68.6	22.7	114.9	22	5	17	81.5	50.5	99.4	6
7	7	2	5	30.7	23.8	34.7	4	2	2	22.9	22.7	23.0	4	1	3	14.8	10.1	17.2	7
8	3	1	2	13.2	11.9	13.9	1	-	-	0	0	0	-	-	-	0	0	0	8
9	2	-	2	8.8	0	13.9	1	1	-	5.7	11.4	0	-	-	-	0	0	0	9
10	2	1	1	8.8	11.9	6.9	3	1	2	17.1	11.4	23.0	4	1	3	14.8	10.1	17.5	10
11	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	11
12	116	50	66	115.4	94.4	129.1	55	27	28	75.7	76.0	93.3	97	43	54	83.2	76.8	85.2	12
13	9	1	8	39.5	11.9	59.0	7	3	4	40.0	34.1	46.0	7	1	6	29.9	10.1	35.1	13
14	3	1	2	21.9	11.9	27.8	2	1	1	11.4	11.4	11.5	4	-	4	14.8	0	23.4	14
15	3	1	2	13.2	11.9	13.9	1	-	1	5.7	0	11.5	2	-	2	7.4	0	11.7	15
16	4	-	4	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	16
17	1	-	1	4.9	0	69.4	2	1	1	114.3	113.6	114.9	1	-	1	37.0	0	58.5	17
18	-	-	-	0	0	0	1	-	1	14.3	0	33.3	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	8.6	0	16.4	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	8.6	0	16.4	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
33	17	11	6	163.5	207.5	117.6	2	2	-	28.6	50.0	0	14	10	4	120.7	181.8	65.6	33
34	1	-	1	9.6	0	19.6	-	-	-	0	0	0	-	-	-	0	0	0	34
35	1	1	-	9.6	18.9	0	-	-	-	0	0	0	-	-	-	0	0	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	8.6	0	16.4	37
38	5	2	3	46.1	37.7	56.8	11	8	3	157.1	200.0	100.0	17	4	13	146.6	72.7	213.1	38
39	-	-	-	0	0	0	1	-	1	14.3	0	33.3	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	41	22	19	394.2	415.1	372.5	18	6	12	257.1	150.0	400.0	31	20	11	267.2	363.6	180.3	41
42	1	-	1	9.6	0	19.6	2	1	1	28.6	25.0	33.3	1	-	1	8.6	0	16.4	42
43	8	2	6	76.9	37.7	117.6	3	1	2	42.9	25.0	66.7	3	2	1	25.9	36.4	16.4	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	1	1	-	14.3	25.0	0	1	-	1	8.6	0	16.4	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	47
48	1	-	1	9.6	0	19.6	1	-	1	14.3	0	33.3	-	-	-	0	0	0	48
49	1	1	-	9.6	18.9	0	-	-	-	0	0	0	1	1	-	8.6	18.2	0	49
50	2	2	-	19.2	37.7	0	2	1	1	28.6	25.0	33.3	1	-	1	8.6	0	16.4	50
51	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	1	-	1	9.6	0	19.6	2	1	1	28.6	25.0	33.3	1	-	1	8.6	0	16.4	52
53	2	1	1	19.2	18.9	19.6	-	-	-	0	0	0	2	1	1	17.2	18.2	16.4	53
54	1	-	1	9.6	0	19.6	1	1	-	14.3	25.0	0	-	-	-	0	0	0	54
55	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	55
56	4	1	3	38.5	18.9	58.8	1	-	1	14.3	0	33.3	2	-	2	17.2	0	32.8	56
57	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	8.6	18.2	0	57
58	9	-	9	86.5	0	176.5	1	-	1	14.3	0	33.3	4	-	4	34.5	0	65.6	58
59	10	2	8	96.2	37.7	156.9	1	1	-	14.3	25.0	0	3	1	2	25.9	18.2	32.8	59
60	5	-	5	48.1	0	98.0	4	2	2	57.1	50.0	66.7	6	1	5	51.7	18.2	82.0	60
61	-	-	-	0	0	0	2	1	1	28.6	25.0	33.3	-	-	-	0	0	0	61
62	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	8.6	0	16.4	62
63	6	5	1	57.7	94.3	19.6	1	1	-	14.3	25.0	0	5	2	3	43.1	36.4	49.2	63

ITEM	Murray						Muscogee					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>												
1 Total	217	211	6	20.7	20.3	60.0	5,367	4,131	1,236	41.5	42.6	38.1
2 Delivered in hospital	201	195	6	92.6%	92.4%	100.0%	5,233	4,122	1,111	97.5%	99.8%	89.9%
3 Delivered in home by physician	3	3	-	1.4%	1.4%	0%	47	55	8	1.0%	0.2%	3.8%
4 Delivered in home by midwife	13	13	-	6.0%	6.2%	0%	77	1	76	1.4%	0.0%	6.1%
5 Other deliveries	-	-	-	0%	0%	0%	2	-	2	0.0%	0%	0.2%
6 Immature births	20	18	2	92.2	85.3	333.3	454	298	156	84.6	72.1	126.2
<b>FETAL DEATHS</b>												
7 Total	5	5	-	23.0	23.7	0	154	103	51	28.7	24.9	41.3
8 Under 20 weeks gestation	2	2	-	9.2	9.5	0	57	50	7	10.6	12.1	5.7
9 20-27 weeks gestation	1	1	-	4.6	4.7	0	26	13	13	4.8	3.1	10.5
28 weeks and more	2	2	-	9.2	9.5	0	62	37	25	11.6	9.0	20.2
Unknown length of gestation	-	-	-	0	0	0	9	3	6	1.7	0.7	4.9
<b>DEATHS</b>												
10 Total, all ages	88	86	2	838.1	826.9	2000.0	906	582	324	700.2	600.0	1000.0
11 Under 1 year	6	6	-	27.6	28.4	0	126	85	41	23.5	20.6	33.2
12 Under 28 days	3	3	-	13.8	14.2	0	99	71	28	18.4	17.2	22.7
13 Deaths from immaturity	1	1	-	4.6	4.7	0	32	24	8	6.0	5.8	6.5
14 1-4 years	4	4	-	-	-	-	17	6	11	-	-	-
15 Maternal deaths	-	-	-	0	0	0	3	2	1	5.6	4.8	8.1
<b>CAUSE OF DEATH</b>												
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	9	4	5	7.0	4.1	15.4
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	3	1	2	2.3	1.0	6.2
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	1	-	1	0.8	0	3.1
25 Acute poliomyelitis (080)	-	-	-	0	0	0	1	1	-	0.8	1.0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	13	13	-	123.8	125.0	0	134	86	48	103.6	88.7	148.1
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	5	1	4	3.9	1.0	12.3
35 Diabetes mellitus (260)	2	2	-	19.0	19.2	0	9	6	3	7.0	6.2	9.5
36 Pellagra (281)	1	1	-	9.5	9.6	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	1	1	-	0.8	1.0	0
38 Vascular lesions affecting central nervous system (330-334)	7	7	-	66.7	67.3	0	126	69	57	97.4	71.1	175.9
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	3	3	-	2.3	3.1	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	2	-	2	1.5	0	6.2
41 Heart diseases (410-443)	30	30	-	285.7	288.5	0	264	187	77	204.0	192.8	237.7
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	9	5	4	7.0	5.2	12.3
43 Influenza and pneumonia (480-483, 490-493)	9	9	-	85.7	86.5	0	25	14	11	19.3	14.4	34.0
44 Bronchitis (500-502)	-	-	-	0	0	0	3	3	-	2.3	3.1	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	3	3	-	2.3	3.1	0
46 Appendicitis (550-553)	-	-	-	0	0	0	1	1	-	0.8	1.0	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	9	5	4	7.0	5.2	12.3
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	2	2	-	1.5	2.1	0
49 Cirrhosis of liver (581)	-	-	-	0	0	0	8	8	-	6.2	8.2	0
50 Nephritis and nephrosis (590-594)	1	1	-	9.5	9.6	0	14	8	6	10.8	8.2	18.5
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	3	2	1	2.3	2.1	3.1
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	3	2	1	2.3	2.1	3.1
53 Congenital malformations (750-759)	1	1	-	9.5	9.6	0	23	16	7	17.8	16.5	21.6
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	43	30	13	33.2	30.9	40.1
55 Infection of the newborn (763-768)	-	-	-	0	0	0	6	4	2	4.6	4.1	6.2
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	2	2	-	19.0	19.2	0	40	30	10	30.9	30.9	30.9
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	4	2	2	3.1	2.1	6.2
58 Ill-defined and unknown causes (780-793, 795)	1	1	-	9.5	9.6	0	3	1	2	2.3	1.0	6.2
59 Motor vehicle accidents (E810-E835)	7	6	1	66.7	57.7	1000.0	19	15	4	14.7	15.5	12.3
60 All other accidents (E800-E802, E840-E962)	7	7	-	66.7	67.3	0	40	25	15	30.9	25.8	46.3
61 Suicide (E963, E970-E979)	1	1	-	9.5	9.6	0	16	15	1	12.4	15.5	3.1
62 Homicide (E964, E980-E985)	2	1	1	19.0	9.6	1000.0	11	1	10	8.5	1.0	30.9
63 All other diseases (residual)	4	4	-	38.1	38.5	0	63	31	32	48.7	32.0	98.8

See notes on page 87







COUNTY, BY RACE, GEORGIA, 1955

	Pike						Pierce						Pike						
	Number			Rate or Ratio*			Number			Rate or Ratio*			Number			Rate or Ratio*			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	215	203	12	24.7	24.8	24.0	283	195	88	26.0	23.2	35.2	190	70	120	25.3	17.1	35.3	1
2	214	202	12	99.5%	99.5%	100.0	210	175	35	74.2%	89.7%	39.8%	84	64	20	44.2%	91.4%	16.7%	2
3	1	1		0.5%	0.5%	0%	5	3	2	1.8%	1.5%	2.3%	20	4	16	10.5%	5.7%	13.3%	3
4				0%	0%	0%	58	8	50	20.5%	4.1%	56.8%	86	2	84	45.3%	2.9%	70.0%	4
5				0%	0%	0%	10	9	1	3.5%	4.6%	1.1%				0%	0%	0%	5
6	15	13	2	69.8	64.0	166.7	28	13	15	98.9	66.7	170.5	22	8	14	115.8	114.3	116.7	6
7	5	5		23.3	24.6	0	10	3	7	35.3	15.4	79.5	11	3	8	57.9	42.9	66.7	7
8	2	2		0	0	0	3	2	1	10.6	10.3	11.4	5	2	3	26.3	28.6	25.0	8
9	1	1		9.3	9.9	0	3	1	2	10.6	0	34.1	1	1	0	0	0	0	9
	1	1		4.7	4.9	0	4	1	3	14.1	5.1	34.1	6	1	5	31.6	14.3	41.7	
	2	2		9.3	9.9	0				0	0	0				0	0	0	
10	66	66		758.6	804.9	0	104	73	31	954.1	869.0	1240.0	76	32	44	1013.3	780.5	1294.1	10
11	3	3		14.0	14.8	0	8	3	5	28.3	15.4	56.8	9	1	8	47.4	14.3	66.7	11
12	3	3		14.0	14.8	0	4	2	2	14.1	10.3	22.7	2	1	3	21.1	14.3	25.0	12
13				0	0	0	1	1	1	3.5	5.1	0	4	2	2	10.5	0	16.7	13
14							3	1	2				1	1					14
15	1	1		46.5	49.3	0	1	1	1	35.3	51.3	0	1	1	1	52.6	0	83.3	15
16	1	1		11.5	12.2	0				0	0	0				0	0	0	16
17				0	0	0				0	0	0				0	0	0	17
18				0	0	0				0	0	0				0	0	0	18
19				0	0	0				0	0	0	2	2	2	26.7	0	58.8	19
20				0	0	0				0	0	0				0	0	0	20
21				0	0	0				0	0	0				0	0	0	21
22				0	0	0				0	0	0				0	0	0	22
23				0	0	0				0	0	0				0	0	0	23
24				0	0	0				0	0	0				0	0	0	24
25				0	0	0				0	0	0				0	0	0	25
26				0	0	0				0	0	0				0	0	0	26
27				0	0	0				0	0	0				0	0	0	27
28				0	0	0				0	0	0				0	0	0	28
29				0	0	0				0	0	0				0	0	0	29
30				0	0	0				0	0	0				0	0	0	30
31				0	0	0				0	0	0				0	0	0	31
32				0	0	0	1	1	1	9.2	0	40.0	1	1	1	13.3	0	29.4	32
33	13	13		149.4	158.5	0	23	21	2	211.0	250.0	80.0	10	7	3	133.3	170.7	88.2	33
34				0	0	0				0	0	0				0	0	0	34
35	2	2		23.0	24.4	0	1	1	1	9.2	11.9	0	5	1	4	66.7	24.4	117.6	35
36	1	1		11.5	12.2	0				0	0	0				0	0	0	36
37				0	0	0				0	0	0				0	0	0	37
38	9	9		103.4	109.8	0	25	18	7	229.4	214.3	280.0	11	3	8	146.7	73.2	235.3	38
39				0	0	0				0	0	0				0	0	0	39
40	1	1		11.5	12.2	0				0	0	0				0	0	0	40
41	18	18		206.9	219.5	0	23	18	5	211.0	214.3	200.0	24	13	11	320.0	317.1	323.5	41
42				0	0	0				0	0	0	1	1	1	13.3	24.4	0	42
43	2	2		23.0	24.4	0	2	2	1	18.3	23.8	0	3	1	2	40.0	24.4	58.8	43
44				0	0	0	1	1	1	9.2	11.9	0				0	0	0	44
45				0	0	0	2	2	1	18.3	23.8	0	1	1	1	13.3	24.4	0	45
46				0	0	0				0	0	0				0	0	0	46
47				0	0	0				0	0	0	1	1	1	13.3	24.4	0	47
48				0	0	0	4	4	4	36.7	0	160.0				0	0	0	48
49				0	0	0				0	0	0				0	0	0	49
50				0	0	0				0	0	0	2	2	2	26.7	0	58.8	50
51	1	1		11.5	12.2	0				0	0	0				0	0	0	51
52	1	1		11.5	12.2	0	1	1	1	9.2	11.9	0	1	1	1	13.3	0	29.4	52
53	1	1		11.5	12.2	0	1	1	1	9.2	11.9	0	1	1	1	13.3	0	29.4	53
54	2	2		23.0	24.4	0	3	1	2	27.5	11.9	80.0				0	0	0	54
55				0	0	0				0	0	0				0	0	0	55
56				0	0	0	1	1	1	9.2	11.9	0	3	1	2	40.0	24.4	58.8	56
57				0	0	0				0	0	0				0	0	0	57
58				0	0	0	5	2	3	45.9	23.8	120.0	4	1	3	53.3	24.4	88.2	58
59	3	3		34.5	36.6	0	2	1	1	18.3	11.9	40.0	1	1	1	13.3	0	29.4	59
60	3	3		34.5	36.6	0				0	0	0				0	0	0	60
61	3	3		34.5	36.6	0				0	0	0	1	1	1	13.3	24.4	0	61
62				0	0	0	2	2	2	18.3	0	80.0				0	0	0	62
63	5	5		57.5	61.0	0	7	3	4	64.2	35.7	160.0	4	1	3	53.3	24.4	88.2	63

ITEM	Polk						Pulaski						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
<b>LIVE BIRTHS</b>													
1 Total	703	574	129	21.6	21.3	23.0	244	90	154	29.4	20.9	38.5	1
2 Delivered in hospital	626	543	83	89.0%	94.6%	64.3%	125	84	41	51.2%	93.3%	26.6%	2
3 Delivered in home by physician	23	14	9	3.3%	2.4%	7.0%	3	-	3	1.2%	0%	1.9%	3
4 Delivered in home by midwife	53	16	37	7.5%	2.8%	28.7%	116	6	110	47.5%	6.7%	71.4%	4
5 Other deliveries	1	1	-	0.1%	0.2%	0%	-	-	-	0%	0%	0%	5
6 Immature births	59	45	14	83.9	78.4	108.5	25	6	19	102.5	66.7	123.4	6
<b>FETAL DEATHS</b>													
7 Total	17	14	3	24.2	24.4	23.3	5	2	3	20.5	22.2	19.5	7
8 Under 20 weeks gestation	2	1	1	2.8	1.7	7.8	1	1	-	4.1	11.1	0	8
9 20-27 weeks gestation	1	1	-	1.4	1.7	0	-	-	-	0	0	0	9
28 weeks and more	12	10	2	17.1	17.4	15.5	2	1	2	8.2	0	13.0	10
Unknown length of gestation	2	2	-	2.8	3.5	0	2	1	1	8.2	11.1	6.5	11
<b>DEATHS</b>													
10 Total, all ages	215	182	33	661.5	676.6	589.3	64	24	40	771.1	558.1	1000.0	12
11 Under 1 year	16	14	2	22.8	24.4	15.5	9	9	9	36.9	0	58.4	13
12 Under 28 days	9	8	1	12.8	13.9	7.8	6	-	6	24.6	0	39.0	14
13 Deaths from immaturity	2	2	-	2.8	3.5	0	1	-	1	4.1	0	6.5	15
14 1-4 years **	1	1	-	-	-	-	-	-	-	-	-	-	16
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	17
<b>CAUSE OF DEATH</b>													
16 Tuberculosis, all forms (001-019)	1	1	-	3.1	3.7	0	2	-	2	24.1	0	50.0	18
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	19
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	20
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	21
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	22
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	23
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	24
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	25
24 Meningococcal infections (057)	1	1	-	3.1	3.7	0	-	-	-	0	0	0	26
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	27
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	28
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	29
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	30
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	31
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	32
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	33
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 084-096, 120-138)	2	2	-	6.2	7.4	0	-	-	-	0	0	0	34
33 Malignant neoplasms, including neoplasms of lymphatic and haemopoietic tissues (140-205)	23	20	3	70.8	74.3	53.6	6	2	4	72.3	46.5	100.0	35
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	36
35 Diabetes mellitus (260)	2	2	-	6.2	7.4	0	-	-	-	0	0	0	37
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	38
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	39
38 Vascular lesions affecting central nervous system (330-334)	26	22	4	80.0	81.8	71.4	10	4	6	120.5	93.0	150.0	40
39 Nonmeningococcal meningitis (340)	1	-	1	3.1	0	17.9	-	-	-	0	0	0	41
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	42
41 Heart diseases (410-443)	98	85	13	301.5	316.0	232.1	20	8	12	241.0	186.0	300.0	43
42 Hypertension without mention of heart (444-447)	2	1	1	6.2	3.7	17.9	2	1	1	24.1	23.3	25.0	44
43 Influenza and pneumonia (480-483, 490-493)	5	3	2	15.4	11.2	35.7	1	-	1	12.0	0	25.0	45
44 Bronchitis (500-502)	1	1	-	3.1	3.7	0	-	-	-	0	0	0	46
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0	47
46 Appendicitis (550-553)	1	1	-	3.1	3.7	0	-	-	-	0	0	0	48
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	1	1	-	12.0	23.3	0	49
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	2	-	6.2	7.4	0	-	-	-	0	0	0	50
49 Cirrhosis of liver (581)	3	2	1	9.2	7.4	17.9	-	-	-	0	0	0	51
50 Nephritis and nephrosis (590-594)	5	4	1	15.4	14.9	17.9	-	-	-	0	0	0	52
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	-	1	12.0	0	25.0	53
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	54
53 Congenital malformations (750-759)	5	5	-	15.4	18.6	0	1	-	1	12.0	0	25.0	55
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	4	4	-	12.3	14.9	0	2	-	2	24.1	0	50.0	56
55 Infection of the newborn (763-768)	1	-	1	3.1	0	17.9	1	-	1	12.0	0	25.0	57
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	2	2	-	6.2	7.4	0	1	-	1	12.0	0	25.0	58
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	1	-	1	12.0	0	25.0	59
58 Ill-defined and unknown causes (780-793, 795)	1	1	-	3.1	3.7	0	4	1	3	48.2	23.3	75.0	60
59 Motor vehicle accidents (E810-E835)	6	6	-	18.5	22.3	0	2	-	2	24.1	0	50.0	61
60 All other accidents (E800-E802, E840-E962)	13	9	4	40.0	33.5	71.4	-	-	-	0	0	0	62
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	-	-	-	0	0	0	63
62 Homicide (E964, E980-E985)	1	-	1	3.1	0	17.9	1	1	-	12.0	23.3	0	64
63 All other diseases (residual)	9	8	1	27.7	29.7	17.9	8	6	2	96.4	139.5	50.0	65

COUNTY, BY RACE, GEORGIA, 1955

	Putnam						Quitman						Rabun						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	212	72	140	29.0	21.8	35.0	66	16	50	23.6	16.0	27.8	148	148	-	20.6	20.8	0	1
2	102	69	33	48.1%	95.8%	23.6%	17	14	3	25.8%	87.5%	6.0%	136	136	-	91.9%	91.9%	0%	2
3	2	1	1	0.9%	1.4%	0.7%	-	-	-	0%	0%	0%	2	2	-	1.4%	1.4%	0%	3
4	108	2	106	50.9%	2.8%	75.7%	48	2	46	72.7%	12.5%	92.0%	10	10	-	6.8%	6.8%	0%	4
5	-	-	-	0%	0%	0%	1	-	1	1.5%	0%	2.0%	-	-	-	0%	0%	0%	5
6	14	5	9	66.0	69.4	64.3	9	2	7	136.4	125.0	140.0	8	8	-	54.1	54.1	0	6
7	13	2	11	61.3	27.8	78.6	-	-	-	0	0	0	4	3	1	27.0	20.3	...	7
8	2	1	1	9.4	13.9	7.1	-	-	-	0	0	0	1	1	-	6.8	6.8	0	8
9	5	1	4	23.6	13.9	28.6	-	-	-	0	0	0	1	1	-	6.8	6.8	0	9
10	5	-	5	23.6	0	35.7	-	-	-	0	0	0	2	1	1	13.5	6.8	...	10
11	1	-	1	4.7	0	7.1	-	-	-	0	0	0	-	-	-	0	0	0	11
12	77	30	47	104.8	909.1	1175.0	33	10	23	1178.6	1000.0	1277.8	54	54	-	750.0	760.6	0	12
13	7	1	6	33.0	13.9	42.9	6	1	5	90.9	62.5	100.0	3	3	-	20.3	20.3	0	13
14	3	1	2	14.2	13.9	14.3	5	-	5	75.8	0	100.0	3	3	-	20.3	20.3	0	14
15	1	-	1	4.7	0	7.1	2	-	2	30.3	0	40.0	-	-	-	0	0	0	15
16	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	16
17	2	-	2	27.4	0	50.0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	13.9	14.1	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	-	1	13.7	0	25.0	-	-	-	0	0	0	1	1	-	13.9	14.1	0	32
33	11	6	5	150.7	181.8	125.0	3	1	2	107.1	100.0	111.1	10	10	-	138.9	140.8	0	33
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	-	-	-	0	0	0	-	-	-	0	0	0	2	2	-	27.8	28.2	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	11	5	6	150.7	151.5	150.0	6	2	4	214.3	200.0	222.2	1	1	-	13.9	14.1	0	38
39	1	-	1	13.7	0	25.0	1	-	1	35.7	0	55.6	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	30	15	15	411.0	454.5	375.0	15	5	10	535.7	500.0	555.6	25	25	-	347.2	352.1	0	41
42	-	-	-	0	0	0	1	-	1	35.7	0	55.6	-	-	-	0	0	0	42
43	3	-	3	41.1	0	75.0	1	1	-	35.7	100.0	0	4	4	-	55.6	56.3	0	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	1	-	1	13.7	0	25.0	-	-	-	0	0	0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	13.9	14.1	0	47
48	-	-	-	0	0	0	1	-	1	35.7	0	55.6	-	-	-	0	0	0	48
49	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	49
50	1	1	-	13.7	30.3	0	-	-	-	0	0	0	-	-	-	0	0	0	50
51	1	-	1	13.7	0	25.0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	52
53	1	1	-	13.7	30.3	0	-	-	-	0	0	0	-	-	-	0	0	0	53
54	1	-	1	13.7	0	25.0	2	-	2	71.4	0	111.1	1	1	-	13.9	14.1	0	54
55	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	55
56	1	-	1	13.7	0	25.0	2	-	2	71.4	0	111.1	2	2	-	27.8	28.2	0	56
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
58	1	-	1	13.7	0	25.0	-	-	-	0	0	0	-	-	-	0	0	0	58
59	2	-	2	27.4	0	50.0	1	1	-	35.7	100.0	0	3	3	-	41.7	42.3	0	59
60	4	2	2	54.8	60.6	50.0	-	-	-	0	0	0	-	-	-	0	0	0	60
61	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	61
62	2	-	2	27.4	0	50.0	-	-	-	0	0	0	-	-	-	0	0	0	62
63	3	-	3	41.1	0	75.0	-	-	-	0	0	0	3	3	-	41.7	42.3	0	63

ITEM	Randolph						Richmond					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>												
1 Total	313	78	235	25.2	17.3	29.7	4,110	2,704	1,406	28.9	28.3	30.2
2 Delivered in hospital	97	73	24	31.0%	93.6%	10.2%	4,025	2,694	1,331	97.9%	99.6%	94.7%
3 Delivered in home by physician	6	1	5	1.9%	1.3%	2.1%	56	8	48	1.4%	0.3%	3.4%
4 Delivered in home by midwife	210	4	206	67.1%	5.1%	87.7%	27	-	27	0.7%	0%	1.9%
5 Other deliveries	-	-	-	0%	0%	0%	2	2	-	0.0%	0.1%	0%
6 Immature births	21	4	17	67.1	51.3	72.3	343	165	178	83.5	61.0	126.6
<b>FETAL DEATHS</b>												
7 Total	15	2	13	47.9	25.6	55.3	144	84	60	35.0	31.1	42.7
8 Under 20 weeks gestation	6	1	5	19.2	12.8	21.3	53	38	15	12.9	14.1	10.7
9 20-27 weeks gestation	4	1	3	12.8	0	17.0	37	22	15	9.0	8.1	10.7
28 weeks and more	4	1	3	12.8	0	17.0	52	24	28	12.7	8.9	19.9
Unknown length of gestation	1	1	-	3.2	12.8	0	2	-	2	0.5	0	1.4
<b>DEATHS</b>												
10 Total, all ages	130	55	75	1048.4	1222.2	949.4	1,069	618	451	751.2	645.8	967.8
11 Under 1 year	12	3	9	38.3	38.5	38.3	96	58	38	23.4	21.4	27.0
12 Under 28 days	8	1	7	25.6	12.8	29.8	67	47	20	16.3	17.4	14.2
13 Deaths from immaturity	6	1	5	19.2	12.8	21.3	20	14	6	4.9	5.2	4.3
14 1-4 years **	1	-	1	0	0	0	21	10	11	0	0	0
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0
<b>CAUSE OF DEATH</b>												
16 Tuberculosis, all forms (001-019)	2	-	2	16.1	0	25.3	10	6	4	7.0	6.3	8.6
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	3	-	3	2.1	0	6.4
18 Typhoid fever (040)	-	-	-	0	0	0	1	-	1	0.7	0	2.1
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	1	-	1	8.1	0	12.7	1	1	-	0.7	1.0	0
23 Whooping cough (056)	-	-	-	0	0	0	1	-	1	0.7	0	2.1
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	1	-	1	8.1	0	12.7	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	1	-	1	0.7	0	2.1
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	2	2	-	1.4	2.1	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	20	11	9	161.3	244.4	113.9	134	81	53	94.2	84.6	113.7
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	2	1	1	1.4	1.0	2.1
35 Diabetes mellitus (260)	-	-	-	0	0	0	19	10	9	13.4	10.4	19.3
36 Pellagra (281)	-	-	-	0	0	0	1	1	-	0.7	1.0	0
37 Anemias (290-293)	1	1	-	8.1	22.2	0	2	-	2	1.4	0	4.3
38 Vascular lesions affecting central nervous system (330-334)	16	6	10	129.0	133.3	126.6	173	74	99	121.6	77.3	212.4
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	1	-	1	0.7	0	2.1
40 Rheumatic fever (400-402)	-	-	-	0	0	0	1	-	1	0.7	0	2.1
41 Heart diseases (410-443)	45	21	24	362.9	466.7	303.8	371	239	132	260.7	249.7	283.3
42 Hypertension without mention of heart (444-447)	2	-	2	16.1	0	25.3	14	7	7	9.8	7.3	15.0
43 Influenza and pneumonia (480-483, 490-493)	1	1	-	8.1	22.2	0	34	16	18	23.9	16.7	38.6
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	4	2	2	2.8	2.1	4.3
46 Appendicitis (550-553)	-	-	-	0	0	0	2	2	-	1.4	2.1	0
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	8.1	22.2	0	7	6	1	4.9	6.3	2.1
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	8.1	0	12.7	3	1	2	2.1	1.0	4.3
49 Cirrhosis of liver (581)	1	1	-	8.1	22.2	0	12	9	3	8.4	9.4	6.4
50 Nephritis and nephrosis (590-594)	1	-	1	8.1	0	12.7	20	7	13	14.1	7.3	27.9
51 Hyperplasia of prostate (610)	1	1	-	8.1	22.2	0	1	1	-	0.7	1.0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	2	1	1	16.1	22.2	12.7	19	15	4	13.4	15.7	8.6
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	-	1	8.1	0	12.7	30	21	9	21.1	21.9	19.3
55 Infection of the newborn (763-768)	-	-	-	0	0	0	3	-	2	2.1	1.0	4.3
56 Other diseases peculiar to early infancy; and immaturity unqualified (769-776)	7	1	6	56.5	22.2	75.9	28	18	10	19.7	18.8	21.5
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	2	2	-	1.4	2.1	0
58 Ill-defined and unknown causes (780-793, 795)	2	-	2	16.1	0	25.3	1	-	1	0.7	0	2.1
59 Motor vehicle accidents (E810-E835)	4	2	2	32.3	44.4	25.3	36	23	13	25.3	24.0	27.9
60 All other accidents (E800-E802, E840-E962)	8	5	3	64.5	111.1	38.0	46	25	21	32.3	26.1	45.1
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	6	5	1	4.2	5.2	2.1
62 Homicide (E964, E980-E985)	4	-	4	32.3	0	50.6	9	2	7	6.3	2.1	15.0
63 All other diseases (residual)	8	3	5	64.5	66.7	63.3	69	40	29	48.5	41.8	62.2



TABLE XIII

VITAL STATISTICS, BY

ITEM	Seminole						Spalding					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>												
1 Total	228	95	133	30.0	20.2	45.9	775	489	286	23.8	20.5	32.5
2 Delivered in hospital	181	95	86	79.4%	100.0%	64.7%	601	479	122	77.5%	98.0%	42.7%
3 Delivered in home by physician	-	-	-	0%	0%	0%	23	5	18	3.0%	1.0%	6.3%
4 Delivered in home by midwife	47	-	47	20.6%	0%	35.3%	151	5	146	19.5%	1.0%	51.0%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	9	4	5	39.5	42.1	37.6	84	39	45	108.4	79.8	157.3
<b>FETAL DEATHS</b>												
Total	2	1	1	8.8	10.5	7.5	27	12	15	34.8	24.5	52.4
Under 20 weeks gestation	-	-	-	0	0	0	7	3	4	9.0	6.1	14.0
20-27 weeks gestation	-	-	-	0	0	0	3	3	-	3.9	6.1	0
28 weeks and more	2	1	1	8.8	10.5	7.5	15	4	11	19.4	8.2	38.5
Unknown length of gestation	-	-	-	0	0	0	2	2	-	2.6	4.1	0
<b>DEATHS</b>												
10 Total, all ages	60	37	23	789.5	787.2	793.1	294	186	108	901.8	781.5	1227.3
11 Under 1 year	6	3	3	26.3	31.6	22.6	30	15	15	38.7	30.7	52.4
12 Under 28 days	4	3	1	17.5	31.6	7.5	22	10	12	28.4	20.4	42.0
13 Deaths from immaturity	-	-	-	0	0	0	3	1	2	3.9	2.0	7.0
14 1-4 years **	2	1	1	-	-	-	4	2	2	-	-	-
15 Maternal deaths	1	1	-	43.9	105.3	0	1	-	1	12.9	0	35.0
<b>CAUSE OF DEATH</b>												
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	2	2	-	6.1	8.4	0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	1	1	-	3.1	4.2	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	1	-	1	3.1	0	11.4
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	6	6	-	78.9	127.7	0	37	33	4	113.5	138.2	45.5
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	2	1	1	6.1	4.2	11.4
35 Diabetes mellitus (260)	-	-	-	0	0	0	7	3	4	21.5	12.6	45.5
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	4	4	-	52.6	85.1	0	46	27	19	141.1	113.4	215.9
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	2	1	1	6.1	4.2	11.4
40 Rheumatic fever (400-402)	-	-	-	0	0	0	2	1	1	6.1	4.2	11.4
41 Heart diseases (410-443)	24	14	10	315.8	297.9	344.8	86	58	28	263.8	243.7	318.2
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	3	-	3	9.2	0	34.1
43 Influenza and pneumonia (480-483, 490-493)	5	1	4	65.8	21.3	137.9	11	8	3	33.7	33.6	34.1
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	3	1	2	9.2	4.2	22.7
46 Appendicitis (550-553)	1	-	1	13.2	0	34.5	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	1	-	1	3.1	0	11.4
49 Cirrhosis of liver (581)	-	-	-	0	0	0	2	2	-	6.1	8.4	0
50 Nephritis and nephrosis (590-594)	1	-	1	13.2	0	34.5	13	3	10	39.9	12.6	113.6
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	1	-	13.2	21.3	0	1	-	1	3.1	0	11.4
53 Congenital malformations (750-759)	1	1	-	13.2	21.3	0	7	4	3	21.5	16.8	34.1
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	1	-	13.2	21.3	0	11	4	7	33.7	16.8	79.5
55 Infection of the newborn (763-768)	1	1	-	13.2	21.3	0	4	3	1	12.3	12.6	11.4
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	0	0	0	4	1	3	12.3	4.2	34.1
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	5	3	2	65.8	63.8	69.0	14	11	3	42.9	46.2	34.1
59 Motor vehicle accidents (E810-E835)	3	1	2	139.5	21.3	69.0	7	6	1	21.5	25.2	11.4
60 All other accidents (E800-E802, E840-E962)	-	-	-	0	0	0	2	1	1	6.1	4.2	11.4
61 Suicide (E963, E970-E979)	3	1	2	39.5	21.3	69.0	4	1	3	12.3	4.2	34.1
62 Homicide (E964, E980-E985)	1	1	-	13.2	21.3	0	4	1	3	12.3	4.2	34.1
63 All other diseases (residual)	4	3	1	52.6	63.8	34.5	20	14	6	61.3	58.8	68.2

See notes on page 87



COUNTY, BY RACE, GEORGIA, 1955

	Stephens						Stewart						Sumter						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	415	341	74	22.2	21.2	28.5	234	59	175	27.5	24.6	28.7	667	216	451	27.6	18.9	35.2	1
2	381	335	46	91.8%	98.2%	62.2%	116	58	58	49.6%	98.3%	33.1%	352	214	138	52.8%	99.1%	30.6%	2
3	7	1	6	1.7%	0.3%	8.1%	22	1	21	9.4%	1.7%	12.0%	10	1	9	1.5%	0.5%	2.0%	3
4	27	5	22	6.5%	1.5%	29.7%	96	1	96	41.0%	0%	54.9%	305	1	304	45.7%	0.5%	67.4%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	35	25	10	84.3	73.3	135.1	20	5	15	85.5	84.7	85.7	51	12	39	76.5	55.6	86.5	6
7	3	2	1	7.2	5.9	13.5	9	-	9	38.5	0	51.4	21	4	17	31.5	18.5	37.7	7
8	1	1	0	0	0	0	2	-	2	8.5	0	11.4	9	2	7	13.5	9.3	15.5	8
9	3	2	1	7.2	5.9	13.5	5	-	5	21.4	0	28.6	11	2	9	16.5	9.3	20.0	9
	-	-	-	0	0	0	2	-	2	8.5	0	11.4	-	-	-	0	0	0	
10	122	102	20	652.4	633.5	769.2	94	27	67	1105.9	1125.0	1098.4	244	95	149	1008.3	833.3	1164.1	10
11	13	8	5	31.3	23.5	67.6	12	-	12	51.3	0	68.6	38	6	32	57.0	27.8	71.0	11
12	9	6	3	21.7	17.6	40.5	9	-	9	38.5	0	51.4	27	5	22	40.5	23.1	48.8	12
13	1	1	0	2.4	2.9	0	2	-	2	8.5	0	11.4	7	2	5	10.5	9.3	11.1	13
14	1	1	0	-	-	-	2	1	1	-	-	-	5	2	3	-	-	-	14
15	-	-	-	0	0	0	1	-	1	42.7	0	57.1	1	-	1	15.0	0	22.2	15
16	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	4.1	8.8	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	1	-	1	11.8	0	16.4	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.1	0	7.8	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.1	0	7.8	32
33	17	15	2	90.9	93.2	76.9	10	3	7	117.6	125.0	114.8	27	14	13	111.6	122.8	101.6	33
34	1	1	0	5.3	6.2	0	1	1	11.8	41.7	0	1	1	1	4.1	0	7.8	34	
35	-	-	-	0	0	0	-	-	-	0	0	0	3	2	1	12.4	17.5	7.8	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	11	9	2	58.8	55.9	76.9	13	4	9	152.9	166.7	147.5	47	15	32	194.2	131.6	250.0	38
39	-	-	-	0	0	0	1	-	1	11.8	0	16.4	1	1	-	4.1	8.8	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	51	46	5	272.7	285.7	192.3	35	16	19	411.8	666.7	311.5	69	31	38	285.1	271.9	296.9	41
42	3	2	1	16.0	12.4	38.5	1	-	1	11.8	0	16.4	3	1	2	12.4	8.8	15.6	42
43	1	1	0	5.3	6.2	0	3	3	35.3	0	49.2	8	3	5	33.1	26.3	39.1	43	
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	45
46	1	1	0	5.3	6.2	0	-	-	-	0	0	0	1	-	1	4.1	0	7.8	46
47	1	1	0	5.3	6.2	0	1	-	1	11.8	0	16.4	2	1	1	8.3	8.8	7.8	47
48	4	3	1	21.4	18.6	38.5	5	-	5	58.8	0	82.0	6	1	5	24.8	8.8	39.1	48
49	2	1	1	10.7	6.2	38.5	-	-	-	0	0	0	-	-	-	0	0	0	49
50	2	1	1	10.7	6.2	38.5	1	-	1	11.8	0	16.4	4	1	3	16.5	8.8	23.4	50
51	-	-	-	0	0	0	1	-	1	11.8	0	16.4	3	1	2	12.4	8.8	15.6	51
52	-	-	-	0	0	0	1	-	1	11.8	0	16.4	1	-	1	4.1	0	7.8	52
53	5	3	2	26.7	18.6	76.9	4	-	4	47.1	0	65.6	7	2	5	28.9	17.5	39.1	53
54	2	1	1	10.7	6.2	38.5	2	-	2	23.5	0	32.8	5	2	3	20.7	17.5	23.4	54
55	2	1	1	10.7	6.2	38.5	2	-	2	23.5	0	32.8	6	-	6	24.8	0	46.9	55
56	2	2	0	10.7	12.4	0	2	-	2	23.5	0	32.8	8	2	6	33.1	17.5	46.9	56
57	-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	8.3	0	15.6	57
58	-	-	-	0	0	0	-	-	-	0	0	0	9	-	9	37.2	0	70.3	58
59	5	5	0	26.7	31.1	0	3	1	2	35.3	41.7	32.8	6	3	3	24.8	26.3	23.4	59
60	2	2	0	10.7	12.4	0	5	2	3	58.8	83.3	49.2	8	1	7	33.1	8.8	54.7	60
61	1	1	0	5.3	6.2	0	-	-	-	0	0	0	3	3	-	12.4	26.3	0	61
62	2	2	0	10.7	0	76.9	1	1	1	11.8	0	16.4	1	1	-	4.1	8.8	0	62
63	7	6	1	37.4	37.3	38.5	1	-	1	11.9	0	16.4	10	9	1	41.3	78.9	7.8	63

TABLE XIII

VITAL STATISTICS, BY

ITEM	Talbott						Taliaferro						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
<b>LIVE BIRTHS</b>													
1 Total	227	35	192	30.3	15.2	36.9	96	14	82	26.7	10.8	35.7	1
2 Delivered in hospital	92	35	57	40.5%	100.0%	29.7%	38	14	24	39.6%	100.0%	29.3%	2
3 Delivered in home by physician	5	-	5	2.2%	0%	2.6%	1	-	1	1.0%	0%	1.2%	3
4 Delivered in home by midwife	130	-	130	57.3%	0%	67.7%	57	-	57	59.4%	0%	69.5%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	21	2	19	92.5	57.1	99.0	15	1	14	156.2	71.4	170.7	6
<b>FETAL DEATHS</b>													
7 Total	6	-	6	26.4	0	31.2	5	1	4	52.1	71.4	48.8	7
8 Under 20 weeks gestation	-	-	-	0	0	0	-	-	-	0	0	0	8
9 20-27 weeks gestation	1	-	1	4.4	0	5.2	3	1	2	31.2	71.4	24.4	9
28 weeks and more	5	-	5	22.0	0	26.0	-	-	-	0	0	0	
Unknown length of gestation	-	-	-	0	0	0	2	-	2	20.8	0	24.4	
<b>DEATHS</b>													
10 Total, all ages	96	28	68	280.0	217.4	307.7	48	18	30	333.3	1384.6	1304.3	10
11 Under 1 year	9	-	9	39.6	0	46.9	5	1	4	52.1	71.4	48.8	11
12 Under 28 days	7	-	7	30.8	0	36.5	3	1	2	31.2	71.4	24.4	12
13 Deaths from immaturity	3	-	3	13.2	0	15.6	-	-	-	0	0	0	13
14 1-4 years **	5	2	3	-	-	-	1	-	1	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	1	-	1	10.4	0	122.0	15
<b>CAUSE OF DEATH</b>													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	1	-	13.3	43.5	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	10	5	5	133.3	217.4	96.2	3	2	1	83.3	153.8	43.5	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	-	-	-	0	0	0	-	-	-	0	0	0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	30	10	20	400.0	434.8	384.6	6	2	4	166.7	153.8	173.9	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	2	-	2	26.7	0	38.5	-	-	-	0	0	0	40
41 Heart diseases (410-443)	15	4	11	200.0	173.9	211.5	12	6	6	333.3	461.5	260.9	41
42 Hypertension without mention of heart (444-447)	2	-	2	26.7	0	38.5	2	-	2	55.6	0	87.0	42
43 Influenza and pneumonia (480-483, 490-493)	7	2	5	93.3	87.0	96.2	3	-	3	83.3	0	130.4	43
44 Bronchitis (500-502)	1	-	1	13.3	0	19.2	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	1	1	-	27.8	76.9	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	1	-	1	13.3	0	19.2	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	13.3	0	19.2	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	2	-	2	55.6	0	87.0	49
50 Nephritis and nephrosis (590-594)	4	2	2	53.3	87.0	38.5	1	-	1	27.8	0	43.5	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	1	-	1	27.8	0	43.5	52
53 Congenital malformations (750-759)	2	-	2	26.7	0	38.5	1	-	1	27.8	0	43.5	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	-	1	13.3	0	19.2	3	1	2	83.3	76.9	87.0	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	-	3	40.0	0	57.7	-	-	-	0	0	0	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	4	-	4	53.3	0	76.9	2	1	1	55.6	76.9	43.5	58
59 Motor vehicle accidents (E810-E835)	2	-	2	26.7	0	38.5	2	1	1	55.6	76.9	43.5	59
60 All other accidents (E800-E802, E840-E962)	7	3	4	93.3	130.4	76.9	2	1	1	55.6	76.9	43.5	60
61 Suicide (E963, E970-E979)	1	-	1	13.3	0	19.2	-	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	1	-	1	13.3	0	19.2	2	-	2	55.6	0	87.0	62
63 All other diseases (residual)	1	1	-	13.3	43.5	0	5	3	2	138.9	230.8	87.0	63

COUNTY, BY RACE, GEORGIA, 1955

	Tattnall						Taylor						Telfair						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	339	213	126	24.7	21.3	34.1	237	93	144	28.9	22.1	36.0	347	198	149	28.2	24.1	36.3	1
2	251	208	43	74.0%	97.7%	34.1%	99	89	10	41.8%	95.7%	6.9%	203	175	28	58.5%	88.4%	18.8%	2
3	23	4	19	6.8%	1.9%	15.1%	3	1	2	1.3%	1.1%	1.4%	25	16	9	7.2%	8.1%	6.0%	3
4	65	1	64	19.2%	0.5%	50.8%	135	1	134	57.0%	3.2%	91.7%	119	7	112	34.3%	3.5%	75.2%	4
5				0%	0%	0%				0%	0%	0%				0%	0%	0%	5
6	35	15	20	103.2	70.4	158.7	14	5	9	59.1	53.8	62.5	34	19	15	98.0	96.0	100.7	6
7	11	5	6	32.4	23.5	47.6	1		1	4.2	0	6.9	5	3	2	14.4	15.2	13.4	7
8				0	0	0				0	0	0				0	0	0	7
9	1	1		2.9	4.7					0	0	0	1	1		2.9	5.0		8
	10	4	6	29.5	18.8	47.6	1		1	4.2	0	6.9	2	1	1	5.8	5.0	6.7	9
				0	0	0				0	0	0	2	1	1	5.8	5.0	6.7	9
10	121	86	35	883.2	860.0	945.9	82	45	37	1000.0	1071.4	925.0	101	64	37	821.1	780.5	902.4	10
11	9	3	6	26.5	14.1	47.6	9	2	7	38.0	21.5	48.6	12	9	3	34.6	45.5	20.1	11
12	5	3	2	14.7	14.1	15.9	5	2	3	21.1	21.5	20.8	6	6		17.3	30.3	0	12
13	3	2	1	8.8	9.4	7.9	1		1	4.2	0	6.9	3	3		8.6	15.2	0	13
14	3	1	2				1		1				2	2					14
15	2	1	1	59.0	46.9	79.4				0	0	0				0	0		15
16				0	0	0				0	0	0	2		2	16.3	0	48.8	16
17				0	0	0				0	0	0				0	0	0	17
18				0	0	0				0	0	0				0	0	0	18
19				0	0	0				0	0	0	1	1		8.1	12.2	0	19
20				0	0	0				0	0	0				0	0	0	20
21				0	0	0				0	0	0				0	0	0	21
22				0	0	0				0	0	0				0	0	0	22
23	1		1	7.3		27.0				0	0	0				0	0	0	23
24				0	0	0				0	0	0				0	0	0	24
25				0	0	0				0	0	0				0	0	0	25
26				0	0	0				0	0	0				0	0	0	26
27				0	0	0				0	0	0				0	0	0	27
28				0	0	0	1		1	12.2	0	25.0				0	0	0	28
29				0	0	0				0	0	0				0	0	0	29
30				0	0	0				0	0	0				0	0	0	30
31				0	0	0				0	0	0				0	0	0	31
32				0	0	0				0	0	0				0	0	0	32
33	12	8	4	87.6	80.0	108.1	5	3	2	61.0	71.4	50.0	15	13	2	122.0	158.5	48.8	33
34				0	0	0				0	0	0				0	0	0	34
35	2	2		14.6	20.0		1		1	12.2	0	25.0	1	1		8.1	12.2	0	35
36				0	0	0				0	0	0				0	0	0	36
37				0	0	0				0	0	0				0	0	0	37
38	15	8	7	109.5	80.0	189.2	26	12	14	317.1	285.7	350.0	24	8	16	195.1	97.6	390.2	38
39	1		1	7.3	0	27.0				0	0	0				0	0	0	39
40				0	0	0	1		1	12.2	0	25.0				0	0	0	40
41	54	44	10	394.2	440.0	270.3	24	15	9	292.7	357.1	225.0	25	15	10	203.3	182.9	243.9	41
42				0	0	0	1	1		12.2	23.8	0				0	0	0	42
43	4	1	3	29.2	10.0	81.1	6	2	4	73.2	47.6	100.0	3	2	1	24.4	24.4	24.4	43
44				0	0	0				0	0	0	1	1		8.1	12.2	0	44
45				0	0	0	1	1		12.2	23.8	0	1	1		8.1	12.2	0	45
46				0	0	0				0	0	0				0	0	0	46
47	1	1		7.3	10.0	0				0	0	0				0	0	0	47
48				0	0	0	2	1	1	24.4	23.8	25.0	1	2	1	8.1	0	24.4	48
49	1	1		7.3	10.0	0				0	0	0	2	2		16.3	24.4	0	49
50	1		1	7.3	0	27.0				0	0	0	1	1		8.1	12.2	0	50
51	1		1	7.3	0	27.0				0	0	0				0	0	0	51
52	2	1	1	14.6	10.0	27.0				0	0	0				0	0	0	52
53	1	1		7.3	10.0	0	3	2	1	36.6	47.6	25.0	1	1		8.1	12.2	0	53
54				0	0	0				0	0	0	2	2		16.3	24.4	0	54
55	1	1		7.3	10.0	0	1		1	12.2	0	25.0				0	0	0	55
56	3	2	1	21.9	20.0	27.0	1		1	12.2	0	25.0	4	4		32.5	48.8	0	56
57				0	0	0				0	0	0	2	1	1	16.3	12.2	24.4	57
58	1		1	7.3	0	27.0	1	1		12.2	23.8	0				0	0	0	58
59	3	2	1	21.9	20.0	27.0	3	3		36.6	71.4	0	1		1	8.1	0	24.4	59
60	3	1	2	21.9	10.0	54.1	3	2	1	36.6	47.6	25.0	7	6	1	56.9	73.2	24.4	60
61	1	1		7.3	10.0	0				0	0	0				0	0	0	61
62				0	0	0				0	0	0	1		1	8.1	0	24.4	62
63	13	12	1	94.9	120.0	27.0	2	2		24.4	47.6	0	6	5	1	48.8	61.0	24.4	63

ITEM	Terrell						Thomas					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>												
1 Total	422	85	337	32.0	18.5	39.2	904	445	459	25.5	21.0	32.1
2 Delivered in hospital	171	83	88	40.5%	37.6%	26.1%	555	421	134	61.4%	94.6%	29.2%
3 Delivered in home by physician	25	-	25	5.9%	0%	7.4%	35	8	27	3.9%	1.8%	5.9%
4 Delivered in home by midwife	226	2	224	53.6%	2.4%	66.5%	203	7	196	22.5%	1.6%	42.7%
5 Other deliveries	-	-	-	0%	0%	0%	111	9	102	12.3%	2.0%	22.2%
6 Immature births	28	8	20	6.4%	94.1	59.3	54	32	22	59.7	71.9	47.9
<b>FETAL DEATHS</b>												
7 Total	13	1	12	30.8	11.8	35.6	18	10	8	19.9	22.5	17.4
8 Under 20 weeks gestation	3	1	2	7.1	11.8	5.9	-	-	0	0	0	0
9 20-27 weeks gestation	2	-	2	4.7	0	5.9	6	3	3	6.6	6.7	6.5
28 weeks and more	8	-	8	19.0	0	23.7	10	5	5	11.1	11.2	10.9
Unknown length of gestation	-	-	-	0	0	0	2	2	-	2.2	4.5	0
<b>DEATHS</b>												
10 Total, all ages	145	43	102	108.5	934.8	1186.0	311	183	128	876.1	863.2	895.1
11 Under 1 year	27	3	24	64.0	35.3	71.2	23	13	10	25.4	20.2	21.8
12 Under 28 days	19	3	16	45.0	35.3	47.5	15	9	6	16.6	20.2	13.1
13 Deaths from immaturity	5	2	3	11.8	23.5	8.9	5	2	3	5.5	4.5	6.5
14 1-4 years **	1	-	1	0	0	0	4	1	3	0	0	0
15 Maternal deaths	-	-	-	0	0	0	-	-	0	0	0	0
<b>CAUSE OF DEATH</b>												
16 Tuberculosis, all forms (001-019)	2	-	2	15.2	0	23.3	3	1	2	8.4	4.7	14.0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	1	-	1	2.8	0	7.0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	4	1	3	30.3	21.7	34.9	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	1	1	0	7.6	0	11.6	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	16	9	7	121.2	195.7	81.4	34	23	11	95.8	108.5	76.9
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	1	-	1	2.8	0	7.0
35 Diabetes mellitus (260)	1	1	-	7.6	21.7	0	7	4	3	19.7	18.9	21.0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	3	2	1	8.4	9.4	7.0
38 Vascular lesions affecting central nervous system (330-334)	20	4	16	151.5	87.0	186.0	71	36	35	200.0	169.8	244.8
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	1	1	1	2.8	0	7.0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	40	16	24	303.0	347.8	279.1	90	66	24	253.5	311.3	167.8
42 Hypertension without mention of heart (444-447)	5	-	5	37.9	0	50.1	1	1	-	2.8	4.7	0
43 Influenza and pneumonia (480-483, 490-493)	2	-	2	15.2	0	23.3	7	4	3	19.7	18.9	21.0
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	1	1	0	7.6	0	11.6	2	1	1	5.6	4.7	7.0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	0	7.6	0	11.6	1	-	1	2.8	0	7.0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	3	-	3	22.7	0	34.9	2	1	1	5.6	4.7	7.0
49 Cirrhosis of liver (581)	1	-	1	7.6	0	11.6	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	5	1	4	37.9	21.7	46.5	12	4	8	33.8	18.9	55.9
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	3	-	3	8.4	0	21.0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	1	1	0	7.6	0	11.6	5	2	3	14.1	9.4	21.0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	3	1	2	22.7	21.7	23.3	5	3	2	14.1	14.2	14.0
55 Infection of the newborn (763-768)	3	-	3	22.7	0	34.9	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	8	2	6	60.6	43.5	69.8	9	4	5	25.4	18.9	35.0
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	2	1	1	5.6	4.7	7.0
58 Ill-defined and unknown causes (780-793, 795)	6	1	5	45.5	21.7	58.1	1	-	1	2.8	0	7.0
59 Motor vehicle accidents (E810-E835)	4	1	3	30.3	21.7	34.9	8	6	2	22.5	28.3	14.0
60 All other accidents (E800-E802, E840-E962)	2	-	2	15.2	0	23.3	15	11	4	42.3	51.9	28.0
61 Suicide (E963, E970-E979)	1	1	-	7.6	21.7	0	1	-	1	2.8	0	7.0
62 Homicide (E964, E980-E985)	4	-	4	30.3	0	46.5	1	-	1	2.8	0	7.0
63 All other diseases (residual)	11	5	6	83.3	108.7	69.8	25	13	12	70.4	61.3	83.9

COUNTY, BY RACE, GEORGIA, 1955

	Tift						Toombs						Towns					
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1	679	416	263	27.3	23.5	36.5	432	269	163	24.4	21.3	32.0	86	86	-	18.3	18.3	0
2	484	409	75	71.3%	98.3%	28.5%	269	239	30	62.3%	88.8%	18.4%	83	83	-	96.5%	96.5%	0%
3	2	-	2	0.3%	0%	0.8%	60	26	34	13.9%	9.7%	20.9%	3	3	-	3.5%	3.5%	0%
4	193	7	186	28.4%	1.7%	70.7%	102	3	99	23.6%	1.1%	60.7%	-	-	-	0%	0%	0%
5	-	-	-	0%	0%	0%	1	1	-	0.2%	0.4%	0%	-	-	-	0%	0%	0%
6	35	13	22	51.5	31.2	83.6	27	16	11	62.5	59.5	67.5	4	4	-	46.5	46.5	0
7	12	6	6	17.7	14.4	22.8	21	8	13	48.6	29.7	79.8	-	-	-	0	0	0
8	1	-	1	1.5	0	3.8	5	3	2	11.6	11.2	12.3	-	-	-	0	0	0
9	-	-	-	0	0	0	4	1	3	9.3	3.7	18.4	-	-	-	0	0	0
10	11	6	5	16.2	14.4	19.0	11	4	7	25.5	14.9	42.9	-	-	-	0	0	0
11	-	-	-	0	0	0	1	-	1	2.3	0	6.1	-	-	-	0	0	0
12	195	121	74	783.1	683.6	1027.8	156	101	55	881.4	801.6	1078.4	35	35	-	744.7	744.7	0
13	21	9	12	30.9	21.6	45.6	12	5	7	27.8	18.6	42.9	1	1	-	11.6	11.6	0
14	13	7	6	19.1	16.8	22.8	7	4	3	16.2	14.9	18.4	1	1	-	11.6	11.6	0
15	5	3	2	7.4	7.2	7.6	1	1	1	2.3	3.7	0	1	1	-	11.6	11.6	0
16	5	3	2	-	-	-	5	2	3	-	-	-	-	-	-	-	-	-
17	1	-	1	14.7	0	38.0	-	-	-	0	0	0	-	-	-	0	0	0
18	4	1	3	16.1	5.6	41.7	2	-	2	11.3	0	39.2	1	1	-	21.3	21.3	0
19	1	1	-	4.0	5.6	0	-	-	-	0	0	0	-	-	-	0	0	0
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
21	-	-	-	0	0	0	1	-	1	5.6	0	19.6	-	-	-	0	0	0
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
23	1	1	-	4.0	5.6	0	-	-	-	0	0	0	-	-	-	0	0	0
24	1	-	1	4.0	0	13.9	-	-	-	0	0	0	-	-	-	0	0	0
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
32	2	1	1	8.0	5.6	13.9	2	2	-	11.3	15.9	0	-	-	-	0	0	0
33	21	11	10	84.3	62.1	138.9	12	11	1	67.8	87.3	19.6	7	7	-	148.9	148.9	0
34	-	-	-	0	0	0	1	-	1	5.6	0	19.6	-	-	-	0	0	0
35	2	2	-	8.0	11.3	0	1	1	-	5.6	7.9	0	1	1	-	21.3	21.3	0
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
38	26	15	11	104.4	84.7	152.8	24	16	8	135.6	127.0	156.9	3	3	-	63.8	63.8	0
39	-	-	-	0	0	0	1	-	1	5.6	0	19.6	-	-	-	0	0	0
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
41	61	46	15	245.0	259.9	208.3	49	32	17	276.8	254.0	333.3	13	13	-	276.6	276.6	0
42	1	1	-	4.0	5.6	0	4	2	2	22.6	15.9	39.2	-	-	-	0	0	0
43	5	3	2	20.1	16.9	27.8	3	1	2	16.9	7.9	39.2	1	1	-	21.3	21.3	0
44	1	1	-	4.0	5.6	0	-	-	-	0	0	0	-	-	-	0	0	0
45	1	1	-	4.0	5.6	0	-	-	-	0	0	0	-	-	-	0	0	0
46	1	-	1	4.0	0	13.9	-	-	-	0	0	0	-	-	-	0	0	0
47	2	2	-	8.0	11.3	0	1	1	-	5.6	7.9	0	-	-	-	0	0	0
48	4	-	4	16.1	0	55.6	2	-	2	11.3	0	39.2	-	-	-	0	0	0
49	1	1	-	4.0	5.6	0	-	-	-	0	0	0	-	-	-	0	0	0
50	3	2	1	12.0	11.3	13.9	3	2	1	16.9	15.9	19.6	1	-	-	0	0	0
51	-	-	-	0	0	0	1	-	1	5.6	0	19.6	-	-	-	0	0	0
52	1	-	1	4.0	0	13.9	-	-	-	0	0	0	-	-	-	0	0	0
53	2	2	-	8.0	11.3	0	2	1	1	11.3	7.9	19.6	-	-	-	0	0	0
54	6	3	3	24.1	16.9	41.7	3	2	1	16.9	15.9	19.6	-	-	-	0	0	0
55	-	-	-	0	0	0	1	-	1	5.6	0	19.6	-	-	-	0	0	0
56	6	4	2	24.1	22.6	27.8	3	2	1	16.9	15.9	19.6	1	1	-	21.3	21.3	0
57	1	1	-	4.0	5.6	0	-	-	-	0	0	0	-	-	-	0	0	0
58	2	-	2	8.0	0	27.8	2	2	-	11.3	15.9	0	1	1	-	21.3	21.3	0
59	11	8	3	44.2	45.2	41.7	11	9	2	62.1	71.4	39.2	-	-	-	0	0	0
60	7	4	3	28.1	22.6	41.7	12	6	6	67.8	47.6	117.6	4	4	-	85.1	85.1	0
61	1	1	-	4.0	5.6	0	1	1	-	5.6	7.9	0	-	-	-	0	0	0
62	3	-	3	12.0	0	41.7	4	2	2	22.6	15.9	39.2	-	-	-	0	0	0
63	17	9	8	68.3	50.8	111.1	10	8	2	56.5	63.5	39.2	2	2	-	42.6	42.6	0

ITEM	Trentlen						Troup					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>												
1 Total	153	91	62	25.9	22.2	34.4	1,274	732	542	23.9	19.9	32.5
2 Delivered in hospital	98	77	21	64.1%	84.6%	33.9%	1,023	726	297	80.3%	99.2%	54.8%
3 Delivered in home by physician	9	8	1	5.9%	8.8%	1.6%	16	2	14	1.3%	0.3%	2.6%
4 Delivered in home by midwife	46	6	40	30.1%	6.6%	64.5%	235	4	231	18.4%	0.5%	42.6%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	10	6	4	65.4	65.9	64.5	127	69	58	99.7	94.3	107.0
<b>FETAL DEATHS</b>												
7 Total	6	3	3	39.2	33.0	48.4	84	48	36	65.9	65.6	66.4
8 Under 20 weeks gestation	-	-	-	0	0	0	50	35	15	39.2	47.8	27.7
9 20-27 weeks gestation	-	-	-	0	0	0	8	4	4	6.3	5.5	7.4
28 weeks and more	6	3	3	39.2	33.0	48.4	24	8	16	18.8	10.9	29.5
Unknown length of gestation	-	-	-	0	0	0	2	1	1	1.6	1.4	1.8
<b>DEATHS</b>												
10 Total, all ages	47	28	19	796.6	682.9	1055.6	433	251	182	810.9	683.9	1089.8
11 Under 1 year	3	2	1	19.6	22.0	16.1	39	21	18	30.6	28.7	33.2
12 Under 28 days	1	1	-	6.5	11.0	0	25	14	11	19.6	19.1	20.3
13 Deaths from immaturity	-	-	-	0	0	0	7	4	3	5.5	5.5	5.5
14 1-4 years **	-	-	-	0	0	0	8	3	5	-	-	-
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0
<b>CAUSE OF DEATH</b>												
16 Tuberculosis, all forms (001-019)	1	-	1	16.9	0	55.6	3	-	3	5.6	0	18.0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	2	-	2	3.7	0	12.0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	1	-	1	16.9	0	55.6	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haemopoietic tissues (140-205)	6	4	2	101.7	97.6	111.1	58	38	20	108.6	103.5	119.8
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	1	-	1	16.9	0	55.6	3	2	1	5.6	5.4	6.0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	7	4	3	118.6	97.6	166.7	83	48	35	155.4	130.8	209.6
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	12	9	3	203.4	219.5	166.7	127	81	46	237.8	220.7	275.4
42 Hypertension without mention of heart (444-447)	1	1	-	16.9	24.4	0	5	2	3	9.4	5.4	18.0
43 Influenza and pneumonia (480-483, 490-493)	2	1	1	33.9	24.4	55.6	21	9	12	39.3	24.5	71.9
44 Bronchitis (500-502)	-	-	-	0	0	0	1	1	-	1.9	2.7	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	4	4	-	7.5	10.9	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	3	2	1	5.6	5.4	6.0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	4	2	2	7.5	5.4	12.0
49 Cirrhosis of liver (581)	1	-	1	16.9	0	55.6	2	1	1	3.7	2.7	6.0
50 Nephritis and nephrosis (590-594)	2	1	1	33.9	24.4	55.6	10	6	4	18.7	16.3	24.0
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	1	-	1.9	2.7	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	1	1	-	16.9	24.4	0	8	7	1	15.0	19.1	6.0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	5	3	2	9.4	8.2	12.0
55 Infection of the newborn (763-768)	-	-	-	0	0	0	1	1	-	1.9	2.7	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	1	-	16.9	24.4	0	14	7	7	26.2	19.1	41.9
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	1	-	1	1.9	0	6.0
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	6	4	2	11.2	10.9	12.0
59 Motor vehicle accidents (E810-E835)	5	3	2	84.7	73.2	111.1	21	13	8	39.3	35.4	47.9
60 All other accidents (E800-E802, E840-E862)	4	1	3	67.8	24.4	166.7	13	7	6	24.3	19.1	35.9
61 Suicide (E963, E970-E979)	1	1	-	16.9	24.4	0	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	10	1	9	18.7	2.7	53.9
63 All other diseases (residual)	1	1	-	16.9	24.4	0	10	27	16	50.6	30.0	95.8

COUNTY, BY RACE, GEORGIA, 1955

	Turner						Triggs						Union						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	238	120	118	22.9	19.0	28.8	220	57	163	27.8	19.0	33.3	145	144	1	20.4	20.3	...	1
2	177	120	57	74.4%	100.0%	48.3%	120	54	66	54.5%	94.7%	40.5%	134	133	1	92.4%	92.4%	100.0%	2
3	5	-	5	2.1%	0%	4.2%	1	-	1	0.5%	0%	0.6%	9	9	-	6.2%	6.2%	0%	3
4	56	-	56	23.5%	0%	47.5%	99	3	96	45.0%	5.3%	58.9%	2	2	-	1.4%	1.4%	0%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	24	6	18	100.8	50.0	152.5	19	7	12	86.4	122.8	73.6	9	9	-	62.1	62.5	0	6
7	16	5	11	67.2	41.7	93.2	8	-	8	36.4	0	49.1	1	1	-	6.9	6.9	0	7
8	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	8
9	3	1	2	12.6	8.3	16.9	3	-	3	13.6	0	18.4	-	-	-	0	0	0	9
10	12	4	8	50.4	33.3	67.8	5	-	5	22.7	0	30.7	1	1	-	6.9	6.9	0	9
11	1	-	1	4.2	0	8.5	-	-	-	0	0	0	-	-	-	0	0	0	10
12	77	42	35	740.4	666.7	853.7	86	37	49	1088.6	1233.3	1000.0	43	43	-	605.6	605.6	0	10
13	12	3	9	50.4	25.0	76.3	20	4	16	90.9	70.2	98.2	4	4	-	27.6	27.8	0	11
14	8	2	6	33.6	16.7	50.8	14	4	10	63.6	70.2	61.3	4	4	-	27.6	27.8	0	12
15	5	1	4	21.0	8.3	33.9	5	1	4	22.7	17.5	24.5	3	3	-	20.7	20.8	0	13
16	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	14
17	-	-	-	0	0	0	1	-	1	45.5	0	61.3	-	-	-	0	0	0	15
18	1	-	1	9.6	0	24.4	-	-	-	0	0	0	1	1	-	14.1	14.1	0	16
19	1	-	1	9.6	0	24.4	-	-	-	0	0	0	-	-	-	0	0	0	17
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
21	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	14.1	14.1	0	19
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
32	-	-	-	0	0	0	1	-	1	12.7	0	20.4	-	-	-	0	0	0	30
33	10	7	3	96.2	111.1	73.2	1	-	1	12.7	0	20.4	6	6	-	84.5	84.5	0	31
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
35	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	33
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
37	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	14.1	14.1	0	35
38	15	9	6	144.2	142.9	146.3	16	7	9	202.5	233.3	183.7	5	5	-	70.4	70.4	0	36
39	-	-	-	0	0	0	1	1	-	12.7	33.3	0	-	-	-	0	0	0	37
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	38
41	25	19	6	240.4	301.6	146.3	22	15	7	278.5	500.0	142.9	15	15	-	211.3	211.3	0	39
42	-	-	-	28.8	0	0	1	-	1	12.7	0	20.4	1	1	-	14.1	14.1	0	40
43	3	2	1	28.8	31.7	24.4	6	1	5	75.9	33.3	102.0	-	-	-	0	0	0	41
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	42
45	-	-	-	0	0	0	1	1	-	12.7	33.3	0	-	-	-	0	0	0	43
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
47	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	45
48	2	1	1	19.2	15.9	24.4	1	-	1	12.7	0	20.4	-	-	-	0	0	0	46
49	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	47
50	-	-	-	0	0	0	3	1	2	38.0	33.3	40.8	2	2	-	28.2	28.2	0	48
51	-	-	-	0	0	0	1	-	1	12.7	0	20.4	-	-	-	0	0	0	49
52	-	-	-	0	0	0	1	-	1	12.7	0	20.4	-	-	-	0	0	0	50
53	-	-	-	0	0	0	2	-	2	25.3	0	40.8	-	-	-	0	0	0	51
54	1	1	-	9.6	15.9	0	4	1	3	50.6	33.3	61.2	-	-	-	0	0	0	52
55	1	-	1	9.6	0	24.4	-	-	-	0	0	0	-	-	-	0	0	0	53
56	7	1	6	67.3	15.9	146.3	8	3	5	101.3	100.0	102.0	3	3	-	42.3	42.3	0	54
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	55
58	-	-	-	0	0	0	2	-	2	25.3	0	40.8	1	1	-	14.1	14.1	0	56
59	3	1	2	28.8	15.9	48.8	2	2	-	25.3	66.7	0	2	2	-	28.2	28.2	0	57
60	3	3	3	28.8	0	73.2	4	1	3	50.6	33.3	61.2	3	3	-	42.3	42.3	0	58
61	1	1	-	9.6	15.9	0	1	-	1	12.7	0	20.4	-	-	-	0	0	0	59
62	3	-	3	28.8	0	73.2	1	-	1	12.7	0	20.4	-	-	-	0	0	0	60
63	1	-	1	9.6	0	24.4	7	4	3	88.6	133.3	61.2	2	2	-	28.2	28.2	0	61

TABLE X III

## VITAL STATISTICS, BY

ITEM	Upson						Walker						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
<b>LIVE BIRTHS</b>													
1 Total	588	335	253	23.2	17.8	38.9	1,023	972	51	24.2	24.8	16.5	1
2 Delivered in hospital	445	328	117	75.7%	97.9%	46.2%	1,019	969	50	99.6%	99.7%	98.0%	2
3 Delivered in home by physician	17	4	13	2.9%	1.2%	5.1%	3	2	1	0.3%	0.2%	2.0%	3
4 Delivered in home by midwife	123	2	121	20.9%	0.6%	47.8%	1	1	-	0.1%	0.1%	0%	4
5 Other deliveries	3	1	2	0.5%	0.3%	0.8%	-	-	-	0%	0%	0%	5
6 Immature births	51	24	27	86.7	71.6	106.7	74	64	10	72.3	65.8	196.1	6
<b>FETAL DEATHS</b>													
7 Total	22	7	15	37.4	20.9	59.3	35	33	2	34.2	34.0	39.2	
8 Under 20 weeks gestation	9	2	6	15.3	9.0	23.7	21	20	1	20.5	20.6	19.6	7
9 20-27 weeks gestation	3	3	1	5.1	6.0	4.0	2	2	-	2.0	2.1	0	8
9 28 weeks and more	10	2	8	17.0	6.0	31.6	11	11	-	10.8	11.3	0	9
Unknown length of gestation	-	-	-	0	0	0	1	-	1	1.0	0	19.6	
<b>DEATHS</b>													
10 Total, all ages	207	143	64	818.2	760.6	984.6	287	265	22	678.5	676.0	709.7	10
11 Under 1 year	12	6	6	20.4	17.9	23.7	18	13	5	17.6	13.4	98.0	11
12 Under 28 days	6	3	3	10.2	9.0	11.9	15	11	4	14.7	11.3	78.4	12
13 Deaths from immaturity	3	2	1	5.1	6.0	4.0	4	2	2	3.9	2.1	39.2	13
14 1-4 years **	6	2	4	-	-	-	4	3	1	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
<b>CAUSE OF DEATH</b>													
16 Tuberculosis, all forms (001-019)	2	1	1	7.9	5.3	15.4	2	-	2	4.7	0	64.5	16
17 Syphilis and its sequelae (020-029)	1	-	1	4.0	0	15.4	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	1	1	-	4.0	5.3	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	1	-	-	2.4	2.6	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	28	25	3	110.7	133.0	46.2	41	41	-	96.9	104.6	0	33
34 Benign and unspecified neoplasms (210-239)	1	-	1	4.0	0	15.4	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	3	2	1	11.9	10.6	15.4	3	3	-	7.1	7.7	0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	-	16	10	102.8	85.1	153.8	45	41	4	106.4	104.6	129.0	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	1	1	-	2.4	2.6	0	40
41 Heart diseases (410-443)	90	65	25	355.7	345.7	384.6	97	93	4	229.3	237.2	129.0	41
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	2	2	-	4.7	5.1	0	42
43 Influenza and pneumonia (480-483, 490-493)	8	3	5	31.6	16.0	76.9	12	8	4	28.4	20.4	129.0	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	1	1	-	4.0	5.3	0	1	1	-	2.4	2.6	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	3	1	2	11.9	5.3	30.8	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	2	2	-	4.7	5.1	0	49
50 Nephritis and nephrosis (590-594)	2	-	2	7.9	0	30.8	1	1	-	2.4	2.6	0	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	5	4	1	11.8	10.2	32.3	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	2	2	-	7.9	10.6	0	4	4	-	9.5	10.2	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	1	1	7.9	5.3	15.4	6	5	1	14.2	12.8	32.3	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	1	-	1	2.4	0	32.3	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	2	1	11.9	10.6	15.4	5	3	2	11.8	7.7	64.5	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	1	1	-	2.4	2.6	0	57
58 Ill-defined and unknown causes (780-793, 795)	2	1	1	7.9	5.3	15.4	5	4	1	11.8	10.2	32.3	58
59 Motor vehicle accidents (E810-E835)	12	10	2	47.4	53.2	30.8	10	10	-	23.6	25.5	0	59
60 All other accidents (E800-E802, E840-E962)	6	2	4	23.7	10.6	61.5	9	9	-	21.3	23.0	0	60
61 Suicide (E963, E970-E979)	4	4	-	15.8	21.3	0	4	4	-	9.5	10.2	0	61
62 Homicide (E964, E980-E985)	3	1	2	11.9	5.3	30.8	4	4	-	9.5	10.2	0	62
63 All other diseases (residual)	7	5	2	27.7	26.6	30.8	25	23	2	59.1	58.7	64.5	63



COUNTY, BY RACE, GEORGIA, 1955

	Walton						Ware						Warren						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	522	289	233	26.1	21.1	37.0	863	645	218	27.2	28.0	25.1	214	51	163	26.8	17.6	32.0	1
2	457	287	170	87.5%	99.3%	73.0%	688	602	86	79.7%	93.3%	39.4%	83	50	33	38.8%	98.0%	20.2%	2
3	6	-	6	1.1%	0%	2.6%	105	38	67	12.2%	5.9%	30.7%	4	1	3	1.9%	2.0%	1.8%	3
4	59	2	57	11.3%	0.7%	24.5%	68	4	64	7.9%	0.6%	29.4%	127	-	127	59.3%	0%	77.9%	4
5	-	-	-	0%	0%	0%	2	1	1	0.2%	0.2%	0.5%	-	-	-	0%	0%	0%	5
6	50	22	28	95.8	76.1	120.2	58	40	18	67.2	62.0	82.6	21	2	19	98.1	39.2	116.6	6
7	11	7	4	21.1	24.2	17.2	79	58	21	91.5	89.9	96.3	12	1	11	56.1	19.6	67.5	7
8	3	2	1	5.7	6.9	4.3	55	42	13	63.7	65.1	59.6	3	1	2	14.0	19.6	12.3	8
9	2	-	2	3.8	0	8.6	11	6	5	12.7	9.3	22.9	2	-	2	9.3	0	12.3	8
10	5	4	1	9.6	13.8	4.3	11	10	1	12.7	15.5	4.6	6	2	6	28.0	0	36.8	9
11	1	1	-	1.9	3.5	0	2	-	2	2.3	0	9.2	1	-	1	4.7	0	6.1	9
12	182	121	61	910.0	883.2	968.3	250	173	77	788.6	752.2	885.1	83	27	56	1037.5	931.0	1098.0	10
13	19	7	12	36.4	24.2	51.5	21	14	7	24.3	21.7	32.1	10	3	7	46.7	58.8	42.9	11
14	13	4	9	24.9	13.8	38.6	12	8	4	13.9	12.4	18.3	5	3	2	23.4	58.8	12.3	12
15	3	1	2	5.7	3.5	8.6	1	1	-	1.2	1.6	0	1	1	1	4.7	0	6.1	13
16	3	1	2	-	-	-	5	5	-	-	-	-	2	-	2	-	-	-	14
17	1	1	-	19.2	34.6	0	2	2	-	23.2	31.0	0	-	-	-	0	0	0	15
18	1	1	-	5.0	7.3	0	2	1	1	6.3	4.3	11.5	-	-	-	0	0	0	16
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
20	1	1	-	5.0	7.3	0	1	1	-	3.2	4.3	0	-	-	-	0	0	0	18
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
25	1	-	1	5.0	0	15.9	-	-	-	0	0	0	-	-	-	0	0	0	23
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
29	-	-	-	0	0	0	1	1	-	3.2	4.3	0	-	-	-	0	0	0	27
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
32	1	1	-	5.0	7.3	0	-	-	-	0	0	0	-	-	-	0	0	0	30
33	30	21	9	150.0	153.3	142.9	23	21	2	72.6	91.3	23.0	10	3	7	125.0	103.4	137.3	31
34	1	1	-	5.0	7.3	0	1	1	-	3.2	4.3	0	-	-	-	0	0	0	32
35	2	1	1	10.0	7.3	15.9	5	5	-	15.8	21.7	0	1	-	1	12.5	0	19.6	33
36	1	1	-	5.0	7.3	0	-	-	-	0	0	0	-	-	-	0	0	0	34
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	35
38	24	15	9	120.0	109.5	142.9	35	26	9	110.4	113.0	103.4	13	3	10	162.5	103.4	196.1	36
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
40	-	-	-	0	0	0	1	-	1	3.2	0	11.5	-	-	-	0	0	0	38
41	54	40	14	270.0	292.0	222.2	86	53	33	271.3	230.4	379.3	20	12	8	250.0	413.8	156.9	39
42	3	-	3	15.0	0	47.6	3	1	2	9.5	4.3	23.0	3	1	2	37.5	34.5	39.2	40
43	6	4	2	30.0	29.2	31.7	4	1	3	12.6	4.3	34.5	5	-	5	62.5	0	98.0	41
44	-	-	-	0	0	0	2	1	1	6.3	4.3	11.5	-	-	-	0	0	0	42
45	1	1	-	5.0	7.3	0	4	4	-	12.6	17.4	0	2	-	2	25.0	0	39.2	43
46	-	-	-	0	0	0	1	1	-	3.2	4.3	0	-	-	-	0	0	0	44
47	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	45
48	2	1	1	10.0	7.3	15.9	1	-	1	3.2	0	11.5	4	-	4	50.0	0	78.4	46
49	2	2	-	10.0	14.6	0	1	1	-	3.2	4.3	0	-	-	-	0	0	0	47
50	3	1	2	15.0	7.3	31.7	3	-	3	9.5	0	34.5	7	2	5	87.5	69.0	98.0	48
51	2	2	-	10.0	14.6	0	3	1	2	9.5	4.3	23.0	-	-	-	0	0	0	49
52	1	1	-	5.0	7.3	0	2	2	-	6.3	8.7	0	-	-	-	0	0	0	50
53	6	3	3	30.0	21.9	47.6	4	4	-	12.6	17.4	0	-	-	-	0	0	0	51
54	4	1	3	20.0	7.3	47.6	7	5	2	22.1	21.7	23.0	4	3	1	50.0	103.4	19.6	52
55	1	-	1	5.0	0	15.9	-	-	-	0	0	0	-	-	-	0	0	0	53
56	6	2	4	30.0	14.6	63.5	3	2	1	9.5	8.7	11.5	3	-	3	37.5	0	58.8	54
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	55
58	3	2	1	15.0	14.6	15.9	1	1	-	3.2	4.3	0	-	-	-	0	0	0	56
59	5	3	2	25.0	21.9	31.7	15	14	1	47.3	60.9	11.5	1	-	1	12.5	0	19.6	57
60	10	8	2	50.0	58.4	31.7	18	14	4	56.8	60.9	46.0	4	2	2	50.0	69.0	39.2	58
61	2	2	-	10.0	14.6	0	4	4	-	12.6	17.4	0	-	-	-	0	0	0	59
62	1	-	1	5.0	0	15.9	2	2	-	6.3	8.7	0	1	-	1	12.5	0	19.6	60
63	8	6	2	40.0	43.8	31.7	17	6	11	53.6	26.1	126.4	5	1	4	62.5	34.5	78.4	61

ITEM	Washington						Wayne					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>												
1 Total	510	133	377	26.3	16.0	34.0	487	348	139	32.7	29.2	46.3
2 Delivered in hospital	175	127	48	34.3%	95.5%	12.7%	427	332	95	87.7%	95.4%	68.3%
3 Delivered in home by physician	10	2	8	2.0%	1.5%	2.1%	4	1	3	0.8%	0.3%	2.2%
4 Delivered in home by midwife	325	4	321	63.7%	3.0%	85.1%	43	5	38	8.8%	1.4%	27.3%
5 Other deliveries	-	-	-	0%	0%	0%	13	10	3	2.7%	2.9%	2.2%
6 Immature births	39	6	33	76.5	45.1	87.5	32	16	16	65.7	46.0	115.1
<b>FETAL DEATHS</b>												
7 Total	26	10	16	51.0	75.2	42.4	6	5	1	12.3	14.4	7.2
8 Under 20 weeks gestation	9	6	3	17.6	45.1	8.0	2	2	-	4.1	5.7	0
9 20-27 weeks gestation	4	-	4	7.8	0	10.6	3	2	1	6.2	5.7	7.2
28 weeks and more	13	4	9	25.5	30.1	23.9	1	1	1	2.1	2.9	0
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0
<b>DEATHS</b>												
10 Total, all ages	226	91	135	1164.9	1096.4	1216.2	114	81	33	765.1	680.7	1100.0
11 Under 1 year	21	-	21	41.2	0	55.7	12	9	3	24.6	25.9	21.6
12 Under 28 days	14	-	14	27.4	0	37.1	9	6	3	18.5	17.2	21.6
13 Deaths from immaturity	6	-	6	11.8	0	15.9	2	2	0	4.1	5.7	0
14 1-4 years **	5	2	3	-	-	-	3	1	2	-	-	-
15 Maternal deaths	1	-	1	19.6	0	26.5	-	-	-	0	0	0
<b>CAUSE OF DEATH</b>												
16 Tuberculosis, all forms (001-019)	2	-	2	10.3	0	18.0	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	1	1	-	6.7	8.4	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	20	13	7	103.1	156.6	63.1	15	11	4	100.7	92.4	133.3
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	1	-	1	6.7	0	33.3
35 Diabetes mellitus (260)	2	1	1	10.3	12.0	9.0	-	-	-	0	0	0
36 Pellagra (281)	1	-	1	5.2	0	9.0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	1	-	1	6.7	0	33.3
38 Vascular lesions affecting central nervous system (330-334)	42	16	26	216.5	192.8	234.2	15	9	6	100.7	75.6	200.0
39 Nonmeningococcal meningitis (340)	1	-	1	5.2	0	9.0	3	3	-	20.1	25.2	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	67	34	33	345.4	409.6	297.3	39	31	8	261.7	260.5	266.7
42 Hypertension without mention of heart (444-447)	8	1	7	41.2	12.0	63.1	1	1	1	6.7	0	33.3
43 Influenza and pneumonia (480-483, 490-493)	9	2	7	46.4	24.1	63.1	2	1	1	13.4	8.4	33.3
44 Bronchitis (500-502)	-	-	-	0	0	0	1	-	1	6.7	0	33.3
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	1	-	1	6.7	0	33.3
46 Appendicitis (550-553)	-	-	-	0	0	0	1	1	-	6.7	8.4	0
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	5.2	12.0	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	3	-	3	15.5	0	27.0	-	-	-	0	0	0
49 Cirrhosis of liver (581)	-	-	-	0	0	0	1	1	-	6.7	8.4	0
50 Nephritis and nephrosis (590-594)	2	-	2	10.3	0	18.0	1	1	-	6.7	8.4	0
51 Hyperplasia of prostate (610)	2	1	1	10.3	12.0	9.0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	5.2	0	9.0	-	-	-	0	0	0
53 Congenital malformations (750-759)	2	1	1	10.3	12.0	9.0	-	-	-	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	4	-	4	20.6	0	36.0	4	1	3	26.8	8.4	100.0
55 Infection of the newborn (763-768)	-	-	-	0	0	0	1	1	-	6.7	8.4	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	10	-	10	51.5	0	90.1	3	3	-	20.1	25.2	0
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	2	1	1	10.3	12.0	9.0	-	-	-	0	0	0
59 Motor vehicle accidents (E810-E835)	10	3	7	51.5	36.1	63.1	5	5	-	33.6	42.0	0
60 All other accidents (E800-E802, E840-E962)	9	5	4	46.4	60.2	36.0	7	5	2	47.0	42.0	66.7
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	1	-	1	5.2	0	9.0	4	1	3	26.8	8.4	100.0
63 All other diseases (residual)	27	12	15	139.2	114.6	135.1	7	6	1	47.0	50.4	33.3

COUNTY, BY RACE, GEORGIA, 1955

	Webster						Wheeler						White						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	81	13	68	21.9	10.0	28.3	139	78	61	24.0	20.5	30.5	146	130	16	25.6	24.5	40.0	1
2	37	13	24	45.7%	100.0%	35.3%	90	71	19	64.7%	91.0%	31.1%	137	128	9	93.8%	98.5%	56.2%	2
3	44	-	44	0%	0%	64.7%	41	3	4	5.0%	3.8%	6.6%	2	2	-	1.4%	1.5%	0%	3
4	4	1	3	54.3%	0%	0%	1	1	38	29.5%	3.8%	62.3%	7	7	7	4.8%	0%	43.8%	4
5	-	-	-	0%	0%	0%	-	-	1	0.7%	1.3%	0%	-	-	-	0%	0%	0%	5
6	4	1	3	49.4	76.9	44.1	12	3	9	86.3	38.5	147.5	8	8	-	54.8	61.5	0	6
7	3	3	-	37.0	230.8	0	3	1	2	21.6	12.8	32.8	7	6	1	47.9	46.2	62.5	7
8	3	3	-	0	0	0	1	-	1	0	0	0	3	3	-	20.5	23.1	0	8
9	3	3	-	37.0	230.8	0	1	1	1	7.2	0	16.4	-	-	-	0	0	0	8
10	-	-	-	0	0	0	2	1	1	14.4	12.8	16.4	4	3	1	27.4	23.1	62.5	9
11	-	-	-	0	0	0	-	-	1	0	0	0	-	-	-	0	0	0	9
12	28	12	16	756.8	923.1	666.7	58	40	18	1000.0	1052.6	900.9	46	40	6	807.0	754.7	1500.0	10
13	2	-	2	24.7	0	29.4	4	2	2	28.8	25.6	32.8	2	2	4	13.7	15.4	0	11
14	1	-	1	12.3	0	14.7	2	1	1	14.4	12.8	16.4	1	1	-	6.8	7.7	0	12
15	-	-	-	0	0	0	2	1	1	14.4	12.8	16.4	-	-	-	0	0	0	13
16	2	-	2	246.9	0	294.1	-	-	-	0	0	0	-	-	-	0	0	0	14
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	15
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	16
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
25	1	1	-	27.0	76.9	0	-	-	-	0	0	0	-	-	-	0	0	0	23
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
32	-	-	-	0	0	0	1	1	-	17.2	26.3	0	-	-	-	0	0	0	30
33	4	2	2	108.1	153.8	83.3	5	3	2	86.2	78.9	100.0	5	5	-	87.7	94.3	0	31
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
35	-	-	-	0	0	0	1	1	-	17.2	26.3	0	2	2	-	35.1	37.7	0	33
36	1	-	1	27.0	0	41.7	-	-	-	0	0	0	-	-	-	0	0	0	34
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	35
38	5	1	4	135.1	76.9	166.7	12	7	5	206.9	184.2	250.0	7	4	3	122.8	75.5	750.0	36
39	-	-	-	0	0	0	1	1	-	17.2	26.3	0	-	-	-	0	0	0	37
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	38
41	6	3	3	162.2	230.8	125.0	21	16	5	362.1	421.1	250.0	16	16	-	280.7	301.9	0	39
42	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
43	1	-	1	27.0	0	41.7	2	2	-	34.5	52.6	0	3	2	1	52.6	37.7	250.0	41
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	42
45	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	43
46	1	-	1	27.0	0	41.7	-	-	-	0	0	0	-	-	-	0	0	0	44
47	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	45
48	-	-	-	0	0	0	1	-	1	17.2	0	50.0	-	-	-	0	0	0	46
49	-	-	-	0	0	0	1	1	-	17.2	26.3	0	-	-	-	0	0	0	47
50	-	-	-	0	0	0	1	1	-	17.2	26.3	0	1	1	-	17.5	18.9	0	48
51	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	17.5	18.9	0	49
52	2	-	2	54.1	0	83.3	-	-	-	0	0	0	-	-	-	0	0	0	50
53	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	17.5	18.9	0	51
54	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	52
55	1	-	1	27.0	0	41.7	-	-	-	0	0	0	-	-	-	0	0	0	53
56	-	-	-	0	0	0	2	1	1	34.5	26.3	50.0	-	-	-	0	0	0	54
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	55
58	-	-	-	0	0	0	6	3	3	103.4	78.9	150.0	-	-	-	0	0	0	56
59	3	3	-	81.1	230.8	0	1	-	1	17.2	0	50.0	5	4	1	87.7	75.5	250.0	57
60	1	-	1	27.0	0	41.7	2	2	-	34.5	52.6	0	2	2	-	35.1	37.7	0	58
61	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	17.5	18.9	0	59
62	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	17.5	0	250.0	60
63	2	2	-	54.1	153.8	0	1	1	-	17.2	26.3	0	1	1	-	17.5	18.9	0	61

TABLE XIII

VITAL STATISTICS, BY

ITEM	Whitfield						Wileox					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>												
1 Total	1,038	978	60	26.6	26.4	30.0	196	100	96	22.3	16.9	33.1
2 Delivered in hospital	994	944	50	95.8%	96.5%	83.3%	75	73	2	39.3%	73.0%	2.1%
3 Delivered in home by physician	13	3	10	1.3%	0.3%	16.7%	45	26	19	23.0%	26.0%	19.8%
4 Delivered in home by midwife	31	31	-	3.0%	3.2%	0%	74	1	73	37.8%	1.0%	76.0%
5 Other deliveries	-	-	-	0%	0%	0%	2	-	2	1.0%	0%	2.1%
6 Immature births	96	90	6	92.5	92.0	100.0	16	5	11	81.6	50.0	114.6
<b>FETAL DEATHS</b>												
7 Total	61	58	3	58.8	59.3	50.0	6	5	1	30.6	50.0	10.4
8 Under 20 weeks gestation	47	45	2	45.3	46.0	33.3	3	3	-	15.3	30.0	0
9 20-27 weeks gestation	6	5	1	5.8	5.1	16.7	-	-	-	0	0	0
28 weeks and more	8	8	-	7.7	8.2	0	3	2	1	15.3	20.0	10.4
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0
<b>DEATHS</b>												
10 Total, all ages	269	250	19	689.7	675.7	950.0	75	51	24	852.3	864.4	827.6
11 Under 1 year	24	23	1	23.1	23.5	16.7	2	-	2	10.2	0	20.8
12 Under 28 days	22	21	1	21.2	21.5	16.7	-	-	-	0	0	0
13 Deaths from immaturity	6	5	1	5.8	5.1	16.7	-	-	-	0	0	0
14 1-4 years **	3	3	-	-	-	-	-	-	-	0	0	0
15 Maternal deaths	2	2	-	19.3	20.4	0	1	1	-	51.0	100.0	0
<b>CAUSE OF DEATH</b>												
16 Tuberculosis, all forms (001-019)	6	6	-	15.4	16.2	0	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	1	1	-	11.4	16.9	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	1	1	-	2.6	2.7	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	1	-	2.6	2.7	0	1	-	1	11.4	0	34.5
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	37	33	4	94.9	89.2	200.0	10	8	2	113.6	135.6	69.0
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	2	2	-	5.1	5.4	0	1	-	1	11.4	0	34.5
36 Pellagra (281)	1	1	-	2.6	2.7	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	41	37	4	105.1	100.0	200.0	14	8	6	159.1	135.6	206.9
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	1	1	-	2.6	2.7	0	-	-	-	0	0	0
41 Heart diseases (410-443)	95	89	6	243.6	240.5	300.0	27	22	5	306.8	372.9	172.4
42 Hypertension without mention of heart (444-447)	2	2	-	5.1	5.4	0	1	-	1	11.4	0	34.5
43 Influenza and pneumonia (480-483, 490-493)	10	10	-	25.6	27.0	0	5	3	2	56.8	50.8	69.0
44 Bronchitis (500-502)	1	1	-	2.6	2.7	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	1	1	-	2.6	2.7	0	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	2	2	-	5.1	5.4	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	1	-	2.6	2.7	0	1	-	1	11.4	0	34.5
49 Cirrhosis of liver (581)	2	1	1	5.1	2.7	50.0	1	1	-	11.4	16.9	0
50 Nephritis and nephrosis (590-594)	4	3	1	10.3	8.1	50.0	3	3	-	34.1	50.8	0
51 Hyperplasia of prostate (610)	2	2	-	5.1	5.4	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	2	2	-	5.1	5.4	0	1	1	-	11.4	16.9	0
53 Congenital malformations (750-759)	1	1	-	2.6	2.7	0	-	-	-	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	10	10	-	25.6	27.0	0	-	-	-	0	0	0
55 Infection of the newborn (763-768)	1	1	-	2.6	2.7	0	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	9	8	1	23.1	21.6	50.0	-	-	-	0	0	0
57 Senility, without mention of psychosis (794)	1	1	-	2.6	2.7	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	1	1	-	11.4	16.9	0
59 Motor vehicle accidents (E810-E835)	11	11	-	28.2	29.7	0	2	1	1	22.7	16.9	34.5
60 All other accidents (E800-E802, E840-E962)	7	7	-	17.9	18.9	0	3	1	2	34.1	16.9	69.0
61 Suicide (E963, E970-E979)	2	2	-	5.1	5.4	0	1	1	-	11.4	16.9	0
62 Homicide (E964, E980-E985)	2	1	1	5.1	2.7	50.0	1	-	1	11.4	0	34.5
63 All other diseases (residual)	13	12	1	33.3	32.4	50.0	1	-	1	11.4	0	34.5

See notes on page 87

COUNTY, BY RACE, GEORGIA, 1955

	Wilkes						Wilkinson						Worth						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
271	92	179	24.4	18.0	29.8	256	103	153	28.1	22.4	34.0	585	215	370	31.8	23.9	39.4	1	
174	91	83	64.2%	98.9%	46.4%	144	89	55	56.2%	86.4%	35.9%	348	212	136	59.5%	98.6%	36.8%	2	
34	-	34	12.5%	0%	19.0%	13	11	2	5.1%	10.7%	1.3%	8	1	7	1.4%	0.5%	1.9%	3	
63	1	62	23.2%	1.1%	34.6%	99	3	96	38.7%	2.9%	62.7%	228	2	226	39.0%	1.0%	61.1%	4	
-	-	0	0%	0%	0%	-	-	-	0%	0%	0%	1	-	1	0.2%	0%	0.3%	5	
43	14	29	158.7	152.2	162.0	18	4	14	70.3	38.8	91.5	45	16	29	76.9	74.4	78.4	6	
11	4	7	40.6	43.5	39.1	5	-	5	19.5	0	32.7	18	5	13	30.8	23.3	35.1	7	
-	-	0	0	0	0	3	-	3	11.7	0	19.0	4	2	2	6.8	9.3	5.4	8	
4	2	2	14.8	21.7	11.2	-	-	-	0	0	0	2	-	2	3.4	0	5.4	9	
7	2	5	25.8	21.7	27.9	1	-	1	3.9	0	6.5	11	3	8	18.8	14.0	21.6	-	
-	-	0	0	0	0	1	-	1	3.9	0	6.5	1	-	1	1.7	0	2.7	-	
142	59	83	279.3	156.9	138.3	79	39	40	868.1	847.8	888.9	148	72	76	804.3	800.0	808.5	10	
9	2	7	33.2	21.7	39.1	9	2	7	35.2	19.4	45.8	20	8	12	34.2	37.2	32.4	11	
9	2	7	33.2	21.7	39.1	5	1	4	19.5	9.7	26.1	11	5	6	18.8	23.3	16.2	12	
5	5	5	18.4	0	27.9	1	-	1	3.9	0	6.5	4	2	2	6.8	9.3	5.4	13	
8	1	7	-	-	-	1	1	-	-	-	-	5	2	3	-	-	-	14	
1	-	1	36.9	0	55.9	-	-	-	0	0	0	2	1	1	34.2	46.5	27.0	15	
16	-	-	0	0	0	1	1	-	11.0	21.7	0	4	-	4	21.7	0	42.6	16	
17	1	1	9.0	0	16.7	1	-	1	11.0	0	22.2	-	-	-	0	0	0	17	
16	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18	
19	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19	
20	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20	
21	1	1	9.0	0	16.7	-	-	-	0	0	0	-	-	-	0	0	0	21	
22	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22	
23	1	1	9.0	0	16.7	-	-	-	0	0	0	-	-	-	0	0	0	23	
24	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24	
25	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25	
26	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26	
27	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27	
28	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28	
29	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29	
30	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30	
31	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31	
32	1	-	1	9.0	0	16.7	1	-	1	11.0	0	22.2	2	2	-	10.9	22.2	0	32
33	17	10	7	153.2	196.1	116.7	13	6	7	142.9	130.4	155.6	12	8	4	65.2	88.9	42.6	33
34	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34	
35	4	2	2	36.0	39.2	33.3	-	-	-	0	0	0	1	1	-	5.4	11.1	0	35
36	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36	
37	-	-	0	0	0	1	1	-	11.0	21.7	0	-	-	-	0	0	0	37	
38	29	12	17	261.3	235.3	283.3	14	5	9	153.8	108.7	200.0	31	14	17	168.5	155.6	180.9	38
39	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39	
40	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40	
41	40	19	21	360.4	372.5	350.0	19	15	4	208.8	326.1	88.9	40	25	15	217.4	277.8	159.6	41
42	2	1	1	18.0	19.6	16.7	-	-	-	0	0	0	3	1	2	16.3	11.1	21.3	42
43	8	2	6	72.1	39.2	100.0	2	-	2	22.0	0	44.4	7	1	6	38.0	11.1	63.8	43
44	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44	
45	-	-	0	0	0	1	1	-	11.0	21.7	0	-	-	-	0	0	0	45	
46	1	-	1	9.0	0	16.7	2	1	1	22.0	21.7	22.2	-	-	-	0	0	0	46
47	1	-	1	9.0	0	16.7	-	-	-	0	0	0	-	-	-	0	0	0	47
48	1	1	-	9.0	19.6	0	2	1	1	22.0	21.7	22.2	4	1	3	21.7	11.1	31.9	48
49	1	1	-	9.0	19.6	0	-	-	-	0	0	0	-	-	-	0	0	0	49
50	4	4	4	36.0	0	66.7	-	-	-	0	0	0	3	1	2	16.3	11.1	21.3	50
51	1	-	1	9.0	0	16.7	-	-	-	0	0	0	-	-	-	0	0	0	51
52	1	-	1	9.0	0	16.7	-	-	-	0	0	0	2	1	1	10.9	11.1	10.6	52
53	1	-	1	9.0	0	16.7	-	-	-	0	0	0	2	2	-	10.9	22.2	0	53
54	4	2	2	36.0	39.2	33.3	4	1	3	44.0	21.7	66.7	1	1	-	5.4	11.1	0	54
55	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	5.4	0	10.6	55
56	5	-	5	45.0	0	83.3	1	-	1	11.0	0	22.2	5	3	2	27.2	33.3	21.3	56
57	-	-	-	0	0	0	1	-	1	11.0	0	22.2	-	-	-	0	0	0	57
58	3	-	3	27.0	0	50.0	7	1	6	76.9	21.7	133.3	6	4	6	32.6	0	63.8	58
59	3	1	2	27.0	19.6	33.3	2	2	-	22.0	43.5	0	7	3	3	38.0	44.4	31.9	59
60	6	4	2	54.1	78.4	33.3	1	1	-	11.0	21.7	0	8	3	5	43.5	33.3	53.2	60
61	2	2	-	18.0	39.2	0	1	1	-	11.0	21.7	0	1	1	-	5.4	11.1	0	61
62	2	1	1	18.0	19.6	16.7	3	1	2	33.0	21.7	44.4	2	-	2	10.9	0	21.3	62
63	2	1	1	18.0	19.6	16.7	2	1	1	22.0	21.7	22.2	6	3	3	32.6	33.3	31.9	63

TABLE XIV-A VITAL STATISTICS,

ITEM	Atlanta						Augusta					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>												
1 Total	12,189	7,060	5,129	26.0	22.1	34.3	2,468	1,280	1,188	26.1	23.1	30.3
2 Delivered in hospital	11,976	7,041	4,935	98.3%	99.7%	96.2%	2,412	1,274	1,138	97.7%	99.5%	95.8%
3 Delivered in home by physician	188	16	172	1.5%	0.2%	3.4%	45	5	40	1.8%	0.4%	3.4%
4 Delivered in home by midwife	24	3	21	0.2%	0.0%	0.4%	10	-	10	0.4%	0%	0.8%
5 Other deliveries	1	-	1	0.0%	0%	0.0%	1	1	-	0.0%	0.1%	0%
6 Immature births	1,231	557	674	101.0	78.9	131.4	226	69	157	91.6	53.9	132.2
<b>FETAL DEATHS</b>												
7 Total	799	297	502	65.6	42.1	97.9	92	46	46	37.3	35.9	38.7
8 Under 20 weeks gestation	496	132	314	40.7	25.8	61.2	34	20	14	13.8	15.6	11.8
9 20-27 weeks gestation	104	27	77	8.5	3.8	15.0	23	12	11	9.3	9.4	9.3
28 weeks and more	187	85	102	15.3	12.0	19.9	33	14	19	13.4	10.9	16.0
Unknown length of gestation	12	3	9	1.0	0.4	1.8	2	-	2	0.8	0	1.7
<b>DEATHS</b>												
10 Total, all ages	4,535	2,648	1,887	967.0	829.1	1261.4	792	428	364	836.3	771.2	928.6
11 Under 1 year	349	156	193	28.6	22.1	37.6	58	30	28	23.5	23.4	23.6
12 Under 28 days	254	121	133	20.8	17.1	25.9	46	27	19	18.6	21.1	16.0
13 Deaths from immaturity	63	27	36	5.2	3.8	7.0	12	6	6	4.9	4.7	5.0
14 1-4 years	49	26	23	-	-	-	14	4	10	-	-	-
15 Maternal deaths	9	1	8	7.4	1.4	15.6	-	-	-	0	0	0
<b>CAUSE OF DEATH</b>												
16 Tuberculosis, all forms (001-019)	55	20	35	11.7	6.3	23.4	9	5	4	9.5	9.0	10.2
17 Syphilis and its sequelae (020-029)	16	4	12	3.4	1.3	8.0	3	-	3	3.2	0	7.7
18 Typhoid fever (040)	-	-	-	0	0	0	1	-	1	1.1	0	2.6
19 Dysentery, all forms (045-048)	3	-	3	0.6	0	2.0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	1	-	1	0.2	0	0.7	-	-	-	0	0	0
22 Diphtheria (055)	2	2	-	0.4	0.6	0	1	1	-	1.1	1.8	0
23 Whooping cough (056)	-	-	-	0	0	0	1	-	1	1.1	0	2.6
24 Meningococcal infections (057)	2	1	1	0.4	0.3	0.7	-	-	-	0	0	0
25 Acute poliomyelitis (080)	2	2	-	0.4	0.6	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	1	-	1	1.1	0	2.6
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	1	-	1	0.2	0	0.7	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	14	7	7	3.0	2.2	4.7	1	1	-	1.1	1.8	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	675	462	213	143.9	144.6	142.4	104	61	43	109.8	109.9	109.7
34 Benign and unspecified neoplasms (210-239)	21	12	9	4.5	3.8	6.0	1	1	-	1.1	1.8	0
35 Diabetes mellitus (260)	72	42	50	19.6	13.1	33.4	16	8	8	16.9	14.4	20.4
36 Pellagra (281)	2	1	1	0.4	0.3	0.7	-	-	-	0	0	0
37 Anemias (290-293)	15	6	9	3.2	1.9	6.0	1	-	1	1.1	0	2.6
38 Vascular lesions affecting central nervous system (330-334)	615	345	270	131.1	108.0	180.5	139	59	80	146.8	106.3	204.1
39 Nonmeningococcal meningitis (340)	7	2	5	1.5	0.6	3.3	-	-	-	0	0	0
40 Rheumatic fever (400-402)	4	1	3	0.9	0.3	2.0	1	-	1	1.1	0	2.6
41 Heart diseases (410-443)	1,475	932	543	314.5	291.8	363.0	275	168	107	290.4	302.7	273.0
42 Hypertension without mention of heart (444-447)	44	16	28	9.4	5.0	18.7	13	6	7	13.7	10.8	17.9
43 Influenza and pneumonia (480-483, 490-493)	129	51	78	27.5	16.0	52.1	23	9	14	24.3	16.2	35.7
44 Bronchitis (500-502)	5	5	-	1.1	1.6	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	25	17	8	5.3	5.3	5.3	3	1	2	3.2	1.8	5.1
46 Appendicitis (550-553)	8	4	4	1.7	1.3	2.7	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	25	13	12	5.3	4.1	8.0	6	5	1	6.3	9.0	2.6
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	21	8	13	4.5	2.5	8.7	1	-	1	1.1	0	2.6
49 Cirrhosis of liver (581)	46	29	17	9.8	9.1	11.4	11	8	3	11.6	14.4	7.7
50 Nephritis and nephrosis (590-594)	80	21	59	17.1	6.6	39.4	16	5	11	16.9	9.0	28.1
51 Hyperplasia of prostate (610)	17	11	6	3.6	3.4	4.0	1	1	-	1.1	1.8	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	9	1	8	1.9	0.3	5.3	-	-	-	0	0	0
53 Congenital malformations (750-759)	56	36	20	11.9	11.3	13.4	10	7	3	10.6	12.6	7.7
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	129	67	62	27.5	21.0	41.4	19	11	8	20.1	19.8	20.4
55 Infection of the newborn (763-768)	15	3	12	3.2	0.9	8.0	3	1	2	3.2	1.8	5.1
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	81	35	46	17.3	11.0	30.7	18	9	9	19.0	16.2	23.0
57 Senility, without mention of psychosis (794)	2	2	-	0.4	0.6	0	2	2	-	2.1	3.6	0
58 Ill-defined and unknown causes (780-793, 795)	23	8	15	4.9	2.5	10.0	1	-	1	1.1	0	2.6
59 Motor vehicle accidents (E810-E835)	108	69	39	23.0	21.6	26.1	18	11	7	19.0	19.8	17.9
60 All other accidents (E800-E802, E840-E962)	166	105	61	35.4	32.9	40.8	29	13	16	30.6	23.4	40.8
61 Suicide (E963, E970-E979)	59	53	6	12.6	16.6	4.0	4	3	1	4.2	5.4	2.6
62 Homicide (E964, E980-E985)	86	17	69	18.3	5.3	46.1	4	1	3	4.2	1.8	7.7
63 All other diseases (residual)	399	238	161	85.1	74.5	107.6	56	31	25	59.1	55.9	63.8

BY CITIES WITH POPULATION OF 75,000 OR MORE, GEORGIA, 1955

City Number	Columbus						Macon						Savannah						
	Number			Rate or Ratio*			Number			Rate or Ratio*			Number			Rate or Ratio*			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	3,481	2,450	1,031	37.3	38.1	35.4	1,901	975	926	24.6	21.9	28.4	2,939	2,383	1,556	29.8	30.3	29.1	1
2	3,404	2,446	958	97.8%	99.8%	92.9%	1,870	970	900	98.4%	99.5%	97.2%	3,742	2,379	1,363	95.0%	99.8%	87.6%	2
3	47	4	43	1.4%	0.2%	4.2%	25	5	20	1.3%	0.5%	2.2%	193	3	190	4.9%	0.1%	12.2%	3
4	28	-	28	0.8%	0%	2.7%	5	5	5	0.3%	0%	0.5%	3	-	3	0.1%	0%	0.2%	4
5	2	-	2	0.1%	0%	0.2%	1	-	1	0.1%	0%	0.1%	1	1	-	0%	0.0%	0%	5
6	317	180	137	91.1	73.5	132.9	189	53	136	99.4	54.4	146.9	294	140	154	74.6	58.7	99.0	6
7	114	73	41	32.7	29.8	39.8	106	58	48	55.8	59.5	51.8	254	170	84	64.5	71.3	54.0	7
8	49	42	7	14.1	17.1	6.8	49	30	19	25.8	30.8	20.5	147	123	24	37.3	51.6	15.4	8
9	17	6	11	4.9	2.4	10.7	16	10	6	8.4	10.3	6.5	33	16	17	8.4	6.7	10.9	9
10	42	23	19	12.1	9.4	18.4	39	18	21	20.5	18.5	22.7	66	26	40	16.8	10.9	25.7	10
11	6	2	4	1.7	0.8	3.9	2	-	2	1.1	0	2.2	8	5	3	2.0	2.1	1.9	11
12	707	430	277	757.0	668.7	951.9	852	459	393	1103.6	1029.1	1205.5	1,348	655	693	1020.4	833.3	1295.3	12
13	92	58	34	26.4	23.7	33.0	83	29	54	43.7	29.7	58.3	122	46	76	31.0	19.3	48.8	13
14	76	52	24	21.8	21.2	23.3	65	25	40	34.2	25.6	43.2	88	35	53	22.3	14.7	34.1	14
15	25	19	6	7.2	7.8	5.8	27	5	22	14.2	5.1	23.8	36	12	24	9.1	5.0	15.4	15
16	16	6	10	-	-	-	15	8	7	-	-	-	29	13	16	-	-	-	16
17	2	1	1	5.7	4.1	9.7	1	1	-	5.3	10.3	0	2	-	2	5.1	0	12.9	17
18	8	3	5	8.6	4.7	17.2	8	1	7	10.4	2.2	21.5	18	3	15	13.6	3.8	28.0	18
19	3	1	2	3.2	1.6	6.9	3	1	2	3.9	2.2	6.1	8	2	6	6.1	2.5	11.2	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	1	-	1	1.3	0	3.1	-	-	-	0	0	0	22
23	-	-	-	0	0	0	1	-	1	1.3	0	3.1	-	-	-	0	0	0	23
24	1	-	1	1.1	0	3.4	-	-	-	0	0	0	3	1	2	2.3	1.3	3.7	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	1	-	1	1.3	0	3.1	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	4	1	3	5.2	2.2	9.2	3	1	2	2.3	1.3	3.7	32
33	115	71	44	123.1	110.4	151.2	115	71	44	149.0	159.2	153.0	163	105	58	123.4	133.6	108.4	33
34	4	1	3	4.3	1.6	10.3	1	1	-	1.3	2.2	0	7	4	3	5.3	5.1	5.6	34
35	7	5	2	7.5	7.8	6.9	15	6	9	19.4	13.5	27.6	18	9	9	13.6	11.4	16.8	35
36	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	0.8	0	1.9	36
37	1	1	-	1.1	1.6	0	2	1	1	2.6	2.2	3.1	6	4	2	4.5	5.1	3.7	37
38	97	46	51	103.9	71.5	175.3	115	62	53	149.0	139.0	162.6	271	111	160	205.1	141.2	299.1	38
39	1	1	-	1.1	1.6	0	1	-	1	1.3	0	3.1	2	1	1	1.5	1.3	1.9	39
40	1	-	1	1.1	0	3.4	-	-	-	0	0	0	5	1	4	3.8	1.3	7.5	40
41	203	140	63	217.3	217.7	216.5	263	160	103	340.7	358.7	316.0	432	247	185	327.0	314.2	345.8	41
42	8	4	4	8.6	6.2	13.7	16	4	12	20.7	9.0	36.8	11	2	9	8.3	2.5	16.8	42
43	17	9	8	18.2	14.0	27.5	23	9	14	29.8	29.2	42.9	49	12	37	37.1	15.3	69.2	43
44	2	2	-	2.1	3.1	0	2	2	-	2.6	4.5	0	5	2	3	3.8	2.5	5.6	44
45	2	2	-	2.1	3.1	0	6	3	3	7.8	6.7	9.2	3	1	2	2.3	1.3	3.7	45
46	1	1	-	1.1	1.6	0	-	-	-	0	0	0	2	-	2	1.5	0	3.7	46
47	7	3	4	7.5	4.7	13.7	4	2	2	5.2	4.5	6.1	6	2	4	4.5	2.5	7.5	47
48	1	1	-	1.1	1.6	0	8	4	4	10.4	9.0	12.3	11	4	7	8.3	5.1	13.1	48
49	5	5	-	5.4	7.8	0	7	5	2	9.1	11.2	6.1	9	6	3	6.8	7.6	5.6	49
50	14	8	6	15.0	12.4	20.6	22	4	18	28.5	9.0	55.2	24	4	20	18.2	5.1	37.4	50
51	2	1	1	2.1	1.6	3.4	5	3	2	6.5	6.7	6.1	3	3	-	2.3	3.8	0	51
52	2	1	1	2.1	1.6	3.4	1	1	-	1.3	2.2	0	2	-	2	1.5	0	3.7	52
53	17	11	6	18.2	17.1	20.6	12	7	5	15.5	15.7	15.3	17	11	6	12.9	14.0	11.2	53
54	36	25	11	38.5	38.9	37.8	22	11	11	28.5	24.7	33.7	32	14	18	24.2	17.8	33.6	54
55	3	1	2	3.2	1.6	6.9	2	1	1	2.6	2.2	3.1	4	1	3	3.0	1.3	5.6	55
56	29	21	8	31.0	32.7	27.5	35	10	25	45.3	22.4	76.7	43	14	29	32.6	17.8	54.2	56
57	3	1	2	3.2	1.6	6.9	2	-	2	2.6	0	6.1	1	1	-	0.8	1.3	0	57
58	3	1	2	3.2	1.6	6.9	6	2	4	7.8	4.5	12.3	3	-	3	2.3	0	5.6	58
59	16	12	4	17.1	18.7	13.7	27	17	10	35.0	38.1	30.7	36	20	16	27.3	25.4	29.9	59
60	26	14	12	27.8	21.8	41.2	33	18	15	42.7	40.4	46.0	45	21	24	34.1	26.7	44.9	60
61	13	12	1	13.9	18.7	3.4	12	11	1	15.5	24.7	3.1	8	7	1	6.1	8.9	1.9	61
62	9	1	8	9.6	1.6	27.5	15	2	13	19.4	4.5	39.9	23	-	23	17.4	0	43.0	62
63	50	25	25	53.5	38.9	85.9	62	39	23	80.3	87.4	70.6	74	41	33	56.0	52.2	61.7	63

TABLE XIV-B VITAL STATISTICS,

ITEM	Albany						Americus					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>												
1 Total	1,797	1,049	748	47.9	48.8	46.8	328	133	195	26.2	21.1	31.5
2 Delivered in hospital	1,430	1,046	384	79.6%	99.7%	51.3%	221	133	88	67.4%	100.0	45.1%
3 Delivered in home by physician	222	3	219	12.4%	0.3%	29.3%	4	-	4	1.2%	0%	2.1%
4 Delivered in home by midwife	139	-	139	7.7%	0%	18.6%	103	-	103	31.4%	0%	52.8%
5 Other deliveries	6	-	6	0.3%	0%	0.8%	-	-	-	0%	0%	0%
6 Immature births	204	94	110	113.5	89.6	147.1	26	6	20	79.3	45.1	102.6
<b>FETAL DEATHS</b>												
7 Total	69	41	28	38.4	39.1	37.4	9	3	6	27.4	22.6	30.8
8 Under 20 weeks gestation	34	27	7	18.9	25.7	9.4	5	2	3	15.2	15.0	15.4
9 20-27 weeks gestation	11	4	7	6.1	3.8	9.4	-	-	-	0	0	0
28 weeks and more	24	10	14	13.4	9.5	18.7	4	1	3	12.2	7.5	15.4
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0
<b>DEATHS</b>												
10 Total, all ages	371	151	220	989.3	702.3	1375.0	139	62	77	112.0	984.1	1241.9
11 Under 1 year	60	28	32	33.4	26.7	42.8	18	4	14	54.9	30.1	71.8
12 Under 28 days	41	26	15	22.8	24.8	20.1	12	3	9	36.6	22.6	46.2
13 Deaths from immaturity	10	6	4	5.6	5.7	5.3	5	3	3	15.2	15.0	15.4
14 1-4 years **	10	2	8	-	-	-	4	2	2	-	-	-
15 Maternal deaths	1	1	-	5.6	9.5	0	1	-	1	30.5	0	51.3
<b>CAUSE OF DEATH</b>												
16 Tuberculosis, all forms (001-019)	3	1	2	8.0	4.7	12.5	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	4	-	4	10.7	0	25.0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	2	-	2	5.3	0	12.5	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	4	1	3	10.7	4.7	18.8	1	-	1	8.0	0	16.1
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	34	13	21	90.7	60.5	131.2	16	9	7	128.0	142.9	112.9
34 Benign and unspecified neoplasms (210-239)	2	1	1	5.3	4.7	6.2	1	-	1	8.0	0	16.1
35 Diabetes mellitus (260)	2	2	-	5.3	9.3	0	-	-	-	0	0	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	1	1	-	2.7	4.7	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	56	18	38	149.3	83.7	237.5	29	12	17	232.0	190.5	274.2
39 Nonmeningococcal meningitis (340)	1	-	1	2.7	0	6.2	1	1	-	8.0	15.9	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	103	49	54	274.7	227.9	337.5	35	16	19	280.0	254.0	306.5
42 Hypertension without mention of heart (444-447)	7	1	6	18.7	4.7	37.5	1	-	1	8.0	0	16.1
43 Influenza and pneumonia (480-483, 490-493)	17	2	15	45.3	9.3	93.8	6	2	4	48.0	31.7	64.5
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	1	-	1	2.7	0	6.2	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	3	-	3	8.0	0	18.8	2	1	1	16.0	15.9	16.1
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	3	-	3	8.0	0	18.8	2	1	1	16.0	15.9	16.1
49 Cirrhosis of liver (581)	3	3	-	8.0	14.0	0	1	1	1	16.0	15.9	16.1
50 Nephritis and nephrosis (590-594)	8	-	8	21.3	0	50.0	2	1	1	16.0	15.9	16.1
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	3	1	2	24.0	15.9	32.3
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	1	-	2.7	4.7	0	1	-	1	8.0	0	16.1
53 Congenital malformations (750-759)	10	7	3	26.7	32.6	18.8	4	1	3	32.0	15.9	48.4
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	14	9	5	37.3	41.9	31.2	2	1	1	16.0	15.9	16.1
55 Infection of the newborn (763-768)	3	1	2	8.0	4.7	12.5	2	-	2	16.0	0	32.3
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	18	10	8	48.0	46.5	50.0	5	-	5	48.0	31.7	48.4
57 Senility, without mention of psychosis (794)	3	-	3	8.0	0	18.8	1	-	1	8.0	0	16.1
58 Ill-defined and unknown causes (780-793, 795)	6	4	2	16.0	18.6	12.5	4	-	4	32.0	0	64.5
59 Motor vehicle accidents (E810-E835)	13	8	5	34.7	37.2	31.2	4	3	1	32.0	47.6	16.1
60 All other accidents (E800-E802, E840-E962)	13	6	7	34.7	27.9	43.8	5	-	5	40.0	0	80.6
61 Suicide (E963, E970-E979)	4	3	1	10.7	14.0	6.2	3	3	-	24.0	47.6	0
62 Homicide (E964, E980-E985)	9	1	8	24.0	4.7	50.0	-	-	-	0	0	0
63 All other diseases (residual)	23	9	14	61.3	41.9	87.5	9	8	1	72.0	127.0	16.1

See notes on page 87



BY CITIES WITH POPULATION OF 10,000-74,999, GEORGIA, 1955

	Athens						Brunswick						Cedartown						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	719	482	237	22.4	20.6	27.2	604	364	240	31.0	30.3	32.0	221	186	35	21.9	21.6	23.3	1
2	702	481	221	97.6%	99.8%	93.2%	473	358	115	78.3%	98.4%	47.9%	204	176	28	92.3%	94.6%	80.0%	2
3	6	1	5	0.8%	0.2%	2.1%	5	-	5	0.8%	0	2.1%	2	2	-	0.9%	1.1%	0%	3
4	11	-	11	1.5%	0%	4.6%	126	6	120	20.9%	1.6%	50.0%	14	7	7	6.3%	3.8%	20.0%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	1	1	-	0.5%	0.5%	0%	5
6	62	28	34	86.2	58.1	143.5	67	40	27	110.9	109.9	112.5	21	17	4	95.0	91.4	114.3	6
7	33	22	11	45.9	45.6	46.4	20	10	10	33.1	27.5	41.7	3	2	1	13.6	10.8	28.6	7
8	16	15	1	22.3	31.1	4.2	5	2	3	8.3	5.5	12.5	-	-	-	0	0	0	8
9	6	-	6	8.3	0	25.3	3	2	1	5.0	5.5	4.2	1	1	-	4.5	5.4	0	9
10	11	7	4	15.3	14.5	16.9	10	5	5	16.6	13.7	20.8	2	1	1	9.0	5.4	28.6	10
11	-	-	-	0	0	0	2	1	1	3.3	2.7	4.2	-	-	-	0	0	0	11
12	252	147	105	785.0	628.2	1206.9	192	107	85	984.6	891.7	1133.3	83	71	12	821.8	825.6	800.0	12
13	20	9	11	27.8	18.7	46.4	18	8	10	29.8	22.0	41.7	6	6	-	27.1	32.3	0	13
14	14	9	5	19.5	18.7	21.1	11	7	4	18.2	19.2	16.7	4	4	-	18.1	21.5	0	14
15	4	2	2	5.6	4.1	8.4	5	4	1	8.3	11.0	4.2	-	-	-	0	0	0	15
16	4	2	2	0	0	0	4	2	2	0	0	0	-	-	-	0	0	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	1	-	1	3.1	0	11.5	2	1	1	10.3	8.3	13.3	-	-	-	0	0	0	18
19	1	-	1	3.1	0	11.5	2	2	2	10.3	0	26.7	-	-	-	0	0	0	19
20	1	1	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	2	-	2	10.3	0	26.7	1	1	-	9.9	11.6	0	32
33	29	21	8	90.3	89.7	92.0	23	15	8	117.9	125.0	106.7	7	5	2	69.3	58.1	133.3	33
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	3	-	3	9.3	0	34.5	2	1	1	10.3	8.3	13.3	1	1	-	9.9	11.6	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	1	-	1	5.1	0	13.3	-	-	-	0	0	0	37
38	47	27	20	146.4	115.4	229.9	34	16	18	174.4	133.3	240.0	12	11	1	118.8	127.9	66.7	38
39	-	-	-	0	0	0	1	1	-	5.1	8.3	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	76	46	30	236.8	196.6	344.8	57	36	21	292.3	300.0	280.0	39	32	7	386.1	372.1	466.7	41
42	4	4	6	12.5	0	46.0	-	-	-	0	0	0	-	-	-	0	0	0	42
43	10	4	6	31.2	17.1	69.0	7	2	5	35.9	16.7	66.7	-	-	-	0	0	0	43
44	3	2	1	9.3	8.5	11.5	2	2	-	10.3	16.7	0	-	-	-	0	0	0	44
45	2	2	-	6.2	8.5	0	-	-	-	0	0	0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	2	1	1	6.2	4.3	11.5	1	1	-	5.1	8.3	0	-	-	-	0	0	0	47
48	2	-	2	6.2	0	23.0	2	1	1	10.3	8.3	13.3	-	-	-	0	0	0	48
49	1	1	-	3.1	4.3	0	2	2	-	10.3	16.7	0	1	1	-	9.9	11.6	0	49
50	6	-	6	18.7	0	69.0	5	1	4	25.6	8.3	53.3	3	3	-	29.7	34.9	0	50
51	3	2	1	9.3	8.5	11.5	-	-	-	0	0	0	-	-	-	0	0	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	52
53	5	3	2	15.6	12.8	23.0	3	2	1	15.4	16.7	13.3	5	5	-	49.5	58.1	0	53
54	7	6	1	21.8	25.6	11.5	1	-	1	5.1	0	13.3	2	2	-	19.8	23.3	0	54
55	-	-	-	0	0	0	2	1	1	10.3	8.3	13.3	-	-	-	0	0	0	55
56	5	2	3	15.6	8.5	34.5	7	6	1	35.9	50.0	13.3	-	-	-	0	0	0	56
57	-	-	-	0	0	0	1	1	-	5.1	8.3	0	-	-	-	0	0	0	57
58	-	-	-	0	0	0	1	-	1	5.1	0	13.3	1	1	-	9.9	11.6	0	58
59	8	6	2	24.9	25.6	23.0	3	2	1	15.4	16.7	13.3	3	3	-	29.7	34.9	0	59
60	6	1	5	18.7	4.3	57.5	8	6	2	41.0	50.0	26.7	6	4	2	59.4	46.5	133.3	60
61	4	4	-	12.5	17.1	0	-	-	-	0	0	0	-	-	-	0	0	0	61
62	4	2	2	12.5	8.5	23.0	-	-	-	0	0	0	-	-	-	0	0	0	62
63	22	16	6	68.5	68.4	69.0	23	10	13	117.9	83.3	173.3	2	2	-	19.8	23.3	0	63

TABLE XIV-B VITAL STATISTICS,

ITEM	College Park						Cordele						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
<b>LIVE BIRTHS</b>													
1 Total	560	438	122	31.3	30.2	35.9	292	129	163	28.3	23.9	33.3	1
2 Delivered in hospital	557	436	121	99.5%	99.5%	99.2%	156	123	33	53.4%	95.3%	20.2%	2
3 Delivered in home by physician	3	2	1	0.5%	0.5%	0.8%	-	-	-	0%	0%	0%	3
4 Delivered in home by midwife	-	-	-	0%	0%	0%	136	6	130	46.6%	4.7%	79.8%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	46	31	15	82.1	70.8	123.0	20	7	13	68.5	54.2	79.8	6
<b>FETAL DEATHS</b>													
7 Total	25	14	11	44.6	32.0	90.2	21	4	17	71.9	31.0	104.3	7
8 Under 20 weeks gestation	17	6	11	30.4	13.7	90.2	13	4	9	44.5	31.0	55.2	8
9 20-27 weeks gestation	4	4	-	7.1	9.1	0	1	-	1	3.4	0	6.1	9
28 weeks and more	3	3	-	5.4	6.8	0	6	-	6	20.5	0	36.8	10
Unknown length of gestation	1	1	-	1.8	2.3	0	1	-	1	3.4	0	6.1	11
<b>DEATHS</b>													
10 Total, all ages	119	73	46	664.8	503.4	1352.9	117	46	71	1135.9	851.9	1449.0	12
11 Under 1 year	11	5	6	19.6	11.4	49.2	11	2	9	37.7	15.5	55.2	13
12 Under 28 days	8	4	4	14.3	9.1	32.8	7	2	5	24.0	15.5	30.7	14
13 Deaths from immaturity	2	1	1	3.6	2.3	8.2	3	1	2	10.3	7.8	12.3	15
14 1-4 years **	2	1	1	-	-	-	1	-	1	-	-	-	16
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	17
<b>CAUSE OF DEATH</b>													
16 Tuberculosis, all forms (001-019)	1	-	1	5.6	0	29.4	2	-	2	19.4	0	40.8	18
17 Syphilis and its sequelae (020-029)	1	-	1	5.6	0	29.4	-	-	-	0	0	0	19
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	20
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	21
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	22
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	23
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	24
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	25
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	26
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	27
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	28
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	29
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	30
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	31
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	32
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	33
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	-	1	5.6	0	29.4	-	-	-	0	0	0	34
33 Malignant neoplasms, including neoplasms of lymphatic and haemopoietic tissues (140-205)	24	19	5	134.1	131.0	147.1	18	11	7	174.8	203.7	142.9	35
34 Benign and unspecified neoplasms (210-239)	1	1	-	5.6	6.9	0	-	-	-	0	0	0	36
35 Diabetes mellitus (260)	4	2	2	22.3	13.8	58.8	4	2	2	38.8	37.0	40.8	37
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	38
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	39
38 Vascular lesions affecting central nervous system (330-334)	17	13	4	95.0	89.7	117.6	17	2	15	165.0	37.0	306.1	40
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	41
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	42
41 Heart diseases (410-443)	33	19	14	184.4	131.0	411.8	42	22	20	407.8	407.4	408.2	43
42 Hypertension without mention of heart (444-447)	2	2	-	11.2	13.8	0	1	-	1	9.7	0	20.4	44
43 Influenza and pneumonia (480-483, 490-493)	4	3	1	22.3	20.7	29.4	4	-	4	38.8	0	81.6	45
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	46
45 Ulcer of stomach and duodenum (540-541)	1	-	1	5.6	0	29.4	1	-	1	9.7	0	20.4	47
46 Appendicitis (550-553)	1	-	1	5.6	0	29.4	-	-	-	0	0	0	48
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	1	-	1	9.7	0	20.4	49
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	2	-	2	19.4	0	40.8	50
49 Cirrhosis of liver (581)	-	-	-	0	0	0	2	-	2	19.4	0	40.8	51
50 Nephritis and nephrosis (590-594)	1	-	1	5.6	0	29.4	2	-	2	19.4	0	40.8	52
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0	53
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	54
53 Congenital malformations (750-759)	3	2	1	16.8	13.8	29.4	1	1	-	9.7	18.5	0	55
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	4	2	2	22.3	13.8	58.8	1	-	1	9.7	0	20.4	56
55 Infection of the newborn (763-768)	1	-	1	5.6	0	29.4	1	-	1	9.7	0	20.4	57
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	2	1	1	11.2	6.9	29.4	4	1	3	38.8	18.5	61.2	58
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	59
58 Ill-defined and unknown causes (780-793, 795)	1	1	-	5.6	6.9	0	1	-	1	9.7	0	20.4	60
59 Motor vehicle accidents (E810-E835)	2	1	1	11.2	6.9	29.4	3	3	-	29.1	55.6	0	61
60 All other accidents (E800-E802, E840-E862)	4	2	2	22.3	13.8	58.8	3	2	1	29.1	37.0	20.4	62
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	-	-	-	0	0	0	63
62 Homicide (E964, E980-E985)	3	-	3	16.8	0	88.2	2	1	1	19.4	18.5	20.4	64
63 All other diseases (residual)	8	5	3	44.7	34.5	88.2	5	1	4	48.5	18.5	81.6	65

See notes on page 87

BY CITIES WITH POPULATION OF 10,000-74,999, GEORGIA, 1955

	Dalton						Decatur						Dublin						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	552	494	58	30.0	28.9	44.6	744	690	54	30.6	33.7	14.2	311	175	136	27.0	25.4	29.6	1
2	531	483	48	96.2%	97.8%	82.8%	737	689	48	99.1%	99.9%	88.9%	264	174	90	84.9%	99.4%	66.2%	2
3	12	2	10	2.2%	0.4%	17.2%	5	1	4	0.7%	0.1%	7.4%	2	1	1	0.6%	0.6%	0.7%	3
4	9	9	-	1.6%	1.8%	0%	2	-	2	0.3%	0%	3.7%	45	-	45	14.5%	0%	33.1%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	51	47	4	92.4	95.1	69.0	40	34	6	53.8	49.3	111.1	25	11	14	80.4	62.9	102.9	6
7	38	36	2	68.8	72.9	34.5	51	42	9	68.5	60.9	166.7	10	4	6	32.2	22.9	44.1	7
8	28	27	1	50.7	54.7	17.2	31	25	6	41.7	36.2	111.1	1	-	1	3.2	0	7.4	8
9	4	3	1	7.2	6.1	17.2	4	4	-	5.4	5.8	0	1	1	1	3.2	0	7.4	9
10	6	6	-	10.9	12.1	0	15	12	3	20.2	17.4	55.6	7	4	3	22.5	22.9	22.1	10
11	-	-	-	0	0	0	1	1	-	1.3	1.4	0	1	-	1	3.2	0	7.4	11
12	136	119	17	739.1	695.9	1307.7	280	245	35	52.3	49.1	921.1	133	82	51	56.5	48.4	108.7	12
13	9	9	-	16.3	18.2	0	27	25	2	36.3	36.2	37.0	17	3	14	54.7	17.1	102.9	13
14	8	8	-	14.5	16.2	0	21	20	1	28.2	29.0	18.5	11	3	8	35.4	17.1	58.8	14
15	1	1	-	1.8	2.0	0	6	6	-	8.1	8.7	0	3	-	3	9.6	0	22.1	15
16	-	-	-	0	0	0	-	-	-	1	3	0	3	2	1	0	0	0	16
17	3	3	-	16.3	17.5	0	1	1	-	4.1	4.9	0	1	1	-	8.7	14.5	0	17
18	-	-	-	0	0	0	1	1	-	4.1	4.9	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	8.7	0	21.7	20
21	1	1	-	5.4	5.8	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	1	1	-	4.1	4.9	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	8.7	0	21.7	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	1	-	5.4	5.8	0	-	-	-	0	0	0	-	-	-	0	0	0	32
33	19	15	4	103.3	87.7	307.7	48	46	2	197.5	224.4	52.6	8	6	2	69.6	87.0	43.5	33
34	-	-	-	0	0	0	2	1	1	8.2	4.9	26.3	-	-	-	0	0	0	34
35	2	2	-	10.9	11.7	0	5	4	1	20.6	19.5	26.3	-	-	-	0	0	0	35
36	1	1	-	5.4	5.8	0	-	-	-	0	0	0	2	2	-	17.4	29.0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	8.7	14.5	0	37
38	15	12	3	81.5	70.2	230.8	34	31	3	139.9	151.2	78.9	16	9	7	139.1	130.4	152.2	38
39	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	8.7	14.5	0	39
40	1	1	-	5.4	5.8	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	54	48	6	293.5	280.7	461.5	91	76	15	374.5	370.7	394.7	49	36	13	426.1	521.7	282.6	41
42	1	1	-	5.4	5.8	0	3	2	1	12.3	9.8	26.3	-	-	-	0	0	0	42
43	3	3	-	16.3	17.5	0	10	8	2	41.2	39.0	52.6	3	-	3	26.1	0	65.2	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	3	3	-	12.3	14.6	0	1	1	-	8.7	14.5	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	8.7	14.5	0	46
47	2	2	-	10.9	11.7	0	-	-	-	0	0	0	1	1	-	8.7	14.5	0	47
48	-	-	-	0	0	0	1	1	-	4.1	4.9	0	1	1	-	8.7	14.5	0	48
49	2	1	1	10.9	5.8	76.9	6	6	-	24.7	29.3	0	-	-	-	0	0	0	49
50	1	-	1	5.4	0	76.9	1	1	-	4.1	4.9	0	3	1	2	26.1	14.5	43.5	50
51	-	-	-	0	0	0	1	1	-	4.1	4.9	0	2	1	1	17.4	14.5	21.7	51
52	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	52
53	1	1	-	5.4	5.8	0	9	9	-	37.0	43.9	0	3	1	2	26.1	14.5	43.5	53
54	2	2	-	10.9	11.7	0	12	11	1	49.4	53.7	26.3	5	2	3	43.5	29.0	65.2	54
55	1	1	-	5.4	5.8	0	-	-	-	0	0	0	1	1	-	8.7	14.5	0	55
56	3	3	-	16.3	17.5	0	6	6	-	24.7	29.3	0	4	-	4	34.8	0	87.0	56
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
58	7	7	-	38.0	40.9	0	2	1	1	8.2	4.9	26.3	3	1	2	26.1	14.5	43.5	58
59	5	5	-	27.2	29.2	0	10	8	2	41.2	39.0	52.6	3	2	1	26.1	29.0	21.7	59
60	1	1	-	5.4	5.8	0	8	6	2	32.9	29.3	52.6	4	2	2	34.8	29.0	43.5	60
61	2	1	1	10.9	5.8	76.9	3	3	-	12.3	14.6	0	2	2	-	17.4	29.0	0	61
62	2	1	1	10.9	5.8	76.9	2	2	2	8.2	0	52.6	2	-	2	17.4	0	43.5	62
63	8	7	1	43.5	40.9	76.9	20	18	2	82.3	87.8	52.6	14	9	5	121.7	130.4	108.7	63

TABLE XI V-B VITAL STATISTICS,

ITEM	East Point						Gainesville					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>												
1 Total	835	674	161	32.5	30.2	47.4	508	374	134	38.5	38.2	39.4
2 Delivered in hospital	827	674	153	99.0%	100.0%	95.0%	492	364	128	96.8%	97.3%	95.5%
3 Delivered in home by physician	8	-	8	1.0%	0%	5.0%	5	3	2	1.0%	0.8%	1.5%
4 Delivered in home by midwife	-	-	-	0%	0%	0%	8	4	4	1.6%	1.1%	3.0%
5 Other deliveries	-	-	-	0%	0%	0%	3	3	-	0.6%	0.8%	0%
6 Immature births	79	56	23	94.6	83.1	142.9	55	29	26	103.3	77.5	194.0
<b>FETAL DEATHS</b>												
7 Total	34	25	9	40.7	37.1	55.9	4	-	4	7.9	0	29.8
8 Under 20 weeks gestation	16	10	6	19.2	14.8	37.3	-	-	-	0	0	0
9 20-27 weeks gestation	1	1	-	1.2	1.5	0	-	-	-	0	0	0
28 weeks and more	17	14	3	20.4	20.8	18.6	3	-	3	5.9	0	22.4
Unknown length of gestation	-	-	-	0	0	0	1	-	1	2.0	0	7.5
<b>DEATHS</b>												
10 Total, all ages	191	157	34	743.2	704.0	1000.0	134	91	43	1015.2	928.6	1264.7
11 Under 1 year	21	16	5	25.1	23.7	31.1	12	2	10	23.6	5.3	74.6
12 Under 28 days	14	13	1	16.8	19.3	6.2	11	2	9	21.7	5.3	67.2
13 Deaths from immaturity	5	3	2	6.0	4.5	12.4	6	2	4	11.8	5.3	29.8
14 1-4 years **	4	4	-	-	-	-	4	1	3	-	-	-
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0
<b>CAUSE OF DEATH</b>												
16 Tuberculosis, all forms (001-019)	3	2	1	11.7	9.0	29.4	2	2	-	15.2	20.4	0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	1	-	1	7.6	0	29.4
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	28	24	4	108.9	107.6	117.6	21	13	8	159.1	132.7	235.3
34 Benign and unspecified neoplasms (210-239)	1	1	-	3.9	4.5	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	4	3	1	15.6	13.5	29.4	1	1	-	7.6	10.2	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	28	23	5	108.9	103.1	147.1	30	22	8	227.3	224.5	235.3
39 Nonmeningococcal meningitis (340)	1	1	-	3.9	4.5	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	60	49	11	233.5	219.7	323.5	30	25	5	227.3	255.1	147.1
42 Hypertension without mention of heart (444-447)	1	1	-	3.9	4.5	0	1	1	-	7.6	10.2	0
43 Influenza and pneumonia (480-483, 490-493)	9	7	2	35.0	31.4	58.8	4	1	3	30.3	10.2	88.2
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	-	-	-	0	0	0
49 Cirrhosis of liver (581)	1	1	-	3.9	4.5	0	2	2	-	15.2	20.4	0
50 Nephritis and nephrosis (590-594)	3	1	2	11.7	4.5	58.8	-	-	-	0	0	0
51 Hyperplasia of prostate (610)	1	1	-	3.9	4.5	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	6	5	1	23.3	22.4	29.4	2	1	1	15.2	10.2	29.4
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	6	6	-	23.3	26.9	0	1	-	1	7.6	0	29.4
55 Infection of the newborn (763-768)	-	-	-	0	0	0	1	-	1	7.6	0	29.4
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	8	6	2	31.1	26.9	58.8	9	2	7	68.2	20.4	205.9
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	1	-	1	7.6	0	29.4
58 Ill-defined and unknown causes (780-793, 795)	1	1	-	3.9	4.5	0	-	-	-	0	0	0
59 Motor vehicle accidents (E810-E835)	7	5	2	27.2	22.4	58.8	7	6	1	53.0	61.2	29.4
60 All other accidents (E800-E802, E840-E962)	4	4	-	15.6	17.9	0	6	4	2	45.5	40.8	58.8
61 Suicide (E963, E970-E979)	4	4	-	15.6	17.9	0	1	1	-	7.6	10.2	0
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	-	-	-	0	0	0
63 All other diseases (residual)	15	12	3	58.4	53.8	88.2	14	10	4	106.1	102.0	117.6

BY CITIES WITH POPULATION OF 10,000-74,999, GEORGIA, 1955

	Griffin						Hapeville						LaGrange						
	Number			Rate or Ratio*			Number			Rate or Ratio*			Number			Rate or Ratio*			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	431	226	205	27.6	22.2	38.0	249	235	14	23.9	22.8	140.0	642	375	267	23.3	19.6	31.8	1
2	319	222	97	74.0%	98.2%	47.3%	247	235	12	99.2%	100.0%	85.7%	541	372	169	84.3%	99.2%	63.3%	2
3	11	1	10	2.6%	0.4%	4.9%	1	-	1	0.4%	0%	7.1%	5	-	5	0.8%	0%	1.9%	3
4	101	3	98	23.4%	1.3%	47.8%	1	-	1	0.4%	0%	7.1%	96	3	93	15.0%	0.8%	34.8%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	54	21	33	125.3	92.9	161.0	19	15	4	76.3	63.8	285.7	69	41	28	107.5	109.3	104.9	6
7	18	7	11	41.8	31.0	53.7	10	9	1	40.2	38.3	71.4	56	29	27	87.2	77.3	101.1	7
8	5	1	4	11.6	4.4	19.5	5	5	-	20.1	21.3	0	35	22	13	54.5	58.7	48.7	8
9	3	3	-	7.0	13.3	0	-	-	-	0	0	0	3	1	2	4.7	2.7	7.5	9
10	10	3	7	23.2	13.3	34.1	5	4	1	20.1	17.0	71.4	17	5	12	26.5	13.3	44.9	10
11	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	1.6	2.7	0	11
12	182	108	74	166.7	58.8	1370.4	50	45	5	480.8	436.9	5000.0	227	119	108	825.5	623.0	1285.7	12
13	19	9	10	44.1	39.8	48.8	7	4	3	28.1	17.0	214.3	20	11	9	31.2	29.3	33.7	13
14	14	6	8	32.5	26.5	39.0	6	4	2	24.1	17.0	142.9	13	7	6	20.2	18.7	22.5	14
15	2	-	2	4.6	-	9.8	1	1	-	4.0	4.3	0	3	2	1	4.7	5.3	3.7	15
16	3	1	2	-	-	-	-	-	-	-	-	-	7	3	4	-	-	-	16
17	1	-	1	23.2	0	48.8	-	-	-	0	0	0	-	-	-	0	0	0	17
18	2	2	-	12.8	19.6	0	-	-	-	0	0	0	3	-	3	10.9	0	35.7	18
19	1	1	-	6.4	9.8	0	-	-	-	0	0	0	1	-	1	3.6	0	11.9	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	1	1	-	9.6	9.7	0	-	-	-	0	0	0	32
33	24	21	3	153.8	205.9	55.6	8	8	-	76.9	77.7	0	37	24	13	134.5	125.7	154.8	33
34	1	-	1	6.4	0	18.5	-	-	-	0	0	0	-	-	-	0	0	0	34
35	5	2	3	32.1	19.6	55.6	1	1	-	9.6	9.7	0	1	1	-	3.6	5.2	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	28	14	14	179.5	137.3	259.3	6	6	-	57.7	58.3	0	46	23	23	167.3	120.4	273.8	38
39	2	1	1	12.8	9.8	18.5	-	-	-	0	0	0	-	-	-	0	0	0	39
40	1	-	1	6.4	0	18.5	-	-	-	0	0	0	-	-	-	0	0	0	40
41	49	30	19	314.1	294.1	351.9	18	17	1	173.1	165.0	1000.0	60	34	26	218.2	178.0	309.5	41
42	1	-	1	6.4	0	18.5	-	-	-	0	0	0	4	1	3	14.5	5.2	35.7	42
43	6	5	1	38.5	49.0	18.5	1	1	-	9.6	9.7	0	9	5	4	32.7	26.2	47.6	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	3	1	2	19.2	9.8	37.0	2	1	1	19.2	9.7	1000.0	1	1	-	3.6	5.2	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	-	-	-	0	0	0	2	2	-	7.3	10.5	0	47
48	1	-	1	6.4	0	18.5	-	-	-	0	0	0	4	2	2	14.5	10.5	23.8	48
49	1	1	-	6.4	9.8	0	1	1	-	9.6	9.7	0	1	2	1	3.6	0	11.9	49
50	8	3	5	51.3	29.4	92.6	-	-	-	0	0	0	4	2	2	14.5	10.5	23.8	50
51	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	1	-	1	6.4	0	18.5	-	-	-	0	0	0	-	-	-	0	0	0	52
53	5	2	3	32.1	19.6	55.6	2	1	1	19.2	9.7	1000.0	6	5	1	21.8	26.2	11.9	53
54	6	3	3	38.5	29.4	55.6	5	3	2	48.1	29.1	2000.0	2	1	1	7.3	5.2	11.9	54
55	2	2	-	12.8	19.6	0	-	-	-	0	0	0	-	-	-	0	0	0	55
56	3	-	3	19.2	0	55.6	1	1	-	9.6	9.7	0	7	3	4	25.5	15.7	47.6	56
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
58	1	-	1	6.4	0	18.5	-	-	-	0	0	0	4	3	1	14.5	15.7	11.9	58
59	8	7	1	51.3	68.6	18.5	2	2	-	19.2	19.4	0	8	5	3	29.1	26.2	35.7	59
60	4	3	1	25.6	29.4	18.5	-	-	-	0	0	0	6	2	4	21.8	10.5	47.6	60
61	1	-	1	6.4	0	18.5	-	-	-	0	0	0	-	-	-	0	0	0	61
62	3	-	3	19.2	0	55.6	-	-	-	0	0	0	5	1	4	18.2	5.2	47.6	62
63	15	10	5	96.2	98.0	92.6	2	2	-	19.2	19.4	0	16	4	12	58.2	20.9	142.9	63

TABLE XIV-B VITAL STATISTICS,

ITEM	Marietta						Moultrie						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
<b>LIVE BIRTHS</b>													
1 Total	978	860	118	34.2	35.2	28.1	412	240	172	31.4	28.2	37.4	1
2 Delivered in hospital	955	858	97	97.6%	99.8%	82.2%	333	236	97	80.8%	98.3%	56.4%	2
3 Delivered in home by physician	4	1	3	0.4%	0.1%	2.5%	4	2	2	1.0%	0.8%	1.2%	3
4 Delivered in home by midwife	19	1	18	1.9%	0.1%	15.3%	75	2	73	18.2%	0.8%	42.4%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	86	68	18	87.9	79.1	152.5	40	18	22	97.1	75.0	127.9	6
<b>FETAL DEATHS</b>													
7 Total	37	29	8	37.8	33.7	67.8	19	9	10	46.1	37.5	58.1	7
8 Under 20 weeks gestation	18	12	6	18.4	14.0	50.8	8	4	4	19.4	16.7	23.3	8
9 20-27 weeks gestation	6	4	2	6.1	4.7	16.9	-	-	-	0	0	0	9
28 weeks and more	13	13	-	13.3	15.1	0	10	5	5	24.3	20.8	29.1	0
Unknown length of gestation	-	-	-	0	0	0	1	-	1	2.4	0	5.8	0
<b>DEATHS</b>													
10 Total, all ages	187	138	49	653.8	565.6	1166.7	127	79	48	969.5	929.4	1043.5	10
11 Under 1 year	33	26	7	33.7	30.2	59.3	10	4	6	24.3	16.7	34.9	11
12 Under 28 days	29	23	6	29.7	26.7	50.8	7	2	5	17.0	8.3	29.1	12
13 Deaths from immaturity	2	2	0	3.1	2.3	8.5	4	1	3	9.7	4.2	17.4	13
14 1-4 years **	5	5	-	-	-	-	2	1	1	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
<b>CAUSE OF DEATH</b>													
16 Tuberculosis, all forms (001-019)	1	1	-	3.5	4.1	0	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	1	-	1	3.5	0	23.8	1	-	1	7.6	0	21.7	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	21	16	5	73.4	65.6	119.0	15	5	10	114.5	58.8	217.4	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	1	-	1	3.5	0	23.8	5	3	2	38.2	35.3	43.5	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	1	1	-	3.5	4.1	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	26	17	9	90.9	69.7	214.3	19	11	8	145.0	129.4	173.9	38
39 Nonmeningococcal meningitis (340)	1	1	-	3.5	4.1	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	63	47	16	220.3	192.6	381.0	38	33	5	290.1	388.2	108.7	41
42 Hypertension without mention of heart (444-447)	2	2	-	7.0	8.2	0	1	1	-	7.6	11.8	0	42
43 Influenza and pneumonia (480-483, 490-493)	8	4	4	28.0	16.4	95.2	7	3	4	53.4	35.3	87.0	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	1	1	-	3.5	4.1	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	3.5	4.1	0	1	1	-	7.6	11.8	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	1	-	3.5	4.1	0	1	-	1	7.6	0	21.7	48
49 Cirrhosis of liver (581)	3	2	1	10.5	8.2	23.8	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	1	1	-	3.5	4.1	0	2	2	-	15.3	23.5	0	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	-	1	7.6	0	21.7	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	3	3	-	10.5	12.3	0	2	2	-	15.3	23.5	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	17	13	4	59.4	53.3	95.2	2	1	1	15.3	11.8	21.7	54
55 Infection of the newborn (763-768)	3	2	1	10.5	8.2	23.8	1	-	1	7.6	0	21.7	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	4	3	1	14.0	12.3	23.8	4	1	3	30.5	11.8	65.2	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	1	-	1	3.5	0	23.8	4	1	3	30.5	11.8	65.2	58
59 Motor vehicle accidents (E810-E835)	9	8	1	31.5	32.8	23.8	6	5	1	45.8	58.8	21.7	59
60 All other accidents (E800-E802, E840-E962)	6	6	-	21.0	24.6	0	4	3	1	30.5	35.3	21.7	60
61 Suicide (E963, E970-E979)	3	3	-	10.5	12.3	0	1	1	-	7.6	11.8	0	61
62 Homicide (E984, E980-E985)	1	-	1	3.5	0	23.8	2	-	2	15.3	0	43.5	62
63 All other diseases (residual)	8	5	3	28.0	20.5	71.4	9	6	3	68.7	70.6	65.2	63

BY CITIES WITH POPULATION OF 10,000-74,999, GEORGIA, 1955

	Rome						Thomasville						Valdosta						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	954	760	194	29.5	29.7	29.0	470	252	218	29.6	29.0	30.2	1,016	617	399	45.4	49.4	40.3	1
2	902	757	145	94.5%	99.6%	74.7%	318	243	75	67.7%	96.4%	34.4%	744	611	133	73.2%	99.0%	33.3%	2
3	3	2	1	0.3%	0.3%	0.5%	11	4	7	2.3%	1.6%	3.2%	14	4	10	1.4%	0.6%	2.5%	3
4	49	1	48	5.1%	0.1%	24.7%	100	3	97	21.3%	1.2%	44.5%	257	2	255	25.3%	0.3%	63.9%	4
5	-	-	-	0%	0%	0%	41	2	39	8.7%	0.8%	17.9%	1	-	1	0.1%	0%	0.2%	5
6	97	69	28	101.7	90.8	144.3	31	20	11	66.0	79.4	50.5	81	32	49	79.7	51.9	122.8	6
7	22	16	6	23.1	21.1	30.9	11	6	5	23.4	23.8	22.9	31	24	7	30.5	38.9	17.5	7
8	3	2	1	3.1	2.6	5.2	-	-	-	0	0	0	14	14	-	13.8	22.7	0	8
9	3	2	1	3.1	2.6	5.2	4	2	2	8.5	7.9	9.2	4	1	3	3.9	1.6	7.5	9
10	6	6	-	6.3	7.9	0	6	3	3	12.8	11.9	13.8	10	7	3	9.8	11.3	7.5	10
11	10	6	4	10.5	7.9	20.6	1	1	1	2.1	4.0	0	3	2	1	3.0	3.2	2.5	11
12	297	228	69	919.5	890.6	1029.8	181	98	83	138.4	126.4	1152.8	221	115	106	986.6	920.0	1070.7	12
13	26	22	4	27.3	28.9	20.6	13	9	4	27.7	35.7	18.3	35	22	13	34.4	35.7	32.6	13
14	20	16	4	21.0	21.1	20.6	10	7	3	21.3	27.8	13.8	22	16	6	21.7	25.9	15.0	14
15	5	4	1	5.2	5.3	5.2	2	2	2	8.5	7.9	9.2	11	7	4	10.8	11.3	10.0	15
16	1	1	-	0	0	0	4	2	2	-	-	-	4	2	2	-	-	-	16
17	5	3	2	15.5	11.7	29.8	1	1	-	6.3	11.5	0	1	1	-	4.5	8.0	0	17
18	-	-	-	0	0	0	1	1	1	6.3	0	13.9	2	-	2	8.9	0	20.2	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	4.5	8.0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	1	1	-	3.1	3.9	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	1	-	3.1	3.9	0	-	-	-	0	0	0	1	1	-	4.5	8.0	0	32
33	36	31	5	111.5	121.1	74.6	24	16	8	150.9	183.9	111.1	29	18	13	129.5	128.0	131.3	33
34	2	1	1	6.2	3.9	14.9	1	-	1	6.3	0	13.9	-	-	-	0	0	0	34
35	5	4	1	15.5	15.6	14.9	4	2	2	25.2	23.0	27.8	-	-	-	0	0	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	3	2	1	18.9	23.0	13.9	-	-	-	0	0	0	37
38	41	29	12	126.9	113.3	179.1	37	15	22	232.7	172.4	305.6	36	16	20	160.7	128.0	202.0	38
39	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.5	0	10.1	39
40	1	1	-	3.1	3.9	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	107	81	26	331.3	316.4	388.1	44	31	13	276.7	356.3	180.6	53	31	22	236.6	248.0	222.2	41
42	4	2	2	12.4	7.8	29.8	-	-	-	0	0	0	2	2	-	8.9	16.0	0	42
43	6	6	-	18.6	23.4	0	5	2	3	31.4	23.0	41.7	7	3	4	31.2	24.0	40.4	43
44	1	1	-	3.1	3.9	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	3	3	-	9.3	11.7	0	2	1	1	12.6	11.5	13.9	1	-	1	4.5	0	10.1	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	1	1	-	3.1	3.9	0	-	-	-	0	0	0	1	-	1	4.5	0	10.1	47
48	4	4	-	12.4	15.6	0	1	-	1	6.3	0	13.9	5	1	4	22.3	8.0	40.4	48
49	3	3	-	9.3	11.7	0	-	-	-	0	0	0	1	1	-	4.5	8.0	0	49
50	1	1	-	3.1	0	14.9	8	2	6	50.3	23.0	83.3	5	1	4	22.3	8.0	40.4	50
51	3	2	1	9.3	7.8	14.9	3	-	3	18.9	0	41.7	-	-	-	0	0	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	8.9	8.0	10.1	52
53	5	5	-	15.5	19.5	0	4	2	2	25.2	23.0	27.8	3	3	-	13.4	24.0	0	53
54	7	6	1	21.7	23.4	14.9	2	1	1	12.6	11.5	13.9	4	4	-	17.9	32.0	0	54
55	1	-	1	3.1	0	14.9	-	-	-	0	0	0	1	-	1	4.5	0	10.1	55
56	7	5	2	21.7	19.5	29.8	7	4	3	44.0	46.0	41.7	14	9	5	62.5	72.0	50.5	56
57	-	-	-	0	0	0	2	1	1	12.6	11.5	13.9	2	1	1	8.9	8.0	10.1	57
58	3	1	2	9.3	3.9	29.8	-	-	-	0	0	0	4	1	3	17.9	8.0	30.3	58
59	4	3	1	12.4	11.7	14.9	4	-	1	25.2	34.2	13.9	7	3	4	31.2	24.0	40.4	59
60	13	11	2	40.2	43.0	29.8	10	7	3	62.9	80.5	41.7	12	8	4	53.6	48.0	60.6	60
61	2	2	-	6.2	7.8	0	-	-	-	0	0	0	1	1	-	4.5	8.0	0	61
62	5	1	4	15.5	3.9	59.7	1	-	1	6.3	0	13.9	5	-	5	22.3	0	50.5	62
63	25	20	5	77.4	78.1	74.6	17	8	9	106.9	92.0	125.0	20	12	8	89.3	96.0	80.8	63

TABLE XIV-B VITAL STATISTICS  
BY CITIES WITH POPULATION OF 10,000-74,999, GEORGIA, 1955

ITEM	Waycross					
	Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White
<b>LIVE BIRTHS</b>						
1 Total	588	404	184	27.6	29.3	24.5
2 Delivered in hospital	458	386	72	77.9%	95.5%	39.1%
3 Delivered in home by physician	80	16	64	13.6%	4.0%	34.8%
4 Delivered in home by midwife	50	2	48	8.5%	0.5%	26.1%
5 Other deliveries	-	-	-	0%	0%	0%
6 Immature births	36	21	15	61.2	52.0	81.5
<b>FETAL DEATHS</b>						
7 Total	59	41	18	100.3	101.5	97.8
8 Under 20 weeks gestation	42	30	12	71.4	74.3	65.2
9 20-27 weeks gestation	8	4	4	13.6	9.9	21.7
28 weeks and more	7	7	-	11.9	17.3	0
Unknown length of gestation	2	-	2	3.4	0	10.9
<b>DEATHS</b>						
10 Total, all ages	187	115	72	877.9	833.3	960.0
11 Under 1 year	17	11	6	28.9	27.2	32.6
12 Under 28 days	11	7	4	18.7	17.3	21.7
13 Deaths from immaturity	1	1	-	1.7	2.5	0
14 1-4 years **	2	2	-	-	-	-
15 Maternal deaths	2	2	-	34.0	49.5	0
<b>CAUSE OF DEATH</b>						
16 Tuberculosis, all forms (001-019)	2	1	1	9.4	7.2	13.3
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	1	1	-	4.7	7.2	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	16	14	2	75.1	101.4	26.7
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0
35 Diabetes mellitus (260)	3	3	-	14.1	21.7	0
36 Pellagra (281)	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	25	16	9	117.4	115.9	120.0
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0
40 Rheumatic fever (400-402)	1	-	1	4.7	0	13.3
41 Heart diseases (410-443)	72	41	31	338.0	297.1	413.3
42 Hypertension without mention of heart (444-447)	2	-	2	9.4	0	26.7
43 Influenza and pneumonia (480-483, 490-493)	1	-	1	4.7	0	13.3
44 Bronchitis (500-502)	2	1	1	9.4	7.2	13.3
45 Ulcer of stomach and duodenum (540-541)	2	2	-	9.4	14.5	0
46 Appendicitis (550-553)	1	1	-	4.7	7.2	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	4.7	0	13.3
49 Cirrhosis of liver (581)	1	1	-	4.7	7.2	0
50 Nephritis and nephrosis (590-594)	3	-	3	14.1	0	40.0
51 Hyperplasia of prostate (610)	3	1	2	14.1	7.2	26.7
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	2	2	-	9.4	14.5	0
53 Congenital malformations (750-759)	4	4	-	18.8	29.0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	6	4	2	28.2	29.0	26.7
55 Infection of the newborn (763-768)	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	2	1	14.1	14.5	13.3
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0
59 Motor vehicle accidents (E810-E835)	11	10	1	51.6	72.5	13.3
60 All other accidents (E800-E802, E840-E962)	8	4	4	37.6	29.0	53.3
61 Suicide (E963, E970-E979)	3	3	-	14.1	21.7	0
62 Homicide (E964, E980-E985)	1	1	-	4.7	7.2	0
63 All other diseases (residual)	13	3	10	61.0	21.7	133.3

\* Rates and ratios: live births are per 1,000 estimated population; Immature births, stillbirths, infant deaths, neonatal deaths and deaths from immaturity are per 1,000 live births; Maternal deaths are per 10,000 live births; Deaths all ages and deaths by cause of death are per 100,000 estimated population.

\*\* No rate can be computed on deaths in 1-4 years age group by county or city because 1955 estimated population is not available for that age group.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63



TABLE XV - LIVE BIRTHS TO UNWED MOTHERS, NUMBER AND RATE PER 1,000 LIVE BIRTHS, BY RACE, GEORGIA, 1955

County	Number			Rate		
	Total	White	Nonwhite	Total	White	Nonwhite
Total	9,415	962	8,453	93.9	15.0	234.4
Appling	13	3	10	35.4	11.1	103.1
Atkinson	15	2	13	70.8	14.4	176.1
Bacon	10	1	9	40.3	4.8	230.8
Baker	27	1	26	195.7	30.3	247.6
Baldwin	67	4	63	134.0	16.9	238.6
Banks	10	6	4	78.1	51.3	363.6
Barrow	24	2	22	80.0	8.9	293.3
Bartow	33	16	17	49.9	29.4	146.6
Ben Hill	45	4	41	121.0	17.5	284.7
Berrien	5	2	3	15.1	6.8	83.3
Bibb	321	30	291	91.2	14.1	209.2
Bleckley	18	-	18	91.8	0	214.3
Brantley	7	1	6	48.3	8.5	214.3
Brooks	63	1	62	128.8	4.6	229.6
Bryan	31	7	24	157.4	64.8	269.7
Bulloch	54	4	50	87.1	12.7	163.9
Burke	163	3	160	258.7	21.3	327.2
Butts	24	1	23	125.0	13.5	194.9
Calhoun	41	1	40	160.2	16.2	199.0
Candler	17	2	15	63.7	13.2	129.3
Candler	12	2	10	76.4	23.8	137.0
Carroll	50	10	40	66.6	18.0	205.1
Catoosa	11	6	5	27.0	15.2	416.7
Charlton	16	3	13	85.1	27.8	162.5
Chatnam	510	34	476	100.7	10.5	260.8
Chattahoochee	3	-	3	63.8	0	157.9
Chattooga	15	5	10	31.0	11.5	200.0
Cherokee	11	9	2	22.9	19.4	117.6
Clarke	83	14	69	90.3	22.5	232.3
Clay	22	1	21	154.9	50.0	172.1
Clayton	22	2	20	23.2	2.4	158.7
Clinch	13	1	12	48.9	6.7	102.6
Cobb	67	19	48	26.3	8.2	200.0
Coffee	74	10	64	111.1	23.9	259.1
Colquitt	72	18	54	77.1	27.8	188.2
Columbia	36	1	35	84.3	3.8	212.1
Cook	26	2	24	78.1	10.0	179.1
Coweta	63	5	58	89.4	12.7	186.5
Crawford	24	2	22	147.2	44.4	186.4
Crisp	69	4	65	141.1	18.3	240.7
Dade	10	10	-	45.2	45.2	0
Dawson	1	1	-	13.5	13.5	0
Decatur	90	9	81	132.2	24.6	257.1
DeKalb	297	118	179	52.4	23.8	255.3
Dodge	38	4	34	86.6	14.3	212.5
Dooly	49	-	49	151.2	0	253.9
Dougherty	196	15	181	86.2	10.5	212.9
Douglas	10	2	8	31.0	7.5	145.5
Early	62	2	60	149.0	14.0	219.8
Echols	6	1	5	82.2	24.4	156.2
Effingham	23	3	20	100.4	25.2	181.8
Elbert	45	2	43	118.4	11.0	217.2
Emanuel	61	9	52	133.5	34.0	270.8
Evans	28	-	28	148.1	0	304.3
Fannin	8	8	-	27.2	27.3	0
Fayette	23	1	22	122.3	10.0	250.0
Floyd	65	17	48	41.4	12.9	191.2
Forayth	6	6	-	28.3	28.3	0
Franklin	11	7	4	43.0	31.4	121.2
Fulton	1,718	131	1,587	124.8	15.8	290.4
Gilmer	6	6	-	30.5	30.5	0
Glascocok	7	-	7	125.0	0	250.0
Glynn	52	4	48	54.0	6.2	151.9
Gordon	16	8	8	41.3	22.5	250.0
Grady	45	2	43	101.1	8.7	200.9
Greene	38	-	38	108.3	0	161.7
Gwinnett	29	8	21	32.9	10.5	181.0
Habersham	11	6	5	28.9	16.5	294.1
Hall	62	23	39	55.9	24.6	225.4
Hancock	60	-	60	194.2	0	226.4
Haralson	9	2	7	34.9	8.8	218.8
Harris	44	-	44	166.0	0	235.3
Hart	19	2	17	65.3	10.0	188.9
Heard	12	2	10	106.2	27.0	256.4
Henry	54	-	54	134.7	0	236.8
Houston	62	4	58	61.8	5.7	190.8
Irwin	26	3	23	100.8	25.6	163.1
Jackson	18	8	10	42.6	23.4	123.5
Jasper	24	2	22	161.1	57.1	193.0
Jeff Davis	17	6	11	70.2	34.9	157.1

TABLE XV - LIVE BIRTHS TO UNWED MOTHERS, NUMBER AND RATE PER 1,000 LIVE BIRTHS, BY RACE, GEORGIA, 1955  
 (CONT'D)

County	Number			Rate		
	Total	White	Nonwhite	Total	White	Nonwhite
Jefferson	116	5	111	215.2	30.1	297.6
Jenkins	49	4	45	186.3	44.0	261.6
Johnson	27	1	26	117.9	8.2	243.0
Jones	24	-	24	135.6	0	206.9
Lamar	28	-	28	113.8	0	207.4
Lanier	7	3	4	40.9	30.3	55.6
Laurens	106	5	101	129.6	13.3	228.5
Lee	37	-	37	188.8	0	262.4
Liberty	42	-	42	105.3	0	225.8
Lincoln	15	1	14	100.0	19.2	142.9
Long	3	1	2	22.4	10.3	54.1
Lowndes	113	1	112	76.4	1.1	197.5
Lumpkin	3	3	-	20.3	20.8	0
McDuffie	83	1	82	235.8	5.9	448.1
McIntosh	26	7	19	143.6	97.2	174.3
Macon	31	-	31	76.5	0	102.0
Madison	54	2	52	212.6	11.7	626.5
Marion	23	-	23	129.2	0	160.8
Meriwether	80	2	78	149.5	10.3	229.4
Miller	18	5	13	100.0	50.5	160.5
Mitchell	117	5	112	180.3	22.3	263.5
Monroe	35	4	31	153.5	47.6	215.3
Montgomery	18	-	18	102.9	0	206.9
Morgan	59	3	56	218.5	30.3	327.5
Murray	4	3	1	18.4	14.2	166.7
Miscogee	260	37	223	48.4	9.0	180.4
Newton	60	3	57	129.0	12.2	260.3
Oconee	18	4	14	156.5	59.7	291.7
Oglethorpe	25	1	24	146.2	14.1	240.0
Paulding	6	2	4	23.2	9.3	90.9
Peach	45	2	43	132.0	17.1	192.0
Pickens	1	1	-	4.7	4.9	0
Pierce	22	1	21	77.7	5.1	238.6
Pike	34	1	33	178.9	14.3	275.0
Polk	48	14	34	68.3	24.4	263.6
Pulaski	47	2	45	192.6	22.2	292.2
Putnam	35	3	32	165.1	41.7	228.6
Quitman	9	1	8	136.4	62.5	160.0
Rabun	3	3	-	20.3	20.3	0
Randolph	70	1	69	223.6	12.8	293.6
Richmond	312	34	278	75.9	12.6	197.7
Rockdale	18	-	18	75.3	0	185.6
Schley	11	-	11	152.8	0	220.0
Scriven	88	2	86	162.7	11.0	239.6
Seminole	26	2	24	114.0	21.1	180.5
Spalding	74	6	68	95.5	12.3	237.8
Stephens	26	6	20	62.6	17.6	270.3
Stewart	48	1	47	205.1	16.9	268.6
Sumter	117	1	116	175.4	4.6	257.2
Talbot	35	-	35	154.2	0	182.3
Taliaferro	27	-	27	281.2	0	329.3
Tattnall	32	4	28	94.4	18.8	222.2
Taylor	36	-	36	151.9	0	250.0
Telfair	26	2	24	74.9	10.1	161.1
Terrell	92	-	92	218.0	0	273.0
Thomas	96	10	86	106.2	22.5	187.4
Tift	70	6	64	103.1	14.4	243.3
Toombs	44	6	38	101.9	22.3	233.1
Towns	2	2	-	23.3	23.3	0
Treutlen	13	3	10	85.0	33.0	161.3
Troup	139	8	131	109.1	10.9	241.7
Turner	31	-	31	130.3	0	262.7
Twiggs	26	-	26	118.2	0	159.5
Union	5	5	-	34.5	34.7	0
Upson	88	4	84	149.7	11.9	332.0
Walker	22	13	9	21.5	13.4	176.5
Walton	68	3	65	130.3	10.4	279.0
Ware	57	15	42	66.1	23.3	192.7
Warren	45	-	45	210.3	0	276.1
Washington	124	3	121	243.1	22.6	321.0
Wayne	32	4	28	65.7	11.5	201.4
Webster	9	-	9	111.1	0	132.4
Wheeler	10	-	10	71.9	0	163.9
White	7	1	6	47.9	7.7	375.0
Whitfield	32	12	20	30.8	12.3	333.3
Wilcox	16	-	16	81.6	0	166.7
Wilkes	56	1	55	206.6	10.9	307.3
Wilkinson	36	3	33	140.6	29.1	215.7
Worth	71	2	69	121.4	9.3	186.5
Military	2	-	2	...	...	...

TABLE XVI - NUMBER OF PHYSICIANS IN PRIVATE PRACTICE AND AVERAGE NUMBER OF PERSONS PER PHYSICIAN,  
BY COUNTY, GEORGIA, JANUARY 1, 1956

County	Number Physicians	Average Number Persons Per Physician *	County	Number Physicians	Average Number Persons Per Physician *
State Total	2,475	1,478	Jeff Davis	4	2,400
Appling	7	1,971	Jefferson	9	2,033
Atkinson	3	2,500	Jenkins	3	3,133
Bacon	5	1,900	Johnson	4	2,075
Baker	--	...	Jones	1	7,100
Baldwin	11	1,700	Lamar	5	2,080
Banks	--	...	Lanier	2	2,450
Barrow	8	1,650	Laurens	14	2,364
Bartow	11	2,609	Lee	--	...
Ben Hill	7	2,171	Liberty	3	2,800
Berrien	3	4,433	Lincoln	3	2,067
Bibb	124	1,073	Long	1	3,300
Bleckley	3	3,033	Lowndes	34	1,082
Brantley	1	6,100	Lumpkin	4	1,700
Brooks	6	2,833	Macon	6	2,233
Bryan	3	1,933	Madison	2	5,850
Bulloch	15	1,613	Marion	2	3,150
Burke	8	2,750	McDuffie	8	1,475
Butts	3	3,033	McIntosh	2	3,200
Calhoun	3	2,533	Meriwether	8	2,575
Canden	4	2,025	Miller	4	2,125
Candler	4	1,875	Mitchell	9	2,467
Carroll	22	1,559	Monroe	2	5,200
Catoosa	6	2,800	Montgomery	3	2,333
Charlton	4	1,150	Morgan	6	1,933
Chatham	159	1,046	Murray	5	2,100
Chattahoochee	--	...	Muscogee	97	1,334
Chattooga	7	3,243	Newton	9	2,344
Cherokee	8	2,650	Oconee	1	6,700
Clarke	35	1,160	Oglethorpe	2	4,350
Clay	2	2,600	Paulding	4	2,825
Clayton	6	4,883	Peach	5	2,500
Clinch	2	2,900	Pickens	4	2,175
Cobb	54	1,428	Pierce	4	2,725
Coffee	9	2,822	Pike	4	1,875
Colquitt	22	1,577	Polk	16	2,031
Columbia	4	2,425	Pulaski	5	1,660
Cook	5	2,480	Putnam	3	2,433
Coweta	19	1,495	Quitman	1	2,800
Crawford	1	5,500	Rabun	3	2,400
Crisp	9	1,978	Randolph	4	3,100
Dade	2	4,050	Richmond	151	942
Dawson	--	...	Rockdale	4	2,225
Decatur	12	2,000	Schley	1	3,500
DeKalb	69	2,551	Screven	5	3,380
Dodge	7	2,329	Seminole	5	1,520
Dooly	7	1,829	Spalding	22	1,482
Dougherty	37	1,322	Stephens	11	1,700
Douglas	5	2,680	Stewart	3	2,833
Early	6	2,800	Sumter	15	1,613
Echols	--	...	Talbot	1	7,500
Effingham	1	9,000	Taliaferro	--	...
Elbert	13	1,392	Tattnall	7	1,957
Emanuel	7	2,557	Taylor	5	1,640
Evans	2	3,150	Telfair	6	2,050
Fannin	5	3,100	Terrell	6	2,200
Fayette	3	2,633	Thomas	31	1,145
Floyd	43	1,547	Tift	14	1,779
Forsyth	5	2,180	Toombs	12	1,475
Franklin	8	1,738	Towns	3	1,567
Fulton	707	762	Treutlen	4	1,475
Gilmer	3	3,533	Troup	35	1,526
Glascok	1	3,100	Turner	3	3,467
Glynn	29	1,148	Twiggs	1	7,900
Gordon	10	1,930	Union	1	7,100
Grady	9	2,067	Upson	13	1,946
Greene	7	1,786	Walker	14	3,021
Gwinnett	11	3,109	Walton	10	2,000
Habersham	10	1,760	Ware	27	1,174
Hall	25	1,728	Warren	4	2,000
Hancock	3	3,433	Washington	11	1,764
Haralson	5	2,980	Wayne	8	1,862
Harris	4	2,825	Webster	--	...
Hart	3	4,700	Wheeler	1	5,800
Hard	6	1,017	White	4	1,425
Henry	3	5,433	Whitfield	17	2,294
Houston	8	2,850	Wilcox	2	4,400
Irwin	4	2,900	Wilkes	9	1,233
Jackson	7	2,643	Wilkinson	3	3,033
Jasper	6	1,133	Worth	4	4,600

\* Based on estimated population of Georgia as of July 1, 1955

... Not applicable

Source: Medical Directory of Georgia, Georgia Department of Public Health, January 1, 1956

TABLE XVII-A - ESTIMATED POPULATION BY RACE, SEX AND AGE, GEORGIA, JULY 1, 1955  
(State totals include military population)

Age Group	Total	White			Nonwhite		
		Total	Male	Female	Total	Male	Female
Total, all ages	3,736,000	2,616,000	1,297,500	1,318,500	1,120,000	533,000	587,000
Under 1 year	98,500	61,100	31,200	29,900	37,400	19,600	17,800
1 - 4 years	382,700	256,100	130,800	125,300	126,600	63,600	63,000
5 - 9 years	385,400	255,600	130,300	125,300	129,800	64,600	65,200
10 - 14 years	325,300	209,900	106,400	103,500	115,400	57,900	57,500
15 - 24 years	583,300	401,800	203,900	197,900	181,500	85,400	96,100
25 - 34 years	567,600	420,600	207,400	213,200	147,000	66,100	80,900
35 - 44 years	526,100	379,000	188,900	190,100	147,100	68,200	78,900
45 - 54 years	367,900	264,400	128,600	135,800	103,500	47,300	56,200
55 - 64 years	250,300	190,100	90,800	99,300	60,200	28,100	32,100
65 - 74 years	176,000	124,700	56,200	68,500	51,300	22,500	28,800
75 - 84 years	63,100	46,400	20,600	25,800	16,700	8,300	8,400
85 years & over	9,800	6,300	2,400	3,900	3,500	1,400	2,100

TABLE XVII-B - ESTIMATED POPULATION BY RACE, BY URBAN AND RURAL, AND CIVILIAN POPULATION BY RACE, BY COUNTY  
AND INCORPORATED PLACES OF 2,500 OR MORE PERSONS, GEORGIA, JULY 1, 1955

Area	Total	White	Nonwhite	Area	Total	White	Nonwhite
STATE TOTAL	3,736,000	2,616,000	1,120,000	Cherokee	21,200	20,100	1,100
URBAN <u>1</u>	1,715,000	1,174,000	541,000	Canton	2,800	2,600	200
RURAL	2,021,000	1,442,000	579,000	Clarke	40,600	30,100	10,500
STATE TOTAL CIVILIAN	3,658,000	2,547,000	1,111,000	Athens	32,100	23,400	8,700
Appling	13,800	11,100	2,700	Clay	5,200	1,600	3,600
Baxley	3,700	2,700	1,000	Clayton *	29,300	24,600	4,700
Atkinson	7,500	5,800	1,700	College Park (Total in Fulton & Clayton)	17,900	14,500	3,400
Bacon	9,500	8,300	1,200	(Part in Clayton)	4,900	4,900	0
Alma	3,000	2,600	400	Forrest Park	3,800	3,800	0
Baker	5,200	1,900	3,300	Clinch	5,800	3,800	2,000
Baldwin <u>2</u>	18,700	11,500	7,200	Cobb *	77,100	69,500	7,600
State Hospital	14,000	9,000	5,000	Marietta	28,600	24,400	4,200
Milledgeville	9,900	5,400	4,500	Coffee	25,400	19,100	6,300
Banks	6,000	5,600	400	Douglas	8,600	6,000	2,600
Barrow	13,200	10,700	2,500	Colquitt	34,700	26,100	8,600
Winder	4,900	4,100	800	Moultrie	13,100	8,500	4,600
Bartow	28,700	24,300	4,400	Columbia	9,700	5,600	4,100
Cartersville	7,900	5,900	2,000	Cook	12,400	8,700	3,700
Ben Hill	15,200	10,200	5,000	Adel	3,100	1,900	1,200
Fitzgerald	8,500	5,600	2,900	Coweta	28,400	17,800	10,600
Berrien	13,300	11,300	2,000	Newnan	8,800	5,500	3,300
Nashville	3,900	3,200	700	Crawford	5,500	2,300	3,200
Bibb *	133,000	86,700	46,300	Crisp	17,800	10,000	7,800
Macon	77,200	44,600	32,600	Cordele	10,300	5,400	4,900
Bleckley	9,100	6,300	2,800	Dade	8,100	8,000	100
Cochran	3,800	2,700	1,100	Dawson	3,300	3,300	0
Brantley	6,100	5,400	700	Decatur	24,000	12,900	11,100
Brooks	17,000	8,600	8,400	Bainbridge	8,200	5,100	3,100
Quitman	4,900	2,700	2,200	DeKalb *	176,000	157,500	18,500
Bryan	5,800	3,400	2,400	Atlanta (Part in DeKalb)	42,300	39,200	3,100
Bulloch	24,200	15,000	9,200	Atlanta (Total in Fulton & DeKalb)	469,000	319,400	149,600
Statesboro	6,700	4,600	2,100	Chamblee	5,200	5,000	200
Burke	22,000	6,300	15,700	Decatur	24,300	20,500	3,800
Waynesboro	4,800	2,200	2,600	Dodge	16,300	11,500	4,800
Butts	9,100	4,900	4,200	Eastman	3,800	2,500	1,300
Calhoun	7,600	2,500	5,100	Dooly	12,800	5,900	6,900
Camden	8,100	4,100	4,000	Dougherty*	48,900	29,100	19,800
Candler	7,500	4,800	2,700	Albany	37,500	21,500	16,000
Carroll	34,300	27,500	6,800	Douglas	13,400	11,300	2,100
Carrollton	8,600	6,900	1,700	Douglasville	3,900	3,100	800
Catoosa	16,800	16,300	500	Early	16,800	7,700	9,100
Charlton	4,600	3,200	1,400	Blakely	3,500	2,400	1,100
Chatham *	166,300	104,000	62,300	Echols	2,200	1,700	500
Savannah	132,100	78,600	53,500	Effingham	9,000	5,700	3,300
Chattahoochee *	1,200	600	600	Elbert	18,100	12,500	5,600
Chattooga	22,700	20,300	2,400	Elberton	7,100	5,000	2,100
Summerville	4,900	4,400	500	Emanuel	17,900	11,500	6,400
Trion	3,400	3,300	100	Swainsboro	4,700	2,900	1,800
				Evans	6,300	3,700	2,600

TABLE XVII-B - ESTIMATED POPULATION BY RACE, BY URBAN AND RURAL, AND CIVILIAN POPULATION BY RACE, BY COUNTY AND INCORPORATED PLACES OF 2,500 OR MORE PERSONS, GEORGIA, JULY 1, 1955 (CONT'D)

Area	Total	White	Nonwhite	Area	Total	White	Nonwhite
Fannin	15,500	15,300	200	Mitchell	22,200	11,100	11,100
Fayette	7,900	5,300	2,600	Camilla	4,400	1,900	2,500
Floyd * 2/	66,500	55,900	10,600	Pelham	5,100	2,900	2,200
Batley State Hospital	1,600	800	800	Monroe	10,400	5,300	5,100
Rome	32,300	25,600	6,700	Forsyth	3,500	2,000	1,500
Forsyth	10,900	10,800	100	Montgomery	7,000	4,000	3,000
Franklin	13,900	12,100	1,800	Morgan	11,600	5,500	6,100
Fulton *	538,900	369,200	169,700	Murray	10,500	10,400	100
Atlanta (Total in				Miscogee *	129,400	97,000	32,400
Fulton & DeKalb)	469,000	319,400	149,600	Columbus	93,400	64,300	29,100
(Part in Fulton)	426,700	280,200	146,500	Newton	21,100	14,000	7,100
College Part (Total				Covington	5,900	3,400	2,500
in Clayton & Fulton)	17,900	14,500	3,400	Porterdale	3,400	3,300	100
(Part in Fulton)	13,000	9,600	3,400	Oconee	6,700	5,000	1,700
East Point	25,700	22,300	3,400	Oglethorpe	8,700	4,900	3,800
Hapeville	10,400	10,300	100	Paulding	11,300	9,900	1,400
Gilmer	10,600	10,600	0	Peach	12,500	4,700	7,800
Glascok	3,100	2,300	800	Ft. Valley	7,800	3,000	4,800
Glynn *	33,300	23,100	10,200	Pickens	8,700	8,200	500
Brunswick	19,500	12,000	7,500	Pierce	10,900	8,400	2,500
Gordon	19,300	18,000	1,300	Pike	7,500	4,100	3,400
Calhoun	3,400	2,800	600	Polk	32,500	26,900	5,600
Grady	18,600	12,100	6,500	Cedartown	10,100	8,600	1,500
Cairo	6,100	3,700	2,400	Rockmart	4,000	3,400	600
Greene	12,500	6,100	6,400	Pulaski	8,300	4,300	4,000
Greensboro	2,800	1,600	1,200	Hawkinsville	3,500	2,200	1,300
Gwinnett	34,200	30,800	3,400	Putnam	7,300	3,300	4,000
Burford	3,600	2,800	800	Eatonton	2,900	1,500	1,400
Lawrenceville	3,300	2,800	500	Quitman	2,800	1,000	1,800
Habersham	17,600	16,700	900	Rabun	7,200	7,100	100
Hall	43,200	38,300	4,900	Randolph	12,400	4,500	7,900
Gainesville	13,200	9,800	3,400	Cuthbert	4,300	1,600	2,700
Hancock	10,300	2,700	7,600	Richmond *	142,300	95,700	46,600
Haralson	14,900	13,500	1,400	Augusta	94,700	55,500	39,200
Talapoosa	3,100	2,800	300	Rockdale	8,900	6,300	2,600
Harris	11,300	5,000	6,300	Schley	3,500	1,400	2,100
Hart	14,100	10,500	3,600	Screven	16,900	7,200	9,700
Hartwell	3,300	2,600	700	Sylvania	3,200	1,800	1,400
Heard	6,100	4,500	1,600	Seminole	7,600	4,700	2,900
Henry	16,300	9,000	7,300	Donaldsonville	3,000	1,800	1,200
Houston	22,800	15,500	7,300	Spalding	32,600	23,800	8,800
Perry	5,100	2,400	2,700	Griffin	15,600	10,200	5,400
Warner Robins	9,600	9,100	500	Stephens	18,700	16,100	2,600
Irwin	11,600	7,300	4,300	Toccoa	7,500	6,000	1,500
Ocilla	3,000	1,600	1,400	Stewart	8,500	2,400	6,100
Jackson	18,500	15,600	2,900	Sumter	24,200	11,400	12,800
Commerce	3,400	1,500	1,900	Americus	12,500	6,300	6,200
Jasper	6,800	2,900	3,900	Talbot	7,500	2,300	5,200
Jeff Davis	9,600	7,400	2,200	Manchester (Total in			
Hazlehurst	3,200	2,400	800	Talbot & Meriwether	4,400	3,200	1,200
Jefferson	18,300	7,600	10,700	(Part in Talbot)	100	0	100
Jenkins	9,400	4,300	5,100	Taliaferro	3,600	1,300	2,300
Millen	3,800	2,100	1,700	Tattnall 2/	13,700	10,000	3,700
Johnson	8,300	5,700	2,600	Tattnall State Prison	2,200	1,200	1,000
Jones	7,100	3,400	3,700	Taylor	8,200	4,200	4,000
Lamar	10,400	6,200	4,200	Telfair	12,300	8,200	4,100
Barnesville	4,500	2,800	1,700	Terrell	13,200	4,600	8,600
Lanier	4,900	3,200	1,700	Dawson	4,800	3,200	1,600
Laurens	33,100	19,600	13,500	Thomas	35,500	21,200	14,300
Dublin	11,500	6,900	4,600	Thomasville	15,900	8,700	7,200
Lee	6,100	1,900	4,200	Tift	24,900	17,700	7,200
Liberty	8,400	3,300	5,100	Tifton	7,700	6,600	1,100
Lincoln	6,200	3,200	3,000	Toombs	17,700	12,600	5,100
Long	3,300	2,200	1,100	Lyons	3,300	2,200	1,100
Lowndes *	36,800	22,300	14,500	Vidalia	6,700	4,400	2,300
Valdosta	22,400	12,500	9,900	Towns	4,700	4,700	0
Lumpkin	6,800	6,700	100	Treutlen	5,900	4,100	1,800
Macon	13,400	4,400	9,000	Troup	53,400	36,700	16,700
Montezuma	3,200	1,300	1,900	Hogansville	3,800	2,500	1,300
Madison	11,700	9,300	2,400	LaGrange	27,500	19,100	8,400
Marion	6,300	2,400	3,900	West Point	4,500	1,800	2,700
McDuffie	11,800	6,600	5,200	Turner	10,400	6,300	4,100
Thomson	3,700	2,400	1,300	Ashburn	3,300	2,000	1,300
McIntosh	6,400	2,400	4,000	Twiggs	7,900	3,000	4,900
Meriwether	20,600	10,200	10,400	Union	7,100	7,100	0
Manchester (Total in				Upson	25,300	18,800	6,500
Talbot & Meriwether)	4,400	3,200	1,200	East Thomaston	3,000	3,000	0
(Part in Meriwether)	4,300	3,200	1,100	Silvertown	3,400	3,400	0
Miller	8,500	6,000	2,500	Thomaston	7,400	5,000	2,400

TABLE XVII-B - ESTIMATED POPULATION BY RACE, BY URBAN AND RURAL, AND CIVILIAN POPULATION BY RACE, BY COUNTY AND INCORPORATED PLACES OF 2,500 OR MORE PERSONS, GEORGIA, JULY 1, 1955 (CONT'D)

Area	Total	White	Nonwhite	Area	Total	White	Nonwhite
Walker	42,300	39,200	3,100	Webster	3,700	1,300	2,400
Lafayette	5,600	5,100	500	Wheeler	5,800	3,800	2,000
Rossville	4,300	4,300	0	White	5,700	5,300	400
Walton	20,000	13,700	6,300	Whitfield	39,000	37,000	2,000
Monroe	5,000	3,600	1,400	Dalton	18,400	17,100	1,300
Ware	31,700	23,000	8,700	Wilcox	8,800	5,900	2,900
Waycross	21,300	13,800	7,500	Wilkes	11,100	5,100	6,000
Warren	8,000	2,900	5,100	Washington	4,000	1,800	2,200
Washington	19,400	8,300	11,100	Wilkinson	9,100	4,600	4,500
Sandersville	5,000	2,100	2,900	Worth	18,400	9,000	9,400
Wayne	14,900	11,900	3,000	Sylvester	2,800	1,600	1,200
Jesup	5,500	3,800	1,700				

\* Because of problems peculiar to these areas a method other than straight line projection estimation was used.

1/ The urban population is the total of the estimates for all incorporated places shown above plus the military population of the state. The slight decline noted in the per cent of urban residents from 1954 to 1955 is attributed to the fact that Georgia's 1955 military population was reported approximately 15,000 less than in 1954.

2/ Population of the state institutions is excluded from the county totals but is included in the state totals.

Source: Georgia Department of Public Health, Statistics.

TABLE XVIII - TOTAL POPULATION BY CENSUS YEARS BY AGE AND RACE, GEORGIA, 1920-1950

Age	Number				Per Cent Distribution			
	1950	1940	1930	1920	1950	1940	1930	1920
<b>Total</b>								
Total all ages	3,444,578	3,123,723	2,908,506	2,895,832	100.0	100.0	100.0	100.0
Under 5 years	422,486	313,122	316,404	363,229	12.3	10.0	10.9	12.5
5-14 years	666,501	644,065	692,770	747,685	19.3	20.6	23.8	25.8
15-24 years	567,999	633,048	622,962	580,363	16.5	20.3	21.4	20.0
25-44 years	1,005,559	897,303	744,444	737,099	29.2	28.7	25.6	25.5
45-64 years	562,378	477,471	416,804	362,405	16.3	15.3	14.3	12.5
65 years & over	219,655	158,714	113,278	102,111	6.4	5.1	3.9	3.5
Not reported	-	-	1,844	2,940	0	0	0.1	0.1
<b>White</b>								
Total all ages	2,380,577	2,038,278	1,837,021	1,689,114	100.0	100.0	100.0	100.0
Under 5 years	276,321	193,741	200,353	217,864	11.6	9.5	10.9	12.9
5-14 years	431,958	401,814	427,296	423,031	18.1	19.8	23.3	25.0
15-24 years	385,584	403,636	376,348	323,636	16.2	19.8	20.5	19.2
25-44 years	722,534	597,165	482,449	443,295	30.4	29.3	26.3	26.2
45-64 years	409,754	336,232	271,590	214,251	17.2	16.5	14.8	12.7
65 years & over	154,426	105,690	78,022	65,896	6.5	5.1	4.2	3.9
Not reported	-	-	963	1,141	0	0	0.1	0.1
<b>Nonwhite</b>								
Total all ages	1,064,001	1,085,445	1,071,485	1,206,718	100.0	100.0	100.0	100.0
Under 5 years	146,165	119,381	116,051	145,365	13.7	11.0	10.8	12.0
5-14 years	234,543	242,251	265,474	324,654	22.0	22.3	24.8	26.9
15-24 years	182,415	229,412	246,614	256,727	17.1	21.1	23.0	21.3
25-44 years	283,025	300,138	261,995	293,804	26.6	27.7	24.5	24.3
45-64 years	152,624	141,239	145,214	148,154	14.3	13.0	13.6	12.3
65 years & over	65,229	53,024	35,256	36,215	6.1	4.9	3.3	3.0
Not reported	-	-	881	1,799	0	0	0.1	0.1

Source: U. S. Census 1920, 1930, 1940, 1950

TABLE XIX - MARRIAGES, DIVORCES, AND ANNULMENTS, BY COUNTY OF APPLICATION, BY RACE, GEORGIA, 1955  
(Recorded Data)

County	Total	Marriages			Divorces Total	Annulments Total
		White	Non- White	Unknown		
TOTAL	54,780	43,062	11,653	65	7,506	41
Appling	116	90	26	-	13	-
Atkinson	74	54	20	-	3	-
Bacon	121	106	15	-	27	-
Baker	41	30	11	-	3	-
Baldwin	196	106	90	-	30	-
Banks	41	37	4	-	-	-
Barrow	96	79	17	-	17	-
Bartow	222	192	30	-	-	-
Ben Hill	191	137	54	-	38	-
Berrien	116	101	15	-	25	-
Bibb	951	623	328	-	372	1
Bleckley	99	72	27	-	15	-
Brantley	356	336	20	-	8	-
Brooks	255	123	132	-	12	-
Bryan	46	23	16	7	11	-
Bulloch	189	121	68	-	27	-
Burke	106	20	86	-	17	-
Butts	99	53	46	-	-	-
Calhoun	77	12	65	-	-	-
Camden	3,270	3,003	266	1	14	2
Candler	68	39	29	-	8	-
Carroll	308	238	70	-	45	-
Catoosa	1,644	1,583	61	-	1	-
Charlton	3,692	3,262	428	2	17	-
Chatham	999	643	356	-	671	-
Chattahoochee	448	405	43	-	-	-
Chattooga	109	99	10	-	6	-
Cherokee	257	239	18	-	9	-
Clarke	389	262	127	-	86	-
Clay	105	31	74	-	3	-
Clayton	515	454	59	2	57	-
Clinch	120	97	23	-	12	-
Cobb	510	461	49	-	227	-
Coffee	240	183	54	3	35	1
Colquitt	424	336	88	-	62	-
Columbia	39	19	20	-	-	-
Cook	230	182	47	1	25	-
Coveta	354	200	154	-	38	-
Crawford	76	45	31	-	7	-
Crisp	184	100	84	-	13	-
Dade	1,841	1,814	27	-	4	-
Dawson	69	69	-	-	-	-
Decatur	726	519	205	2	42	1
DeKalb	1,029	917	112	-	393	2
Dodge	119	81	38	-	26	-
Dooly	79	36	43	-	6	-
Dougherty	826	500	325	1	201	1
Douglas	242	207	35	-	-	-
Early	131	67	64	-	9	-
Echols	153	122	30	1	2	-
Effingham	50	28	22	-	9	-
Elbert	44	30	10	4	-	-
Emanuel	147	99	48	-	13	-
Evans	101	57	44	-	10	-
Fannin	490	489	1	-	33	-
Fayette	71	47	24	-	7	-
Floyd	753	633	120	-	190	2
Forsyth	132	132	-	-	-	-
Franklin	73	62	11	-	24	-
Fulton	5,256	3,446	1,810	-	1,984	7
Gilmer	96	96	-	-	11	-
Glascocok	52	33	19	-	-	-
Glynn	391	304	87	-	95	1
Gordon	146	140	6	-	38	-
Grady	263	190	73	-	13	-
Greene	87	47	40	-	16	-
Gwinnett	438	386	52	-	55	-
Habersham	111	111	-	-	18	-
Hall	325	290	35	-	-	-
Hancock	55	10	45	-	5	-
Haralson	573	558	14	1	-	-
Harris	105	57	48	-	15	-
Hart	371	327	43	1	-	-
Heard	94	82	12	-	-	-
Henry	165	91	74	-	14	-
Houston	250	194	56	-	43	-
Irwin	82	40	42	-	11	-
Jackson	162	127	32	3	12	-
Jasper	61	33	28	-	-	-
Jeff Davis	78	63	15	-	23	-

TABLE XIX - MARRIAGES, DIVORCES, AND ANNULMENTS, BY COUNTY OF APPLICATION, BY RACE, GEORGIA, 1955  
(Recorded Data)

County	Marriages				Divorces	Annulments
	Total	White	Non-White	Unknown	Total	Total
Jefferson	114	47	67	-	13	-
Jenkins	78	36	42	-	10	-
Johnson	85	60	25	-	15	-
Jones	57	22	35	-	8	-
Lamar	113	63	50	-	7	-
Lanier	65	45	20	-	19	1
Laurens	396	226	168	2	47	-
Lee	62	37	25	-	5	-
Liberty	85	43	42	-	25	-
Lincoln	3	3	-	-	7	-
Long	46	32	14	-	7	-
Lowndes	1,043	781	262	-	137	4
Lumpkin	54	52	1	1	3	-
McDuffie	91	44	45	2	13	-
McIntosh	44	18	26	-	4	-
Macon	140	44	94	2	9	-
Madison	55	44	11	-	-	-
Marion	38	18	20	-	-	-
Meriwether	157	69	88	-	22	-
Miller	86	67	19	-	12	-
Mitchell	235	116	115	4	33	-
Monroe	80	51	29	-	15	1
Montgomery	47	28	19	-	4	-
Morgan	88	40	48	-	10	-
Murray	325	325	-	-	22	-
Muscogee	1,142	829	312	1	603	10
Newton	164	102	62	-	30	-
Oconee	47	39	8	-	3	-
Oglethorpe	55	35	20	-	3	-
Paulding	590	560	30	-	23	-
Peach	133	48	85	-	11	-
Pickens	61	57	4	-	-	-
Pierce	139	114	24	1	20	-
Pike	82	60	22	-	3	-
Polk	220	163	57	-	63	-
Pulaski	99	61	38	-	10	-
Putnam	71	26	45	-	9	-
Quitman	89	31	58	-	2	-
Rabun	61	60	1	-	4	-
Randolph	74	32	42	-	7	-
Richmond	541	459	82	-	-	-
Rockdale	361	275	86	-	11	-
Schley	39	13	26	-	4	-
Screven	92	47	45	-	23	-
Seminole	442	351	91	-	14	-
Spalding	352	254	98	-	86	1
Stephens	188	169	19	-	18	-
Stewart	80	20	60	-	6	-
Sumter	198	95	99	4	35	-
Talbot	44	7	37	-	-	-
Taliaferro	34	10	24	-	3	-
Tattnell	63	46	17	-	27	-
Taylor	75	33	42	-	9	-
Telfair	129	86	43	-	16	-
Terrell	143	33	110	-	9	-
Thomas	613	410	197	6	97	-
Tift	320	239	78	3	15	1
Toombs	199	146	53	-	56	2
Towns	94	93	1	-	1	-
Treutlen	55	33	22	-	6	-
Troup	739	533	206	-	123	1
Turner	90	54	36	-	11	-
Twiggs	286	185	101	-	4	-
Union	72	72	-	-	1	-
Upson	254	192	62	-	49	-
Walker	6,614	6,004	609	1	105	1
Walton	182	124	57	1	-	-
Ware	904	790	114	-	39	-
Warren	34	6	28	-	6	-
Washington	135	54	81	-	16	-
Wayne	277	238	39	-	26	-
Webster	33	21	11	1	3	-
Wheeler	44	36	8	-	9	-
White	57	50	7	-	10	-
Whitfield	403	393	10	-	108	1
Wilcox	69	47	22	-	5	-
Wilkes	24	14	10	-	-	-
Wilkinson	59	37	22	-	14	-
Worth	218	135	76	7	27	-