

VITAL STATISTICS

GEORGIA

1956

LIBRARY
STATE DEPARTMENT OF HEALTH
ATLANTA, GEORGIA

Property Of:
Georgia Department of Human
Resources
Division of Public Health
Health Assessment Services
Do Not Remove



Department of Public Health
State of Georgia
Atlanta

VITAL STATISTICS

GEORGIA

1956


DEPARTMENT OF PUBLIC HEALTH

STATE OF GEORGIA

Atlanta

October 1, 1957

GEORGIA HEALTH REGIONS 1956



COUNTY LISTING INDICATING REGION IN WHICH COUNTY IS LOCATED, 1956

County	Region	County	Region
Appling	Southeastern	Jenkins	Central
Atkinson	Southeastern	Johnson	Central
Bacon	Southeastern	Jones	Central
Baker	Southwestern	Lamar	Central
Baldwin	Northeastern	Lanier	Southeastern
Banks	Northeastern	Laurens	Central
Barrow	Northeastern	Lee	Southwestern
Bartow	Northwestern	Liberty	Southeastern
Ben Hill	Southwestern	Lincoln	Northeastern
Berrien	Southeastern	Long	Southeastern
Bibb	Central	Lowndes	Southeastern
Bleckley	Central	Lumpkin	Northwestern
Brantley	Southeastern	Macon	Central
Brooks	Southwestern	Madison	Northeastern
Bryan	Southeastern	Marion	Central
Bulloch	Central	McDuffie	Northeastern
Burke	Central	McIntosh	Southeastern
Butts	Central	Meriwether	Central
Calhoun	Southwestern	Miller	Southwestern
Camden	Southeastern	Mitchell	Southwestern
Candler	Central	Monroe	Central
Carroll	Northwestern	Montgomery	Central
Catoosa	Northwestern	Morgan	Northeastern
Charlton	Southeastern	Murray	Northwestern
Chatham	Southeastern	Muscogee	Central
Chattahoochee	Central	Newton	Northeastern
Chattooga	Northwestern	Oconee	Northeastern
Cherokee	Northwestern	Oglethorpe	Northeastern
Clarke	Northeastern	Paulding	Northwestern
Clay	Southwestern	Peach	Central
Clayton	Central	Pickens	Northwestern
Clinch	Southeastern	Pierce	Southeastern
Cobb	Northwestern	Pike	Central
Coffee	Southeastern	Polk	Northwestern
Colquitt	Southwestern	Pulaski	Central
Columbia	Northeastern	Putnam	Northeastern
Cook	Southeastern	Quitman	Southwestern
Coveta	Central	Rabun	Northeastern
Crawford	Central	Randolph	Southwestern
Crisp	Southwestern	Richmond	Northeastern
Dade	Northwestern	Rockdale	Northwestern
Dawson	Northwestern	Schley	Central
Decatur	Southwestern	Screven	Central
DeKalb	Northwestern	Seminole	Southwestern
Dodge	Central	Spalding	Central
Dooley	Southwestern	Stephens	Northeastern
Dougherty	Southwestern	Stewart	Southwestern
Douglas	Northwestern	Sumter	Southwestern
Early	Southwestern	Talbot	Central
Echols	Southeastern	Taliaferro	Northeastern
Effingham	Central	Tattnall	Central
Elbert	Northeastern	Taylor	Central
Emanuel	Central	Telfair	Central
Evans	Central	Terrell	Southwestern
Fannin	Northwestern	Thomas	Southwestern
Fayette	Central	Tift	Southwestern
Floyd	Northwestern	Toombs	Central
Forsyth	Northwestern	Towns	Northwestern
Franklin	Northeastern	Treutlen	Central
Fulton	Northwestern	Troup	Central
Gilmer	Northwestern	Turner	Southwestern
Glascock	Central	Twiggs	Central
Glynn	Southeastern	Union	Northwestern
Gordon	Northwestern	Upson	Central
Grady	Southwestern	Walker	Northwestern
Greene	Northeastern	Walton	Northeastern
Gwinnett	Northeastern	Ware	Southeastern
Habersham	Northeastern	Warren	Northeastern
Hall	Northeastern	Washington	Central
Hancock	Northeastern	Wayne	Southeastern
Haralson	Northwestern	Webster	Southwestern
Harris	Central	Wheeler	Central
Hart	Northeastern	White	Northeastern
Heard	Central	Whitfield	Northwestern
Henry	Central	Wilcox	Southwestern
Houston	Central	Wilkes	Northeastern
Irwin	Southwestern	Wilkinson	Northeastern
Jackson	Northeastern	Worth	Southwestern
Jasper	Northeastern		
Jeff Davis	Southeastern		
Jefferson	Central		

TABLE OF CONTENTS

	Page
INTRODUCTION.	ix
SOME FACTORS INFLUENCING VITAL STATISTICS	x-xiv
Sources of data.	x
Completeness of registration	x-xi
Accuracy and completeness of reporting items on certificates	xi-xii
Changes in classification of causes of death	xii
Socio-economic status.	xii
Population, race and age trends.	xiii
Military events.	xiv
DISCUSSION OF 1956 STATISTICS	xv-xxii
Population	xv
Physicians	xv
Marriages and divorces	xv-xvi
Fetal deaths	xvi
Live births.	xvii
Immature births.	xvii-xviii
Births to unwed mothers.	xviii
Infant deaths.	xviii
Deaths from immaturity	xviii-xix
Neonatal deaths.	xix-xx
Maternal deaths.	xx-xxi
Deaths all ages.	xxi-xxii
Deaths by age groups	xxii

FIGURES

Figure	Page
1. Live births rates adjusted for underregistration, Georgia, 1940-1956	xi
2. Live birth and death rates, by race, Georgia, 1925-1956 . .	xiii
3. Immature birth rates, 1947-1956 and death rates from imma- turity, by race, Georgia, 1925-1956	xix
4. Infant and neonatal death rates by race, Georgia, 1925-1956	xx
5. Maternal death ratio by race, Georgia, 1925-1956.	xxi

TEXT TABLES

Table	Page
1. Estimates of birth registration completeness, by place of occurrence, Georgia, 1940-1956	x
2. Deaths due to ill-defined and unknown causes, Georgia, 1947-1956	xii
3. Population by race and residence, Georgia, April 1, 1950-July 1, 1956	xv
4. Marriages by residence of bride and groom, Georgia, 1956	xvi
5. Fetal deaths by race, place of occurrence, attendant and length of gestation, Georgia, 1956	xvi
6. Live birth rates, Georgia, 1940-1956	xvii
7. Death rates per 100,000 population for Georgia and United States, and death rates adjusted for age and race, Georgia, 1950-1956.	xxii

GENERAL TABLES

I. Selected vital events, number and rate and per cent occurring in hospitals by race, urban and rural, Georgia, 1956.	1
II. Deaths, all causes, number and rate per 100,000 population by race, age and sex, Georgia, 1956.	1
III. Summary of selected vital statistics, Georgia, 1926-1956	2-3
IV. Live births by age of parents, Georgia, 1956	4
V. Live births to unwed mothers, number and rate per 1,000 live births, by age of mother, Georgia, 1956.	4
VI. Important causes of death, number and rate per 100,000 population, in specified age groups, by race, Georgia, 1956.	5-8
VI-a. Important causes of death, number and per cent, in specified age groups, Georgia, 1956 (charts)	9-11
VII. Deaths from heart disease by type, by age, Georgia, 1956	12
VIII. Deaths from cancer, by site, race, and sex, Georgia, 1956.	12

GENERAL TABLES (CONT'D)

Table	Page
IX. Deaths, number and ratio (per 10,000 live births) from diseases of pregnancy , childbirth, and the puerperium, by race, Georgia, 1956	13
X. Infant deaths, number and rate per 1,000 live births by race, sex and age, Georgia, 1956.	13
XI. Infant deaths, number and rate per 1,000 live births by race, by cause, Georgia, 1956	14
XII. Accidental deaths, number and rate, by type of accident, by age, Georgia, 1956.	15
XIII. Vital statistics, by county and race, Georgia, 1956	16-79
XIV-A. Vital statistics, by cities with population of 75,000 or more, Georgia, 1956	80-81
XIV-B. Vital statistics, by cities with population of 10,000-74,999, Georgia, 1956	82-91
XV. Live births to unwed mothers, number and rate per 1,000 live births, by race, Georgia, 1956	92-93
XVI. Number of physicians in private practice and average number of persons per physician, by county, Georgia, January 1, 1957.	94
XVII-A. Estimated population by race, sex and age, Georgia, July 1, 1956.	95
XVII-B. Estimated population by race, by urban and rural and civilian population by race, by county and incorporated places of 2,500 or more persons, Georgia, July 1, 1956.	95-97
XVIII. Total population by census years by age and race, Georgia, 1920-1950	97
XIX. Marriages, divorces, and annulments, by county of application, by race, Georgia, 1956.	98-99

SYMBOLS USED IN THIS REPORT

- Quantity is zero in frequency table
- Data not available
- ... Rate or per cent not applicable
- 0.0 Rate or per cent more than zero but less than 0.05
- 0 Quantity is zero in rate table

INTRODUCTION

This is the ninth consecutive year this report has been prepared. The format has varied from year to year as efforts are made to present the material in the most useful and concise manner. In 1953, a format which should prove useful over a period of years was introduced and is followed very closely in this report.

Most data for a county or city are together in one table. Counties are in alphabetical sequence and cities are in alphabetical sequence within population size groups. No data are shown for health regions. However, certain data are tabulated by regions and are available on request. Detailed state data are included for the current year as well as several historical series for 1926-1956.

Most tabulations are based on births, deaths, fetal deaths, marriages and divorces recorded in the Division of Vital Records and known births and deaths of Georgia residents which occurred outside of Georgia. Unless specifically stated otherwise, all data on births, deaths and fetal deaths are allocated to place of residence. Marriages are tabulated by place of issuance of licenses and divorces by place in which divorce is granted.

Population estimates and number of physicians by county are also included in this report.

Additional copies of most of the tables and more detailed tabulations of these and other health statistics are available. Address correspondence to:

Georgia Department of Public Health
Statistics
12 Capitol Square
Atlanta 3, Georgia

SOME FACTORS INFLUENCING VITAL STATISTICS

Sources of data

The data contained in this report are obtained primarily from certificates of birth, death, fetal deaths, reports of divorces and annulments and the marriage registry. Population estimates are compiled in the Division of Statistics using births, deaths, and school enrollment figures as a measure of increase or decrease and the latest census count as a base. (Copies of these estimates with a description of method used are available upon request.)

Completeness of registration

In connection with the Census of Population Reports of 1940 and 1950, tests were made to determine the completeness of birth registration in each state. The 1950 test showed 94.6% of Georgia's births to be registered. The percentage of completeness varies from county to county and in some instances accounts for differences in rates which can result in misinterpretations of health statistics.

Estimates of completeness of birth registration for 1940-1956 are shown in Table 1. Estimates for 1941-1949 are interpolations of the results obtained in the birth registration tests of 1940 and 1950. Percentage completeness of registration by race and place of delivery in 1950 was applied to reported births to obtain estimates for 1951-1956. The estimated increase since 1950 is due entirely to the increase in the proportion of births delivered in hospitals.


TABLE 1 - ESTIMATES OF BIRTH REGISTRATION COMPLETENESS, BY PLACE OF OCCURRENCE, GEORGIA, 1940-1956

<u>Year</u>	<u>Per Cent Completeness</u>
1940	81.3*
1941	82.6
1942	84.0
1943	85.3
1944	86.6
1945	88.0
1946	89.3
1947	90.6
1948	91.9
1949	93.3
1950	94.6*
1951	95.1
1952	95.5
1953	95.7
1954	96.0
1955	96.2
1956	96.3

* Results of birth registration completeness tests

Figure 1 shows live birth rates before and after correction for under-registration.

Figure 1
LIVE BIRTH RATES ADJUSTED FOR
UNDERREGISTRATION, GEORGIA, 1940-1956



Very little study has been made on completeness of registration of other vital events. However, the statistics on these events do show certain indications concerning the quality of reporting.

It is felt that death registration, in general, is more complete than birth registration since it is necessary to file a death certificate in order to receive a burial permit. Completeness of death registration is probably poorest for infants who die soon after birth.

Fetal deaths are probably grossly underreported in Georgia. An increasing amount of attention is being focused on the relationship of late fetal and early infant deaths, and adequate analysis requires good reporting.

County ordinaries are required to report marriages to the Division of Vital Records and completeness of reporting is believed to be good.

Although the clerks of the superior courts are required by law to report divorces and annulments to the Division of Vital Records, several counties, including some of the most populous, make no report of these events.

Accuracy and completeness of reporting items on certificates

The accuracy and completeness of the reporting of events determine to a great extent the quality of statistics regarding such events.

Unanswered items on certificates result in "unknown" quantities which can not be interpreted in the analysis of the data, and erroneously answered items create a bias in the data which will affect any conclusions made.

One of the most serious problems in birth and death registration is the allocation of data to urban or rural residence. When a residence is outside the corporate limits of a city and the city is shown as the address, the residence is classified as urban unless the person completing the certificate indicates that the residence is outside the city. This results in an over-allocation of events to urban areas with an under-allocation to rural areas. This should be considered in analyzing rural and urban differences.

Changes in classification of causes of death

A major change in classifying causes of death was made in 1950 with the adoption of the sixth revision of the International Statistical Classification of Diseases, Injuries and Causes of Death.

In order to compare specific death rates since 1949 with those in 1949 or prior years, it was necessary to determine comparability ratios for each disease to use in adjusting the rates for 1940-1949. The comparability ratio is the ratio of the number of deaths assigned to a cause under the "Sixth" revision to the number assigned to the same cause under the "Fifth" revision. Ratios for some of the leading causes are given in Vital Statistics, Georgia, 1953, Tables 4 and 12, pages xiii and xxv.

Changes in the manner of medical certification have also resulted in improved mortality statistics. One indication of improvement is the decline in the per cent of deaths attributed to ill-defined and unknown causes. In 1956, only 1.0% of the total deaths was in this category as compared with 2.7% in 1947. This does not necessarily imply that the quality of information is better, but it does show that more certificates have classifiable data on cause of death.

TABLE 2 - DEATHS DUE TO ILL-DEFINED AND UNKNOWN CAUSES,
GEORGIA, 1947-1956

<u>Year</u>	<u>Number</u>	<u>Per Cent of Total Deaths</u>
1947	790	2.7
1948	740	2.5
1949	677	2.3
1950	615	2.0
1951	642	2.1
1952	581	1.9
1953	478	1.6
1954	433	1.4
1955	359	1.2
1956	315	1.0

Socio-economic status

The socio-economic status of a population affects vital statistics in various ways.

Georgia's population is younger and includes a larger proportion of non-whites than the United States as a whole. The average number of years of school completed and per capita incomes in Georgia have been lower than United States figures for many years.

Population, race and age trends

Most of Georgia's recent growth can be attributed to gains among the white population. An indication of the high rate of increase for the white population is illustrated by U. S. Census Bureau reports which show the white proportion of the population increasing from 53.2% in 1900 to 69.1% in 1950.


A large amount of growth from 1900 to 1950 has taken place in urban areas. The urban population which represented only 15.6% of the population in 1900 had increased to 45.3% in 1950. Although this trend has prevailed among both white and nonwhite races, the rate of urbanization for whites has proceeded at a higher rate than for nonwhites.

Georgia's population is living to be older than ever before. In 1950, all age groups over 25 years of age were greater numerically and represented a higher per cent of the total population than in 1900. This general trend is true of each race-sex component of the population.

One of the factors in Georgia's population growth is natural increase (the excess of births over deaths). In 1956, Georgia had a natural increase of 71,061. Figure 2 shows live birth and death rates, by race, for Georgia, 1925-1956. The difference between the birth and death rates is the rate of natural increase.

Figure 2

LIVE BIRTH AND DEATH RATES, BY RACE, GEORGIA, 1925-1956



Military events

In 1950, vital events occurring on military reservations were included in county figures. In all other years from 1940-1956, events occurring on military reservations are included in state totals but excluded from county totals. The counties affected most by this procedure are Chattahoochee, Liberty, Muscogee and Richmond.

DISCUSSION OF 1956 STATISTICS

Population

The estimated population for Georgia, July 1, 1956, shows an increase of 10.1% over the Census figures for Georgia, April 1, 1950. Approximately 84% of this increase occurred in the white population (See Table 3).

"Urban" as used here results in an estimate which is less than would be obtained by using the United States Census Bureau's 1950 definition.

TABLE 3 - POPULATION BY RACE AND RESIDENCE, GEORGIA, APRIL 1, 1950 - JULY 1, 1956

Year	Total	White	Nonwhite	Urban		Rural	
				White	Nonwhite	White	Nonwhite
Estimate							
July 1, 1956	3,793,000	2,673,000	1,120,000	1,191,000*	554,000*	1,482,000	566,000
U. S. Census							
April 1, 1950	3,444,578	2,380,577	1,064,001	1,067,911	491,536	1,312,666	572,465
% change since							
April 1, 1950	10.1	12.3	5.3	11.5	12.7	12.9	-1.1

* Urban as used here includes the population of incorporated places which had 2,500 or more in 1956 plus military personnel stationed in the state.

Source: U. S. Census figures from Census Bureau Reports

Physicians

As of December 31, 1956, there were 3,108 physicians located in Georgia. Of this number, 2,467 were engaged in private practice, 389 were institutional physicians, 54 were in public health and 198 were retired. There were 1,508 civilian persons for each physician in private practice. County totals for physicians in private practice are shown in Table XVI, page 94.

Marriages and divorces

In 1956, there were 52,221 marriages recorded in Georgia, a decrease of 2,559 from the 54,780 recorded in 1955. The rate in 1956 was 13.8 per 1,000 population as compared with 14.7 in 1955.

Table 4 shows marriages occurring in Georgia in 1956, by place of residence of the bride and groom. Approximately 38.3% of the persons married in Georgia were residents of other states.

TABLE 4 - MARRIAGES BY RESIDENCE OF BRIDE AND GROOM, GEORGIA, 1956

Resident of Georgia	Number
Total marriages	52,221
Bride and groom	30,061
Bride	2,614
Groom	1,467
Neither	17,872
Not stated	207

There were 7,723 divorces reported in Georgia in 1956, which is an increase of 222 over the 7,501 reported in 1955. The divorce rate in 1956 was 2.0 per 1,000 population, which is the same as in 1955.

Fetal deaths

A fetal death is defined as a delivery of any length gestation that shows no sign of life after complete birth. Prior to 1954, only fetal deaths of "20 or more" weeks gestation were recorded, and they were classified as stillbirths.

In 1954, a new procedure was initiated whereby all fetal deaths, regardless of length of gestation, were recorded and so classified. They were grouped according to length of gestation, so that the total of the two fetal death groupings, "20-27 weeks" and "28 weeks and over" corresponds to what has been classified as stillbirths prior to 1954.

Table 5 shows Georgia fetal deaths for 1956 by race, place of occurrence, attendant and length of gestation. Fetal deaths in 1956, with 3,734 and a ratio of 36.4 per 1,000 live births show the lowest number and ratio since the new procedure of classification was instituted in 1954.

Three thousand and fifty-three (81.8%) of the fetal deaths in 1956 occurred in hospitals as compared with 3,401 (81.7%) in 1955.

TABLE 5 - FETAL DEATHS BY RACE, PLACE OF OCCURRENCE, ATTENDANT AND LENGTH OF GESTATION, GEORGIA, 1956

Race and Length of Gestation	Total	Hospital				Non-hospital			
		Total	Physician	Midwife	Other	Total	Physician	Midwife	Other
Total	3,734	3,053	3,037	4	12	681	349	273	59
Under 20 weeks	1,528	1,300	1,300	-	-	228	166	52	10
20-27 weeks	582	473	471	-	2	109	60	40	9
28 weeks & over	1,496	1,170	1,156	4	10	326	112	175	39
Unknown	128	110	110	-	-	18	11	6	1
White	2,065	1,989	1,985	-	4	76	64	9	3
Under 20 weeks	1,042	1,003	1,003	-	-	39	38	1	-
20-27 weeks	256	247	247	-	-	9	8	1	-
28 weeks & over	690	665	661	-	4	25	17	5	3
Unknown	77	74	74	-	-	3	1	2	-
Nonwhite	1,669	1,064	1,052	4	8	605	285	264	56
Under 20 weeks	486	297	297	-	-	189	128	51	10
20-27 weeks	326	226	224	-	2	100	52	39	9
28 weeks & over	306	505	495	4	6	301	95	170	36
Unknown	51	36	36	-	-	15	10	4	1

Live births

A live born child is one who shows any evidence of life (breathing, heart beat, or movement of voluntary muscles) after complete birth.

The 102,643 live births in 1956 is the largest number ever recorded in Georgia. This record number resulted in a rate of 27.1 births per 1,000 population, an increase of 1.1% over the 1955 rate. Table 6 shows live birth rates, 1940-1956 adjusted for incomplete registration, and Figure 1, page xi, graphically illustrates the information in this table.

TABLE 6 - LIVE BIRTH RATES, GEORGIA, 1940 - 1956

Year	Rate per 1,000 Population	
	Crude	Adjusted for Incomplete Registration
1940	20.7	25.5
1941	21.6	26.2
1942	23.1	27.5
1943	25.1	29.4
1944	24.7	28.5
1945	24.0	27.3
1946	27.4	30.7
1947	29.2	32.2
1948	28.6	31.1
1949	29.0	31.1
1950	26.7	28.2
1951	26.7	28.1
1952	27.3	28.6
1953	27.0	28.2
1954	27.3	28.4
1955	26.8	27.9
1956	27.1	28.1

Since 1928, nonwhite birth rates have been consistently higher than white birth rates. From 1928 to 1950, rates for the nonwhite race showed a gradual increase while white rates remained fairly constant from 1928 to 1942 and increased rapidly from 1942 to 1950. The rates for both races leveled off in 1950 and have remained fairly constant through 1956.

The white and nonwhite birth rates for 1956 are 24.6 and 33.0, respectively. Birth rates for the white population are higher in urban than rural areas, but this trend is reversed for the nonwhite population (see Table I, page 1).

In 1956, approximately 84% of all live births, 98.0% of the white and 60.2% of the nonwhite, occurred in hospitals. This is a 1.4% increase over the proportion which were hospital births in 1955, with most of the increase occurring to the nonwhite births (0.1% increase in white, 5.4% increase in nonwhite).

Immature births

An immature birth is defined as the birth of a live born infant with a weight of $5\frac{1}{2}$ lbs. (2500 grams) or less. If weight is not specified, a live born infant whose period of gestation is less than 37 weeks is considered immature.

Eight thousand, six hundred and sixty-two (8,662) immature births were reported in 1956, giving a rate of 84.4 per 1,000 live births. The nonwhite rate

is higher than that for 1955, while the total and white rates decreased slightly.

Births to unwed mothers

On the confidential medical report of live births the question is asked: "Is mother married to father of the child?" For statistical purposes, the answer "no" indicates a birth to an unwed mother. In 1956, there were 9,916 of these births, resulting in a rate of 96.6 per 1,000 live births. This rate is even higher than last year's rate — the highest ever recorded in the state up until that time. The white and nonwhite rates for 1956 are 15.1 and 241.3 per 1,000 live births, respectively.

Births to unwed mothers, by county of residence, are shown in Table XV, page 92.


Infant deaths

An infant death is any death occurring during the first year of life. There were 3,087 infant deaths recorded for 1956, with a white rate of 22.5 per 1,000 live births and a nonwhite rate of 43.5. For three years prior to 1956, the ten leading causes of death in the under one year age group had remained the same, the only changes being slight shifts in position of the individual causes within the group. In 1956, diseases of the upper respiratory system fell in tenth place, replacing erythroblastosis fetalis.

Deaths from immaturity

A death attributed to immaturity is one classified as "Immaturity with mention of other subsidiary causes" or "Immaturity unqualified," sixth revision list numbers 774 and 776, respectively.

Immaturity continues to be the leading cause of infant deaths in the state. In 1956, 573 infant deaths were classified as due to immaturity, giving a rate of 5.6 per 1,000 live births. Both the number and rate reveal a slight decrease from those for 1955, with the decrease occurring primarily in the nonwhite population. Figure 3 shows immature birth and death rates by race for Georgia since 1926.




Of the remaining 2,514 infant deaths, 659 were assigned to other causes with mention of immaturity. Thus, immaturity was associated with 39.9% of all infant deaths in 1956, as compared to 44.5% in 1955.

Neonatal deaths

A neonatal death is any death occurring under 28 days of age. The 2,098 neonatal deaths reported for 1956 comprise 68.0% of the total infant deaths for the year.

Approximately 48% of all neonatal deaths occurred to infants under one day of age. This proportion is slightly lower than that for last year, but the rate of 9.9 per 1,000 live births is essentially the same. However, total neonatal deaths and deaths to infants under one day old have shown a marked decline since 1935. Figure 4 illustrates the decline in the infant and neonatal death rates.

Figure 4




Maternal deaths

A maternal death is a death from complication of pregnancy, childbirth, or the puerperium. There were 95 maternal deaths reported for Georgia in 1956. The rate has dropped steadily since 1940, reaching a new low of 9.3 per 10,000 live births in 1956. Figure 5 shows maternal death rates for Georgia since 1924.

Figure 5

MATERNAL DEATH RATIO BY RACE, GEORGIA, 1925 — 1956

Deaths all ages

The crude death rate of 8.3 per 1,000 population in 1956 was the same as that recorded for the two previous years. Approximately 54% of all deaths occurred either during the first year of life or after age 65. Table II shows death rates by age, race and sex. Nonwhite rates are higher than white rates at all ages for both sexes except in the age group 65 years and older.

Heart disease was again the leading cause of death in 1956, with a rate of 262.2 per 100,000 population. This rate was slightly higher than the rate of 261.1 reported for 1955.

Deaths from congenital malformations dropped out of the ten leading causes of death and deaths from immaturity dropped from seventh place to ninth. By grouping diseases of the arteries (International List numbers 450-456), we have a cause that falls in seventh place, which is the same position it would have held in 1955 had this grouping been used. The first six leading causes are the same and fall in the same relative positions as in 1954 and 1955.

Table 7 shows death rates for Georgia adjusted for age and race. The direct method is used with the 1950 United States population as the standard. ^{1/}

^{1/} This method is discussed in Vital Statistics Rates in the United States 1900-1940, pp. 66-69

TABLE 7 -- DEATH RATES PER 100,000 POPULATION FOR GEORGIA AND UNITED STATES -- AND DEATH RATES ADJUSTED FOR AGE AND RACE, GEORGIA, 1950-1956

Year	Death Rates						Georgia Rates Adjusted for:		
	United States			Georgia			Age & Race	Age Only	
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
1950	963.8	945.7	1119.4	880.6	767.8	1119.1	934.9	910.5	1144.4
1951	966.3	949.3	1110.9	865.0	738.0	1149.2	902.6	872.2	1162.7
1952	961.0	944.4	1101.5	862.1	740.7	1140.0	887.4	857.5	1144.0
1953	958.5	944.5	1076.8	853.3	735.3	1127.5	884.5	855.8	1130.3
1954	918.9	908.3	1007.4	832.1	732.0	1067.8	872.4	849.5	1068.0
1955	929.5*	922.2*	990.3*	825.4	731.5	1044.8	859.7	838.3	1042.4
1956	936.1*	928.1*	1009.9*	832.6	741.9	1049.3	870.4	844.1	1094.9

* Estimated by NOVS

Age adjusted death rates for the white race in Georgia are considerably higher than unadjusted rates. On the other hand, nonwhite death rates show little change when adjusted for age. The variations between age adjusted and unadjusted rates are a reflection of differences in the age structure of the population of Georgia as compared with the United States.

Georgia's age-race adjusted rate is somewhat lower than the United States total rate in 1950 and has decreased at a faster rate than the unadjusted total rate for the United States. However, the 1956 adjusted rates are slightly higher than in 1955.

Georgia's adjusted rates are not necessarily comparable with any United States rates except those for 1950, because of changes in the composition of the population of the United States since 1950. To be comparable year by year, United States rates would also have to be adjusted to the basis of the 1950 population.

Deaths by age groups

Heart diseases (International List code numbers 410-443) are the leading cause of death in the age groups of 25-44 years, 45-64 years, and 65 years and over.

In the 5-14 years age group, accidents, excluding motor-vehicle accidents, are the leading cause of death, comprising approximately 27% of the deaths occurring in this age group. These accidents are the second leading cause in the 1-4 and 15-24 years age groups and fourth in the 45-64 years age group.

Motor-vehicle accidents lead the list of causes for the 15-24 years age group and are second in the 5-14 and 25-44 years age groups.

Deaths from all accidents combined are the leading cause of death for all age groups from one through forty-four years of age.

Violence (all accidents, homicides and suicides) causes approximately 63% of all the deaths of people 15-24 years of age, and 32% of those 25-44 years old. The high percentage of deaths from violence in the 15-24 years age group can be partially attributed to the fact that so few in this age group die from diseases. The age specific rate of deaths from violence is lower in this group than in the 25-44 years age group. (See Tables VI and VI-a).

GENERAL TABLES

TABLE I - SELECTED VITAL EVENTS, NUMBER AND RATE AND PER CENT OCCURRING IN HOSPITALS BY RACE, URBAN AND RURAL, GEORGIA, 1956

Event	State			Urban*			Rural		
	Total Both Races	White	Non-white	Total Both Races	White	Non-white	Total Both Races	White	Non-white
LIVE BIRTHS									
Number	102,643	65,642	37,001	48,529	30,273	18,256	54,114	35,369	18,745
Rate per 1,000 population	27.1	24.6	33.0	27.8	25.4	33.0	26.4	23.9	33.1
% occurring in hospital	84.4	98.0	60.2	91.8	99.3	79.2	77.8	96.9	41.6
DEATHS									
Number	31,582	19,830	11,752	16,150	9,559	6,591	15,432	10,271	5,161
Rate per 1,000 population	8.3	7.4	10.5	9.3	8.0	11.9	7.5	6.9	9.1
% occurring in hospital	47.1	52.7	37.7	53.0	59.0	44.3	41.0	46.9	29.2
FETAL DEATHS									
Number	3,734	2,065	1,669	1,905	1,019	886	1,829	1,046	783
Rate per 1,000 live births	36.4	31.5	45.1	39.3	33.7	48.5	33.8	29.6	41.8
% occurring in hospital	81.8	96.3	63.8	87.1	97.2	74.8	76.2	94.9	51.2
MATERNAL DEATHS									
Number	95	36	59	38	16	22	57	20	37
Ratio per 10,000 live births	9.3	5.5	15.9	7.8	5.3	12.1	10.5	5.7	19.7
% occurring in hospital	75.8	91.7	66.1	89.5	100.0	81.8	66.7	85.0	56.8
INFANT DEATHS (Under 1 year)									
Number	3,087	1,478	1,609	1,513	704	809	1,574	774	800
Rate per 1,000 live births	30.1	22.5	43.5	31.2	23.3	44.3	29.1	21.9	42.7
% occurring in hospital	66.4	84.6	49.8	74.8	89.1	62.3	58.4	80.5	37.1
NEONATAL DEATHS									
Number	2,098	1,141	957	1,089	561	528	1,009	580	429
Rate per 1,000 live births	20.4	17.4	25.9	22.4	18.5	28.9	18.6	16.4	22.9
% occurring in hospital	80.5	94.8	63.4	87.4	96.6	77.7	73.0	93.1	45.9
IMMATURE BIRTHS									
Number	8,662	4,412	4,250	4,432	2,090	2,342	4,230	2,322	1,908
Rate per 1,000 live births	84.4	67.2	114.9	91.3	69.0	128.3	78.2	65.6	101.8
% occurring in hospital	84.1	98.2	69.5	91.5	99.2	84.6	76.4	97.3	51.0
DEATHS FROM IMMATURITY									
Number	573	300	273	299	156	143	274	144	130
Rate per 1,000 live births	5.6	4.6	7.4	6.2	5.2	7.8	5.1	4.1	6.9
% occurring in hospital	81.0	98.0	62.3	89.6	98.1	80.4	71.5	97.9	42.3
LIVE BIRTHS TO UNWED MOTHERS									
Number	9,916	988	8,928	5,217	521	4,696	4,699	467	4,232
Rate per 1,000 live births	96.6	15.1	241.3	107.5	17.2	257.2	86.8	13.2	225.8
% occurring in hospital	57.1	93.3	53.1	74.5	97.5	71.9	37.8	88.7	32.1
FETAL DEATHS TO UNWED MOTHERS									
Number	528	56	472	321	34	287	207	22	185
Rate per 1,000 live births	5.1	0.9	12.8	6.6	1.1	15.7	3.8	0.6	9.9
% occurring in hospital	62.5	100.0	58.1	71.0	100.0	67.6	49.3	100.0	43.2
MARRIAGES** (Place of application)									
Number	52,221	41,398	10,769	---	---	---	---	---	---
Rate per 1,000 population	13.8	15.5	9.6	---	---	---	---	---	---
DIVORCES & ANNULMENTS (Place of occurrence)									
Number	7,751	---	---	---	---	---	---	---	---
Rate per 1,000 population	2.0	---	---	---	---	---	---	---	---

* Includes events occurring in military installations

** Total contains 54 of unknown race

--- Not available

TABLE II - DEATHS, ALL CAUSES, NUMBER AND RATE PER 1,000 POPULATION BY RACE, AGE AND SEX, GEORGIA, 1956

Age Group	Number					Rate per 1,000 Population				
	White		Nonwhite			White		Nonwhite		
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All ages	31,582	11,678	8,152	6,243	5,509	8.3	8.8	6.0	11.7	9.4
Under 1 year	3,087	842	636	901	708	32.3	25.8	20.5	56.3	44.0
1 - 4 years	497	136	113	126	122	1.3	1.1	1.0	2.0	1.9
5 - 14 years	419	169	86	87	77	0.5	0.6	0.3	0.7	0.6
15 - 24 years	822	326	143	209	144	1.4	1.6	0.7	2.1	1.4
25 - 34 years	1,156	384	176	335	261	2.1	2.0	0.9	5.0	3.2
35 - 44 years	2,111	675	347	548	541	4.2	3.7	1.9	9.5	7.7
45 - 54 years	3,849	1,384	610	972	883	9.9	9.8	4.1	21.4	16.2
55 - 64 years	5,650	2,170	1,030	1,311	1,139	21.3	22.7	9.7	45.1	32.5
65 - 74 years	6,524	2,675	1,813	1,055	981	39.3	47.7	26.0	60.3	43.4
75 - 84 years	5,475	2,260	2,285	498	432	75.0	104.6	73.0	54.7	39.3
85 years & over*	1,992	657	913	201	221	160.6	243.3	212.3	80.4	76.2

* Includes 2 with age unknown

TABLE III - SUMMARY OF SELECTED VITAL STATISTICS, GEORGIA, 1927 - 1956

Year	Livebirths						Deaths						Maternal Deaths *					
	Number			Rate			Number			Rate			Number			Ratio		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
1927	62,246	39,281	22,965	21.4	21.9	20.7	31,869	16,230	15,639	11.0	9.0	14.1	578	291	287	92.9	74.1	125.0
1928	60,259	38,135	22,124	20.7	21.0	20.2	36,085	18,642	17,443	12.4	10.3	15.9	622	312	310	103.2	81.8	140.1
1929	58,521	35,751	22,770	20.1	19.6	21.1	35,340	18,245	17,095	12.2	10.0	15.8	549	284	265	93.8	79.4	116.4
1930	60,318	37,064	23,254	20.7	20.1	21.7	35,188	18,036	17,152	12.1	9.8	16.0	658	361	297	109.1	97.4	127.7
1931	61,774	37,531	24,243	21.0	19.9	22.5	32,989	17,012	15,977	11.2	9.2	14.8	616	322	294	99.7	85.8	121.3
1932	63,690	38,209	25,481	21.5	20.4	23.5	32,122	16,813	15,309	10.8	9.0	14.1	620	310	310	97.3	81.1	121.7
1933	60,744	35,692	25,052	20.4	18.8	23.0	31,184	16,847	14,337	10.4	8.9	13.2	463	227	236	78.2	63.6	94.2
1934	64,615	38,333	26,282	21.5	20.1	24.0	35,590	19,157	16,433	11.8	10.0	15.0	505	262	243	78.2	68.3	92.5
1935	63,290	37,345	25,945	20.9	19.4	23.6	34,313	18,677	15,636	11.3	9.7	14.2	458	230	228	72.4	61.6	87.9
1936	61,617	36,320	25,297	20.2	18.7	22.9	37,293	20,156	17,137	12.2	10.4	15.5	491	251	240	79.7	69.1	94.9
1937	64,012	38,181	25,831	20.8	19.4	23.2	34,411	18,493	15,918	10.8	9.4	14.3	471	240	231	73.6	62.9	89.4
1938	64,307	38,613	25,694	20.7	19.5	23.0	33,617	18,109	15,508	10.8	9.1	13.9	421	198	223	65.5	51.3	86.8
1939	64,210	38,923	25,987	20.8	19.5	23.1	31,856	17,486	14,370	10.2	8.7	12.8	356	175	181	54.8	45.0	69.6
1940	64,695	38,911	25,784	20.7	19.1	23.8	32,296	17,324	14,972	10.3	8.5	13.8	342	146	196	52.9	37.5	76.0
1941	67,785	41,277	26,508	21.6	20.1	24.4	31,579	16,717	14,862	10.0	8.1	13.7	315	133	182	46.5	32.2	68.7
1942	72,189	45,192	26,997	23.1	22.2	24.9	28,807	15,820	12,987	9.2	7.8	12.0	299	146	153	41.4	32.3	56.7
1943	78,327	50,149	28,178	25.1	24.6	26.0	29,488	16,414	13,074	9.4	8.0	12.0	303	150	153	38.7	29.9	54.3
1944	77,018	49,464	27,554	24.7	24.3	25.4	28,803	16,118	12,685	9.2	7.9	11.7	276	122	154	35.8	24.7	55.9
1945	74,994	47,422	27,572	24.0	23.3	25.4	28,456	16,310	12,146	9.1	8.0	11.2	250	102	148	33.3	21.5	53.7
1946	85,699	56,354	29,345	27.4	27.6	27.0	27,405	16,160	11,245	8.8	7.9	10.4	229	85	144	26.7	15.1	49.1
1947	94,311	62,394	31,917	29.2	29.2	29.2	28,780	17,022	11,758	8.9	8.0	10.8	247	107	140	26.2	17.1	43.9
1948	91,604	58,601	33,003	28.6	27.7	30.5	29,309	17,083	12,226	9.2	8.1	11.3	208	78	130	22.7	13.3	39.4
1949	93,557	58,659	34,898	29.0	27.4	32.2	29,537	17,351	12,186	9.2	8.1	11.3	185	71	114	19.8	12.1	32.7
1950	92,099	57,003	35,096	26.7	24.3	31.6	30,416	18,005	12,411	8.8	7.7	11.2	150	55	95	16.3	9.6	27.1
1951	95,161	59,285	35,876	26.7	24.1	32.6	30,802	18,161	12,641	8.6	7.4	11.5	143	46	97	15.0	7.8	27.0
1952	97,130	61,439	35,691	27.3	24.9	33.0	30,622	18,310	12,312	8.6	7.4	11.4	128	36	92	13.2	5.9	25.8
1953	97,421	61,671	35,750	27.0	24.5	32.9	30,754	18,521	12,233	8.5	7.4	11.3	116	39	77	11.9	6.3	21.5
1954	100,191	64,392	35,799	27.3	25.0	32.7	30,555	18,863	11,692	8.3	7.3	10.7	106	31	75	10.9	4.8	21.0
1955	100,205	64,231	36,057	26.8	24.6	32.2	30,838	19,136	11,702	8.3	7.3	10.4	99	38	61	9.9	5.9	16.9
1956	102,643	65,642	37,001	27.1	24.6	33.0	31,582	19,830	11,752	8.3	7.4	10.5	95	36	59	9.3	5.5	15.9

Year	Infant Deaths						Fetal Deaths						Immature Births					
	Number			Rate			Number			Ratio			Number			Rate		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
1927	4,578	2,334	2,244	73.5	59.4	97.7	3,836	1,604	2,232	61.6	40.8	97.2						
1928	4,875	2,574	2,301	80.9	67.5	104.0	3,478	1,335	2,143	57.7	35.0	96.9						
1929	4,464	2,343	2,121	76.3	65.5	93.1	3,541	1,374	2,167	60.5	38.4	95.2						
1930	4,713	2,468	2,245	78.1	66.6	96.5	3,796	1,454	2,342	62.9	39.2	100.7						
1931	4,234	2,137	2,097	68.5	56.9	86.5	3,678	1,424	2,254	59.5	37.9	93.0						
1932	4,097	2,122	1,975	64.3	55.5	77.5	3,847	1,492	2,355	60.4	39.0	92.4						
1933	4,079	2,119	1,960	67.2	59.4	78.2	3,700	1,382	2,318	60.9	38.7	92.5						
1934	5,086	2,628	2,458	78.7	68.6	93.5	4,120	1,673	2,447	63.8	43.6	93.1						
1935	4,316	2,227	2,089	68.2	59.6	80.5	3,987	1,532	2,455	63.0	41.0	94.6						
1936	4,319	2,114	2,205	70.1	58.2	87.2	3,666	1,457	2,209	59.5	40.1	87.3						
1937	3,968	2,014	1,954	62.0	52.7	75.6	3,677	1,499	2,178	57.4	39.3	84.3						
1938	4,352	2,267	2,085	67.7	58.7	81.1	3,390	1,386	2,004	52.7	35.9	78.0						
1939	3,817	1,960	1,857	58.8	50.4	71.5	3,228	1,337	1,891	49.7	34.3	72.8						
1940	3,737	1,851	1,886	57.8	47.6	73.1	3,078	1,326	1,752	47.6	34.1	67.9						
1941	3,955	1,988	1,967	58.3	48.2	74.2	2,903	1,276	1,627	42.8	30.9	61.4						
1942	3,559	1,756	1,803	49.3	38.9	66.8	2,786	1,268	1,518	38.6	28.1	56.2						
1943	3,661	1,911	1,750	46.7	38.1	62.1	2,664	1,238	1,426	34.0	24.7	50.6						
1944	3,398	1,761	1,637	44.1	35.6	59.4	2,523	1,137	1,386	32.8	23.0	50.3						
1945	3,181	1,728	1,453	42.4	36.4	52.7	2,208	1,036	1,172	29.4	21.8	42.5						
1946	3,068	1,694	1,374	35.8	30.0	46.8	2,421	1,161	1,260	28.3	20.6	42.9						
1947	3,239	1,771	1,468	34.3	28.4	46.0	2,457	1,174	1,283	26.1	18.8	40.2	5,738	3,614	2,124	60.8	57.9	66.5
1948	3,150	1,661	1,489	34.4	28.3	45.1	2,408	1,109	1,299	26.3	18.9	39.4	6,508	3,870	2,638	71.0	66.0	79.9
1949	3,093	1,668	1,425	33.1	28.4	40.8	2,178	972	1,206	23.3	16.6	34.6	6,557	3,738	2,819	70.1	63.7	80.8
1950	3,081	1,518	1,563	33.5	26.6	44.5	2,026	885	1,141	22.0	15.5	32.5	6,645	3,697	2,948	72.2	64.9	84.0
1951	3,256	1,548	1,708	34.2	26.1	47.6	2,097	974	1,123	22.0	16.4	31.3	7,355	4,079	3,276	77.3	68.8	91.3
1952	3,158	1,567	1,591	32.5	25.5	44.6	1,992	853	1,139	20.5	13.9	31.9	7,683	4,202	3,481	79.1	68.4	97.5
1953	3,051	1,469	1,582	31.3	23.8	44.3	1,967	867	1,100	20.2	14.1	30.8	7,673	4,224	3,449	78.8	68.5	96.5
1954**	3,155	1,562	1,593	31.5	24.3	44.5	3,950	2,239	1,711	39.4	34.8	47.8	8,382	4,641	3,741	83.7	72.1	104.5
1955	2,985	1,456	1,529	29.8	22.7	42.4	4,161	2,445	1,716	41.5	34.9	53.1	8,572	4,499	4,073	85.5	70.0	113.0
1956	3,087	1,478	1,609	30.1	22.5	43.5	3,734	2,065	1,669	36.4	31.5	45.1	8,662	4,412	4,250	84.4	67.2	114.9

NOT AVAILABLE

See notes at bottom of page 3.

TABLE III - SUMMARY OF SELECTED VITAL STATISTICS, GEORGIA, 1927 - 1956
(CONT'D)

Year	Deaths From Immaturity *						Live Births to Unwed Mothers						Neonatal Deaths					
	Number			Rate			Number			Rate			Number			Rate		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
1927	1,194	738	456	19.2	18.8	19.9	4,089	637	3,452	65.7	16.2	150.3	2,439	1,351	1,088	39.2	34.4	47.4
1928	1,159	717	442	19.2	18.8	20.0	3,868	482	3,386	64.2	12.6	153.0	2,694	1,509	1,185	44.7	39.6	53.6
1929	1,107	675	432	18.9	18.9	19.0	4,061	515	3,546	69.4	14.4	155.7	2,475	1,350	1,125	42.3	37.8	49.4
1930	1,218	757	461	20.2	20.4	19.8	4,141	512	3,629	68.7	13.8	156.1	2,620	1,470	1,150	43.4	39.7	49.5
1931	1,153	700	453	18.7	18.7	18.7	4,429	547	3,882	71.7	14.6	160.0	2,537	1,385	1,152	41.1	36.9	47.5
1932	1,090	671	419	17.1	17.6	16.4	5,125	600	4,525	80.5	15.7	177.6	2,464	1,327	1,137	38.7	34.7	44.6
1933	1,046	623	423	17.2	17.5	16.9	5,101	582	4,519	84.0	16.3	180.4	2,384	1,266	1,118	39.2	35.5	44.6
1934	1,183	689	494	18.3	18.0	18.8	5,089	651	4,438	78.8	17.0	168.9	2,790	1,486	1,304	43.2	38.8	49.6
1935	1,111	692	419	17.6	18.5	16.1	5,031	643	4,388	79.5	17.2	169.1	2,489	1,346	1,143	39.3	36.0	44.1
1936	1,145	680	465	18.6	18.7	18.4	4,878	598	4,280	79.2	16.5	169.2	2,492	1,288	1,204	40.4	35.5	47.6
1937	1,080	674	406	16.9	17.7	15.7	4,739	526	4,213	74.0	13.8	163.1	2,345	1,251	1,094	36.6	32.8	42.4
1938	1,061	647	414	16.5	16.8	16.1	4,724	580	4,144	73.5	15.0	161.3	2,369	1,301	1,068	36.8	33.7	41.6
1939	1,077	659	418	16.6	16.9	16.1	4,960	596	4,364	76.4	15.3	167.9	2,300	1,234	1,066	35.4	31.7	41.0
1940	1,017	635	382	15.7	16.3	14.8	5,046	565	4,481	78.0	14.5	173.8	2,267	1,187	1,080	35.0	30.5	41.9
1941	1,103	676	427	16.3	16.4	16.1	5,134	607	4,527	75.7	14.7	170.8	2,298	1,228	1,070	33.9	29.8	40.4
1942	1,094	659	435	15.2	14.6	16.1	5,038	578	4,460	69.8	12.8	165.2	2,149	1,170	979	29.8	25.9	36.3
1943	1,124	691	433	14.4	13.8	15.4	4,911	537	4,374	62.7	10.7	155.2	2,216	1,257	959	28.3	25.1	34.0
1944	1,056	641	415	13.7	13.0	15.1	4,885	592	4,293	63.4	12.0	155.8	2,024	1,111	913	26.3	22.5	33.1
1945	960	609	351	12.8	12.8	12.7	5,385	721	4,664	71.8	15.2	169.2	1,913	1,104	809	25.5	23.3	29.3
1946	1,035	676	359	12.1	12.0	12.2	5,289	681	4,608	61.7	12.1	157.0	2,143	1,262	881	25.0	22.4	30.0
1947	1,060	681	379	11.2	10.9	11.9	6,056	744	5,312	64.2	11.9	166.4	2,220	1,301	919	23.5	20.9	28.8
1948	1,052	636	416	11.5	10.9	12.6	6,240	730	5,510	68.1	12.5	166.0	2,099	1,186	913	22.9	20.2	27.7
1949	1,032	616	416	11.0	10.5	11.9	6,847	712	6,135	73.2	12.1	175.8	2,048	1,185	863	21.9	20.2	24.7
1950	719	343	376	7.8	6.0	10.7	7,633	779	6,854	82.9	13.7	195.3	2,028	1,090	938	22.0	19.1	26.7
1951	707	340	367	7.4	5.7	10.2	8,326	836	7,490	87.5	14.1	208.8	2,058	1,105	953	21.6	18.6	26.6
1952	645	323	322	6.6	5.3	9.0	8,080	789	7,291	83.2	12.8	204.3	1,984	1,135	849	20.4	18.5	23.8
1953	609	254	355	6.3	4.1	9.9	8,407	794	7,613	86.3	12.9	213.0	2,005	1,083	922	20.6	17.6	25.8
1954	618	301	317	6.2	4.7	8.9	8,967	960	8,007	89.5	14.9	223.7	2,106	1,186	920	21.0	18.4	25.7
1955	634	303	331	6.3	4.7	9.2	9,415	962	8,453	93.9	15.0	234.4	1,992	1,091	901	19.9	17.0	25.0
1956	573	300	273	5.6	4.6	7.4	9,916	988	8,928	96.6	15.1	241.3	2,098	1,141	957	20.4	17.4	25.9

NOTE: Prior to 1938 all events are by place of occurrence; beginning with 1938 events are by place of residence.

* Part of decrease from 1949 to 1950 is directly attributable to changes in classification of causes of death under the Sixth Revision of the International List of Diseases and Causes of Death.

** Prior to 1954 fetal deaths include only those of twenty or more weeks gestation.

Live birth and death rates are per 1,000 population, maternal death ratios are per 10,000 live births; all other rates and/or ratios are per 1,000 live births.

Not Available - Immature births are not available prior to 1947.

TABLE IV - LIVE BIRTHS BY AGE OF PARENTS, GEORGIA, 1956

Age of Mother	Age of Father														65 & Over	Unknown
	Total	15 & Under	16-17	18-19	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 - 49	50 - 54	55 - 59	60 - 64			
Total	102,643	4	248	2,732	23,776	26,545	18,184	11,633	5,794	2,463	799	287	117	113	9,948	
15 & Under	1,319	2	54	209	267	58	12	3	1	-	-	-	-	-	713	
16 - 17	5,909	-	139	1,073	2,498	478	77	19	10	2	2	1	1	-	1,609	
18 - 19	11,405	1	47	1,092	6,427	1,773	287	81	25	13	8	2	3	-	1,646	
20 - 24	33,701	-	8	341	13,302	13,044	3,030	795	261	105	37	10	8	6	2,754	
25 - 29	24,407	-	-	10	1,164	9,935	8,208	2,583	716	268	90	36	17	14	1,366	
30 - 34	15,208	-	-	3	96	1,121	5,849	4,918	1,582	536	174	60	29	31	809	
35 - 39	7,958	-	-	-	12	118	665	3,022	2,372	897	250	102	28	31	461	
40 - 44	2,068	1	-	-	-	5	49	197	814	576	202	63	26	28	107	
45 - 49	140	-	-	-	-	-	2	4	11	65	33	13	3	3	6	
50 - 54	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	
Unknown	526	-	-	4	10	13	5	11	2	1	2	-	1	-	477	

TABLE V - LIVE BIRTHS TO UNWED MOTHERS, NUMBER AND RATE PER 1,000 LIVE BIRTHS BY AGE OF MOTHER, GEORGIA, 1956

Age Group in Years	Number			Rate		
	Total	White	Nonwhite	Total	White	Nonwhite
Total	9,916	988	8,928	96.6	15.1	241.3
15 and under	726	53	673	550.4	137.0	722.1
16 - 17	1,675	162	1,513	283.5	53.9	520.6
18 - 19	1,699	213	1,486	149.0	30.2	342.3
20 - 24	2,829	294	2,535	83.9	13.1	225.9
25 - 29	1,418	128	1,290	58.1	7.8	163.3
30 - 34	835	64	771	54.9	6.4	146.4
35 - 39	475	33	442	59.7	6.8	142.6
40 - 44	120	19	101	58.0	16.4	111.5
45 - 49	5	-	5	35.7	0	74.6
50 and over	-	-	-	0	0	0
Unknown	134	22	112	254.8	130.2	313.7

TABLE VI - IMPORTANT CAUSES OF DEATH, NUMBER AND RATE IN SPECIFIED AGE GROUPS
BY RACE, GEORGIA, 1956

Rank	Age, Cause of Death and Sixth Revision of International List Number	Number			Rate per 100,000 Population		
		Total	White	Non-white	Total	White	Non-white
<u>ALL AGES</u>							
	Total, all causes	31,582	19,830	11,752	832.6	741.9	1049.3
1.	Heart diseases (410-443)	9,947	6,788	3,159	262.2	253.9	282.1
	Chronic rheumatic heart disease (410-416)	238	169	69	6.3	6.3	6.2
	Arteriosclerotic and degenerative heart disease (420-422)	7,176	5,351	1,825	189.2	200.2	162.9
	Hypertension with heart disease (440-443)	1,968	955	1,013	51.9	35.7	90.4
2.	Vascular lesions affecting central nervous system (330-334)	5,001	2,934	2,067	131.8	109.8	184.6
3.	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues (140-205)	3,994	2,861	1,133	105.3	107.0	101.2
4.	Accidents other than motor-vehicle accidents (E800-E802, E840-E962)	1,275	773	502	33.6	28.9	44.8
5.	Influenza and pneumonia (480-483, 490-493)	1,142	513	629	30.1	19.2	56.2
6.	Motor-vehicle accidents (E810-E835)	1,097	795	302	28.9	29.7	27.0
7.	Diseases of arteries (450-456)	686	493	193	18.1	18.4	17.2
	General arteriosclerosis (450)	515	364	151	13.6	13.6	13.5
	Aortic aneurysm specified as non-syphilitic and dissecting aneurysm (451)	128	99	29	3.4	3.7	2.6
8.	Nephritis and nephrosis (590-594)	625	258	367	16.5	9.7	32.8
9.	Deaths from immaturity (774-776)	573	300	273	15.1	11.2	24.4
10.	Postnatal asphyxia and atelectasis (762)	474	309	165	12.5	11.6	14.7
	All other causes (residual)	6,768	3,806	2,962	178.4	142.4	264.5
<u>UNDER ONE YEAR*</u>							
	Total, all causes	3,087	1,478	1,609	3007.5	2251.6	4348.5
1.	Immaturity (774, 776)	573	300	273	558.2	457.0	737.8
2.	Influenza and pneumonia including pneumonia of the newborn (480-483, 490-493, 763)	486	134	352	473.5	204.1	951.3
	Pneumonia of the newborn (763)	136	49	87	132.5	74.6	235.1
3.	Postnatal asphyxia and atelectasis (762)	474	309	165	461.8	470.7	445.9
4.	Congenital malformations (750-759)	339	245	94	330.3	373.2	254.0
5.	Other and ill-defined diseases peculiar to early infancy (766-773)	322	134	188	313.7	204.1	508.1
6.	Birth injuries (760-761)	264	150	114	257.2	228.5	308.1
7.	Accidents other than motor-vehicle accidents (E800-E802, E840-E962)	150	56	94	146.1	85.3	254.0
8.	Gastritis, duodenitis, enteritis and colitis, including diarrhea of the newborn (543, 571-572, 764)	117	25	92	114.0	38.1	248.6
	Diarrhea of the newborn (764)	21	6	15	20.5	9.1	40.5
9.	Ill-defined and unknown causes (780-793, 795)	102	18	84	99.4	27.4	227.0
10.	Other diseases of respiratory system (470-475, 500-527)	70	38	32	68.2	57.9	86.5
	Acute upper respiratory infections (470-475)	8	3	5	7.8	4.6	13.5
	Bronchitis (500-502)	15	5	10	14.6	7.6	27.0
	Chronic interstitial pneumonia (non-occupational) (525)	12	4	8	11.7	6.1	21.6
	All other causes (residual)	190	69	121	185.1	105.1	327.0

* Rates for the under one year age group are per 100,000 live births

TABLE VI - IMPORTANT CAUSES OF DEATH, NUMBER AND RATE IN SPECIFIED AGE GROUPS
BY RACE, GEORGIA, 1956 (CONT'D)

Rank	Age, Cause of Death and Sixth Revision of International List Number	Number			Rate per 100,000 Population		
		Total	White	Non- white	Total	White	Non- white
<u>ONE - FOUR YEARS</u>							
	Total, all causes	497	249	248	134.4	102.4	196.0
	1. Influenza and pneumonia (480-483, 490-493)	92	30	62	24.9	12.3	49.0
	Influenza (480-483)	10	2	8	2.7	0.8	6.3
	Pneumonia (490-493)	82	28	54	22.2	11.5	42.7
	2. Accidents other than motor-vehicle accidents (E800-E802; E840-E962)	84	41	43	22.7	16.9	34.0
	3. Motor-vehicle accidents (E810-E835)	43	34	9	11.6	14.0	7.1
	4. Congenital malformations (750-759)	42	29	13	11.4	11.9	10.3
	5. Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues (140-205)	36	29	7	9.7	11.9	5.5
	6. Gastritis, duodenitis, enteritis and colitis (except diarrhea of the new- born) (543, 571-572)	23	9	14	6.2	3.7	11.1
	7. Meningitis except meningococcal and tuberculous (340)	13	4	9	3.5	1.6	7.1
	8. Bronchitis (500-502)	11	6	5	3.0	2.5	4.0
	9. Whooping cough (056)	10	1	9	2.7	0.4	7.1
	9. Ill-defined and unknown causes (780-793, 795)	10	2	8	2.7	0.8	6.3
	10. Measles (085)	9	2	7	2.4	0.8	5.5
	10. Other diseases of central nervous system (except inflammatory) (350-357) Cerebral spastic infantile paralysis (351)	9	5	4	2.4	2.1	3.2
	Epilepsy (353)	5	4	1	1.4	1.6	0.8
	10. Heart diseases (410-443)	9	1	8	1.1	0.4	2.4
	Arteriosclerotic and degenerative heart disease (420-422)	2	-	2	2.4	0.4	6.3
	All other causes (residual)	106	56	50	28.7	23.0	39.5
<u>FIVE - FOURTEEN YEARS</u>							
	Total, all causes	419	255	164	53.4	48.4	63.7
	1. Accidents other than motor-vehicle accidents (E800-E802, E840-E962)	112	60	52	14.3	11.4	20.2
	2. Motor-vehicle accidents (E810-E835)	73	53	20	9.3	10.1	7.8
	3. Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues (140-205)	48	41	7	6.1	7.8	2.7
	4. Influenza and pneumonia (480-483, 490-493)	28	14	14	3.6	2.7	5.4
	Influenza (480-483)	2	-	2	0.3	0	0.8
	Pneumonia (490-493)	26	14	12	3.3	2.7	4.7
	5. Congenital malformations (750-759)	21	18	3	2.7	3.4	1.2
	6. Other diseases of central nervous system (350-357) Cerebral spastic infantile paralysis (351)	15	9	6	1.9	1.7	2.3
	Epilepsy (353)	7	5	2	0.9	0.9	0.8
	7. Rheumatic fever (400-402)	5	3	2	0.6	0.6	0.8
	8. Inflammatory diseases of central nervous system (340-345) Meningitis, except meningococcal and tuberculous (340) Intracranial and intraspinal abscess (342)	12	5	7	1.5	0.9	2.7
	Meningitis, except meningococcal and tuberculous (340)	10	4	6	1.3	0.8	2.3
	Intracranial and intraspinal abscess (342)	4	1	3	0.5	0.2	1.2
	9. Nephritis and nephrosis (590-594)	4	2	2	0.5	0.4	0.8
	10. Anemias (290-293)	9	4	5	1.1	0.8	1.9
	Anemias (290-293)	7	2	5	0.9	0.4	1.9
	All other causes (residual)	84	45	39	10.7	8.5	15.2

TABLE VI - IMPORTANT CAUSES OF DEATH, NUMBER AND RATE IN SPECIFIED AGE GROUPS
BY RACE, GEORGIA, 1956 (CONT'D)

Rank	Age, Cause of Death and Sixth Revision of International List Number	Number			Rate per 100,000 Population		
		Total	White	Non- white	Total	White	Non- white
<u>FIFTEEN - TWENTY-FOUR YEARS</u>							
	Total, all causes	822	469	353	137.5	117.4	178.1
	1. Motor-vehicle accidents (E810-E835)	282	228	54	47.2	57.1	27.2
	2. Accidents, other than motor-vehicle accidents (E800-E802, E840-E962)	127	75	52	21.2	18.8	26.2
	3. Homicides (E964, E965, E980-E985)	89	11	78	14.9	2.8	39.4
	4. Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	44	31	13	7.4	7.8	6.6
	5. Heart diseases (410-443)	35	19	16	5.9	4.8	8.1
	Chronic rheumatic heart disease (410-416)	22	14	8	3.7	3.5	4.0
	Arteriosclerotic and degenerative heart disease (420-422)	5	3	2	0.8	0.8	1.0
	Hypertension with heart disease (440-443)	2	-	2	0.3	0	1.0
	6. Complications of pregnancy, childbirth and the puerperium (640-652, 660, 670-689)	31	11	20	5.2	2.8	10.1
	7. Nephritis and nephrosis (590-594)	19	8	11	3.2	2.0	5.5
	8. Other diseases of central nervous system (350-357)	18	8	10	3.0	2.0	5.0
	Cerebral spastic infantile paralysis (351)	4	2	2	0.7	0.5	1.0
	Epilepsy (353)	12	5	7	2.0	1.3	3.5
	Other diseases of brain (355)	2	1	1	0.3	0.2	0.5
	8. Suicides (E963, E970-E979)	18	13	5	3.0	3.3	2.5
	9. Vascular lesions affecting central nervous system (330-334)	17	7	10	2.8	1.8	5.0
	10. Diabetes mellitus (260)	15	6	9	2.5	1.5	4.5
	All other causes (residual)	127	52	75	21.2	13.0	37.8
<u>TWENTY-FIVE - FORTY-FOUR YEARS</u>							
	Total, all causes	3,267	1,582	1,685	314.1	207.1	610.3
	1. Heart diseases (410-443)	586	267	319	56.3	35.0	115.5
	Chronic rheumatic heart disease (410-416)	56	32	24	5.4	4.2	8.7
	Arteriosclerotic and degenerative heart disease (420-422)	366	207	159	35.2	27.1	57.6
	Hypertension with heart disease (440-443)	119	16	103	11.4	2.1	37.3
	2. Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	415	262	153	39.9	34.3	55.4
	3. Motor-vehicle accidents (E810-E835)	393	268	125	37.8	35.1	45.3
	4. Accidents other than motor-vehicle accidents (E800-E802, E840-E962)	276	168	108	26.5	22.0	39.1
	5. Vascular lesions affecting central nervous system (330-334)	272	84	188	26.2	11.0	68.1
	6. Homicides (E964, E965, E980-E985)	249	45	204	23.9	5.9	73.9
	7. Suicides (E963, E970-E979)	122	113	9	11.7	14.8	3.3
	8. Nephritis and nephrosis (590-594)	116	36	80	11.2	4.7	29.0
	9. Influenza and pneumonia (480-483, 490-493)	72	21	51	6.9	2.7	18.5
	Influenza (480-483)	7	2	5	0.7	0.3	1.8
	Pneumonia (490-493)	65	19	46	6.2	2.5	16.7
	10. Tuberculosis, all forms (001-019)	69	23	46	6.6	3.0	16.7
	All other causes (residual)	697	295	402	67.0	38.6	145.6

TABLE VI - IMPORTANT CAUSES OF DEATH, NUMBER AND RATE IN SPECIFIED AGE GROUPS
BY RACE, GEORGIA, 1956 (CONT'D)

Rank	Age, Cause of Death and Sixth Revision of International List Number	Number			Rate per 100,000 Population		
		Total	White	Non- white	Total	White	Non- white
<u>FORTY-FIVE - SIXTY-FOUR YEARS</u>							
	Total, all causes	9,499	5,194	4,305	1453.1	1060.9	2623.4
1.	Heart diseases (410-443)	3,486	2,006	1,480	533.3	409.7	901.9
	Chronic rheumatic heart disease (410-416)	85	61	24	13.0	12.5	14.6
	Arteriosclerotic and degenerative heart disease (420-422)	2,494	1,656	838	381.5	338.2	510.7
	Hypertension with heart disease (440-443)	689	194	495	105.4	39.6	301.6
2.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	1,786	1,152	634	273.2	235.3	386.3
3.	Vascular lesions affecting central nervous system (330-334)	1,547	567	980	236.7	115.8	597.2
4.	Accidents, other than motor-vehicle accidents (E800-E802, E840-E962)	242	146	96	37.0	29.8	58.5
5.	Motor-vehicle accidents (E810-E835)	208	139	69	31.8	28.4	42.0
6.	Nephritis and nephrosis (590-594)	205	60	145	31.4	12.3	88.4
7.	Influenza and pneumonia (480-483, 490-493)	176	53	123	26.9	10.8	75.0
	Influenza (480-483)	24	5	19	3.7	1.0	11.6
	Pneumonia (490-493)	152	48	104	23.3	9.8	63.4
8.	Diabetes mellitus (260)	146	70	76	22.3	14.3	46.3
9.	Diseases of arteries (450-456)	144	76	68	22.0	15.5	41.4
	General arteriosclerosis (450)	76	29	47	11.6	5.9	28.6
	Aortic aneurysm specified as non- syphilitic and dissecting aneurysm (451)	52	34	18	8.0	6.9	11.0
9.	Suicides (E963, E970-E979)	144	134	10	22.0	27.4	6.1
10.	Cirrhosis of liver (581)	121	100	21	18.5	20.4	12.8
	All other causes (residual)	1,294	691	603	198.0	141.1	367.5
<u>SIXTY-FIVE YEARS AND OVER</u>							
	Total, all causes	13,982	10,601	3,381	5561.7	5705.6	5154.0
1.	Heart diseases (410-443)	5,818	4,491	1,327	2314.2	2417.1	2022.9
	Chronic rheumatic heart disease (410-416)	73	61	12	29.0	32.8	18.3
	Arteriosclerotic and degenerative heart disease (420-422)	4,305	3,483	822	1712.4	1874.6	1253.0
	Hypertension with heart disease (440-443)	1,155	745	410	459.4	401.0	625.0
2.	Vascular lesions affecting central nervous system (330-334)	3,153	2,270	883	1254.2	1221.7	1346.0
3.	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	1,661	1,343	318	660.7	722.8	484.8
4.	Diseases of arteries (450-456)	515	408	107	204.9	219.6	163.1
	General arteriosclerosis (450)	432	333	99	171.8	179.2	150.9
	Aortic aneurysm not specified as syphilitic and dissecting aneurysm (451)	71	64	7	28.2	34.4	10.7
5.	Influenza and pneumonia (480-483, 490-493)	412	305	107	163.9	164.2	163.1
	Influenza (480-483)	53	40	13	21.1	21.5	19.8
	Pneumonia (490-493)	359	265	94	142.8	142.6	143.3
6.	Accidents other than motor-vehicle accidents (E800-E802, E840-E962)	283	227	56	112.6	122.2	85.4
7.	Nephritis and nephrosis (590-594)	271	148	123	107.8	79.7	187.5
8.	Hypertension without mention of heart disease (444-447)	214	130	84	85.1	70.0	128.0
9.	Diabetes mellitus (260)	193	155	38	76.8	83.4	57.9
10.	Other diseases of respiratory system (470-475, 500-527)	155	143	12	61.7	77.0	18.3
	Bronchitis (500-502)	22	19	3	8.8	10.2	4.6
	Pulmonary congestion and hypostasis (522)	25	21	4	9.9	11.3	6.1
	Bronchiectasis (526)	26	26	-	10.3	14.0	0
	All other causes (residual)	1,307	981	326	519.9	528.0	497.0
	<u>UNKNOWN AGE</u>	9	2	7

TABLE VI-a - IMPORTANT CAUSES OF DEATH, NUMBER AND PER CENT, IN SPECIFIED AGE GROUPS, GEORGIA, 1956
(A cause of death must account for at least 5% of all deaths in a given age group to appear in the chart)

	Cause of Death*	Number	Per Cent	
TOTAL ALL AGES				
	Total, all causes	31,582	100.0	
	Heart diseases	9,947	31.5	
	Vascular lesions affecting central nervous system	5,001	15.8	
	Malignant neoplasms	3,994	12.6	
	Accidents, other than motor-vehicle accidents	1,275	4.0	
	Pneumonia and influenza	1,142	3.6	
	Motor-vehicle accidents	1,097	3.5	
	Diseases of arteries	686	2.2	
	Nephritis and nephrosis	625	2.0	
	Deaths from immaturity	573	1.8	
	Postnatal asphyxia and atelectasis	474	1.5	
	All other causes	6,768	21.4	
	UNDER ONE YEAR			
		Total, all causes	3,087	100.0
Immaturity		573	18.6	
Influenza and pneumonia, including pneumonia of the newborn		486	15.7	
Postnatal asphyxia and atelectasis		474	15.4	
Congenital malformations		339	11.0	
Other and ill-defined diseases peculiar to early infancy		322	10.4	
Birth injuries		264	8.6	
Accidents, excluding motor-vehicle accidents		150	4.9	
Gastritis, duodenitis, enteritis and colitis, including diarrhea of the newborn		117	3.8	
Ill-defined and unknown causes		102	3.3	
Other diseases of respiratory system		70	2.3	
All other causes		190	6.2	
ONE - FOUR YEARS				
		Total, all causes	497	100.0
	Influenza and pneumonia	92	18.5	
	Accidents, excluding motor-vehicle accidents	84	16.9	
	Motor-vehicle accidents	43	8.7	
	Congenital malformations	42	8.5	
	Malignant neoplasms	36	7.2	
	Gastritis, duodenitis, enteritis and colitis	23	4.6	
	Meningitis, except meningococcal and tuberculous	13	2.6	
	Bronchitis	11	2.2	
	Whooping cough	10	2.0	
	Ill-defined and unknown causes	10	2.0	
	Measles	9	1.8	
	Other diseases of central nervous system	9	1.8	
	Heart diseases	9	1.8	
All other causes	106	21.3		

TABLE VI-a - IMPORTANT CAUSES OF DEATH, NUMBER AND PER CENT, IN SPECIFIED AGE GROUPS, GEORGIA, 1956
(A cause of death must account for at least 5% of all deaths in a given age group to appear in the chart)

	Cause of Death*	Number	Per Cent	
FIVE - FOURTEEN YEARS				
	Total, all causes	419	100.0	
	Accidents, excluding motor-vehicle accidents	112	26.7	
	Motor-vehicle accidents	73	17.4	
	Malignant neoplasms	48	11.5	
	Influenza and pneumonia	28	6.7	
	Congenital malformations	21	5.0	
	Other diseases of central nervous system	15	3.6	
	Rheumatic fever	12	2.9	
	Inflammatory diseases of central nervous system	10	2.4	
	Nephritis and nephrosis	9	2.1	
	Anemias	7	1.7	
	All other causes	84	20.0	
	FIFTEEN - TWENTY-FOUR YEARS			
		Total, all causes	822	100.0
Motor-vehicle accidents		282	34.3	
Accidents, excluding motor-vehicle accidents		127	15.4	
Homicides		89	10.8	
Malignant neoplasms		44	5.4	
Heart diseases		35	4.3	
Maternal deaths		31	3.8	
Nephritis and nephrosis		19	2.3	
Other diseases of central nervous system		18	2.2	
Suicides		18	2.2	
Vascular lesions affecting central nervous system		17	2.1	
Diabetes mellitus		15	1.8	
All other causes		127	15.4	
TWENTY-FIVE - FORTY-FOUR YEARS				
	Total, all causes	3,267	100.0	
	Heart diseases	586	17.9	
	Malignant neoplasms	415	12.7	
	Motor-vehicle accidents	393	12.0	
	Accidents, excluding motor-vehicle accidents	276	8.4	
	Vascular lesions affecting central nervous system	272	8.3	
	Homicides	249	7.6	
	Suicides	122	3.7	
	Nephritis and nephrosis	116	3.6	
	Influenza and pneumonia	72	2.2	
	Tuberculosis, all forms	69	2.1	
	All other causes	697	21.3	

TABLE VI-a - IMPORTANT CAUSES OF DEATH, NUMBER AND PER CENT, IN SPECIFIED AGE GROUPS, GEORGIA, 1956
 (A cause of death must account for at least 5% of all deaths in a given age group to appear in the chart)

	Cause of Death*	Number	Per Cent
FORTY-FIVE - SIXTY-FOUR YEARS			
	Total, all causes	9,499	100.0
	Heart diseases	3,486	36.7
	Malignant neoplasms	1,786	18.8
	Vascular lesions affecting central nervous system	1,547	16.3
	Accidents, excluding motor-vehicle accidents	242	2.5
	Motor-vehicle accidents	208	2.2
	Nephritis and nephrosis	205	2.2
	Influenza and pneumonia	176	1.9
	Diabetes mellitus	146	1.5
	Diseases of arteries	144	1.5
	Suicides	144	1.5
	Cirrhosis of liver	121	1.3
	All other causes	1,294	13.6
	SIXTY-FIVE YEARS AND OVER		
	Total, all causes	13,982	100.0
	Heart diseases	5,818	41.6
	Vascular lesions affecting central nervous system	3,153	22.6
	Malignant neoplasms	1,661	11.9
	Diseases of arteries	515	3.7
	Influenza and pneumonia	412	2.9
	Accidents, excluding motor-vehicle accidents	283	2.0
	Nephritis and nephrosis	271	1.9
	Hypertension without mention of heart disease	214	1.5
	Diabetes mellitus	193	1.4
	Other diseases of respiratory system	155	1.1
	All other causes	1,307	9.3

* See Table VI for Sixth Revision, International List Code Numbers

TABLE VII - DEATHS FROM HEART DISEASE BY TYPE, BY AGE, GEORGIA, 1956

Type and Sixth Revision of International List Number	Age in Years											Unknown Age
	Total all Ages	Under 5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 & Over	
Number												
Total, all types (410-443)	9,947	13	5	35	109	477	1,269	2,217	2,786	2,281	751	4
Chronic rheumatic heart disease (410-416)	238	-	2	22	16	40	45	40	41	26	6	-
Arteriosclerotic and degen- erative heart disease (420-422)	7,176	5	-	5	56	310	902	1,592	2,082	1,669	554	1
Hypertensive heart disease (440-443)	1,968	-	1	2	21	98	248	441	521	470	164	2
Other diseases of the heart (430-434)	565	8	2	6	16	29	74	144	142	116	27	1
Percentage Distribution												
Total, all types (410-443)	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Chronic rheumatic heart disease (410-416)	2.4	0	40.0	62.9	14.7	8.4	3.5	1.8	1.5	1.1	0.8	0
Arteriosclerotic and degen- erative heart disease (420-422)	72.1	38.5	0	14.3	51.4	65.0	71.1	71.8	74.7	73.2	73.8	25.0
Hypertensive heart disease (440-443)	19.8	0	20.0	5.7	19.2	20.5	19.6	19.9	18.7	20.6	21.8	50.0
Other diseases of the heart (430-434)	5.7	61.5	40.0	17.1	14.7	6.1	5.8	6.5	5.1	5.1	3.6	50.0

TABLE VIII - DEATHS FROM CANCER, BY SITE, RACE, AND SEX, GEORGIA, 1956

Site	Number					Percentage Distribution				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
Malignant neoplasms, total all sites (140-205)	3,994	1,522	1,339	520	613	100.0	100.0	100.0	100.0	100.0
Buccal cavity and pharynx (140-148)	129	84	22	17	6	3.2	5.5	1.6	3.3	1.0
Digestive organs and peri- toneum (150-156A, 157-159)	1,153	427	366	211	149	28.9	28.0	27.3	40.6	24.3
Respiratory system (160-164)	504	345	61	85	13	12.6	22.7	4.6	16.3	2.1
Breast (170)	324	4	235	3	82	8.1	0.3	17.6	0.6	13.4
Genital organs (171-179)	859	210	304	93	252	21.5	13.8	22.7	17.9	41.1
Urinary organs (180-181)	151	68	54	17	12	3.8	4.5	4.0	3.3	2.0
Other and unspecified sites (156B, 165, 190-199)	499	202	182	49	66	12.5	13.3	13.6	9.4	10.7
Leukemia and aleukemia (204)	194	95	66	14	19	4.9	6.2	4.9	2.7	3.1
Lymphosarcoma, etc. (200- 203, 205)	181	87	49	31	14	4.5	5.7	3.7	5.9	2.3

TABLE IX - MATERNAL DEATHS, NUMBER AND RATIO, (PER 10,000 LIVE BIRTHS) BY RACE, GEORGIA, 1956

Cause and Sixth Revision International List Number	Number			Ratio		
	Total	White	Non-white	Total	White	Non-white
Total, all causes	95	36	59	9.3	5.5	15.9
Abortion, all causes (650-652)	11	6	5	1.1	0.9	1.4
Ectopic pregnancy (645)	7	-	7	0.7	0	1.9
Hemorrhage of pregnancy (643-644)	4	3	1	0.4	0.5	0.3
Toxemias of pregnancy (642)	29	11	18	2.8	1.7	4.9
Other complications arising during pregnancy (640, 641, 646-649)	2	1	1	0.2	0.2	0.3
Hemorrhage of childbirth and puerperium (670-672)	14	4	10	1.4	0.6	2.7
Infection during childbirth and puerperium (680-684)	12	3	9	1.2	0.5	2.4
Puerperal toxemias (685, 686)	8	3	5	0.8	0.5	1.4
Other accidents and specified conditions of childbirth (673-678, 687)	6	5	1	0.6	0.8	0.3
Other and unspecified conditions of childbirth and the puerperium (660, 688)	2	-	2	0.2	0	0.5

TABLE X - INFANT DEATHS, NUMBER AND RATE PER 1,000 LIVE BIRTHS, BY RACE, SEX, AND AGE, GEORGIA, 1956

Race and Sex	Number						Rate					
	Under 1 Year	Under 28 Days					Under 1 Year	Under 28 Days				
		Total	Under 1 Day	1-6 Days	7-27 Days	28 Days to 1 Year		Total	Under 1 Day	1-6 Days	7-27 Days	28 Days to 1 Year
<u>Total</u>	3,087	2,098	1,017	757	324	989	30.1	20.4	9.9	7.4	3.2	9.6
Male	1,743	1,234	606	452	176	509	33.2	23.5	11.5	8.6	3.3	9.7
Female	1,344	864	411	305	148	480	26.8	17.2	8.2	6.1	3.0	9.6
<u>White</u>	1,478	1,141	572	436	133	337	22.5	17.4	8.7	6.6	2.0	5.1
Male	842	667	345	249	73	175	24.9	19.7	10.2	7.4	2.2	5.2
Female	636	474	227	187	60	162	20.0	14.9	7.1	5.9	1.9	5.1
<u>Nonwhite</u>	1,609	957	445	321	191	652	43.5	25.9	12.0	8.7	5.2	17.6
Male	901	567	261	203	103	334	48.1	30.3	13.9	10.8	5.5	17.8
Female	708	390	184	118	88	318	38.8	21.3	10.1	6.5	4.8	17.4

TABLE XI - INFANT DEATHS, NUMBER AND RATE PER 1,000 LIVE BIRTHS, BY RACE, BY CAUSE, GEORGIA, 1956

Cause and Sixth Revision International List Number	Number			Rate		
	Total	White	Non-white	Total	White	Non-white
Total, all causes	3,087	1,478	1,609	30.1	22.5	43.5
Tuberculosis, all forms (001-019)	3	1	2	0.0	0.0	0.1
Dysentery, all forms (045-048)	9	1	8	0.1	0.0	0.2
Whooping cough (056)	25	-	25	0.2	0	0.7
Meningococcal infections (057)	11	3	8	0.1	0.0	0.2
All other infective and parasitic diseases (020-044, 049-055, 058-138)	30	9	21	0.3	0.1	0.6
Diseases of thymus gland (273)	2	-	2	0.0	0	0.1
Meningitis, except meningococcal and tuberculous (340)	20	8	12	0.2	0.1	0.3
All other diseases of nervous system and sense organs (330-334, 341-398)	13	5	8	0.1	0.1	0.2
Influenza and pneumonia, except pneumonia of newborn (480-493)	350	85	265	3.4	1.3	7.2
Influenza (480-483)	12	1	11	0.1	0.0	0.3
Pneumonia, except pneumonia of newborn (490-493)	338	84	254	3.3	1.3	6.9
All other diseases of respiratory system (470-475, 500-527)	70	38	32	0.7	0.6	0.9
Hernia and intestinal obstruction (560, 561, 570)	21	16	5	0.2	0.2	0.1
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543, 571, 572)	96	19	77	0.9	0.3	2.1
All other diseases of digestive system (530-542, 544-553, 573-587)	7	2	5	0.1	0.0	0.1
Congenital malformations (750-759)	339	245	94	3.3	3.7	2.5
Spina bifida and meningocele (751)	37	31	6	0.4	0.5	0.2
Congenital malformations of circulatory system (754)	145	107	38	1.4	1.6	1.0
All other congenital malformations (750, 752, 753, 755-759)	157	107	50	1.5	1.6	1.4
Certain diseases of early infancy (760-776)	1,790	948	842	17.4	14.4	22.8
Without mention of immaturity (.0)	558	262	296	5.4	4.0	8.0
With immaturity (.5)	1,232	686	546	12.0	10.5	14.8
Birth injuries (760, 761)	264	150	114	2.6	2.3	3.1
Without mention of immaturity (.0)	147	72	75	1.4	1.1	2.0
With immaturity (.5)	117	78	39	1.1	1.2	1.1
Intracranial and spinal injury at birth (760)	95	58	37	0.9	0.9	1.0
Without mention of immaturity (.0)	73	41	32	0.7	0.6	0.9
With immaturity (.5)	22	17	5	0.2	0.3	0.1
Other birth injury (761)	169	92	77	1.6	1.4	2.1
Without mention of immaturity (.0)	74	31	43	0.7	0.5	1.2
With immaturity (.5)	95	61	34	0.9	0.9	0.9
Postnatal asphyxia and atelectasis (762)	474	309	165	4.6	4.7	4.5
Without mention of immaturity (.0)	156	98	58	1.5	1.5	1.6
With immaturity (.5)	318	211	107	3.1	3.2	2.9
Pneumonia of newborn (763)	136	49	87	1.3	0.7	2.4
Without mention of immaturity (.0)	105	35	70	1.0	0.5	1.9
With immaturity (.5)	31	14	17	0.3	0.2	0.5
Diarrhea of newborn (764)	21	6	15	0.2	0.1	0.4
Without mention of immaturity (.0)	16	2	14	0.2	0.0	0.4
With immaturity (.5)	5	4	1	0.0	0.1	0.0
Other infections of newborn (765-768)	25	10	15	0.2	0.2	0.4
Without mention of immaturity (.0)	18	8	10	0.2	0.1	0.3
With immaturity (.5)	7	2	5	0.1	0.0	0.1
Neonatal disorders arising from maternal toxemia (769)	40	15	25	0.4	0.2	0.7
Without mention of immaturity (.0-.4)	11	4	7	0.1	0.1	0.2
With immaturity (.5-.9)	29	11	18	0.3	0.2	0.5
Hemolytic disease of newborn (erythroblastosis) (770)	49	35	14	0.5	0.5	0.4
Without mention of immaturity (.0-.2)	36	26	10	0.4	0.4	0.3
With immaturity (.5-.7)	13	9	4	0.1	0.1	0.1
Hemorrhagic disease of newborn (771)	21	8	13	0.2	0.1	0.4
Without mention of immaturity (.0)	15	4	11	0.1	0.1	0.3
With immaturity	6	4	2	0.1	0.1	0.1
Ill-defined diseases peculiar to early infancy including nutritional maladjustment (772, 773)	187	66	121	1.8	1.0	3.3
Without mention of immaturity (.0)	54	13	41	0.5	0.2	1.1
With immaturity (.5)	133	53	80	1.3	0.8	2.2
Immaturity with mention of subsidiary condition (774)	44	18	26	0.4	0.3	0.7
Immaturity unqualified (776)	529	282	247	5.2	4.3	6.7
Symptoms and ill-defined conditions (780-793, 795)	102	18	84	1.0	0.3	2.3
All other diseases (residual)	38	17	21	0.4	0.3	0.6
Accidents (E800-E962)	159	62	97	1.5	0.9	2.6
Inhalation and ingestion of food or other object causing obstruction or suffocation (E921, E922)	48	23	25	0.5	0.4	0.7
Accidental mechanical suffocation in bed and cradle (E924)	54	22	32	0.5	0.3	0.9
All other accidental causes (E800-E920, E923, E925-E962)	57	17	40	0.6	0.3	1.1
Homicide (E964, E980-E999)	2	1	1	0.0	0.0	0.0

TABLE XII - ACCIDENTAL DEATHS, NUMBER AND RATE, BY TYPE OF ACCIDENT, BY AGE, GEORGIA, 1956

Type of Accident (International List Number - Sixth Revision)	Age in Years							
	Total All Ages	Under 1	1-4	5-14	15-24	25-44	45-64	65 & Over
<u>Number</u>								
Total, all accidents	2,372	159	127	185	409	669	450	373
Transport accidents (E800-E802, E810-E845, E850-E858, E860-E866)	1,215	9	44	84	310	444	229	95
Railway accidents (E800-E802)	28	-	-	-	4	8	12	4
Motor-vehicle accidents (E810-E835)	1,097	9	43	73	282	393	208	89
Aircraft accidents (E860-E866)	31	-	-	-	11	19	1	-
All other transport accidents (E840- E845, E850-E858)	59	-	1	11	13	24	8	2
Non-transport accidents (E870-E888, E890- E895, E900-E904, E910-E936, E940-E962)	1,157	150	83	101	99	225	221	278
Home	641	127	72	43	21	89	97	192
Other	516	23	11	58	78	136	124	86
Accidental poisoning (E870-E888, E890- E895)	62	2	12	-	8	23	16	1
Home	25	2	11	-	-	7	5	-
Other	37	-	1	-	8	16	11	1
Accidental falls (E900-E904)	252	2	1	5	1	29	41	173
Home	172	2	1	2	-	20	25	122
Other	80	-	-	3	1	9	16	51
Accidental burns (E916-E917)	232	12	38	17	8	46	45	66
Home	215	12	38	15	7	39	42	62
Other	17	-	-	2	1	7	3	4
Accidents caused by firearms (E919)	97	-	4	18	24	26	22	3
Home	64	-	4	14	14	14	15	3
Other	33	-	-	4	10	12	7	-
Accidental inhalation and ingestion of food and other objects (E921-E922)	65	48	5	-	-	5	5	2
Home	47	40	4	-	-	1	2	-
Other	18	8	1	-	-	4	3	2
Accidental mechanical suffocation (E924- E925)	72	60	2	-	2	5	3	-
Home	61	58	2	-	-	1	-	-
Other	11	2	-	-	2	4	3	-
Accidental drowning (exclusive of sub- mersion in transport accidents)(E929)	133	1	10	43	40	25	11	3
Home	11	1	6	2	-	1	-	1
Other	122	-	4	41	40	24	11	2
All other non-transport accidents (E910- E915, E918, E920, E923, E926-E928, E930-E936, E940-E962)	244	25	11	18	16	66	78	30
Home	46	12	6	10	-	6	8	4
Other	198	13	5	8	16	60	70	26
<u>Rate per 100,000 Population</u>								
Total, all accidents	62.5	154.9	34.4	23.6	68.4	64.3	68.8	148.4
Transport accidents (E800-E802, E810-E845, E850-E858, E860-E866)	32.0	8.8	11.9	10.7	51.9	42.7	35.0	37.8
Railway accidents (E800-E802)	0.7	0	0	0	0.7	0.8	1.8	1.6
Motor-vehicle accidents (E810-E835)	28.9	8.8	11.6	9.3	47.2	37.8	31.8	35.4
Aircraft accidents (E860-E866)	0.8	0	0	0	1.8	1.8	0.2	0
All other transport accidents (E840- E845, E850-E858)	1.6	0	0.3	1.4	2.2	2.3	1.2	0.8
Non-transport accidents (E870-E888, E890- E895, E900-E904, E910-E936, E940-E962)	30.5	146.1	22.5	12.9	16.6	21.6	33.8	110.6
Home	16.9	123.7	19.5	5.5	3.5	8.6	14.8	76.4
Other	13.6	22.4	3.0	7.4	13.0	13.1	19.0	34.2
Accidental poisoning (E870-E888, E890- E895)	1.6	1.9	3.2	0	1.3	2.2	2.4	0.4
Home	0.7	1.9	3.0	0	0	0.7	0.8	0
Other	1.0	0	0.3	0	1.3	1.5	1.7	0.4
Accidental falls (E900-E904)	6.6	1.9	0.3	0.6	0.2	2.8	6.3	68.8
Home	4.5	1.9	0.3	0.3	0	1.9	3.8	48.5
Other	2.1	0	0	0.4	0.2	0.9	2.4	20.3
Accidental burns (E916-E917)	6.1	11.7	10.3	2.2	1.3	4.4	6.9	26.3
Home	5.7	11.7	10.3	1.9	1.2	3.7	6.4	24.7
Other	0.4	0	0	0.3	0.2	0.7	0.5	1.6
Accidents caused by firearms (E919)	2.6	0	1.1	2.3	4.0	2.5	3.4	1.2
Home	1.7	0	1.1	1.8	2.3	1.3	2.3	1.2
Other	0.9	0	0	0.5	1.7	1.2	1.1	0
Accidental inhalation and ingestion of food and other objects (E921-E922)	1.7	46.8	1.4	0	0	0.5	0.8	0.8
Home	1.2	39.0	1.1	0	0	0.1	0.3	0
Other	0.5	7.8	0.3	0	0	0.4	0.5	0.8
Accidental mechanical suffocation (E924- E925)	1.9	58.5	0.5	0	0.3	0.5	0.5	0
Home	1.6	56.5	0.5	0	0	0.1	0	0
Other	0.3	1.9	0	0	0.3	0.4	0.5	0
Accidental drowning (exclusive of sub- mersion in transport accidents)(E929)	3.5	1.0	2.7	5.5	6.7	2.4	1.7	1.2
Home	0.3	1.0	1.6	0.3	0	0.1	0	0.4
Other	3.2	0	1.1	5.2	6.7	2.3	1.7	0.8
All other non-transport accidents (E910- E915, E918, E920, E923, E926-E928, E930-E936, E940-E962)	6.4	24.4	3.0	2.3	2.7	6.3	11.9	11.9
Home	1.2	11.7	1.6	1.3	0	0.6	1.2	1.6
Other	5.2	12.7	1.4	1.0	2.7	5.8	10.7	10.3

ITEM	Georgia State Total						Appling						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	102,643	65,642	37,001	27.1	24.6	33.0	346	226	120	25.1	20.5	42.9	1
2 Delivered in hospital	86,621	64,354	22,267	84.4%	98.0%	60.2%	260	217	43	75.1%	96.0%	35.8%	2
3 Delivered in home by physician	3,041	756	2,285	3.0%	1.2%	6.2%	18	8	10	5.2%	3.5%	8.3%	3
4 Delivered in home by midwife	12,700	460	12,240	12.4%	0.7%	33.1%	67	-	67	19.4%	0%	55.8%	4
5 Other deliveries	281	72	209	0.3%	0.1%	0.6%	1	1	-	0.3%	0.4%	0%	5
6 Immature births	8,662	4,412	4,250	84.4	67.2	114.9	28	18	10	80.9	79.6	83.3	6
FETAL DEATHS													
7 Total	3,734	2,065	1,669	36.4	31.5	45.1	7	2	5	20.2	8.8	41.7	
8 Under 20 weeks gestation	1,528	1,042	486	14.9	15.9	13.1	1	-	1	2.9	0	8.3	7
9 20-27 weeks gestation	582	256	326	5.7	3.9	8.8	2	-	2	5.8	0	16.7	8
28 weeks and more	1,496	690	806	14.6	10.5	21.8	3	2	1	8.7	8.8	8.3	9
Unknown length of gestation	128	77	51	1.2	1.2	1.4	1	-	1	2.9	0	8.3	
DEATHS													
10 Total, all ages	31,582	19,830	11,752	832.6	741.9	1049.3	116	82	34	840.6	745.5	1214.3	10
11 Under 1 year	3,087	1,478	1,609	30.1	22.5	43.5	11	5	6	31.8	22.1	50.0	11
12 Under 28 days	2,098	1,141	957	20.4	17.4	25.9	6	3	3	17.3	13.3	25.0	12
13 Deaths from immaturity	573	300	273	5.6	4.6	7.4	1	-	1	2.9	0	8.3	13
14 1-4 years **	497	249	248	-	-	-	3	2	1	-	-	-	14
15 Maternal deaths	95	36	59	9.3	5.5	15.9	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	283	149	134	7.5	5.6	12.0	2	1	1	14.5	9.1	35.7	16
17 Syphilis and its sequelae (020-029)	76	29	47	2.0	1.1	4.2	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	23	7	16	0.6	0.3	1.4	-	-	-	0	0	0	19
20 Scarlet fever (050)	2	2	-	0.1	0.1	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	7	3	4	0.2	0.1	0.4	-	-	-	0	0	0	21
22 Diphtheria (055)	7	2	5	0.2	0.1	0.4	-	-	-	0	0	0	22
23 Whooping cough (056)	36	1	35	0.9	0.0	3.1	-	-	-	0	0	0	23
24 Meningococcal infections (057)	21	10	11	0.6	0.4	1.0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	5	3	2	0.1	0.1	0.2	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	9	4	5	0.2	0.1	0.4	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	19	8	11	0.5	0.3	1.0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	1	-	1	0.0	0	0.1	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	1	-	1	0.0	0	0.1	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	136	68	68	3.6	2.5	6.1	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	3,994	2,861	1,133	105.3	107.0	101.2	13	11	2	94.2	100.0	71.4	33
34 Benign and unspecified neoplasms (210-239)	112	64	48	3.0	2.4	4.3	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	399	248	151	10.5	9.3	13.5	2	2	-	14.5	18.2	0	35
36 Pellagra (281)	19	14	5	0.5	0.5	0.4	-	-	-	0	0	0	36
37 Anemias (290-293)	66	27	39	1.7	1.0	3.5	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	5,001	2,934	2,067	131.8	109.8	184.6	27	21	6	195.7	190.9	214.3	38
39 Nonmeningococcal meningitis (340)	58	21	37	1.5	0.8	3.3	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	32	16	16	0.8	0.6	1.4	-	-	-	0	0	0	40
41 Heart diseases (410-443)	9,947	6,788	3,159	262.2	253.9	282.1	24	19	5	173.9	172.7	178.6	41
42 Hypertension without mention of heart (444-447)	366	169	197	9.6	6.3	17.6	1	1	-	7.2	9.1	0	42
43 Influenza and pneumonia (480-483, 490-493)	1,142	513	629	30.1	19.2	56.2	13	7	6	94.2	63.6	214.3	43
44 Bronchitis (500-502)	57	34	23	1.5	1.3	2.1	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	192	144	48	5.1	5.4	4.3	-	-	-	0	0	0	45
46 Appendicitis (550-553)	58	33	25	1.5	1.2	2.2	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	155	106	49	4.1	4.0	4.4	3	3	-	21.7	27.3	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	187	70	117	4.9	2.6	10.4	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	230	178	52	6.1	6.7	4.6	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	625	258	367	16.5	9.7	32.8	-	-	-	0	0	0	50
51 Hyperplasia of prostate (610)	112	66	46	3.0	2.5	4.1	1	1	-	7.2	9.1	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	95	36	59	2.5	1.3	5.3	-	-	-	0	0	0	52
53 Congenital malformations (E810-E835)	445	326	119	11.7	12.2	10.6	1	1	-	7.2	9.1	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	738	459	279	19.5	17.2	24.9	4	2	2	29.0	18.2	71.4	54
55 Infection of the newborn (763-768)	182	65	117	4.8	2.4	10.4	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	870	424	446	22.9	15.9	39.8	1	-	1	7.2	0	35.7	56
57 Senility, without mention of psychosis (794)	89	49	40	2.3	1.8	3.6	1	-	1	7.2	0	35.7	57
58 Ill-defined and unknown causes (780-793, 795)	315	117	198	8.3	4.4	17.7	2	1	1	14.5	9.1	35.7	58
59 Motor vehicle accidents (E810-E835)	1,097	795	302	28.9	29.7	27.0	7	4	3	50.7	36.4	107.1	59
60 All other accidents (E800-E802, E840-E862)	1,275	773	502	33.6	28.9	44.8	4	3	1	29.0	27.3	35.7	60
61 Suicide (E963, E970-E979)	328	302	26	8.6	11.3	2.3	-	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	452	90	362	11.9	3.4	32.3	2	-	2	14.5	0	71.4	62
63 All other diseases (residual)	2,318	1,564	754	61.1	58.5	67.3	8	5	3	58.0	45.5	107.1	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Atkinson						Bacon						Baker						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	188	107	81	25.1	18.4	47.6	240	198	42	25.0	23.6	35.0	139	37	102	27.3	19.5	31.9	1
2	103	79	24	54.8%	73.8%	29.6%	217	193	24	90.4%	97.5%	57.1%	70	37	33	50.4%	100.0%	32.4%	2
3	49	25	24	26.1%	23.4%	29.6%	4	4	-	1.7%	2.0%	0%	1	-	1	0.7%	0%	1.0%	3
4	34	3	31	18.1%	2.8%	38.3%	19	1	18	7.9%	0.5%	42.9%	68	-	68	48.9%	0%	66.7%	4
5	2	-	2	1.1%	0%	2.5%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	25	9	16	133.0	84.1	197.5	10	8	2	41.7	40.4	47.6	14	4	10	100.7	108.1	98.0	6
7	13	6	7	69.1	56.1	86.4	8	5	3	33.3	25.3	71.4	9	2	7	64.7	54.1	68.6	7
8	5	2	3	26.6	18.7	37.0	1	1	-	4.2	5.0	0	1	1	-	7.2	27.0	0	8
9	2	1	1	10.6	9.3	12.3	1	1	-	4.2	5.0	0	3	-	3	21.6	0	29.4	7
9	6	3	3	31.9	28.0	37.0	6	3	3	25.0	15.2	71.4	5	1	4	36.0	27.0	39.2	9
	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	0
10	61	37	24	813.3	637.9	1411.8	59	52	7	614.6	619.0	583.3	46	18	28	902.0	947.4	875.0	10
11	14	4	10	74.5	37.4	123.5	5	5	-	20.8	25.3	0	6	-	6	43.2	0	58.8	11
12	7	3	4	37.2	28.0	49.4	4	4	-	16.7	20.2	0	4	-	4	28.8	0	39.2	12
13	3	3	3	16.0	0	37.0	-	-	-	0	0	0	2	-	2	14.4	0	19.6	13
14	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	14
15	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	71.9	0	98.0	15
16	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	-	1	13.3	0	58.8	-	-	-	0	0	0	1	1	-	19.6	52.6	0	32
33	7	5	2	93.3	86.2	117.6	8	7	1	83.3	83.3	83.3	6	1	5	117.6	52.6	156.2	33
34	1	1	-	13.3	17.2	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	7	4	3	93.3	69.0	176.5	8	8	-	83.3	95.2	0	9	6	3	176.5	315.8	93.8	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	17	14	3	226.7	241.4	176.5	19	16	3	197.9	190.5	250.0	15	6	9	294.1	315.8	281.2	41
42	1	-	1	13.3	0	58.8	1	1	-	10.4	11.9	0	-	-	-	0	0	0	42
43	3	2	1	40.0	34.5	58.8	2	2	-	20.8	23.8	0	2	-	2	39.2	0	62.5	43
44	1	-	1	13.3	0	58.8	-	-	-	0	0	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	2	2	-	20.8	23.8	0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	1	1	-	13.3	17.2	0	1	1	-	10.4	11.9	0	-	-	-	0	0	0	47
48	2	1	1	26.7	17.2	58.8	-	-	-	0	0	0	1	-	1	19.6	0	31.2	48
49	1	-	1	13.3	0	58.8	-	-	-	0	0	0	-	-	-	0	0	0	49
50	1	-	1	13.3	0	58.8	-	-	-	0	0	0	-	-	-	0	0	0	50
51	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	19.6	0	31.2	52
53	3	1	2	40.0	17.2	117.6	-	-	-	0	0	0	-	-	-	0	0	0	53
54	1	1	-	13.3	17.2	0	1	1	-	10.4	11.9	0	1	-	1	19.6	0	31.2	54
55	-	-	-	0	0	0	1	1	-	10.4	11.9	0	-	-	-	0	0	0	55
56	4	1	3	53.3	17.2	176.5	-	-	-	0	0	0	3	-	3	58.8	0	93.8	56
57	-	-	-	0	0	0	1	1	-	10.4	11.9	0	-	-	-	0	0	0	57
58	3	2	1	40.0	34.5	58.8	-	-	-	0	0	0	-	-	-	0	0	0	58
59	-	-	-	0	0	0	6	5	1	62.5	59.5	83.3	1	1	1	19.6	52.6	0	59
60	2	1	1	26.7	17.2	58.8	5	5	-	52.1	59.5	0	2	1	1	39.2	52.6	31.2	60
61	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	61
62	-	-	-	0	0	0	2	1	1	20.8	11.9	83.3	-	-	-	0	0	0	62
63	5	3	2	66.7	51.7	117.6	2	1	1	20.8	11.9	83.3	3	2	1	58.8	105.3	31.2	63

See notes on page 91

ITEM	Baldwin						Banks						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	489	212	277	25.5	17.7	38.5	119	109	10	20.5	19.8	33.3	1
2 Delivered in hospital	283	205	78	57.9%	96.7%	28.2%	116	108	8	97.5%	99.1%	80.0%	2
3 Delivered in home by physician	26	2	24	5.3%	0.9%	8.7%	2	1	1	1.7%	0.9%	10.0%	3
4 Delivered in home by midwife	179	5	174	36.6%	2.4%	62.0%	1	1	1	0.8%	0%	10.0%	4
5 Other deliveries	1	1	1	0.2%	0%	0.4%	-	-	-	0%	0%	0%	5
6 Immature births	31	10	21	63.4	47.2	75.8	10	9	1	84.0	82.6	100.0	6
FETAL DEATHS													
7 Total	18	4	14	36.8	18.9	50.5	-	-	-	0	0	0	7
8 Under 20 weeks gestation	6	1	5	12.3	0	21.7	-	-	-	0	0	0	8
9 20-27 weeks gestation	4	1	3	8.2	4.7	10.8	-	-	-	0	0	0	9
28 weeks and more	8	3	5	16.4	14.2	18.0	-	-	-	0	0	0	9
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0	-
DEATHS													
10 Total, all ages	207	111	96	1078.1	925.0	1333.3	56	53	3	965.5	963.6	1000.0	10
11 Under 1 year	26	3	23	53.2	14.2	83.0	3	3	-	25.2	27.5	0	11
12 Under 28 days	14	2	12	28.6	9.4	43.3	3	3	-	25.2	27.5	0	12
13 Deaths from immaturity	-	-	-	0	0	0	1	1	-	8.4	9.2	0	13
14 1-4 years **	4	1	3	0	0	0	1	-	1	0	0	0	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	2	1	1	10.4	8.3	13.9	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	1	1	-	5.2	8.3	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	-	1	5.2	0	13.9	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	18	11	7	93.7	91.7	97.2	6	6	-	103.4	109.1	0	33
34 Benign and unspecified neoplasms (210-239)	4	2	2	20.8	16.7	27.8	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	2	2	-	10.4	16.7	0	-	-	-	0	0	0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	41	23	18	213.5	191.7	250.0	16	15	1	275.9	272.7	333.3	38
39 Nonmeningococcal meningitis (340)	1	-	1	5.2	0	13.9	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	1	1	-	5.2	8.3	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	60	40	20	312.5	333.3	277.8	23	22	1	396.6	400.0	333.3	41
42 Hypertension without mention of heart (444-447)	3	2	1	15.6	16.7	13.9	-	-	-	0	0	0	42
43 Influenza and pneumonia (480-483, 490-493)	16	3	13	83.3	25.0	180.6	2	1	1	34.5	18.2	333.3	43
44 Bronchitis (500-502)	1	-	1	5.2	0	13.9	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	2	1	1	10.4	8.3	13.9	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	3	2	1	15.6	16.7	13.9	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	5.2	0	13.9	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	4	1	3	20.8	8.3	41.7	1	1	-	17.2	18.2	0	50
51 Hyperplasia of prostate (610)	2	1	1	10.4	8.3	13.9	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	3	1	2	15.6	8.3	27.8	-	-	-	0	0	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	8	1	7	41.7	8.3	97.2	1	1	-	17.2	18.2	0	54
55 Infection of the newborn (763-768)	2	-	2	10.4	0	27.8	1	1	-	17.2	18.2	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	-	1	5.2	0	13.9	1	1	-	17.2	18.2	0	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	-	-	-	0	0	0	58
59 Motor vehicle accidents (E810-E835)	5	2	3	26.0	16.7	41.7	-	-	-	0	0	0	59
60 All other accidents (E800-E802, E840-E862)	7	6	1	36.5	50.0	13.9	2	2	-	34.5	36.4	0	60
61 Suicide (E963, E970-E979)	1	1	-	5.2	8.3	0	-	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	5	1	4	26.0	8.3	55.6	-	-	-	0	0	0	62
63 All other diseases (residual)	12	8	4	62.5	66.7	55.6	3	3	-	51.7	54.5	0	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Barrow						Bartow						Ben Hill						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	333	229	104	25.2	21.4	41.6	713	587	126	24.7	23.9	29.3	350	193	157	23.0	18.7	32.0	1
2	311	227	84	93.4%	99.1%	80.8%	657	566	91	92.1%	96.4%	72.2%	276	187	89	78.9%	96.9%	56.7%	2
3	2	2	-	0.6%	0.9%	0%	15	8	7	2.1%	1.4%	5.6%	7	3	4	2.0%	1.6%	2.5%	3
4	20	-	20	6.0%	0%	19.2%	37	11	26	5.2%	1.9%	20.6%	67	3	64	19.1%	1.6%	40.8%	4
5	-	-	-	0%	0%	0%	4	2	2	0.6%	0.3%	1.6%	-	-	-	0%	0%	0%	5
6	35	20	15	105.1	87.3	144.2	39	31	8	54.7	52.8	63.5	37	18	19	105.7	93.3	121.0	6
7	16	12	4	48.0	52.4	38.5	25	18	7	35.1	30.7	55.6	14	5	9	40.0	25.9	57.3	7
8	9	7	2	27.0	30.6	19.2	15	12	3	21.0	20.4	23.8	7	2	5	20.0	10.4	31.8	8
9	1	1	1	3.0	0	9.6	1	1	-	1.4	1.7	0	-	-	-	0	0	0	9
	6	5	1	18.0	21.8	9.6	9	5	4	12.6	8.5	31.7	7	3	4	20.0	15.5	25.5	
	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	
10	89	75	14	674.2	700.9	560.0	237	193	44	820.1	784.6	1023.3	159	103	56	1046.1	1000.0	1142.9	10
11	6	4	2	18.0	17.5	19.2	32	20	12	44.9	34.1	95.2	18	9	9	51.4	46.6	57.3	11
12	3	2	1	9.0	8.7	9.6	21	14	7	29.5	23.8	55.6	11	9	2	31.4	46.6	12.7	12
13	1	1	1	3.0	0	9.6	8	5	3	11.2	8.5	23.8	1	1	1	2.9	0	6.4	13
14	2	2	-	-	-	-	1	1	-	-	-	-	4	3	-	-	-	-	14
15	1	1	-	30.0	43.7	0	1	-	1	14.0	0	79.4	-	-	-	0	0	0	15
16	-	-	-	0	0	0	2	1	1	6.9	4.1	23.3	1	1	-	6.6	9.7	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	6.6	9.7	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	1	1	-	3.5	4.1	0	1	-	1	6.6	0	20.4	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	1	1	-	7.6	9.3	0	1	-	1	3.5	0	23.3	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	2	1	1	15.2	9.3	40.0	1	-	1	3.5	0	23.3	2	-	2	13.2	0	40.8	32
33	5	4	1	37.9	37.4	40.0	23	23	-	79.6	93.5	0	15	12	3	98.7	116.5	61.2	33
34	-	-	-	0	0	0	2	2	-	6.9	8.1	0	-	-	-	0	0	0	34
35	-	-	-	0	0	0	-	-	-	0	0	0	3	-	3	19.7	0	61.2	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	6.6	0	20.4	37
38	16	14	2	121.2	130.8	80.0	41	34	7	141.9	138.2	162.8	27	18	9	177.6	174.8	183.7	38
39	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	6.6	0	20.4	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	27	24	3	204.5	224.3	120.0	77	62	15	266.4	252.0	348.8	56	35	21	368.4	339.8	428.6	41
42	1	1	-	7.6	9.3	0	3	3	-	10.4	12.2	0	1	-	1	6.6	0	20.4	42
43	7	5	2	53.0	46.7	80.0	5	4	1	17.3	16.3	23.3	6	4	2	39.5	38.8	40.8	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	1	-	1	7.6	0	40.0	1	1	-	3.5	4.1	0	-	-	-	0	0	0	45
46	1	1	-	7.6	9.3	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	1	1	-	3.5	4.1	0	-	-	-	0	0	0	47
48	-	-	-	0	0	0	2	-	2	6.9	0	46.5	3	-	3	19.7	0	61.2	48
49	1	1	-	7.6	9.3	0	2	1	1	6.9	4.1	23.3	-	-	-	0	0	0	49
50	1	1	-	7.6	9.3	0	3	2	1	10.4	8.1	23.3	1	-	1	6.6	0	20.4	50
51	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	1	1	-	7.6	9.3	0	1	-	1	3.5	0	23.3	-	-	-	0	0	0	52
53	1	1	-	7.6	9.3	0	3	3	-	10.4	12.2	0	2	2	-	13.2	19.4	0	53
54	-	-	-	0	0	0	5	4	1	17.3	16.3	23.3	7	6	1	46.1	58.3	20.4	54
55	-	-	-	0	0	0	7	4	3	24.2	16.3	69.8	-	-	-	0	0	0	55
56	2	-	2	15.2	0	80.0	10	6	4	34.6	24.4	93.0	2	1	1	13.2	9.7	20.4	56
57	-	-	-	0	0	0	1	1	-	3.5	4.1	0	-	-	-	0	0	0	57
58	1	1	-	7.6	9.3	0	3	2	1	10.4	8.1	23.3	-	-	-	0	0	0	58
59	7	7	-	53.0	65.4	0	17	17	-	58.8	69.1	0	5	4	1	32.9	38.8	20.4	59
60	5	4	1	37.9	37.4	40.0	4	4	-	13.8	16.3	0	15	13	2	98.7	126.2	40.8	60
61	-	-	-	0	0	0	4	4	-	13.8	16.3	0	2	2	-	13.2	19.4	0	61
62	-	-	-	0	0	0	2	1	1	6.9	4.1	23.3	1	1	-	6.6	9.7	0	62
63	9	8	1	68.2	74.8	40.0	15	12	3	51.9	48.8	69.8	6	3	3	39.5	29.1	61.2	63

See notes on page 91

TABLE XIII

VITAL STATISTICS, BY

ITEM	Berrien						Bibb						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	331	261	70	25.1	23.1	36.8	3,588	2,145	1,443	26.2	23.8	30.8	1
2 Delivered in hospital	306	260	46	92.4%	99.6%	65.7%	3,537	2,141	1,396	98.6%	99.8%	96.7%	2
3 Delivered in home by physician	3	1	2	0.9%	0.4%	2.9%	24	2	22	0.7%	0.1%	1.5%	3
4 Delivered in home by midwife	21	-	21	6.3%	0%	30.0%	23	2	21	0.6%	0.1%	1.5%	4
5 Other deliveries	1	-	1	0.3%	0%	1.4%	4	-	4	0.1%	0%	0.3%	5
6 Immature births	23	12	11	69.5	46.0	157.1	317	139	178	88.4	64.8	123.4	6
FETAL DEATHS													
7 Total	12	5	7	36.3	19.2	100.0	97	46	51	27.0	21.4	35.3	7
8 Under 20 weeks gestation	3	2	1	9.1	7.7	14.3	20	11	9	5.6	5.1	6.2	8
9 20-27 weeks gestation	3	1	2	9.1	3.8	28.6	21	9	12	5.9	4.2	8.3	9
28 weeks and more	6	2	4	18.1	7.7	57.1	53	24	29	14.8	11.2	20.1	
Unknown length of gestation	-	-	-	0	0	0	3	2	1	0.8	0.9	0.7	
DEATHS													
10 Total, all ages	102	76	26	772.7	672.6	1368.4	1,200	687	513	876.6	762.5	1096.2	10
11 Under 1 year	13	6	7	39.3	23.0	100.0	100	44	56	27.9	20.5	38.8	11
12 Under 28 days	8	4	4	24.2	15.3	57.1	75	35	40	20.9	16.3	27.7	12
13 Deaths from immaturity	3	-	3	9.1	0	42.9	26	7	19	7.2	3.3	13.2	13
14 1-4 years **	-	-	-	-	-	-	19	6	13	-	-	-	14
15 Maternal deaths	1	-	1	30.2	0	142.9	4	3	1	11.1	14.0	6.9	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	1	-	1	7.6	0	52.6	7	4	3	5.1	4.4	6.4	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	8	2	6	5.8	2.2	12.8	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	1	1	-	0.7	1.1	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	1	-	1	0.7	0	2.1	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	1	1	-	0.7	1.1	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	1	-	7.6	8.8	0	2	2	-	1.5	2.2	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	12	11	1	90.9	97.3	52.6	192	135	57	140.2	149.8	121.8	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	7	4	3	5.1	4.4	6.4	34
35 Diabetes mellitus (260)	3	2	1	22.7	17.7	52.6	14	11	3	10.2	12.2	6.4	35
36 Pellagra (281)	-	-	-	0	0	0	1	1	-	0.7	1.1	0	36
37 Anemias (290-293)	-	-	-	0	0	0	5	2	3	3.7	2.2	6.4	37
38 Vascular lesions affecting central nervous system (330-334)	14	11	3	106.1	97.3	157.9	172	90	82	125.6	99.9	175.2	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	3	-	3	2.2	2.2	6.4	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	3	2	1	2.2	2.2	2.1	40
41 Heart diseases (410-443)	29	22	7	219.7	194.7	368.4	386	231	155	282.0	256.4	331.2	41
42 Hypertension without mention of heart (444-447)	2	2	-	15.2	17.7	0	15	4	11	11.0	4.4	23.5	42
43 Influenza and pneumonia (480-483, 490-493)	3	2	1	22.7	17.7	52.6	38	14	24	27.8	15.5	51.3	43
44 Bronchitis (500-502)	-	-	-	0	0	0	3	2	1	2.2	2.2	2.1	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	7	4	3	5.1	4.4	6.4	45
46 Appendicitis (550-553)	-	-	-	0	0	0	1	1	-	0.7	1.1	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	7.6	8.8	0	7	6	1	5.1	6.7	2.1	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	-	2	15.2	0	105.3	4	4	-	2.9	4.4	0	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	10	6	4	7.3	6.7	8.5	49
50 Nephritis and nephrosis (590-594)	2	1	1	15.2	8.8	52.6	27	6	21	19.7	6.7	44.9	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	1	-	0.7	1.1	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	7.6	0	52.6	4	3	1	2.9	3.3	2.1	52
53 Congenital malformations (750-759)	-	-	-	0	0	0	8	6	2	5.8	6.7	4.3	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	3	3	-	22.7	26.5	0	31	19	12	22.6	21.1	25.6	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	3	1	2	2.2	1.1	4.3	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	4	-	4	30.3	0	210.5	36	12	24	26.3	13.3	51.3	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	3	2	1	2.2	2.2	2.1	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	8	2	6	5.8	2.2	12.8	58
59 Motor vehicle accidents (E810-E835)	7	7	-	53.0	61.9	0	29	19	10	21.2	21.1	21.4	59
60 All other accidents (E800-E802, E840-E962)	8	7	1	60.6	61.9	52.6	45	23	22	32.9	25.5	47.0	60
61 Suicide (E963, E970-E979)	2	2	-	15.2	17.7	0	5	5	-	3.7	5.5	0	61
62 Homicide (E964, E980-E985)	1	-	1	7.6	0	52.6	21	1	20	15.3	1.1	42.7	62
63 All other diseases (residual)	6	4	2	45.5	35.4	105.3	91	60	31	66.5	66.6	66.2	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Bleckley						Brantley						Brooks						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	225	133	92	25.0	21.1	34.1	146	118	28	23.9	21.9	40.0	434	171	263	25.8	19.4	32.9	1
2	134	122	12	59.6%	91.7%	13.0%	114	108	6	78.1%	91.5%	21.4%	219	161	58	50.5%	94.2%	22.1%	2
3	7	5	2	3.1%	3.8%	2.2%	26	9	17	17.8%	7.6%	60.7%	19	8	11	4.4%	4.7%	4.2%	3
4	83	6	77	36.9%	4.5%	83.7%	6	1	5	4.1%	0.8%	17.9%	195	2	193	44.9%	1.2%	73.4%	4
5	1	-	1	0.4%	0%	1.1%	-	-	-	0%	0%	0%	1	-	1	0.2%	0%	0.4%	5
6	16	8	8	71.1	60.2	87.0	12	7	5	82.2	59.3	178.6	30	8	22	69.1	46.8	83.7	6
7	8	3	5	35.6	22.6	54.3	6	2	4	41.1	16.9	142.9	10	7	3	23.0	40.9	11.4	
8	4	1	3	17.8	7.5	32.6	5	2	3	34.2	16.9	107.1	2	1	1	4.6	5.8	3.8	7
9	1	-	1	4.4	0	10.9	-	-	-	0	0	0	3	3	-	6.9	17.5	0	8
	3	2	1	13.3	15.0	10.9	1	-	1	6.8	0	35.7	5	3	2	11.5	17.5	7.6	9
	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	
10	88	49	39	977.8	777.8	1444.4	53	43	10	868.9	796.3	1428.6	137	69	68	815.5	784.1	850.0	10
11	10	5	5	44.4	37.6	54.3	6	4	2	41.1	33.9	71.4	10	3	7	23.0	17.5	26.6	11
12	7	4	3	31.1	30.1	32.6	4	3	1	27.4	25.4	35.7	7	3	4	16.1	17.5	15.2	12
13	1	-	-	0	0	0	1	1	-	6.8	8.5	0	3	2	1	6.9	11.7	3.8	13
14	1	1	-	-	-	-	3	1	2	-	-	-	2	-	2	-	-	-	14
15	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	15
16	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	1	1	-	11.1	15.9	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	3	-	3	17.9	0	37.5	32
33	10	8	2	111.1	127.0	74.1	10	10	-	163.9	185.2	0	9	6	3	53.6	68.2	37.5	33
34	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	6.0	11.4	0	34
35	1	-	1	11.1	0	37.0	-	-	-	0	0	0	4	4	-	23.8	45.5	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	6.0	0	12.5	37
38	15	5	10	166.7	79.4	370.4	6	5	1	98.4	92.6	142.9	26	6	20	154.8	68.2	250.0	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	1	1	-	16.4	18.5	0	-	-	-	0	0	0	40
41	32	22	10	355.6	349.2	370.4	10	8	2	163.9	148.1	285.7	30	21	9	178.6	238.6	112.5	41
42	-	-	-	0	0	0	1	1	-	16.4	18.5	0	7	5	2	41.7	22.7	62.5	42
43	2	-	2	22.2	0	74.1	1	1	-	16.4	18.5	0	9	2	7	53.6	22.7	87.5	43
44	1	-	1	11.1	0	37.0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	1	1	-	16.4	18.5	0	1	1	-	6.0	11.4	0	46
47	-	-	-	0	0	0	-	-	-	0	0	0	2	2	-	11.9	22.7	0	47
48	1	1	-	11.1	15.9	0	1	-	1	16.4	0	142.9	-	-	-	0	0	0	48
49	-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	11.9	0	25.0	49
50	1	1	-	11.1	15.9	0	4	3	1	65.6	55.6	142.9	7	4	3	41.7	45.5	37.5	50
51	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	52
53	-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	11.9	11.4	12.5	53
54	1	1	-	11.1	15.9	0	2	2	-	32.8	37.0	0	-	-	-	0	0	0	54
55	1	-	1	11.1	0	37.0	-	-	-	0	0	0	-	-	-	0	0	0	55
56	3	-	3	33.3	0	111.1	2	1	1	32.8	18.5	142.9	5	2	3	29.8	22.7	37.5	56
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
58	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	58
59	3	2	1	33.3	31.7	37.0	3	3	-	49.2	55.6	0	8	7	1	47.6	79.5	12.5	59
60	6	3	3	66.7	47.6	111.1	4	2	2	65.6	37.0	285.7	10	6	6	59.5	45.5	75.0	60
61	-	-	-	0	0	0	-	-	-	0	0	0	3	2	1	17.9	22.7	12.5	61
62	1	-	1	11.1	0	37.0	-	-	-	0	0	0	1	-	1	6.0	0	12.5	62
63	9	5	4	100.0	79.4	148.1	7	5	2	114.8	92.6	285.7	6	4	2	35.7	45.5	25.0	63

See notes on page 91

TABLE XIII

VITAL STATISTICS, BY

ITEM	Bryan						Bulloch						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	182	102	80	31.4	30.0	33.3	606	293	313	25.2	19.4	35.2	1
2 Delivered in hospital	120	90	30	65.9%	88.2%	37.5%	503	285	218	83.0%	97.3%	69.6%	2
3 Delivered in home by physician	13	5	8	7.1%	4.9%	10.0%	16	4	12	2.6%	1.4%	3.8%	3
4 Delivered in home by midwife	49	7	42	26.9%	6.9%	52.5%	85	2	83	14.0%	0.7%	26.5%	4
5 Other deliveries	-	-	-	0%	0%	0%	2	2	-	0.3%	0.7%	0%	5
6 Immature births	12	8	4	65.9	78.4	50.0	55	18	37	90.8	61.4	118.2	6
FETAL DEATHS													
7 Total	7	7	-	38.5	68.6	0	15	6	9	24.8	20.5	28.8	
8 Under 20 weeks gestation	3	3	-	16.5	29.4	0	2	2	-	3.3	6.8	0	7
9 20-27 weeks gestation	1	1	-	5.5	9.8	0	2	1	1	3.3	3.4	3.2	8
8 28 weeks and more	1	1	-	5.5	9.8	0	2	1	1	3.3	3.4	3.2	8
9 Unknown length of gestation	3	3	-	16.5	29.4	0	11	3	8	18.2	10.2	25.6	9
DEATHS													
10 Total, all ages	63	40	23	1086.2	1176.5	958.3	152	92	60	633.3	609.3	674.2	10
11 Under 1 year	7	3	4	38.5	29.4	50.0	12	2	10	19.8	6.8	31.9	11
12 Under 28 days	6	3	3	33.0	29.4	37.5	9	2	7	14.9	6.8	22.4	12
13 Deaths from immaturity	-	-	-	0	0	0	4	1	3	6.6	3.4	9.6	13
14 1-4 years **	2	1	1	-	-	-	3	3	-	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	2	1	1	33.0	34.1	31.9	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	2	-	2	8.3	0	22.5	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	0	0	0	-	-	-	22
23 Whooping cough (056)	-	-	-	0	0	0	1	-	1	4.2	0	11.2	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	6	3	3	103.4	88.2	125.0	18	16	2	75.0	106.0	22.5	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	-	-	-	0	0	0	2	2	-	8.3	13.2	0	35
36 Pellagra (281)	-	-	-	0	0	0	1	1	-	4.2	6.6	0	36
37 Anemias (290-293)	-	-	-	0	0	0	1	1	-	4.2	6.6	0	37
38 Vascular lesions affecting central nervous system (330-334)	13	7	6	224.1	205.9	250.0	25	15	10	104.2	99.3	112.4	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	21	17	4	362.1	500.0	166.7	41	28	13	170.8	185.4	146.1	41
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	3	2	1	12.5	13.2	11.2	42
43 Influenza and pneumonia (480-483, 490-493)	2	1	1	34.5	29.4	41.7	6	2	4	25.0	13.2	44.9	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	4	2	2	16.7	13.2	22.5	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	1	1	-	4.2	6.6	0	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	2	2	-	8.3	13.2	0	49
50 Nephritis and nephrosis (590-594)	1	-	1	17.2	0	41.7	4	1	3	16.7	6.6	33.7	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	-	1	4.2	0	11.2	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	2	1	1	8.3	6.6	11.2	52
53 Congenital malformations (750-759)	1	1	-	17.2	29.4	0	1	1	-	4.2	6.6	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	3	1	2	51.7	29.4	83.3	3	1	2	12.5	6.6	22.5	54
55 Infection of the newborn (763-768)	2	1	1	34.5	29.4	41.7	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	0	0	0	4	1	3	16.7	6.6	33.7	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	3	2	1	12.5	13.2	11.2	58
59 Motor vehicle accidents (E810-E835)	3	3	-	51.7	88.2	0	7	5	2	29.2	33.1	22.5	59
60 All other accidents (E800-E802, E840-E962)	1	1	-	17.2	29.4	0	7	4	3	29.2	26.5	33.7	60
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	-	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	5	1	4	86.2	29.4	166.7	2	2	2	8.3	0	22.5	62
63 All other diseases (residual)	5	4	1	86.2	117.6	41.7	9	4	5	37.5	26.5	56.2	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Burke						Butts						Calhoun						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	650	148	502	30.1	22.1	33.7	220	73	147	24.2	14.9	35.0	241	56	185	32.6	22.4	37.8	1
2	192	138	54	29.5%	93.2%	10.8%	140	72	68	63.6%	98.6%	46.3%	95	49	46	39.4%	87.5%	24.9%	2
3	40	2	38	6.2%	1.4%	7.6%	15	1	14	6.8%	1.4%	9.5%	5	3	2	2.1%	5.4%	1.1%	3
4	416	8	408	64.0%	5.4%	81.3%	65	-	65	29.5%	0%	44.2%	141	4	137	58.5%	7.1%	74.1%	4
5	2	2	0	0.3%	0%	0.4%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	58	12	46	89.2	81.1	91.6	29	7	22	131.8	95.9	149.7	16	2	14	66.4	35.7	75.7	6
7	16	1	15	24.6	6.8	29.9	4	1	3	18.2	13.7	20.4	9	-	9	37.3	0	48.6	7
8	3	-	3	4.6	0	6.0	1	-	1	4.5	0	6.8	2	-	2	8.3	0	10.8	8
9	3	1	2	4.6	6.8	4.0	-	-	-	0	0	0	1	-	1	4.1	0	5.4	9
	10	-	10	15.4	0	19.9	3	1	2	13.6	13.7	13.6	6	-	6	24.9	0	32.4	
	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	
10	244	70	174	1129.6	1044.8	1167.8	84	55	29	923.1	1122.4	690.5	89	37	52	1202.7	1480.0	1061.2	10
11	20	3	17	30.8	20.3	33.9	8	2	6	36.4	27.4	40.8	8	1	7	33.2	17.9	37.8	11
12	11	3	8	16.9	20.3	15.9	5	1	4	22.7	13.7	27.2	4	1	3	16.6	17.9	16.2	12
13	5	2	3	7.7	13.5	6.0	-	-	-	0	0	0	4	-	4	0	0	0	13
14	14	4	10	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	14
15	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	15
16	3	1	2	13.9	14.9	13.4	-	-	-	0	0	0	2	-	2	27.0	0	40.8	16
17	3	-	3	13.9	0	20.1	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	5	-	5	23.1	0	33.6	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	13.5	0	20.4	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	1	-	1	11.0	0	23.8	1	1	-	13.5	40.0	0	32
33	31	8	23	143.5	119.4	154.4	15	13	2	164.8	265.3	47.6	6	4	2	81.1	160.0	40.8	33
34	1	-	1	4.6	0	6.7	-	-	-	0	0	0	-	-	-	0	0	0	34
35	4	2	2	18.5	29.8	13.4	2	2	-	22.0	40.8	0	3	1	2	40.5	40.0	40.8	35
36	0	-	0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	1	-	1	4.6	0	6.7	-	-	-	0	0	0	-	-	-	0	0	0	37
38	35	13	22	162.0	194.0	147.7	11	6	5	120.9	122.4	119.0	16	8	8	216.2	320.0	163.3	38
39	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	13.5	0	20.4	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	80	25	55	370.4	373.1	369.1	24	17	7	263.7	346.9	166.7	30	13	17	405.4	520.0	346.9	41
42	11	-	11	50.9	0	73.8	-	-	-	0	0	0	2	1	1	27.0	40.0	20.4	42
43	6	1	5	27.8	14.9	33.6	4	2	2	44.0	40.8	47.6	5	-	5	67.6	0	102.0	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	1	1	-	11.0	20.4	0	2	2	-	27.0	80.0	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	1	1	-	11.0	20.4	0	-	-	-	0	0	0	47
48	3	-	3	13.9	0	20.1	-	-	-	0	0	0	1	1	-	13.5	40.0	0	48
49	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	49
50	10	-	10	46.3	0	67.1	1	-	1	11.0	0	23.8	-	-	-	0	0	0	50
51	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	52
53	1	-	1	4.6	0	6.7	1	-	1	11.0	0	23.8	1	1	-	13.5	40.0	0	53
54	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	13.5	40.0	0	54
55	2	-	2	9.3	0	13.4	1	1	-	11.0	20.4	0	1	-	1	13.5	0	20.4	55
56	7	3	4	32.4	44.8	26.8	3	-	3	33.0	0	71.4	-	-	-	0	0	0	56
57	4	-	4	18.5	0	26.8	-	-	-	0	0	0	-	-	-	0	0	0	57
58	4	-	4	18.5	0	26.8	-	-	-	0	0	0	3	-	3	40.5	0	61.2	58
59	6	6	-	27.8	89.6	0	4	3	1	44.0	61.2	23.8	5	-	5	67.6	0	102.0	59
60	11	3	8	50.9	44.8	53.7	3	2	1	33.0	40.8	23.8	3	1	2	40.5	40.0	40.8	60
61	-	-	-	0	0	0	1	1	-	11.0	20.4	0	1	1	-	13.5	40.0	0	61
62	-	-	-	4.6	0	6.7	2	-	4	54.9	20.4	95.2	4	-	4	0	0	0	62
63	15	8	7	69.4	119.4	47.0	2	5	1	65.9	102.0	23.8	-	2	2	54.1	80.0	40.8	63

See notes on page 91

ITEM	Camden						Candler						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	288	159	129	33.1	35.3	30.7	171	93	78	23.1	19.8	28.9	1
2 Delivered in hospital	203	153	50	70.5%	96.2%	38.8%	147	92	55	86.0%	98.9%	70.5%	2
3 Delivered in home by physician	1	1	-	0.3%	0.6%	0%	3	1	2	1.8%	1.1%	2.6%	3
4 Delivered in home by midwife	83	5	78	28.8%	3.1%	60.5%	21	-	21	12.3%	0%	26.9%	4
5 Other deliveries	1	-	1	0.3%	0%	0.8%	-	-	-	0%	0%	0%	5
6 Immature births	20	17	3	69.4	106.9	23.3	20	10	10	117.0	107.5	128.2	6
FETAL DEATHS													
7 Total	12	9	3	41.7	56.6	23.3	4	-	4	23.4	0	51.3	7
8 Under 20 weeks gestation	7	6	1	24.3	37.7	7.8	2	-	2	11.7	0	25.6	8
9 20-27 weeks gestation	1	-	-	0	0	0	1	-	1	5.8	0	12.8	9
10 28 weeks and more	5	3	2	17.4	18.9	15.5	1	-	1	5.8	0	12.8	9
11 Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0	
DEATHS													
12 Total, all ages	64	40	24	735.6	888.9	571.4	61	35	26	824.3	744.7	963.0	10
13 Under 1 year	15	11	4	52.1	69.2	31.0	6	2	4	35.1	21.5	51.3	11
14 Under 28 days	12	10	2	41.7	62.9	15.5	4	2	2	23.4	21.5	25.6	12
15 Deaths from immaturity	5	3	2	17.4	18.9	15.5	1	-	1	5.8	0	12.8	13
16 1-4 years **	-	-	-	0	0	0	1	1	-	-	-	-	14
17 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
CAUSE OF DEATH													
18 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	-	-	-	0	0	0	16
19 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
20 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
21 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
22 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
23 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
24 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
25 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
26 Meningococcal infections (057)	1	-	1	11.5	0	23.8	-	-	-	0	0	0	24
27 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
28 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
29 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
30 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
31 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
32 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
33 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
34 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	32
35 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	8	5	3	92.0	111.1	71.4	12	8	4	162.2	170.2	148.1	33
36 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	1	1	-	13.5	21.3	0	34
37 Diabetes mellitus (260)	-	-	-	0	0	0	-	-	-	0	0	0	35
38 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
39 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
40 Vascular lesions affecting central nervous system (330-334)	8	5	3	92.0	111.1	71.4	11	4	7	148.6	85.1	259.3	38
41 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
42 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
43 Heart diseases (410-443)	16	10	6	183.9	222.2	142.9	21	14	7	283.8	297.9	259.3	41
44 Hypertension without mention of heart (444-447)	1	1	-	11.5	22.2	0	-	-	-	0	0	0	42
45 Influenza and pneumonia (480-483, 490-493)	2	-	2	23.0	0	47.6	1	-	1	13.5	0	37.0	43
46 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
47 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0	45
48 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
49 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0	47
50 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	-	-	-	0	0	0	48
51 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0	49
52 Nephritis and nephrosis (590-594)	1	-	1	11.5	0	23.8	-	-	-	0	0	0	50
53 Hyperplasia of prostate (610)	1	-	1	11.5	0	23.8	-	-	-	0	0	0	51
54 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
55 Congenital malformations (750-759)	1	1	-	11.5	22.2	0	-	-	-	0	0	0	53
56 Birth injuries, postnatal asphyxia and atelectasis (760-762)	3	3	-	34.5	66.7	0	-	-	-	0	0	0	54
57 Infection of the newborn (763-768)	-	-	-	0	0	0	1	-	1	13.5	0	37.0	55
58 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	8	6	2	92.0	133.3	47.6	2	1	1	27.0	21.3	37.0	56
59 Senility, without mention of psychosis (794)	1	-	1	11.5	0	23.8	-	-	-	0	0	0	57
60 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	2	1	1	27.0	21.3	37.0	58
61 Motor vehicle accidents (E810-E835)	4	4	2	46.0	88.9	0	1	1	1	13.5	21.3	0	59
62 All other accidents (E800-E802, E840-E962)	4	2	2	46.0	44.4	47.6	2	1	1	27.0	21.3	37.0	60
63 Suicide (E963, E970-E979)	1	-	-	0	0	0	1	1	-	13.5	21.3	0	61
64 Homicide (E964, E980-E985)	1	1	-	11.5	22.2	0	-	-	-	0	0	0	62
65 All other diseases (residual)	4	2	2	46.0	44.4	47.6	6	3	3	81.1	63.8	111.1	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Carroll						Catoosa						Charlton						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	851	604	247	24.8	21.9	36.9	467	457	10	27.3	27.5	20.0	187	102	85	41.6	31.9	65.4	1
2	741	590	151	87.1%	97.7%	61.1%	459	453	6	98.3%	99.1%	60.0%	124	98	26	66.3%	96.1%	30.6%	2
3	17	4	13	2.0%	0.7%	5.3%	5	1	4	1.1%	0.2%	40.0%	1	-	1	0.5%	0%	1.2%	3
4	92	9	83	10.8%	1.5%	33.6%	3	3	-	0.6%	0.7%	0%	62	4	58	33.2%	3.9%	68.2%	4
5	1	1	-	0.1%	0.2%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	62	37	25	72.9	61.3	101.2	30	29	1	64.2	63.5	100.0	12	4	8	64.2	39.2	94.1	6
7	14	8	6	16.5	13.2	24.3	18	18	-	38.5	39.4	0	24	14	10	128.3	137.3	117.6	7
8	3	1	2	3.5	1.7	8.1	6	6	-	12.8	13.1	0	12	8	4	64.2	78.4	47.1	8
9	1	1	-	1.2	1.7	0	2	2	-	4.3	4.4	0	2	1	1	10.7	9.8	11.8	9
	9	5	4	10.6	8.3	16.2	9	9	-	19.3	19.7	0	9	4	5	48.1	39.2	58.8	
	1	1	-	1.2	1.7	0	1	1	-	2.1	2.2	0	1	1	-	5.3	9.8	0	
10	248	212	36	723.0	768.1	537.3	86	85	1	502.9	512.0	200.0	48	22	26	1066.7	687.5	2000.0	10
11	16	12	4	18.8	19.9	16.2	12	12	-	25.7	26.3	0	7	1	6	37.4	9.8	70.6	11
12	13	11	2	15.3	18.2	8.1	7	7	-	15.0	15.3	0	4	1	3	21.4	9.8	35.3	12
13	5	4	1	5.9	6.6	4.0	5	5	-	10.7	10.9	0	2	-	2	10.7	0	23.5	13
14	5	5	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	14
15	1	-	1	11.8	0	40.5	-	-	-	0	0	0	-	-	-	0	0	0	15
16	3	2	1	8.7	7.2	14.9	2	2	-	11.7	12.0	0	-	-	-	0	0	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	22.2	0	76.9	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	2	2	-	5.8	7.2	0	-	-	-	0	0	0	1	-	1	22.2	0	76.9	32
33	35	32	3	102.0	115.9	44.8	12	12	-	70.2	72.3	0	10	6	4	222.2	187.5	307.7	33
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	7	6	1	20.4	21.7	14.9	2	2	-	11.7	12.0	0	-	-	-	0	0	0	35
36	1	1	-	2.9	3.6	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	38	32	6	110.8	115.9	89.6	15	14	1	87.7	84.3	200.1	7	4	3	155.6	125.0	230.8	38
39	-	-	-	0	0	0	2	2	-	11.7	12.0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	22.2	31.2	0	40
41	76	68	8	221.6	246.4	119.4	29	29	-	169.6	174.7	0	9	6	3	200.0	187.5	230.8	41
42	2	1	1	5.8	3.6	14.9	-	-	-	0	0	0	1	-	1	22.2	0	76.9	42
43	9	3	6	26.2	10.9	89.6	2	2	-	11.7	12.0	0	2	1	1	44.4	31.2	76.9	43
44	2	2	-	5.8	7.2	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	2	2	-	5.8	7.2	0	-	-	-	0	0	0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	1	1	-	2.9	3.6	0	-	-	-	0	0	0	-	-	-	0	0	0	47
48	1	-	1	2.9	0	14.9	-	-	-	0	0	0	2	1	1	44.4	31.2	76.9	48
49	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	22.2	0	76.9	49
50	6	4	2	17.5	14.5	29.8	1	1	-	5.8	6.0	0	-	-	-	0	0	0	50
51	1	1	-	2.9	3.6	0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	1	-	1	2.9	0	14.9	-	-	-	0	0	0	-	-	-	0	0	0	52
53	2	2	-	5.8	7.2	0	-	-	-	0	0	0	1	1	-	22.2	31.2	0	53
54	4	4	-	11.7	14.5	0	-	-	-	0	0	0	-	-	-	0	0	0	54
55	1	1	-	2.9	3.6	0	1	1	-	5.8	6.0	0	-	-	-	0	0	0	55
56	7	5	2	20.4	18.1	29.8	6	6	-	35.1	36.1	0	2	-	2	44.4	0	153.8	56
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
58	1	1	-	2.9	3.6	0	6	6	-	35.1	36.1	0	1	-	1	22.2	0	76.9	58
59	5	4	1	14.6	14.5	14.9	1	1	-	5.8	6.0	0	2	-	2	44.4	0	153.8	59
60	10	10	-	29.2	36.2	0	1	1	-	5.8	6.0	0	3	-	3	66.7	0	230.8	60
61	5	5	-	14.6	18.1	0	1	1	-	5.8	6.0	0	-	-	-	0	0	0	61
62	2	1	1	5.8	3.6	14.9	-	-	-	0	0	0	1	-	1	22.2	0	76.9	62
63	24	22	2	70.0	79.7	29.8	5	5	-	29.2	30.1	0	3	2	1	66.7	62.5	76.9	63

See notes on page 91

ITEM	Chatham						Chattahoochee						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	5,317	3,431	1,886	31.0	31.7	29.7	56	27	29	46.7	45.0	48.3	1
2 Delivered in hospital	5,115	3,425	1,690	96.2%	99.8%	89.6%	34	26	8	60.7%	96.3%	27.6%	2
3 Delivered in home by physician	195	4	191	3.7%	0.1%	10.1%	1	-	1	1.8%	0%	3.4%	3
4 Delivered in home by midwife	5	1	4	0.1%	0.0%	0.2%	21	1	20	37.5%	3.7%	69.0%	4
5 Other deliveries	2	1	1	0.0%	0.0%	0.1%	-	-	-	0%	0%	0%	5
6 Immature births	451	215	236	84.8	62.7	125.1	3	2	1	53.6	74.1	34.5	6
FETAL DEATHS													
7 Total	282	163	119	53.0	47.5	63.1	-	-	-	0	0	0	
8 Under 20 weeks gestation	149	112	37	28.0	32.6	19.6	-	-	-	0	0	0	7
9 20-27 weeks gestation	42	18	24	7.9	5.2	12.7	-	-	-	0	0	0	8
28 weeks and more	82	28	54	15.4	8.2	28.6	-	-	-	0	0	0	9
Unknown length of gestation	9	5	4	1.7	1.5	2.1	-	-	-	0	0	0	
DEATHS													
10 Total, all ages	1,643	860	783	957.5	794.8	1235.0	15	4	11	1250.0	666.7	1833.3	10
11 Under 1 year	135	74	61	25.4	21.6	32.3	3	2	1	53.6	74.1	34.5	11
12 Under 28 days	101	60	41	19.0	17.5	21.7	2	1	1	35.7	37.0	34.5	12
13 Deaths from immaturity	37	20	17	7.0	5.8	9.0	1	1	-	17.9	37.0	0	13
14 1-4 years **	25	8	17	-	-	-	-	-	-	-	-	-	14
15 Maternal deaths	4	-	4	7.5	0	21.2	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	17	7	10	9.9	6.5	15.8	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	3	1	2	1.7	0.9	3.2	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	1	-	1	0.6	0	1.6	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	2	1	1	1.2	0.9	1.6	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	3	1	2	1.7	0.9	3.2	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	213	126	87	124.1	116.5	137.2	1	-	1	83.3	0	166.7	33
34 Benign and unspecified neoplasms (210-239)	4	1	3	2.3	0.9	4.7	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	18	6	12	10.5	5.5	18.9	1	-	1	83.3	0	166.7	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	4	1	3	2.3	0.9	4.7	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	310	110	200	180.7	101.7	315.5	3	-	3	250.0	0	500.0	38
39 Nonmeningococcal meningitis (340)	4	2	2	2.3	1.8	3.2	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	539	336	203	314.1	310.5	320.2	3	1	2	250.0	166.7	333.3	41
42 Hypertension without mention of heart (444-447)	17	7	10	9.9	6.5	15.8	-	-	-	0	0	0	42
43 Influenza and pneumonia (480-483, 490-493)	60	23	37	35.0	21.3	58.4	-	-	-	0	0	0	43
44 Bronchitis (500-502)	5	3	2	2.9	2.8	3.2	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	7	7	-	4.1	6.5	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	2	1	1	1.2	0.9	1.6	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	5	2	3	2.9	1.8	4.7	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	7	3	4	4.1	2.8	6.3	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	18	13	5	10.5	12.0	7.9	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	26	5	21	15.2	4.6	33.1	-	-	-	0	0	0	50
51 Hyperplasia of prostate (610)	2	1	1	1.2	0.9	1.6	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	4	-	4	2.3	0	6.3	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	18	13	5	10.5	12.0	7.9	2	1	1	166.7	166.7	166.7	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	43	25	18	25.1	23.1	28.4	-	-	-	0	0	0	54
55 Infection of the newborn (763-768)	5	1	4	2.9	0.9	6.3	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	44	27	17	25.6	25.0	26.8	1	1	-	83.3	166.7	0	56
57 Senility, without mention of psychosis (794)	2	2	-	1.2	1.8	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	2	1	1	1.2	0.9	1.6	-	-	-	0	0	0	58
59 Motor vehicle accidents (E810-E835)	44	26	18	25.6	24.0	28.4	1	-	1	83.3	0	166.7	59
60 All other accidents (E800-E802, E840-E962)	67	25	42	39.0	23.1	66.2	3	1	2	250.0	166.7	333.3	60
61 Suicide (E963, E970-E979)	9	9	-	5.2	8.3	0	-	-	-	0	0	0	61
62 Homicide (E984, E980-E985)	27	4	23	15.7	3.7	36.3	-	-	-	0	0	0	62
63 All other diseases (residual)	111	70	41	64.7	64.7	64.7	-	-	-	0	0	0	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Chattooga						Cherokee						Clarke						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	498	456	42	21.7	22.1	17.5	556	526	30	26.2	26.2	27.3	1,031	688	343	24.8	22.1	33.3	1
2	482	449	33	96.8%	98.5%	78.6%	548	521	27	98.6%	99.0%	90.0%	1,016	686	330	98.5%	99.7%	96.2%	2
3	2	2	0	0.4%	0.4%	0%	1	-	1	0.2%	0%	3.3%	4	2	2	0.4%	0.3%	0.6%	3
4	13	5	8	2.6%	1.1%	19.0%	7	5	2	1.3%	1.0%	6.7%	10	-	10	1.0%	0%	2.9%	4
5	1	1	0	0.2%	0%	2.4%	-	-	-	0%	0%	0%	1	-	1	0.1%	0%	0.3%	5
6	72	64	8	144.6	140.4	190.5	34	32	2	61.2	60.8	66.7	83	39	44	80.5	56.7	128.3	6
7	23	20	3	46.2	43.9	71.4	8	8	-	14.4	15.2	0	34	19	15	33.0	27.6	43.7	7
8	9	9	-	18.1	19.7	0	-	-	-	0	0	0	15	11	4	14.5	16.0	11.7	8
9	4	3	1	8.0	6.6	23.8	-	-	-	0	0	0	4	1	3	3.9	1.5	8.7	8
	7	5	2	14.1	11.0	47.6	7	7	-	12.6	13.3	0	15	7	8	14.5	10.2	23.3	9
	3	3	-	6.0	6.6	0	1	1	-	1.8	1.9	0	-	-	-	0	0	0	9
10	177	165	12	769.6	801.0	500.0	163	160	3	768.9	796.0	272.7	360	198	162	867.5	634.6	1572.8	10
11	16	16	-	32.1	35.1	0	8	8	-	14.4	15.2	0	28	8	20	27.2	11.6	58.3	11
12	11	11	-	22.1	24.1	0	6	6	-	10.8	11.4	0	18	6	12	17.5	8.7	35.0	12
13	1	1	-	2.0	2.2	0	2	2	-	3.6	3.8	0	3	2	1	2.9	2.9	2.9	13
14	3	3	-	-	-	0	2	2	-	-	-	0	9	2	7	-	-	-	14
15	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	9.7	14.5	0	15
16	1	1	-	4.3	4.9	0	1	1	-	4.7	5.0	0	4	3	1	9.6	9.6	9.7	16
17	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	2.4	3.2	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	1	1	1	2.4	0	9.7	24
25	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	2.4	3.2	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	2.4	0	9.7	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	1	-	4.3	4.9	0	-	-	-	0	0	0	1	-	1	2.4	0	9.7	32
33	24	24	-	104.3	116.5	0	23	23	-	108.5	114.4	0	51	38	13	122.9	121.8	126.2	33
34	2	2	-	8.7	9.7	0	1	1	-	4.7	5.0	0	1	-	1	2.4	0	9.7	34
35	4	3	1	17.4	14.6	41.7	1	1	-	4.7	5.0	0	2	1	1	4.8	3.2	9.7	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	1	1	-	4.3	0	41.7	-	-	-	0	0	0	1	-	1	2.4	0	9.7	37
38	27	25	2	117.4	121.4	83.3	27	26	1	127.4	129.4	90.9	50	26	24	120.5	83.3	233.0	38
39	-	-	-	0	0	0	1	1	-	4.7	5.0	0	1	-	1	2.4	0	9.7	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	49	44	5	213.0	213.6	208.3	60	59	1	283.0	293.5	90.9	113	77	36	272.3	246.8	349.5	41
42	1	1	-	4.3	4.9	0	-	-	-	0	0	0	8	3	5	19.3	9.6	48.5	42
43	8	8	-	34.8	38.8	0	6	6	-	28.3	29.8	0	9	1	8	21.7	3.2	77.7	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	1	1	-	4.3	4.9	0	-	-	-	0	0	0	5	2	3	12.0	6.4	29.1	45
46	1	1	-	4.3	4.9	0	-	-	-	0	0	0	1	-	1	2.4	0	9.7	46
47	1	1	-	4.3	4.9	0	-	-	-	0	0	0	2	1	1	4.8	3.2	9.7	47
48	2	2	-	8.7	9.7	0	-	-	-	0	0	0	3	1	2	7.2	3.2	19.4	48
49	-	-	-	0	0	0	2	2	-	9.4	10.0	0	1	-	1	2.4	0	9.7	49
50	1	1	-	4.3	4.9	0	2	2	-	9.4	10.0	0	19	1	18	45.8	3.2	174.8	50
51	1	1	-	4.3	4.9	0	1	1	-	4.7	5.0	0	1	-	1	2.4	0	9.7	51
52	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	2.4	3.2	0	52
53	2	2	-	8.7	9.7	0	1	1	-	4.7	5.0	0	3	3	-	7.2	9.6	0	53
54	10	10	-	43.5	48.5	0	2	2	-	9.4	10.0	0	9	2	7	21.7	6.4	68.0	54
55	-	-	-	0	0	0	1	1	-	4.7	5.0	0	-	-	-	0	0	0	55
56	1	1	-	4.3	4.9	0	2	2	-	9.4	10.0	0	7	3	4	16.9	9.6	38.8	56
57	1	1	-	4.3	4.9	0	1	1	-	4.7	5.0	0	1	1	-	2.4	3.2	0	57
58	2	-	2	8.7	0	83.3	-	-	-	0	0	0	2	-	2	4.8	0	19.4	58
59	13	13	-	56.5	63.1	0	12	12	-	56.6	59.7	0	15	8	7	36.1	25.6	68.0	59
60	7	6	1	30.4	29.1	41.7	8	8	-	37.7	39.8	0	12	6	6	28.9	19.2	58.3	60
61	-	-	-	0	0	0	2	2	-	9.4	10.0	0	3	1	2	7.2	3.2	19.4	61
62	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	62
63	16	16	-	69.6	77.7	0	9	8	1	42.5	39.8	90.9	27	17	10	65.1	54.5	97.1	63

See notes on page 91

TABLE XIII

VITAL STATISTICS, BY

ITEM	Clay						Clayton						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	140	29	111	27.4	18.1	31.7	1,067	917	150	34.0	34.6	30.6	1
2 Delivered in hospital	50	29	21	35.7%	100.0%	18.9%	981	910	71	91.9%	99.2%	47.3%	2
3 Delivered in home by physician	-	-	-	0%	0%	0%	24	5	19	2.2%	0.5%	12.7%	3
4 Delivered in home by midwife	90	-	90	64.3%	0%	81.1%	62	2	60	5.8%	0.2%	40.0%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	14	2	12	100.0	69.0	108.1	82	64	18	76.9	69.8	120.0	6
FETAL DEATHS													
7 Total	6	-	6	42.9	0	54.1	39	26	13	36.6	28.4	86.7	
8 Under 20 weeks gestation	-	-	-	0	0	0	17	14	3	15.9	15.3	20.0	7
9 20-27 weeks gestation	-	-	-	0	0	0	6	2	4	5.6	2.2	26.7	8
28 weeks and more	5	-	5	35.7	0	45.0	15	9	6	14.1	9.8	40.0	9
Unknown length of gestation	1	-	1	7.1	0	9.0	1	1	-	0.9	1.1	0	
DEATHS													
10 Total, all ages	40	18	22	784.3	1125.0	628.6	163	132	31	519.1	498.1	632.7	10
11 Under 1 year	4	4	-	28.6	137.9	0	20	14	6	18.7	15.3	40.0	11
12 Under 28 days	3	3	-	21.4	103.4	0	13	10	3	12.2	10.9	20.0	12
13 Deaths from immaturity	3	3	-	21.4	103.4	0	2	2	-	1.9	2.2	0	13
14 1-4 years **	-	-	-	-	-	-	1	1	-	-	-	0	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	2	2	-	6.4	7.5	0	16
17 Syphilis and its sequelae (020-029)	1	1	-	19.6	62.5	0	1	1	1	3.2	0	20.4	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	1	-	1	3.2	0	20.4	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	2	-	2	39.2	0	57.1	20	19	1	63.7	71.7	20.4	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	2	2	-	6.4	7.5	0	34
35 Diabetes mellitus (260)	-	-	-	0	0	0	2	2	-	6.4	7.5	0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	5	4	1	98.0	250.0	28.6	26	17	9	82.8	64.2	183.7	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	1	1	-	3.2	3.8	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	1	1	-	3.2	3.8	0	40
41 Heart diseases (410-443)	18	6	12	352.9	375.0	342.9	49	42	7	156.1	158.5	142.9	41
42 Hypertension without mention of heart (444-447)	1	-	1	19.6	0	28.6	1	1	-	3.2	3.8	0	42
43 Influenza and pneumonia (480-483, 490-493)	3	1	2	58.8	62.5	57.1	6	3	3	19.1	11.3	61.2	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	1	1	-	3.2	3.8	0	49
50 Nephritis and nephrosis (590-594)	1	1	-	19.6	62.5	0	2	1	1	6.4	3.8	20.4	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	-	-	-	0	0	0	3	3	-	9.6	11.3	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	5	4	1	15.9	15.1	20.4	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	3	1	2	9.6	3.8	40.8	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	3	-	58.8	187.5	0	4	3	1	12.7	11.3	20.4	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	2	2	-	6.4	7.5	0	58
59 Motor vehicle accidents (E810-E835)	1	-	1	19.6	0	28.6	6	5	1	19.1	18.9	20.4	59
60 All other accidents (E800-E802, E840-E962)	-	-	-	0	0	0	7	6	1	22.3	22.6	20.4	60
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	6	6	-	19.1	22.6	0	61
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	4	3	1	12.7	11.3	20.4	62
63 All other diseases (residual)	5	2	3	98.0	125.0	85.7	8	7	1	25.5	26.4	20.4	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Glinch						Cobb						Coffee						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	239	121	118	35.7	27.5	51.3	2,809	2,532	277	35.6	35.5	37.4	628	392	236	24.5	20.4	36.9	1
2	205	116	89	85.8%	95.9%	75.4%	2,771	2,521	250	98.6%	99.6%	90.3%	447	367	80	71.2%	93.6%	33.9%	2
3	-	-	-	0%	0%	0%	20	11	9	0.7%	0.4%	3.2%	38	19	19	6.0%	4.8%	8.0%	3
4	32	4	28	13.4%	3.3%	23.7%	17	-	17	0.6%	0%	6.1%	143	6	137	22.8%	1.5%	58.0%	4
5	2	1	1	0.8%	0.8%	0.8%	1	-	1	0.0%	0%	0.4%	-	-	-	0%	0%	0%	5
6	17	7	10	71.1	57.9	84.7	202	165	37	71.9	65.2	133.6	40	20	20	63.7	51.0	84.7	6
7	10	8	2	41.8	66.1	16.9	72	63	9	25.6	24.9	32.5	34	23	11	54.1	58.7	46.6	7
8	3	3	-	12.6	24.8	0	33	32	1	11.7	12.6	3.6	14	12	2	22.3	30.6	8.5	8
9	1	1	-	4.2	8.3	0	12	11	1	4.3	4.3	3.6	9	6	3	14.3	15.3	12.7	9
	6	4	2	25.1	33.1	16.9	24	19	5	8.5	7.5	18.0	10	5	5	15.9	12.8	21.2	
	-	-	-	0	0	0	3	1	2	1.1	0.4	7.2	1	-	1	1.6	0	4.2	
10	81	34	47	1209.0	772.7	2043.5	517	451	66	656.1	631.7	891.9	200	133	67	781.2	692.7	1046.9	10
11	13	2	11	54.4	16.5	93.2	73	59	14	26.0	23.3	50.5	26	12	14	41.4	30.6	59.3	11
12	8	2	6	33.5	16.5	50.8	50	43	7	17.8	17.0	25.3	21	11	10	33.4	28.1	42.4	12
13	2	1	1	8.4	8.3	8.5	12	8	4	4.3	3.2	14.4	5	1	4	8.0	2.6	16.9	13
14	2	1	1	-	-	-	11	10	1	-	-	-	5	3	2	-	-	-	14
15	1	-	1	41.8	0	84.7	1	-	1	3.6	0	36.1	1	-	1	15.9	0	42.4	15
16	-	-	-	0	0	0	5	5	-	6.3	7.0	0	2	-	2	7.8	0	31.2	16
17	1	-	1	14.9	0	43.5	1	1	-	1.3	1.4	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	1	1	-	14.9	22.7	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	1	-	1	14.9	0	43.5	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	1	1	-	1.3	1.4	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	2	2	-	2.5	2.8	0	3	1	2	11.7	5.2	31.2	32
33	6	2	4	89.6	45.5	173.9	82	71	11	104.1	99.4	148.6	20	15	5	78.1	78.1	78.1	33
34	-	-	-	0	0	0	3	3	-	3.8	4.2	0	1	-	1	3.9	0	15.6	34
35	1	1	-	14.9	22.7	0	6	4	2	7.6	5.6	27.0	3	1	2	11.7	5.2	31.2	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	5	2	3	74.6	45.5	130.4	74	65	9	93.9	91.0	121.6	32	18	14	125.0	93.7	218.8	38
39	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	3.9	5.2	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	32	17	15	477.6	386.4	652.2	142	128	14	180.2	179.3	189.2	65	53	12	253.9	276.0	187.5	41
42	1	1	-	14.9	22.7	0	3	3	-	3.8	4.2	0	-	-	-	0	0	0	42
43	4	-	4	59.7	0	173.9	10	7	3	12.7	9.8	40.5	6	4	2	23.4	20.8	31.2	43
44	-	-	-	0	0	0	4	1	3	5.1	1.4	40.5	-	-	-	0	0	0	44
45	-	-	-	0	0	0	1	1	-	1.3	1.4	0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	1	1	-	1.3	1.4	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	1	1	-	1.3	1.4	0	-	-	-	0	0	0	47
48	1	-	1	14.9	0	43.5	6	3	3	7.6	4.2	40.5	1	-	1	3.9	0	15.6	48
49	-	-	-	0	0	0	3	3	-	3.8	4.2	0	1	1	-	3.9	5.2	0	49
50	2	-	2	29.8	0	87.0	5	5	-	6.3	7.0	0	3	2	1	11.7	10.4	15.6	50
51	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	1	-	1	14.9	0	43.5	1	-	1	1.3	0	13.5	1	-	1	3.9	0	15.6	52
53	1	1	-	14.9	22.7	0	21	20	1	26.6	28.0	13.5	5	4	1	19.5	20.8	15.6	53
54	5	1	4	74.6	22.7	173.9	24	23	1	30.5	32.2	13.5	7	5	2	27.3	26.0	31.2	54
55	1	-	1	14.9	0	43.5	2	2	-	2.5	2.8	0	2	1	1	7.8	5.2	15.6	55
56	2	1	1	29.8	22.7	43.5	18	11	7	22.8	15.4	94.6	7	1	6	27.3	5.2	93.8	56
57	-	-	-	0	0	0	1	1	-	1.3	1.4	0	-	-	-	0	0	0	57
58	2	-	2	29.8	0	87.0	1	1	-	1.3	1.4	0	1	-	1	3.9	0	15.6	58
59	4	2	2	59.7	45.5	87.0	22	22	-	27.9	30.8	0	9	3	6	35.2	15.6	93.8	59
60	4	1	3	59.7	22.7	130.4	23	21	2	29.2	29.4	27.0	8	7	1	31.2	36.5	15.6	60
61	2	2	-	29.8	45.5	0	5	5	-	6.3	7.0	0	2	2	-	7.8	10.4	0	61
62	1	1	1	14.9	0	43.5	6	-	6	7.6	0	81.1	6	1	5	23.4	5.2	78.1	62
63	3	2	1	44.8	45.5	43.5	43	40	3	54.6	56.0	40.5	14	13	1	54.7	67.7	15.6	63

See notes on page 91

ITEM	Colquitt						Columbia						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	942	630	312	27.5	24.2	37.6	447	270	177	41.1	42.2	39.3	1
2 Delivered in hospital	766	616	150	81.3%	97.8%	48.1%	343	265	78	76.7%	98.1%	44.1%	2
3 Delivered in home by physician	19	5	14	2.0%	0.8%	4.5%	13	2	11	2.9%	0.7%	6.2%	3
4 Delivered in home by midwife	157	9	148	16.7%	1.4%	47.4%	90	3	87	20.1%	1.1%	49.2%	4
5 Other deliveries	-	-	-	0%	0%	0%	1	-	1	0.2%	0%	0.6%	5
6 Immature births	62	36	26	65.8	57.1	83.3	41	15	26	91.7	55.6	146.9	6
FETAL DEATHS													
7 Total	52	36	16	55.2	57.1	51.3	21	17	4	47.0	63.0	22.6	
8 Under 20 weeks gestation	25	18	7	26.5	28.6	22.4	9	9	-	20.1	33.3	0	7
9 20-27 weeks gestation	2	-	2	2.1	0	6.4	1	1	-	2.2	3.7	0	8
28 weeks and more	25	18	7	26.5	28.6	22.4	11	7	4	24.6	25.9	22.6	9
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0	
DEATHS													
10 Total, all ages	273	187	86	795.9	719.2	1036.1	116	56	60	1064.2	875.0	1333.3	10
11 Under 1 year	24	11	13	25.5	17.5	41.7	18	8	10	40.3	29.6	56.5	11
12 Under 28 days	16	8	8	17.0	12.7	25.6	14	7	7	31.3	25.9	39.5	12
13 Deaths from immaturity	3	2	1	3.2	3.2	3.2	2	1	1	4.5	3.7	5.6	13
14 1-4 years **	7	2	5	-	-	-	5	1	4	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	2	-	2	5.8	0	24.1	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	1	-	1	2.9	0	12.0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	1	-	1	2.9	0	12.0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	1	1	-	2.9	3.8	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	2	-	2	5.8	0	24.1	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	33	22	11	96.2	84.6	132.5	4	3	1	36.7	46.9	22.2	33
34 Benign and unspecified neoplasms (210-239)	3	2	1	8.7	7.7	12.0	1	-	1	9.2	0	22.2	34
35 Diabetes mellitus (260)	4	3	1	11.7	11.5	12.0	-	-	-	0	0	0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	1	1	-	2.9	3.8	0	1	-	1	9.2	0	22.2	37
38 Vascular lesions affecting central nervous system (330-334)	45	31	14	131.2	119.2	168.7	19	6	13	174.3	93.8	288.9	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	1	-	1	2.9	0	12.0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	74	63	11	215.7	242.3	132.5	46	26	20	422.0	406.2	444.4	41
42 Hypertension without mention of heart (444-447)	3	3	-	8.7	11.5	0	1	-	1	9.2	0	22.2	42
43 Influenza and pneumonia (480-483, 490-493)	14	9	5	40.8	34.6	60.2	4	1	3	36.7	15.6	66.7	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	3	2	1	8.7	7.7	12.0	2	-	2	18.3	0	44.4	45
46 Appendicitis (550-553)	1	1	-	2.9	3.8	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	2	1	1	5.8	3.8	12.0	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhoea of the newborn) (543, 571, 572)	2	-	2	5.8	0	24.1	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	2	2	-	5.8	7.7	0	1	1	-	9.2	15.6	0	49
50 Nephritis and nephrosis (590-594)	7	3	4	20.4	11.5	48.2	3	2	1	27.5	31.2	22.2	50
51 Hyperplasia of prostate (610)	1	-	1	2.9	0	12.0	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	3	2	1	8.7	7.7	12.0	-	-	-	0	0	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	10	5	5	29.2	19.2	60.2	6	3	3	55.0	46.9	66.7	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	2	2	-	18.3	31.2	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	4	3	1	11.7	11.5	12.0	5	2	3	45.9	31.2	66.7	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	2	1	1	5.8	3.8	12.0	1	-	1	9.2	0	22.2	58
59 Motor vehicle accidents (E810-E835)	9	5	4	26.2	19.2	48.2	5	5	-	45.9	78.1	0	59
60 All other accidents (E800-E802, E840-E942)	15	10	5	43.7	38.5	60.2	8	2	6	73.4	31.2	133.3	60
61 Suicide (E963, E970-E979)	1	1	-	2.9	3.8	0	2	2	-	18.3	31.2	0	61
62 Homicide (E964, E980-E985)	7	1	6	20.4	3.8	72.3	1	-	1	9.2	0	22.2	62
63 All other diseases (residual)	19	15	4	55.4	57.7	48.2	4	1	3	36.7	15.6	66.7	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Cook						Coweta						Crawford						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	330	192	138	26.4	21.6	38.3	687	385	302	24.1	21.5	28.5	151	44	107	28.0	20.0	33.4	1
2	308	189	119	93.3%	98.4%	86.2%	529	380	149	77.0%	98.7%	49.3%	62	41	21	41.1%	93.2%	19.6%	2
3	1	1	-	0.3%	0.5%	0%	19	3	16	2.8%	0.8%	5.3%	29	3	26	19.2%	6.8%	24.3%	3
4	21	2	19	6.4%	1.0%	13.8%	133	2	131	19.4%	0.5%	43.4%	60	-	60	39.7%	0%	56.1%	4
5	-	-	-	0%	0%	0%	6	-	6	0.9%	0%	2.0%	-	-	-	0%	0%	0%	5
6	35	19	16	106.1	99.0	115.9	59	24	35	85.9	62.3	115.9	13	4	9	86.1	90.9	84.1	6
7	10	6	4	30.3	31.2	29.0	21	8	13	30.6	20.8	43.0	3	-	3	19.9	0	28.0	7
8	1	-	1	3.0	0	7.2	2	1	1	2.9	2.6	3.3	-	-	-	0	0	0	8
9	2	2	-	6.1	10.4	0	5	1	4	7.3	2.6	13.2	-	-	-	0	0	0	9
	7	4	3	21.2	20.8	21.7	14	6	8	20.4	15.6	26.5	3	3	3	19.9	0	28.0	
	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	
10	116	74	42	928.0	831.5	1166.7	282	172	110	989.5	960.9	1037.7	52	24	28	963.0	1090.9	875.0	10
11	13	7	6	39.4	36.5	43.5	24	14	10	34.9	36.4	33.1	3	-	3	19.9	0	28.0	11
12	6	4	2	18.2	20.8	14.5	18	12	6	26.2	31.2	19.9	-	-	-	0	0	0	12
13	2	1	1	6.1	5.2	7.2	6	3	3	8.7	7.8	9.9	-	-	-	0	0	0	13
14	3	-	3	-	-	-	5	3	2	-	-	-	2	1	1	0	0	0	14
15	1	1	-	30.3	52.1	0	-	-	-	0	0	0	-	-	-	0	0	0	15
16	1	-	1	8.0	0	27.8	2	1	1	7.0	5.6	9.4	2	2	-	37.0	90.9	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	1	1	-	3.5	5.6	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	-	1	8.0	0	27.8	-	-	-	0	0	0	-	-	-	0	0	0	32
33	17	15	2	136.0	168.5	55.6	43	23	20	150.9	128.5	188.7	6	4	2	111.1	181.8	62.5	33
34	2	-	2	16.0	0	55.6	-	-	-	0	0	0	-	-	-	0	0	0	34
35	2	1	1	16.0	11.2	27.8	1	1	-	3.5	5.6	0	1	1	-	18.5	45.5	0	35
36	-	-	-	0	0	0	1	1	-	3.5	5.6	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	22	15	7	176.0	168.5	194.4	49	25	24	171.9	139.7	226.4	12	6	6	222.2	272.7	187.5	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	27	20	7	216.0	224.7	194.4	80	58	22	280.7	324.0	207.5	15	6	9	277.8	272.7	281.2	41
42	2	1	1	16.0	11.2	27.8	7	2	5	24.6	11.2	47.2	1	-	1	18.5	0	31.2	42
43	4	1	3	32.0	11.2	83.3	10	7	3	35.1	39.1	28.3	5	1	4	92.6	45.5	125.0	43
44	-	-	-	0	0	0	2	1	1	7.0	5.6	9.4	-	-	-	0	0	0	44
45	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	2	2	-	16.0	22.5	0	2	1	1	7.0	5.6	9.4	-	-	-	0	0	0	47
48	4	-	4	32.0	0	111.1	2	1	1	7.0	5.6	9.4	-	-	-	0	0	0	48
49	-	-	-	0	0	0	1	1	-	3.5	5.6	0	-	-	-	0	0	0	49
50	2	-	2	16.0	0	55.6	6	3	3	21.1	16.8	28.3	-	-	-	0	0	0	50
51	2	-	2	16.0	0	55.6	3	-	3	10.5	0	28.3	-	-	-	0	0	0	51
52	1	1	-	8.0	11.2	0	-	-	-	0	0	0	-	-	-	0	0	0	52
53	-	-	-	0	0	0	2	2	-	7.0	11.2	0	-	-	-	0	0	0	53
54	1	1	-	8.0	11.2	0	8	7	1	28.1	39.1	9.4	-	-	-	0	0	0	54
55	2	1	1	16.0	11.2	27.8	1	-	1	3.5	0	9.4	-	-	-	0	0	0	55
56	2	1	1	16.0	11.2	27.8	7	3	4	24.6	16.8	37.7	-	-	-	0	0	0	56
57	1	-	1	8.0	0	27.8	2	2	-	7.0	11.2	0	-	-	-	0	0	0	57
58	-	-	-	0	0	0	5	1	4	17.5	5.6	37.7	-	-	-	0	0	0	58
59	3	2	1	24.0	22.5	27.8	15	13	2	52.6	72.6	18.9	1	1	-	18.5	45.5	0	59
60	7	5	2	56.0	56.2	55.6	13	6	7	45.6	33.5	66.0	3	1	2	55.6	45.5	62.5	60
61	-	-	-	0	0	0	4	4	-	14.0	22.3	0	-	-	-	0	0	0	61
62	2	1	1	16.0	11.2	27.8	4	4	4	14.0	0	37.7	3	1	2	55.6	45.5	62.5	62
63	9	7	2	72.0	78.7	55.6	11	8	3	38.6	44.7	28.3	3	1	2	55.6	45.5	62.5	63

See notes on page 91

ITEM	Crisp						Dede						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	476	215	261	26.7	21.3	33.9	216	209	7	25.7	25.2	70.0	1
2 Delivered in hospital	270	208	62	56.7%	96.7%	23.8%	179	172	7	82.9%	82.3%	100.0%	2
3 Delivered in home by physician	4	3	1	0.8%	1.4%	0.4%	24	24	-	11.1%	11.5%	0%	3
4 Delivered in home by midwife	199	4	195	41.8%	1.9%	74.7%	1	1	-	0.5%	0.5%	0%	4
5 Other deliveries	3	-	3	0.6%	0%	1.1%	12	12	-	5.6%	5.7%	0%	5
6 Immature births	32	6	26	67.2	27.9	99.6	14	13	1	64.8	62.2	142.9	6
FETAL DEATHS													
7 Total	35	12	23	73.5	55.8	88.1	7	7	-	32.4	33.5	0	7
8 Under 20 weeks gestation	17	8	9	35.7	37.2	34.5	2	2	-	9.3	9.6	0	8
9 20-27 weeks gestation	3	-	3	6.3	0	11.5	-	-	-	0	0	0	9
28 weeks and more	14	3	11	29.4	14.0	42.1	5	5	-	23.1	23.9	0	9
Unknown length of gestation	1	1	-	2.1	4.7	0	-	-	-	0	0	0	
DEATHS													
10 Total, all ages	172	86	86	966.3	851.5	1116.9	58	57	1	690.5	686.7	1000.0	10
11 Under 1 year	12	5	7	25.2	23.3	26.8	4	4	-	18.5	19.1	0	11
12 Under 28 days	9	5	4	18.9	23.3	15.3	1	1	-	4.6	4.8	0	12
13 Deaths from immaturity	2	1	1	4.2	4.7	3.8	-	-	-	0	0	0	13
14 1-4 years **	2	-	2	-	-	-	3	3	-	-	-	-	14
15 Maternal deaths	1	-	1	21.0	0	38.3	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	1	1	-	5.6	9.9	0	1	1	-	11.9	12.0	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	1	-	1	5.6	0	13.0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	19	14	5	106.7	138.6	64.9	7	6	1	83.3	72.3	1000.0	33
34 Benign and unspecified neoplasms (210-239)	1	-	1	5.6	0	13.0	1	1	-	11.9	12.0	0	34
35 Diabetes mellitus (260)	1	1	-	5.6	9.9	0	1	1	-	11.9	12.0	0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	24	10	14	134.8	99.0	181.8	7	7	-	83.3	84.3	0	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	2	-	2	11.2	0	26.0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	61	32	29	342.7	316.8	376.6	21	21	-	250.0	253.0	0	41
42 Hypertension without mention of heart (444-447)	6	4	2	33.7	39.6	26.0	1	1	-	11.9	12.0	0	42
43 Influenza and pneumonia (480-483, 490-493)	5	1	4	28.1	9.9	51.9	3	3	-	35.7	36.1	0	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	1	1	-	11.9	12.0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	2	1	1	11.2	9.9	13.0	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	-	2	11.2	0	26.0	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	4	1	3	22.5	9.9	39.0	2	2	-	23.8	24.1	0	50
51 Hyperplasia of prostate (610)	1	1	-	5.6	9.9	0	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	5.6	0	13.0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	4	3	1	22.5	29.7	13.0	3	3	-	35.7	36.1	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	3	1	2	16.9	9.9	26.0	1	1	-	11.9	12.0	0	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	1	2	16.9	9.9	26.0	-	-	-	0	0	0	56
57 Senility, without mention of psychosis (794)	3	1	2	16.9	9.9	26.0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	1	-	1	5.6	0	13.0	1	1	-	11.9	12.0	0	58
59 Motor vehicle accidents (E810-E835)	7	1	6	39.3	9.9	77.9	1	1	-	11.9	12.0	0	59
60 All other accidents (E800-E802, E840-E962)	8	4	4	44.9	39.6	51.9	3	3	-	35.7	36.1	0	60
61 Suicide (E963, E970-E979)	3	3	-	16.9	29.7	0	-	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	1	1	-	5.6	9.9	0	1	1	-	11.9	12.0	0	62
63 All other diseases (residual)	8	5	3	44.9	49.5	39.0	3	3	-	35.7	36.1	0	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Dawson						Decatur						DeKalb						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	79	79	0	24.7	24.7	0	722	392	330	30.1	30.2	30.0	6,285	5,555	730	33.6	33.1	38.8	1
2	79	79	0	100.0	100.0	0	541	382	159	74.9	97.4	48.2	6,169	5,496	673	98.2	98.9	92.2	2
3			0	0	0	0	47	5	42	6.5	1.3	12.7	98	54	44	1.6	1.0	6.0	3
4			0	0	0	0	132	4	128	18.3	1.0	38.8	13	-	13	0.2	0	1.8	4
5			0	0	0	0	2	1	1	0.3	0.3	0.3	5	5	-	0.1	0.1	0	5
6	2	2	0	25.3	25.3	0	49	18	31	67.9	45.9	93.9	453	347	106	72.1	62.5	145.2	6
7	1	1	0	12.7	12.7	0	18	8	10	24.9	20.4	30.3	229	192	37	36.4	34.6	50.7	7
8			0	0	0	0	3	3	2	4.2	7.7	0	126	112	14	20.0	20.2	19.2	8
9	1	1	0	12.7	12.7	0	4	2	2	5.5	5.1	6.1	33	27	6	5.2	4.9	8.2	7
			0	0	0	0	10	3	7	13.8	7.7	21.2	62	47	15	9.9	8.5	20.5	9
			0	0	0	0	1	-	1	1.4	0	3.0	8	6	2	1.3	1.1	2.7	9
10	21	21	0	656.2	656.2	0	225	110	115	937.5	846.2	1045.5	1,315	1,110	205	704.0	660.7	1090.4	10
11	3	3	0	38.0	38.0	0	25	9	16	34.6	23.0	48.5	139	99	40	22.1	17.8	54.8	11
12	3	3	0	38.0	38.0	0	16	6	10	22.2	15.3	30.3	109	80	29	17.3	14.4	39.7	12
13			0	0	0	0	5	1	4	6.9	2.6	12.1	30	24	6	4.8	4.3	8.2	13
14	1	1	0	0	0	0	6	6	6	0	0	0	11	9	2	0	0	0	14
15			0	0	0	0	1	1	-	13.8	25.5	0	3	2	1	4.8	3.6	13.7	15
16			0	0	0	0	2	1	1	8.3	7.7	9.1	6	5	1	3.2	3.0	5.3	16
17			0	0	0	0	-	-	-	0	0	0	1	1	-	0.5	0.6	0	17
18			0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19			0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20			0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21			0	0	0	0	-	-	-	0	0	0	1	1	-	0.5	0.6	0	21
22			0	0	0	0	1	1	1	4.2	0	9.1	-	-	-	0	0	0	22
23			0	0	0	0	-	-	-	0	0	0	1	1	1	0.5	0	5.3	23
24			0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25			0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26			0	0	0	0	-	-	-	0	0	0	1	1	-	0.5	0.6	0	26
27			0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28			0	0	0	0	-	-	-	0	0	0	1	1	-	0.5	0.6	0	28
29			0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30			0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31			0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32			0	0	0	0	-	-	-	0	0	0	6	4	2	3.2	2.4	10.6	32
33	4	4	0	125.0	125.0	0	33	20	13	137.5	153.8	118.2	230	202	28	123.1	120.2	148.9	33
34			0	0	0	0	-	-	-	0	0	0	7	5	2	3.7	3.0	10.6	34
35	1	1	0	31.2	31.2	0	1	1	-	4.2	7.7	0	18	14	4	9.6	8.3	21.3	35
36			0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37			0	0	0	0	2	-	2	8.3	0	18.2	1	1	-	0.5	0.6	0	37
38	1	1	0	31.2	31.2	0	34	14	20	141.7	107.7	181.8	155	130	25	83.0	77.4	133.0	38
39	1	1	0	31.2	31.2	0	-	-	-	0	0	0	3	2	1	1.6	1.2	5.3	39
40			0	0	0	0	-	-	-	0	0	0	1	1	-	0.5	0.6	0	40
41	8	8	0	250.0	250.0	0	62	34	28	258.3	261.5	254.5	453	394	59	242.5	234.5	313.8	41
42			0	0	0	0	2	2	2	8.3	0	18.2	12	6	6	6.4	3.6	31.9	42
43			0	0	0	0	8	3	5	33.3	23.1	45.5	16	9	7	8.6	5.4	37.2	43
44			0	0	0	0	-	-	-	0	0	0	2	2	-	1.1	1.2	0	44
45			0	0	0	0	1	-	1	4.2	0	9.1	6	6	-	3.2	3.6	0	45
46			0	0	0	0	2	-	2	8.3	0	18.2	1	-	1	0.5	0	5.3	46
47			0	0	0	0	1	1	1	4.2	0	9.1	8	7	1	4.3	4.2	5.3	47
48			0	0	0	0	4	1	3	16.7	7.7	27.3	5	4	1	2.7	2.4	5.3	48
49			0	0	0	0	2	2	2	8.3	0	18.2	22	20	2	11.8	11.9	10.6	49
50			0	0	0	0	5	2	3	20.8	15.4	27.3	7	5	2	3.7	3.0	10.6	50
51			0	0	0	0	2	1	1	8.3	7.7	9.1	2	2	-	1.1	1.2	0	51
52			0	0	0	0	1	1	-	4.2	7.7	0	3	2	1	1.6	1.2	5.3	52
53	1	1	0	31.2	31.2	0	3	2	1	12.5	15.4	9.1	31	27	4	16.6	16.1	21.3	53
54	1	1	0	31.2	31.2	0	5	3	2	20.8	23.1	18.2	41	29	12	21.9	17.3	63.8	54
55	1	1	0	31.2	31.2	0	2	1	1	8.3	7.7	9.1	8	3	5	4.3	1.8	26.6	55
56			0	0	0	0	8	2	6	33.3	15.4	54.5	44	33	11	23.6	19.6	58.5	56
57			0	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
58			0	0	0	0	2	1	1	8.3	7.7	9.1	1	-	1	0.5	0	5.3	58
59	1	1	0	31.2	31.2	0	6	4	2	25.0	30.8	18.2	41	37	4	21.9	22.0	21.3	59
60			0	0	0	0	15	6	9	62.5	46.2	81.8	40	36	4	21.4	21.4	21.3	60
61			0	0	0	0	3	3	1	12.5	23.1	0	27	26	1	14.5	15.5	5.3	61
62	1	1	0	31.2	31.2	0	1	1	1	4.2	0	9.1	8	4	4	4.3	2.4	21.3	62
63	1	1	0	31.2	31.2	0	17	10	7	70.8	76.9	63.6	105	90	15	56.2	53.6	79.8	63

ITEM	Dodge						Dooly						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	359	190	169	22.4	16.8	36.0	327	118	209	26.0	19.7	31.7	1
2 Delivered in hospital	186	164	22	51.8%	86.3%	13.0%	148	111	37	45.3%	94.1%	17.7%	2
3 Delivered in home by physician	43	17	26	12.0%	8.9%	15.4%	22	2	20	6.7%	1.7%	9.6%	3
4 Delivered in home by midwife	130	9	121	36.2%	4.7%	71.6%	157	5	152	48.0%	4.2%	72.7%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	37	16	21	103.1	84.2	124.3	33	14	19	100.9	118.6	90.9	6
FETAL DEATHS													
7 Total	3	1	2	8.4	5.3	11.8	10	5	5	30.6	42.4	23.9	7
8 Under 20 weeks gestation	-	-	-	0	0	0	1	1	-	3.1	8.5	0	8
9 20-27 weeks gestation	1	-	1	2.8	0	5.9	3	1	2	9.2	8.5	9.6	9
28 weeks and more	1	-	1	2.8	0	5.9	6	3	3	18.3	25.4	14.4	
Unknown length of gestation	1	1	-	2.8	5.3	0	-	-	-	0	0	0	
DEATHS													
10 Total, all ages	159	113	46	993.8	1000.0	978.7	131	73	58	1039.7	1216.7	878.8	10
11 Under 1 year	12	5	7	33.4	26.3	41.4	15	7	8	45.9	59.3	38.3	11
12 Under 28 days	9	4	5	25.1	21.1	29.6	12	7	5	36.7	59.3	23.9	12
13 Deaths from immaturity	4	-	4	11.1	0	23.7	4	4	-	12.2	33.9	0	13
14 1-4 years **	2	1	1	-	-	-	1	-	1	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	1	-	1	6.2	0	21.3	4	3	1	31.7	50.0	15.2	16
17 Syphilis and its sequelae (020-029)	2	1	1	12.5	8.8	21.3	1	-	1	7.9	0	15.2	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	1	-	1	6.2	0	21.3	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	1	-	1	7.9	0	15.2	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	17	12	5	106.2	106.2	106.4	11	7	4	87.3	116.7	60.6	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	6	4	2	37.5	35.4	42.6	6	3	3	47.6	50.0	45.5	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	26	22	4	162.5	194.7	85.1	22	12	10	174.6	200.0	151.5	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	45	33	12	281.2	292.0	255.3	32	22	10	254.0	366.7	151.5	41
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	2	1	1	15.9	16.7	15.2	42
43 Influenza and pneumonia (480-483, 490-493)	9	5	4	56.2	44.2	85.1	6	6	6	47.6	0	90.9	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	3	3	-	18.8	26.5	0	1	1	-	7.9	16.7	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	6.2	8.8	0	1	1	-	7.9	16.7	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	1	-	6.2	8.8	0	1	-	1	7.9	0	15.2	48
49 Cirrhosis of liver (581)	3	2	1	18.8	17.7	21.3	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	8	4	4	50.0	35.4	85.1	8	1	7	63.5	16.7	106.1	50
51 Hyperplasia of prostate (610)	1	1	-	6.2	8.8	0	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	-	-	-	0	0	0	1	1	-	7.9	16.7	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	3	3	-	18.8	26.5	0	1	1	-	7.9	16.7	0	54
55 Infection of the newborn (763-768)	1	-	1	6.2	0	21.3	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	5	1	4	31.2	8.8	85.1	7	5	2	55.6	83.3	30.3	56
57 Senility, without mention of psychosis (794)	1	-	1	6.2	0	21.3	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	3	-	3	23.8	0	45.5	58
59 Motor vehicle accidents (E810-E835)	3	3	-	18.8	26.5	0	5	5	-	39.7	83.3	0	59
60 All other accidents (E800-E802, E840-E962)	3	1	2	18.8	8.8	42.6	4	2	2	31.7	33.3	30.3	60
61 Suicide (E963, E970-E979)	1	-	1	6.2	0	21.3	2	2	-	15.9	33.3	0	61
62 Homicide (E964, E980-E985)	2	2	-	12.5	17.7	0	-	-	-	0	0	0	62
63 All other diseases (residual)	16	14	2	100.0	123.9	42.6	12	6	6	95.2	100.0	90.9	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Dougherty						Douglas						Early						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	2,390	1,482	908	46.0	47.5	43.7	394	315	79	29.0	27.4	37.6	421	134	287	25.2	17.6	31.5	1
2	1,899	1,474	425	79.5%	99.5%	46.8%	370	314	56	93.9%	99.7%	70.9%	194	123	71	46.1%	91.8%	24.7%	2
3	292	7	285	12.2%	0.5%	31.4%	2	-	2	0.5%	0%	2.5%	8	6	2	1.9%	4.5%	0.7%	3
4	133	-	133	5.6%	0%	14.6%	21	-	21	5.3%	0%	26.6%	219	5	214	52.0%	3.7%	74.6%	4
5	66	1	65	2.8%	0.1%	7.2%	1	1	-	0.3%	0.3%	0%	-	-	-	0%	0%	0%	5
6	209	101	108	87.4	68.2	118.9	23	14	9	58.4	44.4	113.9	41	9	32	97.4	67.2	111.5	6
7	70	41	29	29.3	27.7	31.9	4	2	2	10.2	6.3	25.3	12	-	12	28.5	0	41.8	7
8	35	26	9	14.6	17.5	9.9	2	1	1	5.1	3.2	12.7	1	-	1	2.4	0	3.5	8
9	15	7	8	6.3	4.7	8.8	1	1	-	2.5	3.2	0	4	-	4	9.5	0	13.9	9
	19	8	11	7.9	5.4	12.1	1	-	1	2.5	0	12.7	7	-	7	16.6	0	24.4	
	1	-	1	0.4	0	1.1	-	-	-	0	0	0	-	-	-	0	0	0	
10	477	215	262	917.3	689.1	1259.6	83	70	13	610.3	608.7	619.0	145	57	88	868.3	750.0	967.0	10
11	74	28	46	31.0	18.9	50.7	4	4	-	10.2	12.7	0	16	1	15	38.0	7.5	52.3	11
12	56	23	33	23.4	15.5	36.3	3	3	-	7.6	9.5	0	7	-	7	16.6	0	24.4	12
13	20	11	9	8.4	7.4	9.9	-	-	-	0	0	0	2	-	2	4.8	0	7.0	13
14	24	11	13	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	14
15	1	1	-	4.2	6.7	0	-	-	-	0	0	0	-	-	-	0	0	0	15
16	1	-	1	1.9	0	4.8	-	-	-	0	0	0	5	-	5	29.9	0	54.9	16
17	3	1	2	5.8	3.2	9.6	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	4	-	4	7.7	0	19.2	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	1	-	1	1.9	0	4.8	-	-	-	0	0	0	2	-	2	12.0	0	22.0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	6.0	0	11.0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	1	-	1	1.9	0	4.8	-	-	-	0	0	0	1	-	1	6.0	0	11.0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	2	2	-	3.8	6.4	0	-	-	-	0	0	0	2	1	1	12.0	13.2	11.0	32
33	53	31	22	101.9	99.4	105.8	6	6	-	44.1	52.2	0	14	9	5	83.8	118.4	54.9	33
34	2	-	2	3.8	0	9.6	1	1	-	7.4	8.7	0	-	-	-	0	0	0	34
35	4	1	3	7.7	3.2	14.4	2	2	-	14.7	17.4	0	2	-	2	12.0	0	22.0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	1	-	1	1.9	0	4.8	-	-	-	0	0	0	-	-	-	0	0	0	37
38	71	26	45	136.5	83.3	216.3	20	15	5	147.1	130.4	238.1	17	7	10	101.8	92.1	109.9	38
39	1	-	1	1.9	0	4.8	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	127	62	65	244.2	198.7	312.5	26	24	2	191.2	208.7	95.2	47	24	23	281.4	315.8	252.7	41
42	3	-	3	5.8	0	14.4	3	2	1	22.1	17.4	47.6	2	-	2	12.0	0	22.0	42
43	20	4	16	38.5	12.8	76.9	3	3	-	22.1	26.1	0	4	-	4	24.0	0	44.0	43
44	2	-	2	3.8	0	9.6	-	-	-	0	0	0	-	-	-	0	0	0	44
45	2	1	1	3.8	3.2	4.8	1	1	-	7.4	8.7	0	2	2	-	12.0	26.3	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	6.0	0	11.0	47
48	3	1	2	5.8	3.2	9.6	-	-	-	0	0	0	1	-	1	6.0	0	11.0	48
49	4	4	-	7.7	12.8	0	-	-	-	0	0	0	1	-	1	6.0	0	11.0	49
50	12	4	8	23.1	12.8	38.5	2	1	1	14.7	8.7	47.6	6	2	4	35.9	26.3	44.0	50
51	1	-	1	1.9	0	4.8	-	-	-	0	0	0	-	-	-	0	0	0	51
52	1	1	-	1.9	3.2	0	-	-	-	0	0	0	-	-	-	0	0	0	52
53	13	11	2	25.0	35.3	9.6	2	2	-	14.7	17.4	0	1	1	-	6.0	13.2	0	53
54	7	4	3	13.5	12.8	14.4	-	-	-	0	0	0	2	-	2	12.0	0	22.0	54
55	10	-	10	19.2	0	48.1	-	-	-	0	0	0	-	-	-	0	0	0	55
56	32	13	19	61.5	41.7	91.3	1	1	-	7.4	8.7	0	4	-	4	24.0	0	44.0	56
57	1	1	-	1.9	3.2	0	-	-	-	0	0	0	1	1	-	6.0	13.2	0	57
58	3	1	2	5.8	3.2	9.6	1	1	-	7.4	8.7	0	3	1	2	18.0	13.2	22.0	58
59	14	8	6	26.9	25.6	28.8	3	2	1	22.1	17.4	47.6	5	2	3	29.9	26.3	33.0	59
60	27	17	10	51.9	54.5	48.1	6	4	2	44.1	34.8	95.2	8	3	5	47.9	39.5	54.9	60
61	6	5	1	11.5	16.0	4.8	1	1	-	7.4	8.7	0	2	2	-	12.0	26.3	0	61
62	16	5	11	30.8	6.4	67.3	2	1	1	14.7	8.7	47.6	3	-	3	18.0	0	33.0	62
63	29	15	14	55.8	48.1	67.3	3	3	-	22.1	26.1	0	8	2	6	47.9	26.3	65.9	63

See notes on page 91

TABLE XIII

VITAL STATISTICS, BY

ITEM	Echoles						Effingham						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	53	29	24	24.1	17.1	48.0	231	118	113	26.0	21.1	34.2	1
2 Delivered in hospital	33	28	5	62.3%	96.6%	20.8%	147	112	35	63.6%	94.9%	31.0%	2
3 Delivered in home by physician	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	3
4 Delivered in home by midwife	20	1	19	37.7%	3.4%	79.2%	84	6	78	36.4%	5.1%	69.0%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	5	4	1	94.3	137.9	41.7	18	12	6	77.9	101.7	53.1	6
FETAL DEATHS													
7 Total	3	2	1	56.6	69.0	41.7	10	3	7	43.3	25.4	61.9	
8 Under 20 weeks gestation	1	1	-	18.9	34.5	0	4	3	1	17.3	25.4	8.8	7
9 20-27 weeks gestation	1	1	-	18.9	34.5	0	2	-	2	8.7	0	17.7	8
28 weeks and more	1	-	1	18.9	0	41.7	4	4	4	17.3	0	35.4	9
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0	
DEATHS													
10 Total, all ages	24	19	5	1090.9	1117.6	1000.0	84	54	30	943.8	964.3	909.1	10
11 Under 1 year	6	5	1	113.2	172.4	41.7	4	3	1	17.3	25.4	8.8	11
12 Under 28 days	4	4	-	75.5	137.9	0	4	3	1	17.3	25.4	8.8	12
13 Deaths from immaturity	2	1	1	37.7	34.5	41.7	1	1	-	4.3	8.5	0	13
14 1-4 years **	1	-	1	-	-	-	2	1	1	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	1	-	1	11.2	0	30.3	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haemopoietic tissues (140-205)	1	1	-	45.5	58.8	0	8	7	1	89.9	125.0	30.3	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	-	-	-	0	0	0	1	1	-	11.2	17.9	0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	8	6	2	363.6	352.9	400.0	22	14	8	247.2	250.0	242.4	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	1	1	-	11.2	17.9	0	40
41 Heart diseases (410-443)	4	4	-	181.8	235.3	0	20	13	7	224.7	232.1	212.1	41
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	2	1	1	22.5	17.9	30.3	42
43 Influenza and pneumonia (480-483, 490-493)	1	1	-	45.5	58.8	0	4	2	2	44.9	35.7	60.6	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	1	-	1	11.2	0	30.3	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	1	1	-	11.2	17.9	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	1	-	45.5	58.8	0	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	-	-	-	0	0	0	1	1	-	11.2	17.9	0	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	1	1	-	45.5	58.8	0	1	1	-	11.2	17.9	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	2	-	90.9	117.6	0	2	1	1	22.5	17.9	30.3	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	2	1	1	90.9	58.8	200.0	1	1	-	11.2	17.9	0	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	4	-	4	44.9	0	121.2	58
59 Motor vehicle accidents (E810-E835)	-	-	-	0	0	0	8	6	2	89.9	107.1	60.6	59
60 All other accidents (E800-E802, E840-E962)	2	1	1	90.0	58.8	200.0	4	3	1	44.9	53.6	30.3	60
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	-	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	2	1	1	90.9	58.8	200.0	-	-	-	0	0	0	62
63 All other diseases (residual)	-	-	-	0	0	0	2	1	1	22.5	17.9	30.3	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Elbert						Emanuel						Evans						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	434	222	212	24.1	17.8	38.5	449	244	205	25.5	21.6	32.5	179	91	88	28.9	25.3	33.8	1
2	315	219	96	72.6%	98.6%	45.3%	338	235	103	75.3%	96.3%	50.2%	133	89	44	74.3%	97.8%	50.0%	2
3	10	1	9	2.3%	0.4%	4.2%	14	8	6	3.1%	3.3%	2.9%	8	2	6	4.5%	2.2%	6.8%	3
4	109	2	107	25.1%	0.9%	50.5%	97	1	96	21.6%	0.4%	46.8%	37	-	37	20.7%	0%	42.0%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	1	-	1	0.6%	0%	1.1%	5
6	39	16	23	89.9	72.1	108.5	36	16	20	80.2	65.6	97.6	18	8	10	100.6	87.9	113.6	6
7	15	10	5	34.6	45.0	23.6	15	9	6	33.4	36.9	29.3	6	3	3	33.5	33.0	34.1	
8	9	7	2	20.7	31.5	9.4	2	1	1	4.5	4.1	4.9	1	-	1	5.6	0	11.4	7
9	4	2	2	9.2	9.0	9.4	1	1	1	2.2	0	4.9	2	1	1	11.2	11.0	11.4	8
	1	1	-	2.3	0	4.7	9	5	4	20.0	20.5	19.5	3	2	1	16.8	22.0	11.4	9
	1	1	-	2.3	4.5	0	3	3	-	6.7	12.3	0	-	-	-	0	0	0	
10	152	98	54	844.4	784.0	981.8	183	107	76	1039.8	946.9	1206.3	77	44	33	1241.9	1222.2	1269.2	10
11	16	7	9	36.9	31.5	42.5	16	5	11	35.6	20.5	53.7	9	3	6	50.3	33.0	68.2	11
12	12	7	5	27.6	31.5	23.6	12	4	8	26.7	16.4	39.0	7	3	4	39.1	33.0	45.5	12
13	2	2	-	4.6	9.0	0	3	1	2	6.7	4.1	9.8	1	-	1	5.6	0	11.4	13
14	-	-	-	0	0	0	2	1	1	1	1	1	2	1	1	0	0	0	14
15	-	-	-	0	0	0	1	-	1	22.3	0	48.8	-	-	-	0	0	0	15
16	2	1	1	11.1	8.0	18.2	1	-	1	5.7	0	15.9	-	-	-	0	0	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	-	1	5.6	0	18.2	2	2	-	11.4	17.7	0	1	-	1	16.1	0	38.5	32
33	15	11	4	83.3	88.0	72.7	17	10	7	96.6	88.5	111.1	7	4	3	112.9	111.1	115.4	33
34	-	-	-	0	0	0	1	-	1	5.7	0	15.9	1	-	1	16.1	0	38.5	34
35	3	2	1	16.7	16.0	18.2	2	-	2	11.4	0	31.7	2	1	1	32.3	27.8	38.5	35
36	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	16.1	0	38.5	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	20	15	5	111.1	120.0	90.9	36	19	17	204.5	168.1	269.8	17	9	8	274.2	250.0	307.7	38
39	-	-	-	0	0	0	1	-	1	5.7	0	15.9	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	56	40	16	311.1	320.0	290.9	63	43	20	358.0	380.5	317.5	21	14	7	338.7	388.9	269.2	41
42	2	2	-	11.1	16.0	0	3	2	1	17.0	17.7	15.8	1	1	-	16.1	27.8	0	42
43	6	2	4	33.3	16.0	72.7	2	1	1	11.4	8.8	15.8	3	2	1	48.4	55.6	38.5	43
44	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	16.1	27.8	0	44
45	3	3	-	16.7	24.0	0	1	-	1	5.7	0	15.8	-	-	-	0	0	0	45
46	1	-	1	5.6	0	18.2	-	-	-	0	0	0	1	1	-	16.1	27.8	0	46
47	2	1	1	11.1	8.0	18.2	-	-	-	0	0	0	-	-	-	0	0	0	47
48	1	-	1	5.6	0	18.2	1	1	-	5.7	8.8	0	-	-	-	0	0	0	48
49	1	1	-	5.6	8.0	0	1	1	-	5.7	8.8	0	1	1	-	16.1	27.8	0	49
50	7	1	6	38.9	8.0	109.1	4	2	2	22.7	17.7	31.7	-	-	-	0	0	0	50
51	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	16.1	27.8	0	51
52	-	-	-	0	0	0	1	-	1	5.7	0	15.8	-	-	-	0	0	0	52
53	-	-	-	0	0	0	2	1	1	11.4	8.8	15.8	3	1	2	48.4	27.8	76.9	53
54	5	4	1	27.8	32.0	18.2	3	1	2	17.0	8.8	31.7	2	1	1	32.3	27.8	38.5	54
55	-	-	-	0	0	0	3	2	1	17.0	17.7	15.8	1	1	-	16.1	27.8	0	55
56	3	3	-	16.7	24.0	0	3	1	2	17.0	8.8	31.7	1	-	1	16.1	0	38.5	56
57	-	-	-	0	0	0	1	-	1	5.7	0	15.8	-	-	-	0	0	0	57
58	5	1	4	27.8	8.0	72.7	5	-	5	28.4	0	79.4	-	-	-	0	0	0	58
59	3	1	2	16.7	8.0	36.4	5	4	1	28.4	35.4	15.8	-	-	-	0	0	0	59
60	8	6	2	44.4	48.0	36.4	11	5	6	62.5	44.2	95.2	4	1	3	64.5	27.8	115.4	60
61	1	1	-	5.6	8.0	0	1	1	-	5.7	8.8	0	-	-	-	0	0	0	61
62	6	1	5	32.9	24.0	18.2	2	2	-	11.4	17.7	0	-	-	-	0	0	0	62
63	3	3	-	33.3	24.0	54.5	11	9	2	62.5	79.6	31.7	8	5	3	129.0	138.9	115.4	63

See notes on page 91

ITEM	Fannin						Fayette						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	258	257	1	16.5	16.7	5.0	147	79	68	18.6	14.9	26.2	1
2 Delivered in hospital	234	233	1	90.7%	90.7%	100.0%	88	71	17	59.9%	89.9%	25.0%	2
3 Delivered in home by physician	23	23	-	8.9%	8.9%	0%	8	2	6	5.4%	2.5%	8.8%	3
4 Delivered in home by midwife	1	1	-	0.4%	0.4%	0%	51	6	45	34.7%	7.6%	66.2%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	18	18	-	69.8	70.0	0	11	5	6	74.8	63.3	88.2	6
FETAL DEATHS													
7 Total	3	3	-	11.6	11.7	0	6	3	3	40.8	38.0	44.1	7
8 Under 20 weeks gestation	-	-	-	0	0	0	1	1	-	6.8	12.7	0	8
9 20-27 weeks gestation	-	-	-	0	0	0	1	1	-	6.8	12.7	0	9
28 weeks and more	3	3	-	11.6	11.7	0	3	-	3	20.4	0	44.1	
Unknown length of gestation	-	-	-	0	0	0	1	1	-	6.8	12.7	0	
DEATHS													
10 Total, all ages	87	87	-	557.7	564.9	0	79	56	23	1000.0	1056.6	884.6	10
11 Under 1 year	2	2	-	7.8	7.8	0	7	1	6	47.6	12.7	88.2	11
12 Under 28 days	2	2	-	7.8	7.8	0	5	1	4	34.0	12.7	58.8	12
13 Deaths from immaturity	-	-	-	0	0	0	2	-	2	13.6	0	29.4	13
14 1-4 years **	3	3	-	0	0	0	2	1	1	0	0	0	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	1	-	1	12.7	0	38.5	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	16	16	-	102.6	103.9	0	6	4	2	75.9	75.5	76.9	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	1	1	-	6.4	6.5	0	1	1	-	12.7	18.9	0	35
36 Pellagra (281)	-	-	-	0	0	0	1	1	-	12.7	18.9	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	13	13	-	83.3	84.4	0	13	10	3	164.6	188.7	115.4	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	28	28	-	179.5	181.8	0	26	21	5	329.1	396.2	192.3	41
42 Hypertension without mention of heart (444-447)	1	1	-	6.4	6.5	0	-	-	-	0	0	0	42
43 Influenza and pneumonia (480-483, 490-493)	3	3	-	19.2	19.5	0	1	1	-	12.7	18.9	0	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	1	1	-	6.4	6.5	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	6.4	6.5	0	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhoea of the newborn) (543, 571, 572)	-	-	-	0	0	0	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	2	2	-	25.3	37.7	0	49
50 Nephritis and nephrosis (590-594)	1	1	-	6.4	6.5	0	1	-	1	12.7	0	38.5	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	-	-	-	0	0	0	-	-	-	0	0	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	1	-	6.4	6.5	0	-	-	-	0	0	0	54
55 Infection of the newborn (763-768)	1	1	-	6.4	6.5	0	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	0	0	0	4	1	3	50.6	18.9	115.4	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	4	4	-	25.6	26.0	0	1	-	1	12.7	0	38.5	58
59 Motor vehicle accidents (E810-E835)	8	8	-	51.3	51.9	0	9	4	5	113.9	75.5	192.3	59
60 All other accidents (E800-E802, E840-E962)	4	4	-	25.6	26.0	0	1	1	-	12.7	18.9	0	60
61 Suicide (E963, E970-E979)	1	1	-	6.4	6.5	0	1	1	-	12.7	18.9	0	61
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	-	-	-	0	0	0	62
63 All other diseases (residual)	3	3	-	19.2	19.5	0	11	9	2	139.2	169.8	76.9	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Floyd						Forsyth						Franklin						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	1,645	1,371	274	24.9	24.6	26.6	245	245	-	22.5	22.7	0	277	243	34	20.1	20.1	20.0	1
2	1,586	1,362	224	96.4%	99.3%	81.8%	243	243	-	99.2%	99.2%	0%	262	239	23	94.6%	98.4%	67.6%	2
3	5	1	4	0.3%	0.1%	1.5%	-	-	-	0%	0%	0%	5	1	4	1.8%	0.4%	11.8%	3
4	51	6	45	3.1%	0.4%	16.4%	1	1	-	0.4%	0.4%	0%	10	3	7	3.6%	1.2%	20.6%	4
5	3	2	1	0.2%	0.1%	0.4%	1	1	-	0.4%	0.4%	0%	1	-	-	0%	0%	0%	5
6	153	112	41	93.0	81.7	149.6	8	8	-	32.7	32.7	0	19	15	4	68.6	61.7	117.6	6
7	34	27	7	20.7	19.7	25.5	4	4	-	16.3	16.3	0	3	2	1	10.8	8.2	29.4	7
8	3	3	-	1.8	2.2	0	3	3	-	12.2	12.2	0	-	-	-	0	0	0	8
9	6	4	2	3.6	2.9	7.3	-	-	-	0	0	0	-	-	-	0	0	0	9
	14	11	3	8.5	8.0	10.9	1	1	-	4.1	4.1	0	1	1	-	3.6	0	29.4	
	11	9	2	6.7	6.6	7.3	-	-	-	0	0	0	2	2	-	7.2	8.2	0	
10	568	466	102	859.3	835.1	990.3	99	99	-	908.3	916.7	0	105	88	17	760.9	727.3	1000.0	10
11	58	43	15	35.3	31.4	54.7	7	7	-	28.6	28.6	0	7	6	1	25.3	24.7	29.4	11
12	44	35	9	26.7	25.5	32.8	5	5	-	20.4	20.4	0	5	5	-	18.0	20.6	0	12
13	11	9	2	6.7	6.6	7.3	2	2	-	8.2	8.2	0	2	2	-	7.2	8.2	0	13
14	4	4	-	-	-	-	1	1	-	-	-	0	1	-	1	-	-	-	14
15	2	1	1	12.2	7.3	36.5	-	-	-	0	0	0	-	-	-	0	0	0	15
16	14	13	1	21.2	23.3	9.7	-	-	-	0	0	0	1	-	1	7.2	0	58.8	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	1	1	-	1.5	1.8	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
33	89	81	8	134.6	145.2	77.7	17	17	-	156.0	157.4	0	7	5	2	50.7	41.3	117.6	33
34	4	4	-	6.1	7.2	0	-	-	-	0	0	0	1	1	-	7.2	8.3	0	34
35	5	5	-	7.6	9.0	0	1	1	-	9.2	9.3	0	3	2	1	21.7	16.5	58.8	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	1	1	-	1.5	1.8	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	69	57	12	104.4	102.2	116.5	12	12	-	110.1	111.1	0	16	12	4	115.9	99.2	235.3	38
39	1	-	1	1.5	0	9.7	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	201	164	37	304.1	293.9	359.2	33	33	-	302.8	305.6	0	38	35	3	275.4	289.3	176.5	41
42	5	2	3	7.6	3.6	29.1	-	-	-	0	0	0	-	-	-	0	0	0	42
43	11	8	3	16.6	14.3	29.1	1	1	-	9.2	9.3	0	4	3	1	29.0	24.8	58.8	43
44	2	2	-	3.0	3.6	0	1	1	-	9.2	9.3	0	-	-	-	0	0	0	44
45	2	2	-	3.0	3.6	0	1	1	-	9.2	9.3	0	1	1	-	7.2	8.3	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	7.2	8.3	0	46
47	5	3	2	7.6	5.4	19.4	1	1	-	9.2	9.3	0	2	2	-	14.5	16.5	0	47
48	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	48
49	5	5	-	7.6	9.0	0	-	-	-	0	0	0	-	-	-	0	0	0	49
50	4	3	1	6.1	5.4	9.7	1	1	-	9.2	9.3	0	4	2	2	29.0	16.5	117.6	50
51	1	1	-	1.5	1.8	0	-	-	-	0	0	0	1	1	-	7.2	8.3	0	51
52	2	1	1	3.0	1.8	9.7	-	-	-	0	0	0	-	-	-	0	0	0	52
53	12	10	2	18.2	17.9	19.4	-	-	-	0	0	0	2	2	-	14.5	16.5	0	53
54	23	19	4	34.8	34.0	38.8	3	3	-	27.5	27.8	0	-	-	-	0	0	0	54
55	3	2	1	4.5	3.6	9.7	-	-	-	0	0	0	2	2	-	14.5	16.5	0	55
56	12	10	2	18.2	17.9	19.4	2	2	-	18.3	18.5	0	2	2	-	14.5	16.5	0	56
57	2	2	-	3.0	3.6	0	3	3	-	27.5	27.8	0	-	-	-	0	0	0	57
58	5	4	1	7.6	7.2	9.7	-	-	-	0	0	0	-	-	-	0	0	0	58
59	12	9	3	18.2	16.1	29.1	6	6	-	55.0	55.6	0	7	7	-	50.7	57.9	0	59
60	21	17	4	31.8	30.5	38.8	5	5	-	45.9	46.3	0	3	2	1	21.7	16.5	58.8	60
61	7	7	-	10.6	12.5	0	2	2	-	18.3	18.5	0	2	2	-	14.5	16.5	0	61
62	4	4	-	6.1	0	38.8	-	-	-	0	0	0	-	-	-	0	0	0	62
63	45	33	12	68.1	59.1	116.5	10	10	-	91.7	92.6	0	8	6	2	58.0	49.6	117.6	63

See notes on page 91

TABLE XIII

VITAL STATISTICS, BY

ITEM	Fulton						Gilmer						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	14,238	8,404	5,834	25.7	22.1	33.7	190	190	-	17.8	17.8	0	1
2 Delivered in hospital	13,950	8,363	5,587	98.0%	99.5%	95.8%	183	183	-	96.3%	96.3%	0%	2
3 Delivered in home by physician	272	34	238	1.9%	0.4%	4.1%	3	3	-	1.6%	1.6%	0%	3
4 Delivered in home by midwife	11	4	7	0.1%	0.0%	0.1%	4	4	-	2.1%	2.1%	0%	4
5 Other deliveries	5	3	2	0.0%	0.0%	0.0%	-	-	-	0%	0%	0%	5
6 Immature births	1,559	672	887	109.5	80.0	152.0	15	15	-	78.9	78.9	0	6
FETAL DEATHS													
7 Total	666	303	363	46.8	36.1	62.2	3	3	-	15.8	15.8	0	7
8 Under 20 weeks gestation	351	175	176	24.7	20.8	30.2	-	-	-	0	0	0	8
9 20-27 weeks gestation	96	21	75	6.7	2.5	12.9	-	-	-	0	0	0	9
28 weeks and more	207	101	106	14.5	12.0	18.2	3	3	-	15.8	15.8	0	9
Unknown length of gestation	12	6	6	0.8	0.7	1.0	-	-	-	0	0	0	
DEATHS													
10 Total, all ages	4,963	3,002	1,961	896.2	788.8	1132.2	73	72	1	682.2	672.9	***	10
11 Under 1 year	460	206	254	32.3	24.5	43.5	4	4	-	21.1	21.1	0	11
12 Under 28 days	337	158	179	23.7	18.8	30.7	2	2	-	10.5	10.5	0	12
13 Deaths from immaturity	84	40	44	5.9	4.8	7.5	1	1	-	5.3	5.3	0	13
14 1-4 years **	47	30	17	-	-	-	1	1	-	-	-	0	14
15 Maternal deaths	7	2	5	4.9	2.4	8.6	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	56	29	27	10.1	7.6	15.6	2	2	-	18.7	18.7	0	16
17 Syphilis and its sequelae (020-029)	15	8	7	2.7	2.1	4.0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	2	1	1	0.4	0.3	0.6	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	1	1	-	0.2	0.3	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	2	-	2	0.4	0	1.2	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	16	13	3	2.9	3.4	1.7	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	704	464	240	127.1	121.9	138.6	5	5	-	46.7	46.7	0	33
34 Benign and unspecified neoplasms (210-239)	15	8	7	2.7	2.1	4.0	1	1	-	9.3	9.3	0	34
35 Diabetes mellitus (260)	71	42	29	12.8	11.0	16.7	-	-	-	0	0	0	35
36 Pellagra (281)	3	2	1	0.5	0.5	0.6	-	-	-	0	0	0	36
37 Anemias (290-293)	15	7	8	2.7	1.8	4.6	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	739	461	278	133.4	121.1	160.5	17	16	1	158.9	149.5	***	38
39 Nonmeningococcal meningitis (340)	9	3	6	1.6	0.8	3.5	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	3	2	1	0.5	0.5	0.6	-	-	-	0	0	0	40
41 Heart diseases (410-443)	1,037	1,037	526	282.2	272.5	303.7	29	29	-	271.0	271.0	0	41
42 Hypertension without mention of heart (444-447)	59	26	33	10.7	6.8	19.1	-	-	-	0	0	0	42
43 Influenza and pneumonia (480-483, 490-493)	155	66	89	28.0	17.3	51.4	4	4	-	37.4	37.4	0	43
44 Bronchitis (500-502)	8	7	1	1.4	1.8	0.6	2	2	-	18.7	18.7	0	44
45 Ulcer of stomach and duodenum (540-541)	31	21	10	5.6	5.5	5.8	1	1	-	9.3	9.3	0	45
46 Appendicitis (550-553)	16	12	4	2.9	3.2	2.3	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	20	13	7	3.6	3.4	4.0	1	1	-	9.3	9.3	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	23	12	11	4.2	3.2	6.4	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	53	37	16	9.6	9.7	9.2	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	99	27	72	17.9	7.1	41.6	2	2	-	18.7	18.7	0	50
51 Hyperplasia of prostate (610)	16	14	2	2.9	3.7	1.2	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	7	2	5	1.3	0.5	2.9	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	72	50	22	13.0	13.1	12.7	-	-	-	0	0	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	146	71	75	26.4	18.7	43.3	1	1	-	9.3	9.3	0	54
55 Infection of the newborn (763-768)	21	3	18	3.8	0.8	10.4	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	132	60	72	23.8	15.8	41.6	1	1	-	9.3	9.3	0	56
57 Senility, without mention of psychosis (794)	6	5	1	1.1	1.3	0.6	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	27	13	14	4.9	3.4	8.1	-	-	-	0	0	0	58
59 Motor vehicle accidents (E810-E835)	116	78	38	20.9	20.5	21.9	3	3	-	28.0	28.0	0	59
60 All other accidents (E800-E802, E840-E962)	165	94	71	29.8	24.7	41.0	1	1	-	9.3	9.3	0	60
61 Suicide (E963, E970-E979)	55	48	7	9.9	12.6	4.0	-	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	100	11	89	18.1	2.9	51.4	2	2	-	18.7	18.7	0	62
63 All other diseases (residual)	422	254	168	76.2	66.7	97.0	1	1	-	9.3	9.3	0	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Glascock						Olynn						Gordon						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	73	35	38	24.3	15.9	47.5	1,045	709	336	30.8	29.9	32.9	409	379	30	21.2	21.1	23.1	1
2	36	32	4	49.3%	91.4%	10.5%	891	696	195	85.3%	98.2%	58.0%	406	378	28	99.3%	99.7%	93.3%	2
3	1	1	-	1.4%	2.9%	0%	13	3	10	1.2%	0.4%	3.0%	1	1	-	0.2%	0.3%	0%	3
4	36	2	34	49.3%	5.7%	89.5%	141	10	131	13.5%	1.4%	39.0%	2	-	2	0.5%	0%	6.7%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	14	3	11	191.8	85.7	289.5	88	43	45	84.2	60.6	133.9	25	23	2	61.1	60.7	66.7	6
7	-	-	-	0	0	0	22	13	9	21.1	18.3	26.8	1	1	-	2.4	2.6	0	
8	-	-	-	0	0	0	7	4	3	6.7	5.6	8.9	-	-	-	0	0	0	7
9	-	-	-	0	0	0	3	2	1	2.9	2.8	3.0	-	-	-	0	0	0	8
	-	-	-	0	0	0	12	7	5	11.5	9.9	14.9	-	-	-	0	0	0	9
	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	2.4	2.6	0	
10	28	18	10	933.3	818.2	1250.0	260	148	112	767.0	624.5	1098.0	136	124	12	704.7	688.9	923.1	10
11	3	-	3	41.1	0	78.9	16	7	9	15.3	9.9	26.8	9	8	1	22.0	21.1	33.3	11
12	3	-	3	41.1	0	78.9	12	6	6	11.5	8.5	17.9	6	5	1	14.7	13.2	33.3	12
13	1	-	1	13.7	0	26.3	3	2	1	2.9	2.8	3.0	1	-	1	2.4	0	33.3	13
14	1	-	1	-	-	-	7	4	3	-	-	-	2	2	-	-	-	-	14
15	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	15
16	-	-	-	0	0	0	5	3	2	14.7	12.7	19.6	2	2	-	10.4	11.1	0	16
17	-	-	-	0	0	0	2	-	2	5.9	0	19.6	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	1	1	-	2.9	4.2	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
33	3	3	-	100.0	136.4	0	43	27	16	216.8	113.9	156.9	20	20	-	103.6	111.1	0	33
34	-	-	-	0	0	0	2	2	-	5.9	8.4	0	-	-	-	0	0	0	34
35	-	-	-	0	0	0	4	2	2	11.8	8.4	19.6	1	1	-	5.2	5.6	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	7	4	3	233.3	181.8	375.0	28	18	10	82.6	75.9	98.0	15	14	1	77.7	77.8	76.9	38
39	-	-	-	0	0	0	1	1	-	2.9	4.2	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	2	1	1	5.9	4.2	9.8	-	-	-	0	0	0	40
41	10	7	3	333.3	318.2	375.0	67	35	32	197.6	147.7	313.7	50	46	4	259.1	255.6	307.7	41
42	-	-	-	0	0	0	5	1	4	14.7	4.2	39.2	-	-	-	0	0	0	42
43	-	-	-	0	0	0	7	3	4	20.6	12.7	39.2	6	5	1	31.1	27.8	76.9	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	1	-	1	2.9	0	9.8	2	2	-	10.4	11.1	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	2	2	-	5.9	8.4	0	-	-	-	0	0	0	47
48	-	-	-	0	0	0	2	1	1	5.9	4.2	9.8	1	1	-	5.2	5.6	0	48
49	1	1	-	33.3	45.5	0	5	5	-	14.7	21.1	0	2	2	-	10.4	11.1	0	49
50	1	-	1	33.3	0	125.0	12	3	9	35.4	12.7	88.2	2	1	1	10.4	5.6	76.9	50
51	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	5.2	0	76.9	51
52	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	52
53	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	53
54	-	-	-	0	0	0	5	3	2	14.7	12.7	19.6	2	2	-	10.4	11.1	0	54
55	1	-	1	33.3	0	125.0	2	1	1	5.9	4.2	9.8	-	-	-	0	0	0	55
56	1	-	1	33.3	0	125.0	5	2	3	14.7	8.4	29.4	2	1	1	10.4	5.6	76.9	56
57	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	5.2	5.6	0	57
58	2	1	1	66.7	45.5	125.0	1	-	1	2.9	0	9.8	2	2	-	10.4	11.1	0	58
59	1	1	-	33.3	45.5	0	12	9	3	35.4	38.0	29.4	8	7	1	41.4	38.9	76.9	59
60	-	-	-	0	0	0	11	9	2	32.4	38.0	19.6	7	5	2	36.3	27.8	153.8	60
61	-	-	-	0	0	0	1	1	-	2.9	4.2	0	1	1	-	5.2	5.6	0	61
62	-	-	-	0	0	0	5	2	3	14.7	8.4	29.4	-	-	-	0	0	0	62
63	1	1	-	33.3	45.5	0	29	16	13	85.5	67.5	127.5	11	11	-	57.0	61.1	0	63

See notes on page 91

ITEM	Grady						Greene						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	483	219	264	26.0	18.1	40.6	290	103	187	23.4	16.9	29.7	1
2 Delivered in hospital	313	211	102	64.8%	96.3%	38.6%	188	102	86	64.8%	99.0%	46.0%	2
3 Delivered in home by physician	127	8	119	26.3%	3.7%	45.1%	6	-	6	2.1%	0%	3.2%	3
4 Delivered in home by midwife	43	-	43	8.9%	0%	16.3%	95	1	94	32.8%	1.0%	50.3%	4
5 Other deliveries	-	-	-	0%	0%	0%	1	-	1	0.3%	0%	0.5%	5
6 Immature births	42	11	31	87.0	50.2	117.4	32	10	22	110.3	97.1	117.6	6
FETAL DEATHS													
7 Total	11	4	7	22.8	18.3	26.5	10	3	7	34.5	29.1	37.4	7
8 Under 20 weeks gestation	-	-	-	0	0	0	1	1	-	3.4	9.7	0	8
9 20-27 weeks gestation	-	-	-	0	0	0	1	1	-	3.4	9.7	0	9
28 weeks and more	10	3	7	20.7	13.7	26.5	6	-	6	20.7	0	32.1	
Unknown length of gestation	1	1	-	2.1	4.6	0	2	1	1	6.9	9.7	5.3	
DEATHS													
10 Total, all ages	168	99	69	903.2	818.2	1061.5	114	46	68	919.4	754.1	1079.4	10
11 Under 1 year	16	-	16	33.1	0	60.6	14	4	10	48.3	38.8	53.5	11
12 Under 28 days	11	-	11	22.8	0	41.7	5	1	4	17.2	9.7	21.4	12
13 Deaths from immaturity	3	-	3	6.2	0	11.4	1	1	-	3.4	9.7	0	13
14 1-4 years **	5	2	3	-	-	-	6	1	5	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	2	-	2	69.0	0	107.0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	2	1	1	10.8	8.3	15.4	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	3	-	3	24.2	0	47.6	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	17	11	6	91.4	90.9	92.3	9	3	6	72.6	49.2	95.2	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	2	2	-	10.8	16.5	0	2	1	1	16.1	16.4	15.9	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	1	-	1	5.4	0	15.4	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	27	19	8	145.2	157.0	123.1	15	8	7	121.0	131.1	111.1	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	1	-	1	8.1	0	15.9	40
41 Heart diseases (410-443)	60	41	19	322.6	338.8	292.3	41	19	22	330.6	311.5	349.2	41
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	-	-	-	0	0	0	42
43 Influenza and pneumonia (480-483, 490-493)	5	2	3	26.9	16.5	46.2	6	3	3	48.4	49.2	47.6	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	1	1	-	5.4	8.3	0	3	-	3	24.2	0	47.6	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	1	-	1	5.4	0	15.4	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	-	2	10.8	0	30.8	1	-	1	8.1	0	15.9	48
49 Cirrhosis of liver (581)	1	1	-	5.4	8.3	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	6	4	2	32.3	33.1	30.8	3	-	3	24.2	0	47.6	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	1	-	8.1	16.4	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	2	-	2	16.1	0	31.7	52
53 Congenital malformations (750-759)	-	-	-	0	0	0	2	1	1	16.1	16.4	15.9	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	4	-	4	21.5	0	61.5	3	-	3	24.2	0	47.6	54
55 Infection of the newborn (763-768)	1	-	1	5.4	0	15.4	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	5	-	5	26.9	0	76.9	2	2	-	16.1	32.8	0	56
57 Senility, without mention of psychosis (794)	1	-	1	5.4	0	15.4	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	1	-	1	5.4	0	15.4	1	-	1	8.1	0	15.9	58
59 Motor vehicle accidents (E810-E835)	9	6	3	48.4	49.6	46.2	2	1	1	16.1	16.4	15.9	59
60 All other accidents (E800-E802, E840-E962)	9	2	7	48.4	16.5	107.7	7	2	5	56.5	32.8	79.4	60
61 Suicide (E963, E970-E979)	3	2	1	16.1	16.5	15.4	3	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	2	1	1	10.8	8.3	15.4	3	1	2	24.2	16.4	31.7	62
63 All other diseases (residual)	8	6	2	43.0	49.6	30.8	7	4	3	56.5	65.6	47.6	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Gwinnett						Habersham						Hall					
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1	987	862	125	28.6	27.7	36.8	401	387	14	22.5	22.9	15.6	1,233	1,038	195	28.3	26.8	40.6
2	975	855	120	98.8%	99.2%	96.0%	396	383	13	98.8%	99.0%	92.9%	1,200	1,019	181	97.3%	98.2%	92.8%
3	6	5	1	0.6%	0.6%	0.8%	4	4	0	1.0%	1.0%	0%	8	4	4	0.6%	0.4%	2.1%
4	5	2	3	0.5%	0.2%	2.4%	1	1	1	0.2%	0%	7.1%	16	8	8	1.3%	0.8%	4.1%
5	1	1	0	0.1%	0%	0.8%	1	1	0	0%	0%	0%	9	7	2	0.7%	0.7%	1.0%
6	69	51	18	69.9	59.2	144.0	37	35	2	92.3	90.4	142.9	86	60	26	69.7	57.8	133.3
7	49	43	6	49.6	49.9	48.0	30	28	2	74.8	72.4	142.9	25	14	11	20.3	13.5	56.4
8	35	31	4	35.5	35.0	32.0	23	22	1	57.4	56.8	71.4	5	4	1	4.1	3.9	5.1
9	6	6	0	6.1	7.0	0	2	1	1	5.0	2.6	71.4	4	2	2	3.2	1.9	10.3
	7	6	1	7.1	7.0	8.0	3	3	0	7.5	7.8	0	13	7	6	10.5	6.7	30.8
	1	1	0	1.0	0	8.0	2	2	0	5.0	5.2	0	3	1	2	2.4	1.0	10.3
10	278	245	33	805.8	787.8	970.6	136	123	13	764.0	727.8	1444.4	342	288	54	784.4	742.3	1125.0
11	28	19	9	28.4	22.0	72.0	11	8	3	27.4	20.7	214.3	26	22	4	21.1	21.2	20.5
12	15	11	4	15.2	12.8	32.0	9	7	2	22.4	18.1	142.9	17	13	4	13.8	12.5	20.5
13	4	3	1	4.1	3.5	8.0	1	1	0	2.5	0	71.4	8	5	3	6.5	4.8	15.4
14	3	3	0	0	0	0	1	1	0	0	0	0	5	5	0	0	0	0
15	1	1	0	0	0	0	1	1	0	24.9	25.8	0	1	1	0	8.1	0	51.3
16	2	2	0	5.8	6.4	0	1	1	0	0	0	0	1	1	0	2.3	0	20.8
17	1	1	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0
18	1	1	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0
19	1	1	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0
20	1	1	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0
21	1	1	0	0	0	0	1	1	0	0	0	0	1	1	0	2.3	2.6	0
22	1	1	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0
23	1	1	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0
24	1	1	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0
25	1	1	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0
26	1	1	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0
27	1	1	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0
28	2	2	0	5.8	6.4	0	1	1	0	0	0	0	1	1	0	0	0	0
29	1	1	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0
30	1	1	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0
31	1	1	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0
32	1	1	0	0	0	0	1	1	0	0	0	0	2	1	1	4.6	2.6	20.8
33	34	30	4	98.6	96.5	117.6	15	14	1	84.3	82.8	111.1	45	42	3	103.2	108.2	62.5
34	1	1	0	2.9	3.2	0	1	1	0	0	0	0	1	1	0	2.3	2.6	0
35	6	6	0	17.4	19.3	0	3	3	0	16.9	17.8	0	1	1	0	2.3	2.6	0
36	1	1	0	2.9	3.2	0	1	1	0	0	0	0	1	1	0	2.3	2.6	0
37	1	1	0	2.9	3.2	0	1	1	0	0	0	0	1	1	0	2.3	2.6	0
38	46	40	6	133.3	128.6	176.5	24	23	1	134.8	136.1	111.1	53	43	10	121.6	110.8	208.3
39	1	1	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0
40	1	1	0	0	0	0	1	1	0	0	0	0	1	1	0	2.3	2.6	0
41	99	91	8	287.0	292.6	235.3	43	37	6	241.6	218.9	666.7	97	80	17	222.5	206.2	354.2
42	4	4	0	0	0	0	4	4	0	22.5	23.7	0	3	3	0	6.9	7.7	0
43	8	7	1	23.2	22.5	29.4	2	2	0	11.2	11.8	0	16	15	1	36.7	38.7	20.8
44	1	1	0	0	0	0	1	1	0	5.6	5.9	0	1	1	0	0	0	0
45	2	1	1	5.8	3.2	29.4	3	3	0	16.9	17.8	0	2	2	0	4.6	5.2	0
46	1	1	0	0	0	0	1	1	0	5.6	0	111.1	1	1	0	0	0	0
47	1	1	0	0	0	0	1	1	0	5.6	5.9	0	2	2	0	4.6	5.2	0
48	3	2	1	8.7	6.4	29.4	1	1	0	5.6	0	111.1	1	1	0	2.3	2.6	0
49	1	1	0	0	0	0	1	1	0	0	0	0	5	3	2	11.5	7.7	41.7
50	4	3	1	11.6	9.6	29.4	3	3	0	16.9	17.8	0	1	1	0	2.3	2.6	0
51	1	1	0	2.9	3.2	0	1	1	0	5.6	5.9	0	1	1	0	2.3	2.6	0
52	1	1	0	0	0	0	1	1	0	5.6	5.9	0	1	1	0	2.3	0	20.8
53	5	3	2	14.5	9.6	58.8	2	2	0	11.2	11.8	0	6	6	0	13.8	15.5	0
54	5	4	1	14.5	12.9	29.4	3	3	0	16.9	17.8	0	2	2	0	4.6	5.2	0
55	1	1	0	0	0	0	1	1	0	0	0	0	2	2	0	4.6	5.2	0
56	7	5	2	20.3	16.1	58.8	4	3	1	22.5	17.8	111.1	10	6	4	22.9	15.5	83.3
57	1	1	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0
58	2	1	1	5.8	3.2	29.4	2	2	0	11.2	11.8	0	2	2	0	4.6	5.2	0
59	11	10	1	31.9	32.2	29.4	3	3	0	16.9	17.8	0	29	28	1	66.5	72.2	20.8
60	13	11	2	37.7	35.4	58.8	6	6	0	33.7	35.5	0	17	15	2	39.0	38.7	41.7
61	3	3	0	8.7	9.6	0	1	1	0	0	0	0	4	4	0	9.2	10.3	0
62	3	2	1	8.7	6.4	29.4	1	1	0	0	0	0	3	3	0	6.9	0	62.5
63	19	18	1	55.1	57.9	29.4	13	11	2	73.0	65.1	222.2	31	23	8	71.1	59.3	166.7

See notes on page 91

ITEM	Hancock						Harrison						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	255	40	215	25.2	14.8	29.1	299	264	35	20.1	19.4	26.9	1
2 Delivered in hospital	75	39	36	29.4%	97.5%	16.7%	267	248	19	89.3%	93.9%	54.3%	2
3 Delivered in home by physician	4	-	4	1.6%	0%	1.9%	15	12	3	5.0%	4.5%	8.6%	3
4 Delivered in home by midwife	175	1	174	68.6%	2.5%	80.9%	16	3	13	5.4%	1.1%	37.1%	4
5 Other deliveries	1	-	1	0.4%	0%	0.5%	1	1	-	0.3%	0.4%	0%	5
6 Immature births	20	5	15	78.4	125.0	69.8	26	24	2	87.0	90.9	57.1	6
FETAL DEATHS													
7 Total	19	2	17	74.5	50.0	79.1	4	4	-	13.4	15.2	0	
8 Under 20 weeks gestation	2	-	2	7.8	0	9.3	1	1	-	3.3	3.8	0	7
9 20-27 weeks gestation	4	-	4	15.7	0	18.6	1	1	-	3.3	3.8	0	8
28 weeks and more	13	2	11	51.0	50.0	51.2	1	1	-	3.3	3.8	0	9
Unknown length of gestation	-	-	-	0	0	0	1	1	-	3.3	3.8	0	
DEATHS													
10 Total, all ages	127	38	89	1257.4	1407.4	1202.7	121	112	9	812.1	823.5	692.3	10
11 Under 1 year	18	2	16	70.6	50.0	74.4	5	4	1	16.7	15.2	28.6	11
12 Under 28 days	8	2	6	31.4	50.0	27.9	3	3	-	10.0	11.4	0	12
13 Deaths from immaturity	-	-	-	0	0	0	1	1	-	3.3	3.8	0	13
14 1-4 years **	-	-	-	0	0	0	4	3	1	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	1	1	-	33.4	37.9	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	3	1	2	29.7	37.0	27.0	1	1	-	6.7	7.4	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	8	-	8	79.2	0	108.1	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	2	2	-	13.4	14.7	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	17	10	7	168.3	370.4	94.6	14	14	-	94.0	102.9	0	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	1	-	1	9.9	0	13.5	2	1	1	13.4	7.4	76.9	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	21	2	19	207.9	74.1	256.8	13	13	-	87.2	95.6	0	38
39 Nonmeningococcal meningitis (340)	1	-	1	9.9	0	13.5	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	46	17	29	455.4	629.6	391.9	41	38	3	275.2	279.4	230.8	41
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	1	1	-	6.7	7.4	0	42
43 Influenza and pneumonia (480-483, 490-493)	2	2	-	19.8	74.1	0	6	4	2	40.3	29.4	153.8	43
44 Bronchitis (500-502)	-	-	-	0	0	0	1	1	-	6.7	7.4	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	1	-	1	6.7	0	76.9	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	1	-	1	9.9	0	13.5	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	4	1	3	39.6	37.0	40.5	-	-	-	0	0	0	50
51 Hyperplasia of prostate (610)	1	-	1	9.9	0	13.5	1	1	-	6.7	7.4	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	1	1	-	6.7	7.4	0	52
53 Congenital malformations (750-759)	2	-	2	19.8	0	27.0	1	1	-	6.7	7.4	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	-	1	9.9	0	13.5	2	2	-	13.4	14.7	0	54
55 Infection of the newborn (763-768)	1	-	1	9.9	0	13.5	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	2	1	29.7	74.1	13.5	1	1	-	6.7	7.4	0	56
57 Senility, without mention of psychosis (794) *	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	3	2	1	20.1	14.7	76.9	58
59 Motor vehicle accidents (E810-E835)	2	-	2	19.8	0	27.0	14	14	-	94.0	102.9	0	59
60 All other accidents (E800-E802, E840-E862)	6	1	5	59.4	37.0	67.6	4	4	-	26.8	29.4	0	60
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	2	2	-	13.4	14.7	0	61
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	3	2	1	20.1	14.7	76.9	62
63 All other diseases (residual)	7	2	5	69.3	74.1	67.6	7	7	-	47.0	51.5	0	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Harris						Hart						Heard					
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1	270	78	192	23.9	15.6	30.5	287	183	104	20.5	17.6	28.9	137	86	51	22.8	19.1	34.0
2	110	65	45	40.7%	83.3%	23.4%	206	181	25	71.8%	98.9%	24.0%	118	80	38	86.1%	93.0%	74.5%
3	94	13	81	34.8%	16.7%	42.2%	16	-	16	5.6%	0%	15.4%	5	4	1	3.6%	4.7%	2.0%
4	66	-	66	24.4%	0%	34.4%	64	2	62	22.3%	1.1%	59.6%	14	2	12	10.2%	2.3%	23.5%
5	-	-	-	0%	0%	0%	1	1	1	0.3%	0%	1.0%	-	-	-	0%	0%	0%
6	22	6	16	81.5	76.9	83.3	23	11	12	80.1	60.1	115.4	6	1	5	43.8	11.6	98.0
7	13	4	9	48.1	51.3	46.9	2	-	2	7.0	0	19.2	4	3	1	29.2	34.9	19.6
8	6	2	4	22.2	25.6	20.8	1	-	1	3.5	0	9.6	1	-	1	7.3	0	19.6
9	2	2	2	7.4	0	10.4	1	-	1	3.5	0	9.6	-	-	-	0	0	0
10	5	2	3	18.5	25.6	15.6	-	-	-	0	0	0	3	3	-	21.9	34.9	0
11	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
12	108	52	56	955.8	1040.0	888.9	136	101	35	971.4	971.2	972.2	57	45	12	950.0	1000.0	800.0
13	10	1	9	37.0	12.8	46.9	8	4	4	27.9	21.9	38.5	5	2	3	36.5	23.3	58.8
14	9	-	9	33.3	0	46.9	7	3	4	24.4	16.4	38.5	1	1	-	7.3	11.6	0
15	4	-	4	14.8	0	20.8	-	-	-	0	0	0	-	-	-	0	0	0
16	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
32	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
33	13	6	7	115.0	120.0	111.1	11	8	3	78.6	76.9	83.3	5	5	-	83.3	111.1	0
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
35	2	2	-	17.7	40.0	0	2	2	-	14.3	19.2	0	1	1	-	16.7	22.2	0
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
38	26	10	16	230.1	200.0	254.0	21	14	7	150.0	134.6	194.4	9	6	3	150.0	133.3	200.0
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
40	1	-	1	8.8	0	15.9	1	1	-	7.1	9.6	0	-	-	-	0	0	0
41	25	13	12	221.2	260.0	190.5	55	46	9	392.9	442.3	250.0	21	16	5	350.0	355.6	333.3
42	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
43	7	4	3	61.9	80.0	47.6	5	2	3	35.7	19.2	83.3	3	1	2	50.0	22.2	133.3
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
45	2	2	-	17.7	40.0	0	-	-	-	0	0	0	-	-	-	0	0	0
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
47	1	1	-	8.8	20.0	0	1	1	-	7.1	9.6	0	-	-	-	0	0	0
48	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
49	-	-	-	0	0	0	1	1	-	7.1	9.6	0	-	-	-	0	0	0
50	-	-	-	0	0	0	8	3	5	57.1	28.8	138.9	1	1	-	16.7	22.2	0
51	-	-	-	0	0	0	1	1	-	7.1	9.6	0	1	-	1	16.7	0	66.7
52	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
53	1	1	-	8.8	20.0	0	1	1	-	7.1	9.6	0	2	2	-	33.3	44.4	0
54	2	-	2	17.7	0	31.7	4	3	1	28.6	28.8	27.8	-	-	-	0	0	0
55	-	-	-	0	0	0	1	-	1	7.1	0	27.8	-	-	-	0	0	0
56	5	-	5	44.2	0	79.4	-	-	-	0	0	0	1	-	1	16.7	0	66.7
57	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	16.7	22.2	0
58	-	-	-	0	0	0	2	-	2	14.3	0	55.6	2	2	-	33.3	44.4	0
59	5	2	3	44.2	40.0	47.6	5	4	1	35.7	38.5	27.8	7	7	-	116.7	155.6	0
60	6	2	4	53.1	40.0	63.5	8	7	1	57.1	67.3	27.8	2	2	-	33.3	44.4	0
61	2	2	-	17.7	40.0	0	-	-	-	0	0	0	-	-	-	0	0	0
62	1	1	-	8.8	20.0	0	1	-	1	7.1	0	27.8	-	-	-	0	0	0
63	8	5	3	70.8	100.0	47.6	8	7	1	57.1	67.3	27.8	1	1	-	16.7	22.2	0

See notes on page 91

TABLE XIII VITAL STATISTICS, BY

ITEM	Henry						Houston					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	434	163	271	26.5	17.7	37.6	1,070	730	340	44.2	42.2	49.3
2 Delivered in hospital	212	156	56	48.8%	95.7%	20.7%	988	724	264	92.3%	99.2%	77.6%
3 Delivered in home by physician	23	7	16	5.3%	4.3%	5.9%	12	3	9	1.1%	0.4%	2.6%
4 Delivered in home by midwife	199	-	199	45.9%	0%	73.4%	70	3	67	6.5%	0.4%	19.7%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	30	7	23	69.1	42.9	84.9	87	48	39	81.3	65.8	114.7
FETAL DEATHS												
Total	16	1	15	36.9	6.1	55.4	13	7	6	12.1	9.6	17.6
Under 20 weeks gestation	4	-	4	9.2	0	14.8	-	-	-	0	0	0
20-27 weeks gestation	2	1	1	4.6	6.1	3.7	3	2	1	2.8	2.7	2.9
28 weeks and more	10	-	10	23.0	0	36.9	10	5	5	9.3	6.8	14.7
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	142	74	68	865.9	804.3	944.4	163	99	64	673.6	572.3	927.5
11 Under 1 year	23	6	17	53.0	36.8	62.7	32	18	14	29.9	24.7	41.2
12 Under 28 days	11	3	8	25.3	18.4	29.5	21	15	6	19.6	20.5	17.6
13 Deaths from immaturity	6	-	6	13.8	0	22.1	5	5	-	4.7	6.8	0
14 1-4 years **	-	-	-	-	-	-	2	1	1	-	-	-
15 Maternal deaths	1	-	1	23.0	0	36.9	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	3	2	1	12.4	11.6	14.5
17 Syphilis and its sequelae (020-029)	1	-	1	6.1	0	13.9	1	-	1	4.1	0	14.5
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	1	1	-	4.1	5.8	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	-	1	6.1	0	13.9	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	13	10	3	79.3	108.7	41.7	18	14	4	74.4	80.9	58.0
34 Benign and unspecified neoplasms (210-239)	1	1	-	6.1	10.9	0	-	-	-	0	0	0
35 Diabetes mellitus (260)	-	-	-	0	0	0	-	-	-	0	0	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	23	14	9	140.2	152.2	125.0	26	12	14	107.4	69.4	202.9
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	46	27	19	280.5	293.5	263.9	45	27	18	186.0	156.1	260.9
42 Hypertension without mention of heart (444-447)	1	1	-	6.1	10.9	0	1	1	-	4.1	5.8	0
43 Influenza and pneumonia (480-483, 490-493)	6	2	4	36.6	21.7	55.6	7	-	7	28.9	0	101.4
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	1	1	-	4.1	5.8	0
46 Appendicitis (550-553)	-	-	-	0	0	0	1	1	-	4.1	5.8	0
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	6.1	10.9	0	2	-	2	8.3	0	29.0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	6.1	0	13.9	-	-	-	0	0	0
49 Cirrhosis of liver (581)	1	1	-	6.1	10.9	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	3	1	2	18.3	10.9	27.8	4	3	1	16.5	17.3	14.5
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	6.1	0	13.9	-	-	-	0	0	0
53 Congenital malformations (750-759)	3	3	-	18.3	32.6	0	9	6	3	37.2	34.7	43.5
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	2	-	12.2	21.7	0	5	4	1	20.7	23.1	14.5
55 Infection of the newborn (763-768)	1	-	1	6.1	0	13.9	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	9	-	9	54.9	0	125.0	11	7	4	45.5	40.5	58.0
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	-	-	-	0	0	0
59 Motor vehicle accidents (E810-E835)	7	3	4	42.7	32.6	55.6	4	2	2	16.5	11.6	29.0
60 All other accidents (E800-E802, E840-E962)	7	3	4	42.7	32.6	55.6	9	6	3	37.2	34.7	43.5
61 Suicide (E963, E970-E979)	1	1	-	6.1	10.9	0	3	3	-	12.4	17.3	0
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	3	1	2	12.4	5.8	29.0
63 All other diseases (residual)	13	4	9	79.3	43.5	125.0	9	8	1	37.2	46.2	14.5

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Irwin						Jackson						Jasper						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	260	116	144	22.6	15.9	34.3	453	367	86	24.6	23.5	30.7	174	38	136	26.0	13.1	35.8	1
2	170	116	54	65.4	100.0	37.5	416	354	62	91.8	96.5	72.1	79	38	41	45.4	100.0	30.1	2
3	2	-	2	0.8	0	1.4	4	3	1	0.9	0.8	1.2	3	-	3	1.7	0	2.2	3
4	88	-	88	33.8	0	61.1	33	10	23	7.3	2.7	26.7	92	-	92	52.9	0	67.6	4
5	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	5
6	27	6	21	103.8	51.7	145.8	35	24	11	77.3	65.4	127.9	12	-	12	69.0	0	88.2	6
7	16	4	12	61.5	34.5	83.3	19	12	7	41.9	32.7	81.4	11	5	6	63.2	131.6	44.1	7
8	2	1	1	7.7	8.6	6.9	4	4	-	8.8	10.9	0	1	1	-	5.7	26.3	0	8
9	3	2	1	11.5	17.2	6.9	3	3	3	6.6	0	34.9	1	1	1	5.7	0	7.4	9
10	11	1	10	42.3	8.6	69.4	11	7	4	24.3	19.1	46.5	9	4	5	51.7	105.3	36.8	10
11	-	-	-	0	0	0	1	1	-	2.2	2.7	0	-	-	-	0	0	0	11
12	81	50	31	704.3	684.9	738.1	164	139	25	891.3	891.0	892.9	76	39	37	1134.3	1344.8	973.7	12
13	6	1	5	23.1	8.6	34.7	13	10	3	28.7	27.2	34.9	5	-	5	28.7	0	36.8	13
14	3	1	2	11.5	8.6	13.9	8	7	1	17.7	19.1	11.6	5	-	5	28.7	0	36.8	14
15	1	1	1	3.8	0	6.9	4	2	2	8.8	5.4	23.3	-	-	-	0	0	0	15
16	5	2	3	38.5	0	69.4	1	-	1	44.2	27.2	116.3	-	-	-	0	0	0	16
17	1	-	-	0	0	0	2	1	1	5.4	0	35.7	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	1	1	-	5.4	6.4	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	1	-	8.7	13.7	0	2	1	1	10.9	6.4	35.7	-	-	-	0	0	0	32
33	8	7	1	69.6	95.9	23.8	28	28	-	152.2	179.5	0	12	9	3	179.1	310.3	78.9	33
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	-	-	-	0	0	0	4	4	-	21.7	25.6	0	1	1	-	14.9	34.5	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	14.9	34.5	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	10	6	4	87.0	82.2	95.2	29	21	8	157.6	134.6	285.7	13	7	6	194.0	241.4	157.9	38
39	1	-	1	8.7	0	23.8	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	20	13	7	173.9	178.1	166.7	35	33	2	190.2	211.5	71.4	22	12	10	328.4	413.8	263.2	41
42	-	-	-	0	0	0	3	2	1	16.3	12.8	35.7	-	-	-	0	0	0	42
43	8	4	4	69.6	54.8	95.2	5	2	3	27.2	12.8	107.1	3	-	3	44.8	0	78.9	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	14.9	0	26.3	45
46	-	-	-	0	0	0	1	-	1	5.4	0	35.7	-	-	-	0	0	0	46
47	-	-	-	0	0	0	1	-	1	5.4	0	35.7	-	-	-	0	0	0	47
48	1	-	1	8.7	0	23.8	-	-	-	0	0	0	-	-	-	0	0	0	48
49	1	1	-	8.7	13.7	0	-	-	-	0	0	0	-	-	-	0	0	0	49
50	3	2	1	26.1	27.4	23.8	-	-	-	0	0	0	-	-	-	0	0	0	50
51	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	1	-	1	8.7	0	23.8	2	1	1	10.9	6.4	35.7	-	-	-	0	0	0	52
53	-	-	-	0	0	0	2	1	1	10.9	6.4	35.7	2	-	2	29.8	0	52.6	53
54	1	1	-	8.7	13.7	0	4	4	-	21.7	25.6	0	-	-	-	0	0	0	54
55	-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	29.8	0	52.6	55
56	1	-	1	8.7	0	23.8	4	2	2	21.7	12.8	71.4	-	-	-	0	0	0	56
57	3	1	2	26.1	13.7	47.6	3	3	2	16.3	19.2	0	-	-	-	0	0	0	57
58	1	-	1	8.7	0	23.8	1	1	-	5.4	6.4	0	-	-	-	0	0	0	58
59	5	4	1	43.5	54.8	23.8	6	6	-	32.6	38.5	0	4	3	1	59.7	103.4	26.3	59
60	6	5	1	52.2	68.5	23.8	10	10	-	54.3	64.1	0	2	1	1	29.8	34.5	26.3	60
61	-	-	0	0	0	0	2	1	1	10.9	6.4	35.7	1	1	-	14.9	34.5	0	61
62	1	-	1	8.7	0	23.8	2	1	1	10.9	6.4	35.7	2	-	2	29.8	0	52.6	62
63	9	5	4	78.3	68.5	95.2	18	17	1	97.8	109.0	35.7	10	4	6	149.3	137.9	157.9	63

See notes on page 91

TABLE XIII

VITAL STATISTICS, BY

ITEM	Jeff Davis						Jefferson						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	251	182	69	25.9	24.6	30.0	521	165	356	28.6	21.7	33.6	1
2 Delivered in hospital	134	129	5	53.4%	70.9%	7.2%	211	152	59	40.5%	92.1%	16.6%	2
3 Delivered in home by physician	56	46	10	22.3%	25.3%	14.5%	36	4	32	6.9%	2.4%	9.0%	3
4 Delivered in home by midwife	61	7	54	24.3%	3.8%	78.3%	274	9	265	52.6%	5.5%	74.4%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	5	3	2	19.9	16.5	29.0	43	16	27	82.5	97.0	75.8	6
FETAL DEATHS													
7 Total	7	4	3	27.9	22.0	43.5	11	-	11	21.1	0	30.9	7
8 Under 20 weeks gestation	-	-	-	0	0	0	1	-	1	1.9	0	2.8	8
9 20-27 weeks gestation	2	1	1	8.0	5.5	14.5	1	-	1	1.9	0	2.8	9
28 weeks and more	3	2	1	12.0	11.0	14.5	9	-	9	17.3	0	25.3	
Unknown length of gestation	2	1	1	8.0	5.5	14.5	-	-	-	0	0	0	
DEATHS													
10 Total, all ages	86	62	24	886.6	837.8	1043.5	206	88	118	1131.9	1157.9	1113.2	10
11 Under 1 year	6	5	1	23.9	27.5	14.5	34	5	29	65.3	30.3	81.5	11
12 Under 28 days	5	4	1	19.9	22.0	14.5	17	3	14	32.6	18.2	39.3	12
13 Deaths from immaturity	1	1	-	4.0	5.5	0	1	1	1	1.9	6.1	0	13
14 1-4 years **	-	-	-	-	-	-	2	1	1	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	1	1	-	19.2	60.6	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	2	-	2	11.0	0	18.9	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	1	-	1	5.5	0	9.4	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	1	-	1	5.5	0	9.4	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	3	-	3	16.5	0	28.3	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	9	6	3	92.8	81.1	130.4	15	6	9	82.4	78.9	84.9	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	2	1	1	20.6	13.5	43.5	1	-	1	5.5	0	9.4	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	2	1	1	11.0	13.2	9.4	37
38 Vascular lesions affecting central nervous system (330-334)	14	10	4	144.3	135.1	173.9	33	18	15	181.3	236.8	141.5	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	1	-	1	5.5	0	9.4	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	30	23	7	309.3	310.8	304.3	57	29	28	313.2	381.6	264.2	41
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	2	-	2	11.0	0	18.9	42
43 Influenza and pneumonia (480-483, 490-493)	7	5	2	72.2	67.6	87.0	9	-	9	49.4	0	84.9	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	2	2	-	20.6	27.0	0	1	-	1	5.5	0	9.4	45
46 Appendicitis (550-553)	-	-	-	0	0	0	1	1	-	5.5	13.2	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	10.3	13.5	0	1	1	-	5.5	13.2	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	3	-	3	16.5	0	28.3	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	3	3	-	16.5	39.5	0	49
50 Nephritis and nephrosis (590-594)	2	1	1	20.6	13.5	43.5	6	4	2	33.0	52.6	18.9	50
51 Hyperplasia of prostate (610)	2	1	1	20.6	13.5	43.5	1	-	1	5.5	0	9.4	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	1	1	-	5.5	13.2	0	52
53 Congenital malformations (750-759)	1	-	1	10.3	0	43.5	5	3	2	27.5	39.5	18.9	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	2	-	20.6	27.0	0	3	-	3	16.5	0	28.3	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	1	-	1	5.5	0	9.4	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	1	-	10.3	13.5	0	7	2	5	38.5	26.3	47.2	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	2	-	2	11.0	0	18.9	57
58 Ill-defined and unknown causes (780-793, 795)	1	1	-	10.3	13.5	0	7	2	5	38.5	26.3	47.2	58
59 Motor vehicle accidents (E810-E835)	2	2	-	20.6	27.0	0	7	3	4	38.5	39.5	37.7	59
60 All other accidents (E800-E802, E840-E962)	3	2	1	30.9	27.0	43.5	10	4	6	54.9	52.6	56.6	60
61 Suicide (E963, E970-E979)	1	1	-	10.3	13.5	0	3	3	-	16.5	39.5	0	61
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	5	1	4	27.5	13.2	37.7	62
63 All other diseases (residual)	6	3	3	61.9	40.5	130.4	12	6	6	65.9	78.9	56.6	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Jenkins						Johnson						Jones						
	Number			Rate or Ratio*			Number			Rate or Ratio*			Number			Rate or Ratio*			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	289	109	180	30.7	24.8	36.0	221	100	121	27.6	17.9	50.4	188	55	133	26.9	16.2	36.9	1
2	147	104	43	50.9%	95.4%	23.9%	107	94	13	48.4%	94.0%	10.7%	90	51	39	47.9%	92.7%	29.3%	2
3	19	2	17	6.6%	1.8%	9.4%	1	1	1	0.5%	0%	0.8%	7	3	4	3.7%	5.5%	3.0%	3
4	123	3	120	42.6%	2.8%	66.7%	113	6	107	51.1%	6.0%	88.4%	91	1	90	48.4%	1.8%	67.7%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	29	8	21	100.3	73.4	116.7	10	2	8	45.2	20.0	66.1	20	4	16	106.4	72.7	120.3	6
7	8	2	6	27.7	18.3	33.3	8	3	5	36.2	30.0	41.3	8	1	7	42.6	18.2	52.6	7
8	3	1	2	10.4	9.2	11.1	1	1	1	4.5	0	8.3	3	1	2	16.0	18.2	15.0	8
9	2	1	1	6.9	9.2	5.6	3	3	3	0	0	0	3	3	3	16.0	0	22.6	9
	3	3	3	10.4	0	16.7	5	1	4	22.6	10.0	33.1	2	2	2	10.6	0	15.0	8
	1	1	1	0	0	0	2	2	2	9.0	20.0	0	-	-	-	0	0	0	9
10	119	46	73	1266.0	1045.5	1460.0	92	63	29	1150.0	1125.0	1208.3	57	26	31	814.3	764.7	861.1	10
11	13	2	11	45.0	18.3	61.1	6	3	3	27.1	30.0	24.8	4	4	4	21.3	0	30.1	11
12	5	1	4	17.3	9.2	22.2	5	3	2	22.6	30.0	16.5	3	3	3	16.0	0	22.6	12
13	3	3	3	10.4	0	16.7	1	1	1	4.5	10.0	0	1	1	1	5.3	0	7.5	13
14	3	1	2	0	0	0	2	2	2	0	0	0	-	-	-	0	0	0	14
15	1	1	1	34.6	0	55.6	2	2	2	90.5	0	165.3	-	-	-	0	0	0	15
16	1	-	1	10.6	0	20.0	-	-	-	0	0	0	-	-	-	0	0	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	1	1	-	10.6	22.7	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	-	1	10.6	0	20.0	-	-	-	0	0	0	-	-	-	0	0	0	32
33	9	5	4	95.7	113.6	80.0	7	5	2	87.5	89.3	83.3	6	3	3	85.7	88.2	83.3	33
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	1	-	1	10.6	0	20.0	1	-	1	12.5	0	41.7	-	-	-	0	0	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	14.3	0	27.8	37
38	29	11	18	308.5	250.0	360.0	21	11	10	262.5	196.4	416.7	9	5	4	128.6	147.1	111.1	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	26	14	12	276.6	318.2	240.0	29	24	5	362.5	428.6	208.3	21	13	8	300.0	382.4	222.2	41
42	4	-	4	42.6	0	80.0	2	2	2	25.0	35.7	0	1	1	1	14.3	0	27.8	42
43	8	2	6	85.1	45.5	120.0	5	3	2	62.5	53.6	83.3	2	2	2	28.6	0	55.6	43
44	1	-	1	10.6	0	20.0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	1	1	-	12.5	17.9	0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	1	1	-	12.5	17.9	0	-	-	-	0	0	0	46
47	1	1	-	10.6	22.7	0	1	1	-	12.5	17.9	0	-	-	-	0	0	0	47
48	4	1	3	42.6	22.7	60.0	-	-	-	0	0	0	-	-	-	0	0	0	48
49	-	-	-	0	0	0	1	-	1	12.5	0	41.7	-	-	-	0	0	0	49
50	2	1	1	21.3	22.7	20.0	1	1	-	12.5	17.9	0	4	2	2	57.1	58.8	55.6	50
51	1	1	-	10.6	22.7	0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	1	-	1	10.6	0	20.0	2	-	2	25.0	0	83.3	-	-	-	0	0	0	52
53	1	1	-	10.6	22.7	0	-	-	-	0	0	0	1	-	1	14.3	0	27.8	53
54	-	-	-	0	0	0	2	1	1	25.0	17.9	41.7	-	-	-	0	0	0	54
55	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	55
56	3	-	3	31.9	0	60.0	2	1	1	25.0	17.9	41.7	2	-	2	28.6	0	55.6	56
57	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	14.3	0	27.8	57
58	4	-	4	42.6	0	80.0	1	1	-	12.5	17.9	0	1	-	1	14.3	0	27.8	58
59	4	1	3	42.6	22.7	60.0	3	2	1	37.5	35.7	41.7	4	1	3	57.1	29.4	83.3	59
60	8	3	5	85.1	68.2	100.0	5	4	1	62.5	71.4	41.7	1	-	1	14.3	0	27.8	60
61	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	14.3	29.4	0	61
62	-	-	-	0	0	0	1	-	1	12.5	0	41.7	-	-	-	0	0	0	62
63	9	4	5	95.7	90.9	100.0	6	5	1	75.0	89.3	41.7	2	1	1	28.6	29.4	27.8	63

See notes on page 91

ITEM	Lamar						Lander						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	255	129	126	24.5	20.5	30.7	177	118	59	36.1	36.9	34.7	1
2 Delivered in hospital	244	129	115	95.7%	100.0%	91.3%	157	114	43	88.7%	96.6%	72.9%	2
3 Delivered in home by physician	2	-	2	0.8%	0%	1.6%	5	3	2	2.8%	2.5%	3.4%	3
4 Delivered in home by midwife	8	-	8	3.1%	0%	6.3%	15	1	14	8.5%	0.8%	23.7%	4
5 Other deliveries	1	-	1	0.4%	0%	0.8%	-	-	-	0%	0%	0%	5
6 Immature births	34	17	17	133.3	131.8	134.9	16	10	6	90.4	84.7	101.7	6
FETAL DEATHS													
7 Total	10	2	8	39.2	15.5	63.5	6	5	1	33.9	42.4	16.9	7
8 Under 20 weeks gestation	-	-	-	0	0	0	2	2	-	11.3	16.9	0	8
9 20-27 weeks gestation	2	-	2	7.8	0	15.9	2	2	2	11.3	16.9	0	9
28 weeks and more	6	1	5	23.5	7.8	39.7	2	1	1	11.3	8.5	16.9	0
Unknown length of gestation	2	1	1	7.8	7.8	7.9	-	-	-	0	0	0	0
DEATHS													
10 Total, all ages	93	60	33	894.2	952.4	804.9	36	27	9	734.7	843.8	529.4	10
11 Under 1 year	4	2	2	15.7	15.5	15.9	4	3	1	22.6	25.4	16.9	11
12 Under 28 days	3	2	1	11.8	15.5	7.9	2	2	2	11.3	16.9	0	12
13 Deaths from immaturity	-	-	-	0	0	0	-	-	-	0	0	0	13
14 1-4 years **	-	-	-	0	0	0	-	-	-	0	0	0	14
15 Maternal deaths	1	-	1	39.2	0	79.4	1	1	-	56.5	84.7	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	1	1	-	9.6	15.9	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	14	12	2	134.6	190.5	48.8	4	1	3	81.6	31.2	176.5	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	2	1	1	19.2	15.9	24.4	-	-	-	0	0	0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	18	11	7	173.1	174.6	170.7	4	3	1	81.6	93.8	58.8	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	34	22	12	326.9	349.2	292.7	14	11	3	285.7	343.8	176.5	41
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	-	-	-	0	0	0	42
43 Influenza and pneumonia (480-483, 490-493)	-	-	-	0	0	0	-	-	-	0	0	0	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	1	1	-	20.4	31.2	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	9.6	0	24.4	1	-	1	20.4	0	58.8	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	3	3	-	28.8	47.6	0	2	2	-	40.8	62.5	0	50
51 Hyperplasia of prostate (610)	1	1	-	9.6	15.9	0	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	9.6	0	24.4	1	1	-	20.4	31.2	0	52
53 Congenital malformations (750-759)	2	1	1	19.2	15.9	24.4	-	-	-	0	0	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	3	2	1	28.8	31.7	24.4	1	1	-	20.4	31.2	0	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	0	0	0	1	1	-	20.4	31.2	0	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	2	1	1	19.2	15.9	24.4	-	-	-	0	0	0	58
59 Motor vehicle accidents (E810-E835)	2	1	1	19.2	15.9	24.4	-	-	-	0	0	0	59
60 All other accidents (E800-E802, E840-E962)	3	1	2	28.8	15.9	48.8	1	1	-	20.4	31.2	0	60
61 Suicide (E963, E970-E979)	1	-	1	9.6	0	24.4	-	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	1	1	-	20.4	31.2	0	62
63 All other diseases (residual)	7	4	3	67.3	63.5	73.2	5	4	1	102.0	125.0	58.8	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Laurens						Lee						Liberty						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	826	410	416	25.0	20.9	31.0	203	43	160	34.4	22.6	40.0	452	255	197	46.6	65.4	34.0	1
2	576	399	177	69.7%	97.3%	42.5%	68	43	25	33.5%	100.0%	15.6%	338	255	83	74.8%	100.0%	42.1%	2
3	35	5	30	4.2%	1.2%	7.2%	9	-	9	4.4%	0%	5.6%	12	-	12	2.7%	0%	6.1%	3
4	212	5	207	25.7%	1.2%	49.8%	126	-	126	62.1%	0%	78.8%	102	-	102	22.6%	0%	51.8%	4
5	3	1	2	0.4%	0.2%	0.5%	1	-	1	0%	0%	0%	-	-	-	0%	0%	0%	5
6	46	25	21	55.7	61.0	50.5	13	5	8	64.0	116.3	50.0	45	25	20	99.6	98.0	101.5	6
7	24	11	13	29.1	26.8	31.2	10	2	8	49.3	46.5	50.0	18	7	11	39.8	27.4	55.8	7
8	1	1	1	1.2	0	2.4	4	-	4	0	0	0	6	3	3	13.3	11.8	15.2	8
9	2	1	1	2.4	2.4	2.4	4	2	2	19.7	46.5	12.5	4	2	2	8.8	7.8	10.2	9
	21	10	11	25.4	24.4	26.4	6	6	6	29.6	0	37.5	7	2	5	15.5	7.8	25.4	
	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	2.2	0	5.1	
10	319	152	167	966.7	775.5	1246.3	58	14	44	983.0	736.8	1100.0	98	31	67	1010.3	794.9	1155.2	10
11	28	9	19	33.9	22.0	45.7	9	1	8	44.3	23.3	50.0	13	5	8	28.8	19.6	40.6	11
12	18	9	9	21.8	22.0	21.6	5	1	4	24.6	23.3	25.0	8	5	3	17.7	19.6	15.2	12
13	7	5	2	8.5	12.2	4.8	-	-	-	0	0	0	2	1	1	4.4	3.9	5.1	13
14	2	2	-	-	-	-	-	-	-	-	-	-	5	1	4	-	-	-	14
15	1	-	1	12.1	0	24.0	1	-	1	49.3	0	62.5	-	-	-	0	0	0	15
16	5	-	5	15.2	0	37.3	1	-	1	16.9	0	25.0	-	-	-	0	0	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	10.3	0	17.2	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	1	-	1	3.0	0	7.5	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	2	1	1	6.1	5.1	7.5	-	-	-	0	0	0	-	-	-	0	0	0	32
33	37	26	11	112.1	132.7	82.1	8	2	6	135.6	105.3	150.0	7	4	3	72.2	102.6	51.7	33
34	1	-	1	3.0	0	7.5	-	-	-	0	0	0	-	-	-	0	0	0	34
35	3	1	2	9.1	5.1	14.9	-	-	-	0	0	0	-	-	-	0	0	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	47	9	38	142.4	45.9	283.6	14	1	13	237.3	52.6	325.0	13	4	9	134.0	102.6	155.2	38
39	1	-	1	3.0	0	7.5	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	122	78	44	369.7	398.0	328.4	11	7	4	186.4	368.4	100.0	29	6	23	299.0	153.8	396.6	41
42	3	-	3	9.1	0	22.4	1	1	1	16.9	0	25.0	1	1	1	10.3	25.6	0	42
43	14	3	11	42.4	15.3	82.1	5	5	5	84.7	0	125.0	9	9	9	92.8	0	155.2	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	1	-	1	16.9	0	25.0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	2	2	-	6.1	10.2	0	-	-	-	0	0	0	-	-	-	0	0	0	47
48	1	-	1	3.0	0	7.5	-	-	-	0	0	0	1	-	1	10.3	0	17.2	48
49	1	1	-	3.0	5.1	0	-	-	-	0	0	0	1	1	-	10.3	25.6	0	49
50	6	2	4	18.2	10.2	29.8	-	-	-	0	0	0	2	1	1	20.6	25.6	17.2	50
51	1	-	1	3.0	0	7.5	-	-	-	0	0	0	-	-	-	0	0	0	51
52	1	-	1	3.0	0	7.5	1	-	1	16.9	0	25.0	-	-	-	0	0	0	52
53	3	2	1	9.1	10.2	7.5	1	-	1	16.9	0	25.0	-	-	-	0	0	0	53
54	3	2	1	9.1	10.2	7.5	-	-	-	0	0	0	5	4	1	51.5	102.6	17.2	54
55	3	1	2	9.1	5.1	14.9	2	-	2	33.9	0	50.0	-	-	-	0	0	0	55
56	11	6	5	33.3	30.6	37.3	-	-	-	0	0	0	4	1	3	41.2	25.6	51.7	56
57	3	-	3	9.1	0	22.4	2	-	2	33.9	0	50.0	1	-	1	10.3	0	17.2	57
58	7	1	6	21.2	5.1	44.8	3	2	1	50.8	105.3	25.0	1	-	1	10.3	0	17.2	58
59	12	6	6	36.4	30.6	44.8	3	3	3	50.8	0	75.0	6	3	3	61.9	76.9	51.7	59
60	6	3	3	18.2	15.3	22.4	3	1	2	50.8	52.6	50.0	6	1	5	61.9	25.6	86.2	60
61	1	1	-	3.0	5.1	0	-	-	-	0	0	0	1	1	-	10.3	25.6	0	61
62	8	2	6	24.2	10.2	44.8	-	-	-	0	0	0	-	-	-	0	0	0	62
63	14	5	9	42.4	25.5	67.2	2	1	1	33.9	52.6	25.0	10	4	6	103.1	102.6	103.4	63

See notes on page 91

TABLE XIII

VITAL STATISTICS, BY

ITEM	Lincoln						Long						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	185	47	138	30.3	14.7	47.6	132	89	43	40.0	40.5	39.1	1
2 Delivered in hospital	156	44	112	84.3%	93.6%	81.2%	114	84	30	86.4%	94.4%	69.8%	2
3 Delivered in home by physician	16	3	13	8.6%	6.4%	9.4%	5	3	2	3.8%	3.4%	4.7%	3
4 Delivered in home by midwife	13	-	13	7.0%	0%	9.4%	13	2	11	9.8%	2.2%	25.6%	4
5 Other deliveries	1	-	1	0%	0%	0%	1	-	-	0%	0%	0%	5
6 Immature births	24	3	21	129.7	63.8	152.2	8	3	5	60.6	33.7	116.3	6
FETAL DEATHS													
7 Total	3	-	3	16.2	0	21.7	5	5	-	37.9	56.2	0	
8 Under 20 weeks gestation	-	-	-	0	0	0	2	2	-	15.2	22.5	0	7
9 20-27 weeks gestation	1	-	1	5.4	0	7.2	-	-	-	0	0	0	8
28 weeks and more	2	-	2	10.8	0	14.5	3	3	-	22.7	33.7	0	9
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0	
DEATHS													
10 Total, all ages	58	34	24	950.8	1062.5	827.6	27	15	12	818.2	681.8	1090.9	10
11 Under 1 year	5	-	5	27.0	0	36.2	1	-	1	7.6	0	23.3	11
12 Under 28 days	2	-	2	10.8	0	14.5	1	-	1	7.6	0	23.3	12
13 Deaths from immaturity	1	-	1	0	0	0	-	-	-	0	0	0	13
14 1-4 years **	1	-	1	0	0	0	-	-	-	0	0	0	14
15 Maternal deaths	2	-	2	108.1	0	144.9	1	1	-	75.8	112.4	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	1	-	1	16.4	0	34.5	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	1	-	16.4	31.2	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	9	7	2	147.5	218.8	69.0	4	2	2	121.2	90.9	181.8	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	1	1	-	16.4	31.2	0	1	-	1	30.3	0	90.9	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	5	3	2	82.0	93.8	69.0	5	4	1	151.5	181.8	90.9	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	19	12	7	311.5	375.0	241.4	8	3	5	242.4	136.4	454.5	41
42 Hypertension without mention of heart (444-447)	1	-	1	16.4	0	34.5	1	1	-	30.3	45.5	0	42
43 Influenza and pneumonia (480-483, 490-493)	3	2	1	49.2	62.5	34.5	1	1	-	30.3	45.5	0	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	1	-	1	16.4	0	34.5	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	-	-	-	0	0	0	1	1	-	30.3	45.5	0	50
51 Hyperplasia of prostate (610)	1	-	1	16.4	0	34.5	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	2	-	2	32.8	0	69.0	1	1	-	30.3	45.5	0	52
53 Congenital malformations (750-759)	-	-	-	0	0	0	-	-	-	0	0	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	-	-	-	0	0	0	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	1	-	1	30.3	0	90.9	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	-	1	16.4	0	34.5	-	-	-	0	0	0	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	4	-	4	65.6	0	137.9	-	-	-	0	0	0	58
59 Motor vehicle accidents (E810-E835)	4	3	1	65.6	93.8	34.5	1	1	-	30.3	45.5	0	59
60 All other accidents (E800-E802, E840-E962)	1	1	-	16.4	31.2	0	1	-	1	30.3	0	90.9	60
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	-	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	2	1	-	60.6	45.5	0	62
63 All other diseases (residual)	4	4	-	65.6	125.0	0	-	-	-	0	0	0	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Lowndes						Lumpkin						Macon						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	1,678	1,101	577	43.9	47.1	39.0	136	134	2	20.0	20.3	10.0	364	96	268	27.6	20.9	31.2	1
2	1,294	1,083	211	77.1%	98.4%	36.6%	133	131	2	97.8%	97.8%	100.0%	188	93	95	51.6%	96.9%	35.4%	2
3	32	8	24	1.9%	0.7%	4.2%				0%	0%	0%	8	1	7	2.2%	1.0%	2.6%	3
4	352	10	342	21.0%	0.9%	59.3%	3	3		2.2%	2.2%	0%	168	2	166	46.2%	2.1%	61.9%	4
5				0%	0%	0%				0%	0%	0%				0%	0%	0%	5
6	129	65	64	76.9	59.0	110.9	10	10		73.5	74.6	0	68	6	62	186.8	62.5	231.3	6
7	34	17	17	20.3	15.4	29.5	4	4		29.4	29.8	0	15	1	14	41.2	10.4	52.2	7
8	10	6	4	6.0	5.4	6.9				0	0	0	1	1	1	2.7	0	3.7	7
9	5	3	2	3.0	2.7	3.5				0	0	0	3	3	3	8.2	0	11.2	8
	19	8	11	11.3	7.3	19.1	4	4		29.4	29.8	0	11	1	10	30.2	10.4	37.3	9
				0	0	0				0	0	0				0	0	0	9
10	304	171	133	795.8	730.8	898.6	50	49	1	735.3	742.4	500.0	134	37	97	1015.2	804.3	1127.9	10
11	31	14	17	18.5	12.7	29.5	1	1		7.4	7.5	0	16	2	14	44.0	20.8	52.2	11
12	20	12	8	11.9	10.9	13.9	1	1		7.4	7.5	0	8	1	7	22.0	10.4	25.1	12
13	5	2	3	3.0	1.8	5.2				0	0	0	1	1	1	2.7	0	3.7	13
14	2	2	2				1	1		0	0	0	2	2	2		0		14
15	1	1		6.0	9.1	0				0	0	0				0	0	0	15
16	3	1	2	7.9	4.3	13.5				0	0	0				0	0	0	16
17	1		1	2.6	0	6.8				0	0	0				0	0	0	17
18				0	0	0				0	0	0				0	0	0	18
19				0	0	0				0	0	0				0	0	0	19
20				0	0	0				0	0	0				0	0	0	20
21				0	0	0				0	0	0				0	0	0	21
22				0	0	0				0	0	0				0	0	0	22
23				0	0	0				0	0	0				0	0	0	23
24				0	0	0				0	0	0				0	0	0	24
25				0	0	0				0	0	0				0	0	0	25
26	1		1	2.6	0	6.8				0	0	0				0	0	0	26
27				0	0	0				0	0	0				0	0	0	27
28	1		1	2.6	0	6.8				0	0	0				0	0	0	28
29				0	0	0				0	0	0				0	0	0	29
30				0	0	0				0	0	0				0	0	0	30
31				0	0	0				0	0	0				0	0	0	31
32	1	1		2.6	4.3	0	1	1		14.7	15.2	0	2	1	1	15.2	21.7	11.6	32
33	32	21	11	83.8	89.7	74.3	9	8	1	132.4	121.2	500.0	7	2	5	53.0	43.5	58.1	33
34	1		1	2.6	0	6.8				0	0	0				0	0	0	34
35	5	2	3	13.1	8.5	20.3				0	0	0	1	1		7.6	21.7	0	35
36				0	0	0				0	0	0				0	0	0	36
37	1		1	2.6	0	6.8				0	0	0				0	0	0	37
38	58	25	33	151.8	106.8	223.0	7	7		102.9	106.1	0	23	7	16	174.2	152.2	186.0	38
39				0	0	0				0	0	0				0	0	0	39
40				0	0	0				0	0	0	1		1	7.6	0	11.6	40
41	93	61	32	243.5	260.7	216.2	18	18		264.7	272.7	0	46	12	34	384.5	260.9	395.3	41
42	3	2	1	7.9	8.5	6.8	2	2		29.4	30.3	0	2		2	15.2	23.3	0	42
43	7	3	4	18.3	12.8	27.0	1	1		14.7	15.2	0	5		5	37.9	0	58.1	43
44				0	0	0				0	0	0				0	0	0	44
45				0	0	0				0	0	0				0	0	0	45
46				0	0	0				0	0	0				0	0	0	46
47	2	1	1	5.2	4.3	6.8				0	0	0				0	0	0	47
48	1		1	2.6	0	6.8				0	0	0	1		1	7.6	0	11.6	48
49	3	2	1	7.9	8.5	6.8	1	1		14.7	15.2	0	1		1	7.6	0	11.6	49
50	6	4	2	15.7	17.1	13.5				0	0	0	6	1	5	45.5	21.7	58.1	50
51				0	0	0	1	1		14.7	15.2	0	1		1	7.6	0	11.6	51
52	1	1		2.6	4.3	0				0	0	0				0	0	0	52
53	6	2	4	15.7	8.5	27.0				0	0	0	6	1	5	45.5	21.7	58.1	53
54	7	5	2	18.3	21.4	13.5				0	0	0	2	1	1	15.2	21.7	11.6	54
55	4	2	2	10.5	8.5	13.5				0	0	0	2		2	15.2	0	23.3	55
56	9	4	5	23.6	17.1	33.8	1	1		14.7	15.2	0	2		2	15.2	0	23.3	56
57	2	2		5.2	8.5	0				0	0	0	1		1	7.6	0	11.6	57
58	8	3	5	20.9	12.8	33.8				0	0	0				0	0	0	58
59	13	6	7	34.0	25.6	47.3	4	4		58.8	60.6	0	11	7	4	83.3	152.2	46.5	59
60	13	10	3	34.0	42.7	20.3				0	0	0	2		5	45.5	21.7	58.1	60
61	1	1		2.6	4.3	0	1	1		14.7	15.2	0	2	2		15.2	43.5	0	61
62	4		4	10.5	0	27.0	1	1		14.7	15.2	0	2		2	15.2	0	11.6	62
63	17	12	5	44.5	51.3	33.8	3	3		44.1	45.5	0	4	1	3	30.3	21.7	34.9	63

See notes on page 91

ITEM	Madison						Marion						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	252	184	68	21.7	19.8	29.6	151	34	117	24.0	14.2	30.0	1
2 Delivered in hospital	208	177	31	82.5%	96.2%	45.6%	45	31	14	29.8%	91.2%	12.0%	2
3 Delivered in home by physician	2	1	1	0.8%	0.5%	1.5%	17	3	14	11.3%	8.8%	12.0%	3
4 Delivered in home by midwife	42	6	36	16.7%	3.3%	52.9%	89	-	89	58.9%	0%	76.1%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	19	12	7	75.4	65.2	102.9	15	-	15	99.3	0	128.2	6
FETAL DEATHS													
7 Total	8	7	1	31.7	38.0	14.7	10	2	8	66.2	58.8	68.4	7
8 Under 20 weeks gestation	2	2	-	7.9	10.9	0	1	-	1	6.6	0	8.5	8
9 20-27 weeks gestation	3	2	1	11.9	10.9	14.7	2	-	2	13.2	0	17.1	9
28 weeks and more	2	2	-	7.9	10.9	0	7	2	5	46.4	58.8	42.7	
Unknown length of gestation	1	1	-	4.0	5.4	0	-	-	-	0	0	0	
DEATHS													
10 Total, all ages	110	87	23	948.3	935.5	1000.0	60	22	38	952.4	916.7	974.4	10
11 Under 1 year	6	4	2	23.8	21.7	29.4	9	1	8	59.6	29.4	68.4	11
12 Under 28 days	4	3	1	15.9	16.3	14.7	7	1	6	46.4	29.4	51.3	12
13 Deaths from immaturity	-	-	-	0	0	0	1	-	1	6.6	0	8.5	13
14 1-4 years **	3	3	-	0	0	0	2	-	2	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	1	-	1	15.9	0	25.6	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	1	-	1	15.9	0	25.6	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	1	1	-	15.9	41.7	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	9	8	1	77.6	86.0	43.5	4	3	1	63.5	125.0	25.6	33
34 Benign and unspecified neoplasms (210-239)	1	-	1	8.6	0	43.5	1	-	1	15.9	0	25.6	34
35 Diabetes mellitus (260)	2	2	-	17.2	21.5	0	1	-	1	15.9	0	25.6	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	16	13	3	137.9	139.8	130.4	10	3	7	158.7	125.0	179.5	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	43	34	9	370.7	365.6	391.3	15	8	7	238.1	333.3	179.5	41
42 Hypertension without mention of heart (444-447)	2	2	-	17.2	21.5	0	1	-	1	15.9	0	25.6	42
43 Influenza and pneumonia (480-483, 490-493)	6	4	2	51.7	43.0	87.0	5	-	5	79.4	0	128.2	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	1	1	-	8.6	10.8	0	1	1	-	15.9	41.7	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	1	1	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	3	3	-	25.9	32.3	0	3	1	2	15.9	41.7	0	50
51 Hyperplasia of prostate (610)	1	1	-	8.6	10.8	0	-	-	-	47.6	41.7	51.3	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	1	1	-	8.6	10.8	0	-	-	-	0	0	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	3	2	1	25.9	21.5	43.5	2	-	1	31.7	41.7	25.6	54
55 Infection of the newborn (763-768)	1	1	-	8.6	10.8	0	2	-	2	31.7	0	51.3	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	0	0	0	4	-	4	63.5	0	102.6	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	1	-	1	8.6	0	43.5	-	-	-	0	0	0	58
59 Motor vehicle accidents (E810-E835)	3	2	1	25.9	21.5	43.5	-	-	-	0	0	0	59
60 All other accidents (E800-E802, E840-E962)	3	3	-	25.9	32.3	0	1	-	1	15.9	0	25.6	60
61 Suicide (E963, E970-E979)	3	3	-	25.9	32.3	0	-	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	2	1	1	17.2	10.8	43.5	1	-	1	15.9	0	25.6	62
63 All other diseases (residual)	9	6	3	77.6	64.5	130.4	5	3	2	79.4	125.0	51.3	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Mc Duffie						Mc Intosh						Meriwether					
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1	360	146	214	30.3	22.1	40.4	167	50	117	25.7	20.0	29.2	486	193	293	23.7	18.9	28.4
2	258	145	113	71.7%	99.3%	52.8%	75	45	30	44.9%	90.0%	25.6%	236	178	58	48.6%	92.2%	19.8%
3	2	-	2	0.6%	0%	0.9%	2	1	1	1.2%	2.0%	0.9%	69	10	59	14.2%	5.2%	20.1%
4	99	1	98	27.5%	0.7%	45.8%	90	4	86	53.9%	8.0%	73.5%	181	5	176	37.2%	2.6%	60.1%
5	1	-	1	0.3%	0%	0.5%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6	35	5	30	97.2	34.2	140.2	11	4	7	65.9	80.0	59.8	38	12	26	78.2	62.2	88.7
7	24	10	14	66.7	68.5	65.4	1	-	1	6.0	0	8.5	13	6	7	26.7	31.1	23.9
8	13	6	7	36.1	41.1	32.7	-	-	-	0	0	0	1	1	-	2.1	5.2	0
9	4	2	2	11.1	13.7	9.3	-	-	-	0	0	0	5	2	3	10.3	10.4	10.2
	7	2	5	19.4	13.7	23.4	1	-	1	6.0	0	8.5	6	2	4	12.3	10.4	13.7
	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	2.1	5.2	0
10	115	59	56	966.4	893.9	1056.6	58	22	36	892.3	880.0	900.0	195	83	112	951.2	813.7	1087.4
11	8	4	4	22.2	27.4	18.7	5	1	4	29.9	20.0	34.2	11	3	8	22.6	15.5	27.3
12	6	3	3	16.7	20.5	14.0	3	1	2	18.0	20.0	17.1	4	1	3	8.2	5.2	10.2
13	1	1	-	2.8	6.8	0	-	-	-	0	0	0	2	2	-	4.1	0	6.8
14	1	-	1	-	-	-	2	1	1	-	-	-	2	-	2	-	-	-
15	1	-	1	27.8	0	46.7	-	-	-	0	0	0	-	-	-	0	0	0
16	1	1	-	8.4	15.2	0	1	-	1	15.4	0	25.0	2	-	2	9.8	0	19.4
17	-	-	-	0	0	0	1	1	-	15.4	40.0	0	2	-	2	9.8	0	19.4
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
19	-	-	-	0	0	0	1	-	1	15.4	0	25.0	-	-	-	0	0	0
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
28	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.9	0	9.7
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
32	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
33	11	7	4	92.4	106.1	75.5	4	1	3	61.5	40.0	75.0	12	6	6	58.5	58.8	58.3
34	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	4.9	9.8	0
35	2	1	1	16.8	15.2	18.9	1	1	-	15.4	40.0	0	4	3	1	19.5	29.4	9.7
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
38	22	8	14	184.9	121.2	264.2	13	5	8	200.0	200.0	200.0	48	20	28	234.1	196.1	271.8
39	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.9	0	9.7
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
41	35	21	14	294.1	318.2	264.2	20	7	13	307.7	280.0	325.0	60	29	31	292.7	284.3	301.0
42	2	2	-	16.8	30.3	0	-	-	-	0	0	0	4	2	2	19.5	19.6	19.4
43	3	1	2	25.2	15.2	37.7	2	1	1	30.8	40.0	25.0	6	1	5	29.3	9.8	48.5
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
45	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
46	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.9	0	9.7
47	-	-	-	0	0	0	1	-	1	15.4	0	25.0	3	3	-	14.6	29.4	0
48	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.9	0	9.7
49	1	-	1	8.4	0	18.9	-	-	-	0	0	0	2	1	1	9.8	9.8	9.7
50	1	-	1	8.4	0	18.9	1	-	1	15.4	0	25.0	4	2	2	19.5	19.6	19.4
51	3	1	2	25.2	15.2	37.7	-	-	-	0	0	0	-	-	-	0	0	0
52	1	-	1	8.4	0	18.9	-	-	-	0	0	0	-	-	-	0	0	0
53	-	-	-	0	0	0	-	-	-	0	0	0	2	2	-	9.8	19.6	0
54	2	2	-	16.8	30.3	0	-	-	-	0	0	0	1	-	1	4.9	0	9.7
55	1	-	1	8.4	0	18.9	1	-	1	15.4	0	25.0	1	-	1	4.9	0	9.7
56	1	1	-	8.4	15.2	0	2	1	1	30.8	40.0	25.0	2	-	2	9.8	0	19.4
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
58	4	1	3	33.6	15.2	56.6	1	-	1	15.4	0	25.0	5	1	4	24.4	9.8	38.8
59	8	2	6	67.2	30.3	113.2	3	3	-	46.2	120.0	0	4	2	2	19.5	19.6	19.4
60	3	3	-	25.2	45.5	0	1	1	-	15.4	40.0	0	9	2	7	43.9	19.6	68.0
61	-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	9.8	9.8	9.7
62	5	-	5	42.0	0	94.3	-	-	-	0	0	0	5	1	4	24.4	9.8	38.8
63	9	8	1	75.6	121.2	18.9	5	1	4	76.9	40.0	100.0	12	6	6	58.5	58.8	58.3

See notes on page 91

ITEM	Miller						Mitchell						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	170	107	63	20.0	17.8	25.2	571	180	391	25.7	16.1	35.5	1
2 Delivered in hospital	156	107	49	91.8%	100.0%	77.8%	409	176	233	71.6%	97.8%	59.6%	2
3 Delivered in home by physician	-	-	-	0%	0%	0%	11	1	10	1.9%	0.6%	2.6%	3
4 Delivered in home by midwife	14	-	14	8.2%	0%	22.2%	151	3	148	26.4%	1.7%	37.9%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	14	4	10	82.4	37.4	158.7	49	9	40	85.8	50.0	102.3	6
FETAL DEATHS													
7 Total	4	1	3	23.5	9.3	47.6	46	17	29	80.6	94.4	74.2	7
8 Under 20 weeks gestation	1	-	1	5.9	0	15.9	26	14	12	45.5	77.8	30.7	8
9 20-27 weeks gestation	-	-	-	0	0	0	3	-	3	5.3	0	7.7	7
28 weeks and more	3	1	2	17.6	9.3	31.7	14	2	12	24.5	11.1	30.7	9
Unknown length of gestation	-	-	-	0	0	0	3	1	2	5.3	5.6	5.1	
DEATHS													
10 Total, all ages	36	25	11	423.5	416.7	440.0	189	91	98	851.4	812.5	890.9	10
11 Under 1 year	6	3	3	35.3	28.0	47.6	28	4	24	49.0	22.2	61.4	11
12 Under 28 days	4	2	2	23.5	18.7	31.7	16	4	12	28.0	22.2	30.7	12
13 Deaths from immaturity	3	1	2	17.6	9.3	31.7	3	1	2	5.3	5.6	5.1	13
14 1-4 years **	-	-	-	-	-	-	2	-	2	-	-	-	14
15 Maternal deaths	1	1	-	58.8	93.5	0	1	-	1	17.5	0	25.6	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	1	1	-	11.8	16.7	0	1	1	-	4.5	8.9	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	1	-	1	4.5	0	9.1	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	1	-	1	4.5	0	9.1	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	1	1	-	4.5	8.9	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	1	1	-	11.8	16.7	0	23	14	9	103.6	125.0	81.8	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	1	1	-	4.5	8.9	0	34
35 Diabetes mellitus (260)	-	-	-	0	0	0	2	-	2	9.0	0	18.2	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	5	3	2	58.8	50.0	80.0	38	22	16	171.2	196.4	145.5	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	9	8	1	105.9	133.3	40.0	43	26	17	193.7	232.1	154.5	41
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	1	-	1	4.5	0	9.1	42
43 Influenza and pneumonia (480-483, 490-493)	1	1	-	11.8	16.7	0	12	2	10	54.1	17.9	90.9	43
44 Bronchitis (500-502)	-	-	-	0	0	0	1	-	1	4.5	0	9.1	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	2	2	-	9.0	17.9	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	2	-	2	9.0	0	18.2	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	2	2	-	9.0	17.9	0	49
50 Nephritis and nephrosis (590-594)	4	2	2	47.1	33.3	80.0	7	1	6	31.5	8.9	54.5	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	1	-	4.5	8.9	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	1	-	11.8	16.7	0	1	-	1	4.5	0	9.1	52
53 Congenital malformations (750-759)	-	-	-	0	0	0	-	-	-	0	0	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	1	-	11.8	16.7	0	8	1	7	36.0	8.9	63.6	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	2	1	1	9.0	8.9	9.1	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	1	2	35.3	16.7	80.0	5	1	4	22.5	8.9	36.4	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	6	1	5	27.0	8.9	45.5	58
59 Motor vehicle accidents (E810-E835)	3	2	1	35.3	33.3	40.0	1	1	1	4.5	0	9.1	59
60 All other accidents (E800-E802, E840-E962)	2	1	1	23.5	16.7	40.0	13	4	9	58.6	35.7	81.8	60
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	-	-	-	0	0	0	61
62 Homicide (E964, E980-E985)	1	-	1	11.8	0	40.0	3	-	3	13.5	0	27.3	62
63 All other diseases (residual)	4	3	1	47.1	50.0	40.0	11	10	1	49.5	89.3	9.1	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Monroe						Montgomery						Morgan						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	283	105	178	27.0	19.1	35.6	168	77	91	24.7	19.7	31.4	274	102	172	23.8	18.5	28.7	1
2	179	104	75	63.2%	99.0%	42.1%	71	62	9	42.3%	80.5%	9.9%	107	85	22	39.1%	83.3%	12.8%	2
3	3	1	2	1.1%	1.0%	1.1%	23	13	10	13.7%	16.9%	11.0%	26	8	18	9.5%	7.8%	10.5%	3
4	101	-	101	35.7%	0%	56.7%	74	2	72	44.0%	2.6%	79.1%	141	9	132	51.5%	8.8%	76.7%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	20	3	17	70.7	28.6	95.5	9	2	7	53.6	26.0	76.9	25	8	17	91.2	78.4	98.8	6
7	13	3	10	45.9	28.6	56.2	5	3	2	29.8	39.0	22.0	8	4	4	29.2	39.2	23.3	7
8	2	1	1	7.1	9.5	5.6	1	1	1	6.0	0	11.0	1	1	1	3.6	9.8	0	8
9	5	2	3	17.7	19.0	16.9	1	1	1	6.0	13.0	0	1	1	1	3.6	0	5.8	9
	5	3	2	17.7	0	28.1	3	2	1	17.9	26.0	11.0	6	3	3	21.9	29.4	17.4	
	1	-	1	3.5	0	5.6	-	-	-	0	0	0	-	-	-	0	0	0	
10	100	52	48	952.4	945.5	960.0	64	36	28	941.2	923.1	965.5	121	51	70	1052.2	927.3	1166.7	10
11	9	4	5	31.8	38.1	28.1	6	2	4	35.7	26.0	44.0	7	-	7	25.5	0	40.7	11
12	7	4	3	24.7	38.1	16.9	1	-	1	6.0	0	11.0	3	-	3	10.9	0	17.4	12
13	1	1	1	3.5	0	5.6	-	-	-	0	0	0	2	-	2	7.3	0	11.6	13
14	1	1	-	-	-	-	2	1	1	-	-	-	3	-	3	-	-	-	14
15	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	36.5	0	58.1	15
16	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	8.7	0	16.7	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	1	-	1	9.5	0	20.0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	8.7	0	16.7	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	1	-	9.5	18.2	0	-	-	-	0	0	0	1	-	1	8.7	0	16.7	32
33	10	10	-	95.2	181.8	0	8	8	-	117.6	205.1	0	16	11	5	139.1	200.0	83.3	33
34	-	-	-	0	0	0	1	-	1	14.7	0	34.5	-	-	-	0	0	0	34
35	2	1	1	19.0	18.2	20.0	1	1	1	14.7	0	34.5	3	1	2	26.1	18.2	33.3	35
36	1	1	-	9.5	18.2	0	1	-	1	14.7	0	34.5	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	12	4	8	114.3	72.7	160.0	13	6	7	191.2	153.8	241.4	17	3	14	147.8	54.5	233.3	38
39	-	-	-	0	0	0	1	1	-	14.7	25.6	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	8.7	0	16.7	40
41	41	21	20	390.5	381.8	400.0	17	10	7	250.0	256.4	241.4	45	21	24	391.3	381.8	400.0	41
42	1	-	1	9.5	0	20.0	-	-	-	0	0	0	3	1	2	26.1	18.2	33.3	42
43	2	1	1	19.0	18.2	20.0	3	1	2	44.1	25.6	69.0	5	1	4	43.5	18.2	66.7	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	1	-	1	9.5	0	20.0	2	1	1	29.4	25.6	34.5	-	-	-	0	0	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	1	1	-	9.5	18.2	0	1	-	1	14.7	0	34.5	1	1	-	8.7	18.2	0	47
48	1	1	-	9.5	18.2	0	1	1	-	14.7	25.6	0	-	-	-	0	0	0	48
49	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	8.7	18.2	0	49
50	2	-	2	19.0	0	40.0	2	-	2	29.4	0	69.0	1	-	1	8.7	0	16.7	50
51	2	1	1	19.0	18.2	20.0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	8.7	0	16.7	52
53	1	1	-	9.5	18.2	0	2	2	-	29.4	51.3	0	-	-	-	0	0	0	53
54	3	2	1	28.6	36.4	20.0	-	-	-	0	0	0	1	-	1	8.7	0	16.7	54
55	1	1	1	9.5	0	20.0	1	-	1	14.7	0	34.5	-	-	-	0	0	0	55
56	1	-	1	9.5	0	20.0	-	-	-	0	0	0	3	-	3	26.1	0	50.0	56
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
58	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	8.7	0	16.7	58
59	5	1	4	47.6	18.2	80.0	3	2	1	44.1	51.3	34.5	5	3	2	43.5	54.5	33.3	59
60	3	2	1	28.6	36.4	20.0	4	1	3	58.8	25.6	103.4	3	1	2	26.1	18.2	33.3	60
61	1	1	-	9.5	18.2	0	2	2	-	29.4	51.3	0	-	-	-	0	0	0	61
62	2	-	2	19.0	0	40.0	-	-	-	0	0	0	-	-	-	0	0	0	62
63	5	3	2	47.6	54.5	40.0	1	1	-	14.7	25.6	0	11	7	4	95.7	127.3	66.7	63

See notes on page 91

ITEM	Murray						Muscogee						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	229	228	1	21.8	21.9	10.0	5,143	3,884	1,259	37.5	37.6	37.5	1
2 Delivered in hospital	221	220	1	96.5%	96.5%	100.0%	5,020	3,874	1,146	97.6%	99.7%	91.0%	2
3 Delivered in home by physician	2	2	-	0.9%	0.9%	0%	52	6	46	1.0%	0.2%	3.7%	3
4 Delivered in home by midwife	6	6	-	2.6%	2.6%	0%	65	1	64	1.3%	0.0%	5.1%	4
5 Other deliveries	-	-	-	0%	0%	0%	6	3	3	0.1%	0.1%	0.2%	5
6 Immature births	11	11	-	48.0	48.2	0	441	279	162	85.7	71.8	128.7	6
FETAL DEATHS													
7 Total	6	6	-	26.2	26.3	0	121	85	36	23.5	21.9	28.6	7
8 Under 20 weeks gestation	4	4	-	17.5	17.5	0	33	29	4	6.4	7.5	3.2	8
9 20-27 weeks gestation	1	1	-	4.4	4.4	0	20	11	9	3.9	2.8	7.1	9
28 weeks and more	1	1	-	4.4	4.4	0	64	45	19	12.4	11.6	15.1	9
Unknown length of gestation	-	-	-	0	0	0	4	-	4	0.8	0	3.2	
DEATHS													
10 Total, all ages	68	67	1	647.6	644.2	1000.0	1,017	638	379	742.3	617.0	1128.0	10
11 Under 1 year	6	6	-	26.2	26.3	0	127	87	40	24.7	22.4	31.8	11
12 Under 28 days	3	3	-	13.1	13.2	0	101	78	23	19.6	20.1	18.3	12
13 Deaths from immaturity	-	-	-	0	0	0	34	27	7	6.6	7.0	5.6	13
14 1-4 years **	2	2	-	0	0	0	13	12	1	1	1	1	14
15 Maternal deaths	-	-	-	0	0	0	2	1	1	3.9	2.6	7.9	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	2	2	-	19.0	19.2	0	10	-	10	7.3	0	29.8	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	1	-	1	0.7	0	3.0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	1	1	-	9.5	9.6	0	1	-	1	0.7	0	3.0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	1	1	-	0.7	1.0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	3	1	2	2.2	1.0	6.0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	13	13	-	123.8	125.0	0	134	99	35	97.8	95.7	104.2	33
34 Benign and unspecified neoplasms (210-239)	1	1	-	9.5	9.6	0	4	3	1	2.9	2.9	3.0	34
35 Diabetes mellitus (260)	-	-	-	0	0	0	17	9	8	12.4	8.7	23.8	35
36 Pellagra (281)	-	-	-	0	0	0	1	1	-	0.7	1.0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	2	-	2	1.5	0	6.0	37
38 Vascular lesions affecting central nervous system (330-334)	4	4	-	38.1	38.5	0	124	64	60	90.5	61.9	178.6	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	3	1	2	2.2	1.0	6.0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	17	16	1	161.9	153.8	1000.0	318	202	116	232.1	195.4	345.2	41
42 Hypertension without mention of heart (444-447)	2	2	-	19.0	19.2	0	9	3	6	6.6	2.9	17.9	42
43 Influenza and pneumonia (480-483, 490-493)	9	9	-	85.7	86.5	0	34	16	18	24.8	15.5	53.6	43
44 Bronchitis (500-502)	-	-	-	0	0	0	1	-	1	0.7	0	3.0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	6	6	-	4.4	5.8	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	1	1	-	0.7	1.0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	10	8	2	7.3	7.7	6.0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	4	2	2	2.9	1.9	6.0	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	8	7	1	5.8	6.8	3.0	49
50 Nephritis and nephrosis (590-594)	-	-	-	0	0	0	16	8	8	11.7	7.7	23.8	50
51 Hyperplasia of prostate (610)	1	1	-	9.5	9.6	0	1	-	1	0.7	0	3.0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	2	1	1	1.5	1.0	3.0	52
53 Congenital malformations (750-759)	-	-	-	0	0	0	23	18	5	16.8	17.4	14.9	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	1	1	-	9.5	9.6	0	32	23	9	23.4	22.2	26.8	54
55 Infection of the newborn (763-768)	1	1	-	9.5	9.6	0	3	3	-	2.2	2.9	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	1	-	9.5	9.6	0	48	35	13	35.0	33.8	38.7	56
57 Sanility, without mention of psychosis (794)	-	-	-	0	0	0	1	-	1	0.7	0	3.0	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	8	4	4	5.8	3.9	11.9	58
59 Motor vehicle accidents (E810-E835)	9	9	-	85.7	86.5	0	38	26	12	27.7	25.1	35.7	59
60 All other accidents (E800-E802, E840-E962)	1	1	-	9.5	9.6	0	36	25	11	26.3	24.2	32.7	60
61 Suicide (E963, E970-E979)	1	1	-	9.5	9.6	0	15	15	-	10.9	14.5	0	61
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	13	1	12	9.5	1.0	35.7	62
63 All other diseases (residual)	4	4	-	38.1	38.5	0	89	55	34	65.0	53.2	101.2	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Newton						Oconee						Oglethorpe						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	439	242	197	20.6	17.0	27.7	134	87	47	20.0	17.4	27.6	196	82	114	23.1	17.1	30.8	1
2	361	239	122	82.2%	98.8%	61.9%	119	83	36	88.8%	95.4%	76.6%	114	80	34	58.2%	97.6%	29.8%	2
3	15	2	13	3.4%	0.8%	6.6%	1	1	-	0.7%	1.1%	0%	2	-	2	1.0%	0%	1.8%	3
4	60	1	59	13.7%	0.4%	29.9%	14	3	11	10.4%	3.4%	23.4%	80	2	78	40.8%	2.4%	68.4%	4
5	3	-	3	0.7%	0%	1.5%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	40	14	26	91.1	57.9	132.0	16	8	8	119.4	92.0	170.2	22	11	11	112.2	134.1	96.5	6
7	14	5	9	31.9	20.7	45.7	6	3	3	44.8	34.5	63.8	10	3	7	51.0	36.6	61.4	7
8	3	2	1	6.8	8.3	5.1	1	1	-	7.5	11.5	0	3	2	1	15.3	24.4	8.8	8
9	2	2	2	4.6	0	10.2	3	2	1	22.4	23.0	21.3	1	1	-	5.1	12.2	0	9
	9	3	6	20.5	12.4	30.5	2	2	2	14.9	0	42.6	6	6	6	30.6	0	52.6	
	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	
10	196	111	85	920.2	781.7	1197.2	48	39	9	716.4	780.0	529.4	86	46	40	1011.8	958.3	1081.1	10
11	15	3	12	34.2	12.4	60.9	2	2	2	14.9	23.0	0	9	2	7	45.9	24.4	61.4	11
12	7	1	6	15.9	4.1	30.5	2	2	-	14.9	23.0	0	7	2	5	35.7	24.4	43.9	12
13	5	1	4	11.4	4.1	20.3	-	-	-	0	0	0	5	1	4	25.5	12.2	35.1	13
14	2	2	2	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	14
15	2	1	1	45.6	41.3	50.8	-	-	-	0	0	0	-	-	-	0	0	0	15
16	2	1	1	9.4	7.0	14.1	-	-	-	0	0	0	-	-	-	0	0	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	11.8	0	27.0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	1	-	1	4.7	0	14.1	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	1	-	1	14.9	0	58.8	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	1	1	-	4.7	7.0	0	-	-	-	0	0	0	1	-	1	11.8	0	27.0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	2	1	1	9.4	7.0	14.1	-	-	-	0	0	0	-	-	-	0	0	0	32
33	18	10	8	84.5	70.4	112.7	6	6	-	89.6	120.0	0	9	4	5	105.9	83.3	135.1	33
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	3	1	2	14.1	7.0	28.2	-	-	-	0	0	0	-	-	-	0	0	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	1	-	1	4.7	0	14.1	-	-	-	0	0	0	-	-	-	0	0	0	37
38	40	24	16	187.8	169.0	225.4	7	5	2	104.5	100.0	117.6	17	11	6	200.0	229.2	162.2	38
39	1	1	-	4.7	7.0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	1	-	1	4.7	0	14.1	-	-	-	0	0	0	-	-	-	0	0	0	40
41	66	43	23	309.9	302.8	323.9	14	11	3	209.0	220.0	176.5	27	18	9	317.6	375.0	243.2	41
42	1	1	-	4.7	7.0	0	1	1	-	14.9	20.0	0	-	-	-	0	0	0	42
43	7	2	5	32.9	14.1	70.4	-	-	-	0	0	0	4	1	3	47.1	20.8	81.1	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	3	3	-	14.1	21.1	0	3	3	-	44.8	60.0	0	1	1	-	11.8	20.8	0	45
46	1	-	1	4.7	0	14.1	-	-	-	0	0	0	1	-	1	11.8	0	27.0	46
47	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	47
48	-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	23.5	0	54.1	48
49	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	49
50	2	2	-	9.4	14.1	0	1	1	-	14.9	20.0	0	3	1	2	35.3	20.8	54.1	50
51	1	-	1	4.7	0	14.1	2	2	-	29.8	40.0	0	4	3	1	47.1	62.5	27.0	51
52	2	1	1	9.4	7.0	14.1	-	-	-	0	0	0	-	-	-	0	0	0	52
53	1	-	1	4.7	0	14.1	-	-	-	0	0	0	-	-	-	0	0	0	53
54	1	-	1	4.7	0	14.1	1	1	-	14.9	20.0	0	-	-	-	0	0	0	54
55	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	55
56	5	1	4	23.5	7.0	56.3	1	1	-	14.9	20.0	0	6	2	4	70.6	41.7	108.1	56
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	57
58	-	-	-	0	0	0	2	2	-	29.8	40.0	0	1	-	1	11.8	0	27.0	58
59	9	5	4	42.3	35.2	56.3	3	2	1	44.8	40.0	58.8	1	-	1	11.8	0	27.0	59
60	6	5	1	28.2	35.2	14.1	1	1	-	14.9	20.0	0	-	-	-	0	0	0	60
61	2	2	-	9.4	14.1	0	2	2	-	29.8	40.0	0	-	-	-	0	0	0	61
62	1	-	1	4.7	0	14.1	1	1	-	14.9	0	58.8	3	1	2	35.3	20.8	54.1	62
63	18	7	11	84.5	49.3	154.9	2	1	1	29.8	20.0	58.8	5	4	1	58.8	83.3	27.0	63

See notes on page 91

TABLE XIII

VITAL STATISTICS, BY

ITEM	Paulding						Peach						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	274	238	36	24.5	24.0	27.7	373	108	265	29.6	22.5	34.0	1
2 Delivered in hospital	262	232	30	95.6%	97.5%	83.3%	276	106	170	74.0%	98.1%	64.2%	2
3 Delivered in home by physician	3	2	1	1.1%	0.8%	2.8%	6	2	4	1.6%	1.9%	1.5%	3
4 Delivered in home by midwife	7	2	5	2.6%	0.8%	13.9%	91	-	91	24.4%	0%	34.3%	4
5 Other deliveries	2	2	-	0.7%	0.8%	0%	-	-	-	0%	0%	0%	5
6 Immature births	22	18	4	80.3	75.6	111.1	43	9	34	115.3	83.3	128.3	6
FETAL DEATHS													
7 Total	7	7	-	25.5	29.4	0	4	1	3	10.7	9.3	11.3	7
8 Under 20 weeks gestation	-	-	-	0	0	0	-	-	-	0	0	0	8
9 20-27 weeks gestation	3	3	-	10.9	12.6	0	-	-	-	0	0	0	9
28 weeks and more	4	4	-	14.6	16.8	0	4	1	3	10.7	9.3	11.3	9
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0	
DEATHS													
10 Total, all ages	98	90	8	875.0	909.1	615.4	116	36	80	920.6	750.0	1025.6	10
11 Under 1 year	7	6	1	25.5	25.2	27.8	13	1	12	34.9	9.3	45.3	11
12 Under 28 days	4	3	1	14.6	12.6	27.8	9	1	8	24.1	9.3	30.2	12
13 Deaths from immaturity	-	-	-	0	0	0	3	-	3	8.0	0	11.3	13
14 1-4 years **	2	2	-	0	0	0	4	-	4	0	0	0	14
15 Maternal deaths	-	-	-	0	0	0	1	-	1	26.8	0	37.7	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	1	1	-	8.9	10.1	0	1	-	1	7.9	0	12.8	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	1	1	-	7.9	20.8	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	1	-	1	7.9	0	12.8	21
22 Diphtheria (055)	1	1	-	8.9	10.1	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	1	-	1	8.9	0	76.9	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	2	2	-	17.9	20.2	0	2	1	1	15.9	20.8	12.8	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	13	13	-	116.1	131.3	0	9	2	7	71.4	41.7	69.7	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	-	-	-	0	0	0	-	-	-	0	0	0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	20	18	2	178.6	181.8	153.8	20	3	17	158.7	62.5	217.9	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	22	19	3	196.4	191.9	230.8	43	17	26	341.3	354.2	333.3	41
42 Hypertension without mention of heart (444-447)	1	1	-	8.9	10.1	0	-	-	-	0	0	0	42
43 Influenza and pneumonia (480-483, 490-493)	5	5	-	44.6	50.5	0	6	3	3	47.6	62.5	38.5	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	1	1	-	8.9	10.1	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	8.9	10.1	0	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	1	-	8.9	10.1	0	1	-	1	7.9	0	12.8	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	-	-	-	0	0	0	2	2	-	15.9	41.7	0	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	-	1	7.9	0	12.8	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	1	-	1	7.9	0	12.8	52
53 Congenital malformations (750-759)	2	2	-	17.9	20.2	0	2	-	2	15.9	0	25.6	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	4	3	1	35.7	30.3	76.9	1	1	-	7.9	20.8	0	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	1	-	1	7.9	0	12.8	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	0	0	0	7	-	7	55.6	0	89.7	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	-	-	-	0	0	0	58
59 Motor vehicle accidents (E810-E835)	5	5	-	44.6	50.5	0	4	2	2	31.7	41.7	25.6	59
60 All other accidents (E800-E802, E840-E962)	6	5	1	53.6	50.5	76.9	7	1	6	55.6	20.8	76.9	60
61 Suicide (E963, E970-E979)	2	2	-	17.9	20.2	0	1	1	-	7.9	20.8	0	61
62 Homicide (E964, E980-E985)	2	2	-	17.9	20.2	0	-	-	-	0	0	0	62
63 All other diseases (residual)	8	8	-	71.4	80.8	0	5	2	3	39.7	41.7	38.5	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Pickens						Pierce						Pike						
	Number			Rate or Ratio*			Number			Rate or Ratio*			Number			Rate or Ratio*			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	198	184	14	22.5	22.2	28.0	261	182	79	24.2	21.9	31.6	182	65	117	24.9	16.2	35.5	1
2	196	183	13	99.0%	99.5%	92.9%	197	163	34	75.5%	89.6%	43.0%	95	60	35	52.2%	92.3%	29.9%	2
3	1	1	0	0.5%	0.5%	0%	8	6	2	3.1%	3.3%	2.5%	16	3	13	8.8%	4.6%	11.1%	3
4	1	1	0	0.5%	0%	7.1%	47	5	42	18.0%	2.7%	53.2%	70	2	68	38.5%	3.1%	58.1%	4
5	1	1	0	0%	0%	0%	9	8	1	3.4%	4.4%	1.3%	1	1	0	0.5%	0%	0.9%	5
6	14	14	0	70.7	76.1	0	14	9	5	53.6	49.4	63.3	15	4	11	82.4	61.5	94.0	6
7	4	4	0	20.2	21.7	0	10	4	6	38.3	22.0	75.9	14	6	8	76.9	92.3	68.4	7
8	0	0	0	0	0	0	1	1	1	3.8	5.5	0	4	1	4	22.0	0	34.2	8
9	4	4	0	20.2	21.7	0	8	2	6	30.7	11.0	75.9	5	3	2	27.5	46.2	17.1	9
10	73	68	5	829.5	819.3	1000.0	82	57	25	759.3	686.7	1000.0	56	28	28	767.1	700.0	848.5	10
11	9	9	0	45.5	48.9	0	9	6	3	34.5	33.0	38.0	7	1	6	38.5	15.4	51.3	11
12	6	6	0	30.3	32.6	0	6	4	2	23.0	22.0	25.3	4	1	3	22.0	15.4	25.6	12
13	1	1	0	5.0	5.4	0	1	1	1	3.8	0	12.7	1	1	0	5.5	0	8.6	13
14	1	1	0	0	0	0	1	1	1	0	0	0	1	1	0	0	0	14	14
15	1	1	0	0	0	0	1	1	1	0	0	0	1	1	0	0	0	15	15
16	2	2	0	22.7	24.1	0	1	1	1	0	0	0	1	1	0	13.7	0	30.3	16
17	0	0	0	0	0	0	1	1	1	9.3	0	40.0	1	1	0	0	0	0	17
18	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	0	0	0	18
19	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	0	0	0	19
20	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	0	0	0	20
21	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	0	0	0	21
22	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	0	0	0	22
23	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	0	0	0	23
24	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	0	0	0	24
25	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	0	0	0	25
26	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	0	0	0	26
27	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	0	0	0	27
28	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	0	0	0	28
29	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	0	0	0	29
30	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	0	0	0	30
31	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	0	0	0	31
32	1	1	0	11.4	12.0	0	1	1	1	0	0	0	1	1	0	13.7	0	30.3	32
33	11	10	1	125.0	120.5	200.0	7	5	2	64.8	60.2	80.0	7	6	1	95.9	150.0	30.3	33
34	2	2	0	22.7	24.1	0	1	1	1	0	0	0	1	1	0	0	0	0	34
35	3	3	0	34.1	36.1	0	1	1	1	0	0	0	1	1	0	0	0	0	35
36	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	0	0	0	36
37	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	0	0	0	37
38	13	11	2	147.7	132.5	400.0	14	13	1	129.6	156.6	40.0	8	3	5	109.6	75.0	151.5	38
39	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	13.7	0	30.3	39
40	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	0	0	0	40
41	16	15	1	181.8	180.7	200.0	27	20	7	250.0	241.0	280.0	17	12	5	232.9	300.0	151.5	41
42	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	27.4	25.0	30.3	42
43	7	7	0	79.5	84.3	0	4	2	2	37.0	24.1	80.0	1	1	0	0	0	0	43
44	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	13.7	0	30.3	44
45	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	13.7	0	30.3	45
46	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	0	0	0	46
47	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	0	0	0	47
48	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	0	0	0	48
49	2	2	0	22.7	24.1	0	1	1	1	9.3	0	40.0	1	1	0	0	0	0	49
50	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	13.7	0	30.3	50
51	1	1	0	11.4	12.0	0	1	1	1	0	0	0	1	1	0	0	0	0	51
52	0	0	0	0	0	0	1	1	1	0	0	0	1	1	0	0	0	0	52
53	2	2	0	22.7	24.1	0	1	1	1	9.3	12.0	0	1	1	0	0	0	0	53
54	1	1	0	11.4	12.0	0	3	3	1	27.8	36.1	0	1	1	0	0	0	0	54
55	1	1	0	11.4	12.0	0	1	1	1	9.3	0	40.0	1	1	0	13.7	25.0	0	55
56	2	2	0	22.7	24.1	0	1	1	1	9.3	0	40.0	1	1	0	13.7	0	30.3	56
57	0	0	0	0	0	0	1	1	1	9.3	12.0	0	1	1	0	0	0	0	57
58	0	0	0	0	0	0	3	2	1	27.8	24.1	40.0	2	2	0	27.4	0	60.6	58
59	3	3	0	34.1	36.1	0	3	2	1	27.8	24.1	40.0	3	2	1	41.1	50.0	30.3	59
60	2	2	0	22.7	24.1	0	5	4	1	46.3	48.2	40.0	1	1	0	13.7	0	30.3	60
61	1	1	0	11.4	12.0	0	1	1	1	9.3	12.0	0	1	1	0	13.7	25.0	0	61
62	0	0	0	0	0	0	2	2	1	18.5	0	80.0	2	2	0	27.4	0	60.6	62
63	3	2	1	34.1	24.1	200.0	7	3	4	64.8	36.1	160.0	5	2	3	68.5	50.0	90.9	63

See notes on page 91

ITEM	Polk						Pulaski						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	720	575	145	22.0	21.1	26.4	256	100	156	31.2	22.7	41.1	1
2 Delivered in hospital	674	557	117	93.6%	96.9%	80.7%	120	94	26	46.9%	94.0%	16.7%	2
3 Delivered in home by physician	12	11	1	1.7%	1.9%	0.7%	-	-	-	0%	0%	0%	3
4 Delivered in home by midwife	33	6	27	4.6%	1.0%	18.6%	135	5	130	52.7%	5.0%	83.3%	4
5 Other deliveries	1	1	-	0.1%	0.2%	0%	1	1	-	0.4%	1.0%	0%	5
6 Immature births	58	42	16	80.6	73.0	110.3	18	7	11	70.3	70.0	70.5	6
FETAL DEATHS													
7 Total	19	15	4	26.4	26.1	27.6	5	1	4	19.5	10.0	25.6	7
8 Under 20 weeks gestation	1	1	-	1.4	1.7	0	1	1	-	3.9	10.0	0	8
9 20-27 weeks gestation	3	3	-	4.2	5.2	0	-	-	-	0	0	0	9
28 weeks and more	13	10	3	18.1	17.4	20.7	4	-	4	15.6	0	25.6	
Unknown length of gestation	2	1	1	2.8	1.7	6.9	-	-	-	0	0	0	
DEATHS													
10 Total, all ages	249	213	36	761.5	783.1	654.5	81	42	39	987.8	954.5	1026.3	10
11 Under 1 year	17	15	2	23.6	26.1	13.8	10	5	5	39.1	50.0	32.1	11
12 Under 28 days	13	11	2	18.1	19.1	13.8	7	3	4	27.3	30.0	25.6	12
13 Deaths from immaturity	3	3	-	4.2	5.2	0	1	1	-	3.9	10.0	0	13
14 1-4 years **	4	4	-	-	-	-	1	1	-	-	-	-	14
15 Maternal deaths	1	1	-	13.9	17.4	0	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	1	-	1	3.1	0	18.2	1	-	1	12.2	0	26.3	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	1	1	-	3.1	3.7	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	2	-	2	24.4	0	52.6	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	30	29	1	91.7	106.6	18.2	11	5	6	134.1	113.6	157.9	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	1	1	1	3.1	0	18.2	1	-	1	12.2	0	26.3	35
36 Pellagra (281)	1	1	-	3.1	3.7	0	-	-	-	0	0	0	36
37 Anemias (290-293)	1	1	-	3.1	3.7	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	29	20	9	88.7	73.5	163.6	13	6	7	158.5	136.4	184.2	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	96	84	12	293.6	308.8	218.2	23	16	7	280.5	363.6	184.2	41
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	-	-	-	0	0	0	42
43 Influenza and pneumonia (480-483, 490-493)	9	8	1	27.5	29.4	18.2	4	1	3	48.8	22.7	78.9	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	3	3	-	9.2	11.0	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	2	2	-	6.1	7.4	0	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	1	-	3.1	3.7	0	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	2	2	-	6.1	7.4	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	6	5	1	18.3	18.4	18.2	2	-	2	24.4	0	52.6	50
51 Hyperplasia of prostate (610)	1	1	-	3.1	3.7	0	1	-	1	12.2	0	26.3	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	1	-	3.1	3.7	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	5	4	1	15.3	14.7	18.2	2	-	2	24.4	0	52.6	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	5	4	1	15.3	14.7	18.2	2	2	-	24.4	45.5	0	54
55 Infection of the newborn (763-768)	1	1	-	3.1	3.7	0	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	5	4	1	15.3	14.7	18.2	1	1	-	12.2	22.7	0	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	1	1	-	3.1	3.7	0	2	-	2	24.4	0	52.6	58
59 Motor vehicle accidents (E810-E835)	11	10	1	33.6	36.8	18.2	4	2	2	48.8	45.5	52.6	59
60 All other accidents (E800-E802, E840-E962)	6	5	1	18.3	18.4	18.2	2	1	1	24.4	22.7	26.3	60
61 Suicide (E963, E970-E979)	6	6	-	18.3	22.1	0	1	1	-	12.2	22.7	0	61
62 Homicide (E964, E980-E985)	4	2	2	12.2	7.4	36.4	1	-	1	12.2	0	26.3	62
63 All other diseases (residual)	20	17	3	61.2	62.5	54.5	8	7	1	97.6	159.1	26.3	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Putnam						Quitman						Rabun					
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1	204	64	140	28.3	19.4	35.9	71	19	52	25.4	19.0	28.9	184	182	2	25.6	25.6	20.0
2	85	60	25	41.7%	93.8%	17.9%	21	17	4	29.6%	89.5%	7.7%	178	176	2	96.7%	96.7%	100.0%
3	5		5	2.4%	0%	3.6%				0%	0%	0%	2	2		1.1%	1.1%	0%
4	114	4	110	55.9%	6.2%	78.6%	50	2	48	70.4%	10.5%	92.3%	4	4		2.2%	2.2%	0%
5				0%	0%	0%				0%	0%	0%				0%	0%	0%
6	12	5	7	58.8	78.1	50.0	7	2	5	98.6	105.3	96.2	12	12		65.2	65.9	0
7	12	2	10	58.8	31.2	71.4	1		1	14.1	0	19.2	6	6		32.6	33.0	0
8	4		4	19.6	0	28.6	1		1	14.1	0	19.2	4	4		21.7	22.0	0
9	1	1		4.9	15.6	0				0	0	0				0	0	0
	7	1	6	34.3	15.6	42.9				0	0	0	2	2		10.9	11.0	0
				0	0	0				0	0	0				0	0	0
10	72	23	49	1000.0	697.0	1256.4	27	9	18	964.3	900.0	1000.0	67	67		930.6	943.7	0
11	2	1	1	9.8	15.6	7.1	2		2	28.2	0	38.5	7	7		38.0	38.5	0
12	1	1		4.9	15.6	0	1		1	14.1	0	19.2	5	5		27.2	27.5	0
13				0	0	0				0	0	0	2	2		10.9	11.0	0
14	1		1										1	1				0
15	1		1	49.0	0	71.4				0	0	0				0	0	0
16				0	0	0	1	1		35.7	100.0	0	1	1		13.9	14.1	0
17				0	0	0				0	0	0	1	1		13.9	14.1	0
18				0	0	0				0	0	0				0	0	0
19				0	0	0				0	0	0				0	0	0
20				0	0	0				0	0	0				0	0	0
21				0	0	0				0	0	0				0	0	0
22				0	0	0				0	0	0				0	0	0
23				0	0	0				0	0	0				0	0	0
24				0	0	0				0	0	0				0	0	0
25				0	0	0				0	0	0				0	0	0
26				0	0	0				0	0	0				0	0	0
27				0	0	0				0	0	0				0	0	0
28				0	0	0				0	0	0				0	0	0
29				0	0	0				0	0	0				0	0	0
30				0	0	0				0	0	0				0	0	0
31				0	0	0				0	0	0				0	0	0
32				0	0	0	3		3	0	0	0				0	0	0
33	11	3	8	152.8	90.9	205.1	3		3	107.1	0	166.7	8	8		111.1	112.7	0
34				0	0	0	1		1	35.7	0	55.6				0	0	0
35				0	0	0				0	0	0				0	0	0
36				0	0	0				0	0	0				0	0	0
37				0	0	0				0	0	0				0	0	0
38	14	3	11	194.4	90.9	282.1	3	2	1	107.1	200.0	55.6	13	13		180.6	183.1	0
39				0	0	0				0	0	0				0	0	0
40				0	0	0				0	0	0				0	0	0
41	27	12	15	375.0	363.6	384.6	9	3	6	321.4	300.0	333.3	21	21		291.7	295.8	0
42				0	0	0				0	0	0				0	0	0
43	3		3	41.7	0	76.9				0	0	0	1	1		13.9	14.1	0
44				0	0	0				0	0	0				0	0	0
45	1	1		13.9	30.3	0				0	0	0	1	1		13.9	14.1	0
46	1	1		13.9	30.3	0				0	0	0				0	0	0
47				0	0	0				0	0	0				0	0	0
48				0	0	0				0	0	0	1	1		13.9	14.1	0
49	1	1		13.9	30.3	0				0	0	0				0	0	0
50	1		1	13.9	0	25.6				0	0	0	1	1		13.9	14.1	0
51				0	0	0				0	0	0				0	0	0
52	1		1	13.9	0	25.6				0	0	0				0	0	0
53				0	0	0				0	0	0	1	1		13.9	14.1	0
54				0	0	0				0	0	0	1	1		13.9	14.1	0
55				0	0	0				0	0	0				0	0	0
56	1	1		13.9	30.3	0	1		1	35.7	0	55.6	4	4		55.6	56.3	0
57				0	0	0				0	0	0				0	0	0
58	2		2	27.8	0	51.3	1		1	35.7	0	55.6				0	0	0
59	1		1	13.9	0	25.6	1		1	35.7	0	55.6	5	5		69.4	70.4	0
60				0	0	0	2	1	1	71.4	100.0	55.6	3	3		41.7	42.3	0
61	1		1	13.9	0	25.6				0	0	0	2	2		27.8	28.2	0
62	3	1	2	41.7	30.3	51.3	1		1	35.7	0	55.6				0	0	0
63	4		4	55.6	0	102.6	4	2	2	142.9	200.0	111.1	3	3		41.7	42.3	0

See notes on page 91

TABLE XIII

VITAL STATISTICS, BY

ITEM	Randolph						Richmond						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	309	80	229	25.3	18.2	29.4	3,683	2,389	1,294	24.7	23.6	27.2	1
2 Delivered in hospital	104	75	29	33.7%	93.8%	12.7%	3,620	2,385	1,235	98.3%	99.8%	95.4%	2
3 Delivered in home by physician	2	2	-	0.6%	2.5%	0%	33	3	30	0.9%	0.1%	2.3%	3
4 Delivered in home by midwife	203	3	200	65.7%	3.8%	87.3%	26	-	26	0.7%	0%	2.0%	4
5 Other deliveries	-	-	-	0%	0%	0%	4	1	3	0.1%	0.0%	0.2%	5
6 Immature births	17	5	12	55.0	62.5	52.4	321	176	145	87.2	73.7	112.1	6
FETAL DEATHS													
7 Total	9	1	8	29.1	12.5	34.9	171	117	54	46.4	49.0	41.7	
8 Under 20 weeks gestation	1	-	1	3.2	0	4.4	68	75	13	23.9	31.4	10.0	7
9 20-27 weeks gestation	2	1	1	6.5	12.5	4.4	31	15	16	8.4	6.3	12.4	8
28 weeks and more	6	-	6	19.4	0	26.2	43	24	19	11.7	10.0	14.7	9
Unknown length of gestation	-	-	-	0	0	0	9	3	6	2.4	1.3	4.6	
DEATHS													
10 Total, all ages	147	62	85	1204.9	1409.1	1089.7	1,080	605	475	724.8	596.6	997.9	10
11 Under 1 year	11	1	10	35.6	12.5	43.7	96	51	45	26.1	21.3	34.8	11
12 Under 28 days	5	1	4	16.2	12.5	17.5	68	40	28	18.5	16.7	21.8	12
13 Deaths from immaturity	-	-	-	0	0	0	12	11	1	3.3	4.6	0.6	13
14 1-4 years **	-	-	-	-	-	-	17	8	9	-	-	-	14
15 Maternal deaths	2	1	1	64.7	125.0	43.7	2	-	2	5.4	0	15.5	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	1	1	-	8.2	22.7	0	9	7	2	6.0	6.9	4.2	16
17 Syphilis and its sequelae (020-029)	1	1	-	8.2	22.7	0	3	1	2	2.0	1.0	4.2	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	1	-	1	0.7	0	2.1	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	2	-	2	16.4	0	25.6	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	1	-	1	0.7	0	2.1	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	1	1	-	0.7	1.0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	1	1	-	0.7	1.0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	3	2	1	24.6	45.5	12.8	5	3	2	3.4	3.0	4.2	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	21	4	17	172.1	90.9	217.9	150	90	60	100.7	88.8	126.0	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	3	-	3	2.0	0	6.3	34
35 Diabetes mellitus (260)	4	1	3	32.8	22.7	38.5	13	9	4	8.7	8.9	8.4	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	21	10	11	172.1	227.3	141.0	161	72	89	108.1	71.0	187.0	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	4	1	3	2.7	1.0	6.3	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	56	28	28	459.0	636.4	359.0	391	237	154	262.4	233.7	323.5	41
42 Hypertension without mention of heart (444-447)	1	-	1	8.2	0	12.8	9	3	6	6.0	3.0	12.6	42
43 Influenza and pneumonia (480-483, 490-493)	1	-	1	8.2	0	12.8	29	13	16	19.5	12.8	33.6	43
44 Bronchitis (500-502)	1	1	-	8.2	22.7	0	1	-	1	0.7	0	2.1	44
45 Ulcer of stomach and duodenum (540-541)	1	1	-	8.2	22.7	0	9	7	2	6.0	6.9	4.2	45
46 Appendicitis (550-553)	1	-	1	8.2	0	12.8	1	1	-	0.7	1.0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	2	-	2	16.4	0	25.6	8	5	3	5.4	4.9	6.3	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	8.2	0	12.8	5	3	2	3.4	3.0	4.2	48
49 Cirrhosis of liver (581)	1	1	-	8.2	22.7	0	13	10	3	8.7	9.9	6.3	49
50 Nephritis and nephrosis (590-594)	1	1	-	8.2	22.7	0	17	7	10	11.4	6.9	21.0	50
51 Hyperplasia of prostate (610)	4	3	1	32.8	68.2	12.8	3	2	1	2.0	2.0	2.1	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	2	1	1	16.4	22.7	12.8	2	-	2	1.3	0	4.2	52
53 Congenital malformations (750-759)	2	1	1	16.4	22.7	12.8	23	14	9	15.4	13.8	18.9	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	23	12	11	15.4	11.8	23.1	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	9	2	7	6.0	2.0	14.7	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	2	-	2	16.4	0	25.6	21	16	5	14.1	15.8	10.5	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	1	1	-	8.2	22.7	0	2	-	2	1.3	0	4.2	58
59 Motor vehicle accidents (E810-E835)	2	1	1	16.4	22.7	12.8	19	13	6	12.8	12.8	12.6	59
60 All other accidents (E800-E802, E840-E962)	6	1	5	49.2	22.7	64.1	36	19	17	24.2	18.7	35.7	60
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	12	12	-	8.1	11.8	0	61
62 Homicide (E964, E980-E985)	1	-	1	8.2	0	12.8	10	-	10	6.7	0	21.0	62
63 All other diseases (residual)	8	3	5	65.6	68.2	64.1	82	44	38	55.0	43.4	79.8	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Rockdale						Schley						Screven					
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total %	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1	248	161	87	27.6	25.2	33.5	90	17	73	26.5	12.1	36.5	399	142	257	24.0	19.7	27.3
2	197	147	50	79.4%	91.3%	57.5%	33	17	16	36.7%	100.0%	21.9%	182	134	48	45.6%	94.4%	18.7%
3	22	13	9	8.9%	8.1%	10.3%	3		3	3.3%	0%	4.1%	5		5	1.3%	0%	1.9%
4	29	1	28	11.7%	0.6%	32.2%	54		54	60.0%	0%	74.0%	212	8	204	53.1%	5.6%	79.4%
5				0%	0%	0%				0%	0%	0%				0%	0%	0%
6	21	12	9	84.7	74.5	103.4	11	1	10	122.2	58.8	137.0	27	7	20	67.7	49.3	77.8
7	10	9	1	40.3	55.9	11.5	1	1		11.1	58.8	0	18	4	14	45.1	28.2	54.5
8	5	4	1	20.2	24.8	11.5				0	0	0	4	1	3	10.0	7.0	11.7
9	5	5		0	0	0				0	0	0	5	1	4	12.5	7.0	15.6
	5	5		20.2	31.1	0	1	1		11.1	58.8	0	8	2	6	20.0	14.1	23.3
				0	0	0				0	0	0	1		1	2.5	0	3.9
10	80	54	26	888.9	843.8	1000.0	39	21	18	1147.1	1500.0	900.0	183	80	103	1102.4	1111.1	1095.7
11	11	7	4	44.4	43.5	46.0	4		4	44.4	0	54.8	24	4	20	60.2	28.2	77.8
12	8	6	2	32.3	37.3	23.0	4		4	44.4	0	54.8	10	1	9	25.1	7.0	35.0
13				0	0	0				0	0	0	3		3	7.5	0	11.7
14				0	0	0	2		2	0	0	0	7	2	5	0	0	0
15				0	0	0				0	0	0				0	0	0
16				0	0	0				0	0	0	2	1	1	12.0	13.9	10.6
17				0	0	0				0	0	0	1		1	6.0	0	10.6
18				0	0	0				0	0	0				0	0	0
19				0	0	0				0	0	0	1		1	6.0	0	10.6
20				0	0	0				0	0	0				0	0	0
21				0	0	0				0	0	0				0	0	0
22				0	0	0				0	0	0				0	0	0
23				0	0	0				0	0	0				0	0	0
24	1	1		11.1	15.6	0				0	0	0				0	0	0
25				0	0	0				0	0	0				0	0	0
26				0	0	0				0	0	0				0	0	0
27				0	0	0				0	0	0				0	0	0
28				0	0	0				0	0	0	1	1		6.0	13.9	0
29				0	0	0				0	0	0				0	0	0
30				0	0	0				0	0	0				0	0	0
31				0	0	0				0	0	0				0	0	0
32				0	0	0				0	0	0	1	1		6.0	13.9	0
33	12	9	3	133.3	140.6	115.4	2	1	1	58.8	71.4	50.0	17	11	6	102.4	152.8	63.8
34				0	0	0				0	0	0				0	0	0
35				0	0	0				0	0	0	3	2	1	18.1	27.8	10.6
36				0	0	0				0	0	0				0	0	0
37				0	0	0				0	0	0				0	0	0
38	11	8	3	122.2	125.0	115.4	11	7	4	323.5	500.0	200.0	42	15	27	253.0	208.3	287.2
39				0	0	0	1		1	29.4	0	50.0	1		1	6.0	0	10.6
40				0	0	0				0	0	0				0	0	0
41	30	19	11	333.3	296.9	423.1	11	7	4	323.5	500.0	200.0	43	24	19	259.0	333.3	202.1
42				0	0	0				0	0	0	5	1	4	30.1	13.9	42.6
43	5	1	4	55.6	15.6	153.8				0	0	0	5	1	4	30.1	13.9	42.6
44				0	0	0				0	0	0				0	0	0
45				0	0	0				0	0	0				0	0	0
46				0	0	0	1		1	29.4	0	50.0	1	1		6.0	13.9	0
47				0	0	0				0	0	0	1		1	6.0	0	10.6
48	1		1	11.1	0	38.5				0	0	0	8	2	6	48.2	27.8	63.8
49	1	1		11.1	15.6	0				0	0	0	1	1		6.0	13.9	0
50	1	1		11.1	15.6	0	1	1		29.4	71.4	150.0	6	3	3	36.1	41.7	31.9
51				0	0	0				0	0	0	1		1	6.0	0	10.6
52				0	0	0				0	0	0				0	0	0
53	2	2		22.2	31.2	0				0	0	0	1		1	6.0	0	10.6
54	4	3	1	44.4	46.9	38.5	3		3	88.2	0	150.0	4		4	24.1	0	42.6
55	1	1	1	11.1	0	38.5	1		1	29.4	0	50.0	1		1	6.0	0	10.6
56	1	1		11.1	15.6	0				0	0	0	4	1	3	24.1	13.9	31.9
57				0	0	0				0	0	0				0	0	0
58	1	1		11.1	15.6	0	2	2		58.8	142.9	0	6	2	4	36.1	27.8	42.6
59	2	2		22.2	31.2	0				0	0	0	4	4		24.1	55.6	0
60	2	2		22.2	31.2	0				0	0	0	9	1	8	54.2	13.9	85.1
61	1		1	11.1	0	38.5				0	0	0	1	1		6.0	13.9	0
62	1		1	11.1	0	38.5	1		1	29.4	0	50.0				0	0	0
63	3	3		33.3	46.9	0	5	3	2	147.1	214.3	100.0	13	7	6	78.3	97.2	63.8

See notes on page 91

TABLE XIII

VITAL STATISTICS, BY

ITEM	Seminole						Spalding						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	202	92	110	26.9	20.0	37.9	824	502	322	24.9	20.7	36.6	1
2 Delivered in hospital	163	92	71	80.7%	100.0%	64.5%	672	496	176	81.6%	98.8%	54.7%	2
3 Delivered in home by physician	2	-	2	1.0%	0%	1.8%	23	1	22	2.8%	0.2%	6.8%	3
4 Delivered in home by midwife	37	-	37	18.3%	0%	33.6%	129	5	124	15.7%	1.0%	38.5%	4
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6 Immature births	13	6	7	64.4	65.2	63.6	67	32	35	81.3	63.7	108.7	6
FETAL DEATHS													
7 Total	-	-	-	0	0	0	23	9	14	27.9	17.9	43.5	
8 Under 20 weeks gestation	-	-	-	0	0	0	6	-	6	7.3	0	18.6	7
9 20-27 weeks gestation	-	-	-	0	0	0	4	1	3	4.9	2.0	9.3	8
28 weeks and more	-	-	-	0	0	0	12	7	5	14.6	13.9	15.5	9
Unknown length of gestation	-	-	-	0	0	0	1	1	-	1.2	2.0	0	
DEATHS													
10 Total, all ages	66	35	31	880.0	760.9	1069.0	270	192	78	815.7	790.1	886.4	10
11 Under 1 year	4	2	2	19.8	21.7	18.2	15	10	5	18.2	19.9	15.5	11
12 Under 28 days	2	1	1	9.9	10.9	9.1	12	9	3	14.6	17.9	9.3	12
13 Deaths from immaturity	1	1	-	5.0	10.9	0	4	3	1	4.9	6.0	3.1	13
14 1-4 years **	3	-	3	-	-	-	1	1	-	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	3	-	3	9.1	0	34.1	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	1	-	1	13.3	0	34.5	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	1	-	1	13.3	0	34.5	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	6	2	4	80.0	43.5	137.9	37	32	5	111.8	131.7	56.8	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	1	1	-	3.0	4.1	0	34
35 Diabetes mellitus (260)	-	-	-	0	0	0	3	1	2	9.1	4.1	22.7	35
36 Pellagra (281)	1	-	1	13.3	0	34.5	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	1	-	1	3.0	0	11.4	37
38 Vascular lesions affecting central nervous system (330-334)	14	6	8	186.7	130.4	275.9	35	24	11	105.7	98.8	125.0	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	20	13	7	266.7	282.6	241.4	110	81	29	332.3	333.3	329.5	41
42 Hypertension without mention of heart (444-447)	1	-	1	13.3	0	34.5	8	5	3	24.2	20.6	34.1	42
43 Influenza and pneumonia (480-483, 490-493)	9	4	5	120.0	87.0	172.4	8	7	1	24.2	28.8	11.4	43
44 Bronchitis (500-502)	-	-	-	0	0	0	1	-	1	3.0	0	11.4	44
45 Ulcer of stomach and duodenum (540-541)	1	-	1	13.3	0	34.5	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	1	-	1	3.0	0	11.4	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	-	-	-	0	0	0	48
49 Cirrhosis of liver (581)	-	-	-	0	0	0	1	1	-	3.0	4.1	0	49
50 Nephritis and nephrosis (590-594)	1	1	-	13.3	21.7	0	10	4	6	30.2	16.5	68.2	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0	52
53 Congenital malformations (750-759)	1	1	-	13.3	21.7	0	2	2	-	6.0	8.2	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	-	-	-	0	0	0	3	2	1	9.1	8.2	11.4	54
55 Infection of the newborn (763-768)	1	-	1	13.3	0	34.5	1	1	-	3.0	4.1	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	1	-	13.3	21.7	0	5	3	2	15.1	12.3	22.7	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	1	1	-	3.0	4.1	0	58
59 Motor vehicle accidents (E810-E835)	1	1	-	13.3	21.7	0	7	3	4	21.1	12.3	45.5	59
60 All other accidents (E800-E802, E840-E962)	2	1	1	26.7	21.7	34.5	8	6	2	24.2	24.7	22.7	60
61 Suicide (E963, E970-E979)	1	1	-	13.3	21.7	0	3	2	1	9.1	8.2	11.4	61
62 Homicide (E964, E980-E985)	1	1	-	13.3	21.7	0	6	3	3	18.1	12.3	34.1	62
63 All other diseases (residual)	3	3	-	40.0	65.2	0	15	13	2	45.3	53.5	22.7	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Stephens						Stewart						Sumter						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	408	348	60	21.5	21.2	23.1	215	36	179	25.6	15.7	29.3	631	213	418	26.2	18.2	33.7	1
2	394	346	48	96.6%	99.4%	80.0%	215	35	59	43.7%	97.2%	33.0%	370	213	157	58.6%	100.0%	37.6%	2
3	1	1	-	0.2%	0.3%	0%	6	1	5	2.8%	2.8%	2.8%	6	-	6	1.0%	0%	1.4%	3
4	13	1	12	3.2%	0.3%	20.0%	114	-	114	53.0%	0%	63.7%	251	-	251	39.8%	0%	60.0%	4
5	-	-	-	0%	0%	0%	1	-	1	0.5%	0%	0.6%	4	-	4	0.6%	0%	1.0%	5
6	19	14	5	46.6	40.2	83.3	25	-	25	116.3	0	139.7	49	12	37	77.7	56.3	88.5	6
7	6	5	1	14.7	14.4	16.7	7	-	7	32.6	0	39.1	29	9	20	46.0	42.3	47.8	7
8	2	1	1	4.9	2.9	16.7	-	-	-	0	0	0	9	3	6	14.3	14.1	14.4	8
9	1	1	-	2.4	2.9	0	1	-	1	4.7	0	5.6	4	1	3	6.3	4.7	7.2	9
	2	2	-	4.9	5.7	0	6	-	6	27.9	0	33.5	14	3	11	22.2	14.1	26.3	
	1	1	-	2.4	2.9	0	-	-	-	0	0	0	2	2	-	3.2	9.4	0	
10	120	98	22	631.6	597.6	846.2	99	35	64	1178.6	1521.7	1049.2	266	98	168	1103.7	837.6	1354.8	10
11	6	1	5	14.7	2.9	83.3	7	2	5	32.6	55.6	27.9	30	7	23	47.5	32.9	55.0	11
12	2	-	2	4.9	0	33.3	4	2	2	18.6	55.6	11.2	17	6	11	26.9	28.2	26.3	12
13	1	-	1	2.4	0	16.7	1	1	-	4.7	27.8	0	4	3	1	6.3	14.1	2.4	13
14	1	-	-	-	-	-	1	-	1	-	-	-	5	1	4	-	-	-	14
15	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	15
16	1	1	-	5.3	6.1	0	2	-	2	23.8	0	32.8	5	2	3	20.7	17.1	24.2	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.1	0	8.1	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	1	-	1	5.3	0	38.5	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.1	0	8.1	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.1	0	8.1	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	1	-	5.3	6.1	0	1	-	1	11.9	0	16.4	2	-	2	8.3	0	16.1	32
33	15	15	-	78.9	91.5	0	8	5	3	95.2	217.4	49.2	22	11	11	91.3	94.0	88.7	33
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	1	1	-	5.3	6.1	0	1	1	-	11.9	43.5	0	2	-	2	8.3	0	16.1	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	15	12	3	78.9	73.2	115.4	29	5	24	345.2	217.4	393.4	59	21	38	244.8	179.5	306.5	38
39	-	-	-	0	0	0	1	-	1	11.9	0	16.4	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	8.3	0	16.1	40
41	40	35	5	210.5	213.4	192.3	24	13	11	285.7	565.2	180.3	85	42	43	352.7	359.0	346.8	41
42	2	-	2	10.5	0	76.9	1	-	1	11.9	0	16.4	4	-	4	16.6	0	32.3	42
43	8	5	3	42.1	30.5	115.4	1	-	1	11.9	0	16.4	9	1	8	37.3	8.5	64.5	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	3	2	1	15.8	12.2	38.5	1	1	-	11.9	43.5	0	2	2	-	8.3	17.1	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.1	0	8.1	46
47	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	47
48	-	-	-	0	0	0	2	-	2	23.8	0	32.8	2	-	2	8.3	0	16.1	48
49	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	4.1	8.5	0	49
50	3	2	1	15.8	12.2	38.5	6	1	5	71.4	43.5	82.0	3	-	3	12.4	0	24.2	50
51	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	52
53	2	1	1	10.5	6.1	38.5	-	-	-	0	0	0	4	1	3	16.6	8.5	24.2	53
54	-	-	-	0	0	0	1	1	-	11.9	43.5	0	4	1	3	16.6	8.5	24.2	54
55	1	-	1	5.3	0	38.5	1	-	1	11.9	0	16.4	2	-	2	8.3	0	16.1	55
56	1	-	1	5.3	0	38.5	1	1	-	11.9	43.5	0	5	3	2	20.7	25.6	16.1	56
57	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.1	0	8.1	57
58	-	-	-	0	0	0	1	-	1	11.9	0	16.4	7	2	5	29.0	17.1	40.3	58
59	4	4	-	21.1	24.4	0	5	3	2	59.5	130.4	32.8	9	2	7	37.3	17.1	56.5	59
60	8	8	-	42.1	48.8	0	4	1	3	47.6	43.5	49.2	8	6	6	33.2	17.1	48.4	60
61	2	2	-	10.5	12.2	0	2	2	-	23.8	87.0	0	5	4	1	20.7	34.2	8.1	61
62	2	1	1	10.5	6.1	38.5	2	-	2	23.8	0	32.8	2	-	2	8.3	0	16.1	62
63	10	8	2	52.6	48.8	76.9	5	1	4	59.5	43.5	65.6	17	3	14	70.5	25.6	112.9	63

See notes on page 91

TABLE X III

VITAL STATISTICS, BY

ITEM	Talbot						Taliaferro					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	190	32	158	25.7	14.5	30.4	92	15	77	27.1	11.5	36.7
2 Delivered in hospital	92	31	61	48.4%	96.9%	38.6%	28	14	14	30.4%	93.3%	18.2%
3 Delivered in home by physician	4	-	4	2.1%	0%	2.5%	2	-	2	2.2%	0%	2.6%
4 Delivered in home by midwife	93	1	92	48.9%	3.1%	58.2%	62	1	61	67.4%	6.7%	79.2%
5 Other deliveries	1	-	1	0.5%	0%	0.6%	-	-	-	0%	0%	0%
6 Immature births	19	1	18	100.0	31.2	113.9	13	1	12	141.3	66.7	155.8
FETAL DEATHS												
7 Total	6	1	5	31.6	31.2	31.6	2	1	1	21.7	66.7	13.0
8 Under 20 weeks gestation	1	-	1	5.3	0	6.3	-	-	-	0	0	0
9 20-27 weeks gestation	-	-	-	0	0	0	2	1	1	21.7	66.7	13.0
28 weeks and more	5	1	4	26.3	31.2	25.3	-	-	-	0	0	0
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	62	21	41	837.8	954.5	788.5	44	21	23	1294.1	1615.4	1095.2
11 Under 1 year	5	-	5	26.3	0	31.6	3	-	3	32.6	0	39.0
12 Under 28 days	3	-	3	15.8	0	19.0	2	-	2	21.7	0	26.0
13 Deaths from immaturity	1	-	1	5.3	0	6.3	1	-	1	10.9	0	13.0
14 1-4 years **	4	-	4	-	-	-	2	-	2	-	-	-
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	5	3	2	67.6	136.4	38.5	7	3	4	205.9	230.8	190.5
34 Benign and unspecified neoplasms (210-239)	1	-	1	13.5	0	19.2	1	1	-	29.4	76.9	0
35 Diabetes mellitus (260)	1	-	1	13.5	0	19.2	1	1	-	29.4	76.9	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	9	1	8	121.6	45.5	153.8	5	3	2	147.1	230.8	95.2
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	1	1	-	13.5	45.5	0	-	-	-	0	0	0
41 Heart diseases (410-443)	22	12	10	297.3	545.5	192.3	18	11	7	529.4	846.2	333.3
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	-	-	-	0	0	0
43 Influenza and pneumonia (480-483, 490-493)	6	-	6	81.1	0	115.4	-	-	-	0	0	0
44 Bronchitis (500-502)	1	-	1	13.5	0	19.2	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	-	-	-	0	0	0
49 Cirrhosis of liver (581)	-	-	-	0	0	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	-	-	-	0	0	0	2	-	2	58.8	0	95.2
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	-	-	-	0	0	0	-	-	-	0	0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	-	2	27.0	0	38.5	1	-	1	29.4	0	47.6
55 Infection of the newborn (763-768)	-	-	-	0	0	0	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	1	-	1	13.5	0	19.2	1	-	1	29.4	0	47.6
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	4	2	2	117.6	153.8	95.2
59 Motor vehicle accidents (E810-E835)	3	1	2	40.5	45.5	38.5	-	-	-	0	0	0
60 All other accidents (E800-E802, E840-E962)	5	1	4	67.6	45.5	76.9	2	-	2	58.8	0	95.2
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	2	-	2	27.0	0	38.5	1	-	1	29.4	0	47.6
63 All other diseases (residual)	3	2	1	40.5	90.9	19.2	1	-	1	29.4	0	47.6

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Tattnall						Taylor						Telfair						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	332	197	135	24.2	19.3	38.6	213	60	153	26.3	14.3	39.2	359	208	151	29.7	26.0	36.8	1
2	225	175	50	67.8%	88.8%	37.0%	69	55	14	32.4%	91.7%	9.2%	226	187	39	63.0%	89.9%	25.8%	2
3	55	22	33	16.6%	11.2%	24.4%	5	1	4	2.3%	1.7%	2.6%	26	13	13	7.2%	6.2%	8.6%	3
4	52	-	52	15.7%	0%	38.5%	139	4	135	65.3%	6.7%	88.2%	104	8	96	29.0%	3.8%	63.6%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	3	-	3	0.8%	0%	2.0%	5
6	29	10	19	87.3	50.8	140.7	9	2	7	42.3	33.3	45.8	29	13	16	80.8	62.5	106.0	6
7	8	6	2	24.1	30.5	14.8	4	-	4	18.8	0	26.1	17	8	9	47.4	38.5	59.6	7
8	-	-	-	0	0	0	2	-	2	9.4	0	13.1	1	-	1	2.8	0	6.6	8
9	4	4	-	12.0	20.3	0	-	-	-	0	0	0	4	2	2	11.1	9.6	13.2	9
	3	2	1	9.0	10.2	7.4	2	-	2	9.4	0	13.1	8	3	5	22.3	14.4	33.1	
	1	-	1	3.0	0	7.4	-	-	-	0	0	0	4	3	1	11.1	14.4	6.6	
10	113	82	31	824.8	803.9	885.7	89	54	35	1098.8	1285.7	897.4	126	80	46	1041.3	1000.0	1122.0	10
11	9	3	6	27.1	15.2	44.4	8	-	8	37.6	0	52.3	8	1	7	22.3	4.8	46.4	11
12	6	3	3	18.1	15.2	22.2	5	-	5	23.5	0	32.7	6	1	5	16.7	4.8	33.1	12
13	3	-	3	9.0	0	22.2	1	-	1	4.7	0	6.5	2	1	1	5.6	4.8	6.6	13
14	3	1	2	-	-	-	3	-	2	-	-	-	3	3	-	-	-	-	14
15	1	1	-	30.1	50.8	0	-	-	-	0	0	0	1	-	1	27.9	0	66.2	15
16	2	2	-	14.6	19.6	0	-	-	-	0	0	0	-	-	-	0	0	0	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	1	1	-	12.3	23.8	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	1	-	1	12.3	0	25.6	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	2	-	2	14.6	0	57.1	1	-	1	12.3	0	25.6	2	1	1	16.5	12.5	24.4	32
33	14	12	2	102.2	117.6	57.1	11	8	3	135.8	190.5	76.9	22	15	7	181.8	187.5	170.7	33
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	2	1	1	14.6	9.8	28.6	2	2	-	24.7	47.6	0	-	-	-	0	0	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	1	1	-	7.3	9.8	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	14	11	3	102.2	107.8	85.7	14	8	6	172.8	190.5	153.8	20	11	9	165.3	137.5	219.5	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	36	26	10	262.8	254.9	285.7	29	19	10	358.0	452.4	256.4	37	25	12	305.8	312.5	292.7	41
42	1	-	1	7.3	0	28.6	1	1	-	12.3	23.8	0	3	2	1	24.8	25.0	24.4	42
43	6	2	4	43.8	19.6	114.3	5	3	2	61.7	71.4	51.3	6	4	2	49.6	50.0	48.8	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	2	1	1	24.7	23.8	25.6	1	1	-	8.3	12.5	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	1	1	-	7.3	9.8	0	-	-	-	0	0	0	-	-	-	0	0	0	47
48	-	-	-	0	0	0	1	-	1	12.3	0	25.6	1	-	1	8.3	0	24.4	48
49	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	49
50	3	1	2	21.9	9.8	57.1	1	-	1	12.3	0	25.6	-	-	-	0	0	0	50
51	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	1	1	-	7.3	9.8	0	-	-	-	0	0	0	1	-	1	8.3	0	24.4	52
53	1	1	-	7.3	9.8	0	1	1	-	12.3	23.8	0	2	2	-	16.5	25.0	0	53
54	2	2	-	14.6	19.6	0	-	-	-	0	0	0	2	-	2	16.5	0	48.8	54
55	-	-	-	0	0	0	1	-	1	12.3	0	25.6	-	-	-	0	0	0	55
56	3	-	3	21.9	0	85.7	3	-	3	37.0	0	76.9	4	1	3	33.1	12.5	73.2	56
57	-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	16.5	12.5	24.4	57
58	-	-	-	0	0	0	1	-	1	12.3	0	25.6	4	2	2	33.1	25.0	48.8	58
59	4	3	1	29.2	29.4	28.6	4	3	1	49.4	71.4	25.6	2	2	-	16.5	25.0	0	59
60	6	5	1	43.8	49.0	28.6	4	1	3	49.4	23.8	76.9	7	6	1	57.9	75.0	24.4	60
61	-	-	-	0	0	0	2	2	-	24.7	47.6	0	-	-	-	0	0	0	61
62	-	-	-	0	0	0	-	-	-	0	0	0	2	1	-	16.5	12.5	24.4	62
63	14	13	1	102.2	127.4	28.6	4	4	-	49.4	95.2	0	8	6	2	66.1	75.0	48.8	63

See notes on page 91

TABLE XIII

VITAL STATISTICS, BY

ITEM	Terrell						Thomas						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	372	63	309	28.8	13.7	37.2	967	465	502	27.0	21.5	35.4	1
2 Delivered in hospital	171	62	109	46.0%	98.4%	35.3%	615	449	166	63.6%	96.6%	33.1%	2
3 Delivered in home by physician	18	-	18	4.8%	0%	5.8%	36	3	33	3.7%	0.6%	6.6%	3
4 Delivered in home by midwife	182	1	181	48.9%	1.6%	58.6%	253	7	246	26.2%	1.5%	49.0%	4
5 Other deliveries	1	-	1	0.3%	0%	0.3%	63	6	57	6.5%	1.3%	11.4%	5
6 Immature births	29	4	25	78.0	63.5	80.9	60	30	30	62.0	64.5	59.8	6
FETAL DEATHS													
7 Total	19	1	18	51.1	15.9	58.3	27	15	12	27.9	32.3	23.9	
8 Under 20 weeks gestation	3	-	3	8.1	0	9.7	4	4	-	4.1	8.6	0	7
9 20-27 weeks gestation	3	-	3	8.1	0	9.7	6	2	4	6.2	4.3	8.0	8
9 28 weeks and more	12	1	11	32.3	15.9	35.6	16	9	7	16.5	19.4	13.9	9
Unknown length of gestation	1	-	1	2.7	0	3.2	1	-	1	1.0	0	2.0	
DEATHS													
10 Total, all ages	159	48	111	1232.6	1043.5	1337.3	315	164	151	879.9	759.3	1063.4	10
11 Under 1 year	25	-	25	67.2	0	80.9	25	10	15	25.9	21.5	29.9	11
12 Under 28 days	10	-	10	26.9	0	32.4	17	8	9	17.6	17.2	17.9	12
13 Deaths from immaturity	2	-	2	5.4	0	6.5	6	3	3	6.2	6.5	6.0	13
14 1-4 years **	3	-	3	-	-	-	6	4	2	-	-	-	14
15 Maternal deaths	2	-	2	53.8	0	64.7	3	1	2	31.0	21.5	39.8	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	3	1	2	23.3	21.7	24.1	3	1	2	8.4	4.6	14.1	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	1	-	1	2.8	0	7.0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	1	-	1	2.8	0	7.0	19
20 Scarlet fever (050)	1	1	-	7.8	21.7	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	3	-	3	23.3	0	36.1	1	-	1	2.8	0	7.0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	1	1	-	2.8	4.6	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	-	1	7.8	0	12.0	3	-	3	8.4	0	21.1	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	18	5	13	139.5	108.7	156.6	29	20	9	81.0	92.6	63.4	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	3	1	2	8.4	4.6	14.1	34
35 Diabetes mellitus (260)	3	1	2	23.3	21.7	24.1	4	2	2	11.2	9.3	14.1	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	20	11	9	155.0	239.1	108.4	79	42	37	220.7	194.4	260.6	38
39 Nonmeningococcal meningitis (340)	1	-	1	7.8	0	12.0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	43	17	26	333.3	369.6	313.3	66	39	27	184.4	180.6	190.1	41
42 Hypertension without mention of heart (444-447)	6	2	4	46.5	43.5	48.2	3	2	1	8.4	9.3	7.0	42
43 Influenza and pneumonia (480-483, 490-493)	12	-	12	93.0	0	144.6	13	4	9	36.3	18.5	63.4	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	2	1	1	5.6	4.6	7.0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	3	1	2	8.4	4.6	14.1	46
47 Intestinal obstruction and hernia (560, 561, 570)	2	-	2	15.5	0	24.1	1	-	1	2.8	0	7.0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	-	2	15.5	0	24.1	2	-	2	5.6	0	14.1	48
49 Cirrhosis of liver (581)	1	1	-	7.8	21.7	0	1	1	-	2.8	4.6	0	49
50 Nephritis and nephrosis (590-594)	5	-	5	38.8	0	60.2	9	4	5	25.1	18.5	35.2	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	3	-	3	8.4	0	21.1	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	2	-	2	15.5	0	24.1	3	1	2	8.4	4.6	14.1	52
53 Congenital malformations (750-759)	1	-	1	7.8	0	12.0	1	1	-	2.8	4.6	0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	3	-	3	23.3	0	36.1	7	4	3	19.6	18.5	21.1	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	1	-	1	2.8	0	7.0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	-	3	23.3	0	36.1	8	4	4	22.3	18.5	28.2	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	1	-	1	2.8	0	7.0	57
58 Ill-defined and unknown causes (780-793, 795)	6	-	6	46.5	0	72.3	2	1	1	5.6	4.6	7.0	58
59 Motor vehicle accidents (E810-E835)	3	1	2	23.3	21.7	24.1	15	7	8	41.9	32.4	56.3	59
60 All other accidents (E800-E802, E840-E962)	8	2	6	62.0	43.5	72.3	11	6	5	30.7	27.8	35.2	60
61 Suicide (E963, E970-E979)	3	2	1	23.3	43.5	12.0	1	1	-	2.8	4.6	0	61
62 Homicide (E964, E980-E985)	1	-	1	7.8	0	12.0	4	1	3	11.2	4.6	21.1	62
63 All other diseases (residual)	8	4	4	62.0	87.0	48.2	33	19	14	92.2	88.0	98.6	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Tift						Toombs						Towns					
	Number			Rate or Ratio*			Number			Rate or Ratio*			Number			Rate or Ratio*		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1	650	391	259	25.7	21.6	36.0	466	269	197	26.2	21.3	37.9	88	87	1	18.7	18.5	*
2	461	384	77	70.9%	98.2%	29.7%	272	243	29	58.4%	90.3%	14.7%	86	85	1	97.7%	97.7%	100.0%
3	3	-	3	0.5%	0%	1.2%	60	24	36	12.9%	8.9%	18.3%	2	2	-	2.3%	2.3%	0%
4	186	7	179	28.6%	1.8%	69.1%	134	2	132	28.8%	0.7%	67.0%	-	-	-	0%	0%	0%
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6	33	18	15	50.8	46.0	57.9	17	11	6	36.5	40.9	30.5	4	4	-	45.5	46.0	0
7	12	12	-	18.5	30.7	0	12	8	4	25.8	29.7	20.3	-	-	-	0	0	0
8	2	2	-	3.1	5.1	0	3	2	1	6.4	7.4	5.1	-	-	-	0	0	0
9	3	3	-	4.6	7.7	0	-	-	-	0	0	0	-	-	-	0	0	0
	6	6	-	9.2	15.3	0	9	6	3	19.3	22.3	15.2	-	-	-	0	0	0
	1	1	-	1.5	2.6	0	-	-	-	0	0	0	-	-	-	0	0	0
10	163	111	52	644.3	613.3	722.2	166	108	58	932.6	857.1	1115.4	32	32	-	680.9	680.9	0
11	10	5	5	15.4	12.8	19.3	16	8	8	34.3	29.7	40.6	1	1	-	11.4	11.5	0
12	7	3	4	10.8	7.7	15.4	10	6	4	21.5	22.3	20.3	-	-	-	0	0	0
13	4	2	2	6.2	5.1	7.7	3	2	1	6.4	7.4	5.1	-	-	-	0	0	0
14	2	2	-	-	-	-	5	3	2	-	-	-	-	-	-	0	0	0
15	2	2	-	30.8	51.2	0	-	-	-	0	0	0	-	-	-	0	0	0
16	-	-	-	0	0	0	2	2	-	11.2	15.9	0	-	-	-	0	0	0
17	-	-	-	0	0	0	1	-	1	5.6	0	19.2	1	1	-	21.3	21.3	0
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
19	-	-	-	0	0	0	1	-	1	5.6	0	19.2	-	-	-	0	0	0
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
28	-	-	-	0	0	0	1	-	1	5.6	0	19.2	-	-	-	0	0	0
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
32	-	-	-	0	0	0	2	2	-	11.2	15.9	0	-	-	-	0	0	0
33	16	10	6	63.2	55.2	83.3	20	12	8	112.4	95.2	153.8	4	4	-	85.1	85.1	0
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
35	3	1	2	11.9	5.5	27.8	3	1	2	16.9	7.9	38.5	4	4	-	85.1	85.1	0
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
37	1	1	-	4.0	5.5	0	-	-	-	0	0	0	-	-	-	0	0	0
38	29	17	12	114.6	93.9	166.7	21	13	8	118.0	103.2	153.8	3	3	-	63.8	63.8	0
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
41	48	38	10	189.7	209.9	138.9	57	39	18	320.2	309.5	346.2	9	9	-	191.5	191.5	0
42	6	4	2	23.7	22.1	27.8	1	1	1	5.6	0	19.2	-	-	-	0	0	0
43	7	6	1	27.7	33.1	13.9	5	5	5	28.1	0	96.2	1	1	-	21.3	21.3	0
44	-	-	-	0	0	0	2	2	2	11.2	15.9	0	-	-	-	0	0	0
45	3	3	-	11.9	16.6	0	2	2	-	11.2	15.9	0	-	-	-	0	0	0
46	1	-	1	4.0	0	13.9	2	-	-	0	0	0	-	-	-	0	0	0
47	-	-	-	0	0	0	2	-	2	11.2	0	38.5	-	-	-	0	0	0
48	2	2	-	7.9	11.0	0	2	1	1	11.2	7.9	19.2	-	-	-	0	0	0
49	1	1	-	4.0	5.5	0	-	-	-	0	0	0	-	-	-	0	0	0
50	4	2	2	15.8	11.0	27.8	1	1	-	5.6	7.9	0	2	2	-	42.6	42.6	0
51	1	-	1	4.0	0	13.9	1	1	-	5.6	7.9	0	1	1	-	21.3	21.3	0
52	2	2	-	7.9	11.0	0	-	-	-	0	0	0	-	-	-	0	0	0
53	2	2	-	7.9	11.0	0	2	2	-	11.2	15.9	0	1	1	-	21.3	21.3	0
54	2	-	2	7.9	0	27.8	2	2	-	11.2	15.9	0	-	-	-	0	0	0
55	1	1	-	4.0	5.5	0	-	-	-	0	0	0	-	-	-	0	0	0
56	5	3	2	19.8	16.6	27.8	6	3	3	33.7	23.8	57.7	-	-	-	0	0	0
57	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
58	4	-	4	15.8	0	55.6	2	-	2	11.2	0	38.5	-	-	-	0	0	0
59	6	6	-	23.7	33.1	0	2	1	1	11.2	15.9	19.2	1	1	-	21.3	21.3	0
60	4	1	3	15.8	5.5	41.7	12	12	-	67.4	95.2	0	1	1	-	21.3	21.3	0
61	3	3	-	11.9	16.6	0	3	3	-	16.9	23.8	0	-	-	-	0	0	0
62	2	-	2	7.9	0	27.8	4	3	1	22.5	23.8	19.2	-	-	-	0	0	0
63	10	8	2	39.5	44.2	27.8	9	6	3	50.6	47.6	57.7	4	4	-	85.1	85.1	0

See notes on page 91

TABLE XIII

VITAL STATISTICS, BY

ITEM	Trentlen						Troup					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	146	81	65	25.2	20.2	36.1	1,224	717	507	22.7	19.2	30.5
2 Delivered in hospital	91	73	18	62.3%	90.1%	27.7%	975	710	265	79.7%	99.0%	52.3%
3 Delivered in home by physician	4	2	2	2.7%	2.5%	3.1%	14	3	11	1.1%	0.4%	2.2%
4 Delivered in home by midwife	51	6	45	34.9%	7.4%	69.2%	234	4	230	19.1%	0.6%	45.4%
5 Other deliveries	-	-	-	0%	0%	0%	1	-	1	0.1%	0%	0.2%
6 Immature births	10	3	7	68.5	37.0	107.7	105	44	61	85.8	61.4	120.3
FETAL DEATHS												
7 Total	4	1	3	27.4	12.3	46.2	84	50	34	68.6	69.7	67.1
8 Under 20 weeks gestation	-	-	-	0	0	0	59	41	18	48.2	57.2	35.5
9 20-27 weeks gestation	-	-	-	0	0	0	11	6	5	9.0	8.4	9.9
Unknown length of gestation	4	1	3	27.4	12.3	46.2	14	3	11	11.4	4.2	21.7
DEATHS												
10 Total, all ages	45	34	11	775.9	850.0	611.1	440	237	203	816.3	635.4	1222.9
11 Under 1 year	6	3	3	41.1	37.0	46.2	48	13	35	39.2	18.1	69.0
12 Under 28 days	3	2	1	20.5	24.7	15.4	33	11	22	27.0	15.3	43.4
13 Deaths from immaturity	-	-	-	0	0	0	11	1	10	9.0	1.4	19.7
14 1-4 years **	-	-	-	0	0	0	10	6	4	-	-	-
15 Maternal deaths	1	-	1	68.5	0	153.8	1	1	-	8.2	13.9	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	4	2	2	7.4	5.4	12.0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	1	-	1	1.9	0	6.0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	1	-	1	1.9	0	6.0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	4	4	-	69.0	100.0	0	41	24	17	76.1	64.3	102.4
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	2	2	-	3.7	5.4	0
35 Diabetes mellitus (260)	1	1	-	17.2	25.0	0	4	2	2	7.4	5.4	12.0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	3	1	2	5.6	2.7	12.0
38 Vascular lesions affecting central nervous system (330-334)	17	13	4	293.1	325.0	222.2	86	46	40	159.6	123.3	241.0
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	1	-	1	1.9	0	6.0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	1	-	1	1.9	0	6.0
41 Heart diseases (410-443)	8	8	-	137.9	200.0	0	144	86	58	267.2	230.6	349.4
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	5	1	4	9.3	2.7	24.1
43 Influenza and pneumonia (480-483, 490-493)	-	-	-	0	0	0	17	7	10	31.5	18.8	60.2
44 Bronchitis (500-502)	-	-	-	0	0	0	3	2	1	5.6	5.4	6.0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	4	3	1	7.4	8.0	6.0
46 Appendicitis (550-553)	-	-	-	0	0	0	2	1	1	3.7	2.7	6.0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	1	1	-	1.9	2.7	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	2	-	2	3.7	0	12.0
49 Cirrhosis of liver (581)	1	1	-	17.2	25.0	0	3	2	1	5.6	5.4	6.0
50 Nephritis and nephrosis (590-594)	2	1	1	34.5	25.0	55.6	3	2	1	5.6	5.4	6.0
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	2	-	2	3.7	0	12.0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	17.2	0	55.6	1	1	-	1.9	2.7	0
53 Congenital malformations (750-759)	2	2	-	34.5	50.0	0	3	3	-	5.6	8.0	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	1	1	34.5	25.0	55.6	11	8	3	20.4	21.4	18.1
55 Infection of the newborn (763-768)	-	-	-	0	0	0	3	1	2	5.6	2.7	12.0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	-	-	-	0	0	0	16	2	14	29.7	5.4	84.3
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	4	1	3	7.4	2.7	18.1
58 Ill-defined and unknown causes (780-793, 795)	1	1	-	17.2	25.0	0	9	1	8	16.7	2.7	48.2
59 Motor vehicle accidents (E810-E835)	-	-	-	0	0	0	7	6	1	13.0	16.1	6.0
60 All other accidents (E800-E802, E840-E962)	3	-	3	51.7	0	166.7	16	14	2	29.7	37.5	12.0
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	3	2	1	5.6	5.4	6.0
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	6	-	6	11.1	0	36.1
63 All other diseases (residual)	3	2	1	51.7	50.0	55.6	31	16	15	57.5	42.9	90.4

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Turner						Triggs						Union						
	Number			Rate or Ratio*			Number			Rate or Ratio*			Number			Rate or Ratio*			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	245	113	132	23.8	17.9	33.0	232	58	174	29.7	19.3	36.2	164	164	-	23.1	23.1	0	1
2	187	112	75	76.3%	99.1%	56.8%	130	57	73	56.0%	98.3%	42.0%	159	159	-	97.0%	97.0%	0%	2
3	6	-	6	2.4%	0%	4.5%	9	1	8	3.9%	1.7%	4.6%	4	4	-	2.4%	2.4%	0%	3
4	52	1	51	21.2%	0.9%	38.6%	93	-	93	40.1%	0%	53.4%	1	1	-	0.6%	0.6%	0%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	26	8	18	106.1	70.8	136.4	19	6	13	81.9	103.4	74.7	11	11	-	67.1	67.1	0	6
7	8	5	3	32.7	44.2	22.7	12	2	10	51.7	34.5	57.5	-	-	-	0	0	0	7
8	1	-	1	4.1	0	7.6	3	1	2	12.9	17.2	11.5	-	-	-	0	0	0	8
9	1	-	1	4.1	0	7.6	2	-	2	8.6	0	11.5	-	-	-	0	0	0	9
	6	5	1	24.5	44.2	7.6	7	1	6	30.2	17.2	34.5	-	-	-	0	0	0	
	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	
10	71	42	29	689.3	666.7	725.0	68	20	48	871.8	666.7	1000.0	53	53	-	746.5	746.5	0	10
11	7	-	7	28.6	0	53.0	11	2	9	47.4	34.5	51.7	5	5	-	30.5	30.5	0	11
12	5	-	5	20.4	0	37.9	11	2	9	47.4	34.5	51.7	4	4	-	24.4	24.4	0	12
13	1	-	1	4.1	0	7.6	2	-	2	8.6	0	11.5	3	3	-	18.3	18.3	0	13
14	2	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	14
15	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	61.0	61.0	0	15
16	1	-	1	9.7	0	25.0	2	1	1	25.6	33.3	20.8	-	-	-	0	0	0	16
17	-	-	-	0	0	0	1	-	1	12.8	0	20.8	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	14.1	14.1	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	1	-	1	9.7	0	25.0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	14.1	14.1	0	32
33	3	2	1	29.1	31.7	25.0	3	3	-	38.5	100.0	0	4	4	-	56.3	56.3	0	33
34	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	1	1	-	9.7	15.9	0	1	1	-	12.8	33.3	0	-	-	-	0	0	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	15	14	1	145.6	222.2	25.0	10	2	8	128.2	66.7	166.7	10	10	-	140.8	140.8	0	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	25	16	9	242.7	254.0	225.0	29	8	21	371.8	266.7	437.5	20	20	-	281.7	281.7	0	41
42	-	-	-	0	0	0	1	1	1	12.8	0	20.8	-	-	-	0	0	0	42
43	3	1	2	29.1	15.9	50.0	1	1	1	12.8	0	20.8	1	1	-	14.1	14.1	0	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	2	1	1	19.4	15.9	25.0	-	-	-	0	0	0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	47
48	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	48
49	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	49
50	-	-	-	0	0	0	-	-	-	0	0	0	2	2	-	28.2	28.2	0	50
51	-	-	-	0	0	0	1	1	-	12.8	33.3	0	-	-	-	0	0	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	14.1	14.1	0	52
53	2	-	2	19.4	0	50.0	1	-	1	12.8	0	20.8	1	1	-	14.1	14.1	0	53
54	1	-	1	9.7	0	25.0	4	2	2	51.3	66.7	41.7	-	-	-	0	0	0	54
55	-	-	-	0	0	0	2	-	2	25.6	0	41.7	-	-	-	0	0	0	55
56	2	-	2	19.4	0	50.0	4	-	4	51.3	0	83.3	3	3	-	42.3	42.3	0	56
57	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	14.1	14.1	0	57
58	2	-	2	19.4	0	50.0	-	-	-	0	0	0	-	-	-	0	0	0	58
59	4	2	2	38.8	31.7	50.0	2	2	-	25.6	66.7	0	1	1	-	14.1	14.1	0	59
60	1	-	1	9.7	0	25.0	2	-	2	25.6	0	41.7	1	1	-	14.1	14.1	0	60
61	-	-	-	0	0	0	1	-	1	12.8	0	20.8	-	-	-	0	0	0	61
62	3	-	3	29.1	0	75.0	2	-	2	25.6	0	41.7	-	-	-	0	0	0	62
63	5	5	-	48.5	79.4	0	1	-	1	12.8	0	20.8	6	6	-	84.5	84.5	0	63

See notes on page 91

ITEM	Upsun						Walker						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	564	337	227	22.4	17.7	36.6	999	923	76	23.3	23.1	25.3	1
2 Delivered in hospital	457	331	126	81.0%	98.2%	55.5%	991	917	74	99.2%	99.3%	97.4%	2
3 Delivered in home by physician	10	3	7	1.8%	0.9%	3.1%	7	5	2	0.7%	0.5%	2.6%	3
4 Delivered in home by midwife	96	3	93	17.0%	0.9%	41.0%	-	-	-	0%	0%	0%	4
5 Other deliveries	1	-	1	0.2%	0%	0.4%	1	1	-	0.1%	0.1%	0%	5
6 Immature births	55	23	32	97.5	68.2	141.0	53	42	11	53.1	45.5	144.7	6
FETAL DEATHS													
7 Total	20	7	13	35.5	20.8	57.3	20	16	4	20.0	17.3	52.6	7
8 Under 20 weeks gestation	5	3	2	8.9	8.9	8.8	7	7	-	7.0	7.6	0	8
9 20-27 weeks gestation	7	3	4	12.4	8.9	17.6	5	3	2	5.0	3.2	26.3	9
28 weeks and more	7	1	6	12.4	3.0	26.4	8	6	2	8.0	6.5	26.3	9
Unknown length of gestation	1	-	1	1.8	0	4.4	-	-	-	0	0	0	9
DEATHS													
10 Total, all ages	183	117	66	726.2	615.8	1064.5	285	259	26	664.3	649.1	866.7	10
11 Under 1 year	8	6	2	14.2	17.8	8.8	23	19	4	23.0	20.6	52.6	11
12 Under 28 days	6	6	-	10.6	17.8	0	16	13	3	16.0	14.1	39.5	12
13 Deaths from immaturity	2	2	-	3.5	5.9	0	3	2	1	3.0	2.2	13.2	13
14 1-4 years **	2	1	1	-	-	-	2	1	1	-	-	-	14
15 Maternal deaths	2	-	2	35.5	0	88.1	1	1	-	10.0	10.8	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	1	1	-	4.9	5.3	0	5	5	-	11.7	12.5	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	2	2	-	4.7	5.0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	1	1	-	2.3	2.5	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	1	1	-	2.3	2.5	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	-	1	4.0	0	16.1	1	1	-	2.3	2.5	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	30	22	8	119.0	115.8	129.0	46	43	3	107.2	107.8	100.0	33
34 Benign and unspecified neoplasms (210-239)	1	-	1	4.0	0	16.1	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	2	1	1	7.9	5.3	16.1	-	-	-	0	0	0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	1	-	1	4.0	0	16.1	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	30	18	12	119.0	94.7	193.5	38	35	3	88.6	87.7	100.0	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	54	35	19	214.3	184.2	306.5	94	85	9	219.1	213.0	300.0	41
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	1	1	-	2.3	2.5	0	42
43 Influenza and pneumonia (480-483, 490-493)	5	4	1	19.8	21.1	16.1	8	7	1	18.6	17.5	33.3	43
44 Bronchitis (500-502)	1	1	-	4.0	5.3	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	2	-	2	7.9	0	32.3	2	2	-	4.7	5.0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	4.0	5.3	0	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	-	-	-	0	0	0	1	1	-	2.3	2.5	0	48
49 Cirrhosis of liver (581)	2	2	-	7.9	10.5	0	1	1	-	2.3	2.5	0	49
50 Nephritis and nephrosis (590-594)	6	2	4	23.8	10.5	64.5	10	9	1	23.3	22.6	33.3	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	2	-	2	7.9	0	32.3	1	1	-	2.3	2.5	0	52
53 Congenital malformations (750-759)	1	1	-	4.0	5.3	0	6	5	1	14.0	12.5	33.3	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	2	2	-	7.9	10.5	0	5	4	1	11.7	10.0	33.3	54
55 Infection of the newborn (763-768)	1	1	-	4.0	5.3	0	2	2	-	4.7	5.0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	2	2	-	7.9	10.5	0	5	3	2	11.7	7.5	66.7	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	4	4	-	9.3	10.0	0	57
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	8	6	2	18.6	15.0	66.7	58
59 Motor vehicle accidents (E810-E835)	10	8	2	39.7	42.1	32.3	6	6	2	14.0	15.0	0	59
60 All other accidents (E800-E802, E840-E962)	13	6	7	51.6	31.6	112.9	6	6	-	14.0	15.0	0	60
61 Suicide (E963, E970-E979)	2	2	-	7.9	10.5	0	4	4	-	9.3	10.0	0	61
62 Homicide (E964, E980-E985)	2	-	2	7.9	0	32.3	1	-	1	2.3	0	33.3	62
63 All other diseases (residual)	11	8	3	43.7	42.1	48.4	26	24	2	60.2	60.2	66.7	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Welton						Ware						Warren						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	475	281	194	23.8	20.5	30.8	893	661	232	27.9	28.4	26.7	213	40	173	27.0	13.8	34.6	1
2	431	277	154	90.7%	98.6%	79.4%	735	621	114	82.3%	93.9%	49.1%	90	40	50	42.3%	100.0%	28.9%	2
3	1	-	1	0.2%	0%	0.5%	87	36	51	9.7%	5.4%	22.0%	1	-	1	0.5%	0%	0.6%	3
4	43	4	39	9.1%	1.4%	20.1%	68	4	64	7.6%	0.6%	27.6%	121	-	121	56.8%	0%	69.9%	4
5	-	-	-	0%	0%	0%	3	-	3	0.3%	0%	1.3%	1	-	1	0.5%	0%	0.6%	5
6	49	22	27	103.2	78.3	139.2	61	41	20	68.3	62.0	86.2	31	2	29	145.5	50.0	167.6	6
7	22	11	11	46.3	39.1	56.7	68	56	12	76.1	84.7	51.7	16	-	16	75.1	0	92.5	7
8	5	4	1	10.5	14.2	5.2	48	44	4	53.8	66.6	17.2	3	-	3	14.1	0	17.3	8
9	6	2	4	12.6	7.1	20.6	4	3	1	4.5	4.5	4.3	2	-	2	9.4	0	11.6	9
	9	4	5	18.9	14.2	25.8	12	6	6	13.4	9.1	25.9	11	-	11	51.6	0	63.6	
	2	1	1	4.2	3.6	5.2	4	3	1	4.5	4.5	4.3	-	-	-	0	0	0	
10	196	131	65	980.0	956.2	1037.7	278	180	98	868.8	772.5	1126.4	103	42	61	1303.8	1448.3	1220.0	10
11	18	9	9	37.9	32.0	46.4	36	22	14	40.3	33.3	60.3	14	2	12	65.7	50.0	69.4	11
12	14	9	5	29.5	32.0	25.8	23	15	8	25.8	22.7	34.5	2	-	2	9.4	0	11.6	12
13	3	1	2	6.3	3.6	10.3	5	3	2	5.6	4.5	8.6	1	-	1	4.7	0	5.8	13
14	1	1	-	-	-	-	5	3	2	-	-	-	1	-	1	-	-	-	14
15	1	-	1	21.1	0	51.5	1	1	-	11.2	15.1	0	-	-	-	0	0	0	15
16	-	-	-	0	0	0	3	1	2	9.4	4.3	23.0	-	-	-	0	0	0	16
17	1	1	-	5.0	7.3	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	1	-	1	5.0	0	15.9	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	12.7	0	20.0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	1	-	1	5.0	0	15.9	1	-	1	3.1	0	11.5	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	-	1	5.0	0	15.9	-	-	-	0	0	0	-	-	-	0	0	0	32
33	20	16	4	100.0	116.8	63.5	35	28	7	109.4	120.2	80.5	14	7	7	177.2	241.4	140.0	33
34	2	1	1	10.0	7.3	15.9	2	1	1	6.2	4.3	11.5	-	-	-	0	0	0	34
35	1	1	-	5.0	7.3	0	2	1	1	6.2	4.3	11.5	3	2	1	38.0	69.0	20.0	35
36	-	-	-	0	0	0	1	-	1	3.1	0	11.5	-	-	-	0	0	0	36
37	1	1	-	5.0	7.3	0	2	1	1	6.2	4.3	11.5	2	1	1	25.3	34.5	20.0	37
38	29	17	12	145.0	124.1	190.5	50	29	21	156.2	124.5	241.4	15	7	8	189.9	241.4	160.0	38
39	-	-	-	0	0	0	1	1	-	3.1	4.3	0	-	-	-	0	0	0	39
40	1	-	1	5.0	0	15.9	1	1	-	3.1	4.3	0	-	-	-	0	0	0	40
41	63	45	18	315.0	328.5	285.7	76	54	22	237.5	231.8	252.9	16	8	8	202.5	275.9	160.0	41
42	5	4	1	25.0	29.2	15.9	2	-	2	6.2	0	23.0	9	4	5	113.9	137.9	100.0	42
43	8	4	4	40.0	29.2	63.5	13	5	8	40.6	21.5	92.0	14	3	11	177.2	103.4	220.0	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	4	3	1	12.5	12.9	11.5	2	-	2	25.3	0	40.0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	46
47	2	2	-	10.0	14.6	0	2	1	1	6.2	4.3	11.5	-	-	-	0	0	0	47
48	-	-	-	0	0	0	4	1	3	12.5	4.3	34.5	2	-	2	25.3	0	40.0	48
49	1	1	-	5.0	7.3	0	1	-	1	3.1	0	11.5	-	-	-	0	0	0	49
50	3	3	-	15.0	21.9	0	6	2	4	18.8	8.6	46.0	6	2	4	75.9	69.0	80.0	50
51	1	1	-	5.0	7.3	0	4	3	1	12.5	12.9	11.5	1	-	1	12.7	0	20.0	51
52	1	-	1	5.0	0	15.9	1	1	-	3.1	4.3	0	-	-	-	0	0	0	52
53	1	1	-	5.0	7.3	0	5	5	-	15.6	21.5	0	2	1	1	25.3	34.5	20.0	53
54	5	5	-	25.0	36.5	0	13	10	3	40.6	42.9	34.5	-	-	-	0	0	0	54
55	-	-	-	0	0	0	1	-	1	3.1	0	11.5	-	-	-	0	0	0	55
56	7	2	5	35.0	14.6	79.4	5	3	2	15.6	12.9	23.0	1	-	1	12.7	0	20.0	56
57	1	-	1	5.0	0	15.9	2	1	1	6.2	4.3	11.5	-	-	-	0	0	0	57
58	1	1	-	5.0	7.3	0	3	1	2	9.4	4.3	23.0	-	-	-	0	0	0	58
59	11	8	3	55.0	58.4	47.6	4	4	-	12.5	17.2	0	1	-	1	12.7	0	20.0	59
60	8	5	3	40.0	36.5	47.6	10	5	5	31.2	21.5	57.5	3	1	2	38.0	34.5	40.0	60
61	1	-	1	5.0	0	15.9	4	4	-	12.5	17.2	0	-	-	-	0	0	0	61
62	1	-	1	5.0	0	15.9	6	6	5	18.8	4.3	57.5	2	-	2	25.3	0	40.0	62
63	18	12	6	90.0	87.6	95.2	14	13	1	43.8	55.8	11.5	9	6	3	113.9	206.9	60.0	63

See notes on page 91

TABLE X III

VITAL STATISTICS, BY

ITEM	Washington						Wayne						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	567	160	407	29.7	19.3	37.7	528	375	153	35.0	31.0	51.0	1
2 Delivered in hospital	206	151	55	36.3%	94.4%	13.5%	462	359	103	87.5%	95.7%	67.3%	2
3 Delivered in home by physician	15	2	13	2.6%	1.2%	3.2%	17	8	9	3.2%	2.1%	5.9%	3
4 Delivered in home by midwife	346	7	339	61.0%	4.4%	83.3%	37	2	35	7.0%	0.5%	22.9%	4
5 Other deliveries	-	-	-	0%	0%	0%	12	6	6	2.3%	1.6%	3.9%	5
6 Immature births	52	8	44	91.7	50.0	108.1	38	25	13	72.0	66.7	85.0	6
FETAL DEATHS													
7 Total	29	5	24	51.1	31.2	59.0	12	7	5	22.7	18.7	32.7	
8 Under 20 weeks gestation	10	4	6	17.6	25.0	14.7	3	2	1	5.7	5.3	6.5	7
9 20-27 weeks gestation	4	-	4	7.1	0	9.8	3	1	2	5.7	2.7	13.1	8
28 weeks and more	15	1	14	26.5	6.2	34.4	6	4	2	11.4	10.7	13.1	9
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0	
DEATHS													
10 Total, all ages	212	102	110	1109.9	1228.9	1018.5	117	79	38	774.8	652.9	1266.7	10
11 Under 1 year	33	5	28	58.2	31.2	68.8	17	10	7	32.2	26.7	45.8	11
12 Under 28 days	16	3	13	28.2	18.8	31.9	10	6	4	18.9	16.0	26.1	12
13 Deaths from immaturity	2	-	2	3.5	0	4.9	2	2	-	3.8	5.3	0	13
14 1-4 years **	2	1	1	-	-	-	3	1	2	-	-	-	14
15 Maternal deaths	2	1	1	35.3	62.5	24.6	-	-	-	0	0	0	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	-	-	-	0	0	0	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	1	-	1	5.2	0	9.3	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	-	1	5.2	0	9.3	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	20	13	7	104.7	156.6	64.8	9	8	1	59.6	66.1	33.3	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	2	-	2	10.5	0	18.5	2	2	-	13.2	16.5	0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	1	1	-	5.2	12.0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	40	23	17	209.4	277.1	157.4	15	10	5	99.3	82.6	166.7	38
39 Nonmeningococcal meningitis (340)	1	-	1	5.2	0	9.3	1	1	-	6.6	8.3	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0	40
41 Heart diseases (410-443)	55	27	28	288.0	325.3	259.3	45	29	16	298.0	239.7	533.3	41
42 Hypertension without mention of heart (444-447)	4	1	3	20.9	12.0	27.8	-	-	-	0	0	0	42
43 Influenza and pneumonia (480-483, 490-493)	11	2	9	57.6	24.1	83.3	4	1	3	26.5	8.3	100.0	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	-	2	10.5	0	18.5	2	2	-	13.2	16.5	0	48
49 Cirrhosis of liver (581)	3	3	-	15.7	36.1	0	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	3	1	2	15.7	12.0	18.5	1	-	1	6.6	0	33.3	50
51 Hyperplasia of prostate (610)	2	1	1	10.5	12.0	9.3	-	-	-	0	0	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	2	1	1	10.5	12.0	9.3	-	-	-	0	0	0	52
53 Congenital malformations (730-759)	2	1	1	10.5	12.0	9.3	4	3	1	26.5	24.8	33.3	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	4	2	2	20.9	24.1	18.5	4	1	3	26.5	8.3	100.0	54
55 Infection of the newborn (763-768)	3	-	3	15.7	0	27.8	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	8	-	8	41.9	0	74.1	3	3	-	19.9	24.8	0	56
57 Senility, without mention of psychosis (794)	2	2	-	10.5	24.1	0	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	4	1	3	20.9	12.0	27.8	1	-	1	6.6	0	33.3	58
59 Motor vehicle accidents (E810-E835)	7	4	3	36.6	48.2	27.8	7	6	1	46.4	49.6	33.3	59
60 All other accidents (E800-E802, E840-E962)	5	1	4	26.2	12.0	37.0	6	4	2	39.7	33.1	66.7	60
61 Suicide (E963, E970-E979)	3	3	-	15.7	36.1	0	1	1	-	6.6	8.3	0	61
62 Homicide (E964, E980-E985)	3	-	3	15.7	0	27.8	3	-	3	19.9	0	100.0	62
63 All other diseases (residual)	23	15	8	120.4	180.7	74.1	9	8	1	59.6	66.1	33.3	63

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Webster						Wheeler						White						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	99	25	74	26.8	19.2	30.8	112	66	46	20.0	18.3	23.0	137	133	4	24.0	25.1	10.0	1
2	53	25	28	53.5%	100.0%	37.8%	72	60	12	64.3%	90.9%	26.1%	134	132	2	97.8%	99.2%	50.0%	2
3				0%	0%	0%	10	6	4	8.9%	9.1%	8.7%	1	1	0	0.7%	0.8%	0%	3
4	46		46	46.5%	0%	62.2%	30		30	26.8%	0%	65.2%	2		2	1.5%	0%	50.0%	4
5				0%	0%	0%				0%	0%	0%				0%	0%	0%	5
6	8	2	6	80.8	80.0	81.1	9	6	3	80.4	90.9	65.2	8	8		58.4	60.2	0	6
7	7		7	70.7	0	94.6				0	0	0	4	2	2	29.2	15.0	500.0	7
8				0	0	0				0	0	0	3	2	1	21.9	15.0	250.0	8
9	3		3	30.3	0	40.5				0	0	0				0	0	0	7
	4		4	40.4	0	54.1				0	0	0	1		1	7.3	0	250.0	9
				0	0	0				0	0	0				0	0	0	0
10	38	15	23	1027.0	1153.8	958.3	50	39	11	892.9	1083.3	550.0	55	51	4	964.9	962.3	1000.0	10
11	5	1	4	50.5	40.0	54.1	4	3	1	35.7	45.5	21.7	3	3		21.9	22.6	0	11
12	3		3	30.3	0	40.5	2	2		17.9	30.3	0	3	3		21.9	22.6	0	12
13	1		1	10.1	0	13.5	1	1		8.9	15.2	0	3	3		21.9	22.6	0	13
14	1		1				1	1					1	1					14
15				0	0	0				0	0	0				0	0	0	15
16				0	0	0				0	0	0	1	1		17.5	18.9	0	16
17				0	0	0				0	0	0				0	0	0	17
18				0	0	0				0	0	0				0	0	0	18
19				0	0	0				0	0	0				0	0	0	19
20				0	0	0				0	0	0				0	0	0	20
21				0	0	0				0	0	0				0	0	0	21
22				0	0	0				0	0	0				0	0	0	22
23				0	0	0				0	0	0				0	0	0	23
24				0	0	0				0	0	0				0	0	0	24
25				0	0	0				0	0	0				0	0	0	25
26				0	0	0				0	0	0				0	0	0	26
27				0	0	0				0	0	0				0	0	0	27
28				0	0	0				0	0	0				0	0	0	28
29				0	0	0				0	0	0				0	0	0	29
30				0	0	0				0	0	0				0	0	0	30
31				0	0	0				0	0	0				0	0	0	31
32				0	0	0				0	0	0				0	0	0	32
33	6	1	5	162.2	76.9	208.3	7	3	4	125.0	83.3	200.0	8	7	1	140.4	132.1	250.0	33
34				0	0	0	1		1	17.9	0	50.0				0	0	0	34
35				0	0	0	1	1		17.9	27.8	0				0	0	0	35
36	1	1		27.0	76.9	0				0	0	0				0	0	0	36
37				0	0	0				0	0	0				0	0	0	37
38	8	4	4	216.2	307.7	166.7	6	6		107.1	166.7	0	10	9	1	175.4	169.8	250.0	38
39				0	0	0				0	0	0				0	0	0	39
40				0	0	0				0	0	0				0	0	0	40
41	8	3	5	216.2	230.8	208.3	15	12	3	267.9	333.3	150.0	14	13	1	245.6	245.3	250.0	41
42	1		1	27.0	0	41.7	1	1		17.9	27.8	0				0	0	0	42
43				0	0	0	2	2		35.7	55.6	0	1	1		17.5	18.9	0	43
44				0	0	0				0	0	0				0	0	0	44
45				0	0	0				0	0	0	1	1		17.5	18.9	0	45
46				0	0	0				0	0	0				0	0	0	46
47				0	0	0				0	0	0				0	0	0	47
48				0	0	0	2	2		35.7	55.6	0				0	0	0	48
49				0	0	0				0	0	0				0	0	0	49
50				0	0	0	1	1		17.9	27.8	0	2	2		35.1	37.7	0	50
51				0	0	0	1	1		17.9	27.8	0				0	0	0	51
52				0	0	0				0	0	0				0	0	0	52
53				0	0	0				0	0	0				0	0	0	53
54				0	0	0	1	1		17.9	27.8	0				0	0	0	54
55	1		1	27.0	0	41.7				0	0	0				0	0	0	55
56	3		3	81.1	0	125.0	1	1		17.9	27.8	0	3	3		52.6	56.6	0	56
57				0	0	0				0	0	0	1	1		17.5	18.9	0	57
58	1		1	27.0	0	41.7	1		1	17.9	0	50.0				0	0	0	58
59				0	0	0	3	3		53.6	83.3	0	5	5		87.7	94.3	0	59
60	4	3	1	108.1	230.8	41.7	3	3		53.6	83.3	0	3	2	1	52.6	37.7	250.0	60
61	1	1		27.0	76.9	0				0	0	0				0	0	0	61
62	2	2		54.1	0	83.3				0	0	0	1	1		17.5	18.9	0	62
63	2	2		54.1	153.8	0	4	2	2	71.4	55.6	100.0	5	5		87.7	94.3	0	63

See notes on page 91

ITEM	Whitfield						Wilcox					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	1,004	956	48	25.2	25.3	24.0	210	108	102	24.4	18.6	36.4
2 Delivered in hospital	967	926	41	96.3%	96.9%	85.4%	105	94	11	50.0%	87.0%	10.8%
3 Delivered in home by physician	11	5	6	1.1%	0.5%	12.5%	21	7	14	10.0%	6.5%	13.7%
4 Delivered in home by midwife	26	25	1	2.6%	2.6%	2.1%	78	7	71	37.1%	6.5%	69.6%
5 Other deliveries	1	1	0	0%	0%	0%	6	6	0	2.9%	0%	5.9%
6 Immature births	87	80	7	86.7	83.7	145.8	19	10	9	90.5	92.6	88.2
FETAL DEATHS												
7 Total	49	47	2	48.8	49.2	41.7	6	2	4	28.6	18.5	39.2
8 Under 20 weeks gestation	39	39	0	38.8	40.8	0	1	1	0	4.8	9.3	0
9 20-27 weeks gestation	4	2	2	4.0	2.1	41.7	0	0	0	0	0	0
28 weeks and more	6	6	0	6.0	6.3	0	5	1	4	23.8	9.3	39.2
Unknown length of gestation	0	0	0	0	0	0	0	0	0	0	0	0
DEATHS												
10 Total, all ages	284	265	19	713.6	701.1	950.0	93	61	32	1081.4	1051.7	1142.9
11 Under 1 year	37	32	5	36.9	33.5	104.2	9	7	2	42.9	64.8	19.6
12 Under 28 days	27	23	4	26.9	24.1	83.3	6	5	1	28.6	46.3	9.8
13 Deaths from immaturity	3	3	0	3.0	3.1	0	1	1	0	4.8	9.3	0
14 1-4 years **	3	4	1	3.0	3.1	0	1	1	0	4.8	9.3	0
15 Maternal deaths	1	1	0	10.0	10.5	0	1	1	0	47.6	0	98.0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	3	3	0	7.5	7.9	0	1	1	0	11.6	17.2	0
17 Syphilis and its sequelae (020-029)	1	1	0	0	0	0	0	0	0	0	0	0
18 Typhoid fever (040)	0	0	0	0	0	0	0	0	0	0	0	0
19 Dysentery, all forms (045-048)	0	0	0	0	0	0	0	0	0	0	0	0
20 Scarlet fever (050)	0	0	0	0	0	0	0	0	0	0	0	0
21 Streptococcal sore throat (051)	0	0	0	0	0	0	0	0	0	0	0	0
22 Diphtheria (055)	0	0	0	0	0	0	0	0	0	0	0	0
23 Whooping cough (056)	0	0	0	0	0	0	0	0	0	0	0	0
24 Meningococcal infections (057)	0	0	0	0	0	0	0	0	0	0	0	0
25 Acute poliomyelitis (080)	0	0	0	0	0	0	1	1	0	11.6	17.2	0
26 Acute infectious encephalitis (082)	0	0	0	0	0	0	0	0	0	0	0	0
27 Smallpox (084)	0	0	0	0	0	0	0	0	0	0	0	0
28 Measles (085)	0	0	0	0	0	0	0	0	0	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	0	0	0	0	0	0	0	0	0	0	0	0
30 Rocky Mountain spotted fever (104)	0	0	0	0	0	0	0	0	0	0	0	0
31 Malaria (110-117)	0	0	0	0	0	0	0	0	0	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	2	2	0	5.0	5.3	0	0	0	0	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	44	41	3	110.6	108.5	150.0	10	9	1	116.3	155.2	35.7
34 Benign and unspecified neoplasms (210-239)	1	1	0	2.5	2.6	0	0	0	0	0	0	0
35 Diabetes mellitus (260)	3	3	0	7.5	7.9	0	2	2	0	23.3	34.5	0
36 Pellagra (281)	0	0	0	0	0	0	0	0	0	0	0	0
37 Anemias (290-293)	2	2	0	5.0	5.3	0	0	0	0	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	31	29	2	77.9	76.7	100.0	9	7	2	104.7	120.7	71.4
39 Nonmeningococcal meningitis (340)	1	1	0	2.5	2.6	0	0	0	0	0	0	0
40 Rheumatic fever (400-402)	1	1	0	2.5	2.6	0	1	1	0	11.6	0	35.7
41 Heart diseases (410-443)	75	72	3	188.4	190.5	150.0	25	19	6	290.7	327.6	214.3
42 Hypertension without mention of heart (444-447)	5	5	0	12.6	13.2	0	1	1	0	11.6	0	35.7
43 Influenza and pneumonia (480-483, 490-493)	17	15	2	42.7	39.7	100.0	2	2	0	23.3	0	71.4
44 Bronchitis (500-502)	2	1	1	5.0	2.6	50.0	1	1	0	11.6	17.2	0
45 Ulcer of stomach and duodenum (540-541)	2	2	0	5.0	5.3	0	0	0	0	0	0	0
46 Appendicitis (550-553)	1	1	0	0	0	0	0	0	0	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	0	0	0	0	0	0	0	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	2	0	5.0	5.3	0	0	0	0	0	0	0
49 Cirrhosis of liver (581)	2	2	0	5.0	5.3	0	0	0	0	0	0	0
50 Nephritis and nephrosis (590-594)	6	6	0	15.1	15.9	0	2	1	1	23.3	17.2	35.7
51 Hyperplasia of prostate (610)	1	1	0	2.5	2.6	0	0	0	0	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	1	0	2.5	2.6	0	1	0	1	11.6	0	35.7
53 Congenital malformations (750-759)	3	3	0	7.5	7.9	0	2	2	0	23.3	34.5	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	7	6	1	17.6	15.9	50.0	3	2	1	34.9	34.5	35.7
55 Infection of the newborn (763-768)	9	6	3	22.6	15.9	150.0	0	0	0	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	9	9	0	22.6	23.8	0	2	2	0	23.3	34.5	0
57 Senility, without mention of psychosis (794)	2	2	0	5.0	5.3	0	5	1	4	58.1	17.2	142.9
58 Ill-defined and unknown causes (780-793, 795)	2	1	1	5.0	2.6	50.0	5	1	4	58.1	17.2	142.9
59 Motor vehicle accidents (E810-E835)	13	13	0	32.7	34.4	0	1	1	0	11.6	17.2	0
60 All other accidents (E800-E802, E840-E962)	12	12	0	30.2	31.7	0	8	4	4	93.0	69.0	142.9
61 Suicide (E963, E970-E979)	5	4	1	12.6	10.6	50.0	0	0	0	0	0	0
62 Homicide (E964, E980-E985)	1	1	0	2.5	2.6	0	1	0	1	11.6	0	35.7
63 All other diseases (residual)	20	18	2	50.3	47.6	100.0	10	7	3	116.3	120.7	107.1

See notes on page 91

COUNTY, BY RACE, GEORGIA, 1956

	Wilkes						Wilkinson						Worth						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	249	85	164	23.1	16.7	28.8	256	103	153	28.1	22.4	34.0	566	222	344	31.1	24.7	37.4	1
2	163	84	79	65.5%	98.8%	48.2%	155	89	66	60.5%	86.4%	43.1%	346	220	126	61.1%	99.1%	36.6%	2
3	37	1	36	14.9%	1.2%	22.0%	23	13	10	9.0%	12.6%	6.5%	8	1	7	1.4%	0.4%	2.0%	3
4	48	-	48	19.3%	0%	29.3%	78	1	77	30.5%	1.0%	50.3%	210	1	209	37.1%	0.4%	60.8%	4
5	1	-	1	0.4%	0%	0.6%	-	-	-	0%	0%	0%	2	-	2	0.4%	0	0.6%	5
6	27	8	19	108.4	94.1	115.9	21	7	14	82.0	68.0	91.5	41	17	24	72.4	76.6	69.8	6
7	8	2	6	32.1	23.5	36.6	10	2	8	39.1	19.4	52.3	17	2	15	30.0	9.0	43.6	7
8	1	1	-	4.0	11.8	0	5	1	4	19.5	9.7	26.1	5	-	5	8.8	0	14.5	8
9	3	-	3	12.0	0	18.3	5	-	-	0	0	0	3	-	3	5.3	0	8.7	9
	4	1	3	16.1	11.8	18.3	5	1	4	19.5	9.7	26.1	9	2	7	15.9	9.0	20.3	
	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	
10	124	56	68	1148.1	1098.0	1193.0	91	52	39	1000.0	1130.4	866.7	171	89	82	939.6	988.9	891.3	10
11	9	1	8	36.1	11.8	48.8	7	6	1	27.3	58.3	6.5	26	7	19	45.9	31.5	55.2	11
12	6	1	5	24.1	11.8	30.5	5	4	1	19.5	38.8	6.5	14	5	9	24.7	22.5	26.2	12
13	3	-	3	12.0	0	18.3	2	1	1	7.8	9.7	6.5	4	1	3	7.1	4.5	8.7	13
14	-	-	-	-	-	-	1	-	1	-	-	-	3	1	2	-	-	-	14
15	-	-	-	0	0	0	2	-	2	78.1	0	130.7	-	-	-	0	0	0	15
16	-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	11.0	0	21.7	16
17	1	-	1	9.3	0	17.5	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	5.5	0	10.9	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	-	1	9.3	0	17.5	1	-	1	11.0	0	22.2	-	-	-	0	0	0	32
33	15	8	7	138.9	156.9	122.8	10	3	7	109.9	65.2	155.6	21	12	9	115.4	133.3	97.8	33
34	1	-	1	9.3	0	17.5	-	-	-	0	0	0	1	-	1	5.5	0	10.9	34
35	3	1	2	27.8	19.6	35.1	1	1	1	11.0	0	22.2	-	-	-	0	0	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	20	9	11	185.2	176.5	193.0	19	10	9	208.8	217.4	200.0	21	12	9	115.4	133.3	97.8	38
39	-	-	-	0	0	0	1	-	1	11.0	0	22.2	-	-	-	0	0	0	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	45	21	24	416.7	411.8	421.1	25	14	11	274.7	304.3	244.4	56	33	23	307.7	366.7	250.0	41
42	-	-	-	0	0	0	1	1	1	11.0	21.7	0	1	1	-	5.5	11.1	0	42
43	2	-	2	18.5	0	35.1	1	1	1	11.0	21.7	0	12	6	6	65.9	66.7	65.2	43
44	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	5.5	0	10.9	44
45	2	2	-	18.5	39.2	0	-	-	-	0	0	0	-	-	-	0	0	0	45
46	1	-	1	9.3	0	17.5	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	1	1	1	11.0	21.7	0	-	-	-	0	0	0	47
48	-	-	-	0	0	0	1	-	1	11.0	0	22.2	5	1	4	27.5	11.1	43.5	48
49	1	1	-	9.3	19.6	0	-	-	-	0	0	0	-	-	-	0	0	0	49
50	2	-	2	18.5	0	35.1	-	-	-	0	0	0	2	1	1	11.0	11.1	10.9	50
51	-	-	-	0	0	0	-	-	-	0	0	0	3	-	3	16.5	0	32.6	51
52	-	-	-	0	0	0	2	-	2	22.0	0	44.4	-	-	-	0	0	0	52
53	2	-	2	18.5	0	35.1	1	1	1	11.0	21.7	0	4	1	3	22.0	11.1	32.6	53
54	1	1	-	9.3	19.6	0	1	1	1	11.0	21.7	0	3	2	1	16.5	22.2	10.9	54
55	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	55
56	4	-	4	37.0	0	70.2	3	2	1	33.0	43.5	22.2	6	1	5	33.0	11.1	54.3	56
57	-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	11.0	11.1	10.9	57
58	2	1	1	18.5	19.6	17.5	3	2	1	33.0	43.5	22.2	6	1	5	33.0	11.1	54.3	58
59	3	3	-	27.8	58.8	0	3	3	-	33.0	65.2	0	9	8	1	49.5	88.9	10.9	59
60	5	1	4	46.3	19.6	70.2	5	3	2	54.9	65.2	44.4	4	2	2	22.0	22.2	21.7	60
61	1	-	1	0	0	0	2	-	2	22.0	43.5	0	3	3	-	16.5	33.3	0	61
62	5	-	5	46.3	58.8	35.1	1	1	1	11.0	0	22.2	2	2	2	11.0	0	21.7	62
63	8	5	3	74.1	98.0	52.6	9	8	1	98.9	173.9	22.2	6	4	2	33.0	44.4	21.7	63

See notes on page 91

TABLE XIV-A VITAL STATISTICS,

ITEM	Atlanta						Augusta						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	12,572	7,078	5,494	26.2	21.7	35.9	2,179	1,097	1,082	22.9	19.7	27.4	1
2 Delivered in hospital	12,322	7,049	5,273	98.0%	99.6%	96.0%	2,145	1,096	1,049	98.4%	99.9%	97.0%	2
3 Delivered in home by physician	234	24	210	1.9%	0.3%	3.8%	22	1	21	1.0%	0.1%	1.9%	3
4 Delivered in home by midwife	12	3	9	0.1%	0.0%	0.2%	10	-	10	0.5%	0%	0.9%	4
5 Other deliveries	4	2	2	0.0%	0.0%	0.0%	2	-	2	0.0%	0%	0.2%	5
6 Immature births	1,416	583	833	112.6	82.4	151.6	216	89	127	99.1	81.1	117.4	6
FETAL DEATHS													
7 Total	609	261	348	48.4	36.9	63.3	86	43	43	39.5	39.2	39.7	
8 Under 20 weeks gestation	323	153	170	25.7	21.6	30.9	28	18	10	12.8	16.4	9.2	7
9 20-27 weeks gestation	90	19	71	7.2	2.7	12.9	22	8	14	10.1	7.3	12.9	8
28 weeks and more	185	84	101	14.7	11.9	18.4	30	14	16	13.8	12.8	14.8	9
Unknown length of gestation	11	5	6	0.9	0.7	1.1	6	3	3	2.8	2.7	2.8	
DEATHS													
10 Total, all ages	4,651	2,737	1,914	969.2	837.5	1250.2	841	440	401	882.5	788.5	1015.2	10
11 Under 1 year	406	169	237	32.3	23.9	43.1	59	28	31	27.1	25.5	28.6	11
12 Under 28 days	299	130	169	23.8	18.4	30.8	40	21	19	18.4	19.1	17.6	12
13 Deaths from immaturity	83	40	43	6.6	5.7	7.8	7	7	-	3.2	6.4	0	13
14 1-4 years **	41	25	16	-	-	-	9	2	7	-	-	-	14
15 Maternal deaths	8	2	6	6.4	2.8	10.9	2	-	2	9.2	0	18.5	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	49	24	25	10.2	7.3	16.3	9	7	2	9.4	12.5	5.1	16
17 Syphilis and its sequelae (020-029)	15	8	7	3.1	2.4	4.6	3	1	2	3.1	1.8	5.1	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	1	1	-	0.2	0.3	0	1	-	1	1.0	0	2.5	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	1	1	-	0.2	0.3	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0	22
23 Whooping cough (056)	1	1	0	0.2	0	0.7	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	1	-	1	1.0	0	2.5	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	1	1	-	1.0	1.8	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	2	-	2	0.4	0	1.3	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	13	10	3	2.7	3.1	2.0	5	3	2	5.2	5.4	5.1	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	682	445	237	142.1	136.2	154.8	123	70	53	129.1	125.4	134.2	33
34 Benign and unspecified neoplasms (210-239)	15	7	8	3.1	2.1	5.2	3	-	3	3.1	0	7.6	34
35 Diabetes mellitus (260)	70	41	29	14.6	12.5	18.9	9	5	4	9.4	9.0	10.1	35
36 Pellagra (281)	3	2	1	0.6	0.6	0.7	-	-	-	0	0	0	36
37 Anemias (290-293)	15	7	8	3.1	2.1	5.2	1	-	1	1.0	0	2.5	37
38 Vascular lesions affecting central nervous system (330-334)	695	419	276	144.8	128.2	180.3	124	51	73	130.1	91.4	184.8	38
39 Nonmeningococcal meningitis (340)	9	3	6	1.9	0.9	3.9	3	1	2	3.1	1.8	5.1	39
40 Rheumatic fever (400-402)	4	3	1	0.8	0.9	0.7	-	-	-	0	0	0	40
41 Heart diseases (410-443)	1,479	962	517	308.2	294.4	337.7	320	184	136	335.8	329.7	344.3	41
42 Hypertension without mention of heart (444-447)	53	20	33	11.0	6.1	21.6	8	2	6	8.4	3.6	15.2	42
43 Influenza and pneumonia (480-483, 490-493)	135	49	86	28.1	15.0	56.2	18	8	10	18.9	14.3	25.3	43
44 Bronchitis (500-502)	7	6	1	1.5	1.8	0.7	1	-	1	1.0	0	2.5	44
45 Ulcer of stomach and duodenum (540-541)	28	18	10	5.8	5.5	6.5	7	5	2	7.3	9.0	5.1	45
46 Appendicitis (550-553)	10	6	4	2.1	1.8	2.6	1	1	-	1.0	1.8	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	19	12	7	4.0	3.7	4.6	6	3	3	6.3	5.4	7.6	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	22	13	9	4.6	4.0	5.9	5	3	2	5.2	5.4	5.1	48
49 Cirrhosis of liver (581)	54	39	15	11.3	11.9	9.8	9	6	3	9.4	10.8	7.6	49
50 Nephritis and nephrosis (590-594)	93	22	71	19.4	6.7	46.4	14	4	10	14.7	7.2	25.3	50
51 Hyperplasia of prostate (610)	11	9	2	2.3	2.8	1.3	2	1	1	2.1	1.8	2.5	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	8	2	6	1.7	0.6	3.9	2	-	2	2.1	0	5.1	52
53 Congenital malformations (750-759)	61	41	20	12.7	12.5	13.1	13	6	7	13.6	10.8	17.7	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	126	56	70	26.3	17.1	45.7	10	3	7	10.5	5.4	17.7	54
55 Infection of the newborn (763-768)	20	3	17	4.2	0.9	11.1	8	2	6	8.4	3.6	15.2	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	122	53	69	25.4	16.2	45.1	15	11	4	15.7	19.7	10.1	56
57 Senility, without mention of psychosis (794)	4	3	1	0.8	0.9	0.7	-	-	-	0	0	0	57
58 Ill-defined and unknown causes (780-793, 795)	24	12	12	5.0	3.7	7.8	2	-	2	2.1	0	5.1	58
59 Motor vehicle accidents (E810-E835)	98	66	32	20.4	20.2	20.9	11	7	4	11.5	12.5	10.1	59
60 All other accidents (E800-E802, E840-E862)	149	81	68	31.0	24.8	44.4	28	14	14	29.4	25.1	35.4	60
61 Suicide (E963, E970-E979)	55	47	8	11.5	14.4	5.2	6	6	-	6.3	10.8	0	61
62 Homicide (E964, E980-E985)	94	8	86	19.6	2.4	56.2	5	-	5	5.2	0	12.7	62
63 All other diseases (residual)	404	238	166	84.2	72.8	108.4	67	35	32	70.3	62.7	81.0	63

See notes on page 91

BY CITIES WITH POPULATION OF 75,000 OR MORE, GEORGIA, 1956

	Columbus						Macon						Savannah					
	Number			Rate or Ratio*			Number			Rate or Ratio*			Number			Rate or Ratio*		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1	3,339	2,328	1,011	34.7	35.2	33.7	2,030	1,004	1,026	25.9	22.1	31.1	3,991	2,345	1,646	29.7	29.3	30.3
2	3,252	2,323	929	97.4%	99.8%	91.9%	2,005	1,003	1,002	98.8%	99.9%	97.7%	3,813	2,342	1,471	95.5%	99.9%	89.4%
3	42	3	39	1.3%	0.1%	3.9%	12	1	11	0.6%	0.1%	1.1%	174	3	3	4.4%	0.1%	10.4%
4	40	-	40	1.2%	0%	4.0%	9	-	9	0.4%	0%	0.9%	3	-	3	0.1%	0%	0.2%
5	5	2	3	0.1%	0.1%	0.3%	4	-	4	0.2%	0%	0.4%	1	-	1	0.0%	0%	0.1%
6	322	188	134	96.4	80.8	132.5	182	52	130	89.7	51.8	126.7	367	158	209	92.0	67.4	127.0
7	75	51	24	22.5	21.9	23.7	62	26	36	30.5	25.9	35.1	237	134	103	59.4	57.1	62.6
8	23	20	3	6.9	8.6	3.0	11	4	7	5.4	4.0	6.8	130	95	35	32.6	40.5	21.3
9	10	6	4	3.0	2.6	4.0	13	5	8	6.4	5.0	7.8	34	13	21	8.5	5.5	12.8
	39	25	14	11.7	10.7	13.8	37	17	20	18.2	16.9	19.5	65	22	43	16.3	9.4	26.1
	3	-	3	0.9	0	3.0	1	-	1	0.5	0	1.0	8	4	4	2.0	1.7	2.4
10	767	444	323	798.1	671.7	1076.7	856	463	393	1091.8	1199.8	1190.9	1,363	710	653	1014.1	887.5	1200.4
11	80	46	34	24.0	19.8	33.6	60	22	38	29.6	21.9	37.0	116	60	56	29.1	25.6	34.0
12	59	40	19	17.7	17.2	18.8	47	19	28	23.2	18.9	27.3	88	49	39	22.0	20.9	23.7
13	23	16	7	6.9	6.9	6.9	14	4	10	6.9	4.0	9.7	32	17	15	8.0	7.2	9.1
14	9	8	1	1	1	1	12	3	9	1	1	1	19	4	15	1	1	1
15	2	1	1	6.0	4.3	9.9	3	2	1	14.8	19.9	9.7	3	-	3	7.5	0	18.2
16	9	-	9	9.4	0	30.0	7	4	3	8.9	8.8	9.1	14	6	8	10.4	7.5	14.7
17	1	-	1	1.0	0	3.3	5	2	3	6.4	4.4	9.1	3	1	2	2.2	1.2	3.7
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
19	1	-	1	1.0	0	3.3	-	-	-	0	0	0	-	-	-	0	0	0
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
21	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	0.7	0	1.8
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
24	-	-	-	0	0	0	1	-	1	1.3	0	3.0	1	-	1	0.7	0	1.8
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
26	-	-	-	0	0	0	1	1	-	1.3	2.2	0	-	-	-	0	0	0
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0
32	2	-	2	2.1	0	6.7	-	-	-	0	0	0	3	1	2	2.2	1.2	3.7
33	104	71	33	108.2	107.4	110.0	132	90	42	168.4	198.2	127.3	170	101	69	126.5	126.2	126.8
34	2	2	-	2.1	3.0	0	5	2	3	6.4	4.4	9.1	3	1	2	2.2	1.2	3.7
35	15	7	8	15.6	10.6	26.7	11	8	3	14.0	17.6	9.1	15	5	10	11.2	6.2	18.4
36	-	-	-	0	0	0	1	1	-	1.3	2.2	0	-	-	-	0	0	0
37	2	-	2	2.1	0	6.7	5	2	3	6.4	4.4	9.1	4	1	3	3.0	1.2	5.5
38	99	48	51	103.0	72.6	170.0	129	65	64	164.5	143.2	193.9	257	97	160	191.2	121.2	294.1
39	2	-	2	2.1	0	6.7	2	-	2	2.6	0	6.1	4	2	2	3.0	2.5	3.7
40	-	-	-	0	0	0	1	1	-	1.3	2.2	0	-	-	-	0	0	0
41	245	146	99	254.9	220.9	330.0	276	153	123	352.0	337.0	372.7	464	290	174	345.2	362.5	319.9
42	6	1	5	6.2	1.5	16.7	12	3	9	15.3	6.6	27.3	15	7	8	11.2	8.8	14.7
43	33	16	17	34.3	24.2	56.7	28	9	19	35.7	19.8	57.6	47	17	30	35.0	21.2	55.1
44	1	-	1	1.0	0	3.3	2	1	1	2.6	2.2	3.0	3	2	1	2.2	2.5	1.8
45	6	6	-	6.2	9.1	0	6	4	2	7.7	8.8	6.1	6	6	-	4.5	7.5	0
46	1	1	-	1.0	1.5	0	1	1	-	1.3	2.2	0	2	1	1	1.5	1.2	1.8
47	4	4	-	4.2	6.1	0	7	6	1	8.9	13.2	3.0	5	2	3	3.7	2.5	5.5
48	3	2	1	3.1	3.0	3.3	2	2	-	2.6	4.4	0	5	2	3	3.7	2.5	5.5
49	7	6	1	7.3	9.1	3.3	9	6	3	11.5	13.2	9.1	16	12	4	11.9	15.0	7.4
50	9	2	7	9.4	3.0	23.3	20	4	16	25.5	8.8	48.5	20	4	16	14.9	5.0	29.4
51	1	-	1	1.0	0	3.3	1	1	-	1.3	2.2	0	2	1	1	1.5	1.2	1.8
52	2	1	1	2.1	1.5	3.3	3	2	1	3.8	4.4	3.0	3	-	3	2.2	0	5.5
53	15	11	4	15.6	16.6	13.3	6	5	1	7.7	11.0	3.0	14	10	4	10.4	12.5	7.4
54	18	11	7	18.7	16.6	23.3	18	8	10	23.0	17.6	30.3	37	19	18	27.5	23.8	33.1
55	1	1	-	1.0	1.5	0	2	-	2	2.6	0	6.1	5	1	4	3.7	1.2	7.4
56	32	20	12	33.3	30.3	40.0	22	8	14	28.1	17.6	42.4	38	23	15	28.3	28.8	27.6
57	1	-	1	1.0	0	3.3	2	1	1	2.6	2.2	3.0	2	2	-	1.5	2.5	0
58	7	3	4	7.3	4.5	13.3	6	1	5	7.7	2.2	15.2	2	1	1	1.5	1.2	1.8
59	22	14	8	22.9	21.2	26.7	20	12	8	25.5	26.4	24.2	31	18	13	23.1	22.5	23.9
60	21	15	6	21.9	22.7	20.0	24	13	11	30.6	28.6	33.3	49	14	35	36.5	17.5	64.3
61	11	11	-	11.4	16.6	0	3	3	-	3.8	6.6	0	4	4	-	3.0	5.0	0
62	12	1	11	12.5	1.5	36.7	19	1	18	24.2	2.2	54.5	24	4	20	17.9	5.0	36.8
63	72	44	28	74.9	66.6	93.3	67	43	24	85.5	94.7	72.7	94	55	39	69.9	68.8	71.7

See notes on page 91

TABLE XIV-B VITAL STATISTICS,

ITEM	Albany						Americus					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	1,842	1,072	770	47.6	48.3	46.7	319	138	181	25.1	21.6	28.7
2 Delivered in hospital	1,442	1,065	377	78.3%	99.3%	49.0%	238	138	100	74.6%	100.0%	55.2%
3 Delivered in home by physician	244	6	238	13.2%	0.6%	30.9%	3	-	3	0.9%	0%	1.7%
4 Delivered in home by midwife	100	-	100	5.4%	0%	13.0%	76	-	76	23.8%	0%	42.0%
5 Other deliveries	56	1	55	3.0%	0.1%	7.1%	2	-	2	0.6%	0%	1.1%
6 Immature births	180	83	97	97.7	77.4	126.0	18	3	15	56.4	21.7	82.9
FETAL DEATHS												
7 Total	53	27	26	28.8	25.2	33.8	12	3	9	37.6	21.7	49.7
8 Under 20 weeks gestation	24	16	8	13.0	14.9	10.4	5	2	3	15.7	14.5	16.6
9 20-27 weeks gestation	14	6	8	7.6	5.6	10.4	2	-	2	6.3	0	11.0
28 weeks and more	14	5	9	7.6	4.7	11.7	5	1	4	15.7	7.2	22.1
Unknown length of gestation	1	-	1	0.5	0	1.3	-	-	-	0	0	0
DEATHS												
10 Total, all ages	392	167	225	1012.9	752.3	1363.6	144	51	93	1133.9	796.9	1476.2
11 Under 1 year	58	23	35	31.5	21.5	45.5	20	4	16	62.7	29.0	88.4
12 Under 28 days	42	18	24	22.8	16.8	31.2	9	3	6	28.2	21.7	33.1
13 Deaths from immaturity	14	8	6	7.6	7.5	7.8	3	2	1	9.4	14.5	5.5
14 1-4 years **	20	9	11	-	-	-	1	-	1	-	-	-
15 Maternal deaths	-	-	-	0	0	0	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	1	-	1	2.6	0	6.1	2	1	1	15.7	15.6	15.9
17 Syphilis and its sequelae (020-029)	2	1	1	5.2	4.5	6.1	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	4	-	4	10.3	0	24.2	1	-	1	7.9	0	15.9
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	1	-	1	2.6	0	6.1	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	1	-	1	7.9	0	15.9
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	1	-	1	2.6	0	6.1	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	2	2	-	5.2	9.0	0	2	-	2	15.7	0	31.7
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	40	22	18	103.4	99.1	109.1	12	7	5	94.5	109.4	79.4
34 Benign and unspecified neoplasms (210-239)	2	-	2	5.2	0	12.1	-	-	-	0	0	0
35 Diabetes mellitus (260)	4	1	3	10.3	4.5	18.2	-	-	-	0	0	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	1	-	1	2.6	0	6.1	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	64	22	42	165.4	99.1	254.5	26	10	16	204.7	156.2	254.0
39 Nonmeningococcal meningitis (340)	1	-	1	2.6	0	6.1	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	1	-	1	7.9	0	15.9
41 Heart diseases (410-443)	110	49	61	284.2	220.7	369.7	49	21	28	385.8	328.1	444.4
42 Hypertension without mention of heart (444-447)	3	-	3	7.8	0	18.2	3	-	3	23.6	0	47.6
43 Influenza and pneumonia (480-483, 490-493)	13	3	10	33.6	13.5	60.6	5	1	4	39.4	15.6	63.5
44 Bronchitis (500-502)	2	-	2	5.2	0	12.1	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	2	1	1	5.2	4.5	6.1	1	1	-	7.9	15.6	0
46 Appendicitis (550-553)	-	-	-	0	0	0	1	-	1	7.9	0	15.9
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	3	1	2	7.8	4.5	12.1	2	-	2	15.7	0	31.7
49 Cirrhosis of liver (581)	3	3	-	7.8	13.5	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	11	3	8	28.4	13.5	48.5	1	-	1	7.9	0	15.9
51 Hyperplasia of prostate (610)	1	-	1	2.6	0	6.1	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	11	10	1	28.4	45.0	6.1	2	-	2	15.7	0	31.7
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	4	2	2	10.3	9.0	12.1	2	-	2	15.7	0	31.7
55 Infection of the newborn (763-768)	7	-	7	18.1	0	42.4	2	-	2	15.7	0	31.7
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	24	10	14	62.0	45.0	84.8	3	2	1	23.6	31.2	15.9
57 Senility, without mention of psychosis (794)	1	1	-	2.6	4.5	0	1	-	1	7.9	0	15.9
58 Ill-defined and unknown causes (780-793, 795)	2	1	1	5.2	4.5	6.1	4	2	2	31.5	31.2	31.7
59 Motor vehicle accidents (E810-E835)	12	7	5	31.0	31.5	30.3	4	1	3	31.5	15.6	47.6
60 All other accidents (E800-E802, E840-E962)	19	11	8	49.1	49.5	48.5	3	-	3	23.6	0	47.6
61 Suicide (E963, E970-E979)	4	3	1	10.3	13.5	6.1	4	3	1	31.5	46.9	15.9
62 Homicide (E964, E980-E985)	14	2	12	36.2	9.0	72.7	-	-	-	0	0	0
63 All other diseases (residual)	23	12	11	59.4	54.1	66.7	12	2	10	94.5	31.2	158.7

See notes on page 91

BY CITIES WITH POPULATION OF 10,000-74,999, GEORGIA, 1956

	Athens						Brunswick						Cedartown						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	791	515	276	24.0	21.5	31.0	642	373	269	32.4	30.6	35.4	250	212	38	24.5	24.4	25.3	1
2	783	513	270	99.0%	99.6%	97.8%	519	366	153	80.8%	98.1%	56.9%	240	206	34	96.0%	97.2%	89.5%	2
3	3	2	1	0.4%	0.4%	0.4%	7	-	7	1.1%	0%	2.6%	4	4	-	1.6%	1.9%	0%	3
4	4	-	4	0.5%	0%	1.4%	116	7	109	18.1%	1.9%	40.5%	6	2	4	2.4%	0.9%	10.5%	4
5	1	-	1	0.1%	0%	0.4%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	66	29	37	83.4	56.3	134.1	52	22	30	81.0	59.0	111.5	28	23	5	112.0	108.5	131.6	6
7	28	15	13	35.4	29.1	47.1	15	6	9	23.4	16.1	33.5	7	5	2	28.0	23.6	52.6	7
8	13	10	3	16.4	19.4	10.9	5	2	3	7.8	5.4	11.2	-	-	-	0	0	0	8
9	4	1	3	5.1	1.9	10.9	2	1	1	3.1	2.7	3.7	1	1	-	4.0	4.7	0	9
	11	4	7	13.9	7.8	25.4	8	3	5	12.5	8.0	18.6	5	4	1	20.0	18.9	26.3	
	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	4.0	0	26.3	
10	298	160	138	905.8	666.7	1550.6	177	98	79	893.9	803.3	1039.5	98	85	13	960.8	977.0	866.7	10
11	23	6	17	29.1	11.7	61.6	14	6	8	21.8	16.1	29.7	6	6	-	24.0	28.3	0	11
12	16	4	12	20.2	7.8	43.5	11	5	6	17.1	13.4	22.3	4	4	-	16.0	18.9	0	12
13	3	2	1	3.8	3.9	3.6	3	2	1	4.7	5.4	3.7	2	2	-	8.0	9.4	0	13
14	7	2	5	-	-	-	6	3	3	-	-	-	1	1	-	-	-	0	14
15	1	1	-	12.6	19.4	0	-	-	-	0	0	0	1	1	-	40.0	47.2	0	15
16	4	3	1	12.2	12.5	11.2	3	2	1	15.2	16.4	13.2	1	-	1	9.8	0	66.7	16
17	1	1	-	3.0	4.2	0	2	-	2	10.1	0	26.3	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	9.8	11.5	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	1	1	-	5.0	8.2	0	-	-	-	0	0	0	24
25	1	1	-	3.0	4.2	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
33	40	29	11	121.6	120.8	123.6	28	18	10	141.4	147.5	131.6	11	11	-	107.8	126.4	0	33
34	1	-	1	3.0	0	11.2	2	2	-	10.1	16.4	0	-	-	-	0	0	0	34
35	2	1	1	6.1	4.2	11.2	2	1	1	10.1	8.2	13.2	-	-	-	0	0	0	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	1	-	1	3.0	0	11.2	-	-	-	0	0	0	-	-	-	0	0	0	37
38	38	16	22	115.5	66.7	247.2	19	12	7	96.0	98.4	92.1	9	7	2	88.2	80.5	133.3	38
39	1	-	1	3.0	0	11.2	-	-	-	0	0	0	-	-	-	0	0	0	39
40	-	-	-	0	0	0	2	1	1	10.1	8.2	13.2	-	-	-	0	0	0	40
41	95	68	27	288.8	283.3	303.4	44	21	23	222.2	172.1	302.6	40	34	6	392.2	390.8	400.0	41
42	7	3	4	21.3	12.5	44.9	5	1	4	25.3	8.2	52.6	-	-	-	0	0	0	42
43	8	1	7	24.3	4.2	78.7	4	3	1	20.2	24.6	13.2	3	3	-	29.4	34.5	0	43
44	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	44
45	5	2	3	15.2	8.3	33.7	1	-	1	5.0	0	13.2	1	1	-	9.8	11.5	0	45
46	1	-	1	3.0	0	11.2	-	-	-	0	0	0	-	-	-	0	0	0	46
47	2	1	1	6.1	4.2	11.2	1	1	-	5.0	8.2	0	1	1	-	9.8	11.5	0	47
48	3	1	2	9.1	4.2	22.5	2	1	1	10.1	8.2	13.2	1	1	-	9.8	11.5	0	48
49	1	-	1	3.0	0	11.2	3	3	-	15.2	24.6	0	-	-	-	0	0	0	49
50	16	-	16	48.6	0	179.8	6	-	6	30.3	0	78.9	6	5	1	58.8	57.5	66.7	50
51	1	-	1	3.0	0	11.2	-	-	-	0	0	0	1	1	-	9.8	11.5	0	51
52	1	1	-	3.0	4.2	0	-	-	-	0	0	0	1	1	-	9.8	11.5	0	52
53	2	2	-	6.1	8.3	0	-	-	-	0	0	0	1	1	-	9.8	11.5	0	53
54	8	1	7	24.3	4.2	78.7	4	2	2	20.2	16.4	26.3	-	-	-	0	0	0	54
55	-	-	-	0	0	0	2	1	1	10.1	8.2	13.2	-	-	-	0	0	0	55
56	7	3	4	21.3	12.5	44.9	5	2	3	25.3	16.4	39.5	2	2	-	19.6	23.0	0	56
57	1	1	-	3.0	4.2	0	-	-	-	0	0	0	-	-	-	0	0	0	57
58	1	-	1	3.0	0	11.2	-	-	-	0	0	0	1	1	-	9.8	11.5	0	58
59	12	6	6	36.5	25.0	67.4	6	6	-	30.3	49.2	0	3	3	-	29.4	34.5	0	59
60	7	3	4	21.3	12.5	44.9	7	5	2	35.4	41.0	26.3	3	2	1	29.4	23.0	66.7	60
61	3	1	2	9.1	4.2	22.5	1	1	-	5.0	8.2	0	2	2	-	19.6	23.0	0	61
62	3	-	3	9.1	0	33.7	4	2	2	20.2	16.4	26.3	2	1	1	19.6	11.5	66.7	62
63	25	15	10	76.0	62.5	112.4	23	12	11	116.2	98.4	144.7	8	7	1	78.4	80.5	66.7	63

See notes on page 91

TABLE XIV-B VITAL STATISTICS,

ITEM	College Park						Cordele						
	Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
LIVE BIRTHS													
1 Total	664	520	144	35.9	34.7	41.1	308	128	180	29.6	23.7	36.0	1
2 Delivered in hospital	655	519	136	98.6%	99.8%	94.4%	175	126	49	56.8%	98.4%	27.2%	2
3 Delivered in home by physician	9	1	8	1.4%	0.2%	5.6%	2	1	1	0.6%	0.8%	0.6%	3
4 Delivered in home by midwife	-	-	-	0%	0%	0%	128	1	127	41.6%	0.8%	70.6%	4
5 Other deliveries	-	-	-	0%	0%	0%	3	-	3	1.0%	0%	1.7%	5
6 Immature births	61	38	23	91.9	73.1	159.7	24	4	20	77.9	31.2	111.1	6
FETAL DEATHS													
7 Total	23	16	7	34.6	30.8	48.6	24	7	17	77.9	54.7	94.4	7
8 Under 20 weeks gestation	12	8	4	18.1	15.4	27.8	13	5	8	42.2	39.1	44.4	8
9 20-27 weeks gestation	2	2	-	3.0	3.8	-	1	-	1	3.2	0	5.6	7
28 weeks and more	11	6	3	16.6	11.5	20.8	9	1	8	29.2	7.8	44.4	9
Unknown length of gestation	-	-	-	0	0	0	1	1	-	3.2	7.8	0	
DEATHS													
10 Total, all ages	132	99	33	713.5	660.0	942.9	122	47	75	1173.1	870.4	1500.0	10
11 Under 1 year	13	11	2	19.6	21.2	13.9	9	4	5	29.2	31.2	27.8	11
12 Under 28 days	11	9	2	16.6	17.3	13.9	8	4	4	26.0	31.2	22.2	12
13 Deaths from immaturity	1	-	1	1.5	0	6.9	1	-	1	3.2	0	5.6	13
14 1-4 years **	1	-	1	-	-	-	2	-	2	-	-	-	14
15 Maternal deaths	-	-	-	0	0	0	1	-	1	32.5	0	55.6	15
CAUSE OF DEATH													
16 Tuberculosis, all forms (001-019)	4	3	1	21.6	20.0	28.6	-	-	-	0	0	0	16
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0	17
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0	18
19 Dysentery, all forms (045-048)	1	-	1	5.4	0	28.6	-	-	-	0	0	0	19
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0	20
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0	21
22 Diphtheria (055)	-	-	-	0	0	0	1	-	1	9.6	0	20.0	22
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0	23
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0	24
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0	25
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0	26
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0	27
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0	28
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0	29
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0	30
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0	31
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	-	-	-	0	0	0	-	-	-	0	0	0	32
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	18	15	3	97.3	100.0	85.7	14	9	5	134.6	166.7	100.0	33
34 Benign and unspecified neoplasms (210-239)	-	-	-	0	0	0	-	-	-	0	0	0	34
35 Diabetes mellitus (260)	2	1	1	10.8	6.7	28.6	-	-	-	0	0	0	35
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0	36
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0	37
38 Vascular lesions affecting central nervous system (330-334)	15	12	3	81.1	80.0	85.7	20	7	13	192.3	129.6	260.0	38
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0	39
40 Rheumatic fever (400-402)	-	-	-	0	0	0	2	-	2	19.2	0	40.0	40
41 Heart diseases (410-443)	48	35	13	259.5	233.3	371.4	39	14	25	375.0	259.3	500.0	41
42 Hypertension without mention of heart (444-447)	1	-	1	5.4	0	28.6	2	1	1	19.2	18.5	20.0	42
43 Influenza and pneumonia (480-483, 490-493)	4	4	-	21.6	26.7	0	5	1	4	48.1	18.5	80.0	43
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0	44
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0	45
46 Appendicitis (550-553)	1	1	-	5.4	6.7	0	-	-	-	0	0	0	46
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	1	-	1	9.6	0	20.0	47
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	5.4	0	28.6	1	-	1	9.6	0	20.0	48
49 Cirrhosis of liver (581)	3	2	1	16.2	13.3	28.6	-	-	-	0	0	0	49
50 Nephritis and nephrosis (590-594)	2	2	-	10.8	13.3	0	4	1	3	38.5	18.5	60.0	50
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	1	-	9.6	18.5	0	51
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	1	-	1	9.6	0	20.0	52
53 Congenital malformations (750-759)	3	3	-	16.2	20.0	0	4	3	1	38.5	55.6	20.0	53
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	6	6	-	32.4	40.0	0	3	1	2	28.8	18.5	40.0	54
55 Infection of the newborn (763-768)	-	-	-	0	0	0	-	-	-	0	0	0	55
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	3	1	2	16.2	6.7	57.1	1	-	1	9.6	0	20.0	56
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	3	1	2	28.8	18.5	40.0	57
58 Ill-defined and unknown causes (780-793, 795)	1	-	1	5.4	0	28.6	1	-	1	9.6	0	20.0	58
59 Motor vehicle accidents (E810-E835)	4	2	2	21.6	13.3	57.1	5	-	5	48.1	0	100.0	59
60 All other accidents (E800-E802, E840-E962)	4	2	2	21.6	13.3	57.1	6	3	3	57.7	55.6	60.0	60
61 Suicide (E963, E970-E979)	2	2	-	10.8	13.3	0	2	2	-	19.2	37.0	0	61
62 Homicide (E964, E980-E985)	-	-	-	0	0	0	1	1	-	9.6	18.5	0	62
63 All other diseases (residual)	9	8	1	48.6	53.3	28.6	5	2	3	48.1	37.0	60.0	63

See notes on page 91

BY CITIES WITH POPULATION OF 10,000-74,999, GEORGIA, 1956

	Dalton						Decatur						Dublin						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	499	454	45	26.5	25.9	34.6	933	843	90	37.6	40.3	23.1	327	191	136	27.7	26.9	28.9	1
2	484	445	39	97.0%	98.0%	86.7%	922	839	83	98.8%	99.5%	92.2%	271	190	81	82.9%	99.5%	59.6%	2
3	6	-	6	1.2%	0%	13.3%	9	4	5	1.0%	0.5%	5.6%	4	-	4	1.2%	0%	2.9%	3
4	9	9	-	1.8%	2.0%	0%	2	-	2	0.2%	0%	2.2%	50	-	50	15.3%	0%	36.8%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	2	1	1	0.6%	0.5%	0.7%	5
6	52	45	7	104.2	99.1	155.6	58	41	17	62.2	48.6	188.9	25	14	11	76.5	73.3	80.9	6
7	28	26	2	56.1	57.3	44.4	52	46	6	55.7	54.6	66.7	10	3	7	30.6	15.7	51.5	7
8	22	22	-	44.1	48.5	0	26	22	4	27.9	26.1	44.4	-	-	-	0	0	0	8
9	2	-	2	4.0	0	44.4	7	7	-	7.5	8.3	0	1	1	-	3.1	5.2	0	9
	4	4	-	8.0	8.8	0	17	16	1	18.2	19.0	11.1	9	2	7	27.5	10.5	51.5	
	-	-	-	0	0	0	2	1	1	2.1	1.2	11.1	-	-	-	0	0	0	
10	150	132	18	797.9	754.3	1384.6	327	281	46	1318.5	1344.5	1179.5	147	61	86	1245.8	859.2	1829.8	10
11	22	18	4	44.1	39.6	88.9	39	28	11	41.8	33.2	122.2	16	5	11	48.9	26.2	80.9	11
12	16	13	3	32.1	28.6	66.7	30	22	8	32.2	26.1	88.9	10	5	5	30.6	26.2	36.8	12
13	2	2	-	4.0	4.4	0	6	4	2	6.4	4.7	22.2	4	3	1	12.2	15.7	7.4	13
14	3	2	1	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	14
15	1	1	-	20.0	22.0	0	1	1	-	10.7	11.9	0	1	-	1	30.6	0	73.5	15
16	2	2	-	10.6	11.4	0	-	-	-	0	0	0	3	-	3	25.4	0	63.8	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	1	1	-	4.0	4.8	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	1	-	5.3	5.7	0	1	-	1	4.0	0	25.6	1	-	1	8.5	0	21.3	32
33	19	16	3	101.1	91.4	230.8	60	53	7	241.9	253.6	179.5	19	13	6	161.0	183.1	127.7	33
34	1	1	-	5.3	5.7	0	1	-	1	4.0	0	25.6	1	-	1	8.5	0	21.3	34
35	2	2	-	10.6	11.4	0	4	2	2	16.1	9.6	51.3	2	-	2	16.9	0	42.6	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	2	2	-	10.6	11.4	0	-	-	-	0	0	0	-	-	-	0	0	0	37
38	18	16	2	95.7	91.4	153.8	36	30	6	145.2	143.5	153.8	19	3	16	161.0	42.3	340.4	38
39	1	1	-	5.3	5.7	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	1	1	-	5.3	5.7	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	38	35	3	202.1	200.0	230.8	111	101	10	447.6	483.3	256.4	55	31	24	466.1	436.6	510.6	41
42	1	1	-	5.3	5.7	0	6	3	3	24.2	14.4	76.9	2	-	2	16.9	0	42.6	42
43	7	5	2	37.2	28.6	153.8	4	2	2	16.1	9.6	51.3	11	3	8	93.2	42.3	170.2	43
44	2	1	1	10.6	5.7	76.9	-	-	-	0	0	0	-	-	-	0	0	0	44
45	1	1	-	5.3	5.7	0	1	1	-	4.0	4.8	0	-	-	-	0	0	0	45
46	-	-	-	0	0	0	1	-	1	4.0	0	25.6	-	-	-	0	0	0	46
47	-	-	-	0	0	0	2	2	-	8.1	9.6	0	-	-	-	0	0	0	47
48	2	2	-	10.6	11.4	0	1	1	-	4.0	4.8	0	1	-	1	8.5	0	21.3	48
49	2	2	-	10.6	11.4	0	3	3	-	12.1	14.4	0	1	1	-	8.5	14.1	0	49
50	2	2	-	10.6	11.4	0	2	2	-	8.1	9.6	0	1	1	-	8.5	0	21.3	50
51	1	1	-	5.3	5.7	0	1	1	-	4.0	4.8	0	1	-	1	8.5	0	21.3	51
52	1	1	-	5.3	5.7	0	1	1	-	4.0	4.8	0	1	-	1	8.5	0	21.3	52
53	1	1	-	5.3	5.7	0	10	9	1	40.3	43.1	25.6	1	-	1	8.5	0	21.3	53
54	4	3	1	21.3	17.1	76.9	13	11	2	52.4	52.6	51.3	1	1	-	8.5	14.1	0	54
55	5	3	2	26.6	17.1	153.8	3	2	1	12.1	9.6	25.6	2	1	1	16.9	14.1	21.3	55
56	6	6	-	31.9	34.3	0	10	5	5	40.3	23.9	128.2	6	3	3	50.8	42.3	63.8	56
57	2	2	-	10.6	11.4	0	-	-	-	0	0	0	-	-	-	0	0	0	57
58	1	-	1	5.3	0	76.9	-	-	-	0	0	0	3	-	3	25.4	0	63.8	58
59	5	5	-	26.6	28.6	0	9	9	-	36.3	43.1	0	4	3	1	33.9	42.3	21.3	59
60	6	6	-	31.9	34.3	0	8	8	-	32.3	38.3	0	2	-	2	16.9	0	42.6	60
61	4	3	1	21.3	17.1	76.9	5	5	-	20.2	23.9	0	-	-	-	0	0	0	61
62	1	1	-	5.3	5.7	0	3	2	1	12.1	9.6	25.6	4	-	4	33.9	0	85.1	62
63	11	9	2	58.5	51.4	153.8	30	27	3	121.0	129.2	76.9	6	2	4	50.8	28.2	85.1	63

See notes on page 91

TABLE XIV-B VITAL STATISTICS,

ITEM	East Point						Gainesville					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	913	747	166	34.5	32.5	47.4	493	364	129	36.2	36.0	36.9
2 Delivered in hospital	899	741	158	98.5%	99.2%	95.2%	478	360	118	97.0%	98.9%	91.5%
3 Delivered in home by physician	13	5	8	1.4%	0.7%	4.8%	5	1	4	1.0%	0.3%	3.1%
4 Delivered in home by midwife	1	1	-	0.1%	0.1%	0%	7	2	5	1.4%	0.5%	3.9%
5 Other deliveries	-	-	-	0%	0%	0%	3	1	2	0.6%	0.3%	1.6%
6 Immature births	69	41	28	75.6	54.9	168.7	50	30	20	101.4	82.4	155.0
FETAL DEATHS												
7 Total	26	16	10	28.5	21.4	60.2	14	3	11	28.4	8.2	85.3
8 Under 20 weeks gestation	15	12	3	16.4	16.1	18.1	3	2	1	6.1	5.5	7.8
9 20-27 weeks gestation	5	1	4	5.5	1.3	24.1	2	-	2	4.1	0	15.5
Unknown length of gestation	6	3	3	6.6	4.0	18.1	7	1	6	14.2	2.7	46.5
DEATHS												
10 Total, all ages	180	151	29	679.2	656.5	828.6	155	111	44	1139.7	1099.0	1257.1
11 Under 1 year	19	10	9	20.8	13.4	54.2	16	12	4	32.5	33.0	31.0
12 Under 28 days	11	7	4	12.0	9.4	24.1	12	8	4	24.3	22.0	31.0
13 Deaths from immaturity	1	-	1	1.1	0	6.0	6	3	3	12.2	8.2	23.3
14 1-4 years **	1	1	-	-	-	-	1	1	-	-	-	-
15 Maternal deaths	-	-	-	0	0	0	1	-	1	20.3	0	77.5
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	2	1	1	7.5	4.3	28.6	-	-	-	0	0	0
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	1	1	-	7.4	9.9	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	3	3	-	11.3	13.0	0	2	1	1	14.7	9.9	28.6
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	24	24	-	90.6	104.3	0	12	10	2	88.2	99.0	57.1
34 Benign and unspecified neoplasms (210-239)	1	1	-	3.8	4.3	0	1	1	-	7.4	9.9	0
35 Diabetes mellitus (260)	1	1	-	3.8	4.3	0	-	-	-	0	0	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	19	16	3	71.7	69.6	85.7	24	16	8	176.5	158.4	228.6
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	75	65	10	283.0	282.6	285.7	50	35	15	367.6	346.5	428.6
42 Hypertension without mention of heart (444-447)	5	4	1	18.9	17.4	28.6	1	1	-	7.4	9.9	0
43 Influenza and pneumonia (480-483, 490-493)	4	3	1	15.1	13.0	28.6	9	8	1	66.2	79.2	28.6
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	1	1	-	3.8	4.3	0	1	1	-	7.4	9.9	0
46 Appendicitis (550-553)	2	2	-	7.5	8.7	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	-	-	-	0	0	0	1	1	-	7.4	9.9	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	-	2	7.5	0	57.1	1	1	-	7.4	9.9	0
49 Cirrhosis of liver (581)	3	3	-	11.3	13.0	0	4	2	2	29.4	19.8	57.1
50 Nephritis and nephrosis (590-594)	2	1	1	7.5	4.3	28.6	1	1	-	7.4	9.9	0
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	-	-	-	0	0	0	1	-	1	7.4	0	28.6
53 Congenital malformations (750-759)	5	4	1	18.9	17.4	28.6	2	2	-	14.7	19.8	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	4	3	1	15.1	13.0	28.6	2	2	-	14.7	19.8	0
55 Infection of the newborn (763-768)	1	-	1	3.8	0	28.6	1	1	-	7.4	9.9	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	4	2	2	15.1	8.7	57.1	7	3	4	51.5	29.7	114.3
57 Senility, without mention of psychosis (794)	-	-	-	0	0	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	1	1	-	7.4	9.9	0
59 Motor vehicle accidents (E810-E835)	4	3	1	15.1	13.0	28.6	10	9	1	73.5	89.1	28.6
60 All other accidents (E800-E802, E840-E962)	6	5	1	22.6	21.7	28.6	8	6	2	58.8	59.4	57.1
61 Suicide (E963, E970-E979)	2	2	-	7.5	8.7	0	-	-	-	0	0	0
62 Homicide (E964, E980-E985)	1	1	-	3.8	4.3	0	2	-	2	14.7	0	57.1
63 All other diseases (residual)	9	6	3	34.0	26.1	85.7	13	8	5	95.6	79.2	142.9

See notes on page 91

BY CITIES WITH POPULATION OF 10,000-74,999, GEORGIA, 1956

	Griffin						Hapeville						LaGrange						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	493	282	211	31.4	27.4	39.1	250	239	11	23.1	22.3	110.0	619	357	262	22.3	18.5	30.8	1
2	408	-	128	82.8%	99.3%	60.7%	248	237	11	99.2%	99.2%	100.0%	513	356	157	82.9%	99.7%	59.9%	2
3	14	-	14	2.8%	0%	6.6%	2	2	-	0.8%	0.8%	0%	6	1	5	1.0%	0.3%	1.9%	3
4	71	2	69	14.4%	0.7%	32.7%	-	-	-	0%	0%	0%	100	-	100	16.2%	0%	38.2%	4
5	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%	5
6	41	21	20	83.2	74.5	94.8	20	19	1	80.0	79.5	90.9	47	18	29	75.9	50.4	110.7	6
7	14	6	8	28.4	21.3	37.9	6	5	1	24.0	20.9	90.9	50	31	19	80.8	86.6	72.5	7
8	3	-	3	6.1	0	14.2	4	4	-	16.0	16.7	0	39	27	12	63.0	75.6	45.8	8
9	3	1	2	6.1	3.5	9.5	-	-	-	0	0	0	4	2	2	6.5	5.6	7.6	9
	8	5	3	16.2	17.7	14.2	2	1	1	8.0	4.2	90.9	7	2	5	11.3	5.6	19.1	
	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	
10	158	105	53	1006.4	1019.4	981.5	56	52	4	518.5	486.0	4000.0	226	125	101	812.9	647.7	1188.2	10
11	8	5	3	16.2	17.7	14.2	7	5	2	28.0	20.9	181.8	29	9	20	46.8	25.2	76.3	11
12	8	5	3	16.2	17.7	14.2	7	5	2	28.0	20.9	181.8	21	8	13	33.9	22.4	49.6	12
13	4	3	1	8.1	10.6	4.7	-	-	-	0	0	0	6	3	5	9.7	2.8	19.1	13
14	-	-	-	0	0	0	-	-	-	0	0	0	5	1	2	-	-	-	14
15	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	16.2	28.0	0	15
16	1	-	1	6.4	0	18.5	1	1	-	9.3	9.3	0	3	2	1	10.8	10.4	11.8	16
17	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	3.6	0	11.8	23
24	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	32
33	18	16	2	114.6	155.3	37.0	10	8	2	92.6	74.8	2000.0	20	12	8	71.9	62.2	94.1	33
34	1	1	-	6.4	9.7	0	-	-	-	0	0	0	-	-	-	0	0	0	34
35	1	1	-	6.4	9.7	0	-	-	-	0	0	0	2	1	1	7.2	5.2	11.8	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	3.6	0	11.8	37
38	21	12	9	133.8	116.5	166.7	13	13	-	120.4	121.5	0	45	22	23	161.9	114.0	270.6	38
39	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	3.6	0	11.8	39
40	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	40
41	69	47	22	439.5	456.3	407.4	12	12	-	111.1	112.1	0	81	49	32	291.4	253.9	376.5	41
42	6	3	3	38.2	29.1	55.6	1	1	-	9.3	9.3	0	2	1	1	7.2	5.2	11.8	42
43	2	2	-	12.7	19.4	0	1	1	-	9.3	9.3	0	3	2	1	10.8	10.4	11.8	43
44	1	-	1	6.4	0	18.5	-	-	-	0	0	0	-	-	-	0	0	0	44
45	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	3.6	0	11.8	45
46	1	-	1	6.4	0	18.5	-	-	-	0	0	0	-	-	-	0	0	0	46
47	-	-	-	0	0	0	1	1	-	9.3	9.3	0	1	1	-	3.6	5.2	0	47
48	-	-	-	0	0	0	-	-	-	0	0	0	2	-	2	7.2	0	23.5	48
49	1	1	-	6.4	9.7	0	-	-	-	0	0	0	-	-	-	0	0	0	49
50	5	3	2	31.8	29.1	37.0	-	-	-	0	0	0	-	-	-	0	0	0	50
51	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	51
52	-	-	-	0	0	0	-	-	-	0	0	0	1	1	-	3.6	5.2	0	52
53	-	-	-	0	0	0	-	-	-	0	0	0	3	3	-	10.8	15.5	0	53
54	2	1	1	12.7	9.7	18.5	4	3	1	37.0	28.0	1000.0	9	6	3	32.4	31.1	35.3	54
55	1	1	-	6.4	9.7	0	1	-	1	9.3	9.3	1000.0	2	-	2	7.2	0	23.5	55
56	5	3	2	31.8	29.1	37.0	2	2	-	18.5	18.7	0	9	2	7	32.4	10.4	82.4	56
57	-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	7.2	5.2	11.8	57
58	-	-	-	0	0	0	-	-	-	0	0	0	3	1	2	10.8	5.2	23.5	58
59	4	2	2	25.5	19.4	37.0	3	3	-	27.8	28.0	0	4	3	1	14.4	15.5	11.8	59
60	5	3	2	31.8	29.1	37.0	1	1	-	9.3	9.3	0	10	8	2	36.0	41.5	23.5	60
61	1	-	1	6.4	0	18.5	1	1	-	9.3	9.3	0	-	-	-	0	0	0	61
62	3	1	2	19.1	9.7	37.0	-	-	-	0	0	0	3	-	3	10.8	0	35.3	62
63	10	8	2	63.7	77.7	37.0	5	5	-	46.3	46.7	0	17	10	8	61.2	51.8	82.4	63

See notes on page 91

TABLE XIV-B VITAL STATISTICS,

ITEM	Marietta						Milledgeville					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	938	807	131	31.5	31.8	29.8	221	96	125	21.9	17.5	27.2
2 Delivered in hospital	927	806	121	98.8%	99.9%	92.4%	134	94	40	60.6%	97.9%	32.0%
3 Delivered in home by physician	2	1	1	0.2%	0.1%	0.8%	17	1	16	7.7%	1.0%	12.8%
4 Delivered in home by midwife	9	-	9	1.0%	0%	6.9%	70	1	69	31.7%	1.0%	55.2%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	59	44	15	62.9	54.5	114.5	11	3	8	49.8	31.2	64.0
FETAL DEATHS												
7 Total	27	24	3	28.8	29.7	22.9	7	1	6	31.7	10.4	48.0
8 Under 20 weeks gestation	11	11	-	11.7	13.6	0	3	-	3	13.6	0	24.0
9 20-27 weeks gestation	4	4	-	4.3	5.0	0	1	1	-	4.5	10.4	0
28 weeks and more	11	9	2	11.7	11.2	15.3	3	-	3	13.6	0	24.0
Unknown length of gestation	1	-	1	1.1	0	7.6	-	-	-	0	0	0
DEATHS												
10 Total, all ages	187	148	39	627.5	582.7	886.4	111	69	42	1099.0	1254.5	913.0
11 Under 1 year	35	26	9	37.3	32.2	68.7	12	2	10	54.3	20.8	80.0
12 Under 28 days	25	20	5	26.7	24.8	38.2	8	1	7	36.2	10.4	56.0
13 Deaths from immaturity	6	4	2	6.4	5.0	15.3	-	-	-	0	0	0
14 1-4 years **	3	3	-	-	-	-	2	1	1	-	-	-
15 Maternal deaths	1	-	1	10.7	0	76.3	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	3	3	-	10.1	11.8	0	1	-	1	9.9	0	21.7
17 Syphilis and its sequelae (020-029)	-	-	-	0	0	0	-	-	-	0	0	0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	-	-	-	0	0	0	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	-	-	-	0	0	0	-	-	-	0	0	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	1	-	3.4	3.9	0	1	-	1	9.9	0	4.7
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	35	26	9	117.4	102.4	204.5	12	8	4	118.8	145.5	87.0
34 Benign and unspecified neoplasms (210-239)	2	2	-	6.7	7.9	0	1	1	-	9.9	18.2	0
35 Diabetes mellitus (260)	1	1	-	3.4	3.9	0	1	1	-	9.9	18.2	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	-	-	-	0	0	0	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	22	16	6	73.8	63.0	136.4	23	13	10	227.7	236.4	217.4
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	1	-	1	9.9	0	21.7
40 Rheumatic fever (400-402)	-	-	-	0	0	0	1	1	-	9.9	18.2	0
41 Heart diseases (410-443)	43	37	6	144.3	145.7	136.4	35	25	10	346.5	454.5	217.4
42 Hypertension without mention of heart (444-447)	-	-	-	0	0	0	1	1	-	9.9	18.2	0
43 Influenza and pneumonia (480-483, 490-493)	4	2	2	13.4	7.9	45.5	6	3	3	59.4	54.5	65.2
44 Bronchitis (500-502)	3	1	2	10.1	3.9	45.5	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	2	1	1	19.8	18.2	21.7
46 Appendicitis (550-553)	1	1	-	3.4	3.9	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	1	1	-	3.4	3.9	0	1	1	-	9.9	18.2	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	2	2	-	6.7	7.9	0	-	-	-	0	0	0
49 Cirrhosis of liver (581)	2	2	-	6.7	7.9	0	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	3	3	-	10.1	11.8	0	2	1	1	19.8	18.2	21.7
51 Hyperplasia of prostate (610)	-	-	-	0	0	0	1	1	-	9.9	18.2	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	-	1	3.4	0	22.7	-	-	-	0	0	0
53 Congenital malformations (750-759)	9	8	1	30.2	31.5	22.7	2	1	1	19.8	18.2	21.7
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	10	9	1	33.6	35.4	22.7	4	-	4	39.6	0	87.0
55 Infection of the newborn (763-768)	-	-	-	0	0	0	1	-	1	9.9	0	21.7
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	10	6	4	33.6	23.6	90.9	1	-	1	9.9	0	21.7
57 Senility, without mention of psychosis (794)	1	1	-	3.4	3.9	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	-	-	-	0	0	0	-	-	-	0	0	0
59 Motor vehicle accidents (E810-E835)	4	4	-	13.4	15.7	0	1	-	1	9.9	0	21.7
60 All other accidents (E800-E802, E840-E962)	10	8	2	33.6	31.5	45.5	5	4	1	49.5	72.7	21.7
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	1	1	-	9.9	18.2	0
62 Homicide (E964, E980-E985)	4	-	4	13.4	0	90.9	-	-	-	0	0	0
63 All other diseases (residual)	15	14	1	50.3	55.1	22.7	7	6	1	69.3	109.1	21.7

See notes on page 91

BY CITIES WITH POPULATION OF 10,000-74,999, GEORGIA, 1956

	Moultrie						Rome						Thomasville						
	Number			Rate or Ratio *			Number			Rate or Ratio *			Number			Rate or Ratio *			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	
1	378	202	176	28.6	23.5	38.3	884	671	213	27.1	25.9	31.8	536	288	248	33.3	32.7	34.0	1
2	299	198	101	79.1%	98.0%	57.4%	847	667	180	95.8%	99.4%	84.5%	389	285	104	72.6%	99.0%	41.9%	2
3	4	1	3	1.1%	0.5%	1.7%	4	1	3	0.5%	0.1%	1.4%	6	-	6	1.1%	0%	2.4%	3
4	75	3	72	19.8%	1.5%	40.9%	32	2	30	3.6%	0.3%	14.1%	122	2	120	22.8%	0.7%	48.4%	4
5	-	-	-	0%	0%	0%	1	1	-	0.1%	0.1%	0%	19	1	18	3.5%	0.3%	7.3%	5
6	24	11	13	63.5	54.5	73.9	82	50	32	92.8	74.5	150.2	32	17	15	59.7	59.0	60.5	6
7	22	12	10	58.2	59.4	56.8	18	13	5	20.4	19.4	23.5	10	6	4	18.7	20.8	16.1	7
8	12	5	7	31.7	24.8	39.8	2	2	2	2.3	3.0	0	1	1	-	1.9	3.5	0	8
9	1	-	1	2.6	0	5.7	5	3	2	5.7	4.5	9.4	2	1	1	3.7	3.5	4.0	9
	9	7	2	23.8	34.7	11.4	7	5	2	7.9	7.5	9.4	6	4	2	11.2	13.9	8.1	
	-	-	2	0	0	0	4	3	1	4.5	4.5	4.7	1	-	1	1.9	0	4.0	
10	135	82	53	1022.7	953.5	1152.2	351	266	85	1076.7	1027.0	1268.7	173	82	91	1074.5	931.8	1246.6	10
11	12	3	9	31.7	14.9	51.1	35	23	12	39.6	34.3	56.3	12	4	8	22.4	13.9	32.3	11
12	7	1	6	18.5	5.0	34.1	28	19	9	31.7	28.3	42.3	11	4	7	20.5	13.9	28.2	12
13	1	-	1	2.6	0	5.7	7	3	2	7.9	7.5	9.4	5	2	3	9.3	6.9	12.1	13
14	2	2	-	-	-	-	3	3	-	-	-	-	2	1	1	-	-	-	14
15	-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	37.3	34.7	40.3	15
16	1	-	1	7.6	0	21.7	8	7	1	24.5	27.0	14.9	2	1	1	12.4	11.4	13.7	16
17	-	-	-	0	0	0	-	-	-	0	0	0	1	-	1	6.2	0	13.7	17
18	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	18
19	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	19
20	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	20
21	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	21
22	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	22
23	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	23
24	-	-	-	0	0	0	1	1	-	3.1	3.9	0	1	1	-	6.2	11.4	0	24
25	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	25
26	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	26
27	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	27
28	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	28
29	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	29
30	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	30
31	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	31
32	1	-	1	7.6	0	21.7	-	-	-	0	0	0	2	-	2	12.4	0	27.4	32
33	18	11	7	136.4	127.9	152.2	46	39	7	141.1	150.6	104.5	19	13	6	118.0	147.7	82.2	33
34	-	-	-	0	0	0	1	1	-	3.1	3.9	0	1	-	1	6.2	0	13.7	34
35	4	3	1	30.3	34.9	21.7	3	3	-	9.2	11.6	0	3	2	1	18.6	22.7	13.7	35
36	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	36
37	1	1	-	7.6	11.6	0	1	1	-	3.1	3.9	0	-	-	-	0	0	0	37
38	22	12	10	166.7	139.5	217.4	44	33	11	135.0	127.4	164.2	37	17	20	229.8	193.2	274.0	38
39	-	-	-	0	0	0	-	-	-	0	0	0	-	-	-	0	0	0	39
40	1	-	1	7.6	0	21.7	-	-	-	0	0	0	-	-	-	0	0	0	40
41	38	31	7	287.9	360.5	152.2	134	102	32	411.0	393.8	477.6	36	21	15	223.6	238.6	205.5	41
42	2	2	-	15.2	23.3	0	3	3	-	9.2	0	44.8	1	1	-	6.2	11.4	0	42
43	6	4	2	45.5	46.5	43.5	6	4	2	18.4	15.4	29.8	5	1	4	31.1	11.4	54.8	43
44	-	-	-	0	0	0	2	2	-	6.1	7.7	0	-	-	-	0	0	0	44
45	1	1	-	7.6	11.6	0	-	-	-	0	0	0	1	1	-	6.2	11.4	0	45
46	-	-	-	0	0	0	-	-	-	0	0	0	3	1	2	18.6	11.4	27.4	46
47	2	1	1	15.2	11.6	21.7	3	2	1	9.2	7.7	14.9	1	-	1	6.2	0	13.7	47
48	1	-	1	7.6	0	21.7	-	-	-	0	0	0	-	-	-	0	0	0	48
49	-	-	-	0	0	0	3	3	-	9.2	11.6	0	-	-	-	0	0	0	49
50	1	-	1	7.6	0	21.7	3	2	1	9.2	7.7	14.9	5	1	4	31.1	11.4	54.8	50
51	-	-	-	0	0	0	-	-	-	0	0	0	3	-	3	18.6	0	41.1	51
52	-	-	-	0	0	0	-	-	-	0	0	0	2	1	1	12.4	11.4	13.7	52
53	2	1	1	15.2	11.6	21.7	9	8	1	27.6	30.9	14.9	-	-	-	0	0	0	53
54	5	1	4	37.9	11.6	87.0	14	10	4	42.9	38.6	59.7	5	2	3	31.1	22.7	41.1	54
55	-	-	-	0	0	0	1	-	1	3.1	0	14.9	1	-	1	6.2	0	13.7	55
56	1	-	1	7.6	0	21.7	7	5	2	21.5	19.3	29.8	5	2	3	31.1	22.7	41.1	56
57	-	-	-	0	0	0	2	2	-	6.1	7.7	0	1	-	1	6.2	0	13.7	57
58	1	-	1	7.6	0	21.7	3	2	1	9.2	7.7	14.9	-	-	-	0	0	0	58
59	5	3	2	37.9	34.9	43.5	5	3	2	15.3	11.6	29.8	7	-	7	43.5	0	95.9	59
60	5	3	2	37.9	34.9	43.5	12	8	4	36.8	30.9	59.7	6	3	3	37.3	34.1	41.1	60
61	1	1	-	7.6	11.6	0	6	6	-	18.4	23.2	0	-	-	-	0	0	0	61
62	6	1	5	45.5	11.6	108.7	4	-	4	12.3	0	59.7	2	-	2	12.4	0	27.4	62
63	10	6	4	75.8	69.8	87.0	30	22	8	92.0	84.9	119.4	23	14	9	142.9	159.1	123.3	63

See notes on page 91

TABLE XIV-B VITAL STATISTICS,

ITEM	Valdosta						Warner Robins					
	Number			Rate or Ratio *			Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
LIVE BIRTHS												
1 Total	1,168	775	393	50.1	59.6	38.2	555	531	24	53.4	53.6	48.0
2 Delivered in hospital	913	768	145	78.2%	99.1%	36.9%	548	529	19	98.7%	99.6%	79.2%
3 Delivered in home by physician	13	2	11	1.1%	0.3%	2.8%	2	2	-	0.4%	0.4%	0%
4 Delivered in home by midwife	242	5	237	20.7%	0.6%	60.3%	5	-	5	0.9%	0%	20.8%
5 Other deliveries	-	-	-	0%	0%	0%	-	-	-	0%	0%	0%
6 Immature births	82	39	43	70.2	50.3	109.4	42	38	4	75.7	71.6	166.7
FETAL DEATHS												
7 Total	26	15	11	22.3	19.4	28.0	6	6	-	10.8	11.3	0
8 Under 20 weeks gestation	8	5	3	6.8	6.5	7.6	-	-	-	0	0	0
9 20-27 weeks gestation	4	3	1	3.4	3.9	2.5	2	2	-	3.6	3.8	0
28 weeks and more	14	7	7	12.0	9.0	17.8	4	4	-	7.2	7.5	0
Unknown length of gestation	-	-	-	0	0	0	-	-	-	0	0	0
DEATHS												
10 Total, all ages	199	96	103	854.1	738.5	1000.0	58	55	3	557.7	555.6	600.0
11 Under 1 year	20	9	11	17.1	11.6	28.0	16	15	1	28.8	28.2	41.7
12 Under 28 days	12	7	5	10.3	9.0	12.7	13	12	1	23.4	22.6	41.7
13 Deaths from immaturity	4	2	2	3.4	2.6	5.1	4	4	-	7.2	7.5	0
14 1-4 years **	2	-	2	-	-	-	1	1	-	-	-	-
15 Maternal deaths	1	1	-	8.6	12.9	0	-	-	-	0	0	0
CAUSE OF DEATH												
16 Tuberculosis, all forms (001-019)	2	-	2	8.6	0	19.4	1	1	-	9.6	10.1	0
17 Syphilis and its sequelae (020-029)	1	-	1	4.3	0	9.7	1	-	1	9.6	0	200.0
18 Typhoid fever (040)	-	-	-	0	0	0	-	-	-	0	0	0
19 Dysentery, all forms (045-048)	-	-	-	0	0	0	-	-	-	0	0	0
20 Scarlet fever (050)	-	-	-	0	0	0	-	-	-	0	0	0
21 Streptococcal sore throat (051)	-	-	-	0	0	0	-	-	-	0	0	0
22 Diphtheria (055)	-	-	-	0	0	0	-	-	-	0	0	0
23 Whooping cough (056)	-	-	-	0	0	0	-	-	-	0	0	0
24 Meningococcal infections (057)	-	-	-	0	0	0	-	-	-	0	0	0
25 Acute poliomyelitis (080)	-	-	-	0	0	0	-	-	-	0	0	0
26 Acute infectious encephalitis (082)	1	1	-	4.3	0	9.7	-	-	-	0	0	0
27 Smallpox (084)	-	-	-	0	0	0	-	-	-	0	0	0
28 Measles (085)	1	-	1	4.3	0	9.7	1	1	-	9.6	10.1	0
29 Typhus and other rickettsial diseases (100-103, 105-108)	-	-	-	0	0	0	-	-	-	0	0	0
30 Rocky Mountain spotted fever (104)	-	-	-	0	0	0	-	-	-	0	0	0
31 Malaria (110-117)	-	-	-	0	0	0	-	-	-	0	0	0
32 All other diseases classified as infective and parasitic (030-039, 041-044, 049, 052-054, 059-074, 081, 083, 086-096, 120-138)	1	1	-	4.3	7.7	0	-	-	-	0	0	0
33 Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues (140-205)	22	14	8	94.4	107.7	77.7	6	6	-	57.7	60.6	0
34 Benign and unspecified neoplasms (210-239)	1	-	1	4.3	0	9.7	-	-	-	0	0	0
35 Diabetes mellitus (260)	3	-	3	12.9	0	29.1	-	-	-	0	0	0
36 Pellagra (281)	-	-	-	0	0	0	-	-	-	0	0	0
37 Anemias (290-293)	1	-	1	4.3	0	9.7	-	-	-	0	0	0
38 Vascular lesions affecting central nervous system (330-334)	36	12	24	154.5	92.3	233.0	7	6	1	67.3	60.6	200.0
39 Nonmeningococcal meningitis (340)	-	-	-	0	0	0	-	-	-	0	0	0
40 Rheumatic fever (400-402)	-	-	-	0	0	0	-	-	-	0	0	0
41 Heart diseases (410-443)	58	33	25	248.9	253.8	242.7	15	15	-	144.2	151.5	0
42 Hypertension without mention of heart (444-447)	2	1	1	8.6	7.7	9.7	-	-	-	0	0	0
43 Influenza and pneumonia (480-483, 490-493)	4	2	2	17.2	15.4	19.4	-	-	-	0	0	0
44 Bronchitis (500-502)	-	-	-	0	0	0	-	-	-	0	0	0
45 Ulcer of stomach and duodenum (540-541)	-	-	-	0	0	0	-	-	-	0	0	0
46 Appendicitis (550-553)	-	-	-	0	0	0	-	-	-	0	0	0
47 Intestinal obstruction and hernia (560, 561, 570)	2	1	1	8.6	7.7	9.7	-	-	-	0	0	0
48 Gastritis, duodenitis, enteritis and colitis (except diarrhea of the newborn) (543, 571, 572)	1	-	1	4.3	0	9.7	-	-	-	0	0	0
49 Cirrhosis of liver (581)	2	1	1	8.6	7.7	9.7	-	-	-	0	0	0
50 Nephritis and nephrosis (590-594)	4	2	2	17.2	15.4	19.4	1	1	-	9.6	10.1	0
51 Hypertrophia of prostate (610)	-	-	-	0	0	0	-	-	-	0	0	0
52 Complications of pregnancy, childbirth and the puerperium (640-652, 670-689)	1	1	-	4.3	7.7	0	-	-	-	0	0	0
53 Congenital malformations (750-759)	3	1	2	12.9	7.7	19.4	3	3	-	28.8	30.3	0
54 Birth injuries, postnatal asphyxia and atelectasis (760-762)	4	3	1	17.2	23.1	9.7	4	4	-	38.5	40.4	0
55 Infection of the newborn (763-768)	3	1	2	12.9	7.7	19.4	-	-	-	0	0	0
56 Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	6	3	3	25.8	23.1	29.1	6	5	1	57.7	50.5	200.0
57 Senility, without mention of psychosis (794)	1	1	-	4.3	7.7	0	-	-	-	0	0	0
58 Ill-defined and unknown causes (780-793, 795)	7	2	5	30.0	15.4	48.5	-	-	-	0	0	0
59 Motor vehicle accidents (E810-E835)	6	2	4	25.8	15.4	38.8	-	-	-	0	0	0
60 All other accidents (E800-E802, E840-E962)	10	7	3	42.9	53.8	29.1	5	5	-	48.1	50.5	0
61 Suicide (E963, E970-E979)	-	-	-	0	0	0	2	2	-	19.2	20.2	0
62 Homicide (E964, E980-E985)	3	-	3	12.9	0	29.1	1	1	-	9.6	10.1	0
63 All other diseases (residual)	13	8	5	55.8	61.5	48.5	5	5	-	48.1	50.5	0

See notes on page 91

BY CITIES WITH POPULATION OF 10,000-74,999, GEORGIA, 1956

	Waycross					
	Number			Rate or Ratio *		
	Total	White	Non-White	Total	White	Non-White
1	599	412	187	27.4	29.0	24.3
2	495	400	95	82.6%	97.1%	50.8%
3	55	10	45	9.2%	2.4%	24.1%
4	48	2	46	8.0%	0.5%	24.6%
5	1	-	1	0.2%	0%	0.5%
6	36	20	16	60.1	48.5	85.6
7	42	31	11	70.1	75.2	58.8
8	30	26	4	50.1	63.1	21.4
9	3	2	1	5.0	4.9	5.3
	8	2	6	13.4	4.9	32.1
	1	1	-	1.7	2.4	0
10	215	129	86	981.7	908.4	1116.9
11	25	13	12	41.7	31.6	64.2
12	16	9	7	26.7	21.8	37.4
13	4	2	2	6.7	4.9	10.7
14	1	1	-	-	-	-
15	1	1	-	16.7	24.3	0
16	2	1	1	9.1	7.0	13.0
17	-	-	-	0	0	0
18	-	-	-	0	0	0
19	-	-	-	0	0	0
20	-	-	-	0	0	0
21	-	-	-	0	0	0
22	-	-	-	0	0	0
23	-	-	-	0	0	0
24	-	-	-	0	0	0
25	-	-	-	0	0	0
26	-	-	-	0	0	0
27	-	-	-	0	0	0
28	-	-	-	0	0	0
29	-	-	-	0	0	0
30	-	-	-	0	0	0
31	-	-	-	0	0	0
32	-	-	-	0	0	0
33	26	19	7	118.7	133.8	90.9
34	2	1	1	9.1	7.0	13.0
35	1	-	1	4.6	0	13.0
36	1	-	1	4.6	0	13.0
37	1	1	-	4.6	7.0	0
38	45	24	21	205.5	169.0	272.7
39	-	-	-	0	0	0
40	1	1	-	4.6	7.0	0
41	57	39	18	260.3	274.6	233.8
42	2	-	2	9.1	0	26.0
43	11	4	7	50.2	28.2	90.9
44	-	-	-	0	0	0
45	2	1	1	9.1	7.0	13.0
46	-	-	-	0	0	0
47	2	1	1	9.1	7.0	13.0
48	2	-	2	9.1	0	26.0
49	1	-	1	4.6	0	13.0
50	5	1	4	22.8	7.0	51.9
51	4	3	1	18.3	21.1	13.0
52	1	1	-	4.6	7.0	0
53	5	5	-	22.8	35.2	0
54	9	6	3	41.1	42.3	39.0
55	1	-	1	4.6	0	13.0
56	4	2	2	18.3	14.1	26.0
57	2	1	1	9.1	7.0	13.0
58	2	1	1	9.1	7.0	13.0
59	2	2	-	9.1	14.1	0
60	7	3	4	32.0	21.1	51.9
61	4	4	-	18.3	28.2	0
62	5	1	4	22.8	7.0	51.9
63	8	7	1	36.5	49.3	13.0

* Rates and ratios: live births are per 1,000 estimated population; Immature births, stillbirths, infant deaths, neonatal deaths and deaths from immaturity are per 1,000 live births; Maternal deaths are per 10,000 live births; Deaths all ages and deaths by cause of death are per 100,000 estimated population.

** No rate can be computed on deaths in 1 - 4 years age group by county or city because 1956 estimated population is not available for that age group.

*** Rates are not calculated where population is less than 50.

TABLE XV - LIVE BIRTHS TO UNWED MOTHERS, NUMBER AND RATE PER 1,000 LIVE BIRTHS, BY RACE, GEORGIA, 1956

County	Number			Rate		
	Total	White	Nonwhite	Total	White	Nonwhite
Total	9,916	988	8,928	96.6	15.1	241.3
Appling	34	9	25	98.3	39.8	208.3
Atkinson	20	3	17	106.4	28.0	209.9
Bacon	17	5	12	70.8	25.3	285.7
Baker	29	-	29	208.6	0	284.3
Baldwin	63	4	59	128.8	18.9	213.0
Banks	3	3	-	25.2	27.5	0
Barrow	22	1	21	66.1	4.4	201.9
Bartow	39	16	23	54.7	27.3	182.5
Ben Hill	44	5	39	125.7	25.9	248.4
Berrien	12	2	10	36.3	7.7	142.9
Bibb	339	33	306	94.5	15.4	212.1
Blackley	25	2	23	111.1	15.0	250.0
Brantley	3	1	2	20.5	8.5	71.4
Brooks	62	-	62	142.9	0	235.7
Bryan	20	1	19	109.9	9.8	237.5
Bulloch	68	2	66	112.2	6.8	210.9
Burke	157	1	156	241.5	6.8	310.8
Butts	30	-	30	136.4	0	204.1
Calhoun	47	2	45	195.0	35.7	243.2
Camden	29	3	26	100.7	18.9	201.6
Candler	22	3	19	128.7	32.3	243.6
Carroll	75	13	62	88.1	21.5	251.0
Catoosa	4	4	-	8.6	8.8	0
Charlton	28	2	26	149.7	19.6	305.9
Chattham	560	66	494	105.3	19.2	261.9
Chattahoochee	5	-	5	89.3	0	172.4
Chattooga	8	1	7	16.1	2.2	166.7
Cherokee	8	6	2	14.4	11.4	66.7
Clarke	100	6	94	97.0	8.7	274.1
Clay	27	-	27	192.9	0	243.2
Clayton	40	6	34	37.5	6.5	226.7
Clinch	14	-	14	58.6	0	118.6
Cobb	54	17	37	19.2	6.7	133.6
Coffee	67	10	57	106.7	25.5	241.5
Colquitt	88	11	77	93.4	17.5	246.8
Columbia	42	3	39	94.0	11.1	220.3
Cook	30	1	29	90.9	5.2	210.1
Coweta	62	6	56	90.2	15.6	185.4
Crawford	22	-	22	145.7	0	205.6
Crisp	75	3	72	157.6	14.0	275.9
Dade	6	5	1	27.8	23.9	142.9
Dawson	-	-	-	0	0	0
Decatur	80	9	71	110.8	23.0	215.2
DeKalb	320	149	171	50.9	26.8	234.2
Dodge	49	5	44	136.5	26.3	260.4
Dooly	66	2	64	201.8	16.9	306.2
Dougherty	219	14	205	91.6	9.4	225.8
Douglas	11	1	10	27.9	3.2	126.6
Early	55	1	54	130.6	7.5	188.2
Echols	4	-	4	75.5	0	166.7
Effingham	16	-	16	69.3	0	141.6
Elbert	62	2	60	142.9	9.0	283.0
Emanuel	63	7	56	140.3	28.7	273.2
Evans	22	2	20	122.9	22.0	227.3
Fannin	4	4	-	15.5	15.6	0
Fayette	18	3	15	122.4	38.0	220.6
Floyd	75	15	60	45.6	10.9	219.0
Forayth	9	9	-	36.7	36.7	0
Franklin	10	6	4	36.1	24.7	117.6
Fulton	1,819	152	1,667	127.8	18.1	285.7
Gilmer	4	4	-	21.1	21.1	0
Glascocock	7	-	7	95.9	0	184.2
Glynn	68	7	61	65.1	9.9	181.5
Gordon	15	7	8	36.7	18.5	266.7
Grady	82	2	80	169.8	9.1	303.0
Greene	48	2	46	165.5	19.4	246.0
Gwinnett	29	2	27	29.4	2.3	216.0
Habersham	11	9	2	27.4	23.3	142.9
Hall	65	16	49	52.7	15.4	251.3
Hancock	51	1	50	200.0	25.0	232.6
Haralson	12	1	11	40.1	3.8	314.3
Harris	35	1	34	129.6	12.8	177.1
Hart	20	5	15	69.7	27.3	144.2
Heard	16	1	15	116.8	11.6	294.1
Henry	74	-	74	170.5	0	273.1
Houston	95	9	86	88.8	12.3	252.9
Irwin	44	3	41	169.2	25.9	284.7
Jackson	31	7	24	68.4	19.1	279.1
Jasper	33	-	33	189.7	0	242.6
Jeff Davis	16	5	11	63.7	27.5	159.4

TABLE XV - LIVE BIRTHS TO UNWED MOTHERS, NUMBER AND RATE PER 1,000 LIVE BIRTHS, BY RACE, GEORGIA, 1956
(CONT'D)

County	Number			Rate		
	Total	White	Nonwhite	Total	White	Nonwhite
Jefferson	111	2	109	213.1	12.1	306.2
Jenkins	44	-	44	152.2	0	244.4
Johnson	40	4	36	181.0	40.0	297.5
Jones	24	1	23	127.7	18.2	172.9
Lamar	33	1	32	129.4	7.8	254.0
Lanier	6	-	6	33.9	0	101.7
Laurens	103	15	88	124.7	36.6	211.5
Lee	40	1	39	197.0	23.3	243.8
Liberty	29	1	28	64.2	3.9	142.1
Lincoln	24	-	24	129.7	0	173.9
Long	6	2	4	45.5	22.5	93.0
Lowndes	137	10	127	81.6	9.1	220.1
Lumpkin	1	1	-	7.4	7.5	0
Macon	62	-	62	170.3	0	231.3
Madison	29	6	23	115.1	32.6	338.2
Marion	22	2	20	145.7	58.8	170.9
McDuffie	80	1	79	222.2	6.8	369.2
McIntosh	25	-	25	149.7	0	213.7
Meriwether	63	8	55	129.6	41.4	187.7
Miller	14	-	14	82.4	0	222.2
Mitchell	84	2	82	147.1	11.1	209.7
Monroe	53	-	53	187.3	0	297.8
Montgomery	22	1	21	131.0	13.0	230.8
Morgan	50	2	48	182.5	19.6	279.1
Murray	4	4	-	17.5	17.5	0
Muscogee	278	38	240	54.1	9.8	190.6
Newton	47	1	46	107.1	4.1	233.5
Oconee	16	1	15	119.4	11.5	319.1
Oglethorpe	30	-	30	153.1	0	263.2
Paulding	7	4	3	25.5	16.8	83.3
Peach	60	-	60	160.9	0	226.4
Pickens	4	1	3	20.2	5.4	214.3
Pierce	21	3	18	80.5	16.5	227.8
Pike	32	1	31	175.8	15.4	265.0
Polk	39	11	28	54.2	19.1	193.1
Pulaski	57	6	51	222.7	60.0	326.9
Putnam	29	-	29	142.2	0	207.1
Quitman	11	-	11	154.9	0	211.5
Rabun	4	4	-	21.7	22.0	0
Randolph	74	3	71	239.5	37.5	310.0
Richmond	262	22	240	71.1	9.2	185.5
Rockdale	22	1	21	88.7	6.2	241.4
Schley	23	-	23	255.6	0	315.1
Screven	65	4	61	162.9	28.2	237.4
Seminole	29	1	28	143.6	10.9	254.5
Spalding	69	1	68	83.7	2.0	211.2
Stephens	22	2	20	53.9	5.7	333.3
Stewart	35	-	35	162.8	0	195.5
Sumter	108	-	108	171.2	0	258.4
Talbot	20	-	20	105.3	0	126.6
Taliaferro	27	-	27	293.5	0	350.6
Tattnall	32	3	29	96.4	15.2	214.8
Taylor	38	1	37	178.4	16.7	241.8
Telfair	39	5	34	108.6	24.0	225.2
Terrell	87	-	87	233.9	0	281.6
Thomas	112	1	111	115.8	2.2	221.1
Tift	76	8	68	116.9	20.5	262.5
Toombs	68	5	63	145.9	18.6	319.8
Towns	4	3	1	45.5	34.5	1000.0
Treutlen	15	1	14	102.7	12.3	215.4
Troup	147	9	138	120.1	12.6	272.2
Turner	36	2	34	146.9	17.7	257.6
Twiggs	42	2	40	181.0	34.5	229.9
Union	6	6	-	36.6	36.6	0
Upson	57	3	54	101.1	8.9	237.9
Walker	24	10	14	24.0	10.8	184.2
Walton	55	5	50	115.8	17.8	257.7
Ware	56	11	45	62.7	16.6	194.0
Warren	54	-	54	253.5	0	312.1
Washington	124	2	122	218.7	12.5	299.8
Wayne	29	4	25	54.9	10.7	163.4
Webster	19	-	19	191.9	0	256.8
Wheeler	14	2	12	125.0	30.3	260.9
White	1	-	1	7.3	0	250.0
Whitfield	26	12	14	25.9	12.6	291.7
Wilcox	25	1	24	119.0	9.3	235.3
Wilkes	57	-	57	228.9	0	347.6
Wilkinson	39	1	38	152.3	9.7	248.4
Worth	79	4	75	139.6	18.0	218.0

TABLE XVI - NUMBER OF PHYSICIANS IN PRIVATE PRACTICE AND AVERAGE NUMBER OF PERSONS PER PHYSICIAN,
BY COUNTY, GEORGIA, DECEMBER 31, 1956

County	Number Physicians	Average Number Persons Per Physician *	County	Number Physicians	Average Number Persons Per Physician *
State Total	2,467	1,508	Jeff Davis	4	2,425
Appling	7	1,971	Jefferson	8	2,275
Atkinson	2	3,750	Jenkins	3	3,133
Bacon	5	1,920	Johnson	3	2,667
Baker	-	...	Jones	2	3,500
Baldwin	10	1,920	Lamar	5	2,080
Banks	-	...	Lanier	2	2,450
Barrow	9	1,467	Laurens	14	2,357
Bartow	11	2,627	Lee	-	...
Ben Hill	6	2,533	Liberty	2	4,850
Berrien	4	3,300	Lincoln	3	2,033
Bibb	128	1,070	Long	1	3,300
Bleckley	3	3,000	Lowndes	37	1,032
Brantley	1	6,100	Lumpkin	4	1,700
Brooks	6	2,800	Macon	5	2,640
Bryan	3	1,933	Madison	2	5,800
Bulloch	14	1,714	Marion	1	6,300
Burke	6	3,600	McDuffie	6	1,983
Butts	3	3,033	McIntosh	1	6,500
Calhoun	2	3,700	Meriwether	8	2,562
Camden	4	2,175	Miller	4	2,125
Candler	3	2,467	Mitchell	8	2,775
Carroll	22	1,559	Monroe	3	3,500
Catoosa	5	3,420	Montgomery	3	2,267
Charlton	4	1,125	Morgan	6	1,917
Chatham	157	1,093	Murray	4	2,625
Chattahoochee	-	...	Muscogee	94	1,457
Chattooga	7	3,286	Newton	9	2,367
Cherokee	9	2,356	Oconee	1	6,700
Clarke	39	1,064	Oglethorpe	2	4,250
Clay	4	1,275	Paulding	3	3,733
Clayton	7	4,486	Peach	6	2,100
Clinch	2	3,350	Pickens	4	2,200
Cobb	53	1,487	Pierce	4	2,700
Coffee	11	2,327	Pike	3	2,433
Colquitt	18	1,906	Polk	15	2,180
Columbia	3	3,633	Pulaski	5	1,640
Cook	5	2,500	Putnam	3	2,400
Coveta	20	1,425	Quitman	1	2,800
Crawford	1	5,400	Rabun	4	1,800
Crisp	8	2,225	Randolph	4	3,050
Dade	2	4,200	Richmond	152	980
Dawson	-	...	Rockdale	3	3,000
Decatur	10	2,400	Schley	1	3,400
DeKalb	82	2,278	Screven	5	3,320
Dodge	6	2,667	Seminole	3	2,500
Dooly	5	2,520	Spalding	25	1,324
Dougherty	36	1,444	Stephens	12	1,583
Douglas	5	2,720	Stewart	3	2,800
Early	7	2,386	Sumter	13	1,854
Echols	-	...	Talbot	1	7,400
Effingham	2	4,450	Taliaferro	-	...
Elbert	12	1,500	Tattnall	7	1,957
Emanuel	7	2,514	Taylor	5	1,620
Evans	2	3,100	Telfair	6	2,017
Fannin	5	3,120	Terrell	5	2,580
Fayette	3	2,633	Thomas	30	1,193
Floyd	44	1,502	Tift	15	1,687
Forsyth	6	1,817	Toombs	12	1,483
Franklin	8	1,725	Towns	3	1,567
Fulton	694	798	Treutlen	3	1,933
Gilmer	2	5,350	Troup	35	1,540
Glascock	1	3,000	Turner	3	3,433
Glynn	31	1,094	Twiggs	3	2,600
Gordon	7	2,757	Union	1	7,100
Grady	10	1,860	Upson	13	1,938
Greene	7	1,771	Walker	14	3,064
Gwinnett	11	3,136	Walton	10	2,000
Habersham	10	1,780	Ware	27	1,185
Hall	30	1,453	Warren	4	1,975
Hancock	3	3,367	Washington	11	1,736
Haralson	5	2,980	Wayne	7	2,157
Harris	4	2,825	Webster	-	...
Hart	3	4,667	Wheeler	3	1,867
Heard	4	1,500	White	4	1,425
Henry	3	5,467	Whitfield	19	2,095
Houston	8	3,025	Wilcox	2	4,300
Irwin	4	2,875	Wilkes	8	1,350
Jackson	8	2,300	Wilkinson	4	2,275
Jasper	5	1,340	Worth	4	4,550

* Based on estimated population of Georgia as of July 1, 1956
... Not applicable

SOURCE: Medical Directory of Georgia, Georgia Department of Public Health

TABLE XVII-A ESTIMATED POPULATION, BY RACE, SEX AND AGE, GEORGIA, JULY 1, 1956
(State totals include military population)

Age Group	Total	White			Nonwhite		
		Total	Male	Female	Total	Male	Female
Total, all ages	3,793,000	2,673,000	1,324,400	1,348,600	1,120,000	534,500	585,500
Under 1 year	95,700	63,600	32,600	31,000	32,100	16,000	16,100
1 - 4 years	369,700	243,200	124,800	118,400	126,500	63,500	63,000
5 - 9 years	427,900	287,600	147,300	140,300	140,300	70,100	70,200
10 - 14 years	356,800	239,700	121,600	118,100	117,100	58,500	58,600
15 - 24 years	597,800	399,600	203,700	195,900	198,200	98,100	100,100
25 - 34 years	541,700	392,900	193,800	199,100	148,800	67,300	81,500
35 - 44 years	498,300	371,000	183,900	187,100	127,300	57,400	69,900
45 - 54 years	388,300	288,400	140,900	147,500	99,900	45,400	54,500
55 - 64 years	265,400	201,200	95,400	105,800	64,200	29,100	35,100
65 - 74 years	166,000	125,900	56,100	69,800	40,100	17,500	22,600
75 - 84 years	73,000	52,900	21,600	31,300	20,100	9,100	11,000
85 years and over	12,400	7,000	2,700	4,300	5,400	2,500	2,900

TABLE XVII-B ESTIMATED TOTAL POPULATION BY RACE, BY URBAN AND RURAL, AND CIVILIAN POPULATION BY RACE, BY COUNTY AND INCORPORATED PLACES OF 2,500 OR MORE PERSONS, GEORGIA, JULY 1, 1956

Area	Total	White	Nonwhite	Area	Total	White	Nonwhite
STATE TOTAL	3,793,000	2,673,000	1,120,000	Cherokee	21,200	20,100	1,100
URBAN 1/	1,745,000	1,191,000	554,000	Canton	2,800	2,600	200
RURAL	2,048,000	1,482,000	566,000	Clarke	41,500	31,200	10,300
STATE TOTAL CIVILIAN	3,720,000	2,610,000	1,110,000	Athens	32,900	24,000	8,900
Appling	13,800	11,000	2,800	Clay	5,100	1,600	3,500
Baxley	3,700	2,700	1,000	Clayton *	31,400	26,500	4,900
Atkinson	7,500	5,800	1,700	College Park (Total in Fulton & Clayton)	18,500	15,000	3,500
Bacon	9,600	8,400	1,200	(Part in Clayton)	5,200	5,200	0
Alma	3,100	2,700	400	Forrest Park	4,300	4,300	0
Baker	5,100	1,900	3,200	Clinch *	6,700	4,400	2,300
Baldwin 2/ State Hospital	19,200	12,000	7,200	Cobb *	78,800	71,400	7,400
Milledgeville	14,100	9,100	5,000	Marietta	29,800	25,400	4,400
Banks	10,100	5,500	4,600	Coffee	25,600	19,200	6,400
Barrow	5,800	5,500	300	Douglas	8,800	6,100	2,700
Winder	13,200	10,700	2,500	Colquitt	34,300	26,000	8,300
Bartow	5,000	4,200	800	Moultrie	13,200	8,600	4,600
Cartersville	23,900	24,600	4,300	Columbia *	10,900	6,400	4,500
Ben Hill	8,000	6,000	4,300	Cook	12,500	8,900	3,600
Ben Hill	15,200	10,300	4,900	Adel	3,200	2,000	1,200
Fitzgerald	8,600	5,600	3,000	Coveta	28,500	17,900	10,600
Berrien	13,200	11,300	1,900	Newman	8,900	5,600	3,300
Nashville	4,000	3,200	800	Crawford	5,400	2,200	3,200
Bibb *	136,900	90,100	46,800	Crisp	17,800	10,100	7,700
Macon	78,400	45,400	33,000	Cordele	10,400	5,400	5,000
Bleckley	9,000	6,300	2,700	Dade	8,400	8,300	100
Cochran	3,900	2,700	1,200	Dawson	3,200	3,200	0
Brantley	6,100	5,400	700	Decatur	24,000	13,000	11,000
Brooks	16,800	8,800	8,000	Bainbridge	8,300	5,200	3,100
Quitman	5,000	2,800	2,200	DeKalb *	186,800	166,000	18,800
Bryan	5,800	3,400	2,400	Atlanta (Part in DeKalb)	43,500	40,300	3,200
Bulloch	24,000	15,100	8,900	Atlanta (Total in Fulton & DeKalb)	479,900	326,800	153,100
Statesboro	6,800	4,600	2,200	Chamblee	5,500	4,700	800
Burke	21,600	6,700	14,900	Decatur	24,800	20,900	3,900
Waynesboro	4,900	2,300	2,600	Dodge	16,000	11,300	4,700
Butts	9,100	4,900	4,200	Eastman	3,800	2,500	1,300
Calhoun	7,400	2,500	4,900	Dooly	12,600	6,000	6,600
Camden *	8,700	4,500	4,200	Dougherty *	52,000	31,200	20,800
Candler	7,400	4,700	2,700	Albany	38,700	22,200	16,500
Carroll	34,300	27,600	6,700	Douglas	13,600	11,500	2,100
Carrollton	8,700	6,900	1,800	Douglasville	3,900	3,100	800
Catoosa	17,100	16,600	500	Early	16,700	7,600	9,100
Charlton	4,500	3,200	1,300	Blakely	3,500	2,400	1,100
Chatham *	171,600	108,200	63,400	Echols	2,200	1,700	500
Savannah	134,400	80,000	54,400	Effingham	8,900	5,600	3,300
Chattoochee *	1,200	600	600	Elbert	18,000	12,500	5,500
Chattooga	23,000	20,600	2,400	Elberton	7,200	5,100	2,100
Summerville	5,100	4,600	500	Emanuel	17,600	11,300	6,300
Trion	3,400	3,300	100	Swainsboro	4,800	3,000	1,800
				Evans	6,200	3,600	2,600

See notes on last page

TABLE XVII-B ESTIMATED TOTAL POPULATION BY RACE, BY URBAN AND RURAL, AND CIVILIAN POPULATION BY RACE, BY COUNTY
AND INCORPORATED PLACES OF 2,500 OR MORE PERSONS, GEORGIA, JULY 1, 1956
(cont'd)

Area	Total	White	Nonwhite	Area	Total	White	Nonwhite
Fannin	15,600	15,400	200	Mitchell	22,200	11,200	11,000
Fayette	7,900	5,300	2,600	Camilla	4,500	1,900	2,600
Floyd 2/	66,100	55,800	10,300	Pelham	5,300	3,000	2,300
Batley State Hospital	1,400	700	700	Monroe	10,500	5,500	5,000
Rome	32,600	25,900	6,700	Forsyth	3,600	2,100	1,500
Forsyth	10,900	10,800	100	Montgomery	6,800	3,900	2,900
Franklin	13,800	12,100	1,700	Morgan	11,500	5,500	6,000
Fulton *	553,800	380,600	173,200	Murray	10,500	10,400	100
Atlanta (Total in Fulton & DeKalb)	479,900	326,800	153,100	Muscogee *	137,000	103,400	33,600
(Part in Fulton)	436,400	286,700	149,700	Columbus	96,100	66,100	30,000
College Park (Total in Clayton & Fulton)	18,500	15,000	3,500	Newton	21,300	14,200	7,100
(Part in Fulton)	13,300	9,800	3,500	Covington	6,000	3,500	2,500
East Point	26,500	23,000	3,500	Porterdale	3,400	3,300	100
Hapeville	10,800	10,700	100	Oconee	6,700	5,000	1,700
Gilmer	10,700	10,700	0	Oglethorpe	8,500	4,800	3,700
Glascok	3,000	2,200	800	Paulding	11,200	9,900	1,300
Glynn *	33,900	23,700	10,200	Peach	12,600	4,800	7,800
Brunswick	19,800	12,200	7,600	Fort Valley	8,000	3,100	4,900
Gordon	19,300	18,000	1,300	Pickens	8,800	8,300	500
Calhoun	3,400	2,800	600	Pierce	10,800	8,300	2,500
Grady	18,600	12,100	6,500	Pike	7,300	4,000	3,300
Cairo	6,200	3,800	2,400	Polk	32,700	27,200	5,500
Greene	12,400	6,100	6,300	Cedartown	10,200	8,700	1,500
Greensboro	2,800	1,600	1,200	Rockmart	4,000	3,400	600
Gwinnett	34,500	31,100	3,400	Pulaski	8,200	4,400	3,800
Buford	3,600	2,800	800	Hawkinsville	3,600	2,300	1,300
Lawrenceville	3,400	2,900	500	Putnam	7,200	3,300	3,900
Habersham	17,800	16,900	900	Eatonton	3,000	1,600	1,400
Hall	43,600	38,800	4,800	Quitman	2,800	1,000	1,800
Gainesville	13,600	10,100	3,500	Rabun	7,200	7,100	100
Hancock	10,100	2,700	7,400	Randolph	12,200	4,400	7,800
Haralson	14,900	13,600	1,300	Cuthbert	4,400	1,600	2,800
Tallapoosa	3,100	2,800	300	Richmond *	149,000	101,400	47,600
Harris	11,300	5,000	6,300	Augusta	95,300	55,800	39,500
Hart	14,000	10,400	3,600	Rockdale	9,000	6,400	2,600
Hartwell	3,300	2,600	700	Schley	3,400	1,400	2,000
Heard	6,000	4,500	1,500	Screven	16,600	7,200	9,400
Henry	16,400	9,200	7,200	Sylvania	3,200	1,800	1,400
Houston	24,200	17,300	6,900	Seminole	7,500	4,600	2,900
Perry	5,300	2,500	2,800	Donaldsonville	3,100	1,900	1,200
Warner Robins	10,400	9,900	500	Spalding	33,100	24,300	8,800
Irwin	11,500	7,300	4,200	Griffin	15,700	10,300	5,400
Ocilla	3,100	1,700	1,400	Stephens	19,000	16,400	2,600
Jackson	18,400	15,600	2,800	Toccoa	7,600	6,100	1,500
Commerce	3,400	1,500	1,900	Stewart	8,400	2,300	6,100
Jasper	6,700	2,900	3,800	Sumter	24,100	11,700	12,400
Jeff Davis	9,700	7,400	2,300	Americus	12,700	6,400	6,300
Hazlehurst	3,300	2,500	800	Talbot	7,400	2,200	5,200
Jefferson	18,200	7,600	10,600	Manchester (Total in Talbot & Meriwether)	4,500	3,300	1,200
Jenkins	9,400	4,400	5,000	(Part in Talbot)	100	0	100
Millen	3,800	2,100	1,700	Taliaferro	3,400	1,300	2,100
Johnson	8,000	5,600	2,400	Tattnal 2/	13,700	10,200	3,500
Jones	7,000	3,400	3,600	Tattnal State Prison	2,200	1,200	1,000
Lamar	10,400	6,300	4,100	Taylor	8,100	4,200	3,900
Barnesville	4,600	2,900	1,700	Telfair	12,100	8,000	4,100
Lanier	4,900	3,200	1,700	Terrell	12,900	4,600	8,300
Laurens	33,000	19,600	13,400	Dawson	4,900	2,100	2,800
Dublin	11,800	7,100	4,700	Thomas	35,800	21,600	14,200
Lee	5,900	1,900	4,000	Thomasville	16,100	8,800	7,300
Liberty *	9,700	3,900	5,800	Tift	25,300	18,100	7,200
Lincoln	6,100	3,200	2,900	Tifton	7,800	6,700	1,100
Long	3,300	2,200	1,100	Toombs	17,800	12,600	5,200
Loundes *	38,200	23,400	14,800	Lyons	3,400	2,300	1,100
Valdosta	23,300	13,000	10,300	Vidalia	6,900	4,500	2,400
Lumpkin	6,800	6,600	200	Towns	4,700	4,700	0
Macon	13,200	4,600	8,600	Truetlen	5,800	4,000	1,800
Montezuma	3,300	1,300	2,000	Troup	53,900	37,300	16,600
Madison	11,600	9,300	2,300	Hogansville	3,800	2,500	1,300
Marion	6,300	2,400	3,900	LaGrange	27,800	19,300	8,500
McDuffie	11,900	6,600	5,300	West Point	4,500	1,800	2,700
Thomson	3,800	2,500	1,300	Turner	10,300	6,300	4,000
McIntosh	6,500	2,500	4,000	Ashburn	2,300	2,000	1,300
Meriwether	20,500	10,200	10,300	Twiggs	7,800	3,000	4,800
Manchester (Total in Talbot & Meriwether)	4,500	3,300	1,200	Union	7,100	7,100	0
(Part in Meriwether)	4,400	3,300	1,100	Upson	25,200	19,000	6,200
Miller	8,500	6,000	2,500	East Thomaston	2,900	2,900	0
				Silvertown	3,400	3,400	0
				Thomaston	7,400	5,000	2,400

See notes on last page

TABLE XVII-B ESTIMATED POPULATION BY RACE, BY URBAN AND RURAL, AND CIVILIAN POPULATION BY RACE, BY COUNTY AND INCORPORATED PLACES OF 2,500 OR MORE PERSONS, GEORGIA, JULY 1, 1956
(cont'd)

Area	Total	White	Nonwhite	Area	Total	White	Nonwhite
Walker	42,900	39,900	3,000	Webster	3,700	1,300	2,400
Lafayette	5,800	5,300	500	Wheeler	5,600	3,600	2,000
Rossville	4,400	4,400	0	White	5,700	5,300	400
Walton	20,000	13,700	6,300	Whitfield	39,800	37,800	2,000
Monroe	5,500	4,000	1,500	Dalton	18,800	17,500	1,300
Ware	32,000	23,300	8,700	Wilcox	8,600	5,800	2,800
Waycross	21,900	14,200	7,700	Wilkes	10,800	5,100	5,700
Warren	7,900	2,900	5,000	Washington	4,000	1,800	2,200
Washington	19,100	8,300	10,800	Wilkinson	9,100	4,600	4,500
Sandersville	5,100	2,100	3,000	Worth	18,200	9,000	9,200
Wayne	15,100	12,100	3,000	Sylvester	2,900	1,700	1,200
Jesup	5,700	3,900	1,800				

* Because of problems peculiar to these counties a method other than straight line projection estimation was used.

1/ The urban population is the total of the estimates for all incorporated places shown above plus the military population of the state.

2/ Population of the state institutions is excluded from the county totals but is included in the state totals.

Source: Georgia Department of Public Health, Statistics.

TABLE XVIII - TOTAL POPULATION BY CENSUS YEARS BY AGE AND RACE, GEORGIA, 1920-1950

Age	Number				Per Cent Distribution			
	1950	1940	1930	1920	1950	1940	1930	1920
Total								
Total all ages	3,444,578	3,123,723	2,908,506	2,895,832	100.0	100.0	100.0	100.0
Under 5 years	422,486	313,122	316,404	363,229	12.3	10.0	10.9	12.5
5-14 years	666,501	644,065	692,770	747,685	19.3	20.6	23.8	25.8
15-24 years	567,999	633,048	622,962	580,363	16.5	20.3	21.4	20.0
25-44 years	1,005,559	897,303	744,444	737,099	29.2	28.7	25.6	25.5
45-64 years	562,378	477,471	416,804	362,405	16.3	15.3	14.3	12.5
65 years & over	219,655	158,714	113,278	102,111	6.4	5.1	3.9	3.5
Not reported	-	-	1,844	2,940	0	0	0.1	0.1
White								
Total all ages	2,380,577	2,038,278	1,837,021	1,689,114	100.0	100.0	100.0	100.0
Under 5 years	276,321	193,741	200,353	217,864	11.6	9.5	10.9	12.9
5-14 years	431,958	401,814	427,296	423,031	18.1	19.8	23.3	25.0
15-24 years	385,584	403,636	376,348	323,636	16.2	19.8	20.5	19.2
25-44 years	722,534	597,165	482,449	443,295	30.4	29.3	26.3	26.2
45-64 years	409,754	336,232	271,590	214,251	17.2	16.5	14.8	12.7
65 years & over	154,426	105,690	78,022	65,896	6.5	5.1	4.2	3.9
Not reported	-	-	963	1,141	0	0	0.1	0.1
Nonwhite								
Total all ages	1,064,001	1,085,445	1,071,485	1,206,718	100.0	100.0	100.0	100.0
Under 5 years	146,165	119,381	116,051	145,365	13.7	11.0	10.8	12.0
5-14 years	234,543	242,251	265,474	324,654	22.0	22.3	24.8	26.9
15-24 years	182,415	229,412	246,614	256,727	17.1	21.1	23.0	21.3
25-44 years	283,025	300,138	261,995	293,804	26.6	27.7	24.5	24.3
45-64 years	152,624	141,239	145,214	148,154	14.3	13.0	13.6	12.3
65 years & over	65,229	53,024	35,256	36,215	6.1	4.9	3.3	3.0
Not reported	-	-	881	1,799	0	0	0.1	0.1

Source: U. S. Census 1920, 1930, 1940, 1950

TABLE XIX - MARRIAGES, DIVORCES, AND ANNULMENTS, BY COUNTY OF APPLICATION, BY RACE, GEORGIA, 1956
(Recorded Data)

County	Marriages				Divorces	Annulments
	Total	White	Non- white	Unkown	Total	Total
TOTAL	52,221	41,398	10,769	54	7,723	28
Appling	117	87	30	-	16	-
Atkinson	66	51	15	-	4	-
Bacon	89	75	14	-	36	-
Baker	41	29	11	1	3	-
Baldwin	176	97	79	-	39	-
Banks	47	46	1	-	-	-
Barrow	128	102	26	-	-	-
Bartow	264	223	41	-	50	-
Ben Hill	172	122	50	-	27	-
Berrien	117	104	13	-	37	-
Bibb	1,040	707	333	-	412	2
Bleckley	86	59	27	-	11	-
Brantley	603	583	20	-	6	-
Brooks	270	138	132	-	10	-
Bryan	67	47	16	4	9	-
Bulloch	127	80	47	-	36	-
Burke	90	22	68	-	17	-
Butts	91	38	53	-	1	-
Calhoun	51	14	37	-	-	-
Camden	3,740	3,399	340	1	15	-
Candler	54	38	16	-	7	-
Carroll	339	273	66	-	51	-
Catoosa	3,354	3,126	228	8	24	-
Charlton	3,555	3,130	420	5	17	-
Chatham	1,031	687	343	1	582	3
Chattahoochee	488	438	50	-	4	-
Chattooga	155	144	11	-	33	-
Cherokee	264	251	13	-	4	-
Clarke	396	262	134	-	89	-
Clay	65	28	37	-	1	-
Clayton	545	485	58	2	41	-
Clinch	96	74	22	-	2	-
Cobb	594	519	75	-	209	-
Coffee	257	193	64	-	60	1
Colquitt	422	332	89	1	55	-
Columbia	43	20	22	1	-	-
Cook	222	176	46	-	29	-
Coweta	347	218	129	-	47	-
Crawford	63	39	24	-	3	-
Crisp	174	107	67	-	17	-
Dade	1,768	1,745	23	-	8	-
Dawson	75	75	-	-	5	-
Decatur	750	551	198	1	33	-
DeKalb	1,161	1,021	139	1	367	2
Dodge	144	104	40	-	32	-
Dooly	92	41	51	-	13	-
Dougherty	839	501	338	-	173	1
Douglas	237	214	23	-	-	-
Early	139	69	69	1	10	-
Echols	192	162	28	2	1	-
Effingham	56	38	18	-	12	-
Elbert	47	31	12	4	1	-
Emanuel	153	102	51	-	18	-
Evans	96	59	37	-	9	-
Fannin	432	431	1	-	26	-
Fayette	112	84	28	-	1	-
Floyd	670	566	104	-	177	2
Forsyth	111	111	-	-	-	-
Franklin	73	63	9	1	30	1
Fulton	5,151	3,416	1,735	-	1,986	3
Gilmer	78	78	-	-	22	-
Glascocok	44	21	22	1	1	-
Glynn	434	342	92	-	120	-
Gordon	190	182	8	-	7	-
Grady	236	176	60	-	28	-
Greene	83	39	44	-	22	-
Gwinnett	502	462	40	-	42	-
Habersham	96	95	1	-	27	-
Hall	317	291	26	-	78	-
Hancock	69	11	58	-	1	-
Haralson	459	449	10	-	27	-
Harris	97	61	36	-	1	-
Hart	385	354	30	1	-	-
Heard	95	79	15	1	-	-
Henry	174	105	69	-	17	-
Houston	281	208	73	-	3	-
Irwin	75	44	31	-	2	-
Jackson	165	142	23	-	4	-
Jasper	60	26	34	-	1	-
Jeff Davis	78	57	21	-	14	-

TABLE XIX - MARRIAGES, DIVORCES, AND ANNULMENTS, BY COUNTY OF APPLICATION, BY RACE, GEORGIA, 1956
(Recorded Data.)

County	Marriages				Divorces	Annulments
	Total	White	Non- white	Unknown	Total	Total
Jefferson	79	33	46	-	16	-
Jenkins	89	39	50	-	17	-
Johnson	98	64	34	-	6	-
Jones	57	28	29	-	5	-
Lamar	136	75	61	-	7	-
Lanier	70	53	17	-	23	-
Laurens	340	219	118	3	60	1
Lee	33	20	13	-	11	-
Liberty	80	39	41	-	15	-
Lincoln	14	13	1	-	11	-
Long	68	55	13	-	3	-
Lowndes	969	786	183	-	113	1
Lumpkin	43	42	1	-	9	-
Macon	151	52	99	-	13	-
Madison	46	39	7	-	-	-
Marion	47	23	24	-	7	-
McDuffie	81	47	33	1	-	-
McIntosh	51	26	25	-	7	-
Meriwether	117	65	52	-	13	-
Miller	97	70	27	-	10	1
Mitchell	233	156	76	1	33	-
Monroe	58	39	19	-	19	-
Montgomery	39	20	19	-	14	-
Morgan	74	40	34	-	14	-
Murray	379	378	1	-	10	-
Muscogee	1,181	907	274	-	697	6
Newton	197	136	61	-	-	-
Oconee	65	54	11	-	8	-
Oglethorpe	65	41	24	-	-	-
Paulding	549	527	22	-	10	-
Peach	143	60	83	-	20	-
Pickens	93	85	8	-	-	-
Pierce	134	112	22	-	11	1
Pike	91	62	28	1	5	-
Polk	206	172	34	-	64	-
Pulaski	119	62	57	-	20	-
Putnam	84	37	47	-	16	-
Quitman	83	26	57	-	3	-
Rabun	38	38	-	-	8	-
Randolph	82	36	46	-	1	-
Richmond	496	423	73	-	139	-
Rockdale	338	272	66	-	21	-
Schley	50	18	32	-	3	-
Screven	61	24	37	-	52	-
Seminole	499	402	94	3	21	-
Spalding	368	299	69	-	61	-
Stephens	199	182	17	-	22	-
Stewart	62	13	49	-	6	-
Sumter	174	73	99	2	28	-
Talbot	47	16	31	-	-	-
Taliaferro	25	9	16	-	1	-
Tattnall	78	61	17	-	25	-
Taylor	91	41	50	-	12	-
Telfair	118	87	31	-	20	-
Terrell	152	44	108	-	8	-
Thomas	659	451	208	-	83	-
Tift	328	252	74	2	31	-
Toombs	185	134	51	-	41	-
Towns	72	72	-	-	-	-
Treutlen	56	38	18	-	5	-
Troup	565	392	173	-	95	-
Turner	73	44	29	-	11	-
Twiggs	296	204	92	-	12	-
Union	69	69	-	-	5	-
Upson	258	196	62	-	60	-
Walker	1,908	1,762	146	-	94	1
Walton	204	139	65	-	7	-
Ware	762	654	108	-	33	-
Warren	28	9	19	-	4	-
Washington	105	47	58	-	15	-
Wayne	245	207	38	-	38	-
Webster	29	10	19	-	1	-
Wheeler	35	22	12	1	5	-
White	67	62	5	-	-	-
Whitfield	488	471	17	-	106	2
Wilcox	73	50	23	-	6	-
Wilkes	31	19	12	-	1	-
Wilkinson	67	41	26	-	13	-
Worth	219	144	72	3	16	-

